

SUBJECT INDEX

- ab initio* methods, 77
- Absorption, 412
- center, 412, 413, 421
 - excited state (ESA), 422–427
 - ground state (GSA), 422–428
- Acceptor: *see* Dopant
- Activator, 413
- Aggregation: *see* Point defect aggregation
- Alkali metals, 462
- Allotrope, 448
- Alumina: *also see* Aluminium oxide, corundum, 240
- Alums, 447
- β -alumina, 270–278, 421, 439
- composition range, 270, 273
 - correlated diffusion in, 275, 276
 - crystal structure, 272, 273
 - defects in, 272–274
 - ionic conductivity in, 274–276
 - silver analogue, 273
 - unit cell, 270
- β'' -alumina, 271
- batteries, 276–278
 - crystal structure, 271, 273
 - defects in, 274
 - as an electrolyte, 276
 - ionic conductivity in, 274–276
 - unit cell, 271
- β''' -alumina, 271
- β'''' -alumina, 271
- Alloy
- interstitial, 147
 - substitutional, 140
- Aluminium oxide:
- also see* Corundum, 122
- γ -aluminium oxide, 147
- Aluminium oxynitride, 122
- Amethyst, 434
- Anatase, 149
- Anode, 54, 251, 265, 287, 289, 378
- Anti-Beevers-Ross (aBR) site, 271, 421
- Antiferroelectric material, 118, 492
- Antiferromagnetic material, 116, 374, 403, 410–411
- Antiphase boundary, 97, 107, 114–116
- in copper, 97, 114
 - in cubic close-packed metal crystals, 114
 - in a hexagonal close-packed array, 114
 - in magnesium, 114
- Antisite defect, 21, 28–31, 40, 77, 143
- equilibrium population, 64–65
 - formation via Frenkel defects, 33
- Anti-Stokes fluorescence, 413
- Arrhenius behaviour, 258
- Arrhenius equation, 231, 235
- Arrhenius plot, 231, 236, 259, 263, 275
- enthalpy of formation of point defects from, 237, 238
 - enthalpy of migration from, 237, 238, 259
 - extrinsic region, 237, 239
 - impurity region, 237, 239
 - intrinsic region, 237, 239
 - knee in, 237, 239, 263
- Atomistic simulation, 67, 70–76, 78, 353
- Attempt frequency, 234, 256
- Aurivillius phase, 179, 182–184, 368
- Austenite, 147
- Azurite, 419

- Band
 bending, 124
 conduction, 8, 416, 462
 energy, 461
 gap, 416, 461
 thermal, 462
 optical, 462
 valence, 9, 416, 462
- Band theory, 461–465
 comparison with hopping conduction, 306–307
 definition of major types of electrical materials, 461–463
 point defects in terms of, 463–464
 transition metal oxides in terms of, 464–463
- Barium titanate, 114, 126, 127, 128, 130
- Battery, 54, 251, 252, 265, 266, 288
 lithium iodide, 54–56, 78
 sodium–sulphur, 276–278
 ZEBRA, 276–278
- Beevers–Ross (BR) site, 271, 273, 274, 421
- Beevers–Ross type (BR-type) site, 271, 274
- Beryl, 420
- Bismuth oxide, 125
- Bivariant system, 314
- Bleaching, 63
- Bloch wall, 118
- Block structures, 187–189
- Blue John, 434
- Boltzmann
 equation, 47
 law, 69, 415, 429
- Boron nitride, 97
- Boundary
 grain: *see* Grain boundary
 twin: *see* Twin boundary
 internal, 107
- Bound magnetic polaron, 404–405
- Bridging oxygen, 271, 272
- Bronzes: *see* Tungsten bronzes
- Brouwer diagram, 320–344, 345, 387–389
 assumptions, 320
 for $\text{Ba}_2\text{In}_2\text{O}_5$, 338–339
 for Cr_2O_3 , 336–338
 defect equilibria for MX, 321–322
 for doped systems, 358–363
 construction, 358
 trends, 360–363
 effects of temperature, 339–320
 for electronic defects in MX, 329–336
 for ionic defects in MX, 322–329
 polynomial form, 340–344
 for electronic defects in MX, 343–344
 for ionic defects in MX, 340–343
- Brownmillerite structure, 190, 255, 297, 318
- Buckingham
 equation, 73
 potential, 72
- Bulk properties, 12–17
- Burgers
 circuit, 85, 87, 90, 92
 vector, 84, 85, 90, 93, 94, 96, 97, 104, 105
- CMR, 407–408, 442
- CR, 425–427
- CRT display, 413
- Cadmium chloride structure, 456
- Cadmium hydroxide structure, 455
- Cadmium iodide structure, 104, 106, 455
- Cadmium oxide, 35–36
- Calcia, 36
- Calcia-stabilised zirconia: *see* Zirconia
- Calcium fluoride: *see* Fluorite
- Calcium oxide: *see* Calcia
- Calcium tungstate, 430
- Capacitance, 263–265
- Car mirror, 439
- Cathode, 54, 251, 265, 287, 289, 380, 381
- Cathode ray tube (CRT) display, 413
- Cell: *see* fuel cell
 Galvanic, 265, 289
 potential, 265
 and Gibbs energy, 265
 voltage, 267, 387
- Chaikin–Beni equation, 470
- Charge
 effective, 21–25
- Charge reservoir, 367, 369
- Chemical twinning
 in the $\text{PbS-Bi}_2\text{S}_3$ system, 177
 in lead-bismuth sulphosalts, 177

- Chesterite, 171
 Chimney-ladder structure, 193
 Chromium oxide
 doped with TiO_2 , 352–353
 Clay, 107
 Cleavage, 121
 Cobaltites, 407–409
 Cobalt oxide, 145
 Cole–Cole plot, 265
 Colossal magnetoresistance (CMR),
 407–408, 442
 Color
 due to impurity defects, 418–420
 of gemstones, 417, 419, 420, 442
 of glasses, 417–418, 419, 442
 of lanthanides, 417–418
 of pigments, 417–418, 420
 of minerals, 417–418
 of transition metal ions, 417–418
 Color center: *also see* F center,
 432–438
 in alkali metal halides, 432–433
 in amythyst, 434
 in CaF_2 , 434
 complex, 434
 electron centers, 434
 hole centers, 434
 laser, 436–437
 in smoky quartz, 434
 surface, 435
 Column oxygen, 271
 Compensation, 352, 353
 choice of mechanism, 297, 298,
 391–392
 electronic, 7, 297, 298
 ionic, 7, 297
 self-, 7
 structural, 7
 Composite crystals, 184
 Composite structures, 170, 184
 Composition
 and equilibrium partial pressure,
 309–315
 and phase diagrams, 137–140
 plane, 110
 variation, 135–140, 143
 Compound
 isomorphous, 448
 isostructural, 448
 stoichiometric, 25, 137
 nonstoichiometric, 25, 137
 Concentration profile, 484–485
 Conduction: *see* Conductivity
 Conduction plane, 271
 Conductivity
 activation energy for, 258
 of anion-deficient oxides, 298–299
 of BaIn_2O_5 , 318–320
 of cation-deficient oxides, 299–301
 and defect concentrations, 261–263,
 301–307,
 effect of O_2 pressure upon, 315–320,
 353
 electrical, 252
 electronic, 297
 hopping, 302, 304, 357, 379, 381
 and defects, 304–305
 compared to band theory, 306–307
 and impurities, 262
 and intrinsic defects, 262–263, 297
 ionic, 251–255, 304
 enhancement of, 278–280
 and ionic model, 303–307
 of metal-excess phases, 298–299
 mixed electronic/ionic, 300, 378–385
 mixed proton/electronic, 385–391
 representation by Brouwer diagram,
 387–389
 representation by charge carrier map,
 389–391
 of oxygen-excess phases, 299–301
 and polarisation, 304
 random-walk mechanism, 255–259
 and self-diffusion, 259–261
 total, 301, 387
 variation with composition, 304–305
 Conductor
 electronic/ionic, 378–385
 fast ion, 252
 H^+ ion, 285–287
 metallic, 363
 mixed, 300, 378–391, 393–394
 proton, 285–287, 385–391
 proton/electronic, 385–391
 super-ionic, 252
 Copper, 94, 101
 structure, 94, 95, 96, 231, 453
 Copper halides, 62–64

- Copper sulphate, 419
- Concentration profile, 208
- Cooperative luminescence, 413
- Coordination defect, 160–161
- Correlation factor, 227–231, 235, 236, 261
 - for interstitial diffusion, 229
 - for interstitialcy diffusion, 229, 230, 231
 - for vacancy diffusion, 228, 231
 - values, 231
- Correlated diffusion, 275–276
- Corrosion reactions, 241–243
- Corundum, 11, 97, 101, 103, 142, 224, 419, 429
- Corundum structure, 226, 231, 233, 454
- Coulometric titration, 284–285
- Cross relaxation (CR), 425–427
- Cross-slip, 91
- Crystal
 - atom positions in, 452
 - directions in, 451–452
 - growth and screw dislocations, 91–93
 - isomorphous, 448
 - isostructural, 448
 - lattice, 447
 - planes in, 448
 - system, 448
 - unit cell, 447
- Crystal field splitting, 417, 420, 440, 441, 492–494
 - of Cr^{3+} 3d-orbitals, 11, 429–430
 - of Cu^{2+} 3d-orbitals, 419
- Crystal structure, 447, 452
 - body-centered cubic, 453
 - diamond, 7, 453
 - cadmium chloride, 456
 - cadmium hydroxide, 455
 - cadmium iodide, 455
 - copper, 94, 453
 - corundum, 454
 - face-centered cubic, 453
 - fluorite, 455
 - graphite, 453
 - halite, 454
 - magnesium, 453
 - molybdenite, 456
 - potassium nickel fluoride, 460
 - rhenum trioxide, 457
 - rock salt, 454
 - rutile, 455
 - sodium chloride, 453
 - sphalerite, 454
 - spinel, 458–460
 - inverse, 459–460
 - mixed, 459–460
 - normal, 459–460
 - strontium titanate, 457
 - tungsten, 453
 - wurtzite, 454
 - zinc blende, 454
- Crystal system, 448
 - cubic (isometric), 448
 - tetragonal, 448
 - orthorhombic, 448
 - monoclinic, 448
 - triclinic, 448
 - hexagonal, 448
 - rhombohedral, 448
- Crystallographic shear, 171–176, 179
 - formation via dislocation loop, 173
 - operation, 171
 - {102} planes, 171–174
 - {103} planes, 174–175
 - {104} planes, 175
 - {001} planes, 175
 - in reduced tungsten trioxide, 171–176
 - vector, 171
 - wavy, 175
- Cubic close packing, 94–95, 101
- Cuboctahedral cluster, 156–157
- Cuprate superconductors, 367–378
- Cuprous halides, 62–64, 268
- Curie law, 400, 491
- Curie temperature, 118, 127, 128, 130, 491, 492
- Curie–Weiss law, 400, 492
- Decoration: *see* Dislocation decoration
- Defect: *Also see* Antisite defect, Point defect, Dislocation, Antiphase boundary, Twin boundary, Interstitial, Vacancy
 - amphoteric, 23
 - cluster, 128, 221, 223
 - charges on, 21–25, 40
 - chemistry, 31
 - coordination, 160, 161
 - effective charge on, 21–25, 40
 - electronic, 2, 4–7, 278, 358
 - creation and elimination of, 321, 337, 340, 358

- energy, computation, 66–77
- extended, 107
- extrinsic, 6, 84
- formation energy, 75–76, 148, 262
- formation equations, 31–38
- impurity, 417
- induced, 4
- intergrowth, 375
- intrinsic, 45, 49, 65–66, 77
- linear, 167–169
- magnetic, 399–406
 - in semiconductors, 403–406
- native, 4
- neutral, 23
- planar, 1, 107
- stacking, 375
- structural, 2
- in superconductors, 373–378
- volume, 1, 128–129
- Wadsley, 187
- Defect clusters: *see* Point defect clusters
- Defect interactions, 68–69
- Defect populations and partial pressure, 315–320
- Density, 14–15
 - and point defect type, 14–15, 353
 - of wüstite, $\sim\text{FeO}$, 14–15
- Density functional theory, 67, 77
 - local density approximation (LDA), 77
- Depletion layer, 125
- Diamond, 448
 - boron impurities in, 416, 417
 - coloration, 416–417
 - crystal structure, 8
 - nitrogen impurities in, 417
 - nitrogen–vacancy (N–V) center in, 437–438
- Diamond structure, 231, 233, 453
- Diffusion, 205
 - activation energy of, 231
 - ambipolar, 241–243
 - in amorphous solids, 245
 - anisotropic, 207
 - and point defects, 236–240, 246
 - in semiconductor superlattices, 209
 - bulk, 207, 208, 209
 - chemical, 241
 - correlated, 275, 276
 - couple, 208
 - distance, 216
 - dislocation, 243–244
 - effect of temperature on, 231–236, 246
 - in glassy solids, 245
 - grain boundary, 244
 - interstitial, 101, 217, 226
 - interstitial-like, 241
 - intrinsic
 - temperature variation, 236–240
 - and Frenkel defects, 238
 - and Schottky defects, 238
 - isotropic, 207
 - lattice, 207
 - length, 216
 - mechanism: *see* Diffusion mechanism
 - non-steady state, 476–478
 - pipe, 207
 - and point defect concentration, 227
 - in potential gradient, 255–257
 - profile, 208
 - random walk analysis, 213–216, 478–483
 - self-
 - in silicon, 209, 217
 - in semiconductor superlattice, 209
 - short-circuit, 207, 208, 209
 - substitutional-like, 241
 - tracer, 207–208
 - volume, 207, 208, 241
- Diffusion coefficient, 205, 260
 - chemical, 241
 - and ionic conductivity, 259–261
 - effective, 243, 244
 - evaluation, 210–212
 - interdiffusion, 241
 - self-, 209
 - tracer, 207
- determination by Gruzin method, 212
- determination by residual activity, 212
- numerical values of, 233
- temperature variation, 231–236
- Diffusion equation, 205, 476
 - Einstein, 213, 488
 - Einstein–Smoluchowski, 213
 - solutions of, 211, 212, 476–478
- Diffusion mechanism, 212, 216–227
 - divacancy, 221, 223
 - direct, 217

Diffusion mechanism (*Continued*)

exchange, 219
 and impurities, 240–241
 indirect, 217
 interstitial, 217
 interstitialcy, 217–219, 261
 collinear, 219, 220
 non-collinear, 219, 220
 in RbBiF_4 , 219, 220
 kick-out, 220
 random walk, 213–216, 232
 ring, 219
 substitutional-like, 245
 vacancy, 216–217, 237, 261
 Diffusion path, 217, 221–226
 Dion–Jacobson phases, 179,
 182–184
 Dipole
 magnetic, 116, 130
 electric, 118
 Direction in a crystal, 451–452
 Dislocation, 1, 83–107, 129–130
 climb, 102–103
 charge, 105
 and crystal growth, 91–93
 decoration, 85, 103, 106, 107
 density, 99
 edge, 85–90, 129
 in sodium chloride, 105
 energy, 84
 Frank partial, 99
 glide, 87, 88
 glissile, 101
 imperfect, 97
 jog, 102–103
 line, 83, 99
 loop, 83, 93–94, 99–101, 114
 formation, 99–101
 Frank sessile, 101
 prismatic, 101
 mixed, 93–94
 movement, 87, 88, 91, 94
 in copper, 94–97, 101
 multiplication, 99
 in non-metallic crystals, 103–107
 partial, 94–99, 104
 perfect, 94–99
 Shockley partial, 97
 screw, 85, 90–93, 129

unit, 94–99
 as a vacancy source or sink, 103, 106
 width, 85

Disordered cation compounds, 268–270

Distribution

Gaussian, 214, 215, 484
 normal, 214, 215, 484
 statistics of, 484–485

Divacancy, 66

Domain, 107, 116–119

boundary, 116, 402
 in iron, 118
 ferroelectric, 114, 118
 magnetic, 116, 117, 130
 wall, 18, 117, 118
 Weiss, 116, 402

Donor, *see* Dopant

Dopant

acceptor, 9, 351, 353–355, 363–365,
 392–393, 416, 463
 effect upon stoichiometry, 354
 aliovalent, 7, 278, 351
 altrivalent, 7
 co-dopant, 424
 donor, 8, 127, 351, 352–353, 365, 366,
 392–393, 416, 463
 effect upon stoichiometry, 352
 impurity, 127, 351–355

Doping: *see* Dopant

Down-conversion, 421

ESA, 422–427

ET, 422–427

Effective charge, 21–25
 on defects, 22–25, 40
 symbols for, 21

Electrochemical cell, 265

Electrochemical pump, 284

Elastic modulus, 17

Electrochromic

car mirrors, 439
 devices, 439
 films, 438–440
 materials, 438–440

Electrolyte, 54, 78, 251, 252, 265,
 287, 289

LiI as, 54, 78

proton conducting, 286, 440
 solid, 252

- Electron excess center, 433–434
 in SrAl_2O_4 , 434
- Electron hole: *see* Hole
- Electron, 21, 304, 399, 462, 466
- Electroneutrality, 322, 337, 338, 341, 359–360
- Electronic conductivity
 comparison of band and hopping theories for, 306–307
 dependence upon composition, 304–305, 315–320
 dependence on oxygen partial pressure, 315–320, 345
 effect of temperature upon, 306–307
 by hopping mechanism, 303–307
- Electronic properties
 and composition variation, 315–320, 344,
- Embedded cluster calculations, 77
- Emerald, 420
- Emission,
 of radiation, 412, 428–429
 spectrum, 418
 spontaneous, 428
 stimulated, 428, 429
- Energy
 activation, 231, 258
 attractive, 71–72
 bands, 416, 461
 barrier, 232, 234, 245, 256–257
 electrostatic, of ionic crystal, 71
 repulsive, 71–72
 short range, 71
- Energy level, 413–415
 of acceptor defects, 416, 464
 deep, 416, 432, 464
 of defects, 416, 463–465
 of donor defects, 416, 464
 shallow, 416, 44
 relative population, 69, 415, 429
 in solids, 416–417
- Energy transfer (ET), 422–427
- Enstatite, 170
- Enthalpy,
 of Frenkel defects, 57–58, 474–475
 of self-interstitials, 51–52
 and Seebeck coefficient, 466–467
 of Schottky defects, 53–54, 470, 472
 of vacancies, 45–50, 473
 of vacancy pair, 69
- Entropy
 configurational
 of Frenkel defects, 57–58, 474–475
 and Seebeck coefficient, 468–470
 of self-interstitials, 51–52
 of Schottky defects, 53–54, 470–472
 of vacancies, 45–50, 473
 of vacancy pair, 69
 vibrational, 47, 469
- Etch figure, 85
- Excited state absorption (ESA), 422–427
- Exciton, 463
- Exhaustion range, 463
- Extrinsic region, 239
- FS/RH (perfect crystal) convention, 85, 90
- F center, 10–11, 432–433
 absorption spectrum, 432
 structure, 432, 433
 in alkali metal halides, 10–11, 432–433
 in CaF_2 , 434
 colors, 433
 electron excess, 432, 434
 metal excess, 433
- F^+ center 435
- F_{Li} center, 436
- $\text{F}_{\text{Li}}(\text{II})$ center, 437
- F_s^+ center, 435
- $\text{F}_s^+(\text{OH}^-)$ center, 435
- Fayalite, 142
- Faraday's law of electrolysis, 284
- Fast ion conductor, 252, 253
- Feldspar, 142
- Fermi energy, 462
- Fermi level, 123, 124, 462, 463
- Fermi surface, 462
- Ferrimagnetic material, 116, 402, 410, 492
- Ferrites, 142, 405–406
 magnetic defects in, 405–406
- Ferroelastic material, 119
- Ferroelectric material, 118
- Ferroic material, 116–119
- Ferromagnetic material, 116–118, 402, 403, 410, 491

- Ferromagnetism, 491
 Fick's laws of diffusion
 first law, 205, 476, 487
 and random walk analysis, 485–488
 second law, 205, 476, 488
 Film
 photographic, 58–62
 electrochromic, 438–440
 Fluorescence, 412, 414
 anti-Stokes, 413
 from (N–V) centers, 438
 Fluorescent lamp, 413, 420
 trichromatic, 421
 Fluorite, 434
 Fluorite structure, 21, 152, 153, 231, 233, 455
 anion-deficient, 157–161
 anion-excess, 152–157, 193–194
 oxides
 oxygen diffusion in, 280
 structure, 280
 Force constant, 74
 Forsterite, 142
 Fracture
 intergranular, 122
 transcrystalline, 122
 transgranular, 122
 Frank partial dislocation, 99
 Frank–Read source, 99
 Frank sessile dislocation, 101
 Free energy: *see* Gibbs energy
 Frequency upconversion, 413
 Frenkel defect, 27–28, 40, 77, 219, 221, 222, 263, 270, 318, 474–475
 configurational entropy, 57–58, 474–475
 creation and elimination, 270, 338
 definition, 27
 enthalpy, 57–58, 474–475
 equilibrium population, 56–58, 475
 Fuel cell, 265, 266, 290
 anode materials, 287, 378
 cathode materials, 287, 380, 387
 electrolyte materials, 287
 solid oxide, 287–288, 290

 GSA, 422–427
 Galena, 177
 Gallium arsenide, 143–145

 Galvanic cell, 265
 Garnets, 411
 magnetic, 411
 magnetic bubble memories in, 412
 Gaussian distribution, 214, 215, 484
 Gemstones, 417
 Germanium, 7–10
 Geometrical factor, 235, 236, 257, 258
 Gibbs energy
 of Frenkel defects, 57–58, 474–475
 measurement using calcia-stabilised zirconia electrolyte, 281–282
 of oxides, 281–282, 331
 of self-interstitials, 51–52
 of Schottky defects, 53–54, 470, 472
 and Seebeck coefficient, 466
 of system containing Ag, O and Ag₂O, 309
 of vacancies, 45–50, 473,
 Glass, 418–419, 421, 430, 442
 photochromic, 62–64
 Glass ceramic, 129
 Glide, 87, 88, 94, 103, 104, 105
 Grain, 120
 photographic, 58
 Grain boundary, 120, 124
 low-angle, 108–110
 low-angle tilt, 109
 low-angle twist, 109
 small-angle, 108
 Graphite, 97, 165, 165, 448
 crystal structure, 453
 Ground state, 10–12, 414–415, 422

 HUP, 440
 Halite: *see* Sodium chloride
 Hartree–Fock equations, 77
 Haven ratio, 260
 Heikes equation, 19, 469, 470
 extended, 470
 Hexagonal close packing, 104
 Hexagonal tungsten bronzes, 162–164
 Heyrovskyite, 177
 High-spin state, 406, 493–494
 Hole, 3, 9, 22, 304, 354, 355, 359, 361, 362, 364, 462, 466
 Hole-excess center, 433–434
 in SrAl₂O₄, 434

- Hollandite, 164
 Hooke's law, 17, 74
 Homologous series
 W_nO_{3n-1} , 174
 W_nO_{3n-2} , 174
 brownmillerite related, 190
 of superconductors, 370, 371
 Hume–Rothery solubility rules, 141
 Hydrated nickel oxide, 440
 Hydride, interstitial, 147
 Hydrogen storage, 147
 Hydrogen uranyl phosphate, 440
 Hysteresis loop, 119
- ITO, 439
 Image, latent, 59–61
 Impedance, 263
 of a ceramic, 264–265
 complex plane representation
 of, 265
 measurement, 263–265
 plot, 264–265
 spectroscopy, 265
 Impurity: *also see* Dopant, 5,
 351–355
 acceptor, 7, 351, 353–355
 aliovalent, 7, 351
 defect, 417
 donor, 7, 351, 352–353
 neutral, 357
 in oxides, 352
 in silicon, 7–10
 substitutional, 6, 11
 effect of on electronic properties,
 355–358, 363–367
 notation for, 24
 Impurity region, 237, 239, 262
 Incommensurate intergrowth
 structures, 184
 Incommensurate structures, 185
 Indium tin oxide, 439
 Inductance, 263–264
 Infinitely adaptive compound, 193
 Insulator, 297, 461, 462
 antiferromagnetic, 234, 235
 Interaction energy, 68–72
 Interatomic potential, 70
 Intercalation, 165–167
 Interdiffusion coefficient, 241
- Interface
 electronic properties, 122–124
 external, 120–122
 internal, 107–108
 Intergrowth phases, 170, 365
 Interpolation, 161–165
 Interstitial, 4, 5, 6, 21, 24, 27–28,
 33, 38, 40, 50–52, 56–58, 100,
 101, 102, 145–147, 192, 278,
 298, 299, 315, 352, 354
 aggregation, 114
 equilibrium population in a monatomic
 crystal, 50–52
 self-, 4, 40
 Intrinsic region, 237, 239, 262
 Intrinsic semiconductor, 462–463
 Iodine, 54
 Ionic conductivity: *also see* Conductivity
 enhancement of, 278–280
 and defects, 261–263
 random-walk model, 255–261
 and self-diffusion
 in solids, 251–255
- Iron, 218
 Iron monoxide: *see* Wüstite
 γ -iron oxide, 148
- Jahn–Teller effect, 145, 304
 Jimthompsonite, 171
 Jump
 frequency, 234
 probability, 234
 rate, 257
- Kröger–Vink notation, 20–25
 in reaction equations, 31–38
 summary, 24
 Kröger–Vink diagram: *see* Brouwer
 diagram
- Landé g-factor, 490
 Lanthanide colors, 417–418
 Lanthanum cobaltite, 19–20, 309,
 382–383, 406–407
 Lanthanum cuprate, 145–147,
 363–365
 Lanthanum manganite, 287, 407–409
 colossal magnetoresistance
 in, 407

- Laser
 color center, 436–437
 continuous operation, 432
 four-level, 430, 431
 neodymium, 430–432
 pulsed operation, 430
 ruby, 429–430
 solid state, 428–432
 three-level, 429, 430
 type II, 437
- Lattice parameter, 13–14
 and composition, 13–14, 137
 variation, 13–14, 137
- Layer structures, 165–167
- Lead fluoride, 268
- Lead sulphide, 177
- Ligand field splitting, 11, 418
- Light
 absorption, 412–413, 415
 emission, 412–413, 415
 scattering, 412–413
- Lillianite, 177
- Line phase, 137
- Lithium doped nickel oxide: *see* Nickel oxide
- Lithium iodide, 54–56, 78
 doped with Ca^{2+} , 55, 56
- Lithium nickelate, 381
- Lithium oxide, 354
- Lodestone, 405
- Low-spin state, 406, 493–494
- Luminescence, 413, 414
 cooperative, 413
- mO site, 271, 273, 274
- MR ratio, 407, 442
- Magnesium structure, 231, 453
- Magnesium oxide, 137, 142
 composition range, 137–140
- Magnetic
 bubble memory, 412
 defect, 399–402
 extended, 409–412
 in ferrites, 405–406
 in semiconductors, 403–405
 in wüstite, 409, 430
 dipole, 399, 489
 contributions to, 399, 490
 domain wall, 118
 ferrites, 405–406
 materials, 490–492
 moment, 399
 of actinides, 400, 490
 of closed-shell atoms, 399, 490
 of closed-shell ions, 399, 490
 of lanthanides, 400, 490
 orbital, 399, 400, 490,
 spin only, 400, 490
 total, 490
 of transition metals, 400, 490
 polaron, 404
- Magnetic properties, 399
- Magnetism
 atomic, 399–402, 489–490
 photoinduced, 440–441
- Magnetite, 150, 405
- Magnetoresistance, 407–408, 442
- Magnetoresistive (MR) ratio, 407, 442
- Malachite, 419
- Manganese–oxygen system, 311, 312
- Manganites, 406–409
- Maxwell-Boltzmann statistics, 232
- Metal, definition, 461–462
- Metal–insulator transition, 147, 364, 366,
 367, 407
- Mica, 107, 170
- Microdomain, 191
 in fluorite structure, 191
 in $\text{La}_2\text{CuO}_{4+\delta}$, 192
- Mid-oxygen (mO) site, 271, 273, 274
- Miller indices, 448–451
- Miller–Bravais indices, 451
- Mineral, 417
- Misfit-layer compounds, 184–187
- Mn–O system, 311, 312
- Mobility, 257, 260
- Modular structures, 170–189, 190, 198
- Modulated structures, 192–197
 commensurate, 193, 197
 incommensurate, 193, 197, 198
 fluorite-related, 193–194
 U_3O_8 -related, 195–196
 Sr_xTiS_3 -related, 196–197
- Modulation
 displacive, 192
 compositional, 193
 in superconductors, 375, 376
 wave, 193

- Molten sub-lattice, 269
 Molybdenite structure, 456
 Molybdenum trioxide, 176
 Monte Carlo method, 66, 67
 Molecular dynamics, 67

 (N–V) center, 437–438
 NTC thermistor, 127, 355–358
 Néel temperature, 492
 Negative temperature coefficient thermistor, 127, 355–358
 Nernst–Einstein equation, 260
 Nernst equation, 268, 283, 386
 Nernst field, 241–243
 Neodymium cuprate, 365–366
 Nickel arsenide structure, 165
 Nickel bromide, 104
 Nickel ferrite, 405–406
 Nickel-zinc ferrite, 405–406
 Nickel oxide, 33–35, 142, 297, 302, 465
 acceptor doping, 354–355, 356
 conductivity, 355
 hydrated, 440
 lithium doped, 352, 354–355
 Niobium, 147
 Niobium pentoxide, 187
 block structures, 187–189
 nitrogen–vacancy (N–V) center, 437–438
 Nonstoichiometric compound, 25, 137, 144, 147
 bivariant behaviour of, 190
 Nonstoichiometric phase: *see* Nonstoichiometric compound
 Nonstoichiometry
 and point defect populations, 143–149
 and electronic defects
 metal excess phases, 298
 oxygen excess phases, 299
 and impurity atoms, 132
 and linear defects, 167–169
 Normal distribution, 214, 215, 484
 Nyquist plot, 265

 Olivine, 142
 Opal glass, 129, 412
 Optical properties, 122
 Optical pumping, 430, 431
 Oxidation, 321, 337, 338, 340, 359

 Oxide
 equilibrium oxygen partial pressure over, 309–312
 metal excess, 298–299, 315–317
 nonstoichiometric, 282
 oxygen excess, 299–301, 317–318
 superconducting, 364, 365–366, 367–378
 Oxygen pressure
 and defect populations, 315–320
 equilibrium, 309–315
 measurement of, 282–284
 partial pressure of over Ag/Ag₂O, 309–310
 partial pressure of over metal/metal oxide system, 309–312
 over a nonstoichiometric oxide, 282, 312–315
 Oxygen pump, 284–285
 Oxygen sensor, 282–284, 285, 289

 P2VP, 54
 PCT thermistor, 126–128, 130
p-type semiconductor: *see* Semiconductor
 Pair potential, 70
 Paraelectric state, 118
 Paramagnetic
 solid, 400, 403, 490–491
 susceptibility, 400, 491
 Partial pressure
 and defect populations, 315–320
 equilibrium over an oxide, 309–312
 over Mn–O system, 311, 312
 variation of with composition, 312–315
 Penetration depth, 214, 215
 Penetration profile, 208
 Pentagonal column phases, 167–169
 Perovskite, 162
 Perovskites
 A-site substitution, 382–383
 acceptor doping, 381–385, 407
 B-site substitution, 384–385
 cubic, 190
 oxygen deficient, 190, 279
 slabs, 179–184
 structures, 37–38, 255, 279, 286, 406, 421, 457
 layered, 179–184, 367–373
 superconductors, 367–378

- Perovskite tungsten bronzes: *see* Tungsten bronzes
- Phase, 135
 line, 137
 photochromic, 63
- Phase diagram, 135, 137
 and composition, 137–140
 $\text{MgO}-\text{Al}_2\text{O}_3$, 138
 $\text{NaF}-\text{ZnF}_2$, 135, 136
 $\text{Lu}_2\text{O}_3-\text{TiO}_2$, 137, 138
- Phase rule, 312–315
 for nonstoichiometric oxide, 314
- Phlogopite, 170
- Phosphor, 413, 434
- Phosphorescence, 413
- Photochromic
 glasses, 62–64
 phase, 63
- Photoconductivity, 298, 300
- Photographic
 emulsion, 58, 59
 latent image, 59–61
 process, 58–62
- Photography, 58
 silver halides in, 58–62
- Photoinduced magnetism, 440–441
- Photoluminescence, 420–429
- Photoluminescent materials, 420
- Pigment, 417, 420
- Pinning center, 99
- Point defect: *also see* Defect, Interstitial,
 Vacancy, 1, 4–7, 40
 aggregation, 149–161, 278, 437
 assimilation, 190–192, 408
 in band-theory terms, 463–464
 clusters, 149, 150, 191, 109, 410
 2:2:2, 153, 154
 4:1, 150, 151
 6:2, 150, 151
 7:2, 150, 151
 8:3, 150, 151
 16:4, 150, 151
 cuboctahedral, 156, 157
 in FeO , 150–152, 409, 410
 notation, 20–21
 square antiprismatic, 156, 157
 in UO_{2+x} , 152–155
 vacancy-hydroxyl, 149
 Willis, 153, 154
 combinations, 38–39
 and diffusion, 27
 energy computation, 66–77
 equilibrium, 4, 45–49, 50–52, 56–57,
 63, 64–65
 extrinsic, 6, 84
 formation energy, 66, 70, 75–76
 induced, 4
 interactions, 68–69
 interstitial: *see* Interstitial
 intrinsic, 45, 49, 65–66, 77
 in $\text{MgO}-\text{Al}_2\text{O}_3$, 127–140
 magnetic, 409–410
 migration energy, 66
 ordering, 216, 190–192, 278, 375
 in pure materials, 38–39
 structural consequences, 39
 substitutional, definition, 5, 6, 7
 vacancy: *see* Vacancy
- Polarisability
 electronic, 72
 free ion, 74
- Polaron, 304
 bound magnetic, 404
- Polycrystalline solids
 optical properties of, 122
 semitransparent, 122
 transparent, 122
- Polyhedron: *see* Space-filling polyhedron
- Polymorph, 448
- Polysomatic phases, 170
- Polysynthetic twinned phases, 170
- Poly-2-vinyl pyridine (P2VP), 54
- Population inversion, 429, 430
- Positive hole: *see* Hole
- Positive temperature coefficient thermistor,
 126–128, 130
- Potassium chloride, 106
- Potassium nickel fluoride
 structure, 460
- Potential
 barrier, 256–257
 between pairs of atoms, 67
 Buckingham, 72
 electrochemical, 468
 interatomic, 67
- Precipitate, 128
 in glass, 128
- Precipitation hardening, 129

- Profile
 - concentration, 206
 - diffusion, 206
 - penetration, 206
- Proton hopping mechanism, 287
- Prussian blue, 440
- Pump
 - electrochemical, 284
 - optical, 430
 - oxygen, 284
- Pyrochlore structure, 28, 137, 142, 149, 255
- Pyroxene, 170
- Quantum mechanical calculations, 67, 76–77
- Quartz, 434
- Random walk, 67, 213–216, 232, 255–261, 478–483
- Reaction equations, 31–38
- Reactance, 263
- Reduction, 322, 337, 338, 341, 359
- Resistance, 263–266
- Reutschi defect, 149
- Rhenium trioxide structure, 457
- Rhombic dodecahedron, 222, 225
- Rock salt *see* Sodium chloride
- Roth–Reidinger defect, 274
- Ruby, 11–12, 419, 429
 - absorption spectrum, 12
 - 3d-electron energy levels in, 11–12, 429–430
 - laser, 429–430
- Ruby spinel, 142
- Ruddleston-Popper phases, 179, 182
- Rutile, 101, 176, 225, 226
- Rutile structure, 225, 226, 233, 455
- SOFC, 17, 287–288, 290, 378
- Scattering, 412
- Scattering center, 412, 413
- Schottky barrier, 122, 123, 125, 126, 128, 130
- Schottky defect, 25–27, 40, 77, 221, 222, 262, 263
 - and configurational entropy, 470–472
 - creation and elimination, 321, 337, 340, 358
 - definition, 26
 - equilibrium population, 52–54, 78, 472
 - enthalpy of formation, 53, 470
 - in LiI, 54, 55
 - in NaCl-type crystals, 52–54
- Schrödinger equation, 67, 76, 77
- Scintillator, 413
- Seebeck coefficient, 18–20, 465–470
 - and defect population, 18–19, 468–470
 - and defect type, 18
 - Drude model, 465
 - in LaCoO₃, 19–20
 - and entropy, 465–467
 - variation of with stoichiometry, 307–309
- Seebeck voltage, 18
- Self-diffusion: *see* Diffusion
- Self-interstitial: *see* Interstitial
- Semiconductor
 - definition, 462
 - compensated, 463
 - degenerate, 463
 - diluted magnetic, 403–406
 - exhaustion range, 463
 - extrinsic, 463
 - intrinsic, 352, 462
 - n*-type, 8, 35, 125, 127, 298, 299, 303, 351, 352, 463, 465
 - p*-type, 9, 34, 300, 351, 352, 354, 357, 385, 463, 465
- Semiconductor superlattice, diffusion in, 209
- Semimetal, 463
- Sensitisor, 413
- Sensor, 252, 282–284, 285
- Shell model, 72–75
- Shockley partial dislocation, 97
- SiAlON, 122
- Silica, 233, 240
- Silicon, 103, 217, 219
 - dopants in, 7–10
 - self-interstitial, 38, 217
- Silicon carbide, 66
- Silver β -alumina, 273
- Silver chloride, 103, 107
- Silver halides
 - in photography, 58–62
 - in photochromic glass, 62–64

- α -silver iodide, 269
 - crystal structure, 269
 - high conductivity of, 269
 - high-temperature form, 269
 - low-temperature polymorph of, 269
- β -silver iodide, 269
- γ -silver iodide, 269
- Silver oxide, 309–310
- Silver-oxygen system, 309–310, 313
- Silver sulphide, 268
- Simulation, atomistic, 70–76
- Site
 - tetrahedral, 224
 - octahedral, 224
- Site conservation rule, 31–32, 36
- Slip, 87, 107
 - in copper, 94–99
 - direction, 94
 - line, 88
 - plane, 87, 94, 105
- Smart windows, 438
- Smoky quartz, 434
- Soda glass, 233
- Soda-lime glass, 233
- Sodium aluminium oxide, 270
- Sodium chloride, 25, 101, 105, 106
 - structure, 30, 223, 225, 231, 233, 240, 262, 454
 - surface, 120
- Sodium–nickel chloride (ZEBRA) cell, 276, 277
- Sodium polysulphide, 277
- Sodium-sulphur cell, 277–278
- Solid
 - polycrystalline, 120
- Solid oxide fuel cell (SOFC), 17, 287–288, 290, 378
- Solid solution, 13, 140–143, 198
 - between Al_2O_3 and Cr_2O_3 , 142, 198
 - between CaO and MgO , 142
 - between NiO and MgO , 141, 142
 - partial, 141
 - between perovskite oxides, 143
 - between pyrochlore oxides, 142
 - between spinels, 142, 405–406
 - substitutional, 140–143
- “Sony” cell, 165, 381
- Space-filling polyhedron, 222–226
- Spectrum
 - absorption, 417, 418, 419
 - emission, 418
- Sphalerite structure, 223, 225, 233
- Spin-allowed transition, 429
- Spin crossover, 440
- Spin multiplicity, 429
 - in (N–V) centers, 438
- Spin pairing, 494
- Spin state, 406–409, 439
 - high, 406, 493–494
 - intermediate, 406, 407
 - low, 406, 407, 493–494
- Spinel, 28, 111, 142, 150, 356, 405–406, 458–460
 - defect, 148–149
 - inverse, 406, 420, 459–460
 - magnetic, 405–406,
 - mixed, 357, 459–460
 - normal, 148, 366, 406, 459–460
 - structure, 458–460
- Spinel block, 270, 271
- Spinodal decomposition, 192
- Spintronics, 403, 441
- Square antiprismatic cluster, 156–157
- Stabilised zirconia: *see* zirconia
- Stacking fault
 - in copper, 101, 114
 - in cadmium chloride, 104,
 - deformation, 114
- Stirling’s approximation, 48, 468, 471, 473–475
- Steel, 147
- Stoichiometric compound, 25, 39, 45, 135, 137
- Stoichiometric phase: *see* Stoichiometric compound
- Stoichiometric solid: *see* Stoichiometric compound
- Strontium titanate, 297
 - structure, 457
- Strontium titanium sulphides, 196–197
- Structure: *see* Crystal structure
- Sublattice, 5
 - anion, 25
 - cation, 25
- Substitution, 5, 6, 7
 - aliovalent, 23, 351

- Superconductor, 147, 364, 366, 411
 antiferromagnetic, 374
 charge reservoir, 367, 369
 crystal structures, 367–370, 373
 cuprate, 367–378
 defect structures, 373–378
 electron, 366
 high temperature, 367–378
 hole, 364
 hole doping, 370–373, 411
 homologous series, 370, 371
 perovskite-structure related, 367–370
 phase diagram, 374, 375
 transition temperature, 364, 366
 Super-ionic conductor, 352
 Surface, 412
 electronic properties, 122–124
 external, 120–122
 internal, 107–116, 412
 structure, 120
 System
 bivariant, 314
 lead sulphide–bismuth sulphide
 ($\text{PbS}-\text{Bi}_2\text{S}_3$), 177, 180
 lutetium oxide–titanium dioxide
 ($\text{Lu}_2\text{O}_3-\text{TiO}_2$), 137, 138
 magnesium oxide–aluminium oxide
 ($\text{MgO}-\text{Al}_2\text{O}_3$), 137, 138
 magnesium oxide–calcium oxide
 ($\text{MgO}-\text{CaO}$), 142
 magnesium oxide–nickel oxide
 ($\text{MgO}-\text{NiO}$), 142
 manganese–oxygen ($\text{Mn}-\text{O}$), 311, 312
 silver–oxygen ($\text{Ag}-\text{O}$), 309–310
 sodium fluoride–zinc fluoride
 ($\text{NaF}-\text{ZnF}_2$), 135–137
 tantalum pentoxide–tungsten trioxide
 ($\text{Ta}_2\text{O}_5-\text{WO}_3$), 195–196
 univariant, 313
 yttrium oxyfluoride–yttrium fluoride
 ($\text{YOF}-\text{YF}_3$), 193–194
 T structure, 363
 T/O structure, 363
 T' structure, 365
 Tetragonal tungsten bronze structure,
 162–164
 Tetramethyl ammonium silver
 iodide, 269
 Thermistor, 355–358
 bead, 355, 356
 constant, 358
 n-type, 356
 negative temperature coefficient,
 355–358
 NCT, 355–358, 393,
 p-type, 356
 positive temperature coefficient,
 126–128, 130
 PCT, 126–128, 130
 defect structure, 126–128
 dopant in, 127, 128
 point defects in, 127
 resistance, 358, 393
 temperature coefficient of
 resistance, 358
 Thermoelectric properties, 18
 Tin disulphide, 104
 Titanium dioxide, 26, 453, 465
 rutile form, 453
 Titanium sulphides, 144, 165
 Tracer diffusion coefficient, 207–208
 Tracer species, 207–208
 Transition
 interband, 416, 464
 non-magnetic to magnetic,
 440–441
 non-radiative, 412, 429
 phonon assisted, 412, 429
 spin-allowed, 420
 Transition metal
 ions, 492–494
 colors, 417–420
 oxides in terms of band theory, 461,
 464–465
 Transport number, 253–255, 302,
 390–391
 determination using a solid state
 electrolyte, 386–387
 of halides, 254, 255
 of oxides, 255
 of sulphides, 255
 Trapping center: *see* Color center
 Tridymite, 434
 Tropochemical cell-twinning
 phases, 170
 Tungsten, 217
 Tungsten structure, 231, 453

- Tungsten bronzes, 162–164, 438
 color of, 438
 cubic, 162, 438
 hexagonal, 162, 163
 hydrogen, 439
 lithium, 162
 tetragonal, 162, 163, 167
 sodium, 162
 perovskite, 162, 438
- Tungsten trioxide, 171–176, 438–439
- Tweed microstructure, 192
- Twin
 boundary, 110–114
 growth, 111
 mechanical, 112
 in V_2O_5 , 112
 plane, 110, 176
 polysynthetic, 110
 reflection, 110
 transformation, 114
- Twinning
 and composition variation, 176–179
 chemical: *see* Chemical twinning
 in $PbS-Bi_2S_3$ sulphosalts,
 177–179, 180
 in superconductors, 375, 377–378
 in $YBa_2Cu_3O_7$, 377–378
 {101} planes in rutile, 110, 177
- Unit cell, 13–14, 447
 cubic (isometric), 448
 tetragonal, 448
 orthorhombic, 448
 monoclinic, 448
 triclinic, 448
 hexagonal, 448
 rhombohedral, 448
- Unit cell parameters: *see* Lattice parameters
- Univariant system, 313
- Up-conversion, 413, 415, 421–428
 in CeO_2 , 422–427
 efficiency, 421, 427–428
 energy, 422
 intensity of output, 422
 two-frequency, 428
- Uranium dioxide, 14, 152–155
 hyperstoichiometric, 14,
 152–155
- Vacancy, 4, 5, 21, 40, 99–101, 145,
 278, 298, 299, 316, 361, 362, 363,
 364, 408
 anion, 25, 26, 278, 298, 352
 creation and elimination of, 358
 definition of, 4
 cation, 25, 26, 299, 302, 352
 equilibrium population in a monatomic
 crystal, 45–50
 notation, 4, 5, 20–21, 24
 ordered, 160, 190–192
- Vacancy diffusion, 216–217, 237, 261
- Vacancy pair, 21, 66
 diffusion of, 221, 223, 275–276
- Valence induction, 351, 366
- Valence band, 9, 416, 462
- Vanadium, 403
- Vanadium pentoxide, 112, 113
- van der Waals attraction, 72
- Variance, 312
- Varistor, 124–126
 microstructure, 125
- Vegard's law, 13–14
- Vernier structures, 193
 fluorite related, 193–194
- Vibration frequency, 256
- Vibrational entropy, 47, 469
- Volume, 16–17
- Volume defect, 1, 3, 128–129
- Wadsley defect, 187
- Weiss domain, 116, 402
- Willis 2:2:2 cluster, 153
- Wurtzite structure, 225, 226, 454
- Wüstite
 antiferromagnetic structure, 409, 410,
 composition range, 14–15, 150
 experimental and theoretical
 densities of, 14–15
 magnetic defect clusters, 409, 410
 point defects in, 14–15
 point defect clusters in, 150–152,
 409
- X-ray diffraction, 135
- Young's modulus, 17
- Yttria-stabilised zirconia:
 see Zirconia

- Yttrium aluminium garnet, 430
Yttrium barium copper oxide
 ($\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$), 371, 372–373,
 374–377, 378
ZEBRA cell, 276, 277
Zinc blende structure, 223, 225, 454
Zinc oxide, 124, 149, 303
 defect structure, 147–148
 luminescence of thin films, 417
Zinc selenide, 25
Zirconia, 157
 calcia-stabilised, 17, 36–37,
 159, 255, 278, 280–285,
 287, 289
 yttria-stabilised, 17, 159, 280,
 287, 289
Zirconium dioxide: *see* Zirconia

