

Subject Index

- absolution, as goal of seeking help, 13
- abstract thinking, 180
- acting out
and resistance, 189, 197–99, 241
and transference, 240–41
- active temperament, 180, 182–83
- adjustment reaction, 68
- adolescents, and therapy prognosis, 7, 48
- African Americans, 21
- age of patient, 7, 21–22, 48
- ambivalence
and resistance, 172
and transference, 223
- American Psychological Association, 26, 40, 102, 124
Presidential Task Force on Evidence-Based Practice, 47
- “Analysis Terminable and Interminable” (Freud), 278
- anger
and countertransference, 262
and termination of treatment, 306
and transference resistance, 187–88
- anger management, 66
- anonymity (of therapist), 92, 228
- anticipated content, resistance to, 185
- anxiety
and acting out, 197
avoidance of, 43–44, 134, 137
defense against, 46, 134–37, 149, 180, 182
- interpretations of, 133, 134, 145, 149
and motivation assessment, 70
and recommendation for therapy, 13, 85
and resistance, 145, 173, 179, 203
- APA. *See* American Psychological Association
- appointments
between-session contacts, 98
and commitment of time, 88–89
frequency of, 98–100, 234–35, 236, 281, 298–99
and length of session, 96–98
location of, 100–101, 114–15
- Asian Americans, 21
- as-if object, therapist’s role as, 227, 228, 230, 231, 232, 301
- assertiveness training, 85
- assessment. *See* evaluation and assessment, initial
- “attention from the therapist,” 27
- avoidance, as resistance indicator, 192, 193–95
- avoidant personality, 234–35
- awareness, patient’s level of. *See* self-awareness
- behavior
acting out, 189, 197–99, 240–41
dynamic personality theory, 41–47
manifest vs. latent content of, 42–43
self-defeating, 137, 165
- behavioral therapy, 6

- behavior change, 164, 165–66, 177–79, 285
 as goal of psychotherapy, 8, 9
 and personality characteristics, 8
 resistance to, 177–79
 and termination of treatment, 285
 and working through process, 164, 165–66
See also change, resistance to
- borderline personality, 234, 236
- case study
 evaluation and assessment, 120–26
 treatment phase, 311–23
 “ceiling effect,” 289–90
- change, resistance to, 172, 174–79, 184, 244, 287
 and neurotic equilibrium resistance, 174, 176–78
 and patienthood resistance, 174, 178–79
 and secondary gain resistance, 174–76, 291
 and superego resistance, 174, 179, 183
See also resistance
- character analysis, 137
- characterological defensive operations, 136–38, 179–80
- characterological problems, 284
 and resistance, 180, 183–84, 244
 and supportive therapy, 68
- character resistance, 55, 174, 179–84, 244
 and coping style, 180, 182–83
 and defense mechanisms, 180–82
 and generalized characterological problems, 180, 183–84, 244
 and termination of treatment, 291
- charlatans, 25
- child abuse, reporting of, 27
- children, and therapy prognosis, 7
- clarifications by therapist, 131, 143, 151–53, 162, 205, 207
- clergy, 11, 199
- clinical formulations, 67–68, 147
 case study, 124
- cognitive-behavioral therapy, 6, 7
- collaboration, 19, 38
- commitment
 of patient, 78–79, 88–89
 of therapist, 34–35
- communication
 and interferences, 88
 by patient, 19, 20, 171
 and resistance, 55–56, 140, 171–211
 and therapist genuineness, 30
 of therapist’s respect, 28, 37, 63, 65
 transference effect on, 56, 140
 of understanding, 3–4, 5, 31, 37, 129–66, 283
- community agencies and organizations, 11–12, 14, 66
- competence (of patient), 20
- conciseness of phrasing
 and interpretations, 157, 159
 and interviews, 110
- concrete thinking, 180
- confidentiality, 77
- conflict and defense
 in dynamic personality theory, 41, 43–44
 interpretations of, 134–38, 179–80
- conflicts
 in drive theory, 45, 46
 unresolved, 43–44, 134
- confrontations by therapist, 28
 and interpretation, 131–32, 143, 151–53, 162
 and resistance, 205, 207
- conscience, 179
- content
 anticipated, 185
 interpretations of, 134, 138–39, 142–43, 158, 173–74
 manifest vs. latent, 42–43
 of psychotherapy, 117, 138
 resistance to, 55–56, 174, 184–85, 203–4, 244, 247, 287
- contract. *See* treatment contract

- conversation, patient's restriction of, 188–89, 191–95
 coping style, 46, 284
 and characterological defensive operation interpretation, 137–38
 and character resistance, 180, 182–83
 ineffective, 134
 corrective emotional experience, 283
 cost-benefit analysis, 290
 cotherapy, 6
 countertransference, 230, 257–72
 direct/indirect expression of, 263, 266–68
 and generalized vs. specific reactions, 263–65, 269–70
 and learning from reactions, 269–72
 and middle phase of treatment, 56–57
 nature and control of, 258–63, 264
 origins and manifestations of, 263–68
 and positive vs. negative reactions, 263, 265–66, 267, 268
 and real relationship, 258–59, 260, 263
 recognition of, 261–63, 269
 and termination of treatment, 270–71, 292–93, 294
 and working alliance, 258, 259–60
 couples therapy, 78
 crisis and emergency situations
 and between-session contacts, 98
 and duration of treatment, 281
 and evaluation and assessment, 73, 77, 78, 79
 and treatment recommendation, 93
 cultural issues
 and patient characteristics, 21
 and psychodynamic therapy effectiveness, 49
 and therapist training, 33
 See also ethnic background
 “cure,” 89–90
 decision making, 42, 85
 defense. *See* conflict and defense
 defense mechanisms, 137, 180–82
 demographic characteristics, prognosis and, 21–22
 denial, 136
 dependent patients, 97, 98
 depression, 13, 48, 65, 132, 187
 desensitization, systemic, 289
 deterioration effects, 26, 75
 developmental perspective, personality and, 45
 diagnostic interviewing. *See* evaluation and assessment, initial
 discomfort, handling patient's, 113–14
 displacement and countertransference, 257. *See also* transference
 distorted perception, interpretations and, 134
 distraction, patient's freedom from, 79
 documentation of interpretations, 147–49, 204, 244
 dreaming about patients, 267
Drive, Ego, Object, and Self (Pine), 46
 drive theory, 45–47
 drug therapy, 85, 183, 199
 duration of therapy, 89, 235, 277–86
 dynamic formulation, 67, 68
 case study, 124–25
 dynamic personality theory, 41–49
 and conflict and defense, 41, 43–44
 and experiencing vs. observing self, 41, 44–45, 52
 and perspective integration, 45–47
 and the unconscious, 41–43, 44, 45
 EBP. *See* evidence-based practice
 eclectic psychotherapeutic approaches, 6
 ego mechanisms, 137
 ego psychology, 45–47
 ego split, 45

- elliptical statements, 156–57, 158, 164
- emergencies. *See* crisis and emergency situations
- emotional distress
 - as motivation assessment factor, 69–70
 - as outcome factor, 17, 37
 - relief from, 8, 9, 12, 15
- empathy (of therapist), 5
 - countertransference vs., 271–72
 - as requisite skill, 27, 30–31, 32, 36, 37
 - and transference, 228, 243
- errors and slips, interpretation of, 142
- ethical issues. *See* legal and ethical issues
- ethnic background
 - of patient, 20–21, 33
 - of therapist, 21
 - and transference issues, 227
- evaluation and assessment, initial, 55, 61–79
 - assessing appropriateness of psychotherapy, 69–79
 - case study, 120–26
 - duration of phase, 129
 - evaluating patient, 61–68
 - evaluation interviews, 65–66, 72–73
 - information from patient contacts, 76–78
 - medical issues, 66
 - motivation of patient, 69–72, 77
 - neurotic equilibrium, 177–78
 - patient-as-person understanding, 61, 66–67
 - patient's current status, 16
 - patient's personality integration, 69, 74–78
 - practical considerations, 78–79
 - presenting problems, background of, 61, 64–66
 - presenting problems, identification of, 61–64
 - psychological testing, 74–76
 - and referrals, 12, 13, 14, 63–64
 - reflectiveness of patient, 69, 72–74
 - working formulation determination, 61, 67–68, 75, 77
- evidence-based practice, 47–48, 49
- exclamations by therapist, 131
- experiencing self
 - and dynamic personality theory, 41, 44–45, 52
 - and interpretive process, 154–55, 161
 - and transference, 220, 234, 236
 - See also* observing self; self-awareness
- experiential therapy, 6
- exploratory psychotherapy/expressive psychotherapy. *See* uncovering psychotherapy
- failure of psychotherapy, 16, 200
- family therapy, 6, 78, 199
- fantasizing about patients, 267
- feelings, balanced expression of, 117–18
- feeling tone
 - and countertransference, 263, 265–66, 267, 268
 - and transference, 223, 236–40
- financial factors
 - fees for treatment, 101–2
 - insurance coverage, 79
 - patient's ability to pay, 79, 94, 302
- fixation, resistance and, 192–93
- flexibility, importance of, 92, 97
- flight from insight, 200
- flight into health, 189, 199–201
- follow-up therapy, 279–80
- forced termination, 301–9
- frame of mind (of patient), and
 - benefits of interpretation, 145–46
- free association, 107, 108, 112
- friends
 - as patient assessment contact, 76–78
 - and self-referred patients, 11
- furniture, and session setting, 100, 114–15

- generalized countertransference, 263–64, 269–70
 generalized transference, 221–24
 genetic interpretations, 50
 genuineness (of therapist), 64, 85
 and real relationship, 231, 232
 as requisite skill, 27, 29–30, 31, 36, 37
 and transference, 228
 giving approaches, 53
 “good patient” concept, 26
 group therapy, 6, 31, 85, 86, 199
 guilt feelings, 179
- here-and-now interpretations, 50
 Hispanics, 21
 humanistic therapy, 6
 hypnosis, 85, 172, 183
 hysterical personality, 234, 235
- ideational defenses, 135, 136
 impulse control, 66
 “information value,” transference
 reactions and, 246–48
 informed consent, 82
 insight, 9, 166
 flight from, 200
 insight-oriented psychotherapy. *See*
 uncovering psychotherapy
 insurance coverage, 79
 integrative approaches, 6
 intellectualization (by patient), 135, 136
 intelligence (of patient), 20
 interferences, 88. *See also* resistance
 interpersonal skills (of therapist),
 26–37, 30, 38
 interpretation(s), 55, 57, 115, 129–66
 acceptance of, 159–61, 201
 characteristics of, 132–33
 of characterological defensive
 operations, 137–38, 179–80
 of conflict and defense, 134–38,
 179–80
 of content and process, 134, 138–43,
 158, 173–74
 definition of, 129, 130
 documentation of, 147–49, 204, 244
 dosage of, 143, 149–51
 erroneous, 63
 during evaluation interviews, 63
 how to interpret, 129, 151–59
 judging effectiveness of, 129,
 159–62
 nature of, 129–33
 partial, 155–57, 158, 164, 207
 and patient’s awareness level,
 143–45, 151, 244
 and patient’s discomfort, 114
 of patient’s silence, 113
 patient’s understanding of, 161–62
 patient’s use of, 162
 phrasing of, 157–59
 premature, 63, 144–45, 204, 209
 receptivity to, 145–46
 rejection of, 201
 resistance and, 50, 140, 145–46,
 147–48, 172–73, 204–11, 210
 of slips and errors, 142
 therapist’s certainty of, 146–47
 as therapist’s intervention, 132–33,
 150, 151–53
 timing of, 143–49, 150–51, 244–48
 of transference. *See* transference,
 interpretation of
 trial, 73–74, 87
 and uncovering vs. supportive
 psychotherapy, 50–51, 252
 what to interpret, 129, 133–43
 when to interpret, 129, 143–51
 working through, 129, 163–66, 279
- interruptions in treatment
 and forced termination, 303–4
 and interpretation timing, 150–51
 and progress reviews, 293
 and resistance, 197
 interviews, conduct of, 105–18
 acclimating of patients, 105–8
 balanced expression of thoughts and
 feelings, 117–18

- interviews, conduct of (*Continued*)
 calling attention to the unstated, 117
 eliciting of additional patient information, 115–18
 enhancing of patient talk
 productiveness, 108–15
 initial evaluations, 61–68, 72–73
 interpretation presentation, 150
- patient discomfort, 113–14
 patient personal experience
 exploration, 116–17
 physical setting arrangement,
 100–101, 114–15
 responding to patient questions, 107,
 108
 silence during, 110–13
 therapist phrasing of statements,
 109–10, 117
- introspection (of patient), 44–45, 49, 108
 investigative approaches, 53
 involuntary patients, 13, 14–15, 85
 motivation of, 72
 as referrals, 11–12
- isolation (defense mechanism),
 180–81
- language issues
 and minority groups, 21
 and patient's conversation
 restriction, 192–95
 and patient's personal experience
 exploration, 116, 117
 and patient's vernacular, 30
 and phrasing of interpretations,
 157–59
 and phrasing of therapist
 statements, 109–10, 117
 and therapist's warmth, 28–29
- latent content, 42–43
 leaving the field, 44
 legal and ethical issues
 informed consent, 82
 mandated reporting, 85
 patient decision making, 85
 patient-therapist privilege, 27
 life satisfaction, enhancement of, 8,
 12, 15
 likeability (of patient), 19, 37
Listening with the Third Ear (Reik), 31, 272
- managed care organizations
 and duration of treatment, 282
 and patient referrals, 11
 and session frequency guidelines, 99
 mandated reporting, 85
 manifest content, 42–43
 marital counseling, 86, 199, 289
 marital status (of patient), 21
 masochistic disorders/needs, 69–70,
 180, 183, 291
 medical evaluation, need for, 66. *See also*
 physicians
- meeting arrangements
 between-session contacts, 98
 fees for treatment, 101–2
 formal, 5–6
 patient's commitment of time, 88–89
 session frequency, 98–100, 234–35,
 236, 281, 298–99
 session length, 96–98
 session location, 100–101, 114–15
- minority groups. *See* ethnic
 backgrounds
- misattribution, transference, 216, 218
 modalities, treatment
 concurrent participation in
 multiple, 199
 individual psychotherapy
 alternatives, 85–86, 94
- motivation
 assessment of, 69–72, 77
 as patient characteristic, 18–19, 37
- narcissistic patients, 97
 National Institute of Mental Health
 Treatment of Depression
 Collaborative Research Project, 48

- near vs. remote derivatives, 140–42, 143, 240
- negative transference. *See* transference, positive vs. negative
- neurotic difficulties, therapist's freedom from, 31–32, 33–35, 269
- neurotic equilibrium resistance, 174, 176–78
- neurotic symptom disorders, 68
- no-treatment recommendations, 86
- objectivity, 34–35
- object loss, interpretations and, 132
- object relations theory, 45–47
- observing self
 - and dynamic personality theory, 41, 44–45, 52, 439
 - and interpretation, 154
 - and interpretive process, 154–55, 161
 - and termination considerations, 279, 285, 290, 299–300
 - and transference reactions, 234, 236
 - and working alliance, 220
- obsessive personality, 234–35
- parataxic distortion, 218, 225
- parents, transference reactions and, 224–25
- partial interpretations, 155–57, 158, 164, 207
- passive temperament, 180, 182–83
- pastoral counseling, 199
- patient, 11–22
 - awareness level of, 143–45, 151, 244
 - between-session contacts by, 98
 - characteristics affecting outcomes of, 16–22, 35–36, 37
 - confidentiality concerns of, 77
 - demographic characteristics of, 21–22
 - discomfort of, 113–14
 - evaluation and assessment of, 61–79
 - forced termination by, 302–5
 - former therapist contact with, 309
 - frame of mind of, 145–46
 - hopes of/fears of treatment by, 14–16, 90
 - informed consent of, 82
 - interpretive process participation by, 153–57
 - involuntary, 11–12, 13, 14–15, 72, 85
 - likeability of, 19, 37
 - motivation of, 18–19, 37, 69–72, 77
 - needs and capacities of, 283–85
 - personal experience exploration with, 116–17
 - personality of, 16–18, 44–45, 50–51
 - preconceived treatment notions of, 13–14, 86–87
 - preparation for interpretations of, 151–53
 - as psychotherapy focus, 5, 92
 - psychotherapy rejection by, 93–94
 - reasons for seeking treatment of, 12–13
 - referral of. *See* referral of patient
 - reflectiveness of, 19, 37, 69, 72–74, 150
 - self-referral by, 11, 12, 13, 72
 - silence of, 62, 106, 110–13, 192
 - termination of treatment by, 286–90
 - therapist interaction with, 32, 35–37
 - therapist match with, 35–36, 38
 - transference by. *See* transference; transference resistance
 - treatment contract of, 81–101, 192, 206
 - treatment/session discussions outside therapy by, 198–99
 - See also* relationship, patient-therapist; self-awareness
- patienthood, resistance to, 55, 144, 174, 178–79
- patient-therapist privilege, 27
- PDM Task Force, 124

- personality
 dynamic theory of, 41–47
 and experiencing vs. observing self, 41, 44–45, 52, 154–55, 161, 220, 234, 236
 of patient, 16–18, 44–45, 50–51, 69, 74–78
 of therapist, 34, 263–64
 and uncovering and supportive psychotherapy, 50–51
 personality change, psychotherapy and, 8
 personality disorders, 7, 48
 personality integration, assessment of, 69, 74–78
 personality processes, therapist training in, 32, 38
 phobias, 7, 48
 phrasing
 of interpretations, 157–59
 of therapist statements, 109–10, 117
 physicians, referrals from, 11, 12, 14
 positive transference. *See* transference, positive vs. negative
 preconscious awareness, 132
 premature interpretation, 63, 144–45, 204, 209
 “prescription for the treatment,” 52
 presenting problems
 background exploration of, 61, 64–66
 identification of, 61–64
 and motivation assessment, 70–71
 problem solving, 8, 12
 process interpretations, 134, 138–43, 158, 173–74
 projection, transference and, 216, 224
 psychic determinism, 45
 psychoanalytic therapy, 6
 and dynamic personality theory, 41
 time-limited, 283
 training programs, 35
 and transference, 216
 psychodiagnostic consultants, 76
 psychodynamic therapy, 6, 8
 effectiveness of, 48–49
 and interpretations, 166, 172–73
 and personality disorders, 7
 time-limited, 283
 and the unconscious, 137
 psychological mindedness, 19–20
 psychological testing, 74–76
Psychopathology of Everyday Life, The (Freud), 142
 psychosis
 breakdown risks of, 66, 75, 93
 and supportive therapy, 68
 and therapy effectiveness, 48
 transference-related, 235–36
 psychotherapy
 approaches to, 6–8
 arrangements for, 5–6, 88–89, 96–101, 114–15
 assessment and evaluation for. *See* evaluation and assessment, initial
 confidentiality of, 77
 content of, 117, 138
 contract for. *See* treatment contract
 definition of, 3, 4, 130
 depth and intensity of, 280–81
 duration of, 89, 235, 277–86
 and evidence-based practice, 47–48, 49
 failure of, 16, 200
 final phase of. *See* termination and follow-up therapy, 279–80
 goals of, 8–9, 12, 277–79, 285, 287, 289, 290
 initial evaluation for. *See* evaluation and assessment, initial
 initial phase of, 61–126, 129
 interruptions in, 150–51, 197, 293, 303–4
 key characteristics of, 3–6
 middle phase of, 55–56, 57, 115, 117, 129–272, 277
 and modalities of treatment, 85–86, 94, 199

- phases of, 55-57 (*see also specific phases above*)
- planning and process of, 49-57
- process of, 86-90, 117
- reasons for seeking, 12-13
- referrals. *See* referral of patient
- resistance's role in. *See* resistance
- session length and frequency of, 96-100, 234-35, 236, 281, 298-99
- strategy and tactics in, 54-55, 62, 117, 118
- success of, 7, 17, 280
- termination of. *See* termination of treatment
- uncovering vs. supportive, 50-54, 68, 252
- See also* patient; relationship, patient-therapist; therapist
- questions during sessions
 - therapist phrasing of, 109
 - therapist responses to, 107, 108
 - therapist use of, 130, 143, 151-53, 162
- racial background, 20-21, 33
- reaction formation, 44
 - as defense mechanism, 180, 181-82
- reality
 - and countertransference, 258-59
 - and transference, 218-20
- reality testing, 46
- real life, therapy's isolation from, 189, 195-97
- real object, therapist as, 227-28, 231, 301, 304-5
- real relationship
 - and countertransference, 258-59, 260, 263
 - safeguarding of, 229, 231-32, 301, 307
 - and termination of treatment, 300-301, 303, 304-5, 307, 309
 - transference relationship vs., 216-20, 222, 300-301, 307
 - working alliance vs., 220-21, 228
- receptivity to interpretations, 145-46
- referral (of patient), 11-12, 13, 14
 - to community/social service agencies, 66
 - from one therapist to another, 53, 86, 94, 259
 - and presenting problem information, 63-64
 - and therapist termination of treatment, 308-9
- reflectiveness (of patient)
 - assessment of, 69, 72-74
 - and interpretations, 150
 - as outcome factor, 19, 37
- rejection, treatment termination viewed as, 295, 305
- relationship, patient-therapist
 - and effective treatment, 17
 - key components of, 4-6
 - real-life vs. psychotherapeutic, 195-97
 - and therapist-patient match, 35-36, 38
 - and therapist's interpersonal, 26-37, 38
 - and transference. *See* transference
 - as working alliance. *See* working alliance
- relationships
 - and neurotic equilibrium, 176-78
 - in object relations theory, 46
 - real vs. transference, 216-20, 222, 300-301, 307
- relaxation therapy, 85
- remote derivatives. *See* near vs. remote derivatives
- repression, 135-36, 184
 - as defense mechanism, 180, 181
- repression resistance, 184
- repressive defenses, 135-36
- resistance, 171-211, 231
 - and acting out, 189, 197-99, 241
 - and ambivalence, 172

resistance (*Continued*)

avoidance as indicator of, 192, 193–95

to content, 55–56, 174, 184–85, 203–4, 244, 247, 287

and conversation restriction, 188–89, 191–95

and coping style, 180, 182–83

and defense mechanisms, 137, 180–82

definition of, 140

and fixation, 192–93

and flight into health, 189, 199–201

and generalized characterological problems, 180, 183–84, 244

indications of, 188–201

and initial treatment phase, 106, 107, 199–200

and interpretations, 50, 140, 145–46, 147–48, 172–73, 204–11, 210

meaning of, 172–74

and middle phase of treatment, 55–56, 57

neurotic equilibrium, 174, 176–78

to patienthood, 44, 155, 174, 178–79

and premature interpretations, 144–45, 204, 209

psychotherapeutic role of, 173–74

and real life isolation from therapy, 189, 195–97

response to. *See* resistance, responding to

secondary gain from, 174–76, 291

silence as, 192

superego, 174, 179, 183

and termination of treatment, 176, 190–91, 287, 291, 297, 302

and transference. *See* transference resistance

and treatment contract issues, 83–84, 88, 171, 192, 206

and treatment time reduction, 188, 189–91

See also change, resistance to; character resistance

resistance, responding to, 201–11

allowing building of, 201–2

breaking through directly, 201, 209–11

calling attention to, 204

circumventing of, 201, 202–4

exploration of, 201, 204–9

respect

as real relationship safeguard, 231–32

therapist's communication of, 28, 37, 63, 65

and therapy recommendation, 82, 85

seating arrangement (therapy session), 114–15

secondary gain resistance, 174–76, 291

security, sense of, 63

self-awareness (of patient)

and acting out, 197

and discomfort, 113–14

and empathy, 31

expansion of, 50, 87

and interpretation, 143–45, 151, 244

and resistance, 172

and transference, 240, 244

and uncovering of unconscious, 43

See also experiencing self; observing self

self-awareness (of therapist), 34–35, 269

self-control (of therapist), 34–35

self-defeating behavior, 137, 165

self-disclosure (by therapist), 30, 92, 230

self-esteem, 178, 199, 279

self-expression, 19, 37

self-fulfillment, 8, 137

self-observation. *See* observing self

self psychology, 45–47

self-referred patients, 11, 12

motivation of, 72

and preconceived notions, 13

self-understanding, 9, 88, 89, 99

and acting-out behavior, 197

and interpretations, 133, 136, 144, 154, 162, 243, 250

- and resistance, 173
- and termination of treatment, 278, 285
- of therapist, 270
- sensitivity (of therapist), 63
- sex of patient, 21
- silence
 - during evaluation interviews, 62
 - during therapy sessions, 106, 110–13, 192
 - exploring reasons for, 112–13
- situational defensive operations, 136
- slips and errors, interpretation of, 142
- social service agencies, 66
- socioeconomic status, prognosis and, 21, 22
- spaced termination, 296–99
- specific countertransference, 263, 264–65, 270
- specific transference, 221, 224–27
- spontaneity, 108, 109, 111, 154
- spouses, 11, 76–78
- strategy and tactics in psychotherapy, 54–55, 118
 - evaluation interviews, 62, 63, 117
 - therapist silence, 62, 110–11
- stress management, 86
- success neurosis, 82, 180, 183–84
- suicidality, 65, 93
- superego resistance, 174, 179, 183
- support, therapist's providing of, 203–4
- supportive psychotherapy, 50–54, 252
 - and duration of treatment, 281
 - and session frequency, 98, 100, 281, 298–99
 - and session length, 98
 - and spaced termination, 298
 - and transference psychosis, 236
 - vs. uncovering psychotherapy. *See* uncovering psychotherapy
 - and working clinical formulations, 68
- suppressive psychotherapy. *See* supportive psychotherapy
- sympathy, 28, 175
- systematic desensitization, 289
- tactics. *See* strategy and tactics in psychotherapy
- “taking a breather” (interpretive process), 194–95
- temperament, active vs. passive, 180, 182–83
- termination of treatment, 191, 277–309
 - and ceiling effect, 289–90
 - and characterological defensive operation interpretation, 137–38
 - and contract for treatment, 95–96, 278, 282, 306
 - and cost-benefit analysis, 290
 - and countertransference, 270–71, 292–93, 294
 - and decision consolidation, 293–96
 - and dropping out from therapy, 288–89
 - and duration of therapy factors, 277–86
 - and follow-up therapy, 279–80
 - forced instances of, 301–9
 - implementation of, 293–301
 - minimum criteria for, 285–86
 - patient-proposed, 286–90
 - premature, 190–91, 287, 292, 294, 301–9
 - as process phase, 57
 - and reinforced self-observation, 299–300
 - and resistance, 176, 190–91, 287, 291, 294, 302
 - and session frequency, 99, 298–99
 - therapist-proposed, 291–93
 - time-limited vs. spaced, 296–99
 - and transference, 253, 285–86, 294, 300–301, 304–6, 307
 - and voluntary termination, 286–93
- therapeutic alliance. *See* working alliance

- therapist, 12–13, 25–38, 35
 anonymity of, 92, 228
 as as-if object, 227, 228, 230, 231, 232, 301
 and certainty of interpretations, 146–47
 characteristics of, 26–27
 communication of understanding by, 3–4, 5, 31, 37, 129–66, 283
 and countertransference, 56–57, 230, 257–72, 292–93, 294
 discussions with colleagues by, 267–68
 empathy of, 5, 27, 30–31, 32, 36, 37, 228, 243, 271–72
 and evaluation interviews, 61–68, 73
 explanation of psychotherapeutic process by, 86–90, 96
 forced termination by, 305–9
 former patient contact with, 309
 genuineness of, 27, 29–30, 31, 36, 37, 64, 85, 228, 231, 232
 inappropriate personal needs of, 34
 interaction with patients by, 32, 35–37
 interpersonal skills displayed by, 31–37, 38
 interpersonal skills needed by, 20, 26–31
 and interpretation documentation, 147–49, 204, 244
 and neurotic difficulties, 31–32, 33–35, 269
 orientation and skill of, 281–83
 and patient likeability, 19, 37
 patient match with, 35–36, 38
 personal information about, 30, 91–92, 229, 230
 phrasing of interpretations by, 157–59
 phrasing of statements by, 109–10, 117
 premature interpretations by, 144–45, 204, 209
 professional qualifications of, 90–92
 psychotherapeutic treatment of, 12–13, 35
 as real object, 227–28, 231, 301, 304–5
 response to resistance by, 201–11
 self-awareness of, 34–35, 269
 self-disclosure by, 30, 92, 230
 sensitivity of, 63
 silence of, 62, 110–11
 support from, 203–4
 and technique selection, 17, 38
 and termination proposal, 291–93
 therapy recommendation by, 82–86
 training and experience of, 4–5, 25–26, 31, 32–33, 35, 38, 86
 warmth of, 27–29, 30, 31, 32, 36, 37, 38, 63, 64, 228
 See also real relationship;
 relationship, patient-therapist
 “therapist affirmation,” 27
 thought
 abstract vs. concrete, 180
 balanced expression of, 117–18
 time
 length of session, 96–98
 patient’s commitment of, 78–79, 88–89, 94
 time in treatment, patient’s reduction of, 188, 189–91
 time-limited termination, 296–99
 time-limited therapy, 282–83, 284
 timing of interpretations, 143–49, 244–48
 touch, 115
 training, therapist, 4–5, 25–26, 31, 32–33, 35, 38, 86
 transference, 215–53
 acting out of the, 240–41
 and ambivalence, 223
 and communication, 56, 140
 conceptualization of, 216
 and contract of treatment, 83–84, 88, 215, 229, 243, 249–50

- definition of, 140, 215
- direct/indirect expression of,
 - 237–41, 242, 243–44, 246, 248–49
- and fostering of reactions, 227–33
- and generalized reactions, 221–24
- and information value of reactions, 246–48
- and intensity of reactions, 234–36, 244, 245–46
- and interruption of treatment, 151
- and middle phase of treatment, 57
- positive vs. negative, 56, 146, 151, 185–88, 221–23, 236–40, 242–43, 246
- real relationship vs., 216–20, 222, 300–301, 307
- resistance to. *See* transference resistance
- safeguarding of, 229–30, 261, 301
- specific reactions of, 221, 224–27
- and termination, 253, 285–86, 294, 300–301, 304–6, 307
- and therapist's personal information, 92, 229
- and working alliance, 49, 217, 220–21, 224, 227, 243
- See also* countertransference
- transference, interpretation of, 49, 50, 140, 146, 151, 223, 241–53, 300
- and constructing interpretive sequences, 248–53
- selecting aspects of, 242–44
- when to interpret, 244–48
- transference neurosis, 234, 246
- transference psychosis, 235–36
- transference resistance, 56, 174, 215
- and interpretations, 243, 244–45, 247–48, 249
- and positive and negative feelings, 184–88
- and termination of treatment, 287, 291
- treatment. *See* psychotherapy; termination of treatment
- treatment contract, 55, 61, 65, 81–102
- and agreement on need for therapy, 81–94
- and arrangements for treatment, 88–89, 96–101
- definition of, 55
- and objectives and procedures, 83, 89, 94–96
- and patient motivation, 72
- and resistance, 83–84, 88, 171, 192, 206
- review/modification of, 233
- and termination of treatment, 95–96, 278, 282, 306
- and transference, 83–84, 88, 215, 229, 243, 249–50
- and working alliance, 217, 220, 232–33
- treatment manuals, 33
- trial interpretations, 73–74, 87
- trust, 29–30, 38
- truthfulness, 29–30
- unconditional positive regard, 29
- unconscious, the, 41–45
 - and conflict and defense, 44, 137
 - dynamic view of, 45
 - and interpretations, 132, 144, 166
 - and resistance, 172
 - and transference, 216
- uncovering psychotherapy, 50–54, 88, 252
 - depth and intensity of, 280–81
 - and patient discomfort, 113–14
 - and resistance, 173
 - and session frequency, 100, 236, 281, 298–99
 - short-term, 283
 - supportive psychotherapy vs. *See* supportive psychotherapy
 - and time-limited termination, 298
 - and transference psychosis, 236
 - and working clinical formulations, 68
- unresolved conflicts, 43–44, 134
- vocational counseling, 199, 289

- warmth (of therapist)
 - and evaluation interviews, 63, 64
 - genuineness and, 30
 - as requisite skill, 27–29, 31, 32, 36, 37, 38
 - and transference, 228
- “When Should We Use Our Heads instead of the Formula?” (Meehl), 48
- working alliance, 37, 38, 77
 - and countertransference, 258, 259–60
 - and evaluation interviews, 63
 - and interpretation accuracy, 147
 - and interpretation timing, 146
 - real relationship vs., 220–21, 228
 - safeguarding of, 229, 232–33
 - and termination of treatment, 308
 - and transference, 49, 217, 220–21, 224, 227, 243
 - and treatment contract, 217, 220, 232–33
 - and treatment goals and tasks, 95
- working formulations
 - arriving at, 61, 67–68, 75, 77
 - case study, 124–25
 - clinical, 67–68, 124, 147
 - dynamic, 67, 68, 124–25
 - refining of, 115
 - therapist recommendation summaries, 83
- working through process, 129, 163–66, 279
- work inhibition, 13

