

SUBJECT INDEX

- Ab initio* techniques:
 integral equations, fluid properties, 3–5
 time-resolved coincidence-imaging spectroscopy (TRCIS),
 photodissociation dynamics,
 559–568
 time-resolved photoelectron spectroscopy:
 future research issues, 574–577
 molecular dynamics simulations (AIMD),
 557
- Absorption excess, nucleic acids, counterion
 condensation, 150–151
- Acetic acid dimers, gaseous carboxylic acids,
 line shape analysis, 369–371
- Acrylic acids, gaseous and liquid line shapes,
 371–372
- Adiabatic representation, vibrational modes,
 hydrogen-bonded systems (v_{X-H}):
 anharmonic coupling theory, 385–394
 bare undamped hydrogen bonds, 262–269
 autocorrelation function and spectral
 density, 269–273
 cyclic hydrogen-bonded dimers, damping
 Hamiltonians, 341–343
 Fermi resonance, 322–326
 non-Hermitian diagonal Hamiltonians,
 327–328
 quantum indirect damping incorporation,
 281–297
 autocorrelation function, 289–297
 damped translation operators, 295–296
 line shape, 292–295
 quantum indirect damping, 295
 bridge dynamics, fast mode ground state,
 282–285
 damped bridge dynamics, 285–286
 thermal bath Hamiltonians, 286–289
 undamped dynamics, 282
 separation principles, 251–252
- Adipic acid, line shape analysis, 372–375
- Adsorption process, scanning electrochemical
 microscopy, 225–227
- Alternating-direction implicit (ADI) finite
 difference method, scanning
 electrochemical microscopy,
 first-order following reaction,
 201–203
- Anharmonic coupling theory:
 parameters, 482–483
 vibrational modes, hydrogen-bonded
 systems (v_{X-H}):
 adiabatic approximation, 385–394
 bare undamped hydrogen bonds,
 Hamiltonian modes, 256–258
 cyclic hydrogen-bonded dimers, Davydov
 effect, 343–348
 Fermi resonance, 324–326
- Anions, ionic liquid structure, 86–87
- Annihilation operators, bare undamped
 hydrogen bonds, adiabatic
 representation, 261–267
- A posteriori* verification, vibrational modes,
 hydrogen-bonded systems (v_{X-H}),
 quantum indirect damping
 approximations, 313
- Arrhenius acids and bases, ionic liquids, 88–89
- Asymptotic expansion, counterion condensation,
 nucleic acids, 160–161
- Atomic force microscopy (AFM), scanning
 electrochemical microscopy,
 hybrid techniques, 236–239
- Atomic ionization, time-resolved
 photoelectron spectroscopy,
 512–526
- Autocorrelation function (ACF):
 formal expression for, 423–425

- Autocorrelation function (ACF) (*Continued*)
 infrared spectral density Fourier transform, 381–384
 vibrational modes, hydrogen-bonded systems (v_{X-H}):
 bare undamped hydrogen bonds:
 accuracy vs. nonadiabatic representation, 273–274
 adiabatic representation, 269–273, 280–281
 corresponding spectral density, 260–262
 Dyson ordering operator, 277–279
 Maréchal–Witkowski equivalence, 274–277
 classical calculation, 430–432
 complex energy level (CEL) method, 330–331
 cyclic hydrogen-bonded dimers:
 autocorrelation function symmetrization, 467–473
 direct damping, 344–348
 Fermi resonances and Davydov coupling, 364–369
 Maréchal “peeling-off” approach, 366–369
 quantum indirect damping, 351–354
 Davydov coupling, 358–360
 spectral density quantum limits, 354–357
 symmetry avoidance, 446–450
 Fermi resonance, 325–326
 infrared non-Hermitean transition operators, 254–255
 Langevin equation, linear transformation, 433–437
 non-Hermitean diagonal Hamiltonians, 328–329
 spectral densities, 335–340
 quantum indirect damping incorporation, 281–282, 289–297
 approximations, 310–340
 Brownian motion, 302–309
 classical limits, 297–309
 complex energy levels, 314
 non-Hermitean transition operators, 318–321
 spectral density:
 equation substitutions, 252–254
 linear response theory, 252–254
 Avogadro’s number, nucleic acids, counterion condensation:
 branched nucleic acids, 167–169
 Manning model, 143–144
 Axis distribution moments (ADMs), time-resolved photoelectron spectroscopy, 520–526
 Ballone–Pastore–Galli–Gazzillo (BPGG) approximation, self-consistent integral equations, 25–26
 excess chemical potential and entropy, 45
 hard-sphere fluid models, 35–37
 Band half-width, vibrational modes, hydrogen-bonded systems (v_{X-H}), 250–252
 Bare undamped hydrogen bonds, vibrational modes, 256–281
 adiabatic representation, 262–266
 autocorrelation function:
 accuracy vs. nonadiabatic representation, 273–274
 adiabatic representation, 269–273, 280–281
 corresponding spectral density, 260–262
 Dyson ordering operator, 277–279
 Maréchal–Witkowski equivalence, 274–277
 Hamiltonian modes, 256–260
 anharmonic coupling, 256–258
 partitioning, 258–260
 single species, 256
 slow mode harmonic states, 267–269
 B-DNA, counterion condensation:
 Manning model, 141–144
 preferential interaction coefficient, 166–167
 Benzene derivatives, internal conversion and electronic relaxation, 543–546
 Bessel function, nucleic acids, counterion condensation:
 co-ion distribution functions, 149–150
 preferential interaction coefficient, 164–167
 Betaine dyes, ionic liquids, dielectric constant, 112–113
 Bilayer lipid membranes (BLMs), scanning electrochemical microscopy (SECM), membrane transport, 232–235
 Binding isotherm model, nucleic acids, counterion condensation, 158–159
 Biological systems, scanning electrochemical microscopy:
 membrane transport, 232–235
 penetration experiments, 183
 Bjerrum length, nucleic acids, counterion condensation:
 cell model, 151–152
 flexible polyelectrolytes, 153–155

- fluctuations, 156–157
- Poisson–Boltzmann equation, 159–160
- Bloch theorem, bare undamped hydrogen bonds, autocorrelation function, 278–279
- Boltzmann density operator:
 - infrared spectral density autocorrelation function, 383–384
 - vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - bare undamped hydrogen bonds:
 - adiabatic autocorrelation function, 271–273, 280–281
 - adiabatic representation, 269
 - autocorrelation function, 260–262
 - complex energy level (CEL) method, 330–331
 - cyclic hydrogen-bonded dimers, 346–348
 - Fermi resonances and Davydov coupling, 364–369
 - symmetry avoidance, 447–450
 - Fermi resonances, 339–340
 - indirect damping, adiabatic approximation, 283–285
 - autocorrelation function expression, 289–297
 - thermal bath Hamiltonians, 286–289
 - non-Hermitean diagonal Hamiltonians, 328–329
 - spectral density:
 - equation substitutions, 426–429
 - linear response theory, 252–254
 - thermal average, time-evolution operator, 416–417
 - vibrational modes, hydrogen-bonded systems (v_{X-H})1, quantum representation, 399–400
- Bomont and Bretonnet approximation, self-consistent integral equations, 26
- entropic quantities, 49–61
- excess chemical potential and entropy, 47–49
- hard-sphere fluid models, 35–37, 49–54
- Lennard–Jones fluid models, 54–61
- optimized division scheme (ODS), 32–34
- Born–Oppenheimer approximation (BOA):
 - nonadiabatic dynamics, 542–543
 - polyatomic photodynamics, 498–499
 - time-resolved photoelectron spectroscopy, 504–507
- Boson operators:
 - ionic liquids, fused salts, 96
 - non-Hermitean operators, 487–488
 - vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - bare undamped hydrogen bonds, adiabatic autocorrelation function, 272–273
 - Fermi resonances, 338–340
 - indirect damping, adiabatic approximation, thermal bath Hamiltonians, 288–289
 - spectral densities, complex energy level method, 333–340
 - time-evolution operator, 402–407
 - thermal average, 416–417
 - translation operators, 408–410
- Boundary element method (BEM), scanning electrochemical microscopy, diffusion mechanisms, 209–211
- Branched nucleic acids, counterion condensation, 167–169
- Bridge potential:
 - angular frequencies and related gaps, 481–482
 - gaseous carboxylic acid line shapes, 369–371
 - integral equations, closure relation and, 15–17
 - nonconsistent integral equations:
 - hypernetted-chain approximation, 189
 - Percus–Yevick approximation, 17–18
 - self-consistent integral equations:
 - accuracy of, 31–34
 - entropic quantities, 50–61
 - excess chemical potential and entropy, 46–47
 - fluid models, 27–31
 - hard-sphere fluid models, 35–37
 - Lennard–Jones fluid model, 39–42, 55–60
 - Lloyd L. Lee formula, 44–46
 - uniqueness, 25–27
 - Vompe–Martynov approximation, 25–26
- thermodynamic consistency, soft-core mean-spherical approximation, 20–21
- vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - bare undamped hydrogen bonds:
 - adiabatic representation, 262–269
 - anharmonic coupling Hamiltonian, 256–258
 - cyclic hydrogen-bonded dimers, damping Hamiltonians, 341–343
 - indirect damping, adiabatic representation, 282–286
 - autocorrelation function, Brownian motion, 302–306

- Bridge potential (*Continued*)
 thermal bath Hamiltonians, 286–289
 spectral densities, complex energy level method, 332–340
 whole line shape component analysis, 315–317
- Brownian motion, vibrational modes, hydrogen-bonded systems (v_{X-H}):
 autocorrelation function, 302–309
 calculation, 430–432
 Langevin equation, linear transformation, 433–437
- Butler–Volmer relations, scanning electrochemical microscopy, 190–191
- Canonical transformations, bare undamped hydrogen bonds, adiabatic representation, 264–269
- Carboxylic acid line shapes, vibrational modes, hydrogen-bonded systems (v_{X-H}), 369–380
 crystalline carboxylic acids, 372–379
 adipic acid, 372–375
 glutaric acid, 375–377
 naphtoic acid, 377–378
 gaseous acetic acid dimers, 369–371
 gaseous and liquid propynoic and acrylic acids, 371–372
 liquid/gaseous carboxylic acids, 369–372
- Carnahan–Starling EOS data, self-consistent integral equations, entropic quantities, 52–54
- Catalytic processes:
 in ionic liquids, desolvation effects, 123
 scanning electrochemical microscopy, electrocatalysis and redox enzymes, 220–223
- Cations:
 ionic liquid structure, 88–89
 polyatomic photodynamics, time-resolved photoelectron spectroscopy, 508–526
 time-resolved photoelectron spectroscopy, electronic continua, 539–542
- Cell model, nucleic acids, counterion condensation:
 Hamiltonian properties, 159–161
 polyion interactions, 151–152
- Center of charge framework, ionic liquids, electrostatic properties, 103–106
- Centrosymmetric cyclic dimers:
 autocorrelation function symmetrization, 467–473
 observables, 481
- Charge arm measurement, ionic liquids, electrostatic properties, 105–106
- Charge-coupled device (CCD) camera systems, time-resolved photoelectron spectroscopy, 527–528
- Charge density distribution:
 counterion condensation, nucleic acids, 160–161
 ionic liquids, 92–95
- Charged-particle detection, polyatomic photodynamics, 499–500
- Charge ordering, ionic liquids, charge density distribution, 93–95
- Charge-transfer processes, scanning electrochemical microscopy (SECM):
 cell-membrane transport, 232–235
 membrane transport, 232–235
 solid–liquid/liquid–liquid interfaces, 211–223
 electrocatalysis and redox enzymes, 220–223
 electron/ion transfer, 216–218
 metal and semiconductor electrodes, electron transfer, 212–216
 molecular monolayer electron transfer, 218–220
- Chirped-pulse amplification, femtosecond laser technology, 531–532
- Choudhury and Ghosh approximation, self-consistent integral equations, 24–25
- Chronoamperometric transients, scanning electrochemical microscopy, adsorption–desorption, 225–227
- “Clamped nuclei” electronic Hamiltonian, polyatomic photodynamics, time-resolved photoelectron spectroscopy, 505–507
- Clathrate formation, ionic liquids, solute–solvent interactions, 116–120
- Clebsch–Gordan series equations, time-resolved photoelectron spectroscopy, 574–577

- Closeness relation. *See also* Pseudocloseness relation
 bare undamped hydrogen bonds,
 autocorrelation function,
 corresponding spectral density,
 260–262
- Closure techniques:
 integral equations:
 Bridge function, 15–17
 fluid properties, 4–5
 self-consistent integral equations:
 hard-sphere fluid models, 35–37
 HNC–SMSA closure, 23–24
- Coherent states, vibrational modes, hydrogen-bonded systems (v_{X-H}), 438–445
 Heisenberg uncertainty relation, 442–443
 quantum harmonic oscillator Hamiltonian
 eigenvectors, 438–440
 quantum representation, 399
 statistical equilibrium density operator,
 442–445
 translation operator, number operator ground
 state, 441
- Coincidence techniques:
 photodissociation dynamics, 558–568
 time-resolved photoelectron spectroscopy,
 528–530
- Co-ion distribution, nucleic acids, counterion
 condensation, 149–150
- Complex energy level (CEL) method,
 vibrational modes, hydrogen-
 bonded systems (v_{X-H}):
 autocorrelation function, 330–331
 direct/indirect damping incorporation, 329–330
 non-damping situation, 329
 non-Hermitian diagonal Hamiltonians
 (NHDH), 327–340
 quantum indirect damping approximations, 314
 spectral densities, 331–340
- Compressibility equation, integral equations,
 pair correlation function, 9
- Concentration–concentration structure factor,
 ionic liquids, solvation polarity,
 113
- Coordination complexes, ionic liquids:
 metal ions, 115–116
 solute–solvent interactions, 117–120
- Correlation functions, integral equations,
 Ornstein–Zernicke equation,
 13–15
- Coulomb interactions:
 counterion condensation, branched nucleic
 acids, 167–169
 ionic liquids:
 electrostatic properties, 103–105
 future research issues, 127–128
 nucleic acids, counterion condensation,
 Manning model, 142–144
 time-resolved photoelectron spectroscopy,
 512–526
- Counterion condensation, nucleic acids:
 absorption excess, 150–151
 alternative sequences, 171–172
 binding isotherm model, 158–159
 branched junctions, 167–169
 cell model, 151–152, 159–161
 co-ion distribution functions, 149–150
 flexible polyelectrolytes, 152–155
 fluctuations, 155–157
 helical model, 147–149
 ionic oligomers, 145–147
 Manning model, 142–144
 overview, 140–142
 Poisson–Boltzmann equation, 144–145
 preferential interaction coefficient, 164–167
 release mechanism, 161–164
Tetrahymena ribozyme, 169–171
- Counterion release, nucleic acids, counterion
 condensation, 161–164
- Creation operators, bare undamped hydrogen
 bonds, adiabatic representation,
 263–269
- Crown ethers, ionic solutes in ionic liquids,
 114–116
- Crystalline carboxylic acids, line shape analysis,
 372–379
 adipic acid, 372–375
 glutaric acid, 375–377
 naphthoic acid, 377–378
- Cyclic hydrogen-bonded dimers:
 autocorrelation function symmetrization,
 467–473
 symmetry avoidance, 446–450
 transition moment symmetrization, 461–466
 vibrational modes, hydrogen-bonded systems
 (v_{X-H}), 341–369
 Davydov coupling, direct/indirect
 dampings, 341–360
 autocorrelation function and spectral
 density, 344–348

- Cyclic hydrogen-bonded dimers (*Continued*)
damping Hamiltonians, 341–343
Davydov Hamiltonians, 343–344
quantum indirect damping:
approximation methods, 358–360
autocorrelation function and spectral density, 351–354
Hamiltonian diagonalization, 348–349
Hamiltonian separation, 349–351
spectral density solutions, 354–358
Fermi resonances, Davydov coupling, 360–369
autocorrelation and spectral density, 364–366
Hamiltonian modes, 360–364
Maréchal “peeling off,” 366–368
- Davydov coupling:
cyclic hydrogen-bonded dimers:
direct/indirect dampings, 341–360
autocorrelation function and spectral density, 344–348
damping Hamiltonians, 341–343
Davydov Hamiltonians, 343–344
quantum indirect damping:
approximation methods, 358–360
autocorrelation function and spectral density, 351–354
Hamiltonian diagonalization, 348–349
Hamiltonian separation, 349–351
spectral density solutions, 354–358
Fermi resonances, 360–369
symmetry avoidance, 446–450
transition moment symmetrization, 461–466
Hamiltonian diagonalization, 451–460
Maréchal “peeling-off” approach, 474–479
vibrational modes, hydrogen-bonded systems (ν_{X-H}), 252
- Davydov–Serikov equation, cyclic hydrogen-bonded dimers, Fermi resonances, 368–369
- Debye–Hückel theory:
ionic liquids, charge density distribution, 93–95
nucleic acids, counterion condensation:
co-ion distribution functions, 149–150
fluctuations, 156–157
Manning model, 143–144
- Debye screening length, nucleic acids, counterion condensation:
flexible polyelectrolytes, 154–155
ionic oligomers, 146–147
Manning model fluctuations, 155–157
Poisson–Boltzmann equation, 145, 159–160
preferential interaction coefficient, 164–167
- Debye–Stokes–Einstein diffusion, ionic liquids, 121–122
- Density dependence:
self-consistent integral equations, entropic quantities, 52–54
thermodynamic consistency, modified and reference hypernetted chain approximations, 22–23
time-resolved photoelectron spectroscopy, 517–526
- Density function theory, nucleic acids, counterion condensation, ionic oligomers, 146–147
- Desolvation effects, in ionic liquids, 122–123
- Desorption, scanning electrochemical microscopy, 225–227
- Diabatic Hamiltonian weakness, adiabatic approximation, anharmonic coupling, 388–393
- Dielectric constant, ionic liquids, solvent polarity and, 110–113
- Diffusion:
ionic liquids:
fused salts, 95–96
reaction dynamics, 121–122
simulation studies, 99–102
scanning electrochemical microscopy:
equations, redox properties, 189–193
numerical solutions, 208–211
steady-state analytical approximations, 193–196
- Dilute-gas regimes, self-consistent integral equations, entropic quantities, 52–54
- DIMCARB ionic liquid, structure, 86–88
- Dimensionless variables, scanning electrochemical microscopy, 189–190
- Dipole moment:
ionic liquids:
electrostatic properties, 102–106
future research issues, 128
spectroscopic properties, 483–485
time-resolved photoelectron spectroscopy, 514–526

- vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - cyclic hydrogen-bonded dimers, autocorrelation function, direct damping, 345–348
 - Fermi resonance, 325–326
 - infrared (IR) non-Hermitean transition operators, 254–255
- Dirac delta function:
 - infrared spectral density autocorrelation function, 383–384
 - spectral density, 429
- Direct correlation function, self-consistent integral equations, rare-gases fluids, 70–72
- Direct relaxation, vibrational modes, hydrogen-bonded systems (v_{X-H}), 251–252
- Disproportionation (DISP1) mechanism, scanning electrochemical microscopy, 205–207
- homogeneous solution reactions, 230–231
- Dissolution kinetics, scanning electrochemical microscopy, ionic crystal dissolution, 223–224
- DNA bases, time-resolved photoelectron spectroscopy, photostability of, 568–572
- DNA double helix, counterion condensation, 148–149
 - coarse-grained model, 160–161
- Donan equilibrium, nucleic acids, counterion condensation:
 - branched nucleic acids, 167–169
 - counterion release, 162–164
- Driven damped quantum harmonic oscillator, vibrational modes, hydrogen-bonded systems (v_{X-H}), 418–420
- Duh–Haymet (DHH) approximation, self-consistent integral equations, 24
- division scheme, 31–32
- Lennard–Jones fluid phase diagrams, 59–60
- Dyson time-ordering operator:
 - autocorrelation function expression, 424–425
 - Maréchal “peeling-off” approach, 476–479
 - vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - bare undamped hydrogen bonds, adiabatic autocorrelation function, 271–273, 277–279
 - cyclic hydrogen-bonded dimers:
 - classical limits, spectral density, 357–358
 - quantum indirect damping, 352–354
 - driven terms, 414–415
 - quantum autocorrelation function, semiclassical limit, 299–302
- ECE pathway, scanning electrochemical microscopy, 205–207
- homogeneous solution reactions, 230–231
- Eigenvalue equations:
 - Hamiltonian diagonalization, 454–455
 - infrared spectral density autocorrelation function, 381–384
 - polyatomic photodynamics, time-resolved photoelectron spectroscopy, 505–507
 - vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - bare undamped hydrogen bonds:
 - autocorrelation function, corresponding spectral density, 260–262
 - Hamiltonian modes, 259–260
 - coherent states, Heisenberg uncertainty relation, 443–444
 - cyclic hydrogen-bonded dimers:
 - direct damping, 347–348
 - Fermi resonances and Davydov coupling, 363–369
 - Fermi resonance, 325–326
 - non-Hermitean diagonal Hamiltonians (NHDH), 335–340
 - non-Hermitean transition operators, 317–321
- Eigenvector expansion:
 - Hamiltonian diagonalization, 453–455
 - vibrational modes, hydrogen-bonded systems (v_{X-H}), coherent states, 438–440
- Electrocatalysis, scanning electrochemical microscopy, redox enzymes and, 220–223
- Electromagnetic shielding, scanning electrochemical microscopy, tip instrumentation, 188
- Electronically conductive polymer films, scanning electrochemical microscopy, 236
- Electronic configurations, time-resolved photoelectron spectroscopy:
 - continua properties, 535–542
 - polyatomic photodynamics, 508–526

- Electron spin resonance (ESR), ionic liquids,
diffusion, 121–122
- Electron transfer, scanning electrochemical
microscopy:
homogeneous solution reactions, 230–231
liquid–liquid interface, 183–185, 216–218
metal and semiconductor electrodes, 212–216
molecular monolayers, 218–220
tip generation–substrate collection (TG/SC)
mode, 181–182
tip or substrate potential, 196–198
- Electrostatic interactions:
ionic liquids:
charge density distribution, 92–95
molecular ions, 102–106
solute–solvent interactions, 118–120
nucleic acids, counterion condensation:
helical model, 149
Poisson–Boltzmann equation, 144–145
- Electrostriction, ionic liquids, solute–solvent
interactions, 120
- Entropy, self-consistent integral equations:
hard-sphere fluids, 49–55
Kirkwood definition, 42–44
Lennard–Jones fluid, 55–61
- Equations of state (EOS):
integral equations, bridge function and, 16–17
nonconsistent integral equations, Percus–
Yevick approximation, 18
self-consistent integral equations, Lennard–
Jones fluid model, 39–42
thermodynamic consistency, 11–13
modified and reference hypernetted chain
approximations, 21–23
- Equilibrium density operator, coherent states,
vibrational modes, hydrogen-
bonded systems (v_{X-H}), 443–445
- Equipartition energy theorem, vibrational
modes, hydrogen-bonded
systems (v_{X-H}) 1, line shape,
classical limit, 304–306
- Euler angles, polyatomic photodynamics, time-
resolved photoelectron
spectroscopy, 507
- Euler's theorem, rare-gases fluids, three-body
interactions, 63–65
- Excess chemical potential and entropy,
self-consistent integral
equations, 42–49
Bomont–Bretonnet approach, 47–49
classical thermodynamics, 49
Kirkwood definition, 42–44
Kiselyov–Martynov approach, 46–47
Lennard–Jones fluid models, 56–61
Lloyd L. Lee formula, 44–46
- Excess electrons, ionic liquids, solvation
dynamics, 126–127
- Excess vibrational energy dependence, time-
resolved photoelectron
spectroscopy, benzene derivatives,
internal conversion and electronic
relaxation, 544–545
- Exchange approximations, vibrational modes,
hydrogen-bonded systems (v_{X-H}),
Fermi resonance, 322–326
- Excited-state dynamics, time-resolved
photoelectron spectroscopy,
511–526
DNA base photostability, 569–572
electronic continua, 539–542
internal conversion, substituted benzene
electronic relaxation, 543–546
intramolecular proton transfer (ESIPT),
550–555
nuclear dynamics, 546–550
- Expansion coefficients, time-resolved
photoelectron spectroscopy,
519–526
- Extreme ultraviolet (XUV), femtosecond laser
technology, 531–532
future research issues, 573–577
- Faraday constant, scanning electrochemical
microscopy, 180–181
Butler–Volmer relations, 190–191
impedance-based measurements, 185–186
- Fast mode excitation, vibrational modes,
hydrogen-bonded systems (v_{X-H}):
bare undamped hydrogen bonds, adiabatic
representation, 267–269
indirect damping, adiabatic approximation,
282–285
- Feedback mode, scanning electrochemical
microscopy, 180–181
- Femtosecond time-resolved methods:
future research issues, 573–577
laser technology, 530–532
mass-resolved ion yield measurements,
532–535
photodissociation dynamics, 560–568

- photoelectron spectrometers, 526–528
- polyatomic photodynamics, 498–500
 - frequency and time domains, 500–504
- Fermi resonances:
 - carboxylic acid line shape:
 - adipic acids, 372–375
 - glutaric acid line shape analysis, 375–377
 - naphtoic acid, 377–379
 - time-resolved photoelectron spectroscopy,
 - excited state nuclear dynamics, 547–550
 - vibrational modes, hydrogen-bonded systems (v_{X-H}), 251–252
 - adiabatic and exchange approximations, 322–326
 - cyclic hydrogen-bonded dimers, Davydov coupling, 360–369
 - gaseous carboxylic acid line shapes, 369–371
 - spectral densities, 337–340
- Finite kinetics, scanning electrochemical microscopy, tip or substrate potential, 196–198
- First-order following reaction, scanning electrochemical microscopy, 200–203
- Flexible polyelectrolytes, nucleic acids, counterion condensation, 152–155
- Fluid properties, integral equations:
 - Bomont/Bretonnet approach, 32–34, 47–49
 - entropic quantities results, 49–61
 - excess chemical potential and entropy, 42–49
 - Kirkwood definition, 42–44
 - future research issues, 77–78
 - hard-sphere fluid models, 34–37, 49–54
 - hypernetted-chain approximation, 19
 - Kiselyov–Martynov approach, 46–47
 - Lennard–Jones fluid model, 37–42, 53–60
 - Lloyd E. Lee formula, 44–46
 - Martynov–Sarkisov approximation, 19
 - Verlet approximation, 25–26
 - mean-spherical approximation, 18
 - nonconsistent equations, 17–19
 - Ornstein–Zernike equation, 13–17
 - overview, 3–7
 - Percus–Yevick approximation, 17–18
 - self-consistent integral equations, 23–27
 - Bomont and Bretonnet optimized division scheme, 32–34
 - bridge function accuracy, 31–34
 - Duh and Haymet division scheme, 31–32
 - HNC/MSA approximation, 27–28
 - rare gases, 61–77
 - thermodynamic consistency and theorems, 27–31
- statistical mechanics, 7–13
 - pair correlation function, 7–9
 - structure factor, 9–11
 - thermodynamic consistency, 11–13
- thermodynamic consistency:
 - natural constraints, 11–13
 - pair correlation function, 7–9
 - reference HNC/modified HNC approximations, 21–23
 - soft-core MSA approximation, 20–21
- thermodynamic integration, 48–49
- Verlet approximation, 19
 - extended approximation, 24–25
- Fluorescence effects, ionic liquids, 97–102
- solvation dynamics, 111–113
- Fourier transform:
 - bare undamped hydrogen bonds, spectral density/Maréchal–Witkowski equivalence, 275–277
- infrared spectral density autocorrelation function, 381–384
- polyatomic photodynamics, frequency and time domains, 502–508
- vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - cyclic hydrogen-bonded dimers, spectral density quantum limits, 354–357
 - indirect damping, adiabatic approximation, spectral density, 294–297
- Franck–Condon factors:
 - polyatomic photodynamics:
 - photoelectron angular distribution, 510–526
 - time-resolved photoelectron spectroscopy, 508–526
 - time-resolved coincidence-imaging spectroscopy, photodissociation dynamics, 559–568
 - time-resolved photoelectron spectroscopy:
 - DNA base photostability, 571–572
 - excited state nuclear dynamics, 547–550
 - vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - bare undamped hydrogen bonds:
 - adiabatic representation, 268–269
 - Dyson ordering operator, 278–279

- Franck–Condon factors (*Continued*)
 spectral density/Maréchal–Witkowski
 equivalence, 276–277
 quantum indirect damping approximations:
 autocorrelation function expression,
 311–312
 complex energy levels, 314
 quantum representation, 398
- Free electron states, polyatomic photodynamics,
 time-resolved photoelectron
 spectroscopy, 508–526
- Free energy, nucleic acids, counterion
 condensation:
 flexible polyelectrolytes, 153–155
 helical model, 147–149
 Manning model fluctuations, 155–157
- Frequency domains, time-resolved
 photoelectron spectroscopy,
 wave packet dynamics, 500–504
- Frozen nuclei potentials, polyatomic
 photodynamics, time-resolved
 photoelectron spectroscopy,
 506–507
- Fused salts, ionic liquid structure, 91–92
- Gaseous carboxylic acids, line shape analysis,
 369–372
 acetic acid dimers, 369–371
- Geometric properties, scanning electrochemical
 microscopy, 188
- Gibbs–Duhem relation, self-consistent integral
 equations:
 entropic quantities, 50–60
 fluid models, 28–31
- Gibbs free energy, nucleic acids, counterion
 condensation, 147–149
 absorption excess, 150–151
- Glass-forming liquids, neat ionic liquids as,
 98–102
- Glassy carbon (GC) electrode, scanning
 electrochemical microscopy,
 214–216
- Glauber–Weyl theorem, vibrational modes,
 hydrogen-bonded systems (v_{X-H}):
 time-evolution operator, 406–407
 translation operators, 408–412
- Glucose oxidase, scanning electrochemical
 microscopy, electrocatalysis and
 redox enzymes, 221–223
- Glutaric acid, line shape analysis, 375–377
- Gouy–Chapman screening length, nucleic acids,
 counterion condensation,
 156–157
- Grand-canonical ensemble, integral equations,
 pair correlation function, 9
- Grand canonical Monte Carlo (GCMC)
 simulation, counterion
 condensation, branched nucleic
 acids, 167–169
- Half-width approximations, vibrational modes,
 hydrogen-bonded systems
 (v_{X-H}), quantum indirect
 damping, 314–315
- Hamiltonian modes:
 cyclic hydrogen-bonded dimers:
 damping and, 341–343
 Davydov coupling, 343–344
 Fermi resonances and, 360–369
 quantum indirect damping, Davydov
 diagonalization, 348–349
 diagonalization into symmetry, 451–460
 matrix commutativity, 452–453
 matrix eigenvectors, 453–455
 starting equations, 451–452
- Hermitean Hamiltonians, 488–490
- infrared spectral density autocorrelation
 function, 381–384
- polyatomic photodynamics, time-resolved
 photoelectron spectroscopy,
 504–507
- vibrational modes, hydrogen-bonded systems
 (v_{X-H}):
 adiabatic approximation, anharmonic
 coupling, 385–394
 adiabatic and effective Hamiltonians,
 393–394
 diabatic/adiabatic partitioning, 385–387
 diabatic Hamiltonian weakness, 388–393
 bare undamped hydrogen bonds, 256–260
 adiabatic autocorrelation function,
 269–273
 adiabatic representation, 263–269
 anharmonic coupling, 256–258
 partitioning, 258–260
 single species, 256
- Fermi resonance, adiabatic and exchange
 approximations, 322–326
- indirect damping, adiabatic representation,
 thermal bath modes, 286–289

- non-Hermitean diagonal Hamiltonians (NHDH), 331–340
- non-Hermitean transition operators, 317–321
- quantum representation, 396–397
- Hard-core diameter optimization, hypernetted-chain (MHNC) approximation, 21–22
- Hard-sphere (HS) models:
 - integral equations, bridge function and, 16–17
 - nonconsistent integral equations:
 - mean-spherical approximation, 18
 - Percus–Yevick approximation, 18
 - Verlet approximation, 19
 - self-consistent integral equations:
 - entropic quantities, 49–55
 - Kirkwood definition, 42–44
 - potential distribution theorem, 30–32
 - thermodynamic and structural quantities, 34–37
 - thermodynamic consistency, modified and reference hypernetted chain approximations, 22–23
- Harmonic approximation, bare undamped hydrogen bonds, adiabatic representation, 262–269
- Heisenberg uncertainty relation:
 - centrosymmetric cyclic dimers, symmetrized autocorrelation function, 467–473
- vibrational modes, hydrogen-bonded systems (v_{X-H}), 253–254
 - bare undamped hydrogen bonds:
 - adiabatic autocorrelation function, 271–273, 280–281
 - spectral density/Maréchal–Witkowski equivalence, 275–277
 - coherent states, 443–444
 - indirect damping, adiabatic approximation, 285
 - infrared (IR) non-Hermitean transition operators, 255
 - infrared non-Hermitean transition operators, 254–255
 - non-Hermitean diagonal Hamiltonians, 328–329
 - time-evolution operator, 403–407
- Helical model, nucleic acids, counterion condensation, 147–149
- Helmholtz free energy functionals, self-consistent integral equations, fluid models, 27–31
- Hermitean conjugate, autocorrelation function expression, 423–425
- Heterogeneous reactions, scanning electrochemical microscopy:
 - semiconductor electrodes, 214–216
 - steady-state analytical approximations, 193–196
- Highly oriented pyrolytic graphite (HOPG), scanning electrochemical microscopy, electrocatalysis and redox enzymes, 220–223
- High temperature fused salts, ionic liquids, 90–96
 - charge density distribution, 92–95
 - structural properties, 91–92
 - transport properties, 95–96
- Hole theory, ionic liquids, transport properties, 95–96
- Homogeneous reactions, scanning electrochemical microscopy:
 - solutions, 228–231
 - steady-state approximations, 200–207
- Homotopy, self-consistent integral equations, excess chemical potential and entropy, 47–48
- Horseradish peroxidase (HRP), scanning electrochemical microscopy, electrocatalysis and redox enzymes, 222–223
- Hydrogen bonding:
 - classification and properties, 248–252
 - ionic liquids, 97–102
 - dielectric constant, 111–113
 - solute–solvent interactions, 116–120
 - solvent polarity and, 108–109
 - spectral density, linear response theory, 252–254
 - vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - bare bonds without damping, 256–281
 - adiabatic representation, 262–266
 - autocorrelation function, corresponding spectral density, 260–262
 - accuracy vs. nonadiabatic representation, 273–274
 - adiabatic representation, 269–273, 280–281
 - Dyson ordering operator, 277–279
 - Maréchal–Witkowski equivalence, 274–277
 - Hamiltonian modes, 256–260

- Hydrogen bonding (*Continued*)
 anharmonic coupling, 256–258
 partitioning, 258–260
 single species, 256
 slow mode harmonic states, 267–269
 carboxylic acid line shapes, 369–380
 gaseous acetic acid dimers, 369–371
 gaseous and liquid propynoic and acrylic acids, 371–372
 liquid/gaseous carboxylic acids, 369–372
 crystalline carboxylic acids, 372–379
 adipic acid, 372–375
 glutaric acid, 375–377
 naphtoic acid, 377–378
 cyclic hydrogen-bonded dimers, 341–369
 Davydov coupling, direct/indirect dampings, 341–360
 Fermi resonances, 360–369
 indirect damping incorporation, adiabatic representations, 281–297
 autocorrelation function, 289–297
 damped translation operators, 295–296
 line shape, 292–295
 quantum indirect damping, 295
 bridge dynamics, fast mode ground state, 282–285
 damped bridge dynamics, 285–286
 thermal bath Hamiltonians, 286–289
 undamped dynamics, 282
 infrared non-Hermitean transition operators, 254–255
 quantum indirect damping:
 approximations, 310–340
 autocorrelation functions, 310–315
 complex energy levels method, 329–331
 Fermi resonance, adiabatic and exchange approximations, 322–326
 line shape component analysis, 315–317
 NHDH/CEL spectral density comparisons, 331
 non-Hermitean diagonal Hamiltonian, 327–329
 non-Hermitean Hamiltonians, 317–321
 numerical validity tests, 321–322
 spectral densities, 331–340
 classical limits, 297–309
 autocorrelation function, 298–302
 Brownian motion autocorrelation function, 302–304
 line shape, 304–306
 Robertson–Yarwood model recall, 306–308
 semiclassical spectral densities, 308–309
 spectral density, linear response theory, 252–254
 Hydrogen oxidation reaction, scanning electrochemical microscopy, electrocatalysis and redox enzymes, 220–223
 Hydrophilicity, ionic liquids, 90
 Hydrophobicity:
 ionic liquids, 90
 scanning electrochemical microscopy, liquid–liquid interface, 217–218
 Hypernetted-chain (HNC) approximation:
 nonconsistent integral equations, 19
 thermodynamic consistency, reference and modified approximations, 21–22
 Hypernetted-chain soft-core mean-sphere approximation (HMSA), self-consistent integral equations:
 HNC–SMSA closure, 23–24
 Lennard–Jones fluid model, 38–42
 rare gases fluids, 67–72
 Impedance-based measurements, scanning electrochemical microscopy, 185–186
 Indirect correlation function, self-consistent integral equations, fluid models, 28–32
 Indirect relaxation, vibrational modes, hydrogen-bonded systems (v_{X-H}), 251–252
 indirect damping, adiabatic representation, 285–286
 Infrared (IR) non-Hermitean transition operators, vibrational modes, hydrogen-bonded systems (v_{X-H}), 254–255
 bare undamped hydrogen bonds, autocorrelation function, 260–262
 Infrared spectral density, autocorrelation function Fourier transform, 381–384
 Inherent structures model, neat ionic liquids, 98–102

- Instantaneous Normal Mode (INM) theory, ionic liquids, transport properties, 95–96
- Integral equations (IETs):
 classical fluid applications:
 Bomont/Bretonnet approach, 32–34, 47–49
 entropic quantities results, 49–61
 excess chemical potential and entropy, 42–50
 Kirkwood definition, 42–44
 future research issues, 77–79
 hard-sphere fluid models, 34–37, 49–54
 hypernetted-chain approximation, 19
 Kiselyov–Martynov approach, 46–47
 Lennard–Jones fluid model, 37–42, 53–61
 Lloyd E. Lee formula, 44–45
 Martynov–Sarkisov approximation, 19
 Verlet approximation, 25–26
 mean-spherical approximation, 18
 nonconsistent equations, 17–19
 Ornstein–Zernike equation, 13–17
 overview, 3–7
 Percus–Yevick approximation, 17–18
 self-consistent integral equations, 23–27
 Bomont and Bretonnet optimized
 division scheme, 32–34
 bridge function accuracy, 31–34
 Duh and Haymet division scheme, 31–32
 HNC/SMSA approximation, 27–28
 rare gases, 60–78
 thermodynamic consistency and
 theorems, 27–31
 statistical mechanics, 7–13
 pair correlation function, 7–9
 structure factor, 9–11
 thermodynamic consistency, 11–13
 thermodynamic consistency:
 natural constraints, 11–13
 pair correlation function, 7–9
 reference HNC/modified HNC
 approximations, 21–23
 soft-core MSA approximation, 20–21
 thermodynamic integration, 49
 Verlet approximation, 19
 extended approximation, 24–25
 rare-gases fluids, three-body interactions
- Interface between two immiscible solutions (ITIES), scanning electrochemical microscopy, electron-transfer and ion-transfer feedback experiments, 183–185, 216–218
- Interion Coulomb interactions, ionic liquid structure, fused salts, 91–92
- Internal conversion, time-resolved photoelectron spectroscopy:
 excited-state intramolecular proton transfer, 554–555
 substituted benzene electronic relaxation, 543–546
- Internal energy and pressure, self-consistent integral equations, rare-gases fluids, 72–76
- Internuclear configurations, time-resolved photoelectron spectroscopy, 515–526
- Intramolecular vibrational energy redistribution (IVR):
 polyatomic photodynamics:
 frequency and time domains, 504
 time-resolved photoelectron spectroscopy, 506–507
 time-resolved coincidence-imaging spectroscopy (TRCIS), photodissociation dynamics, 560–568
 time-resolved photoelectron spectroscopy:
 electronic continua, 536–537
 excited state nuclear dynamics, 546–550
- Inverse Abel transforms, time-resolved photoelectron spectroscopy, excited-state intramolecular proton transfer, 550–555
- Ion detection, polyatomic photodynamics, 499–500
- Ionic crystals, scanning electrochemical microscopy, dissolution mechanisms, 223–224
- Ionic liquids:
 future research issues, 127–128
 high temperature fused salts, 90–96
 charge density distribution, 92–95
 structural properties, 91–92
 transport properties, 95–96
 microscopic environment, 96–106
 molecular ion electrostatics, 102–106
 structure and dynamics, 96–102
 physical properties, 89–90
 reaction dynamics, 120–127
 desolvation effects, 122–123
 diffusion, 121–122
 solvation effects, 123–127

- Ionic liquids (*Continued*)
 research background, 86–87
 solution characterization, 107–120
 ionic solutes, 114–116
 solute–solvent interactions, 116–120
 solvent polarity, 107–114
 partitioning methods, 108–110
 reactive methods, 114
 spectroscopic methods and dielectric constant, 110–113
 structure, 87–89
- Ionic oligomers, counterion condensation, 145–147
- Ionization degree:
 nucleic acids, counterion condensation, flexible polyelectrolytes, 154–155
 polyatomic photodynamics, 499–500
- Ion pairing, ionic liquids:
 fused salts, 97–102
 simulation and dynamics, 98–102
- Ion-transfer, scanning electrochemical microscopy, liquid–liquid interface, 183–185, 216–218
- Irreducible representation (IR), time-resolved photoelectron spectroscopy, 513–526
- Isomerization, time-resolved photoelectron spectroscopy, molecular electronic switches, 555–557
- Isothermal compressibility:
 integral equations, pair correlation function, 8–9
 self-consistent integral equations, rare-gases fluids, 76–78
- Kamlet–Taft scheme, ionic liquids:
 dielectric constant, 110–113
 solute–solvent interactions, 119–120
- Kasha's rule, time-resolved photoelectron spectroscopy, molecular electronic switches, 556–557
- Kerr effect spectra, ionic liquids, 98–102
 electrostatic properties, 104–106
- Keto–enol equilibrium:
 ionic liquid polarity, 114
 time-resolved photoelectron spectroscopy, excited-state intramolecular proton transfer, 550–555
- Kinetic operators:
 adiabatic approximation, anharmonic coupling, diabatic Hamiltonian weakness, 388–393
 polyatomic photodynamics, time-resolved photoelectron spectroscopy, 506–507
- Kirkwood definition:
 rare-gases fluids, three-body interactions, 64–65
 self-consistent integral equations:
 excess chemical potential and entropy, 42–44
 Kiselyov–Martynov approach, 46–47
- Kiselyov–Martynov approximation, self-consistent integral equations:
 entropic quantities, 50–54
 excess chemical potential and entropy, 46–47
- Koopmans coordinations:
 mass-resolved ion yield measurements, 535
 polyatomic nonadiabatic dynamics, 510–526
 time-resolved photoelectron spectroscopy:
 benzene derivatives, internal conversion and electronic relaxation, 544–546
 electronic continua, 535–542
 molecular electronic switches, 557
- Krypton, self-consistent integral equations, calculation, 65–72
- Lagrangian multipliers, equilibrium density operator, coherent states, 443–445
- Langevin equations, vibrational modes,
 hydrogen-bonded systems (v_{X-H}):
 autocorrelation function, Brownian motion, 303–304
 linear transformation, 433–437
- Laplace formulation:
 scanning electrochemical microscopy, boundary element method, 210–211
 vibrational modes, hydrogen-bonded systems (v_{X-H}), autocorrelation function calculation, 430–432
- Laser field photoelectron angular distribution (LF PAD):
 time-resolved coincidence-imaging spectroscopy, photodissociation dynamics, 564–568
 time-resolved photoelectron spectroscopy, 513–526
 coincidence techniques, 530
 excited state nuclear dynamics, 550
- Lateral mass-charge transfer, scanning electrochemical microscopy, 224–225
 steady-state approximations, 199–200
- Lattice energies, ionic liquid structure, 88–89

- Lennard–Jones fluid model:
 integral equations, bridge function and, 15–16
 self-consistent integral equations:
 entropic quantities, 55–61
 HNC–SMSA closure, 23–24
 partitioning of, 31–32
 thermodynamic consistency, 37–42
 thermodynamic consistency, soft-core mean-spherical approximation, 20–21
- Limiting law condition, nucleic acids,
 counterion condensation,
 Manning model, 143–144
- Linear free energy relationships (LFERs), ionic liquids:
 dielectric constant, 110–113
 solvent polarity, 108–110
- Linear response theory, vibrational modes,
 hydrogen-bonded systems (v_{X-H}),
 252–254
 bare undamped hydrogen bonds, 256
 cyclic hydrogen-bonded dimers, quantum indirect damping, 353–354
 spectral density, 252–254
- Line shape, vibrational modes, hydrogen-bonded systems (v_{X-H}):
 autocorrelation function, classical limit,
 304–306
 carboxylic acids, 369–380
 crystalline carboxylic acids, 372–379
 adipic acid, 372–375
 glutaric acid, 375–377
 naphthoic acid, 377–378
 gaseous acetic acid dimers, 369–371
 gaseous and liquid propynoic and acrylic acids, 371–372
 liquid/gaseous carboxylic acids, 369–372
 component analysis, 315–317
 indirect damping, adiabatic representation,
 292–297
- Liouville equation, vibrational modes,
 hydrogen-bonded systems (v_{X-H}):
 driven damped quantum harmonic oscillator,
 419–420
 indirect damping, adiabatic approximation,
 284–285
- Liquid carboxylic acids, line shape analysis,
 369–372
- Liquid–liquid interface, scanning electrochemical microscopy, charge-transfer reactions, 211–223
 electrocatalysis and redox enzymes, 220–223
 electron/ion transfer, 183–185, 216–218
 metal and semiconductor electrodes, electron transfer, 212–216
 molecular monolayer electron transfer,
 218–220
- Lloyd B. Lee approximation, self-consistent integral equations, 24–25
 entropic quantities, 50–61
 excess chemical potential and entropy, 44–46
 hard-sphere fluid models, 35–37, 50–55
 Lennard–Jones fluid models, 55–61
- Low scattering angle behavior, rare-gases fluids,
 self-consistent integral equations,
 70–72
- Magnetic bottle time-of-flight (TOF)
 spectrometer, time-resolved
 photoelectron spectroscopy,
 526–528
 coincidence techniques, 528–530
- Manning model, counterion condensation in nucleic acids:
 absorption excess, 150–151
 co-ion distribution functions, 149–150
 flexible polyelectrolytes, 155
 fluctuations, 155–156
 Hamiltonian properties, 159–161
 overview, 141–144
 preferential interaction coefficient, 165–167
- Marcus charge transfer theory:
 ionic liquids, reaction dynamics, 120–127
 scanning electrochemical microscopy,
 liquid–liquid interface,
 217–218
- Maréchal “peeling-off” approach:
 cyclic hydrogen-bonded dimers,
 autocorrelation function and,
 366–369
 equation substitutions, 474–479
 gaseous carboxylic acid line shapes,
 369–371
- Maréchal–Witkowski equivalence:
 bare undamped hydrogen bonds, spectral density, 274–277
 vibrational modes, hydrogen-bonded systems (v_{X-H}), quantum indirect damping, 314
- Martynov–Sarkisov (MS) approximation:
 nonconsistent integral equations, 19
 self-consistent integral equations, 25–26
 hard-sphere fluid models, 35–37

- Mass-charge transfer, scanning electrochemical microscopy:
 lateral transfer, 224–225
 steady-state approximations, 199–200
- Mass-resolved ion yield measurements,
 time-resolved photoelectron spectroscopy, 532–535
 DNA base photostability, 569–572
 electronic continua, 537–542
- Maxwell's equation, integral equations,
 thermodynamic consistency condition, 12–13
- Mean-spherical approximation (MSA):
 nonconsistent integral equations, 18
 self-consistent integral equations:
 Lennard–Jones fluid model, 38–42
 Lennard–Jones fluid phase diagrams, 59–60
 rare-gases fluids, 71–72
 soft-core MSA:
 integral equations, 20–21
 thermodynamic consistency, 20–21
- Mean-square number fluctuations, nucleic acids,
 counterion condensation, 155–157
- Melting point, ionic liquids, 89–90
 fused salts, 91–92
- Membrane transport, scanning electrochemical microscopy, 232–235
- Metal electrodes, scanning electrochemical microscopy, electron transfer, 212–216
- Metal ions, ionic liquids, 115–116
- Metropolis umbrella sampling, counterion condensation, branched nucleic acids, 167–169
- Microchannel plate (MCP) detector, time-resolved photoelectron spectroscopy, 527–528
- Microscopic environment, neat ionic liquids, 96–106
 molecular ion electrostatics, 102–106
 structure and dynamics, 96–102
- Miscibility, ionic liquids, 90
- Modified hypernetted-chain (MHNC)
 approximation, thermodynamic consistency, 21–22
- Molecular dynamics (MD) simulation:
 entropic quantities, Lennard–Jones fluid models, 56–61
 ionic liquids:
 coordinated metal ions, 115–116
 solute–solvent interactions, 116–120
 solvation dynamics, 123–127
 rare-gases fluids:
 calculation techniques, 65–72
 self-consistent integral equations, 64
 time-resolved photoelectron spectroscopy, 504–507
- Molecular electronic switches, time-resolved photoelectron spectroscopy, 555–557
- Molecular frame (MF) projection, time-resolved photoelectron spectroscopy, 511–526
 coincidence techniques, 529–530
- Molecular frame photoelectron angular distribution (MF PAD):
 time-resolved coincidence-imaging spectroscopy, photodissociation dynamics, 564–568
 time-resolved photoelectron spectroscopy, 523–526
 excited state nuclear dynamics, 550
- Molecular ions:
 ionic liquids, electrostatic properties, 102–106
 polyatomic photodynamics, time-resolved photoelectron spectroscopy, 508–526
- Monolayer protected gold clusters (MPCs), scanning electrochemical microscopy, liquid–liquid interface, 217–218
- Monte Carlo simulation:
 entropic quantities, Lennard–Jones fluid models, 55–61
 integral equations, Bridge function, 16–17
- Morse potential, vibrational modes, hydrogen-bonded systems (v_{X-H}):
 bare undamped hydrogen bonds:
 adiabatic representation, 267–269
 anharmonic coupling Hamiltonian, 256–258
 Fermi resonances, 339–340
 spectral densities, complex energy level method, 332–340
- Motion analysis, ionic liquids, future research issues, 127–128
- Multielectron matrix elements, time-resolved photoelectron spectroscopy, 516–526

- Multiphoton processes:
 - polyatomic photodynamics, 499–500
 - time-resolved coincidence-imaging spectroscopy (TRCIS), photodissociation dynamics, 558–568
- Multipole moments, time-resolved photoelectron spectroscopy, density matrix, 517–526
- Multivalent counterions, *Tetrahymena* ribozyme, counterion condensation, 169–171
- Nanoelectrodes, scanning electrochemical microscopy, 212–216
- Nanometer-sized tips, scanning electrochemical microscopy, 186–187
 - membrane transport, 235
- Nanoscale domains, ionic liquids, 98–102
 - solute–solvent interactions, 118–120
- Naphtic acid, line shape analysis, 377–379
- Near-field scanning optical microscopy (NSOM), scanning electrochemical microscopy, hybrid techniques, 237–239
- Negative excess potential of mean force, integral equations, Bridge function, 15–17
- Neutral solutes, ionic liquids, solute–solvent interactions, 118–120
- Nitric oxides, time-resolved coincidence-imaging spectroscopy (TRCIS), photodissociation dynamics, 558–568
- Nonadiabatic dynamics:
 - bare bonds without damping, autocorrelation function, corresponding spectral density, 273–274
 - polyatomic molecules, time-resolved photoelectron spectroscopy:
 - applications, 542–572
 - coincidence techniques, 528–530
 - DNA base photostability, 568–572
 - electronic continua, 535–542
 - equation derivation, 574–577
 - excited state intramolecular proton transfer, 550–555
 - excited state nuclear dynamics, 546–550
 - femtosecond laser technology, 530–532
 - future research, 572–574
 - internal conversion, benzene electronic relaxation, 543–546
 - mass-resolved ion yield measurements, 532–535
 - molecular dynamics, 504–507
 - molecular electronic switches, 555–558
 - overview, 498–500
 - photodissociation dynamics, 558–568
 - probe techniques, 507–526
 - spectrometer properties, 526–528
 - wave packet dynamics, 500–507
 - frequency and time domain, 500–504
- Noncollinear optical parametric amplification (NOPA), femtosecond laser technology, 531–532
- Nonconsistent integral equations, 17–18
 - hypernetted-chain approximation, 19
 - Martynov–Sarkisov approximation, 19
 - mean-spherical approximation, 18
 - Percus–Yevick approximation, 17–18
 - Verlet approximation, 19
- Nondisk tip geometries, scanning electrochemical microscopy, diffusion mechanisms, 208–209
- Non-Hermitean diagonal Hamiltonians (NHDH):
 - cyclic hydrogen-bonded dimers, Davydov coupling, Fermi resonances and, 363–369
 - indirect damping, 490
 - vibrational modes, hydrogen-bonded systems (ν_{X-H}):
 - Fermi resonances, 337–340
 - quantum indirect damping, 326–340
 - spectral densities, 331–340
- Non-Hermitean transition operators, 487–488
 - vibrational modes, hydrogen-bonded systems (ν_{X-H}), 254–255
 - bare undamped hydrogen bonds, autocorrelation function, 260–262
 - cyclic hydrogen-bonded dimers, 346–348
 - Fermi resonance, 325–326
 - quantum indirect damping, 317–321
- Nonideal conditions, scanning electrochemical microscopy, diffusion mechanisms, 209–211
- Nonresonant laser fields, time-resolved photoelectron spectroscopy, 526
- Nuclear envelope, scanning electrochemical microscopy, membrane transport, 233–235

- Nucleic acids, counterion condensation:
 absorption excess, 150–151
 alternative sequences, 171–172
 binding isotherm model, 158–159
 branched junctions, 167–169
 cell model, 151–152, 159–161
 co-ion distribution functions, 149–150
 flexible polyelectrolytes, 152–155
 fluctuations, 155–157
 helical model, 147–149
 ionic oligomers, 145–147
 Manning model, 142–144
 overview, 140–142
 Poisson–Boltzmann, 144–145
 preferential interaction coefficient, 164–167
 release mechanism, 161–164
Tetrahymena ribozyme, 169–171
- Nucleophilicity, in ionic liquids, desolvation effects, 123
- Number occupation operator:
 bare undamped hydrogen bonds, adiabatic representation, 268–269
 coherent state, translation operators, 441
- Numerical validity testing, vibrational modes,
 hydrogen-bonded systems (v_{X-H}),
 quantum direct damping
 approximations, 321–322
- One-dimensional (1D) proton potential function,
 hydrogen bond classification,
 248–252
- One-electron coordinations, time-resolved
 photoelectron spectroscopy,
 electronic continua, 539–542
- One-particle direct correlation function, self-
 consistent integral equations:
 entropic quantities, 51–53
 excess chemical potential and entropy, 46–47
- Optical parametric amplification (OPA),
 femtosecond laser technology,
 531–532
- Optimized division schemes (ODS), self-
 consistent integral equations:
 Bomont–Bretonnet scheme, 32–34
 Duh and Hayment scheme, 31–32
 Lennard–Jones fluid model, 37–42
- Organic ligands, ionic solutes in ionic liquids,
 114–116
- Ornstein–Zernike equation:
 integral equations, structure factor, 13–15
 rare-gases fluids, three-body interactions, 63–64
- Orthonormal kets, basic properties, 490–492
- Oxygen reduction reaction, scanning
 electrochemical microscopy,
 electrocatalysis and redox
 enzymes, 220–223
- Pair correlation function (PCF):
 integral equations:
 fluid properties, 4–5
 statistical mechanics, liquid state, 7–9
 structure factor, 9–11
 self-consistent integral equations:
 fluid models, 28–31
 hard-sphere fluid models, 34–37
- Pair potentials, rare-gases fluids:
 thermodynamic properties, 73–77
 three-body interactions, 62–63
- Parent ion signals, time-resolved photoelectron
 spectroscopy, electronic
 continua, 537–542
- Parity operator, cyclic hydrogen-bonded dimers,
 quantum indirect damping,
 Davydov Hamiltonian, 349–351
- Partition function:
 anharmonic coupling, diabatic/adiabatic parts,
 385–387
 bare undamped hydrogen bonds:
 adiabatic autocorrelation function, 270–273
 Hamiltonian modes, 258–260
 ionic liquids, solvent polarity, 108–110
 nucleic acids, counterion condensation,
 helical model, 147–149
- Penetration experiments, scanning
 electrochemical microscopy, 183
- Percus–Yevick approximation:
 nonconsistent integral equations, 17–19
 self-consistent integral equations, hard-sphere
 fluid models, 35–37
- Phase diagrams, self-consistent integral
 equations, Lennard–Jones fluid
 models, 59–61
- Phase factor, polyatomic photodynamics,
 frequency and time domains,
 502–504
- Photochemical funnels, polyatomic
 photodynamics, time-resolved
 photoelectron spectroscopy,
 506–507
- Photodegradation kinetics, scanning
 electrochemical microscopy,
 semiconductor electrodes, 216

- Photodissociation, time-resolved photoelectron spectroscopy:
 dynamics of, 558–568
 polarized pump–probe experiments, 523–526
- Photoelectron angular distribution (PAD):
 electronic continua, 540–542
 time-resolved coincidence-imaging spectroscopy, photodissociation dynamics, 564–568
- time-resolved photoelectron spectroscopy:
 coincidence techniques, 530
 excited state nuclear dynamics, 549–550
 time-resolved photoelectron spectroscopy, polyatomic photodynamics, 508–526
- Photoelectron kinetics, polyatomic photodynamics, 499–500
- Photoelectron–photoion coincidence measurements (PEPICO):
 polyatomic photodynamics, 499–500
 time-resolved photoelectron spectroscopy, techniques for, 528–530
- Photoelectron spectra (PES):
 polyatomic photodynamics, photoelectron angular distribution, 510–526
- time-resolved photoelectron spectroscopy:
 DNA base photostability, 570–572
 excited-state intramolecular proton transfer, 550–555
 excited state nuclear dynamics, 547–550
 femtosecond laser technology, 530–532
 photoelectron spectrometers, 526–528
- Photofragment recoil measurement, time-resolved photoelectron spectroscopy, coincidence techniques, 529–530
- Photoionization dynamics:
 mass-resolved ion yield measurements, 532–535
 polyatomic selection rules, 510–526
- time-resolved photoelectron spectroscopy:
 benzene derivatives, internal conversion and electronic relaxation, 544–546
 coincidence techniques, 528–530
 electronic continua, 537–542
- Photoisomerization dynamics, time-resolved photoelectron spectroscopy, molecular electronic switches, 555–557
- Picosecond/subpicosecond response, ionic liquids, solvation dynamics, 123–127
- Piezoelectric materials, scanning electrochemical microscopy, positioning techniques, 187–188
- Planar geometry, nucleic acids, counterion condensation, 155–157
- Poisson–Boltzmann equation, counterion condensation, nucleic acids, 141–142, 144–145, 159–160
- counterion release, 163–164
 preferential interaction coefficient, 164–167
- Polarizability. *See also* Solvent polarity
 ionic liquid structure, 89
 charge density distribution, 93–95
 electrostatic properties, 103–106
 scanning electrochemical microscopy, electron transfer and ion-transfer, liquid–liquid interface, 185
 time-resolved photoelectron spectroscopy, polarized pump–probe experiments, 522–526
- Polyatomic molecules:
 nonadiabatic dynamics, time-resolved photoelectron spectroscopy:
 applications, 542–572
 coincidence techniques, 528–530
 DNA base photostability, 568–572
 electronic continua, 535–542
 equation derivation, 574–577
 excited state intramolecular proton transfer, 550–555
 excited state nuclear dynamics, 546–550
 femtosecond laser technology, 530–532
 future research, 572–574
 internal conversion, benzene electronic relaxation, 543–546
 mass-resolved ion yield measurements, 532–535
 molecular dynamics, 504–507
 molecular electronic switches, 555–558
 overview, 498–500
 photodissociation dynamics, 558–568
 probe techniques, 507–526
 spectrometer properties, 526–528
 wave packet dynamics, 500–507
 frequency and time domain, 500–504
 photodynamics, 498–500
- Polyelectrolytes, nucleic acids, counterion condensation:
 cell model, 151–152
 Debye–Hückel potential, 161

- Polyelectrolytes (*Continued*)
 flexible structures, 152–155
 Manning model fluctuations, 155–157
 Polyion interactions, nucleic acids, counterion
 condensation:
 cell model, 151–152
 counterion release, 161–164
 ionic oligomers, 146–147
 Poisson–Boltzmann distribution, 145
 Polymer electrolyte membrane fuel cells
 (PEMFC), scanning
 electrochemical microscopy,
 electrocatalysis and redox
 enzymes, 220–223
 Polymer films, scanning electrochemical
 microscopy, electronic
 conductivity, 236
 Polymorphism, ionic liquids, 100–102
 Positioning techniques, scanning electrochemical
 microscopy, 187–188
 Potential distribution theorem (PDT), self-
 consistent integral equations,
 fluid models, 28–31
 Potentiostats, scanning electrochemical
 microscopy, 188
 Preferential interaction coefficient, counterion
 condensation, nucleic acids,
 164–167
 Probe molecule partitioning, ionic liquids,
 solvent polarity and, 108–110
 Projection theorem, time-resolved photoelectron
 spectroscopy, 513–526
 Propynoic acids, gaseous and liquid line shapes,
 371–372
 Protic ionic liquids, ionic liquids, 88–89
 Pseudocloseness relation, vibrational
 modes, hydrogen-bonded
 systems (v_{X-H}):
 cyclic hydrogen-bonded dimers, Fermi
 resonances and Davydov
 coupling, 365–369
 Fermi resonances, 339–340
 on-Hermitean diagonal Hamiltonians, 328–329
 spectral densities, 336–340
 Pump–probe techniques:
 polyatomic photodynamics, frequency and
 time domains, 500–504
 time-resolved coincidence-imaging
 spectroscopy, photodissociation
 dynamics, 563–568
 time-resolved photoelectron spectroscopy:
 electronic continua, 537–542
 excited-state intramolecular proton
 transfer, 550–555
 excited state nuclear dynamics, 550
 photoelectron angular distribution, 517–526
 polarized pump–probe experiments,
 522–526
 Pyrenecarboxaldehyde, fluorescence spectrum,
 111–113
 Pyrene, fluorescence spectrum, 111–113
 Quadrupole moment, ionic liquids, solute–
 solvent interactions, 116–117
 Quantitative theory, scanning electrochemical
 microscopy, 188–211
 diffusion problems, 208–211
 nondisk tip geometries, 208
 three-dimensional simulations and nonideal
 conditions, 209–211
 steady-state analytical approximations,
 193–207
 diffusion-controlled heterogeneous
 reactions, 193–196
 finite kinetics, tip or substrate, 196–198
 homogeneous reactions, 200–207
 lateral mass-charge transfer, 199–200
 SG–TC mode, 198
 Quantum direct damping, vibrational modes,
 hydrogen-bonded systems (v_{X-H}),
 autocorrelation function, 320–321
 Quantum harmonic oscillator:
 bare undamped hydrogen bonds, Hamiltonian
 modes, 259–260
 vibrational modes, hydrogen-bonded
 systems (v_{X-H}):
 coherent states, 438–440
 cyclic hydrogen-bonded dimers, damping
 Hamiltonians, 342–343
 driven damped oscillators, 418–420
 indirect damping, adiabatic representation:
 autocorrelation function expression,
 292–297
 thermal bath Hamiltonians, 286–289
 infrared (IR) non-Hermitean transition
 operators, 254–255
 time-evolution operator, 401–407
 Quantum indirect damping, vibrational modes,
 hydrogen-bonded systems (v_{X-H}):
 adiabatic representation, 281–297

- autocorrelation function, 289–297
 - damped translation operators, 295–296
 - line shape, 292–295
 - quantum indirect damping, 295
- bridge dynamics, fast mode ground state, 282–285
- damped bridge dynamics, 285–286
- thermal bath Hamiltonians, 286–289
- undamped dynamics, 282
- approximations, 310–340
 - autocorrelation functions, 310–315
 - complex energy levels method, 329–331
 - Fermi resonance, adiabatic and exchange approximations, 322–326
 - line shape component analysis, 315–317
 - NHDH/CEL spectral density comparisons, 331
 - non-Hermitean diagonal Hamiltonian, 327–329
 - non-Hermitean Hamiltonians, 317–321
 - numerical validity tests, 321–322
 - spectral densities, 331–340
- classical limits, 297–309
 - autocorrelation function, 298–302
 - Brownian motion autocorrelation function, 302–304
 - line shape, 304–306
 - Robertson–Yarwood model recall, 306–308
 - semiclassical spectral densities, 308–309
- cyclic hydrogen-bonded dimers, 348–351
 - Davydov coupling, 358–360
- gaseous carboxylic acid line shapes, 369–371
- Quantum limits, cyclic hydrogen-bonded dimers, spectral densities, 354–357
- Quantum representation, vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - bare undamped hydrogen bonds, adiabatic representation, 268–269
- Boltzmann density operator, 399–400
- coherent state, 399
- driven damped quantum harmonic oscillator, 420–422
- effective Hamiltonians, 396–397
- indirect damping, adiabatic approximation, 283–285
 - thermal bath Hamiltonians, 286–289
- matrix elements, 395–396
- slow mode states, 397
- Random RNA sequences, counterion condensation, 171–172
- Rare-gases fluids, self-consistent integral equations (SCIETs), 60–77
 - calculation details, 65–72
 - IET framework, 63–64
 - molecular dynamics approach, 64–65
 - thermodynamic properties, 73–77
 - three-body forces, 61–63
- Reaction dynamics, ionic liquids, 120–127
 - desolvation effects, 122–123
 - diffusion, 121–122
 - solvation effects, 123–127
- Reactive methods, ionic liquid polarity, 114
- Recoil frame photoelectron angular distribution (RF-PAD), time-resolved coincidence-imaging spectroscopy, photodissociation dynamics, 564–568
- Red edge effect (REE), ionic liquids, 97–102
 - solvation dynamics, 111–113
- Redox enzymes, scanning electrochemical microscopy:
 - electrocatalysis, 220–223
 - homogeneous solution reactions, 228–231
 - membrane transport, 234–235
 - self-assembled monolayers, electron transfer, 218–220
- Reference fluids, thermodynamic consistency, reference hypernetted-chain approximation, 21–22, 39–42
- Reference hypernetted-chain (RHNC) approximation:
 - self-consistent integral equations, Lennard–Jones fluid model, 39–42
 - thermodynamic consistency, 21–22
- Rigid ions, ionic liquids, solvation dynamics, 124–127
- Robertson–Yarwood model:
 - cyclic hydrogen-bonded dimers, classical limits, spectral density, 357–358
 - vibrational modes, hydrogen-bonded systems (v_{X-H}), quantum indirect damping, 306–309
- Rogers and Young (RY) approximation, self-consistent integral equations, 24
- Rotational dynamics:
 - ionic liquids, charge and mass distribution, 106
 - time-resolved photoelectron spectroscopy, 514–526

- r*-space structure, rare-gases fluids,
 - self-consistent integral calculation, 66–67
- Rydberg states:
 - time-resolved coincidence-imaging spectroscopy (TRCIS), photodissociation dynamics, 559–568
 - time-resolved photoelectron spectroscopy, excited state nuclear dynamics, 550
- Salt concentrations, nucleic acids, counterion condensation:
 - counterion release, 162–164
 - preferential interaction coefficient, 164–167
- Scalar properties:
 - spectral density, 485–486
 - vibrational modes, hydrogen-bonded systems (v_{X-H}), time-evolution operator, 403–407
- Scaled expansion parameter, nucleic acids, counterion condensation, flexible polyelectrolytes, 154–155
- Scanning electrochemical microscope induced desorption (SECMID), scanning electrochemical microscopy, steady-state approximations, 199–200
- Scanning electrochemical microscopy (SECM):
 - adsorption–desorption, 225–227
 - charge-transfer processes:
 - cell-membrane transport, 232–235
 - solid–liquid/liquid–liquid interfaces, 211–223
- electrocatalysis and redox enzymes, 220–223
 - electron/ion transfer, 216–218
 - metal and semiconductor electrodes, electron transfer, 212–216
 - molecular monolayer electron transfer, 218–220
- electronically conductive polymer films, 236
- electron-T and ion-transfer feedback
 - experiments, 183–185, 216–218
- feedback mode, 180–181
- homogeneous solution reactions, 228–231
- hybrid techniques, 236–239
- imaging surface reactivity, 227–228
- impedance-based measurements, 185–186
- instrumentation:
 - positioning, 187–188
 - tip, 186–187
- ionic crystal dissolution, 223–224
- lateral mass-charge transfer, 224–225
- operating principles, 179–180
- overview, 178–179
- penetration experiments, 183
- potentiostat, 188
- quantitative theory, 188–211
 - diffusion problems, 208–211
 - nondisk tip geometries, 208
 - three-dimensional simulations and nonideal conditions, 209–211
 - steady-state analytical approximations, 193–207
 - diffusion-controlled heterogeneous reactions, 193–196
 - finite kinetics, tip or substrate, 196–198
 - homogeneous reactions, 200–207
 - lateral mass-charge transfer, 199–200
 - SG–TC mode, 198
 - substrate generation-tip collection, 182–183
 - tip generation–substrate collection, 181–182
- Schrödinger equation:
 - autocorrelation function expression, 425
 - cyclic hydrogen-bonded dimers, quantum indirect damping, 353–354
 - infrared spectral density autocorrelation function, 381–384
 - Maréchal “peeling-off” approach, 475–479
 - vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - indirect damping, adiabatic approximation, 292
 - time-evolution operator, 401–407
- Second-order following reaction, scanning electrochemical microscopy, 203–205
- Self-assembled monolayers (SAMs), scanning electrochemical microscopy, electron transfer, 218–220
- Self-consistent field (SCF) wave function, polyatomic nonadiabatic dynamics, 509–526
- Self-consistent integral equations (SCIETs):
 - classical fluid applications, 23–27
 - Bomont and Bretonnet optimized division scheme, 32–34
 - bridge function accuracy, 31–34

- Duh and Haymet division scheme, 31–32
- HNC/SMSA approximation, 27–28
- rare gases, 61–77
- thermodynamic consistency and theorems, 27–31
- fluid models, 6–7, 27–61
 - bridge function accuracy, 31–34
 - entropic quantities, 49–61
 - excess chemical potential and entropy, 42–49
 - hard-sphere fluids, 34–37
 - Lennard–Jones fluids, 37–42
 - thermodynamic consistency, 27–31
- rare-gases fluids, 61–77
 - calculation details, 65–72
 - IET framework, 63–64
 - molecular dynamics approach, 64–65
 - thermodynamic properties, 73–77
 - three-body forces, 61–63
- Self-diffusion, ionic liquids, simulation studies, 99–102
- Semiclassical limit, quantum indirect damping, autocorrelation function, vibrational modes, hydrogen-bonded systems (v_{X-H}), 299–302
- Semiconductor electrodes, scanning electrochemical microscopy, electron transfer, 212–216
- Single molecule fluorescence resonance energy-transfer spectroscopy (smFRET), nucleic acids, counterion condensation, 169
- Single-particle wave function, time-resolved photoelectron spectroscopy, 511–526
- Single-photon ionization, time-resolved photoelectron spectroscopy:
 - electronic continua, 537–542
- MF photoelectron angular distribution (MF PAD), 523–526
- Slow mode potential:
 - bare undamped hydrogen bonds, adiabatic representation, 267–269
 - quantum representation, 397
- Small angle neutron scattering (SANS) measurements:
 - integral equations:
 - fluid properties, 5–6
 - Ornstein–Zernike equation, 13–15
 - rare-gases fluids, three-body interactions, 61–63
 - Soft-core mean-sphere approximation (SMSA):
 - integral equations, thermodynamic consistency condition, 20–21
 - self-consistent integral equations, HNC–SMSA closure, 23–24
- Solid–liquid interface, scanning electrochemical microscopy, charge-transfer reactions, 211–223
 - electrocatalysis and redox enzymes, 220–223
 - electron/ion transfer, 216–218
 - metal and semiconductor electrodes, electron transfer, 212–216
 - molecular monolayer electron transfer, 218–220
- Solid–liquid interfaces, scanning electrochemical microscopy, charge-transfer reactions, 211–223
- Solutes:
 - ionic liquids, reaction dynamics, 120–127
 - in ionic liquids, 114–116
 - diffusion dynamics, 122
 - solvent interactions, 116–120
- Solvation properties, ionic liquids:
 - charge density distribution, 94–95
 - dynamic simulation, 123–127
 - overview, 86–89
 - solutes, 114–116
 - solvent polarity, 107–114
- Solvatochromic dyes, ionic liquids, dielectric constant, 111–113
- Solvent polarity, ionic liquids, 107–114
 - partitioning, 108–110
 - reactive methods, 114
 - solute–solvent interactions, 116–120
 - spectroscopic methods and dielectric constant, 110–114
- Spatial decomposition (SD) method, rare-gases fluids, self-consistent integral equations, 66–72
- Spatial inhomogeneity, neat ionic liquids, 97–102
- Spectral density:
 - carboxylic acid line shapes, adipic acids, 375
 - infrared spectral density, autocorrelation function Fourier transform, 381–384
 - scalar functions, 485–486
 - vibrational modes, hydrogen-bonded systems (v_{X-H}), 249–252, 252–254

- Spectral density (*Continued*)
- bare undamped hydrogen bonds:
 - adiabatic autocorrelation function, 269–273
 - autocorrelation function and, 260–262
 - Dyson ordering operator, 278–279
 - Maréchal–Witkowski equivalence, 274–277
 - nonadiabatic vs. adiabatic, accuracy comparisons, 273–274
 - cyclic hydrogen-bonded dimers:
 - classical limits, 357–358
 - direct damping, 344–348
 - Fermi resonances and Davydov coupling, 364–369
 - quantum indirect damping, 351–354
 - quantum limits, 354–357
 - equation substitutions, 426–429
 - Fermi resonance, 337–340
 - linear response theory, 252–254
 - non-Hermitean diagonal Hamiltonian vs. complex energy level method, 331–340
 - quantum indirect damping:
 - adiabatic approximation, 294–297
 - autocorrelation function, semiclassical limit, 301–302
 - direct/indirect damping comparisons, 308–309
 - half-width Lorentzians, 314–315
- Spectrometers, time-resolved photoelectron spectroscopy, 526–528
- Spectroscopic methods, ionic liquids, solvent polarity and, 110–113
- Spherical harmonics, time-resolved photoelectron spectroscopy, 512–526
- s*-space structure, rare-gases fluids, self-consistent integral calculation, 67–72
- Star function, self-consistent integral equation, Lloyd L. Lee formula, 45
- Static structure factor, rare-gases fluids, three-body interactions, 61–63
- Statistical mechanics:
 - integral equations:
 - fluid properties, 4–5
 - pair correlation function, 7–9
 - thermal physics, 483
- Steady-state analytical approximations,
 - scanning electrochemical microscopy, 193–207
 - diffusion-controlled heterogeneous reactions, 193–196
 - finite kinetics, tip or substrate, 196–198
 - homogeneous reactions, 200–207
 - lateral mass-charge transfer, 199–200
 - SG-TC mode, 198

Stochastic coordinates:
 - basic functions, 483
 - Langevin equation, linear transformation, 433–437

Stokes–Einstein correlation, ionic liquids, diffusion, 121–122

Strong anharmonic coupling theory,
 - vibrational modes, hydrogen-bonded systems (v_{X-H}), 251–252

Strontium reaction, ionic solutes in ionic liquids, 115–116

Structural inhomogeneity, ionic liquids, future research issues, 128

Structure factor, integral equations, pair correlation function, 10–11

Submicrometer-sized tips, scanning electrochemical microscopy, 186–187

 - membrane transport, 233–235

Substrate generation/tip collection (ST/TC), scanning electrochemical microscopy:
 - adsorption–desorption, 227
 - homogeneous solution reactions, 230–231
 - membrane transport, 232–235
 - operating principles, 182–183
 - overview, 180
 - steady-state approximations, 198

Supercritical isotherms, self-consistent integral equations, entropic quantities, Lennard–Jones fluid models, 55–61

Surface plasmon resonance (SPR), scanning electrochemical microscopy, 237–239

Surface potential, nucleic acids, counterion condensation, preferential interaction coefficient, 165–167

- Surface reactivity imaging, scanning
 - electrochemical microscopy, 227–228
- Symmetry coordinates, Hamiltonian diagonalization, 456–460
- Task-specific ionic liquids, solutes in, 115–116
- Temkin model, ionic liquids, fused salts, 92
- Tensor components, time-resolved
 - photoelectron spectroscopy, 514–526
- Tetrahymena* ribozyme, counterion condensation, 169–171
- Thermal bath Hamiltonians, vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - indirect damping, adiabatic representation, 286–289
 - quantum indirect damping, autocorrelation function, 298–299
 - translation operators, 416–417
- Thermodynamic consistency:
 - integral equations, 11–13
 - Bridge function, 16–17
 - soft-core mean-sphere approximation, 20–21
 - self-consistent integral equations, 27–31
 - entropic quantities, Lennard-Jones fluid models, 56–60
 - excess chemical potential and entropy, 48–49
 - hard-sphere fluid model, 34–37
 - Lennard-Jones fluid model, 37–42
 - rare-gases fluids, 72–77
- Thermodynamics, integral equations, pair correlation function, 7–9
- Thermogravimetric analysis, ionic liquids, 89–90
- Thin-layer cell (TLC) theory, scanning electrochemical microscopy, 191–192
- Three-body interactions:
 - nucleic acids, counterion condensation, counterion release, 162–164
 - rare-gases fluids:
 - calculation techniques, 68–72
 - self-consistent integral equations (SCIETs), 61–63
- Three-dimensional simulations, scanning electrochemical microscopy, diffusion mechanisms, 209–211
- Time-dependent conditions, scanning electrochemical microscopy, 189–191
- Time domains, wave packet dynamics, time-resolved photoelectron spectroscopy, 500–504
- Time-evolution operator:
 - infrared spectral density autocorrelation function, 381–384
 - vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - driven terms, 413–415
 - indirect damping, adiabatic approximation, 291–297
 - quantum harmonic oscillator, 401–407
- Time-resolved coincidence-imaging spectroscopy (TRCIS):
 - coincidence techniques, 529–530
 - future research issues, 573–577
 - photodissociation dynamics, 558–568
- Time-resolved photoelectron angular distribution (TRPADS):
 - electronic continua, 541–542
 - excited state nuclear dynamics, 549–550
- Time-resolved photoelectron spectroscopy (TRPES), polyatomic nonadiabatic dynamics:
 - applications, 542–572
 - coincidence techniques, 528–530
 - DNA base photostability, 568–572
 - electronic continua, 535–542
 - equation derivation, 574–577
 - excited state intramolecular proton transfer, 550–555
 - excited state nuclear dynamics, 546–550
 - femtosecond laser technology, 530–532
 - future research, 572–574
 - internal conversion, benzene electronic relaxation, 543–546
 - mass-resolved ion yield measurements, 532–535
 - molecular dynamics, 504–507
 - molecular electronic switches, 555–558
 - overview, 498–500
 - photodissociation dynamics, 558–568
 - probe techniques, 507–526
 - spectrometer properties, 526–528
 - wave packet dynamics, 500–507
 - frequency and time domain, 500–504
- Time scales, ionic liquids, solvation dynamics, 125–127

- “Time slicing” techniques, time-resolved photoelectron spectroscopy, 527–528
- Time zero shift, ionic liquids, solvation dynamics, 124–127
- Tip generation-substrate collection (TG/SC) mode, scanning electrochemical microscopy:
 - cyclic voltammetry, 227
 - finite kinetics, 196–198
 - nondisk tip geometries, 208–209
 - operating principles, 181–182
 - overview, 180
- Titanium-sapphire laser oscillators, femtosecond laser technology, 531–532
- Total free energy, nucleic acids, counterion condensation, Manning model, 142–144
- Transition moment symmetrization, cyclic hydrogen-bonded dimers, 461–466
- Translation operators, vibrational modes, hydrogen-bonded systems (v_{X-H}):
 - bare undamped hydrogen bonds:
 - adiabatic representation, 265–269
 - spectral density/Maréchal–Witkowski equivalence, 275–277
 - coherent state, 441
 - damped operators, autocorrelation function, 295–297
 - product of, 411–412
 - properties, 408–410
 - thermal average, 416–417
- Transport properties, ionic liquids, 95–96
- “Turn around” time, time-resolved photoelectron spectroscopy, 528
- Two-photon transitions, polyatomic photodynamics, frequency and time domains, 500–504
- Ultramicroelectrodes (UMEs), scanning electrochemical microscopy:
 - adsorption and desorption, 227
 - feedback mode, 180–181
 - homogeneous solution reactions, 228–231
 - ionic crystal dissolution, 223–224
 - lateral mass-charge transfer, 224–225
 - nondisk tip geometries, 208–209
 - operating principles, 179–180
 - overview, 178–179
 - tip instrumentation, 186–187
 - tip or substrate potential, 196–198
- Ultraviolet photostability, time-resolved photoelectron spectroscopy, DNA bases, 568–572
- Uniqueness problem, self-consistent integral equations, 26–27
- Universality, integral equations, Bridge function, 16–17
- Vacuum ultraviolet (VUV) sources, femtosecond laser technology, 531–532
 - future research issues, 573–577
- Velocity-map imaging (VMI), time-resolved photoelectron spectroscopy, 527–528
- Verlet approximation:
 - nonconsistent integral equations, 19
 - self-consistent integral equations, 24–25
 - hard-sphere fluid models, 35–37
- Vibrational dynamics:
 - hydrogen-bonded systems (v_{X-H}):
 - adiabatic approximation, anharmonic coupling theory, 385–394
 - adiabatic and effective Hamiltonians, 393–394
 - diabatic/adiabatic Hamiltonian partition, 385–388
 - diabatic Hamiltonian weakness, 388–393
 - angular frequencies, 481–482
 - anharmonic coupling parameters, 482
 - autocorrelation function:
 - classical calculation, 430–432
 - formal expression, 423–426
 - Langevin equation linear transformation, 433–435
 - stochastic coordinates, 435–437
 - bare bonds without damping, 256–281
 - adiabatic representation, 262–266
 - autocorrelation function, corresponding spectral density, 260–262
 - accuracy vs. nonadiabatic representation, 273–274
 - adiabatic representation, 269–273, 280–281
 - Dyson ordering operator, 277–279
 - Maréchal–Witkowski equivalence, 274–277

- Hamiltonian modes, 256–260
 - anharmonic coupling, 256–258
 - partitioning, 258–260
 - single species, 256
 - slow mode harmonic states, 267–269
- carboxylic acid line shapes, 369–380
 - gaseous acetic acid dimers, 369–371
 - gaseous and liquid propynoic and acrylic acids, 371–372
 - liquid/gaseous carboxylic acids, 369–372
- centrosymmetric dimer observables, 481
- coherent state properties, 438–445
 - Heisenberg uncertainty relation, 442–443
 - quantum harmonic oscillator Hamiltonian eigenvectors, 438–440
 - statistical equilibrium density operator, 443–445
 - translation operator, number operator ground state, 441
- crystalline carboxylic acids, 372–379
 - adipic acid, 372–375
 - glutaric acid, 375–377
 - naphtoic acid, 377–378
- cyclic hydrogen-bonded dimers, 341–369
 - asymmetric autocorrelation function, 446
 - Davydov coupling, direct/indirect dampings, 341–360
 - Fermi resonances, 360–369
 - Hamiltonian diagonalization, 451–460
 - Davydov Hamiltonian, 460–461
 - matrix commutativity, 452–453
 - matrix diagonal form, 455–456
 - matrix eigenvectors, 453–455
 - starting equations, 451–452
 - symmetry coordinates, 456–460
 - symmetrized autocorrelation function, centrosymmetric dimers', 467–473
 - transition moment symmetrization, 461–466
- density operators and kets, 486–492
- glossary of terms, 480–492
- infrared non-Hermitean transition operators, 254–255
- infrared spectral density, ACF Fourier transform, 381–384
- monomer observables, 480–481
- notations and abbreviations, 480
- “peeling off” Maréchal approach equations, 474–479
- quantum harmonic oscillator:
 - driven damped oscillator, 418–422
 - evolution operator, 401–407
- quantum indirect damping:
 - adiabatic representation incorporation, 281–297
 - autocorrelation function, 289–297
 - damped translation operators, 295–296
 - line shape, 292–295
 - quantum indirect damping, 295
- bridge dynamics, fast mode ground state, 282–285
- damped bridge dynamics, 285–286
- thermal bath Hamiltonians, 286–289
- undamped dynamics, 282
- approximations, 310–340
 - autocorrelation functions, 310–315
 - complex energy levels method, 329–331
 - Fermi resonance, adiabatic and exchange approximations, 322–326
 - line shape component analysis, 315–317
 - NHDDH/CEL spectral density comparisons, 331
 - non-Hermitean diagonal Hamiltonian, 327–329
 - non-Hermitean Hamiltonians, 317–321
 - numerical validity tests, 321–322
 - spectral densities, 331–340
- classical limits, 297–309
 - autocorrelation function, 298–302
 - Brownian motion autocorrelation function, 302–304
 - line shape, 304–306
 - Robertson–Yarwood model recall, 306–308
 - semiclassical spectral densities, 308–309
- quantum representations, 395–401
 - Boltzmann density operators, 399–400
 - coherent state generation, 399
 - effective Hamiltonians, 396–397
 - Franck–Condon factors, 398
 - slow mode states, 397
- scalar properties, 481–483

- Vibrational dynamics (*Continued*)
- spectral density, 249–252
 - equation substitutions, 426–428
 - linear response theory, 252–254
 - scalar functions, 485–486
 - spectroscopic properties, 483–485
 - statistical thermal physics parameters, 483
 - time evolution operators:
 - disentanglement, 413–415
 - quantum harmonic oscillator, 401–407
 - translation operator:
 - product, 411–412
 - properties, 408–410
 - thermal average, 416–417
 - time-resolved photoelectron spectroscopy:
 - benzene derivatives, internal conversion and electronic relaxation, 543–546
 - electronic continua, 535–542
 - excited state nuclear dynamics, 547–550
 - polyatomic photodynamics, 508–509
- Virial expansion, integral equations, pair correlation function, 9
- Viscosity modeling, ionic liquids, 101–102
- electrostatic properties, 104–106
 - reaction dynamics, 120–127
- Vogel–Fulcher–Tammann (VFT) equation, ionic liquids, 101–102
- Voltammetry, scanning electrochemical microscopy, tip or substrate potential, 196–198
- Vompe–Martynov (VM) approximation, self-consistent integral equations, 25–26
- entropic quantities, Lennard–Jones fluid models, 55–60
 - Lennard–Jones fluid model, 38–42
- Walden plots, ionic liquids, 100–102
- Wave functions:
 - bare undamped hydrogen bonds, adiabatic representation, 267–269
 - basic properties, 490–492
- Wavelength properties:
 - mass-resolved ion yield measurements, 534–535
 - time-resolved photoelectron spectroscopy, excited-state intramolecular proton transfer, 551–555
- Wave packet dynamics, time-resolved photoelectron spectroscopy, frequency and time domains, 500–504
- Weeks–Chandler–Andersen (WCA) potential:
 - integral equations, soft-core mean-spherical approximation, 20–21
 - self-consistent integral equations, 31–34
 - Lennard–Jones fluid model, 37–42
 - rare-gases fluids, 67–72
 - thermodynamic consistency, modified and reference hypernetted chain approximations, 22–23
- Wigner rotation matrix, time-resolved photoelectron spectroscopy, 513–526
- Clebsch–Gordan series equations, 575–577
- Wigner–Weisskopf approximation:
 - autocorrelation function expression, 425
 - vibrational modes, hydrogen-bonded systems (v_{X-H}), indirect damping, adiabatic approximation, 292
- Xenon, self-consistent integral equations, calculation, 65–72
- Zero-Separation Theorems (ZSEP):
 - Lloyd B. Lee approximation, 25
 - self-consistent integral equations:
 - entropic quantities, 49–61
 - fluid models, 28–31
 - hard-sphere fluid models, 35–37
 - Lennard–Jones fluid model, 37–42, 57–60
 - Zeroth order states:
 - polyatomic nonadiabatic dynamics:
 - bright state-dark state transition, 509–526
 - time-resolved photoelectron spectroscopy, 504–507
 - time-resolved photoelectron spectroscopy, excited state nuclear dynamics, 546–550