

Subject Index

- Abuse. *See* Child abuse and neglect
- Abuse-focused cognitive behavior therapy, 660–661
- Accessibility of treatment:
evidence-based, 42, 61, 68, 69, 534–536
Improving Access to Psychological Treatments program, 88, 94–95
quality control issues and, 61, 68, 69
RE-AIM model, 534–536
- ADHD (attention deficit/hyperactivity disorder):
behavior modification interventions for, 249–258, 258–262
clinical guidelines on, 85, 87, 250–251
comorbidity of disorders with, 74, 89, 247–248, 260, 269, 340, 413
consensus panel recommendations on, 250–251, 258–259
core symptoms of, 243–244, 245
development course of, 248
diagnostic criteria and subtypes of, 244, 245
evidence-based practices on, 262
impact of, 246–247
meta-analysis of studies on, 255, 257, 260–261
overview of, 243
pharmacological treatments for, 248–249, 250–251, 257, 258–262
prevalence and demographic variables of, 244–246
randomized controlled trials on, 251–255, 259–260
single-subject studies of, 256–257, 261
summer treatment programs for, 258–262
treatment approaches to, 248–262
- Administration on Children, Youth, and Families, 671
- Adolescents. *See* Children and adolescents
- Adolescents Coping with Depression* program, 525, 528, 535, 539
- Adoption of children:
maltreatment interventions and, 664–665
reactive attachment disorder and, 435, 438–439, 446
- Age and development. *See* Developmental issues
- Agency for Healthcare Research and Quality, 77, 578, 625
- Aggressive behavior disorders. *See also* Disruptive behavior disorders
- applied behavior analysis treatment of, 132–135
consensus panel recommendations on, 132
controlled group studies on, 132–133
intellectual disability comorbidity with, 131–135
single-subject studies on, 133–135
- AGREE instrument, 78
- AGRICOLA (National Agricultural Online Access), 578
- Alcohol and drug misuse. *See* Substance misuse
- American Academy of Pediatrics (AAP):
ADHD treatment guidelines by, 259
anorexia nervosa practice guidelines by, 581, 583, 586
encopresis guidelines by, 384
- American Academy of Sleep Medicine (AASM), 625, 638, 639
- American Association of Child and Adolescent Psychiatry practice parameters, 425
- American Psychiatric Association:
anorexia nervosa practice guidelines by, 580–581, 582–583, 586
EBP support from, 11
- American Psychological Association (APA):
on behavioral parent training, 271, 281
EBP for youth identification by, 27–28
EBP support from, 11, 52
Ethical Principles of Psychologists and Code of Conduct, 19
PscINFO database of, 78, 306, 424, 480, 481, 482, 483, 485, 486, 488, 525, 551, 579, 603
training programs of, 22
on treatment guidelines, 19, 524–525
- Angelman syndrome, 144
- Anger control training/Anger Coping Program, 287–289
- Anorexia nervosa:
cognitive analytic therapy treatment of, 591, 592
cognitive behavior therapy treatment of, 582–583, 584–585, 592
comorbidity of other disorders with, 575, 577
consensus panel recommendations on, 580–581, 582–583, 586, 591
critiques of studies on, 592–593
demographic variables in, 576
diagnostic criteria and clinical characteristics of, 575–576

710 Subject Index

- Anorexia nervosa (*continued*)
evidence-based treatment of, 581–582, 583, 586, 590, 591
family therapy treatment of, 583, 586–591, 592
future research on, 593–594
impact of, 577–578
information sources on, 578–580
mortality rate from, 577–578
overview of, 575–578
pharmacological treatment of, 583
treatment of, 580–591, 592
weight restoration/nutritional rehabilitation treatment of, 580–582
- Antecedent control interventions:
ADHD treatment via, 249
self-injurious behavior treatment via, 481–482
stereotypic behavior disorder treatment via, 140–141, 460, 464–465
- Anticonvulsants, 611, 612, 615
- Antidepressants, 87, 391, 553–554, 570–571, 583, 606, 610–614, 615
- Anxiety disorders. *See also* Social phobias
assessment of, 549
biological influences on, 546–547
cognitive behavior therapy treatment of, 415–424, 426, 427–428, 549–553
comorbidity of disorders with, 89, 146–148, 186–187, 199, 216, 247–248, 260, 269, 340, 381, 412–414, 546, 551, 554, 560, 570, 575, 623
consensus panel recommendations on, 146, 416
desensitization treatment of, 147–148
developmental patterns and, 412, 545
diagnostic criteria and clinical presentation of, 411–412, 545–546
dissemination of treatment for, 426–428
etiology of, 546–549
evidence-based practice on, 426–428
family and environmental influences on, 547–549
generalized, 413, 545–546, 547, 548
impact of, 414–415
meta-analysis and systemic review of studies on, 423–424
overview of, 411–415, 545–549
panic-based, 414, 546, 547
parent-child interaction therapy treatment of, 424–425
pharmacological treatment of, 427, 553–554
psychodynamic psychotherapy treatment of, 425–426
randomized controlled trials on, 146–147, 416–423
relaxation training treatment of, 147–148
separation-specific, 411–428, 546, 554, 560, 623
single-subject studies on, 147, 415–416, 425
treatment of, 147, 415–428, 549–554
- Applied behavior analysis. *See* Behavioral interventions
- Arson. *See* Offending disorders
- Asperger's disorder:
comorbidity of disorders with, 551, 577
overview of, 209–210
social skills and, 216
- Attachment and Biobehavioral Catch-up (ABC) interventions, 445, 664–665
- Attachment disorders. *See* Reactive attachment disorder
- Attention deficit disorders. *See* ADHD (attention deficit/hyperactivity disorder)
- Autism spectrum disorders:
applied behavior analysis treatment of, 210–214, 215–216, 222–223, 223–224, 225–226, 226–231, 233–234
behavioral momentum interventions for, 228, 234
clinical guidelines on, 87
communication interventions for, 218, 223–226, 227–228, 233
comorbidity of other disorders with, 145, 146, 216, 306, 325, 551, 577, 629
consensus panel recommendations on, 210–211, 215, 216, 223, 226–227
developmental interventions for, 214–216, 226, 232
diagnosis of, 209–210
differential reinforcement interventions for, 229, 230, 234
epidemiology of, 210
functional communication training interventions for, 227–228, 233
group-based interventions for, 221–222, 233
inappropriate behavior interventions for, 226–231
joint attention and, 217–218
meta-analytical studies on, 213–214, 220, 221, 222, 229, 230–231
modeling interventions for, 219–220, 232
naturalistic approaches to, 224–226, 231–232
overview of, 209–210
peer mediation for, 218–219, 232
pivotal response training for, 219
positive behavioral support interventions for, 230, 234
priming interventions for, 233
punishment interventions for, 229–230, 234
self-management interventions for, 220–221, 227, 233
social skill interventions for, 216–223, 228–229, 233

- TEACCH program for, 214–216, 232
 theory of mind and, 218
 visual strategy interventions for, 218, 223, 227, 232
- Aversive stimulation:
 ADHD interventions via, 249
 autism spectrum disorder treatment via, 229–230, 234
 enuresis treatment via, 402–403
 pica treatment via, 142, 308, 310–311, 313, 315
 rumination treatment via, 143
 self-injurious behavior treatment via, 136, 138, 140, 481–482, 483, 484
- Baldrige, Malcolm, 62–63
- Bedtime Pass Program, 628, 629
- Behavioral interventions. *See also* Behavioral parent training; Cognitive behavior therapy; Differential reinforcement; Environmental enrichment; Extinction; Functional communication training; Habit reversal training; Noncontingent reinforcement; Positive reinforcement/positive behavioral support
 ADHD treatment via, 249–258, 258–262
 aggressive behavior treatment via, 132–135
 autism spectrum disorder treatment via, 210–214, 215–216, 222–223, 223–224, 225–226, 226–231, 233–234
 disruptive behavior disorder treatment via, 249, 252–253, 270–284, 285, 286–287, 295
 encopresis treatment via, 368–378
 enuresis treatment via, 392–406, 407
 food refusal treatment via, 144
 mood disorder treatment via, 149
 pediatric feeding disorder treatment via, 326–333
 pica disorder treatment via, 142, 307–312, 313, 315
 reactive attachment disorder treatment via, 439–441
 rumination treatment via, 143
 self-injurious behavior treatment via, 137–138, 139–140, 479–486, 487–488, 488–489
 sleep disorder treatment via, 145–146, 626–642
 smoking and nicotine-related disorder treatment via, 512
 stereotypic behavior disorder treatment via, 458–468
 tics and Tourette disorder treatment via, 341–348, 349
- Behavioral parent training (BPT):
 ADHD treatment via, 249–254, 255, 258, 262
 disruptive behavior disorder treatment via, 249, 252–253, 270–284, 285, 286–287, 295
- Behavior Analyst Certification Board (BACB), 11, 19–20
- Behavior disorders. *See* Aggressive behavior disorders; Conduct disorders; Disruptive behavior disorders; Oppositional defiant disorders; Self-injurious behavior disorders; Stereotypic behavior disorders
- Benchmarks, quality control, 61, 67–68
- Berwick, Daniel, 58
- Bibliotherapy, 280
- Biofeedback:
 encopresis treatment via, 361, 363, 368, 374–375, 376, 377
 stuttering treatment via, 200
 tics and Tourette disorder treatment via, 343, 352
- Bipolar disorder, 85, 86, 414. *See also* Depression and depressive disorders
- Blueprints for Violence Prevention, 278, 290, 293, 663
- Brief strategic family therapy (BSFT), 292–293
- British Psychological Society, 80
- Bucharest Early Intervention Project, 435, 443–444
- Bulimia nervosa:
 cognitive behavior therapy treatment of, 603–609, 612–615
 demographic variables in, 600–601
 diagnostic criteria for, 599–600
 empirically supported/evidence-based treatment of, 601–603, 614, 615
 Healthy Dieting treatment of, 610
 impact of, 601
 interpersonal psychotherapy treatment of, 609–610, 612–613, 615
 meta-analysis of study on, 614–615
 NICE guidelines on, 602–603, 603–609, 610, 612–615
 overview of, 599–601
 pharmacological treatment of, 606, 610–614, 615
 repetitive transcranial magnetic stimulation for, 612
 self-help treatment of, 606–609, 613, 615
 treatment of, 601–615
- California Evidence-Based Clearinghouse for Child Welfare (CEBC), 651, 652, 653, 654, 655, 656, 658, 659, 661–662, 663, 664, 666, 667, 669
- CAMHS (Child and Adolescent Mental Health Services) Evidence-Based Practice Unit, 95–96
- Camperdown Program, 194
- Caregivers. *See* Parents and caregivers
- Case control studies, 10
- Centers for Disease Control, 671

712 Subject Index

- Centers for Medicare and Medicaid Services. *See* Medicaid and Medicare
- Cerebral palsy, 325
- Child abuse and neglect:
- abuse-focused cognitive behavior therapy for, 660–661
 - Attachment and Biobehavioral Catch-up interventions for, 664–665
 - CEBC recommendations related to, 651, 652, 653, 654, 655, 656, 658, 659, 661–662, 663, 664, 666, 667, 669
 - cognitive behavior therapy treatment of, 647, 660–661, 661–662, 665–668
 - comorbidity of mental health disorders with, 649–650, 665
 - cost studies on interventions for, 653, 654, 657, 664
 - diagnostic criteria for, 648–649
 - evidence-based practice on, 651, 652, 669–672
 - Family Connections' interventions for, 653–654
 - Homebuilders' interventions for, 651, 653
 - impact of, 649–651
 - Incredible Years' interventions for, 657–658
 - interventions for, 651–672
 - Keeping Foster and Kin Parents Supported and Trained (KEEP) program interventions for, 668–669
 - meta-analysis of studies on, 657, 659–660, 662, 663–664, 665, 668
 - Multisystemic Therapy treatment for, 662–664
 - neglect, specifically, 649, 651–655, 670–671
 - overview of, 647–651
 - parent-child interaction therapy treatment of, 655–657
 - physical abuse, specifically, 649, 655–661, 671
 - psychoeducation on, 648
 - randomized controlled trials on, 653, 654, 655, 656–657, 658, 659, 661, 662, 663, 664–665, 666, 667–668, 669
 - reactive attachment disorder and, 435, 437, 448
 - SafeCare interventions for, 654–655
 - sexual abuse, specifically, 649, 650, 661–664, 665–668, 670, 671
 - trauma-focused cognitive behavior therapy for, 647, 665–667, 668
 - Triple P Positive Parenting Program interventions for, 658–660
- Childhood disintegration disorder (CDD), 210
- Child-Parent Psychotherapy (CPP), 447–448
- Children and adolescents. *See also* Parents and caregivers
- abuse of (*see* Child abuse and neglect)
 - adopted, 435, 438–439, 446, 664–665
 - clinical guidelines for treatment of, 73–97
 - common features of treatments for, 28–29
 - development factors impacting (*see* Developmental issues)
 - disabilities in (*see* Intellectual/developmental disabilities; Learning disabilities)
 - EBP in psychology for, 20–21, 27–43 (*see also specific treatments*)
 - economic incentives for, 122–125
 - foster, 434, 435, 438–439, 444–446, 651, 656, 664–665, 668–669
 - gender issues of (*see* Gender issues)
 - identifying appropriate treatment for, 27–29
 - Incredible Years child training programs, 104, 108–110, 111–112, 113–114
 - knowledge lacking about treatments for, 29–35
 - mental health disorders in (*see* Disorders)
 - real life setting treatment of, 33–36
- CINAHL (Cumulative Index to Nursing and Applied Health), 578
- Citalopram, 611, 615
- Clark, David, 94
- ClassWide Peer Tutoring (CWPT), 165
- Clinical guidelines:
- accessibility to treatment addressed in, 88, 94–95
 - AGREE instrument assessment of, 78
 - audit of, 96–97
 - CAMHS Evidence-Based Practice Unit role in, 95–96
 - for child and adolescent treatment, 73–97
 - comorbidity considerations in, 74–75, 89
 - comparator condition considerations in, 90–91
 - definition and description of, 75
 - developmental issue considerations in, 85–86
 - development of, 4, 74–79
 - EBP dissemination via, 13
 - economics and, 76, 82, 94
 - ethical requirements and, 19–20
 - future developments in, 97
 - grading systems in, 83–84
 - history and overview of, 73–74
 - impact of, on mental health practice, 92–95
 - key aspects of recommendations in, 86–92
 - limitations of, 88
 - methods for developing, 77–79
 - National Collaborating Centre for Mental Health role in, 74, 80–85, 97
 - NICE role in, 73–97
 - outcomes and duration follow-up considerations in, 90
 - patient population considerations in, 88–90
 - rationale for, 75–77
 - role of, 18–20
 - stepped-care model in, 86–87
 - taxonomy for, 93

- therapeutic modality differences considerations in, 91–92
- therapist competence considerations in, 91
- Clinical utility, 3, 15, 33–35, 536
- Coaching Our Acting-Out Children: Heightening Essential Skills (COACHES) program, 252
- Cochrane, Archie, 5, 9
- Cochrane Central Register of Controlled Trials, 7
- Cochrane Collaboration, 9, 367, 494–495, 510, 512, 578
- Cochrane Database for Systematic Reviews, 603
- Cochrane Library, 551
- Cognitive analytic therapy, 591, 592
- Cognitive behavior therapy:
 - abuse-focused, 660–661
 - aggressive behavior treatment via, 132
 - anorexia nervosa treatment via, 582–583, 584–585, 592
 - anxiety disorder treatment via, 415–424, 426, 427–428, 549–553
 - bulimia nervosa treatment via, 603–609, 612–615
 - child abuse and neglect treatment via, 647, 660–661, 661–662, 665–668
 - depression treatment via, 148–149, 525, 526–530, 532, 533–540
 - disruptive behavior disorder treatment via, 284–289, 295
 - mood disorder treatment via, 148–149
 - obsessive-compulsive disorder treatment via, 550
 - offending disorder treatment via, 150–151, 660–661, 661–662
 - reactive attachment disorder treatment via, 444
 - school refusal treatment via, 563–570
 - separation anxiety disorder treatment via, 415–424, 426, 427–428
 - smoking and nicotine-related disorder treatment via, 510–511
 - stuttering disorder treatment via, 198–199
 - tics and Tourette disorder treatment via, 349–350
 - trauma-focused, 647, 665–667, 668
- Cohort studies, 10–11
- Collaborative Strategic Reading, 168, 180
- Communication interventions:
 - aggressive behavior treatment via, 134
 - autism spectrum disorder treatment via, 218, 223–226, 227–228, 233
 - empirical support for, 18
 - Picture Exchange Communication System, 218, 223
 - SCERTS model, 215
 - self-injurious behavior treatment via, 137–138, 139–140
 - stereotypic behavior disorder treatment via, 463
- Community interventions, 502–504
- Comorbidity:
 - of ADHD and mental health disorders, 74, 89, 247–248, 260, 269, 340, 413
 - of anorexia nervosa and other disorders, 575, 577
 - of anxiety disorders and other disorders, 89, 146–148, 186–187, 199, 216, 247–248, 260, 269, 340, 381, 412–414, 546, 551, 554, 560, 570, 575, 623
 - of autism and other disorders, 145, 146, 216, 306, 325, 551, 577, 629
 - of child abuse and mental health disorders, 649–650, 665
 - clinical guideline consideration of, 74–75, 89
 - of depression and other disorders, 74, 89, 148–149, 216, 269, 381, 413, 414, 524, 560, 570–571, 575, 577
 - of disruptive behavior disorders and other disorders, 74, 89, 247, 260, 269, 340, 381, 413, 623
 - EBP impacted by, 32–33
 - of encopresis and other disorders, 381–382
 - of enuresis and other disorders, 413
 - of intellectual disabilities and mental health disorders, 131–151, 303, 304, 306, 455, 478
 - of learning disabilities and other disorders, 248, 561
 - of mood disorders and other disorders, 148–149, 248, 340, 413
 - of obsessive-compulsive disorders and other disorders, 340, 348, 413, 577
 - of pediatric feeding disorders and other disorders, 325
 - of personality disorders and other disorders, 577
 - of pica and other disorders, 142, 303, 304, 306
 - of posttraumatic stress disorder and other disorders, 89, 649–650, 665
 - of reactive attachment disorder and other disorders, 436, 650
 - of school refusal and other disorders, 560–561, 562, 570–571
 - of self-injurious behavior and other disorders, 135–140, 478
 - of separation anxiety disorder and other disorders, 412–414, 554, 560, 623
 - of sleep disorders and other disorders, 144–146, 248, 621, 623, 629–630
 - of social phobias and other disorders, 186–187, 199, 413, 560
 - of speech-language and anxiety disorders, 186–187, 199, 223–226
 - of stereotypic behavior disorders and other disorders, 140–142, 455
 - of substance misuse and other disorders, 74, 269
 - of tics and Tourette disorders and other disorders, 248, 340, 348, 355, 413

714 Subject Index

- Concrete-representational-abstract sequence strategies, 173, 177, 181
- Conduct disorders. *See also* Disruptive behavior disorders
- behavioral parent training interventions for, 270–284, 285, 286–287
 - clinical guidelines on, 85
 - cognitive behavioral interventions for, 284–289
 - comorbidity of disorders with, 74, 89, 247, 260, 269
 - demographic variables in, 268–269
 - diagnostic criteria for, 267–268
 - evidence-based practices on, 294–296
 - family therapy treatment for, 292–294
 - impact of, 269
 - Incredible Years series addressing, 104, 278–281
 - interventions for, 104, 269–294
 - Multisystemic Therapy treatment for, 289–292
 - overview of, 267–269
- Contingency management, 351–352. *See also* Negative reinforcement; Positive reinforcement/positive behavioral support
- CORC (Children and Adolescent Mental Health Outcomes Research Consortium), 96
- Cornelia de Lange syndrome, 136, 306
- Cost issues. *See* Economics of EBP
- Cultural practices:
- anorexia nervosa and, 582
 - child abuse and neglect and, 648, 656, 670
 - EBP and, 4, 21, 22
 - pica and, 303, 305
 - sleep disorders and, 623, 641
 - smoking and, 499, 502–503, 513
- Current Contents*, 481
- Databases. *See also* Electronic searches
- AGRICOLA, 578
 - CINAHL, 578
 - Cochrane Central Register of Controlled Trials, 7
 - Cochrane Collaboration, 9, 367, 494–495, 510, 512, 578
 - Cochrane Database for Systematic Reviews, 603
 - Cochrane Library, 551
 - Digital Dissertations, 483
 - Education and Research Complete, 486
 - EMBASE, 78, 493, 494, 500, 551
 - ERIC, 480, 481, 482, 483, 485, 486, 488, 578
 - MEDLINE, 78, 306, 424, 480, 482, 485, 488, 489, 493, 494, 500, 551, 578–579, 603
 - OTseeker, 7
 - PEDro, 7
 - PsycArticles, 486
 - PsychLit, 489
- Psychology and Behavioral Sciences Collection, 482
- PsycINFO, 78, 306, 424, 480, 481, 482, 483, 485, 486, 488, 525, 551, 579, 603
- PubMed, 480, 483, 486, 488, 489, 525
- Turning Research Into Practice (TRIP), 7, 9
- Defecation disorders. *See* Encopresis
- Deming, W. Edwards, 57, 61, 62, 63–66
- Deployment Focused Model, 39
- Depression and depressive disorders. *See also* Mood disorders
- assessment of, 529
 - clinical guidelines on, 85, 87, 89, 97
 - cognitive behavioral treatment of, 148–149, 525, 526–530, 532, 533–540
 - comorbidity of disorders with, 74, 89, 148–149, 216, 269, 381, 413, 414, 524, 560, 570–571, 575, 577
 - consensus panel recommendations on, 148
 - controlled group studies on, 148–149
 - demographic variables in, 522–524
 - diagnostic criteria for, 521–522
 - dissemination of treatment for, 534–538
 - etiological factors of, 524
 - evidence-based treatment of, 524–526, 539–540
 - impact of, 524
 - interpersonal psychotherapy treatment of, 525, 530–532, 533–540
 - meta-analysis of studies on, 532–534
 - overview of, 521–524
 - pharmacological treatment of, 530 (*see also* Antidepressants)
- Descriptive studies, 11
- Desensitization, 147–148, 564
- Desmopressin, 391–392
- Developmental disabilities. *See* Intellectual/developmental disabilities
- Developmental issues:
- ADHD developmental course, 248
 - anxiety disorders and, 412, 545
 - autism spectrum developmental interventions, 214–216, 226, 232
 - clinical guideline consideration of, 85–86
 - development effects on EBP, 31
 - disabilities related to (*see* Intellectual/developmental disabilities)
 - separation anxiety disorder and, 412
- Differential reinforcement:
- aggressive behavior treatment via, 133
 - anxiety disorder treatment via, 147
 - autism spectrum disorder treatment via, 229, 230, 234
 - food refusal treatment via, 144
 - mood disorder treatment via, 149

- pediatric feeding disorder treatment via, 327, 328, 333
- pica treatment via, 142, 309
- self-injurious behavior treatment via, 137, 481, 482
- stereotypic behavior treatment via, 141, 459, 460, 461–463
- Digital Dissertations, 483
- Direct instruction strategies, 170–171, 181
- Disabilities. *See* Intellectual/developmental disabilities; Learning disabilities
- Discrimination training:
 - pica treatment via, 308, 309–310, 313, 315
 - stereotypic behavior disorder treatment via, 467
- Disorders:
 - aggressive behavior (*see* Aggressive behavior disorders)
 - anorexia nervosa (*see* Anorexia nervosa)
 - anxiety (*see* Anxiety disorders)
 - attachment (*see* Reactive attachment disorder)
 - attention deficit/hyperactivity (*see* ADHD)
 - autism spectrum (*see* Autism spectrum disorders)
 - bipolar (*see* Bipolar disorder)
 - bulimia (*see* Bulimia nervosa)
 - comorbidity of (*see* Comorbidity)
 - conduct (*see* Conduct disorders)
 - depressive (*see* Depression and depressive disorders)
 - disruptive behavior (*see* Disruptive behavior disorders)
 - eating (*see* Eating disorders)
 - excretion (*see* Encopresis; Enuresis)
 - food refusal (*see* Food refusal)
 - impulsive (*see* Impulsive disorders)
 - mood (*see* Depression and depressive disorders; Mood disorders)
 - obsessive-compulsive (*see* Obsessive-compulsive disorder)
 - offending (*see* Offending disorders)
 - oppositional defiant (*see* Oppositional defiant disorders)
 - panic (*see* Panic disorders)
 - personality (*see* Personality disorders)
 - pica (*see* Pica)
 - posttraumatic stress (*see* Posttraumatic stress disorder)
 - reactive attachment (*see* Reactive attachment disorder)
 - rumination (*see* Rumination)
 - schizophrenic (*see* Schizophrenia)
 - school refusal (*see* School refusal)
 - self-injurious behavior (*see* Self-injurious behavior disorders)
 - separation anxiety (*see* Separation anxiety disorder)
 - sleep (*see* Sleep disorders)
 - smoking and nicotine-related (*see* Smoking and nicotine-related disorders)
 - speech language (*see* Speech language disorders; Stuttering disorders)
 - stereotypic behavior (*see* Stereotypic behavior disorders)
 - stuttering (*see* Stuttering disorders)
 - substance misuse (*see* Substance misuse)
 - tic (*see* Tics and Tourette disorders)
 - treatment of (*see* Treatments)
- Disruptive behavior disorders. *See also* Conduct disorders; Oppositional defiant disorders
 - anger control training interventions for, 287–289
 - behavioral parent training interventions for, 249, 252–253, 270–284, 285, 286–287, 295
 - clinical guidelines on, 85
 - cognitive behavioral interventions for, 284–289, 295
 - comorbidity of disorders with, 74, 89, 247, 260, 269, 340, 381, 413, 623
 - consensus recommendations related to, 271, 273, 276, 277–278, 281, 286, 288, 290, 293
 - demographic variables in, 268–269
 - diagnostic criteria for, 267–268
 - evidence-based practices on, 294–296
 - family therapy treatment for, 292–294, 295
 - Helping the Noncompliant Child interventions for, 277–278
 - impact of, 269
 - Incredible Years interventions for, 104, 278–281
 - interventions for, 104, 249, 252–253, 269–294, 295
 - meta-analysis of studies on, 271–272, 277, 282–283, 284–285, 291–292, 294
 - Multisystemic Therapy treatment for, 289–292
 - overview of, 267–269
 - Parent–child interaction therapy treatment of, 275–277
 - Parent Management Training Oregon Model treatment of, 272–275
 - problem-solving skills training for, 274, 278, 285–287, 288
 - randomized controlled trials on, 273–275, 276–277, 278, 279–280, 281–282, 283–284, 286–287, 288–289, 290–291, 293–294
 - Triple P Positive Parenting Program interventions for, 281–283
- Dissemination of EBPs, 13, 38–43, 426–428, 534–538
- Dodo Bird hypothesis, 54–55, 88, 91
- Down syndrome, 325
- Drug Abuse Resistance Education (DARE), 36, 498, 503
- Drug and alcohol misuse. *See* Substance misuse

716 Subject Index

- Drug treatment. *See* Pharmacological treatment
- Dry bed training, 394, 403–405
- Dyadic Developmental Psychotherapy (DDP), 441–443
- Dynamic Indicators of Basic Early Literacy Skills (DIBELS), 163, 164, 167
- Dysthymic disorder. *See* Depression and depressive disorders
- Eating disorders, 85, 87. *See also* Anorexia nervosa; Bulimia nervosa; Food refusal; Pediatric feeding disorders; Pica; Rumination
- EBP. *See* Evidence-based practice
- Economics of EBP:
- benefit-cost analysis, 105, 106, 112, 113, 117
 - child abuse and neglect intervention cost studies, 653, 654, 657, 664
 - clinical guideline role in, 76, 82, 94
 - consumer role in, 114–115, 122–125
 - cost-effectiveness analysis, 105, 112–113, 113–114, 116, 613–614
 - cost of illness analysis, 105–106, 112
 - cost-utility analysis, 105, 116
 - direct costs, 108–110
 - EBP cost measurement, 106–110
 - EBP implementation and, 114–125, 537
 - evaluation of, 105–106
 - implicit costs, 110
 - incentive programs and, 69, 114, 115, 116–122, 122–125
 - Incredible Years series' example of, 103–105, 108–110, 111–112, 113–114, 116
 - marginal costs, 107
 - morbidity-related costs, 107, 110–112, 113
 - opportunity costs, 107, 110
 - outcome assessments, 112–114
 - payer role in, 113, 114–116
 - professional compensation and, 37, 59, 69, 118–120
 - provider role in, 114–115, 116–122
 - quality-adjusted life year analysis, 82, 105, 113
 - quality control impacting, 59, 60, 61, 64, 66, 68–69
 - resource identification, 108–109, 110
 - resource use measurements, 109, 110
 - resource valuation, 109–110, 110–111
 - training costs and, 37
- Education. *See also* Training programs
- ADHD academic challenges, 247
 - ADHD intervention teacher training programs, 249, 254–255
 - clinical guidelines for school-based interventions, 73, 85
 - EBP in, 11–12, 28, 29, 31, 36, 42
 - economics of EBP in, 110–111, 112
 - Incredible Years teacher training programs, 104, 657
 - learning disabilities impacting (*see* Learning disabilities)
 - refusal to attend school, 559–571
 - smoking and nicotine-related disorder school-based interventions and competitions, 495–499, 500–502
- Education and Research Complete, 486
- Efficacy and effectiveness. *See* Clinical utility
- Electric shock treatment, 136, 138
- Electronic medical records, 63, 67
- Electronic searches. *See also* Databases
- for anorexia nervosa studies, 578–579
 - for anxiety disorder studies, 424, 551
 - for bulimia studies, 603
 - clinical guideline development using, 78
 - for depression studies, 525
 - for pica studies, 306–307
 - for self-injurious behavior studies, 480, 481, 482, 483, 485, 486, 488, 489–490
 - for separation anxiety studies, 424
 - for smoking and nicotine-related disorder studies, 493, 494, 500
- EMBASE, 78, 493, 494, 500, 551
- Empirically supported treatment (EST):
- EBP as basis of (*see* Evidence-based practice)
 - level of specificity of, 18
 - misconceptions about, 53–56
 - quality control issues with, 51–70, 118–120
 - treatment guidelines recommending, 4, 13, 18–20
- Employment situations, 122–123, 187
- Encopresis:
- assessment of, 379–380
 - biofeedback interventions for, 361, 363, 368, 374–375, 376, 377
 - bowel functions and, 378–379
 - consensus panel recommendations on, 364, 368
 - demographic variables in, 362–363
 - diagnostic criteria for, 361–362
 - evidence-based treatments of, 363–364, 383–385
 - four term contingency model related to, 382–383
 - future directions in treatment of, 384–385
 - laxative treatments for constipation in, 364–368
 - mediators of encopresis treatment, 378–380
 - medical-behavioral interventions for, 368–378
 - meta-analysis of studies on, 367, 375–376, 377
 - moderators of encopresis treatment, 380–382
 - overview of, 361–364
 - proposed mechanisms of action for, 378–383
 - randomized controlled trials on, 364–367, 368–375
 - single-subject studies on, 367, 376–377

Enuresis:

- behavioral interventions for, 392–406, 407
- comorbidity of other disorders with, 413
- demographic variables in, 390
- diagnostic criteria for, 389–390
- dry bed training interventions for, 394, 403–405
- evidence-based practices on, 406–407
- impact of, 391
- meta-analysis and systemic review of studies on, 392, 398
- other treatment approaches to, 406, 407
- overview of, 389–391
- pharmacological interventions for, 391–392, 407
- positive practice interventions for, 393–394
- positive reinforcement interventions for, 394, 401–403
- randomized controlled trials and group research on, 395–396, 397–398, 401, 404–405
- relapse rates, 398–399
- retention control training interventions for, 393, 400–401
- single-subject studies on, 395, 396, 400–401, 403–404
- stream interruption exercises for, 394
- urine alarm interventions for, 393, 394–400
- waking schedule interventions for, 394, 402

Environmental enrichment. *See also* Noncontingent reinforcement

- mood disorder treatment via, 149
- pica treatment via, 142, 308–309, 313, 315
- stereotypic behavior disorder treatment via, 140, 459, 460, 461

ERIC (Educational Resources Information Center), 480, 481, 482, 483, 485, 486, 488, 578

Ethical issues, 19–21, 121

Ethnic and racial discrepancies:

- in ADHD, 246
- in bulimia, 600
- in depression, 523, 535
- in sleep disorders, 641

Evidence-based practice (EBP). *See also specific treatments*

- accessibility of, 42, 61, 68, 69, 534–536
- additional knowledge needed on, 29–35
- categorization of, 30–31
- in child and adolescent disorders, 20–21, 27–43
- clinical guidelines for, 4, 13, 18–20, 73–97
- clinical setting dissemination of, 13, 38–43, 426–428, 534–538
- clinical utility of, 3, 15, 33–35, 536
- common features of, 28–29
- comorbidity affecting, 32–33
- current movements in, 11–13
- definition and description of, 4, 6
- developmental issues affecting, 31

disorder treatments using (*see* Disorders)economics associated with (*see* Economics of EBP)

ethical requirements related to, 19–21, 121

factors determining use of, 36–38, 52–56, 534–538

gender issues affecting, 31–32

government regulation of/public policy toward, 37, 42–43

history of, in medicine, 5–6

identifying appropriate, 27–29

information resources on (*see* Databases; Resources)

level of specificity of treatments in, 18

levels and types of evidence in, 6–11 (*see also*

Case control studies; Cohort studies;

Descriptive studies; Meta-analyses;

Qualitative studies; Quasi-experimental

designs; Randomized controlled trials; Small-

N research designs; Systematic reviews)

limitations of the evidence-base for, 21–22

marketing research on, 40–41

misconceptions about, 53–56

process of conducting, 32

in psychology, specifically, 4, 13–18, 20–22 (*see also under specific treatments*)

quality control issues in, 51–70, 118–120

rationale for, 3–5

real life setting use of, 33–36, 55–56

research methods contributing to, 13–15 (*see also* Randomized controlled trials; Small-N research designs)

sequencing and integration of, 33

training in, 22, 37, 43, 52–53, 536

Excretion disorders. *See* Encopresis; Enuresis

Expert opinion, 11

Exposure and response prevention. *See also*

Response blocking

anxiety disorder treatment via, 415, 549

child abuse and neglect treatment via, 665

obsessive-compulsive disorder treatment via, 348

school refusal treatment via, 564–565

separation anxiety disorder treatment via, 415

stereotypic behavior disorder treatment via, 460–461, 465–466

tics and Tourette disorder treatment via, 348–349, 354–355

Extended Core interventions, 178–179, 181

Extinction:

aggressive behavior treatment via, 133–134

autism spectrum disorder treatment via, 230

food refusal treatment via, 144

graduated, 626, 627–628, 633–637

pediatric feeding disorder treatment via, 327, 328, 329, 333

718 Subject Index

Extinction (*continued*)

- self-injurious behavior treatment via, 481–482
- sleep disorder treatment via, 145, 626–631, 633–637
- stereotypic behavior disorder treatment via, 459, 460, 463–464

Faded bedtime/positive routines, 626, 637–638

Families. *See* Children and adolescents; Parents and caregivers

Family Connections, 653–654

Family therapy and interventions:

- anorexia nervosa treatment via, 583, 586–591, 592
- brief strategic family therapy, 292–293
- disruptive behavior disorder treatment via, 292–294, 295
- functional family therapy, 293–294
- separation anxiety disorder treatment via, 422, 424
- smoking and nicotine-related disorder treatment via, 499–500, 501, 510
- stuttering disorder treatment via, 200

The Final Report of the National Mathematics Advisory Panel, 171, 179

Financial issues. *See* Economics of EBP

Fluoxetine, 79, 84, 427, 530, 554, 571, 611, 612, 615

Fluvoxamine, 427, 611

Focal therapy, 586, 590

Food refusal, 143–144

Food-related disorders. *See* Eating disorders

Foster care system:

- Attachment and Biobehavioral Catch-up interventions in, 445, 664–665
- Keeping Foster and Kin Parents Supported and Trained (KEEP) program in, 668–669
- maltreatment interventions in, 651, 656, 664–665, 668–669
- reactive attachment disorder in, 434, 435, 438–439, 444–446
- Treatment Foster Care interventions, 444–445, 668, 669

Fragile-X syndrome, 144, 146, 629

Functional behavior assessments, 307–308, 457–458

Functional communication training (FCT):

- aggressive behavior treatment via, 134
- autism spectrum disorder treatment via, 227–228, 233
- empirical support for, 18
- self-injurious behavior treatment via, 137–138, 139–140
- stereotypic behavior disorder treatment via, 463

Functional family therapy (FFT), 293–294

Gabapentin, 570

Gender issues:

- ADHD gender discrepancies, 244
- anorexia nervosa gender discrepancies, 576
- bulimia gender discrepancies, 600
- depression gender discrepancies, 523, 534–535
- disruptive behavior disorder gender discrepancies, 269
- gender effects on EBP, 31–32
- separation anxiety disorder gender discrepancies, 412, 413
- smoking and nicotine-related disorder gender discrepancies, 493, 494
- tics/Tourette's gender discrepancies, 339

Generalized anxiety disorder (GAD). *See also*

- Anxiety disorders
- comorbidity of other disorders with, 413
- diagnostic criteria and clinical presentation of, 545–546
- etiology of, 547, 548

General Teach Council for England, 11

Gentle Teaching, 139, 140

Google Scholar, 306, 486

GRADE (Grading of Recommendations

Assessment, Development and Evaluation) system, 84

Gradual Increase in Length and Complexity of Utterance (GILCU), 189, 193

Graduated extinction, 626, 627–628, 633–637

Guidelines. *See* Clinical guidelines

Habit reversal training:

- pica treatment via, 308, 310, 313, 315
- tics and Tourette disorder treatment via, 341–348, 349, 354–355

Haloperidol, 136, 479–480

Hanen program, 226

Health Care Commission, 96

Health insurance. *See* Insurance programs

Healthy Dieting, 610

Healthy for Life Project, 503

Helping the Noncompliant Child (HNC), 277–278

Holding therapy, 441–443, 449

Homebuilders, 651, 653

Imipramine, 391, 570

Improving Access to Psychological Treatments (IAPT) program, 88, 94–95

Impulsive disorders, 244. *See also* Obsessive-compulsive disorder

Incidental Teaching, 224

Incredible Years series:

- ADHD treatment via, 253
- child abuse and neglect treatment via, 657–658

- disruptive behavior disorder treatment via, 104, 278–281
- economics of, 103–105, 108–110, 111–112, 113–114, 116
- Individuals with Disabilities Education Improvement Act (IDEIA, 2004), 172
- Inhibitory stimulus control interventions. *See* Stimulation control treatments
- Institute of Medicine:
Crossing the Quality Chasm report, 59–60, 118
 on evidence-based practice, 534
- Institutional and residential settings. *See also*
 Foster care system
 inpatient anorexia nervosa treatment, 581
 inpatient school refusal treatment, 563, 567–568
 persons with intellectual disabilities in, 137, 143, 149
 pica treatment in, 308, 311, 312
 reactive attachment disorder in, 434–435, 436–437, 438–439, 443–444
 stuttering disorder treatment in, 194, 202
 substance abuse residential treatment, 124
- Insurance programs:
 economics of EBP role of, 114, 115–116
 encopresis treatment coverage by, 384
 in U.K., 116 (*see also* National Health Service)
 in U.S., 115–116 (*see also* Medicaid and Medicare)
- Intellectual/developmental disabilities. *See also*
 Learning disabilities
 aggressive behavior and, 131–135
 anxiety disorders and, 146–148
 comorbidity of mental health disorders with, 131–151, 303, 304, 306, 455, 478
 food refusal and, 143–144
 mood disorders and, 148–149
 offending disorders and, 149–151
 pica and, 142
 rumination and, 142–143
 self-injurious behavior and, 135–140, 478
 sleep disorders and, 144–146, 629, 630
 stereotypic behavior and, 140–142, 455
- Intercollegiate Guidelines Network, 77
- Intermountain Health Care, 60
- Internet:
 anorexia nervosa treatment via, 593–594
 bulimia nervosa treatment via, 607, 608
 encopresis treatment via, 375
 searches via (*see* Electronic searches)
- Interpersonal psychotherapy (IPT):
 anorexia nervosa treatment via, 583, 584
 bulimia nervosa treatment via, 609–610, 612–613, 615
 depression treatment via, 525, 530–532, 533–540
- Interpersonal relationship-building therapy:
 disruptive behavior disorder treatment via, 286
 self-injurious behavior treatment via, 139, 140
- James, Brent, 60
- Japan, quality improvement in, 57
- Joanna Briggs Institute, 9
- Job situations, 122–123, 187
- Joint attention, 217–218
- Journal of Clinical Child and Adolescent Psychology*, 28, 273
- Keeping Foster and Kin Parents Supported and Trained (KEEP) program, 668–669
- Knowing Mathematics interventions, 178–179, 181
- Layard, Richard, 94
- Learning disabilities:
 accommodations for, 171
 comorbidity of other disorders with, 248, 561
 discrepancy-based model for, 161–162, 180
 evidence-based treatment of, 180–181
 mathematical calculations and, 172–175, 181
 mathematical reasoning and, 175–180, 181
 mathematical skills and, 171–180, 181
 overview of, 161–162
 reading comprehension and, 167–169, 180
 reading skills and, 164–166, 180
 response to intervention model for, 162–164, 174, 180
 Tier 1, 164–165, 167–168, 169–170, 172–173, 176–178
 Tier 2, 165–166, 168, 170–171, 172, 173–174, 178–179
 Tier 3, 166, 168–169, 171, 174–175, 179–180
 written expression and, 169–171, 180–181
- Lesch-Nyhan syndrome, 136
- Lidcombe Program, 188, 189–192, 202
- Louis, Pierre, 5
- Machine-driven therapy, 200
- Major depressive disorder. *See* Depression and depressive disorders
- Maltreatment. *See* Child abuse and neglect
- Marketing research, 40–41
- Massed negative practice. *See* Negative practice
- Medicaid and Medicare, 113, 114, 115–116, 118–119, 123
- Medication. *See* Pharmacological treatment
- MEDLINE, 78, 306, 424, 480, 482, 485, 488, 489, 493, 494, 500, 551, 578–579, 603
- Melatonin, 145
- Mental health disorders. *See* Disorders
- Mental health professionals:
 compensation of, 37, 59, 69, 118–120
 competence of, 91

720 Subject Index

- Mental health professionals (*continued*)
ethical issues facing, 19–21, 121
incentive programs for, 69, 114, 115, 116–122
training for (*see* Training programs)
treatments by (*see* Treatments)
- Mental health treatment. *See* Treatments
- Meta-analyses:
of ADHD study, 255, 257, 260–261
of autism spectrum disorder study, 213–214, 220, 221, 222, 229, 230–231
bias in, 78–79
of bulimia nervosa study, 614–615
of child abuse and neglect study, 657, 659–660, 662, 663–664, 665, 668
clinical guideline development using, 77–79
definition and description of, 8–9
of depression study, 532–534
of disruptive behavior disorder study, 271–272, 277, 282–283, 284–285, 291–292, 294
of encopresis study, 367, 375–376, 377
of enuresis study, 392, 398
of learning disability intervention study, 170
of pica study, 312–314
of self-injurious behavior study, 139–140, 480–484
of separation anxiety disorder study, 423–424
of sleep disorder study, 145, 628, 630–631, 632, 636, 638, 639
of smoking and nicotine-related disorder study, 494–496, 499–500, 502–504, 504–508, 508–509, 510–511, 512
of stereotypic behavior study, 141
of stuttering disorder study, 190–192, 196–197
weaknesses of, 9–10
- Metacognitive instruction strategies, 176, 181
- Mindfulness training, 135
- Mnemonic strategies, 176–177
- Modeling:
autism spectrum disorder treatment via, 219–220, 232
disruptive behavior disorder treatment via, 281
learning disability strategy of, 167–168, 174, 176, 179, 181
mood disorder treatment via, 149
- Monetary issues. *See* Economics of EBP
- Mood disorders. *See also* Depression and depressive disorders
applied behavior treatment of, 149
cognitive behavioral treatment of, 148–149
comorbidity of other disorders with, 148–149, 248, 340, 413
consensus panel recommendations on, 148
controlled group studies on, 148–149
single-subject studies on, 149
- Moore's Law, 61
- Motivational interviewing, 511
- Multidimensional Treatment Foster Care
interventions, 444–445, 668, 669
- Multimodal Treatment Study of Children with ADHD (MTA), 259–260, 262
- Multisystemic Therapy (MST):
child abuse and neglect treatment via, 662–664
clinical guidelines for, 82–83
disruptive behavior disorder treatment via, 289–292
- National Association of School Psychologists (NASP), 16, 17
- National Association of Social Workers, 11, 12
- National Audit Governance Group, 96
- National Collaborating Centre for Mental Health, 74, 80–85, 97
- National Guidelines Clearinghouse, 13, 74, 368, 625
- National Health Service:
EBP rationale and standards of evidence in, 6, 13
economics of EBP in, 105, 113, 114, 116
NICE role in (*see* National Institute for Health and Clinical Excellence)
- Research and Development Center for Evidence-Based Medicine, 13
- National Institute for Health and Clinical Excellence (NICE):
ADHD assessment and treatment guidelines by, 250–251
bulimia nervosa assessment and treatment guidelines by, 602–603, 603–609, 610, 612–615
clinical guideline development by, 73, 74–79
EBP reviews by, 9
establishment and role of, 73
National Collaborating Centre for Mental Health of, 74, 80–85, 97
Technology Appraisal program, 85, 93, 116
- National Institute of Health, 290, 293, 671
- National Institutes of Mental Health, 136
- National Research Council (U. K.), 12
- National Standards Project, 16–17
- National Teacher Research Panel (U. K.), 12
- Naturalistic approaches, 224–226, 231–232
- Negative practice:
pica treatment via, 142, 308, 310, 313, 315
tics and Tourette disorder treatment via, 350
- Negative reinforcement. *See* Aversive stimulation; Extinction; Negative practice; Overcorrection; Physical restraint
- Neglect. *See* Child abuse and neglect
- New Forest Parenting Package (NFPP), 252–253
- NICE. *See* National Institute for Health and Clinical Excellence

- Nicotine-related disorders. *See* Smoking and nicotine-related disorders
- No Child Left Behind Act (2001), 11
- Noncontingent reinforcement:
- aggressive behavior treatment via, 134–135
 - mood disorder treatment via, 149
 - pica treatment via, 309, 313, 315
 - self-injurious behavior treatment via, 137
 - stereotypic behavior disorder treatment via, 459
- North American Society for Pediatric Gastroenterology and Nutrition, 364, 367, 368
- Nutrition:
- bulimia nervosa Healthy Dieting treatment, 610
 - nonnutritive sucking interventions for pediatric feeding disorders, 330
 - nutrition rehabilitation/weight restoration treatment of anorexia nervosa, 580–582
 - pica nutritional hypothesis, 305
 - pica nutritional interventions, 306–307, 315
- Obsessive-compulsive disorder:
- clinical guidelines on, 85, 87
 - cognitive behavior therapy treatment of, 550
 - comorbidity of disorders with, 340, 348, 413, 577
 - exposure and response prevention interventions for, 348
- Offending disorders. *See also* Child abuse and neglect
- abuse-focused cognitive behavior therapy for, 660–661
 - cognitive behavioral treatment of, 150–151, 660–661, 661–662
 - consensus panel recommendations on, 150
 - controlled group studies of, 150–151, 662, 663
 - Family Connections' interventions for, 653–654
 - Homebuilders' interventions for, 651, 653
 - Incredible Years' interventions for, 657–658
 - intellectual disability comorbidity with, 149–151
 - Multisystemic Therapy treatment of, 662–664
 - parent–child interaction therapy treatment of, 655–657
 - SafeCare interventions for, 654–655
 - single-subject studies on, 151
 - Triple P Positive Parenting Program interventions for, 658–660
- Online interventions. *See* Internet
- Online searches. *See* Electronic searches
- Oppositional defiant disorders. *See also* Disruptive behavior disorders
- behavioral parent training interventions for, 249, 252–253, 270–284, 285, 286–287
 - cognitive behavioral interventions for, 284–289
 - comorbidity of disorders with, 247, 269, 413
 - demographic variables in, 268–269
 - diagnostic criteria for, 267–268
 - evidence-based practices on, 294–296
 - family therapy treatment for, 292–294
 - impact of, 269
 - interventions for, 249, 252–253, 269–294
 - Multisystemic Therapy treatment for, 289–292
 - overview of, 267–269
- Oral stimulation, 330, 331
- Oral support, 331
- OTseeker, 7
- Overcorrection:
- pica treatment via, 142, 308, 309, 311–312, 313, 315
 - self-injurious behavior treatment via, 481
 - stereotypic behavior disorder treatment via, 141, 461, 466–467
- Oxybutinin, 392
- Panic disorders:
- clinical presentation of, 546
 - comorbidity of other disorders with, 414
 - etiology of, 547
- Parent–child interaction therapy (PCIT):
- child abuse and neglect treatment via, 655–657
 - disruptive behavior disorder treatment via, 275–277
 - separation anxiety disorder treatment via, 424–425
- Parent Management Training Oregon Model, 272–275
- Parents and caregivers. *See also* Children and adolescents
- abuse by (*see* Child abuse and neglect)
 - abuse-focused cognitive behavioral therapy for, 660–661
 - ADHD intervention role of, 249–254, 255, 258, 262
 - adoptive, 435, 438–439, 446, 664–665
 - anxiety disorder influence of and intervention role of, 547–549, 550
 - Attachment and Biobehavioral Catch-up intervention role of, 445, 664–665
 - autism spectrum disorder intervention role of, 214–215, 221, 226
 - behavioral parent training for, 249–254, 255, 258, 262, 270–284, 285, 286–287, 295
 - Child–Parent Psychotherapy role of, 447–448
 - child's anxiety due to separation from, 411–428, 546, 554, 560, 623
 - cognitive behavior therapy for childhood sexual behavior problem intervention role of, 667–668
 - depression treatment role of, 526–527, 528, 530, 539
 - disruptive behavior disorder intervention role of, 270–284, 285, 286–287, 292–294, 295

Parents and caregivers (*continued*)

- EBP involvement of, 29, 31
- economic incentives for, 122–125
- encopresis intervention role of, 368, 374
- Family Connections' interventions for, 653–654
- family therapy and interventions role of, 200, 292–294, 295, 422, 424, 499–500, 501, 510, 583, 586–591, 592
- foster, 434, 435, 438–439, 444–446, 651, 656, 664–665, 668–669
- Helping the Noncompliant Child intervention role of, 277–278
- Homebuilders' interventions for, 651, 653
- Incredible Years parent training programs, 104, 108–110, 111–112, 113–114, 278–281, 657–658
- information resources for, 21, 37–38
- interpersonal relationship-building with, 139, 140, 286
- Keeping Foster and Kin Parents Supported and Trained (KEEP) program involvement of, 668–669
- Multisystemic Therapy treatment of, 662–664
- parent–child interaction therapy involving, 275–277, 424–425, 655–657
- Parent Management Training Oregon Model for, 272–275
- preventive parental education for, 626, 631–633
- Psychoeducational Parenting Intervention role of, 448
- reactive attachment issues with, 433–450, 650
- response of, to EBP participation, 20–21, 40–42
- SafeCare interventions for, 654–655
- school refusal treatment role of, 565, 566, 569
- self-injurious behavior treatment training for, 485–486
- separation anxiety disorder treatment role of, 415–424
- sleep disorder treatment role of, 626–642
- Strategies to Enhance Positive Parenting (STEPP) program for, 252
- stuttering disorder intervention role of, 188, 189, 200
- trauma-focused cognitive behavior therapy role of, 665–666
- Triple P Positive Parenting Program for, 253, 281–283, 658–660
- Pediatric feeding disorders:
 - applied behavior analysis treatment of, 326–333
 - assessment of, 325–326
 - differential reinforcement interventions for, 327, 328, 333
 - empirically supported/evidence-based treatment of, 326–333
 - escape extinction interventions for, 327, 328, 329, 333
 - identification and diagnosis of, 323–324
 - nonnutritive sucking interventions for, 330
 - oral stimulation for, 330, 331
 - oral support interventions for, 331
 - overview of, 323–326
 - physical guidance of self-feeding behavior interventions for, 328, 330, 333
 - prevalence of, 324–325
 - simultaneous presentation interventions for, 331, 332
 - stimulus fading interventions for, 331–332
 - swallow facilitation and redistribution interventions for, 331, 332–333
- PEDro, 7
- Peer-based strategies:
 - ClassWide Peer Tutoring, 165
 - Peer Assisted Learning Strategies (PALS), 165, 166, 168, 180
 - peer mediation for autism spectrum disorders, 218–219, 232
- Penn Prevention (Resiliency) Program*, 525, 526, 527, 533–534, 539
- Personality disorders, 85, 577
- Pharmacological treatment. *See also specific drugs*
 - ADHD treatment via, 248–249, 250–251, 257, 258–262
 - anorexia nervosa treatment via, 583
 - anxiety disorder treatment via, 427, 553–554
 - bulimia nervosa treatment via, 606, 610–614, 615
 - clinical guidelines on, 87
 - depression treatment via, 530 (*see also* Antidepressants)
 - encopresis treatment via, 364–368
 - enuresis treatment via, 391–392, 407
 - school refusal treatment via, 570–571
 - self-injurious behavior treatment via, 136, 479–480, 481
 - separation anxiety disorder treatment via, 427
 - sleep disorder treatment via, 145, 627, 639–640
 - smoking and nicotine-related disorder treatment via, 511, 512
 - stuttering disorder treatment via, 202
 - tics and Tourette disorder treatment via, 355
- Phobias. *See* Anxiety disorders; Social phobias
- Physical guidance of self-feeding behavior interventions, 328, 330, 333
- Physical restraint. *See also* Response blocking
 - pica treatment via, 142, 308, 309, 312, 313, 315
 - self-injurious behavior treatment via, 138, 481–482
- Pica:
 - assessment of, 307–308, 316
 - aversive stimulation interventions for, 142, 308, 310–311, 313, 315

- behavioral interventions for, 142, 307–312, 313, 315
- behavior-analytic hypothesis of, 305–306
- comorbidity of disorders with, 142, 303, 304, 306
- conceptualization of, 304
- cultural practices and, 303, 305
- data-based treatment studies on, 306–307
- diagnosis and prevalence of, 303–304
- differential and noncontingent reinforcement treatment of, 142, 309, 313, 315
- discrimination training interventions for, 308, 309–310, 313, 315
- environmental enrichment treatment of, 142, 308–309, 313, 315
- evidence-based treatment of, 314–317
- habit reversal interventions for, 308, 310, 313, 315
- impact of, 303
- meta-analysis of studies on, 312–314
- negative practice interventions for, 142, 308, 310, 313, 315
- neurological model for, 305
- nutritional hypothesis of, 305
- nutritional interventions for, 306–307, 315
- overcorrection interventions for, 142, 308, 309, 311–312, 313, 315
- overview of, 303–306
- physical classes of nonedible materials associated with, 304
- physical restraint interventions for, 142, 308, 309, 312, 313, 315
- response blocking interventions for, 142, 308, 309, 310, 313, 315
- single-subject studies on, 142
- Picture Exchange Communication System (PECS), 218, 223
- Pivotal response training, 219
- Positive Parenting Program. *See* Triple P Positive Parenting Program
- Positive reinforcement/positive behavioral support:
 - ADHD treatment via, 249, 256–257, 258
 - aggressive behavior treatment via, 133
 - autism spectrum disorder treatment via, 230, 234
 - encopresis treatment via, 376–377
 - enuresis treatment via, 393–394, 401–403
 - food refusal treatment via, 144
 - pediatric feeding disorder treatment via, 327, 332, 333
 - pica treatment via, 142, 309
 - positive practice interventions, 393–394, 466–467
 - self-injurious behavior treatment via, 137, 481–482, 484
 - separation anxiety disorder treatment via, 415
 - sleep disorder positive routine treatment via, 626, 637–638
 - stereotypic behavior disorder treatment via, 459, 461–463
- Posttraumatic stress disorder:
 - clinical guidelines on, 85, 87, 91–92
 - comorbidity of disorders with, 89, 649–650, 665
 - trauma-focused cognitive behavior therapy for, 647, 665–667
- Prader-Willi syndrome, 136, 144, 146, 303, 306
- Prescription medication. *See* Pharmacological treatment
- Preventive parental education, 626, 631–633
- Priming interventions, 233
- Problem-solving skills training (PSST):
 - ADHD treatment via, 253, 255
 - anorexia nervosa treatment via, 590
 - anxiety disorder treatment via, 422, 549
 - child abuse and neglect interventions via, 651, 657, 660
 - clinical guidelines including, 89
 - depression treatment via, 526, 527, 531
 - disruptive behavior disorder treatment via, 274, 278, 285–287, 288
 - learning disability response to intervention/ problem-solving model, 162–164, 174, 180, 181
 - school refusal treatment via, 567
 - separation anxiety disorder treatment via, 422
- Project KEEP, 668–669
- Project Towards No Drug Abuse, 503–504
- PsycArticles, 486
- PsychLit, 489
- Psychodynamic psychotherapy, 425–426
- Psychoeducation:
 - ADHD treatment via, 250
 - anorexia nervosa treatment via, 590
 - child maltreatment-focused, 648
 - depression treatment via, 525, 526
 - encopresis treatment via, 368
 - mood disorder treatment via, 149
 - preventive parental education as, 626, 631–633
 - reactive attachment disorder treatment via, 439–441, 448
 - school refusal treatment via, 564
 - separation anxiety disorder treatment via, 423, 425
 - sleep disorder treatment via, 626, 631–633
 - tics and Tourette disorder treatment via, 341–342, 353
- Psychoeducational Parenting Intervention (PPI), 448
- Psychological disorders. *See* Disorders
- Psychologists and psychiatrists. *See* Mental health professionals
- Psychology and Behavioral Sciences Collection, 482
- Psychotherapy. *See* Treatments

724 Subject Index

- PsycINFO, 78, 306, 424, 480, 481, 482, 483, 485, 486, 488, 525, 551, 579, 603
 Psyc.TV website, 66
 PubMed, 480, 483, 486, 488, 489, 525
 Punishment. *See* Aversive stimulation; Extinction; Negative practice; Overcorrection; Physical restraint
- Qualitative studies, 11
 Quality-adjusted life year (QALY), 82, 105, 113
 Quality control:
 accessibility of treatment and, 61, 68, 69
 “bad apple” approach to, 58, 69–70
 Baldrige on, 62–63
 common cause variation and, 58, 61
 continuity of care and, 68
 definitions of quality, 51–52
 Deming on, 57, 61, 62, 63–66
 EBP use, nonuse, misuse and, 52–56
 economics and, 59, 60, 61, 64, 66, 68–69
 electronic medical records impacting, 63, 67
 entrepreneurship in, 56, 70
 history of quality problems, 57–62
 information system and analysis for, 62, 67
 Institute of Medicine’s *Crossing the Quality Chasm* report on, 59–60, 118
 leadership in, 56, 59, 61, 62–63, 65, 66
 overview of quality issues, 51–52
 pay for performance and incentive programs, 69, 118–120
 quality campaigns and, 69
 standards and benchmarks for, 61, 67–68
 steps to improve, 66–70
 strategic quality planning and, 62, 66–67
 systematic quality improvement and, 56–57, 61, 62–66
 transparency and, 68
 Quasi-experimental designs, 10
- Race. *See* Ethnic and racial discrepancies
 Randomized controlled trials (RCTs):
 ADHD study via, 251–255, 259–260
 aggressive behavior study via, 132–135
 anxiety disorder study via, 146–147, 416–423
 child abuse and neglect study via, 653, 654, 655, 656–657, 658, 659, 661, 662, 663, 664–665, 666, 667–668, 669
 comparators used in, 90–91
 databases of information from (*see* Databases)
 definition and description of, 7
 disruptive behavior disorder study via, 273–275, 276–277, 278, 279–280, 281–282, 283–284, 286–287, 288–289, 290–291, 293–294
 encopresis study via, 364–367, 368–375
 enuresis study via, 395–396, 397–398, 401, 404–405
 history of, 5
 Incredible Years’, 104
 levels and types of evidence in, 7–8
 misconceptions about, 54
 mood disorder study via, 148–149
 offending disorder study via, 150
 outcomes used and duration follow-up in, 90
 patient population in, 88–90
 research methods for, 13–15
 review and analysis of (*see* Meta-analyses; Systematic reviews)
 school refusal study via, 568–570, 570–571
 self-injurious behavior study via, 136–139, 479–480
 separation anxiety disorder study via, 416–423
 sleep disorder study via, 145–146, 627–628, 631–632, 633–635, 637–638, 639
 stuttering disorder study via, 187–188, 189–190, 195–196, 199
 tics and Tourette disorder study via, 342–344, 348, 349, 350, 352, 353
 Reactive attachment disorder (RAD):
 adoption of children and, 435, 438–439, 446
 Attachment and Biobehavioral Catch-up interventions for, 445
 attachment theory-based treatments for, 446–448
 behavioral and psychoeducational approaches to, 439–441
 caregiving context alteration interventions for, 443–444, 449
 Child–Parent Psychotherapy treatment of, 447–448
 cognitive behavior therapy treatment of, 444
 comorbidity of other disorders with, 436, 650
 demographic variables in, 438–439
 diagnostic criteria for, 437–438
 foster care system and, 434, 435, 438–439, 444–446
 history of, 434–435
 holding and related therapies treatment of, 441–443, 449
 impact of, 439
 institutional settings and, 434–435, 436–437, 438–439, 443–444
 overview of, 433–439
 points and clarifications on, 433–434
 psychoeducational interventions for, 439–441, 448
 research findings on, 436–437
 single-case studies on, 440–441
 TEACCH program treatment of, 439–440
 Treatment Foster Care interventions for, 444–445
 treatment of, 439–450
 uncontrolled trials on, 439–440, 441–444

- Reactive inhibition, 350
- RE-AIM model (Reach, Efficacy/Effectiveness, Adoptability, Implementation, and Maintenance), 534–538
- Refeeding syndrome, 581
- Reinforcement:
 - differential (*see* Differential reinforcement)
 - extinction of (*see* Extinction)
 - negative (*see* Negative reinforcement)
 - noncontingent (*see* Noncontingent reinforcement)
 - positive (*see* Positive reinforcement/positive behavioral support)
- Relationship-building. *See* Interpersonal relationship-building therapy
- Relaxation training, 147–148, 352–353, 564, 665
- Repetitive transcranial magnetic stimulation (rTMS), 612
- Residential placement. *See* Institutional and residential settings
- Resources:
 - electronic (*see* Databases; Electronic searches)
 - monetary (*see* Economics of EBP)
 - parental access to and use of, 21, 37–38
- Response blocking. *See also* Exposure and response prevention
 - pica treatment via, 142, 308, 309, 310, 313, 315
 - self-injurious behavior treatment via, 481–482
 - stereotypic behavior disorder treatment via, 460–461, 465–466
- Response to intervention model, 162–164, 174, 180
- Retention control training, 393, 400–401
- Rett's disorder, 210
- Rhythmic stimulation, 199–200
- Royal College of Psychiatrists, 80
- Rumination, 142–143
- SafeCare, 654–655
- SCERTS (Social Communication, Emotional Regulation, and Transactional Support) model, 215
- Scheduled waking interventions. *See* Waking schedule interventions
- Schizophrenia, clinical guidelines for, 78, 82, 85, 94, 96–97
- School refusal:
 - assessment of, 562–563
 - case studies on, 566–567, 570
 - cognitive behavior therapy treatment of, 563–570
 - comorbidity of other disorders with, 560–561, 562, 570–571
 - course of, 562
 - demographic variables in, 561–562
 - diagnostic criteria for, 559–560
 - empirical evidence related to, 566–571
 - functional classification of, 561
 - impact of, 562
 - open trials on, 567–568
 - overview of, 559–562
 - pharmacological treatment of, 570–571
 - presentation of, 560–561
 - randomized controlled trials on, 568–570, 570–571
 - school return plan, 565–566
 - setting of treatment for, 563
 - treatment of, 563–571
 - truancy and, 559
- Self Control Therapy* program, 525, 526–527, 539
- Self-help treatment, 606–609, 613, 615
- Self-injurious behavior disorders:
 - antecedent control interventions for, 481–482
 - applied behavior analysis treatment of, 137–138, 139–140, 479–486, 487–488, 488–489
 - aversive stimulation interventions for, 136, 138, 140, 481–482, 483, 484
 - caregiver training related to, 485–486
 - consensus panel recommendations on, 136, 479
 - controlled group studies on, 136, 479–480
 - demographic variables in, 478
 - diagnostic criteria for, 477–478
 - differential reinforcement interventions for, 137, 481, 482
 - evidence-based practices on, 488–490
 - extinction interventions for, 481–482
 - impact of, 479
 - intellectual disability comorbidity with, 135–140, 478
 - interpersonal relationship-building treatment of, 139, 140
 - mechanical restraint interventions for, 481–482
 - meta-analysis of studies on, 139–140, 480–484
 - overcorrection interventions for, 481
 - overview of, 477–479
 - pharmacological treatment of, 136, 479–480, 481
 - reinforcement interventions for, 137, 481–482, 484
 - response blocking interventions for, 481–482
 - sensory integration treatment of, 138–139, 140, 484, 487–488
 - single-subject studies on, 137–139, 480–484
 - Snouelen interventions for, 486–487, 489
 - social stories interventions for, 488
- Self-management and self-evaluation:
 - autism spectrum disorder interventions via, 220–221, 227, 233
 - stuttering disorder interventions via, 189, 193, 194
- Self-monitoring:
 - learning disability strategy of, 167–168
 - mood disorder treatment via, 149

726 Subject Index

- Self-monitoring (*continued*)
stereotypic behavior disorder treatment via, 460, 465
tics and Tourette disorder treatment via, 350–351
- Self-Regulation Strategy Development (SRSD), 170, 171, 181
- Sensory-based treatments:
desensitization, 147–148, 564
self-injurious behavior treatment via, 138–139, 140, 484, 487–488
stereotypic behavior treatment via, 141, 459, 460, 463–464
- Separation anxiety disorder (SAD):
cognitive behavior therapy treatment of, 415–424, 426, 427–428
comorbidity of other disorders with, 412–414, 554, 560, 623
consensus panel recommendations on, 416
developmental patterns and, 412
diagnostic criteria and clinical picture of, 411–412, 546
dissemination of treatment for, 426–428
evidence-based practice on, 426–428
impact of, 414–415
meta-analysis and systemic review of studies on, 423–424
overview of, 411–415
parent–child interaction therapy treatment of, 424–425
pharmacological treatment of, 427
prevalence of, 413
psychodynamic psychotherapy treatment of, 425–426
randomized controlled trials on, 416–423
single-subject studies on, 415–416, 425
treatment of, 415–428
- Sertraline, 427, 530, 554, 571, 611, 615
- Sexual abuse. *See* Child abuse and neglect
- Sexual offending. *See* Offending disorders
- Sign language, 223
- Simultaneous presentation interventions, 144, 331, 332
- Single-case, single subject designs. *See* Small-*N* research designs
- Sleep disorders:
applied behavior treatment of, 145–146, 626–642
comorbidity of other disorders with, 144–146, 248, 621, 623, 629–630
consensus panel recommendations on, 625–626
demographic variables in, 623–624
diagnostic criteria for, 622–623
evidence-based practices on, 639–642
extinction treatment of, 145, 626–631, 633–637
faded bedtime/positive routine interventions for, 626, 637–638
graduated extinction treatment of, 626, 627–628, 633–637
impact of, 624–625
intellectual disability comorbidity with, 144–146, 629, 630
melatonin treatment of, 145
meta-analysis of studies on, 145, 628, 630–631, 632, 636, 638, 639
nocturnal enuresis and, 390
nonrandomized studies on, 635–636
overview of, 621–625
pharmacological treatment of, 145, 627, 639–640
preventive parental education interventions for, 626, 631–633
randomized controlled trials on, 145–146, 627–628, 631–632, 633–635, 637–638, 639
scheduled waking interventions for, 626, 638–639
single-subject studies on, 145–146, 629, 632, 636, 638, 639
treatment of, 145–146, 626–642
- Small-*N* research designs:
ADHD study via, 256–257, 261
aggressive behavior study via, 133–135
anxiety disorder study via, 147, 415–416, 425
encopresis study via, 367, 376–377
enuresis study via, 395, 396, 400–401, 403–404
evaluation of evidence from, 15–17
food refusal study via, 144
mood disorder study via, 149
offending disorder study via, 151
pica study via, 142
reactive attachment disorder study via, 440–441
research methods using, 14–15
rumination study via, 143
self-injurious behavior study via, 137–139, 480–484
separation anxiety disorder study via, 415–416, 425
sleep disorder study via, 145–146, 629, 632, 636, 638, 639
stereotypic behavior study via, 140–141
stuttering disorder study via, 192–193, 198
tics and Tourette disorder study via, 345–347, 348–349, 350, 351–352, 353
volume of evidence from to claim as evidence-based, 17–18
- Smoking and nicotine-related disorders:
community interventions for, 502–504
demographic variables in, 493
diagnostic criteria for, 493
evidence-based practices on, 494–495, 512–514

- family interventions for, 499–500, 501, 510
- impact of, 493–494
- information-giving curricula interventions for, 496–497
- meta-analysis and systematic review of studies on, 494–496, 499–500, 502–504, 504–508, 508–509, 510–511, 512
- multimodal interventions for, 498–499
- overview of, 493–494
- prevention of, 495–510, 512–513
- school-based interventions for, 495–499
- school competitions related to, 500–502
- social competence interventions for, 497, 498
- social influences interventions for, 497–498
- tobacco advertising impact on, 508–510
- tobacco sales to minors prevention and, 504–508
- treatment of, 510–512, 513–514
- Snoezelen interventions, 486–487, 489
- Social phobias:
 - comorbidity of other disorders with, 186–187, 199, 413, 560
 - diagnostic criteria and clinical presentation of, 546
 - etiology of, 547
- Social scripts and stories:
 - autism spectrum disorder treatment via, 219, 228–229, 233
 - self-injurious behavior treatment via, 488
- Social skill training:
 - ADHD treatment via, 258
 - aggressive behavior treatment via, 132
 - autism spectrum disorder treatment via, 216–223, 228–229, 233
 - school refusal treatment via, 564
 - smoking and nicotine-related disorder treatment via, 497–499
- Society for Social Work and Research, 12
- Socioeconomic status discrepancies:
 - in ADHD, 246
 - in depression, 524, 535
 - in disruptive behavior disorders, 284, 296
 - in sleep disorders, 641
- Speech language disorders. *See also* Stuttering disorders
 - comorbidity of other disorders with, 186–187, 199, 223–226
 - EBP on, 12
- Speech restructuring, 193–198, 201
- SSRIs (serotonin reuptake inhibitors), 79, 81, 84, 85, 87, 427, 530, 553–554, 571, 606, 611
- Stages of change theory, 511, 512
- State Children's Health Program (SCHIP), 115
- State government, economics of EBP payer role under, 115–116
- Stereotypic behavior disorders:
 - antecedent control interventions for, 140–141, 460, 464–465
 - consensus panel recommendations on, 140
 - differential reinforcement interventions for, 141, 459, 460, 461–463
 - empirically supported/evidence-based treatment of, 458–468
 - environmental enrichment interventions for, 140, 459, 460, 461
 - functional behavior assessment of, 457–458
 - functional communication training interventions for, 463
 - identification and diagnosis of, 455–457
 - inhibitory stimulus control interventions for, 461, 467
 - intellectual disability comorbidity with, 140–142, 455
 - meta-analysis of studies on, 141
 - overcorrection treatment of, 141, 461, 466–467
 - overview of, 455–458
 - response restriction interventions for, 460–461, 465–466
 - self-injurious, 135–140, 477–490
 - self-monitoring interventions for, 460, 465
 - sensory-based treatments for, 141, 459, 460, 463–464
 - single-subject studies on, 140–141
- Stimulation control treatments. *See also* Aversive stimulation
 - bulimia nervosa treatment via, 612
 - pediatric feeding disorder treatment via, 330, 331–332
 - sleep disorder treatment via, 145–146
 - stereotypic behavior disorder treatment via, 461, 467
 - stuttering disorder treatment via, 188–193, 199–200, 201, 202
- Strategies to Enhance Positive Parenting (STEPP) program, 252
- Stream interruption exercises, 394
- Stuttering disorders:
 - cognitive behavior therapy for, 198–199
 - comorbidity of social phobias and, 186–187, 199
 - consensus panel recommendations on, 189, 194–195, 198
 - demographic variables in, 185–186
 - diagnostic criteria for, 185
 - evidence-based treatment of, 187–188, 200–202
 - family-based early intervention for, 200
 - Gradual Increase in Length and Complexity of Utterance intervention for, 189, 193
 - impact of, 186–187
 - machine-driven therapies for, 200
 - meta-analysis of studies on, 190–192, 196–197

- Stuttering disorders (*continued*)
 overview of, 185–187
 pharmacological interventions for, 202
 randomized controlled trials on, 187–188, 189–190, 195–196, 199
 rhythmic stimulation intervention for, 199–200
 single-subject studies on, 192–193, 198
 speech restructuring intervention for, 193–198, 201
 telehealth treatment for, 190, 192, 193, 195–196, 197
 verbal response contingent stimulation intervention for, 188–193, 201, 202
- Substance misuse:
 clinical guidelines on, 85, 87
 comorbidity of disorders with, 74, 269
 economic incentives in treatment of, 123–124
 smoking and nicotine-related, 493–514
- Summer treatment programs for ADHD, 258–262
- Supportive psychotherapy, 353–354
- Swallow facilitation and redistribution, 331, 332–333
- Synthesis training, 283–284
- Systematic reviews:
 bias in, 78–79
 clinical guideline development using, 77–79
 definition and description of, 8–9
 of enuresis study, 398
 of separation anxiety disorder study, 423–424
 of smoking and nicotine-related disorder study, 494–496, 499–500, 502–504, 504–508, 508–509, 510–511, 512
 weaknesses of, 9–10
- TEACCH program, 214–216, 232, 439–440
- Technology:
 anorexia nervosa treatment options using, 593–594
 bulimia nervosa treatment options using, 607, 608
 electronic medical records via, 63, 67
 encopresis treatment options using, 375
 machine-driven treatments using, 200
 NICE Technology Appraisal program, 85, 93, 116
 searches using (*see* Databases; Electronic searches)
 telehealth delivery via (*see* Telehealth treatment)
- Telehealth treatment, stuttering interventions via, 190, 192, 193, 195–196, 197
- Theory of mind, 218
- Therapists. *See* Mental health professionals
- Therapy. *See* Treatments
- Tics and Tourette disorders:
 cognitive behavior therapy treatment of, 349–350
 comorbidity of other disorders with, 248, 340, 348, 355, 413
 contingency management interventions for, 351–352
 demographic variables in, 339–340
 diagnostic criteria for, 339
 evidence-based practice on, 340–341, 354–355
 exposure and response prevention interventions for, 348–349, 354–355
 habit reversal interventions for, 341–348, 349, 354–355
 impact of, 340
 massed negative practice interventions for, 350
 overview of, 339–341
 pharmacological treatment of, 355
 randomized controlled trials of, 342–344, 348, 349, 350, 352, 353
 relaxation training interventions for, 352–353
 self-monitoring interventions for, 350–351
 single-subject studies of, 345–347, 348–349, 350, 351–352, 353
 supportive psychotherapy treatment of, 353–354
- Time Delay, 224
- Time-outs, 189, 193
- Tobacco-related disorders. *See* Smoking and nicotine-related disorders
- Topiramate, 611, 612, 615
- Tourette's syndrome. *See* Tics and Tourette disorders
- Training programs. *See also* Anger control training/ Anger Coping Program; Behavioral parent training; Discrimination training; Dry bed training; Functional communication training; Habit reversal training; Mindfulness training; Pivotal response training; Problem-solving skills training; Relaxation training; Retention control training; Social skill training; Synthesis training
 clinical guideline usage in, 76
 in EBP, 22, 37, 43, 52–53, 536
 IAPT program as, 88, 94–95
 in quality control, 65, 66
- Trauma-focused cognitive behavior therapy, 647, 665–667, 668
- Treatment Foster Care interventions, 444–445, 668, 669
- Treatments. *See also* Mental health professionals; *specific treatments*
 accessibility of (*see* Accessibility of treatment)

- clinical guidelines for (*see* Clinical guidelines)
- empirically supported (*see* Empirically supported treatment; Evidence-based practice)
- pharmacological (*see* Pharmacological treatment)
- treatment guidelines (*see* Clinical guidelines)
- treatment manuals, 15, 28, 36, 52, 56
- Tricyclic antidepressants, 391, 553–554, 570–571, 611
- Trimeprazine, 627
- Triple P Positive Parenting Program:
 - ADHD treatment via, 253
 - child abuse and neglect treatment via, 658–660
 - disruptive behavior disorder treatment via, 281–283
- Turning Research Into Practice (TRIP), 7, 9
- U.K. National Health Service. *See* National Health Service
- Urinary incontinence disorders. *See* Enuresis
- Urine alarm interventions, 393, 394–400
- U.S. Department for Children, Schools, and Families, 12
- Verbal response contingent stimulation, 188–193, 201, 202
- Violent offending. *See* Offending disorders
- Visual strategy interventions:
 - for autism spectrum disorders, 218, 223, 227, 232
 - for stereotypic behavior disorders, 464
- Waking schedule interventions, 394, 402, 626, 638–639
- Weighted vests, 141
- Weight restoration/nutritional rehabilitation treatment, 580–582
- What Works Clearinghouse, 13
- Work situations, 122–123, 187
- Youth. *See* Children and adolescents

