

# Chapter 1

## You Feel the Way You Think

---

### *In This Chapter*

- ▶ Defining CBT
  - ▶ Exploring the power of meanings
  - ▶ Understanding how your thoughts lead to emotions and behaviours
  - ▶ Getting acquainted with the ABC formula
- 

**C**ognitive behavioural therapy – more commonly referred to as *CBT* – focuses on the way people think and act to help them with their emotional and behavioural problems.

Many of the effective CBT practices we discuss in this book should seem like everyday good sense. In our opinion, CBT does have some very straightforward and clear principles and is a largely sensible and practical approach to helping people overcome problems. However, human beings don't always act according to sensible principles, and most people find that simple solutions can be very difficult to put into practice sometimes. CBT can maximise on your common sense and help you to do the healthy things that you may sometimes do naturally and unthinkingly in a deliberate and self-enhancing way on a regular basis.

In this chapter we take you through the basic principles of CBT and show you how to use these principles to better understand yourself and your problems.

### *Using Scientifically Tested Methods*

The effectiveness of CBT for various psychological problems has been researched more extensively than any other psychotherapeutic approach. CBT's reputation as a highly effective treatment is growing. Several studies reveal that CBT is more effective than medication alone for the treatment of anxiety and depression. As a result of this research, briefer and more intense treatment methods have been developed for particular anxiety disorders such as panic, anxiety in social settings or feeling worried all the time.

Scientific research of CBT continues. As a result, more is being discovered about which aspects of the treatment are most useful for different types of people and which therapeutic interventions work best with different types of problems.

Research shows that people who have CBT for various types of problems – in particular, for anxiety and depression – stay well for longer. This means that people who have CBT relapse less often than those who have other forms of psychotherapy or take medication only. This positive result is likely due in part to the *educational aspects* of CBT – people who have CBT receive a lot of information that they can use to become their own therapists.

CBT is growing in popularity. More and more physicians and psychiatrists refer their patients for CBT to help them overcome a wide range of problems with good results. These problems include:

- ✓ Addiction
- ✓ Anger problems
- ✓ Anxiety
- ✓ Body dysmorphic disorder
- ✓ Chronic fatigue syndrome
- ✓ Chronic pain
- ✓ Depression
- ✓ Eating disorders
- ✓ Obsessive-compulsive disorder
- ✓ Panic disorder
- ✓ Personality disorders
- ✓ Phobias
- ✓ Post-traumatic stress disorder
- ✓ Psychotic disorders
- ✓ Relationship problems
- ✓ Social phobia

We discuss many of the disorders in the preceding list in more depth throughout this book but it is very difficult to cover them all. Fortunately, the CBT skills and techniques in this book can be applied to most types of psychological difficulties, so give them a try whether or not your particular problem is specifically discussed.

## Understanding CBT

Cognitive behavioural therapy is a school of *psychotherapy* that aims to help people overcome their emotional problems.

- ✓ **Cognitive** means mental processes like thinking. The word ‘cognitive’ refers to everything that goes on in your mind including dreams, memories, images, thoughts and attention.
- ✓ **Behaviour** refers to everything that you do. This includes what you say, how you try to solve problems, how you act and avoidance. Behaviour refers to both action and inaction, for example biting your tongue instead of speaking your mind is still a behaviour even though you are trying *not* to do something.
- ✓ **Therapy** is a word used to describe a systematic approach to combating a problem, illness or irregular condition.

A central concept in CBT is that *you feel the way you think*. Therefore, CBT works on the principle that you can live more happily and productively if you’re thinking in healthy ways. This principle is a very simple way of summing up CBT, and we have many more details to share with you later in the book.

## Combining science, philosophy and behaviour

CBT is a powerful treatment because it combines scientific, philosophical and behavioural aspects into one comprehensive approach to understanding and overcoming common psychological problems.

- ✓ **Getting scientific.** CBT is scientific not only in the sense that it has been tested and developed through numerous scientific studies, but also in the sense that it encourages clients to become more like scientists. For example, during CBT, you may develop the ability to treat your thoughts as theories and hunches about reality to be tested (what scientists call *hypotheses*), rather than as facts.
- ✓ **Getting philosophical.** CBT recognises that people hold values and beliefs about themselves, the world and other people. One of the aims of CBT is to help people develop flexible, non-extreme and self-helping beliefs that help them adapt to reality and pursue their goals.



Your problems are not all just in your mind. Although CBT places great emphasis on thoughts and behaviour as powerful areas to target for change and development, it also places your thoughts and behaviours within a *context*. CBT recognises that you're influenced by what's going on around you and that your *environment* makes a contribution towards the way you think, feel and act. However, CBT maintains that you can make a difference to the way you feel by changing unhelpful ways of thinking and behaving – even if you can't change your environment. Incidentally, your environment in the context of CBT includes other people and the way they behave towards you. Your living situation, workplace dynamics or financial concerns are also features of your larger environment.

- ✓ **Getting active.** As the name suggests, CBT also strongly emphasises behaviour. Many CBT techniques involve changing the way you think and feel by modifying the way you behave. Examples include gradually becoming more active if you're depressed and lethargic, or facing your fears step by step if you're anxious. CBT also places emphasis on *mental behaviours*, such as worrying and where you focus your attention.

## *Progressing from problems to goals*

A defining characteristic of CBT is that it gives you the tools to develop a *focused* approach. CBT aims to help you move from defined emotional and behavioural problems towards your goals of how you'd like to feel and behave. Thus, CBT is a goal-directed, systematic, problem-solving approach to emotional problems.

## *Making the Thought–Feeling Link*

Like many people, you may assume that if something happens to you, the event *makes* you feel a certain way. For example, if your partner treats you inconsiderately, you may conclude that she *makes* you angry. You may further deduce that their inconsiderate behaviour *makes* you behave in a particular manner, such as sulking or refusing to speak to her for hours (possibly even days; people can sulk for a very long time!). We illustrate this common (but incorrect) causal relationship with the following formula. In this equation, the 'A' stands for a real or *actual* event – such as being rejected or losing your job. It also stands for an *activating* event that may or may not have happened. It could be a prediction about the future, such as 'I'm going to get the sack', or a memory of a past rejection, such as 'Hilary will dump me just like Judith did ten years ago!'. 'C' stands for *consequence*, which means the way you feel and behave in response to an actual or activating event.

A (*actual* or *activating* event) = C (emotional and behavioural *consequence*)

CBT encourages you to understand that your thinking or *beliefs* lie between the event and your ultimate feelings and actions. Your thoughts, beliefs and the meanings that you give to an event, produce your emotional and behavioural responses.

So in CBT terms, your partner does not *make* you angry and sulky. Rather, your partner behaves inconsiderately, and you assign a meaning to her behaviour such as ‘she’s doing this deliberately to upset me and she absolutely should not do this!’ thus *making yourself* angry and sulky. In the next formula, ‘B’ stands for your *beliefs* about the event and the *meanings* you give to it.

$$A \text{ (actual or activating event)} + B \text{ (beliefs and meanings about the event)} = C \text{ (emotional and behavioural consequence)}$$

This is the formula or equation that CBT uses to make sense of your emotional problems.

## *Emphasising the meanings you attach to events*

The *meaning* you attach to any sort of event influences the emotional responses you have to that event. Positive events normally lead to positive feelings of happiness or excitement, whereas negative events typically lead to negative feelings like sadness or anxiety.

However, the meanings you attach to certain types of negative events may not be wholly accurate, realistic, or helpful. Sometimes, your thinking may lead you to assign extreme meanings to events, leaving you feeling disturbed

Tilda meets up with a nice man that she’s contacted via an online dating agency. She quite likes him on their first date and hopes he’ll contact her for a second meeting. Unfortunately, he doesn’t. After two weeks of waiting eagerly by the computer, Tilda gives up and becomes depressed. The fact that the chap failed to ask Tilda out again *contributes* to her feeling bad. But what really *leads* to her acute depressed feelings is the meaning she’s derived from his apparent rejection, namely: ‘This proves I’m old, unattractive, past it and unwanted. I’ll be a sad singleton for the rest of my life.’

As Tilda’s example shows, drawing extreme conclusions about yourself (and others and the world at large) based on singular experiences can turn a bad *distressing* situation into a deeply *disturbing* one.

Psychologists use the word ‘disturbed’ to describe emotional responses that are unhelpful and cause significant discomfort to you. In CBT terminology, ‘disturbed’ means that an emotional or behavioural response is hindering rather than helping you to adapt and cope with a negative event.



## Consider the reactions of ten people

Different people can attach different meanings to a specific situation, resulting in the potential for a vast array of emotional reactions to one situation. For example, consider ten basically similar people who experience the same event, which is having their partner treat them inconsiderately. Potentially, they can have ten (or maybe more) different emotional responses to precisely the same event, depending on how they *think* about the event:

**Person 1** attaches the meaning, 'That idiot has no right to treat me badly – who the hell do they think they are?' and feels angry.

**Person 2** thinks, 'This lack of consideration means that my partner doesn't love me' and feels depressed.

**Person 3** believes that 'This inconsideration must mean that my partner is about to leave me for someone else' and feels jealous.

**Person 4** thinks, 'I don't deserve to be treated poorly because I always do my best to be considerate to my partner' and feels hurt.

**Person 5** reckons the event means that 'I must have done something serious to upset my partner for them to treat me like this' and feels guilty.

**Person 6** believes that 'This inconsideration is a sign that my partner is losing interest in me' and feels anxious.

**Person 7** thinks, 'Aha! Now I have a good enough reason to break up with my partner, which I've been wanting to do for ages!' and feels happy.

**Person 8** decides the event means that 'My partner has done a bad thing by treating me in this way, and I'm not prepared to put up with it' and feels annoyed.

**Person 9** thinks, 'I really wish my partner had been more considerate because we're usually highly considerate of each other' and feels disappointed.

**Person 10** believes that 'My partner must have found out something despicable about me to treat me in this way' and feels ashamed.

You can see from this example that very different meanings can be assigned to the same event and in turn produce very different emotional responses. Some emotional responses are healthier than others; we discuss this matter in depth in Chapter 6.

For example, if a potential girlfriend rejects you after the first date (event), you may think 'This proves I'm unlikeable and undesirable' (meaning) and feel depressed (emotion).

CBT involves identifying thoughts, beliefs and meanings that are activated when you're feeling emotionally disturbed. If you assign less extreme, more helpful, more *accurate* meanings to negative events, you are likely to experience less extreme, less disturbing emotional and behavioural responses.

Thus, on being rejected after the first date (event), you could think 'I guess that person didn't like me that much; oh well – they're not the one for me' (meaning), and feel disappointment (emotion).



You can help yourself to figure out whether or not the meanings you're giving to a specific negative event are causing you disturbance by answering the following questions:

- ✓ **Is the meaning I'm giving to this event unduly extreme?** Am I taking a fairly simple event and deriving very harsh conclusions about myself (others and/or the future) from it?
- ✓ **Am I drawing global conclusions from this singular event?** Am I deciding that this one event defines me totally? Or that this specific situation indicates the course of my entire future?
- ✓ **Is the meaning I'm assigning to this event loaded against me?** Does this meaning lead me to feel better or worse about myself? Is it spurring me on to further goal-directed action or leading me to give in and curl up?

If your answer to these questions is largely 'yes', then you probably are disturbing yourself needlessly about a negative event. The situation may well be negative – but your thinking is making it even worse. In Chapters 2 and 3 we guide you toward correcting disturbance-creating thinking and help you to feel appropriate distress instead.

## Acting out

The ways you think and feel also largely determine the way you *act*. If you feel depressed, you're likely to withdraw and isolate yourself. If you're anxious, you may avoid situations that you find threatening or dangerous. Your behaviours can be problematic for you in many ways, such as the following:

- ✓ **Self-destructive behaviours**, such as excessive drinking or using drugs to quell anxiety, can cause direct physical harm.
- ✓ **Isolating and mood-depressing behaviours**, such as staying in bed all day or not seeing your friends, increase your sense of isolation and maintain your low mood.
- ✓ **Avoidance behaviours**, such as avoiding situations you perceive as threatening (attending a social outing, using a lift, speaking in public), deprive you of the opportunity to confront and overcome your fears.

## Learning Your ABCs

When you start to get an understanding of your emotional difficulties, CBT encourages you to break down a specific problem you have using the *ABC format*, in which:



- ✓ **A** is the *activating event*. An activating event means a real *external* event that has occurred, a future event that you anticipate occurring or an *internal* event in your mind, such as an image, memory or dream.


The 'A' is often referred to as your 'trigger'.

- ✓ **B** is your *beliefs*. Your beliefs include your thoughts, your personal rules, the demands you make (on yourself, the world and other people) and the meanings that you attach to external and internal events.
- ✓ **C** is the *consequences*. Consequences include your emotions, behaviours and physical sensations that accompany different emotions.

Figure 1-1 shows the ABC parts of a problem in picture form.

**Figure 1-1:**

**A** is the activating event, **B** is your beliefs and thoughts, and **C** is the consequences, such as the emotions you feel after the event, and your subsequent behaviour.



Writing down your problem in *ABC form* – a central CBT technique – helps you differentiate between your thoughts, feelings and behaviours, and the *trigger* event. We give more information about the ABC form in Chapter 3, and you can find a blank ABC form at the back of the book.

Consider the ABC formulations of two common emotional problems, anxiety and depression. The ABC of anxiety may look like this:

- ✓ **A:** You imagine failing a job interview.
- ✓ **B:** You believe: 'I've got to make sure that I don't mess up this interview, otherwise I'll prove that I'm a failure.'



- ✓ **C:** You experience anxiety (emotion), butterflies in your stomach (physical sensation), and drinking to calm your nerves (behaviour).

The ABC of depression may look like this:

- ✓ **A:** You fail a job interview.
- ✓ **B:** You believe: 'I should've done better. This means that I'm a failure!'
- ✓ **C:** You experience depression (emotion), loss of appetite (physical sensation), and staying in bed and avoiding the outside world (behaviour).

You can use these examples to guide you when you are filling in an ABC form on your own problems. Doing so will help ensure that you record the actual facts of the event under 'A', your thoughts about the event under 'B', and how you feel and act under 'C'. Developing a really clear ABC of your problem can make it much easier for you to realise how your thoughts at 'B' lead to your emotional/behavioural responses at 'C'. (Chapter 3 describes the ABC form more fully.)

## Characterising CBT


We give a much fuller description of the principles and practical applications of CBT in the rest of this book. However, here's a quick reference list of key characteristics of CBT. CBT:

- ✓ Emphasises the role of the personal meanings that you give to events in determining your emotional responses.
- ✓ Was developed through extensive scientific evaluation.
- ✓ Focuses more on how your problems are being *maintained* rather than on searching for a single root cause of the problem.
- ✓ Offers practical advice and tools for overcoming common emotional problems (see Chapters 9, 12 and 13).
- ✓ Holds the view that you can change and develop by thinking things through and by trying out new ideas and strategies (head to Chapter 4).
- ✓ Can address material from your past if doing so can help you to understand and change the way you're thinking and acting now (Chapter 16 covers this in depth).
- ✓ Shows you that some of the strategies you're using to cope with your emotional problems are actually maintaining those problems (Chapter 7 is all about this).
- ✓ Strives to normalise your emotions, physical sensations, and thoughts rather than to persuade you that they're clues to 'hidden' problems.

- ✓ Recognises that you may develop emotional problems *about* your emotional problems, for example feeling ashamed about being depressed (see Chapter 6 for more on this concept).
- ✓ Highlights learning techniques and maximises self-help so that ultimately you can become your own therapist (head to Chapter 22).

## Getting complicated

Sticking to the simple ABC formulation in which  $A+B=C$  can serve you well. But if that seems a little simplistic, you can consider the more complicated formulations shown here:



This diagram shows the complex interaction between your thoughts, feelings and behaviours. Although your thoughts affect how you feel, your feelings also affect your thinking. So, if you're having depressed thoughts, your mood is likely to be low. The lower your mood, the more likely you are to act in a depressed manner and to think pessimistically. The combination of feeling depressed, thinking pessimistically and acting in a depressed manner can, ultimately,

influence the way you see your personal world. You may focus on negative events in your life and the world in general and therefore accumulate more negative As. This interaction between A, B and C can become a vicious circle.

CBT pays a lot of attention to changing both unhealthy thinking patterns and unhealthy patterns of behaviour.