

Subject Index

- Academic examination stress, 82–83
- Acquired immune deficiency syndrome (AIDS), 481–482
- Action planning, 59
- Activated T cells, 187
- Acupuncture, 590
 - benefits, 591
 - efficacy, 591
- Acute myocardial infarction (AMI), 341
- Acute pain, 292
- Acute stress, 81–82
- A-delta fibers, 188
- Ader, Robert, 79
- Adherence
 - coronary heart disease, 351–352
 - headache disorders, 263
 - hypertension, 356–357
- Adjustable gastric banding, 137
- Adjustable laparoscopic gastric banding, 137
- Adolescent health, 437
 - conditions
 - abnormal maturational delay, 443
 - gynecomastia, 442
 - menstruation delay, 443
 - short stature, 444
 - tall stature, 444
 - developmental issues-health care interaction
 - compliance with medical regimens, 447
 - health-care provider, 446
 - illness effects, 449–450
 - morbidity and mortality, 445
 - new morbidity, 445–446
 - as patient, 446
 - physical appearance, 448–449
 - rising of peers and risk taking, 444–445
 - vulnerability, 447–448
 - health promotion, 450–451
 - legal consultation, 453–454
 - physical development
 - hypothalamic pituitary unit, 438
 - menarche, 438
 - methodological problems, 438
 - puberty, 437
 - spermarche, 438
 - tanner staging, 438
 - psychosocial development
 - body image, 440
 - conformity, 440
 - developmental tasks, 439
 - intimacy in personal relationships, 441
 - processes, 440
 - stages of, 439, 440
 - tasks, 439
 - transition times, 439
 - school-based health services, 454
 - sexual activity
 - pregnancy, 452–453
 - sexually transmitted disease (STD), 451–452
 - timing of puberty
 - body image, 442
 - early *versus* late maturers, 441
 - mental health problems, 441
 - precocity, 441
 - therapy, 442
 - treatment, 442
- Adrenocorticotropin hormone (ACTH), 79, 186
- Adult development
 - dementia
 - apolipoprotein e⁴ alleles, 463
 - cognitive ability and personality, 462
 - mild cognitive impairment (MCI), 463
 - mixed dementias, 462
 - neuroimaging methods, 463
 - psychometric and neuropsychological assessment methods, 463
 - treatment of, 465
 - personality
 - body mass index (BMI), 462
 - cognitive domains, 461
 - factors, 461
 - mixture modeling approach, 461
 - motivational and behavioral factors, 461
 - positive emotions
 - motivational theories, 465
 - multiple broad mechanisms, 466
 - pessimistic explanatory style (PSM), 466
 - socioemotional selectivity theory (SST), 465
- Age, and stress, 51
- AIDS. *See* Human immunodeficiency virus (HIV)
- Alarm reaction, 30

672 Subject Index

- Alexithymia, 109
- Allium sativum*, 593
- Allodynia, 189
- Alprostadil, 396
- American Cancer Society, 272
- American College of Gastroenterology, 365
- American Heart Association (AHA), 348
- American Spinal Injury Association (ASIA), 389
- Aminosalicylates, 379
- Amitriptyline, 250
- Analgesics, 250
- Annals of Behavioral Medicine*, 277
- Anger
 - chronic pain patients, 300–301
 - coronary heart disease, 344–345
- Angiotensin converting enzyme (ACE) inhibitors, 356
- Anticipatory nausea and vomiting (ANV), 278
- Antinociceptive signals, 188
- Antiretroviral therapy
 - behavioral interventions, 234
 - potential benefit of, 231
- Antiretroviral therapy zidovudine (AZT), 230
- Antispasmodics, 371
- Anxiety
 - chronic pain, 299–300
 - hypertension, 353–354
 - spinal cord injury, 400
- Anxiety disorders, 260
 - and asthma, 112
 - coronary heart disease, 344
 - esophageal disorders, 375
 - inflammatory bowel diseases, 378
 - irritable bowel syndrome, 369–370
- Appraisal outcomes
 - challenge, 31
 - harm/loss, 31
 - threat, 31
- Approach coping, 63
- Arthritis and musculoskeletal conditions, 182–196
 - biopsychosocial model, 182
 - fibromyalgia, 185–186
 - general treatment, 195–196
 - medical treatments, 194
 - osteoarthritis, 183–184
 - psychosocial factors, 190–194
 - cognitive appraisals, 192
 - coping responses, 192–193
 - depression and anxiety, 190–191
 - personality, 191–192
 - social relationships, 193–194
 - psychosocial treatments, 194–195
 - rheumatoid arthritis, 184–185
 - stress-sensitive systems, 186–190
- Asthma, 105–120
 - adherence, 114–115
 - classical conditioning, 107
 - cognitive and perceptual processes, 107–108
 - perceived *versus* objective pulmonary function, 108
 - pulmonary function, suggestion effects on, 107–108
 - epidemiology, 106
 - family systems theory, 109–110
 - future directions, 120
 - green zone, 116
 - health-care costs, 106
 - medical treatments, 113–114
 - psychosocial factors, 115–116
 - operant conditioning, 107
 - prevalence, 106, 108
 - psychoanalytic theory, 108–109
 - alexithymia, 109
 - repressive-defensive coping style, 109
 - psychological factors, 110–113
 - autonomic nervous system, 113
 - comorbid psychiatric disorders, 112–113
 - inflammatory processes, 113
 - laboratory studies, 110–111
 - natural environment, studies in, 111
 - psychological interventions, 116–120
 - asthma education, 116–117
 - biofeedback techniques, 119
 - breath control techniques, 118–119
 - complementary and alternative medicine, 119–120
 - lifestyle changes, 119–120
 - motivational interviewing (MI), 117
 - problem-solving therapy, 117–118
 - progressive muscle relaxation training, 118
 - psychotherapy and hypnosis, 118
 - reviews, 120
 - written emotional expression exercises, 118
 - red zone, 117
 - yellow zone, 117
- Asthma Symptom Checklist, 115
- Atherosclerosis Risk in Communities (ARIC), 341
- Atkins diet, 596
- Autogenic training, 256
- Autonomic nervous system (ANS), 367
 - in asthma, 113
 - parasympathetic nervous system (PNS), 81
 - sympathetic nervous system (SNS), 80–81
- Avoidant coping, 62
- Ayurveda
 - clinical applications, 589
 - Maharishi Ayurveda (MAV), 589
 - meaning, 589
 - principles, 589
 - therapeutic approaches, 589
- Bariatric surgery, and obesity, 137–138
- Barrett's esophagus (BE), 374
- Beck Depression Inventory (BDI), 329, 343
- Behavioral and biomedical approaches, for HIV, 237
- Behavioral enactment models (BEM), 59
- Benzodiazepines, 329
- Bifidobacterium infantis*, 371
- Binge eating disorder (BED), 134
- Biofeedback techniques, for asthma, 119
- Biological disasters, 32
- Biological response modifier (BRM) therapy, 273
- Bipolar disorder, 260
- Body mass index (BMI), 128, 398
- Bone marrow transplantation (BMT), 274
- Bradykinin, 189
- Brain, Behavior, and Immunity*, 79
- Brain-immune interactions, bidirectional pathways, 80
- Breast cancer, 480–481
- Breath control techniques, for asthma, 118–119

- Brief Symptom Inventory, 329
 Bristol Stool Scale, 366
 Buffalo Creek disaster, 43
 Bupropion, 163, 167
 Buteyko method, 119
- Canadian Implantable Defibrillator Study (CIDS), 348
- Cancer
 behavioral risk factors
 alcohol, 274
 diet and obesity, 274
 personality characteristics, 275
 socioeconomic status, 275
 sun exposure, 274
 tobacco, 274
 categories of, 271
 chronic disease, psychological interventions in, 93
 description of, 271
 disease progression, 86–87
 family and caregivers, 283–286
 feature of, 271
 psychosocial effects
 body image problems, 276
 delirium, 276
 depression, 275
 sexual dysfunction, 276
 suicide, 276
 psychosocial interventions
 caregivers, 285–286
 cognitive-behavior therapy, 278–279
 effectiveness of, 277
 future research, 286–287
 goal of, 277
 group therapy, 280
 health outcomes and immune functioning, 282–283
 problem-solving therapy, 279–280
 psychoeducational interventions, 277–278
 telephone and internet approaches, 281–282
 therapeutic processes, 280
 stages, 272
 statistics, 272
 survival rates, 272
 treatment
 biological therapy, 273
 bone marrow transplantation, 273
 chemotherapy, 273
 radiotherapy, 273
 surgery, 273
- Carcinoma, 271
- Cardiac Anxiety Questionnaire, 375
- Cardiac Arrest Study Hamburg (CASH), 348
- Cardiac rehabilitation (CR), 351
- Cardiovascular disease (CVD), 340
- Catecholamines, 81
- Center for Indoor Air Research, 166
- Center for Science in the Public Interest (CSPI), 142
- Centers for Disease Control and Prevention (CDC), 218
- Central augmentation, 185
- Central sensitization, 189
- Centre for Research on the Epidemiology of Disasters (CRED), 32
- C-fibers, 188
- Chemotherapy, 273
- Child health, 413
 clinical interventions
 pediatric brain tumors, 427–428
 pediatric obesity, 426–427
 evidence-based assessment, 416–417
 evidence-based intervention, 417–418
 pediatric psychosocial preventative health model (PPPHM)
 indicated/clinical interventions, 419
 levels of risk and implications, 418
 selective interventions, 419
 universal interventions, 418
 resilience and competence, 415–416
 selective interventions (*see* Selective interventions)
 social ecological model, 413–415
 universal interventions
 in primary care settings, 419–420
 unintentional injury prevention, 420–421
- Child Posttraumatic Stress Reaction Index, 40
- Chiropractic medicine, 588
- CHRN* gene, 150
- Chronic disease, psychological interventions in, 93–94
 cancer, 93
 HIV, 94
- Chronic obstructive pulmonary disease (COPD), 481
- Chronic pain
 affective factors
 anger, 300–301
 anxiety, 299–300
 depression, 300
 and anxiety, 190–191
 assessment instruments, 308–309
 behavioral conceptualizations
 classical conditioning, 294–295
 operant conditioning, 295–296
 social-learning processes, 296
 behavioral observation scales, 309
 biomedical model of, 293
 brief psychosocial screening, 306
 catastrophic thinking
 coping strategies, 303
 definition, 303
 musculoskeletal pain, 303
 cognitive-behavioral perspective, 310–312
 cognitive factors
 patients' beliefs, 301–302
 self-efficacy, 302
 and depression, 190–191
 functional activities, assessment of, 308
 gate control theory, 296–298
 integrative biopsychosocial model
 modulation, 304
 perception, 304
 self-sustaining process, 304
 transduction, 304
 transmission, 304
 intensity of, 305
 interdisciplinary pain rehabilitation programs, 312–314
 interview, 306–307
 The Management of Pain, 314
 pain diary, 309–310
 patient uniformity myth, 312
 physical and laboratory factors, 305–306
 psychogenic model of, 293–294
 psychosocial contributions, 306
 secondary-gain model, 294

674 Subject Index

- Chronic pain (*continued*)
 self-report measurement of, 307–308
- Chronic stress, 83–84
 caregiving, 83
 glucocorticoid dysregulation, 84
 immunological dysregulation, 84
- Civilian Transition Office (CTO), 579
- Classical conditioning
 in asthma, 107
 psychological interventions, 91
- Clearing the Smoke: Assessing the Science Base for Tobacco Harm Reduction*, 169
- Clinical interventions
 pediatric brain tumors, 427–428
 pediatric obesity, 426–427
- Clonidine, 163
- Cluster headache (CH), 249–250
- Cognitive and perceptual processes, in asthma, 107–108
 perceived *versus* objective pulmonary function, 108
 pulmonary function, suggestion effects on, 107–108
- Cognitive behavioral stress management (CBSM)
 program, 93–94, 233, 278
- Cognitive-behavior therapy (CBT), 118, 194
 cancer patients
 anticipatory nausea and vomiting, 278
 emotional distress, 278–279
 fatigue, 279
 headache disorders, 257–258, 265
 pain, 278
 esophageal disorders, 376
 inflammatory bowel diseases, 380
 irritable bowel syndrome, 368, 372–373
- Cognitive processing theory
 coping style (*see* Coping style theory)
 posttraumatic growth, 58
- Cognitive-transactional process perspective, of stress, 30–31
- Cognitive-transactional theory, 30
- Collaborative care models, diabetes, 213
- Community-based organizations (CBOs), 227
- Community-based programs, and HIV prevention, 226–228
 community-wide and network approaches, 227–228
 small-group approaches, 226–227
- Community-wide and network approaches,
 and HIV prevention, 227–228
- Comorbid psychiatric disorders, and asthma,
 112–113
 anxiety disorders, 112
 mood disorders, 112–113
 sequelae, 113
- Complementary and alternative medicine (CAM)
 for asthma, 119–120
 psychological interventions, 92
- Comprehensive Medication And Supportive Services (COMPASS),
 162
- Comprehensive Soldier Fitness program, 52
- Conditioned response (CR), 91
- Conditioned stimulus (CS), 91
- Condom policies, and HIV prevention, 229
- Conjugal loss and bereavement, 45–46
- Conservation of resources (COR) theory, 31
- Controllability, and stress, 34
- Coping, 57
 cross-sectional studies, psychological adaptation
 affective outcomes, 63
 avoidant coping strategies, 64
 classification, 63
 emotion regulation, 63
 outpatient *versus* self-treatment, 64
 Ways of Coping Checklist (WOC), 63
 definition, 57
 disease progression, 62–63
 disease risk, 61–62
 longitudinal studies, psychological adaptation,
 64–65
 role of, 60–61
 social aspects, 65
 theories of, 57
 cognitive processing theory, 58–59
 developmental conceptualization, 60
 health behavior and risk, 59–60
 hierarchical system models, 60
 transactional stress and coping paradigm, 57
- Coping interventions and health, 232–233
- Coping planning, 59
- Coping strategy, and psychological differences, 86
- Coping style theory
 active coping, 59
 definition, 58
 dispositional optimism, 59
 monitoring process theory, 58
 optimistic coping style, 59
 passive coping, 59
 repressive coping style, 59
- Coronary artery disease (CAD), 340
- Coronary heart disease (CHD), 478–479
 adherence, 351–352
 medical and surgical treatments, 348–349
 mortality rates, 341
 and obesity, 130
 psychosocial interventions, 349–350
 rehabilitation, 351
 risk factors
 anger and hostility, 344–345
 gene–environment interactions, 347–348
 job strain, 347
 low social support, 346–347
 mental stress, 341–344
 optimism, 346
 sleep apnea, 341
 type A behavior pattern, 344
 smoking cessation interventions, 350–355
- Corticosteroids, 379
- Corticotropin-releasing factor (CRF), 377
- Corticotropin-releasing hormone (CRH), 79, 186
- Cortisol
 anti-inflammatory effects of, 186
 catabolic and glucoregulatory effects of, 79
 and posttraumatic distress, 48
- Council for Tobacco Research, 166
- Craig Handicap Assessment and Reporting Technique (CHART),
 402–403
- C-reactive protein (CRP), 341, 345
- Creative Imagination Scale, 108
- Critical life events, and stress, 29–31
- Crohn's disease (CD), 377
- CRP, and social integration, 88
- Cue reactivity, 153
- Culture
 and ethnicity, 50
 and gender, 50

- Curcuma longa*, 594–595
CYP2A6 gene, 150, 155
 Cytokines, 80, 188
- Daily Hassles Scale, 36
 Daily Uplift Scale, 36
 Dance movement therapy (DMT), 599
Deepwater Horizon, 43
 Delayed type hypersensitivity (DTH) responses, 82
 Delirium, 276
 Delta waves, 318
 Demand appraisal, 31
 Dementia
 aging population, 462
 apolipoprotein e⁴ alleles, 463
 cognitive ability and personality, 462
 enter life span approach, 464
 low blood pressure, 464
 mixed dementias, 462
 neuroimaging methods, 463
 psychometric and neuropsychological assessment methods, 463
 treatment of, 464–465
- Depression
 cancer patients, 275
 chronic pain patients, 300
 coronary heart disease, 343–344
 esophageal disorders, 375
 hypertension, 353–354
 inflammatory bowel diseases, 378
 migraine, 247, 260
 and NKCC, 85
 spinal cord injury, 399–400
- Diabetes mellitus, 200
 consequences of, 202
 definition and description, 200
 depression
 bidirectionality, 205
 biological pathways, 205
 emotional distress, 206
 impact of, 205–206
 mechanisms of action, 205
 prevalence of, 204–205
 self-report, 205
 diagnosis, 201
 forms and causes
 gestational diabetes, 201
 type 1, 200
 type 2, 201
 history, 200
 prevalence of, 202
 psychosocial interventions
 cognitive-behavioral therapy (CBT), 211–212
 collaborative care models, 213
 coping skills training, 210–211
 diabetes self-management education (DSME), 208–209
 empowerment model, 209–210
 goals of, 208
 problem-solving, 212
 social support, 212
 stress management, 210
 racial and ethnic disparities, 202
 role of stress
 heat shock proteins, 203
 impact of, 204
 inflammatory response, 203
 stressful life events, 203–204
 sleep disturbance, 207–208
 social support
 adherence impact, 206–207
 buffering mechanisms, 206
 glycemic control and health outcomes, 207
 practical *versus* general, 206
 treatment of, 202
- Diabetes Prevention Program (DPP), 135
 Diabetes self-management education (DSME)
 automated telephone disease management (ATDM), 209
 evidence-based standards, 208
 glycemic control improvement, 209
 instruction, 208
 types of support, 209
- Diastolic blood pressure (DBP), 342
 Dietary Approaches to Stop Hypertension (DASH) diet, 356, 596
- Disasters
 impact of, 33
 type of, 32–34
 victims, 33
- Disease progression, 86–87
 cancer, 86–87
 HIV, 87
 and social relationships, 90–91
- Duke Structured Interview for Sleep Disorders, 326
- Dysfunctional Beliefs and Attitudes About Sleep Scale (DBAS), 328
- Dysmetabolic syndrome, 130
- Eastern systems of healing
 Ayurveda
 clinical applications, 589
 Maharishi Ayurveda (MAV), 589
 meaning, 589
 principles, 589
 therapeutic approaches, 589
 traditional Chinese medicine (TCM)
 causes of disease, 590
 clinical applications, 591–592
 qi, 590
 therapeutic approaches, 590–591
 yin and yang, 590
- Eating disorders, 370
- Echinacea, 592–593
- Economic costs, of obesity, 132
- EMG biofeedback, and asthma, 119
- Emotional disclosure interventions, 91–92
- Emotional distress, and HIV infection, 232
- Emotion-focused coping, 58
- Empowerment model, diabetes mellitus, 209–210
- Endogenous opioids, 189
- Enhancing Recovery in Coronary Heart Disease (ENRICH), 343
- Environmental contributors, to obesity, 132–133
- Epinephrine (EPI), 187
- Epstein Barr Virus (EBV), 83
- Ergotamine, 250
- Esophageal disorders
 classification of, 374
 functional esophageal disorders, 374–375
 future directions, 380

676 Subject Index

- Esophageal disorders (*continued*)
 lifestyle modifications, 374
 medical management, 374
 North America, 376
 psychological considerations and management, 375–376
Ethnicity, and culture, 50
Eustress, 568
Evolutionary advantage backfires, and obesity, 134
Expert Panel Report 3 (EPR3), 113
Expressive therapies
 art therapy, 600
 dance movement therapy (DMT), 599
 music therapy (MT), 600
 written emotional disclosure, 599
Exxon Valdez, oil spills, 43
- Fagerström Test for Nicotine Dependence (FTND), 156
Fagerström Test of Nicotine Dependence (FTND), 160
Family Adaptability and Cohesion Evaluation Scale, 110
Family Assessment Device, 110
Family Environment Scale, 110
Family planning clinics, in HIV prevention, 222
Family Smoking Prevention and Tobacco Control Act, 166, 169
Family systems theory, and asthma, 109–110
Fibromyalgia (FM), 185–186
 demographic and risk factors, 185–186
 disease process, 185
 genetic factors, 186
 onset and course, 185
 symptoms, 185
Fibromyalgia Impact Questionnaire, 308
Fight–flight response, 80, 81
Framework Convention on Tobacco Control (FCTC), 166, 170
Functional dysphagia, 375
Functional esophageal disorders, 374–375
Functional heartburn, 375
Functional Independence Measure (FIM), 398
Functional magnetic resonance imaging (fMRI), 153, 368
Functional neuroimaging studies, of nicotine dependence, 153–154
Functional support, 66
- Gastric banding, 137
Gastric bypass, 137, 138
Gastroesophageal reflux disease (GERD)
 lifestyle modifications, 374
 medical management, 374
 symptoms of, 374
Gastrointestinal (GI) diseases
 esophageal disorders
 functional disorders, 374–375
 future directions, 380
 lifestyle modifications, 374
 medical management, 374
 psychological considerations and management, 375
 inflammatory bowel disease
 comorbid depression and anxiety, 378
 description, prevalence, and impact, 366–376
 future directions, 380
 health behaviors, 378–379
 medical management of, 379
 psychological treatments, 379–380
 stress, 377–378
 irritable bowel syndrome
 anxiety disorders, 369–370
 clinical criteria and diagnosis, 365–366
 cognitive-affective processes, 370
 dietary management, 371
 eating disorders, 370
 future directions, 380
 medication management, 371
 pathophysiology of, 367–368
 prevalence and societal impact, 366
 psychological assessment, 366
 psychological management, 372–373
 somatization disorder, 370
 stress, 368–369
Gastroplasty, 137
Gate control theory (GCT), 296–298
Gender
 and culture, 50
 and stress, 49
Gender difference, and social integration, 88
General adaptation syndrome (GAS), 29, 84
Generalized anxiety disorder (GAD), 112, 344, 369
Genetic contributors, to obesity, 132
Genomewide association study (GWAS), 157
Geophysical disasters, 32
Gestational diabetes, 201
Ginkgo biloba, 593
Ginseng, 593
Globus, 375
Glucocorticoids, 80
Group therapy, cancer patients, 280
Gut-directed hypnotherapy
 inflammatory bowel diseases, 379
 irritable bowel syndrome, 372
- Hamilton Depression Rating Scale, 325
Headache
 age and gender, 259
 biobehavioral management of
 biofeedback training, 256–257
 cognitive behavior therapy, 257–258, 265
 model, 255
 relaxation training, 256
 treatment implementation, 255–256
 treatment planning, 258–259
 chronic/daily, 259
 classification and diagnosis
 cluster headache, 249–250
 ICHD, 248
 medication overuse headache, 250–251
 menstrual migraine, 249
 migraine, 248–249
 SNOOP criteria, 248
 tension-type headache, 249
 comorbid psychological disorders, 260–261
 headache diaries, 251–252
 impact of, 247
 MIDAS, 252
 MSQoL, 252
 nonpharmacological treatments, 252–255
 PPMQ-R, 252
 treatment algorithms, 261
 treatment format and delivery

- adherence, 263
- communication, 264
- group interventions, 263
- motivational interviewing, 264
- reduced therapist contact interventions, 262–263
- self-efficacy, 263
- treatment history, 259–260
- Healing approaches, 586
- dietary modification
 - Atkins diet, 596–597
 - Dietary Approaches to Stop Hypertension (DASH), 596
 - low glycemic index, 595
 - Mediterranean diets, 595
 - vegetarian diets, 596
- eastern systems (*see* Eastern systems of healing)
- expressive therapies
 - art therapy, 600
 - dance movement therapy (DMT), 599
 - music therapy (MT), 600
 - written emotional disclosure, 599
- herbal remedies (*see* Herbal remedies)
- mind–body interventions
 - characteristics, 601
 - hypnosis, 601
 - pain, 600
- movement therapies
 - aerobic exercise, 598
 - Alexander technique, 599
 - Feldenkrais's functional integration, 599
 - leisure activity, 598
 - meta-analytic reviews, 598
 - yoga, 598
- tactile therapies
 - definition, 597
 - soft tissue, 597–598
- therapeutic lifestyle change (TLC), 596
- western systems (*see* Western systems of healing)
- Health and productivity management (HPM), 570
- Health psychology, 3
 - adult development (*see* Adult development)
 - aging population (*see* Population aging)
 - cancer deaths, 6, 7
 - cognitive-behavioral therapy (CBT), 10
 - communitarian, 6
 - community perspective
 - activist orientation, 13
 - antiretroviral therapy (ARVT), 16
 - community-level models, 17
 - HIV/AIDS stigma amelioration (SMA), 15
 - Hybrid Capacity Building Model (HCBM), 15
 - levels, 16
 - participant action research (PAR), 13, 14
 - sexual health promotion, 14
 - couch potato, 6
 - critical perspective, 19–20
 - deadly sins, 5
 - definition, 3
 - discourse analysis, 6
 - emotions and feelings, 7
 - government states, 8
 - health education definition, 6
 - health promotion, 7
 - in HIV, 220
 - individualism, 6
 - mass degradation and poisoning, 8
 - mindfulness-based stress reduction (MBSR), 11
 - motivational interviewing, 10–11
 - multidimensional theory, 4
 - origin, 3
 - qualitative perspectives
 - discourse analysis (DA), 18
 - Foucauldian version of discourse analysis (FDA), 19
 - grounded theory, 18
 - interpretative phenomenological analysis (IPA), 17
 - methods, 17
 - resource substitution, 5
 - responsibility deal, 9
 - scales, 4, 11, 12
 - social cognition theory, 13
 - statistical obsession, 11
 - taxonomy
 - components, 20
 - CONSORT guidelines, 20
 - levels, 21
 - tree diagram, 21
 - theory of elements, 3, 4
 - theory of planned behavior (TPB), 12
 - trends over 1990–2009, 9
- Health, meaning of, 182
- Heart rate variability (HRV), 82
 - and asthma, 119
 - mental stress, 342–343
- Herbal remedies
 - echinacea, 592–593
 - garlic, 593
 - ginger, 593
 - ginkgo biloba, 593
 - ginseng, 593
 - kava, 594
 - St. John's wort (SJW), 594
 - turmeric, 594–595
- Herpes simplex virus (HSV), 83
- Highly active antiretroviral therapy (HAART), 219
- HIV-related stressors, 232
- HIV-risk reduction intervention, 222
- HIV-Risk Screening Instrument, 222
- Home Care Guide for Cancer*, 285
- Homeopathy
 - advantages, 586
 - clinical applications, 586
 - therapeutic approaches, 586
- Horowitz Impact of Event Scale, 39
- Hospital Anxiety and Depression Scale (HADS), 343
- Human immunodeficiency virus (HIV), 481–482
 - chronic disease, psychological interventions in, 94
 - disease progression, 87
 - epidemiology, 218–219
 - future directions, 236–239
 - behavioral and biomedical approaches,
 - integration of, 237
 - community leaders, collaboration with, 237
 - data analysis, 237–238
 - evaluation, 238
 - global HIV prevention efforts, 239
 - new intervention models, 237
 - prevention for positives, 238
 - refined assessment, 237–238
 - sophisticated school-based programs, 238
 - structural interventions, 238–239
 - synthesis, 237–238

678 Subject Index

- Human immunodeficiency virus (HIV) (*continued*)
 technological advances, 237–238
 health psychology, 220
 NIMH Multisite HIV Prevention Trial, 223
 primary prevention, 220–230
 community-based programs, 226–228
 mental health-care settings, 223–224
 primary care settings, 222–223
 school-based interventions, 225–226
 sexual health settings, 220–222
 structural interventions, 228–230
 substance abuse treatment settings, 224–225
 psychosocial and economic impact, 219–220
 secondary prevention, 230–236
 critical issues, 231
 historical and psychosocial context of medical care, 230–231
 medication adherence, 233–236
 psychological intervention needs, 231–233
 theory-based interventions, 236
 transmission and natural course, 219
Human-made disasters, 41
Hydrometeorological disasters, 32
Hypertension (HTN)
 adherence, 356–357
 essential hypertension, 352
 interventions, 356
 prevention strategies, 356
 risk factors
 anxiety and depression, 353–354
 demographic disparities, 352
 mental stress, 352–353
 obesity, 355
 smoking and alcohol consumption, 355
Hypertension Intervention Nurse Telemedicine Study (HINTS), 469
Hypnosis
 and asthma, 118
 complementary and alternative medicine (CAM), 92
Hypnotherapy, 375
Hypothalamic-pituitary-adrenal (HPA) axis, 48, 79–80, 186–187

Immune dysregulation, 80
Immune system, 187–188
Immunotherapy, 273
Implantable cardioverter defibrillator (ICD), 348
Indicated interventions. *See* Clinical interventions
Individual psychological differences, 84–87
 coping strategy, 86
 disease progression, 86–87
 negative and positive affect, 84–86
Infectious disease, and social integration, 88
Inflammation, and social integration, 88
Inflammatory bowel diseases (IBD)
 cognitive-behavioral therapy, 380
 comorbid depression and anxiety, 378
 description, prevalence, and impact, 366–376
 future directions, 380
 gut-directed hypnotherapy, 379
 health behaviors, 378–379
 medical management of, 379
 stress, 377–378
Inflammatory processes, in asthma, 113
Inflammatory reflex, 81
Information-motivation-behavioral skills (IMB) model, 221

Insomnia
 assessment modalities, advantages and limitations of, 326
 behavioral assessment devices, 329
 clinical interview, 325–327
 DSM-5 diagnostic criteria, 322
 future research, 335
 immunity, 325
 impact of, 323
 longevity, 324
 polysomnography, 327–328
 prevalence, risk factors, and course, 323
 primary *versus* secondary, 321
 psychological evaluation, 329
 self-report measures
 advantages and limitations, 328
 DBAS, 328
 ISI, 328
 PSQI, 328
 sleep and health, 324
 sleep and psychopathology, 324
 sleep diary, 327
 treatment
 combined psychological and pharmacological treatments, 334–335
 comorbid insomnia, 333
 current practices, 329
 evidence for efficacy, 332–333
 long-term outcomes, 333
 medications, benefits and limitations of, 329–330
 older adults, 333–334
 psychological and behavioral therapies, 330–332
Insomnia Interview Schedule (IIS), 326
Insomnia Severity Index (ISI), 328
Institute of Medicine (IOM), 169
Insulin resistance, and obesity, 130
Integrated Delivery System (IDS) team, 578
Interdisciplinary pain rehabilitation programs (IPRPs), 311–314
Interleukins, 188
International Classification of Headache Diagnoses (ICHD), 248
International Headache Society (IHS), 248
International Smoking Image Series, 153
International Study of Salt and Blood Pressure (INTERSALT), 355
Interpersonal psychotherapy, 372
Intimate partner violence (IPV), 482–483
Intoxicating pepper, 594
Irritable bowel syndrome (IBS)
 clinical criteria and diagnosis
 alarm symptoms, 366
 bloating, 365
 Kruis symptom score, 365
 Rome III criteria, 365
 subtypes, 366
 cognitive-affective processes, 370
 dietary management, 371
 future directions, 380
 generalized anxiety disorder, 369
 medication management, 371
 panic disorder, 369
 pathophysiology of
 brain imaging studies, 368
 eating disorders, 370

- postinfectious, 368
 - serotonin, 367–368
 - visceral hypersensitivity, 367
- prevalence and societal impact, 366
- psychological assessment, 366
- psychological management
 - cognitive-behavioral therapy, 372–373
 - gut-directed hypnotherapy, 372
 - interpersonal psychotherapy, 372
 - patient education groups, 373
- somatization disorders, 370
- stress
 - early adverse life experiences, 369
 - life events and experience, 369
 - physiological arousal, 368
- Ischemic heart disease (IHD), 344
- Kelly Action Information Board (KAIB), 578
- Lap-Band™. *See* Laparoscopic adjustable gastric banding (LAGB)
- Laparoscopic adjustable gastric banding (LAGB), 137
- Left ventricular ejection fraction (LVEF), 349
- Leukemia, 271
- Life-change units, 30
- Life Events and Difficulties Schedule (LEDS), 36
- Lifestyle interventions, and obesity, 135–136
- Loneliness
 - definition, 89
 - perceptions of, 89
- Loss of consciousness (LOC), 397
- Lower motor neurons (LMN), 389
- Low glycemic index diets, 595
- Lung cancer, 480
- Lymphoma, 271
- Main effects model, and social relationships, 87
- Major depressive disorder (MDD), 343
- The Management of Pain*, 314
- Marital interaction, and social relationships, 90
- Mass media interventions, 228–229
- Master Settlement Agreement (MSA), 166
- Maternal smoking, 159–160
- Medical treatments, for asthma, 113–114
 - panic-fear, 115–116
 - social relationships, 116
- Medication adherence, and HIV care, 233–236
 - behavioral interventions, 234–235
 - nature and scope of problem, 234
 - risk behavior, 235–236
- Medication overuse headache (MOH), 250–251
- Mediterranean diets, 595
- Melanocortin-4 receptor (MC4), 132
- Melatonin, 330
- Menstrually related migraine (MRM), 249
- Mental disorder, and obesity, 134–135
- Mental health-care settings, and HIV prevention, 223–224
- Mental health issues
 - anxiety disorders, 485–486
 - depressive disorders, 484–485
 - eating disorders, 486–487
 - substance use
 - alcohol, 487–488
 - cigarette smoking, 487
 - treatment of psychiatric diagnoses, 488–489
- Metabolic syndrome, and obesity, 130
- Metastasis, 272
- Migraine
 - behavioral and pharmacologic treatments
 - levels of support, 254
 - meta-analyses of, 253
 - comorbid psychological disorders, 260, 265
 - EMG biofeedback, 259
 - episodic and chronic, 248
 - interictal burden, 247
 - menstrual migraine, 249
 - recurrent acute pain, 292
 - symptoms, 249
- Migraine Disability Scale (MIDAS), 252
- Migraine-Specific Quality-of-Life (MSQoL), 252
- Mild Cognitive Impairment (MCI), 463
- Minnesota Multiphasic Personality Inventory (MMPI), 293
- Moclobemide, 164
- Model Spinal Cord Injury Systems (MSCIS), 400
- Monitoring process theory, 58
- Mood disorders, and asthma, 112–113
- Motivational interviewing (MI), 117, 264, 357
- Movement therapies
 - aerobic exercise, 598
 - Alexander technique, 599
 - Feldenkrais's functional integration, 599
 - leisure activity, 598
 - meta-analytic reviews, 598
 - yoga, 598
- Multidimensional assessment, of nicotine dependence, 160–161
 - NDSS, 160
 - WISDM, 160–161
- Multisystemic therapy (MST), 423
- Music therapy (MT), 600
- Myeloma, 271
- Myocardial infarction (MI), 340
- Naltrexone, 164
- National Comorbidity Survey–Replication (NCS-R), 112
- National Health and Nutrition Surveys (NHANES), 355
- National Institute of Neurological Disorders and Stroke (NINDS), 405
- National Institute on Disability Rehabilitation Research (NIDRR), 391
- National prevention strategy of HIV, 229
- National Spinal Cord Injury Data Research Center (NSCIDR), 391
- National Spinal Cord Injury Statistical Center, 391
- Natural and technological disasters, 41
- Natural course, of HIV, 219
- Natural disasters
 - categories, 32–33
 - and stress, 42–43
- Natural killer (NK) cells, 81
- Neck Disability Index, 308
- Needle exchange programs (NEP), and HIV prevention, 229
- Negative affect, 84–86
- Neurogenic bladder, 394
- Neuromatrix theory, 190
- Neuroticism, 191–192
- New intervention models, for HIV, 237
- Nicotine dependence, 149–172
 - Behavioral Risk Factor and Surveillance System (BRFSS), 158
 - brain function, diverse effects on, 150
 - clinical and translational take-home points, 171
 - cognitive factors, 159

680 Subject Index

- Nicotine dependence (*continued*)
cultural factors, 157–158
demographic factors, 157–158
families, linkage analysis, 156–157
gender influences, 157
genomewide association studies, 157
hepatic nicotine pharmacokinetic pathways, 150–153
macroenvironmental factors, 166–170
cost-effectiveness analyses, 167–168
coverage for tobacco use counseling, 168–169
Master Settlement Agreement, 166
potential reduced-exposure products, 169
public health efforts, 166–168
tobacco control efforts, 169–170
maternal smoking, 159–160
multidimensional assessment, 160–161
Nicotine Dependence Syndrome Scale, 160
Wisconsin Inventory of Smoking Dependence Motives, 160–161
National Comorbidity Survey, 158
National Health Interview Survey (NHIS), 158
nicotine-induced neuronal dopamine pharmacodynamics, 150–151
pharmacodynamics, 155–156
pharmacokinetics, 155
posttraumatic stress disorder (PTSD), 158
preclinical models, 153–154
animal models, 154
functional neuroimaging studies, 153–154
prevention, 161
psychiatric disorders, 158–159
smoking cessation, pharmacogenetic investigations of, 156
social factors, 157–158
tobacco prevention, in youth, 161–166
treatment, 161
Nicotine Dependence Syndrome Scale (NDSS), 160
Nicotine metabolic ratio (NMR), 155
Nicotinic acetylcholine receptors (nAChRs), 150
NK cell cytotoxicity (NKCC), 81, 82, 85, 86, 89, 91, 92
Nociceptive signals, 188
Noncardiac chest pain (NCCP), 375
Nonnormative life events, 29, 32
Non-rapid-eye-movement (NREM), 318
Non-treatment-seeking family members, 156–157
Non-treatment-seeking unrelated individuals, 157
Norepinephrine (NE), 80, 187
Normative life events, 29, 32
Nortriptyline, 163

Obama, Barack, 168, 169
Obesity, 128–143
Americans food intake, 133
bariatric surgery, 137–138
and binge eating disorder (BED), 134
cancer, 274
classification, 128–129
consequences, 130–131
definition, 128
direct measurement, 128
economic costs, 132
environmental contributors, 132–133
epidemiology, 129
evolutionary advantage backfires, 134
Framingham Heart Study, 134
genetic contributors, 132
hypertension, 355
lifestyle interventions, 135–136
long-term outcome, strategies for, 138–139
management, 140–141
medications, 134
mental disorder, 134–135
National Health Examination Survey (NHES), 129
National Health and Nutrition Examination Surveys (NHANES), 129
and overweight
by gender, 129
by race/ethnicity, 129
pharmacotherapy, 136–137
prevention, 141–142
psychosocial consequences, 131–132
social networks, 134
spinal cord injury, 398, 404
toxic environment, 133–134
treatment, 135
weight loss maintenance
correlational studies, 139
randomized trials, 139–140
WHO classification system, 129
Objective risk, 34
Objective *versus* perceived pulmonary function, 108
Obsessive-compulsive disorder, 260
Obstructive sleep apnea (OSA), and obesity, 130
Occupational health psychology (OHP), 564
barriers and goals, 579
cultural issues and dilemmas, 577
ecological dimensions, 565
goodness-of-fit, 567
individual characteristics, 566–567
work environment, 565–566
work–family interface, 567
high-risk work environment, 580
cost savings, 581
suicides, 581
workplace violence, 581
history of, 564–565
Kelly Air Force Base, 576
organizational health
assessment, surveillance, and evaluation, 570–572
individuals function, 569
OHC (*see* Organizational health centers (OHC))
programs, 569
scientist–practitioner model, 570
transactional-ecological perspective, 569
preventive health management, 567–568
service-oriented networks, 578
chaplains office, 579
Civilian Transition Office (CTO), 579
Integrated Delivery System (IDS) team, 578
Kelly Action Information Board (KAIB), 578
United Way, 579
training
academic education, 576
definition, 575
dimensions, 575
multidisciplinary approach, 575
risk factors, 575
Transition Life Advisor (TLA) Program, 580
transition process, 577–578
workforce composition, 577
Operant conditioning, in asthma, 107

- Opioids, 250
- Optimism, and immune function, 85
- Optimistic coping style, 59
- Organizational health centers (OHC)
 - chief psychological officer, 573
 - collaboration to protect people, 574
 - consultation, 574
 - data-based programming, 573
 - effective integration, 573
 - functions, 573
 - information broker, 574
 - objectives, 572
 - surveillance, monitoring, and evaluation, 575
 - training and prevention, 574
 - worksite support, 574
- Orlistat, side effects of, 136
- Ornish diet, 596
- Osteoarthritis (OA), 183–184
 - demographic and risk factors, 183
 - disease process, 183
 - genetic factors, 183–184
 - onset and course, 183
 - symptoms, 183
- Osteopathy, 587–588
- Oswestry Disability Index, 308
- Pain
 - acute pain, 292
 - catastrophizing, 192
 - chronic pain (*see* Chronic pain)
 - spinal cord injury, 395–396, 404
- Pain Behavior Checklist, 309
- Pain system, 188–190
 - acute pain pathway, 189
 - less direct pathway, 189
- Panic disorder (PD)
 - and asthma, 112
 - headache, 260
 - psychological comorbidity, 369
- Panic-fear, in asthma, 115–116
- Papworth method, 119
- Paradoxical sleep, 318
- Paraplegia, 389
- Parasympathetic nervous system (PNS), 81
- Patient Health Questionnaire-9 (PHQ-9), 400
- Patient Perception of Migraine Questionnaire revised (PPMQ-R), 252
- Patient Protection and Affordable Care Act, 168
- Patient Report Outcomes Measurement Information System (PROMIS), 405
- Perceived *versus* objective pulmonary function, 108
- Percutaneous coronary interventions (PCI), 349
- Percutaneous transluminal coronary angioplasty (PTCA), 344
- Peripheral bloodstream stem cell transplantation (PBSCT), 274
- Pharmacotherapy, and obesity, 136–137
- Phosphodiesterase 5 inhibitors, 396
- Physical activity *versus* body weight, 134
- Physical health issues
 - breast cancer, 480–481
 - chronic conditions, 483
 - arthritis, 483
 - fibromyalgia, 483–484
 - osteoporosis, 484
 - chronic obstructive pulmonary disease (COPD), 481
 - coronary heart disease (CHD), 478–479
 - HIV/AIDS, 481–482
 - intimate partner violence (IPV), 482–483
 - lung cancer, 480
 - stroke, 481
- Piper methysticum*, 594
- Pittsburgh Healthy Heart Project, 347
- Pittsburgh Sleep Quality Index (PSQI), 328
- Polysomnography (PSG), 327–328
- Population aging
 - chronic diseases, 466
 - collaborative care, 468
 - components, 467
 - health service utilization, 468
 - life-threatening event, 468
 - monitoring physiologic parameters, 467
 - multiple lifestyle changes, 466
 - self-efficacy, 468
 - self-management
 - behavioral management intervention, 469
 - definitions, 467
 - Hypertension Intervention Nurse Telemedicine Study (HINTS), 469
 - Internet-based chronic disease program, 469
 - registered nurse (RN) care managers, 469
 - role of health, 470
 - self-monitoring and technical skills, 467
- Positive affect, 84–86
- Positron emission tomography (PET), 153, 368
- Postpartum reactions
 - care providers, 490
 - depression, 489
 - dysphoria, 489
 - psychosis, 490
 - psychosocial factors, 489
- Posttraumatic growth (PTG), 402
- Posttraumatic Growth Inventory (PTGI), 41
- Posttraumatic stress disorder (PTSD)
 - spinal cord injury, 401
 - stressful life events, 39–40
- Post-Traumatic Stress Disorder Reaction Index-Child Version, 40
- Potential reduced-exposure products (PREPs), 169
- Pressure sores, 393–394
- Primary appraisals. *See* Demand appraisals
- Primary care, 512
 - ascertain personal fit, 523
 - barriers, 522
 - behavioral health problems
 - anxiety, 524–525
 - depression, 523–524
 - eating disorders, 526–527
 - nonadherence, 527
 - substance abuse, 525–526
- Committee of Professional Practice Task Force, 514
 - consultation, 517–518
 - cost offset effect, 516
 - culture and customs, 522
 - definition, 512
 - effective consultative relationships, 518
 - empirically based perspective, 523
 - factors, 515, 518
 - integrated and collaborative health care, 517
 - interprofessional collaboration, 517
 - medical problems
 - hypertension, 528–529

682 Subject Index

- Primary care (*continued*)
 - insomnia, 531–532
 - obesity, 529–530
 - pain, 530–531
 - type 2 diabetes, 527–528
 - medicine
 - component, 513
 - model, 513
 - providers, 514
 - psychological problems, 513
 - specialty care, 513
 - mental health difficulties, 515
 - model, 515–516
 - practice setting development, 517
 - proactive model, 516
 - problems, 521–522
 - roles and functions
 - administrator, 521
 - clinician, 520–521
 - consultant, 521
 - researcher, 519–520
 - teacher, 519
 - rules of thumb, 518, 519
 - training, 516
- Primary care settings and HIV prevention, 222–223
- Primary interventions, 568
- Primary prevention, of HIV, 220–230
- community-based programs, 226–228
 - community-wide and network approaches, 227–228
 - small-group approaches, 226–227
 - mental health-care settings, 223–224
 - primary care settings, 222–223
 - school-based interventions, 225–226
 - sexual health settings, 220–222
 - family planning clinics, 222
 - STD clinics, 221–222
 - voluntary counseling and testing (VCT), 220–221
 - structural interventions, 228–230
 - condom policies, 229
 - mass media, 228–229
 - national prevention strategies, 229
 - needle exchange programs, 229
 - substance abuse treatment settings, 224–225
- Proactive coping, 59
- Problem-focused coping, 58
- Problem-solving therapy (PST)
- in asthma, 117–118
 - cancer for both patients, 279–280
 - for caregivers, 285–286
- Progressive-muscle relaxation, 278
- insomnia, 331
 - recurrent headache disorders, 256
 - training for asthma, 118
- Proton-pump inhibitor (PPI), 374
- Psychoanalytic theory, and asthma, 108–109
- alexithymia, 109
 - repressive-defensive coping style, 109
- Psychological interventions, for asthma, 116–120
- education, 116–117
 - biofeedback techniques, 119
 - breath control techniques, 118–119
 - complementary and alternative medicine, 119–120
 - lifestyle changes, 119–120
 - motivational interviewing (MI), 117
 - problem-solving therapy, 117–118
 - progressive muscle relaxation training, 118
 - psychotherapy and hypnosis, 118
 - reviews, 120
 - written emotional expression exercises, 118
- Psychological interventions, on immune system, 91–94
- in chronic disease, 93–94
 - cancer, 93
 - HIV, 94
 - classical conditioning, 91
 - complementary and alternative medicine (CAM), 92
 - emotional disclosure, 91–92
- Psychoneuroimmunology (PNI), 79–95
- academic examination stress, 82–83
 - acute stress, 81–82
 - chronic stress, 83–84
 - individual psychological differences, 84–87
 - meditation practice, 92
 - psychological interventions, 91–94
 - relaxation response, 92
 - and social relationships, 87–91
 - stress-immune bidirectional pathways, 79–81
- Psychosocial and economic impact, of HIV, 219–220
- Psychosocial consequences, of obesity, 131–132
- Psychotherapy, and asthma, 118
- Pulmonary function
- and mood, 111
 - objective *versus* perceived, 108
 - suggestion effects on, 107–108
- Pure menstrual migraine (PMM), 249
- Quadriplegia, 389
- Quality of life (QoL), spinal cord injury, 401
- Race-ethnicity
- behavioral risk and protective factors
 - alcohol abuse, 542–543
 - diet, 541
 - physical activity, 541–542
 - sexual behavior, 542
 - social support, 543–544
 - tobacco use, 540–541
 - biobehavioral risk actors, 544
 - health status, 539–540
- Radiotherapy, 273
- Random controlled trial (RCT), 372
- Rapid-eye-movement (REM) sleep, 318
- Relationship-focused coping, 65
- Repressive coping style, 59
- Repressive-defensive coping style (asthma), 109
- Resilience
- meaning, 40, 41
 - and posttraumatic growth, 40–41
 - spinal cord injury, 401–402
- Resource appraisals, 31
- Respiratory resistance biofeedback, and asthma, 119
- Response-based perspective, of stress, 29–30
- Rheumatoid arthritis (RA), 184–185
- demographic factors, 185
 - disease process, 184–196
 - genetic factors, 185
 - onset and course, 184
 - symptoms, 184
- Rimonabant, 164
- Risk perception, and stress, 34–35

- Roland-Morris Disability Scale, 308
 Roux-en-Y gastric bypass, 138
 Rudd Center for Food Policy and Obesity, 142
- Safer sex skills building (SSSB) program, 224
 Sarcoma, 271
 School-based interventions, and HIV prevention, 225–226
 Secondary appraisals. *See* Resource appraisals
 Secondary interventions, 568
 Secondary prevention, and HIV care, 230–236
 antibody testing, 230
 critical issues, 230–231
 historical and psychosocial context, 230–231
 medication adherence, 233–236
 behavioral interventions, 234–235
 nature and scope of problem, 234
 risk-reduction among persons with HIV, 235–236
 psychological intervention needs, 231–233
 coping interventions and health, 232–233
 HIV-related stressors, 232
 Selective interventions, 421
 disease-related pain
 chronic and recurrent abdominal pain, 425–426
 sickle cell disease (SCD), 424–425
 pain and distress management, 423–424
 treatment adherence
 adolescent sample, 422
 BFST-D, 423
 family factors, 422
 impact of, 421
 multicomponent, 423
 multisystemic therapy (MST), 423
 self-reports, 421
 Selective serotonin reuptake inhibitors (SSRIs), 164
 Selegiline, 164
 Serotonin, 189, 367–368
 Sexual health settings, of HIV, 220–222
 family planning clinics, 222
 STD clinics, 221–222
 voluntary counseling and testing (VCT), 220–221
 Sexually transmitted disease (STD) clinics, 221–222
 Sickle cell disease (SCD), 424–425
 acute and chronic pain, 424
 cognitive behavioral approaches, 424
 complications of, 424
 multicomponent pain, 425
 pain coping strategies, 424
 Sleep
 biopsychosocial determinants of
 age and maturation, 319
 circadian and homeostatic factors, 319
 lifestyle and environmental factors, 320
 medical conditions and drugs, 320
 psychosocial stressors, 320
 insomnia (*see* Insomnia)
 nature of, 318–319
 sleep deprivation, consequences of, 320–321
 Slow-wave sleep, 318
 Small-group approaches, and HIV prevention, 226–227
 Smoking cessation, pharmacogenetic investigations of, 156
 Social connectedness, 89
 Social integration
 CRP, 88
 definition, 88
 and gender difference, 88
 and infectious disease, 88
 inflammation, 88
 and social relationships, 88
 Social networks, and obesity, 134
 Social Readjustment Rating Scale (SRRS), 35, 45
 Social relationships
 and asthma, 116
 main effects model, 87
 and psychoneuroimmunology (PNI), 87–91
 in disease progression, 90–91
 loneliness, perceptions of, 89
 marital quality and interaction, 90
 social integration, 88
 social support, 88–89
 stress-buffering model, 87
 Social support, 57
 cardiovascular function
 buffering effect, 67
 inflammatory markers, 67
 categories, 66
 with disease progression and mortality
 coronary disease, 69–70
 HIV/AIDS, 69
 pulmonary disease, 70
 rheumatoid arthritis, 70
 and disease recovery, 69
 endocrine functioning, 68
 immune functioning, 68
 main effect model, 67
 mechanisms, 73
 negative and positive support, 67
 perceived support, 66
 and psychological adaptation, 71
 cancer, 71–72
 HIV/AIDS, 72
 rheumatoid arthritis, 72
 and social relationships, 88–89
 Sociodemography, 538
 biobehavioral factors, 548–549
 ethnicity (*see* Race-ethnicity)
 ethnic minorities, 544
 dietary interventions, 545
 physical activity interventions, 545
 smoking interventions, 545
 gender
 behavioral factors, 546–547
 biological factors, 546
 mortality ratios, 545
 psychosocial factors, 547–548
 socioeconomic status (SES), 550
 assessment of, 550
 and biobehavioral risk and protective factors, 552
 and health status, 551
 interactions of ethnicity and health, 551–552
 and prevention and intervention approaches, 552
 and psychosocial risk factors, 552
 Socioeconomic status (SES), 550
 assessment of, 550
 and biobehavioral risk and protective factors, 552
 cancer, 275
 definition, 496
 ethnicity, 496
 gender differences, 496
 and health status, 551

684 Subject Index

Socioeconomic status (SES) (*continued*)

- hypertension, 353
- interactions of ethnicity and health, 551–552
- mental health, 497–498
- and physical health, 497
- and prevention and intervention approaches, 552
- and psychosocial risk factors, 552

Soft tissue therapies

- aromatherapy, 597
- energy mobilization, 597
- massage, 597
- myofascial release and rolfing, 597
- reflexology, 597

Somatization disorders

- esophageal disorders, 375
- irritable bowel syndrome, 370

Sophisticated school-based programs, for HIV prevention, 238

Spinal cord injury (SCI)

- anatomy and classification of, 389
- anxiety, 400
- Department of Veterans Affairs, 405
- depression, 399–400
- epidemiology of
 - age, 391
 - development and aging, 392
 - educational and occupational status, 392
 - ethnicity, 391
 - etiology, 391
 - gender, 391
 - marital status, 392
 - mortality, 392–393
- functional goals, 390–391
- participation and access to environment, 402–403
- posttraumatic growth, 402
- posttraumatic stress disorder, 401
- PROMIS, 405
- psychological intervention research
 - cognitive-behavioral therapies, 403
 - family caregivers, 403
 - health promotion interventions, 404
 - obesity, 404
 - pain therapies, 404
- quality of life, 401
- resilience, 401–402
- secondary complication
 - concomitant head injuries and cognitive impairment, 397
 - contractures, 395
 - obesity, 398
 - pain, 395–396
 - pressure sores, 393–394
 - sexuality and reproductive health, 396–397
 - spasticity, 395
 - urinary tract infections, 394

Squamous cell carcinomas (SCC), 86

Standardized Event Rating System (SERATE), 36

State-Trait Anxiety Inventory, 329

Stimulus-based perspective, of stress, 30

Stimulus control therapy, 332

St. John's wort (SJW), 594

Stomach stapling. *See* Vertical banded gastroplasty (VBG)

Strain, 29–30, 35

Stress

- active, unfolding process, 30
- antecedents, 31
- autonomic nervous system and inflammatory processes, 113

bereavement, 29

challenge, 31

conjugal bereavement, 41

context, 30

coping with, 37

and coping theory, 31

coronary heart disease

- cardiovascular reactivity, 341–342
- heart rate variability, 342–343
- naturally occurring stress, 341
- psychological distress, 343–344

definition, 29, 30, 186

disasters, 29

exhaustion stage, 30

harm/loss, 31

health, 29

health-compromising behaviors, 37

hypertension, 352–353

illness, 29

inflammatory bowel diseases, 377–378

irritable bowel syndrome

- life events and experience, 369
- physiological arousal, 368

mediating processes, 31

negative affect, 38

perceived controllability, 34

phases, 37

physiological changes, 37

process, 30

resistance stage, 30

self-efficacy, 41, 47

terror, 29

threat, 31

transaction, 30

war, 29

well-being, 29

Stress-buffering hypothesis, 67

Stress-buffering model, and social relationships, 87

Stress-diathesis model, 182

Stressful life events, 29–52

age, influence on, 51

assessment, 35–41

and disasters, 31–35

characteristics, 32

controllability, 34

impact of, 33

risk, 34–35

type of disasters, 32–34

ethnicity, and culture, 50

future directions, 51–52

gender differences, 49

health outcomes, 37–41

posttraumatic stress disorder (PTSD), 39–40

resilience and posttraumatic growth, 40–41

research examples, 41–48

conjugal loss and bereavement, 45–46

maladjustment after traumatic stress, 47

natural disasters, 42–43

posttraumatic cognitions in stress, 46–47

psychological and physiological changes, 48

technological disasters, 43

war and terrorism, 43–45

theoretical perspectives, 29–31

cognitive-transactional process perspective, 30–31

- response-based perspective, 29–30
- stimulus-based perspective, 30
- Stressful reproductive health issues
 - infertility
 - depression, 491
 - gonorrhea, 490
 - psychological interventions, 492
 - societal norms, 491
 - worldwide estimates, 490
 - miscarriage
 - anxiety symptoms, 493
 - depression, 492
 - postloss mental health screening methods, 493
 - risk factors, 492
 - postpartum reactions
 - care providers, 490
 - depression, 489
 - dysphoria, 489
 - psychosis, 490
 - psychosocial factors, 489
- Stress-immune bidirectional pathways, 79–81
 - autonomic nervous system, 80–81
 - hypothalamic-pituitary-adrenal (HPA) axis, 79–80
- Stress management interventions
 - diabetes, 210
 - living with HIV, 233
- Stress management training (SMT), 349
- Stressor, 29–30
- Stress proteins, 203
- Stress response, and nociception, 189
- Stress-sensitive systems, 186–190
 - HPA axis, 186–187
 - immune system, 187–188
 - pain system, 188–190
 - SAM axis, 187
- Stroke
 - gender differences, 481
 - and obesity, 130
- Structural interventions, and HIV prevention, 228–230, 238–239
 - condom policies, 229
 - mass media, 228–229
 - national prevention strategies, 229
 - needle exchange programs (NEP), 229
- Structural support, 66
- Substance abuse treatment settings, and HIV prevention, 224–225
- Sudden infant death syndrome (SIDS), 159
- Suicide, cancer patients, 276
- Survey of Health, Ageing, and Retirement in Europe (SHARE), 347
- Sympathetic-adrenal-medullary (SAM) axis, 187
- Sympathetic nervous system (SNS), 80–81
- Symptom Checklist-90 (SCL-90), 293
- Syndrome X. *See* Metabolic syndrome, and obesity
- Systolic blood pressure (SBP), 342
- Tactile therapies
 - definition, 597
 - soft tissue, 597–598
- Tai Chi intervention, 92
- Technological disasters
 - graphical representation, 33
 - and stress, 43
- Tenodesis, 395
- Tension-type headache (TTH)
 - behavioral and pharmacologic treatments, meta-analyses of, 254
 - EMG biofeedback, 259
 - pathophysiology, 249
 - subtypes, 249
- Tertiary interventions, 568
- Tetraplegia, 389
- Therapeutic lifestyle change (TLC), 596
- Thiopurines, 379
- Tobacco, 274
- Tobacco prevention, in youth, 161–166
 - cessation treatment methods, 162–165
 - behavioral treatments, 162
 - novel and emerging therapeutics, 163–165
 - pharmacological treatments, 162–163
 - combined treatments, 165–166
- Tobacco Products Scientific Advisory Committee, 170
- Toronto Alexithymia Scale, 109
- Toxic environment, and obesity, 133–134
- Traditional Chinese medicine (TCM)
 - causes of disease, 590
 - clinical applications, 591–592
 - qi*, 590
 - therapeutic approaches, 590–591
 - yin and yang, 590
- Transcutaneous electrical nerve stimulation (TENS), 293
- Transition Life Advisor (TLA) Program, 580
- Transmission and natural course, of HIV, 219
- Trauma, 41
- Traumatic brain injury (TBI), 397
- Traumatic stress, maladjustment after, 47
- Traumatic Symptom Inventory, 42
- Trier Social Stress Test, 82, 342
- Triptans, 250
- Tumor necrosis factor-alpha (TNF- α), 379
- Type 1 diabetes, 200
- Type 2 diabetes, 201
- Type 2 diabetes, and obesity, 130
- U.K. Stop Smoking Services, 169
- Ulcerative colitis (UC), 376
- Unconditioned stimulus (UCS), 91
- Universal interventions
 - in primary care settings, 419–420
 - unintentional injury prevention, 420–421
- Upper motor neurons (UMN), 389
- Urinary tract infections (UTI), 394
- Vagus nerve, 81
- Varenicline, 163, 165, 168
- Vegetarian diets, 596
- Venlafaxine, 164
- Vertical banded gastroplasty (VBG), 137
- Vertical sleeve gastrectomy, 137
- Very-low-calorie diets (VLCDs), 139
- Visceral hypersensitivity, 367
- Voluntary counseling and testing (VCT), 220–221
- Weight Control Registry (NWCR), 139
- Weight loss maintenance
 - correlational studies, 139
 - strategies, 139–140
 - extended treatment, 139–140
 - very-low-calorie diets, 139
- Weight Loss Maintenance Randomized Controlled Trial, 140

686 Subject Index

- Western systems of healing
 - chiropractic medicine, 588
 - homeopathy
 - advantages, 586
 - clinical applications, 586
 - therapeutic approaches, 586
 - osteopathy, 587–588
- WHO Framework Convention on Tobacco, 166
- Wisconsin Inventory of Smoking Dependence Motives (WISDM), 160–161
- Women's health, 477
 - health care, 493
 - advanced technology and decision making, 495
 - insurance, 493
 - internet support and information seeking, 495–496
 - relation with providers, 494–495
 - mental health issues (*see* Mental health issues)
 - physical health issues (*see* Physical health issues)
 - roles, 498
 - enhancement hypothesis, 498
 - ethnic minority populations, 499
 - scarcity hypothesis, 498
- socioeconomic status (SES)
 - definition, 496
 - ethnicity, 496
 - gender differences, 496
 - mental health, 497–498
 - and physical health, 497
- stressful reproductive health issues (*see* Stressful reproductive health issues)
- Women's reproductive health, and obesity, 131
- Work stress, type 2 diabetes, 204
- Workaholism, 567
- World Health Organization, 398
- World Trade Center Health Registry (WTCHR), 44
- Written emotional expression exercises for asthma, 118
- Zingiber officinale, 593