

Subject Index

- 9/11, 149
"35 Years Working with Suicidal Patients: Lessons Learned," 297
- Abstinence, MET and, 169–170
Abstract ability, 66
Abstraction, selective, 194
Abuse history, discussing, 61
Acceptance, principle of general, 7
Action, consequences of, 169
Activation, direct, 185
Activity schedules, 198
Addressing Cultural Complexities in Practice: A Framework for Clinicians and Counselors, 268
Advisors, 257–258
Advocates, 258
Affect, mental status exam and, 65
African American clients:
 cycle of poverty and, 247
 diversity issues, 265–266
 issues related to, 361–362
 MCT and, 247, 254, 256
 psychopharmacology, 324–325
 therapeutic alliance and, self-disclosure, 42
Ageism, 245
Aggression, 186
Alcoholics Anonymous (AA), 73, 174
Alienation, parental, 7
Alliance ruptures, empirically supported relationship variables, 23
Alternative medication, 321–323
American Counseling Association, evidence-based guidelines and, 2
American Indian clients, 271
 assertion training, 187
 drop-out rates, 247
 issues related to, 363–364
 suicide and, 292
American Psychiatric Association:
 evidence-based guidelines and, 2
 guidelines, 10–11
 psychoeducation and, 45
American Psychological Association:
 Division 29 Psychotherapy Task Force, 8, 22
 ESTs and, 8
 evidence-based practice and, 2, 19, 22
Anorexia:
 conceptualization of treatment goals, 79
 object relations theory, 92
Anticholinergic side effects, 341
Anticonvulsant medications, 345
Antidepressants:
 atypical, 336–337, 342–343
 tricyclic (TCAs), 334
Antipsychotics:
 atypical, 342–343, 385–386
 conventional, 341–342
 depot, 341
Anxiety disorders:
 medications used with, 337–340, 383
 rationale for CBT and, 46
Argumentation, avoiding, 161.
 See also Interpersonal conflicts
Asian American clients:
 assertiveness training, 188
 issues related to, 365–366
 suicide and, 291–292
Assertiveness training, 186–188, 198
Assessment:
 contextual and collaborative, 53–59
 diversity considerations, 62, 64–67
 intake interviews, 59–62, 63–64
 MET and pretreatment, 166
 See also Emergency situations; Intake Assessment Form; Interview, assessment
Assimilation, diversity sensitive therapy and, 12
Attachment:
 IPT and, 124
 reactive, 6
 separation process, 92
Attention-Deficit/Hyperactivity Disorder (ADHD), 327
 social skills training, 185
 medications used with, 345–348, 384
Attribution error, 28
Automatic thoughts, CBT and, 193–194
Aversive stimulus, operant conditioning theory, 183–184
Awareness, Gestalt therapy, 152–153
Beck Depression Inventory:
 CBT for depression and, 206
 ESTs and, 9
Beck, Aaron, 189. *See also* Depression, CBT and
Behavioral activation therapy, 185
Beliefs, basic. *See* Schema
Biosocial theory of borderline personality disorder, 224

- Bipolar disorder, medications
used with, 343–345, 382
- Birth order, 28
- Black box drug warning, 210
- Blank screen, psychodynamic
approach, 96
- Blunt affect, 65
- Book, Howard E., 105
- Borderline personality disorder:
underlying assumptions
about, 228
See also Dialectical behavior
therapy (DBT)
- Braun, Bennett, 9
- Brief psychodynamic model:
focused, 85
managed care and, 4
See also Core conflictual rela-
tionship theme (CCRT)
therapy
- Bulimia:
cognitive-behavior therapy,
19
interpersonal therapy for, 19
- Cain, David J., 149
- Cancer, classical conditioning
theory and, 179
- Change plan worksheet, 170–
171
- Change, stages of, 23
- Chemical abuse, ESTs and, 8
- Chemotherapy, 179
- Children:
psychodynamic theory and
development of, 86–87
psychopharmacology, 327
- Chinese American clients:
MCT and, 250
suicide and, 291
- Choice, humanistic theories
and, 140
- Classical conditioning theory,
178–179
therapeutic strategies based
on, 180–183
- Client:
attitude towards (*see* Thera-
pist, assessment of)
defining role of, 129
metaphors, 48–49
resources and treatment out-
comes, 24
- Client-centered approach:
vs. MET, 158, 159
See Humanistic theories, client-
centered approach
- Clinical assessment. *See* Assess-
ment, contextual and
collaborative
- Cognitive empathy. *See* Empa-
thy, cognitive
- Cognitive restructuring, 181, 198
- Cognitive therapy, 192–193,
194–195
assumptions of, 193–194
Cognitive Therapy of Depression,
202
*Cognitive Therapy of Personality
Disorders*, 202, 223
- Cognitive-behavioral therapy
(CBT), 1–2, 177–178,
189–195
Beck's cognitive therapy,
192–193
approach to, 194–195
assumptions, 193–194
diversity issues, 197–199
IPT and, 124
MCT and, 247
MET and, 173, 174
REBT and
assumptions, 190–191
emotional disturbances,
191–192
research, 195–197
therapeutic alliance and,
35–36, 37
See also Assertiveness training;
Classical conditioning
theory; Depression, CBT
and; Operant condition-
ing theory; Social learn-
ing theory
- Cohesion, 23
- Collaboration:
CBT for depression and, 206
DBT and, 226
empirically supported rela-
tionship variables, 23
See also Assessment, contex-
tual and collaborative
- Collaborative conceptualization
model, 81–84
- Collaborative discovery, 195,
196
- Collaborative relationship,
38–40
- Collectivism, MCT and, 246
- Columbine High School, 302
- Common factors, therapist-
client relationship and,
24–25
- Compliance, pharmacological
management, 314
- Compulsions, diagnosing, 70
- Conceptualization, 69. *See also*
Goals, conceptualization
and treatment
- Conditioned stimulus (CS),
178–179
- Confirmatory strategy, 9–10,
27–28
- Conformity, MCT and, 251–
252, 255
- Congruence:
empirically supported rela-
tionship variables, 23
humanistic theories and, 143
- Connectedness, 36
- Consciousness, liberation of,
259–260
- Consent, informed, 323
- Constructionist stance, 26
- Consultants, 258
- Contextual viewpoint, 56
- Contracts:
IPT treatment, 131–132
suicide-prevention, 295
- “Coping with Depression,” 209
- Coping style, 23
- Core belief. *See* Schema
- Core conflictual relationship
theme (CCRT) therapy,
2, 86, 95, 105–106
evaluation, 120–121
identifying, 110–113
recommended readings, 122
self-analyzing, 113
supportive elements, 108–
110
theoretical basis, 106–108
therapeutic goals, 114–115

- three phases, 117–120
- transparency, 116–117
- Counseling the Culturally Diverse*, 268, 271
- Countertransference:
 - empirically supported relationship variables, 23
 - management of, 43
 - psychodynamic approach, 99–100
 - temptation, 96–97
- Couples therapy, emotionally-focused for, 19
- Crohn's syndrome, 29
- Cross-race therapy dyads, 266
- Cultural and diversity issues, 11–12, 263–264
 - acknowledging differences, 264–267
 - case conceptualization, 273–276
 - contextual framework, 14
 - cultural competence, 273
 - evidence-based practice, 15–16
 - guidelines, 13–14
 - population-specific approaches, 12–13
 - specific populations, 267–272
 - supervision, 276–277
 - worldview and values, impact of, 14–15
- Cultural identity, 275
 - MCT and, 250–251
- Culture-bound syndromes, 256–257
- Culture-sensitive therapies, 1, 2–3
- Daubert Standard, 7
- Death, existential therapy and, 148–149
- Decision-making balance sheet, 166, 167
- Deficits, interpersonal, 135
- Depression:
 - assessing, 129–130
 - brief dynamic therapy for, 19
 - CBT and, 201–202
 - assessment, 206, 208
 - Beck's theory, 202–204
 - collaboration, impediments to, 206, 207
 - components, 204–205
 - initial interview and introduction, 208–211
 - recommended readings, 221–222
 - structure and format agenda, 212–213
 - behavioral activities, 213–216
 - check-in, 211–212
 - evaluation, 219–221
 - interventions, 216–219
- connecting to interpersonal context, 130
- ESTs and, 8
- intervention techniques, 132–133
- medications used with, 329, 331–333, 379–381
 - atypical antidepressants, 336–337
 - MAOIs, 335–336
 - SSRIs, 334–335
 - TCA's, 334
- therapeutic intervention, 184–186
- See also* Interpersonal therapy (IPT)
- Desensitization therapy, 180, 182–183
- Diagnosis:
 - CCRT and, 117–118
 - managed care and, 4
 - using *DSM-IV-TR*, 69–77
- Diagnostic overshadowing, 28
- Dialectic dilemmas, 225
- Dialectical behavior therapy (DBT), 212, 223–224, 226–229, 296–297
 - core mindfulness skills, 231–234
 - evaluation, 240–242
 - goals, 229–230
 - intervention strategies, 231
 - recommended readings, 242–243
 - theory and conceptualization, 224–226
 - treatment process, 234–238
 - specific strategies, 238–240
- Diathesis-stress model, 202–203
- Dichotomous thoughts, 194
 - borderline personality disorder and, 10–11
- Disabilities, issues related to, 377–378
- Discontinuation syndrome, 332
- Discrepancy, developing a, 161
- Dispute, interpersonal, 128
- Dissonance, MCT and, 252, 255
- Distortions, cognitive, 193, 194
- Diversity issues. *See* Cultural and diversity issues
- Diversity-sensitive therapies. *See* Culture-sensitive therapies
- Doses, therapeutic and titration, 309
- Dream analysis, 97–98
- Drive theory, 87, 88, 91
- Drug-drug interactions, 312
- Drug incompatibility, 312
- Eastern philosophy, 226
- Eclectic theory, 1–2
- Elderly:
 - issues related to, 375–376
 - psychopharmacology, 326
- Electra complex, 88
- Ellis, Albert, 189
 - ABC Theory of Human Disturbance, 191–192
 - CBT for depression and, 220
- Emergency situations, 279–280
 - angry or potentially violent clients, 301–304
 - best practices, 292–301, 304–306
 - plans for work setting, 282
 - prior histories, assessing, 282–283
 - responses
 - assessing, 283–292
 - understanding, 280–282
- Emotional bond. *See* Therapeutic alliance, emotional or interpersonal bond
- Emotional mind, 231

- Emotional regulation skills. *See* Mindfulness, emotional regulation skills
- Empathy:
 accurate, 146
 cognitive, 41–42
 DBT and, 227
 empirically supported relationship variables, 23
 expressing, MET and, 160–161
 humanistic theories and, 144–145, 146–147
 therapeutic alliance and, 40–43
- Empirically supported treatments (ESTs), 8–9, 19–21
- Empiricism, collaborative, 196
 CBT for depression and, 202, 205
- Empty chair, 153
- Enactments, CCRT and, 116, 117
- Engagement strategies, 198
- Environment:
 invalidating, 225–226
 pathognomonic, 242
 problems with, 73, 74, 76
- Episodes. *See* Relationship episodes (REs)
- Essential Components of Cognitive-Behavioral Therapy for Depression*, 202
- Ethnic-matching, 261–262
- Evidence-based practice guidelines
- Evidence-based practice, 1, 2, 6–11
 cultural and diversity issues, 15–16
- Exaggeration, Gestalt therapy and, 153
- Existential therapy, 1–2, 147–152, 156
- Expectancy effect, 312
 treatment outcomes and, 25–26
- Exposure therapy, 180–182
- Expressive techniques, 109–110
- External factors, treatment outcomes and, 24
- Extinction:
 classical conditioning theory and, 179
 operant conditioning theory, 183–184
See also Exposure therapy
- Extrapyramidal side effects, 341
- Extratransference situations, 99
- Faith, treatment outcomes and, 25–26
- Falsifiability, 7
- Fears, classical conditioning theory and, 179
- Feedback:
 empirically supported relationship variables, 23
 MET and, 166
The Feeling Good Handbook, 209
- Feminism, 251
- Flat affect, 65
- Flooding, 180
- Folk healing, 321–323
- Food and Drug Administration (FDA), 309–310
- Frankl, Viktor, 148, 150
- Free association, 97
- Freedom:
 existential therapy, 149
 humanistic theories and, 140
- Freud, Sigmund:
 psychodynamic approach, 87
 dream analysis, 97
 therapeutic alliance and, 37
- Frye standard, 7
- Functional impairment, 23
- Gender:
 bias
 assessment and, 55
DSM-IV-TR and, 76
 issues related to, 373–374
 MCT and, 251
 psychopharmacology, 325
- Genuineness:
 empirically supported relationship variables, 23
 therapeutic alliance and, 42
- Gestalt therapy, 1–2, 152–153, 156
- Global assessment of functioning (GAF), 73, 74, 76–77
- Goals:
 conceptualization and treatment, 77–84
 consensus
 empirically supported relationship variables, 23
See also Therapeutic alliance, goal consensus
- Goode, Virgil, 259
- Graded Task Assignment, 213–214
- Grief, IPT and, 128, 134
- Guided discovery, 205
- “Guidelines for Providers of Psychological Services to Ethnic, Linguistic, and Culturally Diverse Populations,” 13, 14
- Hallucinations, command, 284–285
- Headache, behavior therapy for, 19
- Herbal remedies, 349–350
- Heterosexualism: *DSM-IV-TR* and, 76
- Hispanic American clients:
 acknowledging differences, 264–265
 therapeutic alliance and, self-disclosure, 42
See also Latino clients
- Homeopathy, 323
- Homework, therapeutic alliance and, 47–48
- Hope, treatment outcomes and, 25–26
- Hospitalization, suicide and, 281–282
- Humanistic theories, 1–2, 139, 141
 assumptions, common, 140
 client-centered approach, 142–147
 diversity issues, 155–156
 research on, 153–155

- See also* Existential therapy;
 Gestalt therapy
 Hurricane Katrina, 247
 Hypericum perforatum, 349
 Hyperventilation, 181
- Identity development, 251–254. *See also* Cultural identity
- Imipramine, IPT and, 124
- Immersion, MCT and, 252–253, 255
- Immigrant populations, issues related to, 369–370
- In vivo exposure, 181, 182
- Inaction, consequences of, 169
- Indigenous treatments, 269
- Insight:
 mental status exam, 66
 psychodynamic approach, 101
- Intake Assessment Form, 353–360
- Integrative awareness stage, 253–254, 255
- Intelligence, mental status exam, 66–67
- International Society for the Study of Dissociation, 9
- Internships, managed care and, 4
- Interoceptive exposure, 181
- Interpersonal bond. *See* Therapeutic alliance, emotional or interpersonal bond
- Interpersonal conflicts: IPT and, 134
- Interpersonal psychotherapy (IPT), 1–2, 8–9, 85–86, 123–124
 depression, treatment of, 127–135
 evaluation, 136–137
 recommended readings, 138
 psychodynamic approach, 95
 theory of, 124–125
 therapeutic alliance and, 35–36
 therapist role and strategies, 126–127
- Interpretations:
 empirically supported relationship variables, 23
 managed-care requirements and, 5
- Interpreters, working with, 270. *See also* Language
- Interventions:
 choosing relevant, 44–45
 evaluating effectiveness, 49
 psychoeducation, 45
 rationale, 45
 selecting a strategy, 46–47
 treatment outcomes and, 25
- Interviewing:
 assessment, CCRT and, 117–118
 CBT for depression and initial, 208–211
 intake, 59–62, 353–360
 motivational, 2, 158
 principles of, 160–162
 stages of change, 158–160
 techniques, 4
- Introspection, 253, 255
- Intuitive knowing, 231
- Isolation:
 existential therapy, 149
 IPT and, 128
- Journal of American Medical Association, 259–260
- Judgmental heuristics, 28
- Junk science, 7
- Knowledge, fund of, 66
- Labile, emotionally, 65
- Language:
 use of, Gestalt therapy and, 153
See also Interpreters, working with; Translation services
- Lasker Award for Clinical Research, 189, 201
- Latino clients:
 IPT and, 137
 issues related to, 367–368
See also Hispanic American clients
- Lazarus, Arnold, 17
- Lewinsohn, Peter, 184–185
- Lithium, 344–345
- Logotherapy, 150
- Luborsky, Lester, 105
- Managed care, 1
 impact of, 3–6
Man's Search for Meaning, 148
- Marital therapy:
 behavioral therapy for, 19
 ESTs and, 8
- Mastery and Pleasure Schedule, 213, 214
- McGrath, Mary, 35
- Meaning, humanistic theories and, 140
- Meaninglessness, existential therapy and, 149
- Medical conditions, general, 73, 74, 75–76
- Medication:
 depression and, 130
 emergency situations and, 285
 practice guidelines and, 10–11
See also Psychopharmacology
- Meichenbaum, Donald, 297
- Memory, mental status exam, 66
- Mental retardation, 73, 74, 75
- Mental Status Exam, 64–67
 CBT for depression and, 206
 CCRT and, 117–118
- Metaphors. *See* Client metaphors
- Microskills, managed care and, 3–4
- Miller, W.R., 157
- Mindfulness, 231, 233
 distress tolerance skills, 233
 emotional regulation skills, 233
 exercises, 232
 interpersonal effectiveness, 234
 PTSD and, 234
 respect for self, 234
 self-management skills, 234
- Mind-reading, 194

- Minimizing, 194
 Minority, principle of respectable, 7
 Modeling, managed-care requirements and, 5
 Monomine oxidase inhibitors (MAOIs), 335–336
 Mood, mental status exam, 65
 Motivational enhancement therapy (MET), 157–158
 alcohol abuse/dependence, 162–163
 change, building motivation for, 163–168
 commitment, strengthening, 168–171
 evaluation, 173–174
 following through, 171–173
 recommended readings, 174–175
 interviewing, 158–162
 Motivational Enhancement Therapy Manual, 162
Motivational Interviewing, 157
 Motivational interviewing. *See* Interviewing, motivational
 Multicultural counseling theory (MCT), 245–248
 evaluation, 260–262
 propositions, 248–260
Multicultural Issues in Counseling, 268
 National Academy of Sciences, 201
 National Association of Social Workers, 2
 National Institute on Alcohol Abuse and Alcoholism (NIAAA), 173
 National Institute of Mental Health Treatment of Depression Collaborative Research Program (NIMH-TDCRP), 51
 IPT and, 124, 125, 127, 136
 Native American clients. *See* American Indian clients
 Naturopathy, 323
 Nazi concentration camps, 150
 Neglect, 225
 Nocebo effect, 311–312
 No-harm agreement, 294–295
 Nonassertiveness, 186
 Nondirective emphasis, 145–146
 Object relations therapy, 85, 90–94
 Obsessions, diagnosing, 70
 Obsessive-compulsive disorder (OCD):
 classical conditioning theory and, 179, 182
 cognitive therapy for, 19
 See also Psychodynamic theory, one-person psychoanalytic theories
 Operant conditioning theory, 183–184
 social skills training, 185–186
 therapeutic intervention, 184–185
 Overgeneralization, 194
 Pain, psychic, 114
 Panic disorder:
 CBT for, 179, 181
 cognitive-behavior therapy for, 19
 Parkinsonism, drug-induced, 341
 Pavlov, Ivan, 178
 Perls, Fritz, 153
 Personality disorders, 73, 74, 75
 Personalizing, 194
 Phobias:
 classical conditioning theory and, 179
 exposure/guided mastery for, 19
 psychodynamic approach, 88
 Physical appearance, 65
 Placebo, 311
 Population-specific approaches. *See* Cultural and diversity issues, population-specific approaches
 Positive regard:
 empirically supported relationship variables, 23
 humanistic theories and unconditional, 144
 therapeutic alliance and, 42
 Posttraumatic stress disorder (PTSD):
 classical conditioning theory and, 179
 cognitive therapy for, 19
 See also Mindfulness, PTSD
 Poverty, cycle of, 247
 Predisposition, biological, 224–225
 Preferences, vs. musts, 190–191
 Presenting problem, intake interviews and, 59–60
 history of, 60
 President's New Freedom Commission on Mental Health, 7–8
 contextual and collaborative assessment, 56
 Probes, cognitive, 216–218
 Progressive wish, 110
 Project MATCH, 173
 Psychodynamic interpersonal psychotherapy (PDIPT), 85, 95
 Psychodynamic theory, 1–2, 85–86
 concepts and techniques, 96–102
 diversity issues, 103–104
 evolution, 86–87
 one-person psychoanalytic theories, 87–90
 research, 102–103
 two-person psychoanalytic theories, 90–96
 Psychoeducation, 45
 panic attacks and, 181
 Psychological disorders, medications used with. *See* *specific disorders*
 Psychopharmacology, 307–308
 borderline personality disorder and, 11
 glossary of terms, 330
 overview of basics, 308–311

- side effects and adverse reactions, 311–313
- role of therapists, 313–321
- special considerations, 321–327
 - See also* Medications
- Psychosocial history, 73, 74, 76
- intake interviews, 60
- Psychosomatic illness, 29
- Psychotic disorders, medications used with, 340–341
- atypical antipsychotics, 342–343
- conventional antipsychotics, 341–342
- Psychotropic medications, 379–386
- Puerto Rican clients, 137
- Punishment, operant conditioning theory, 183–184

- QUOID, 55

- Racism, institutionalized, 271.
 - See also* Multicultural counseling theory (MCT)
- Randall, Elizabeth, 151
- Randomized controlled trials (RCT), 219
- Rational Emotive Behavior Therapy (REBT), 189, 190
 - ABC theory of human disturbance, 191–192
 - assumptions of, 190–191
- Rational emotive therapy (RET), 203–204
- Rationale, therapeutic alliance and, 46
- Raynor, Rosalie, 178
- Reality, subjective, 140
- Reasonable mind, 231
- Reattribution, managed-care requirements and, 5
- Rebirthing therapy, 6, 7
- Reframing:
 - managed-care requirements and, 5
 - MET and, 166
- Regressive wish, 110

- Reinforcers, operant conditioning theory, 183–184
- Relational psychoanalytic theories. *See* Psychodynamic theory, two-person psychoanalytic theories
- Relationship episodes (REs), 107
 - listening and identifying, 109–110
- Repetition compulsion, understanding, 117, 119
- Repetition disorder, therapeutic goals, 114
- Repressed memory, 7
- Reprocessing, DBT and, 230
- Resistance,
 - analysis of, 98
 - empirically supported relationship variables, 23
 - MCT and, 252–253, 255
 - MET and, 161–162
- Respect, therapeutic alliance and, 42
- Response of others (RO), 107, 108, 118–120
 - examples of, 111, 112
 - relationship episodes (REs) and, 109–110
 - self-analysis and, 113
 - therapeutic goals, 114, 115
- Response of self (RS), 107, 108, 118
 - examples of, 111, 112
 - self-analysis and, 113
- Response prevention, 182
- Responsibility, humanistic theories and, 140
- Rogesian theory, 1–2
 - managed care and, 3–4
- Rogers, Carl. *See* Humanistic theories
- Role transitions: IPT and, 128, 133, 134–135

- Schema:
 - CBT and, 193, 202, 203–204
 - change methods, 218–219
- Schizophrenia:
 - suicide and, 291
 - therapeutic alliance, 35

- School shootings, 302
- Scientific model:
 - conducting therapy using, 26–33
 - need for frameworks, 9–10
- Scientific-practitioner collaborative model, 32
- Sculpting, 18
- Selective serotonin reuptake inhibitors (SSRIs), 334–335, 339
- Self-actualization, 142
- Self-correcting strategies, 30–33
- Self-disclosure:
 - empirically supported relationship variables, 23
 - psychodynamic approach, 96–97
 - therapeutic alliance and, 42–43
- Self-efficacy: MET and, 162
- Self-psychology therapy, 85, 91, 94–95
- Serenity, development of connection and, 230
- Serotonin syndrome, 336
- Sexism. *See* Gender, bias
- Sexual abuse:
 - accommodation and, 7
 - object relations theory, 93
- Sexual orientation, 275
 - issues related to, 371–372
- Short-term Psychodynamic Psychotherapy (STPDT), 95
- Short-term therapies, managed-care systems, 1
- Skills Training Manual for Treating Borderline Personality Disorder*, 231, 238
- Skinner, B.F., 183
- Social anxiety:
 - classical conditioning theory and, 179
 - conceptualization of treatment goals, 78
- Social learning theory, 188–189
- Social skills training, 185–186
- Socialization address, 118
- Specificity, managed care and the need for, 6

- Stability, current problematic behaviors, 229–230
- STAR*-D, 333
- Stress, ESTs and, 8
- Structural/ego psychology, 88–89, 91
- Substance abuse:
 - cognitive-behavioral relapse prevention, 19
 - ESTs and, 8
 - intake interviews, history of, 61–62
- Suicide/suicidal ideation:
 - assessment and intervention, 281–282, 283, 285, 287–292
 - best practices, 292–296
 - client input, 297–299
 - impact on therapists, 300–301
 - long-term intervention, 296–297
 - intake interviews, 62, 63–64
 - intervention ideas, 299
 - risk factors, 289–290
- Supervisors, 276–277
- Supportive psychodynamic therapy, 85
- Symptom induction, 181
- Systems/Family systems, 1–2
- Tardive dyskinesia, 342
- Telephone consultation, 235
- Termination, IPT and, 135
- Therapeutic alliance, 35–38
 - borderline personality disorder and, 11
 - CBT for depression and, 204–205
 - DBT and, 236
 - emotional or interpersonal bond, 38–43
 - empirically supported relationship variables, 23
 - goal consensus, 43–44
 - MCT and, 254–256
 - psychodynamic approach, 102
 - relevant interventions, choosing, 44–49
 - supportive elements necessary for, 108–110
 - treatment failure, preventing, 49–52
 - See also* Core conflictual relationship theme (CCRT) therapy; Humanistic theories
- Therapist-client relationship:
 - treatment outcomes and, 24–25
- Therapists:
 - assessment of, 55–56
 - attitude towards client, 56
 - knowledge of client, 57
 - skills, 57
 - identity conflicts, 253–254
 - impact of suicide on, 300–301
 - MCT and roles of, 257–259
 - qualities, humanistic theories and, 140, 142–145
- Thorndike, Edward, 183
- Thought Record, 216–218
- Three Approaches to Psychotherapy*, 153
- Tolerance skills. *See* Mindfulness, distress tolerance skills
- Transference:
 - analysis and managed care and, 5
 - CCRT and, 106, 116–117
 - therapeutic goals, 114
 - psychodynamic approach, 96, 98–99
 - reaction, 107
 - CCRT and, 119
- Translation services, 269–270
- Trauma, vicarious, 281
- Treatment manuals, therapeutic alliance and, 46–47
- Treatment outcomes, factors related to, 23–26
- Tuskegee syphilis study, 325
- Twelve Step Facilitation Therapy (TSF), 173
- Two-person psychoanalytic theories. *See* Psychodynamic theory, two-person psychoanalytic theories
- U.S. Commission on Civil Rights, 258
- Unconditioned stimulus (UCS), 178–179
- Understanding Transference: The Core Conflictual Relationship Theme Method*, 121
- Unhappiness, CCRT and, 114
- University of Pennsylvania School of Medicine, 201
- Violence, targeted, 301–304
- Virginia Tech, 302
- Warmth, therapeutic alliance and, 42
- Watson, John B., 178
- Weekly Activity Schedule, 213
- White identity development, 255
- Wise mind, 231
- Wish (W), 107, 108, 118
 - examples of, 111, 112
 - relationship episodes (REs) and, 109–110
 - self-analysis and, 113
 - therapeutic goals, 115
- Wolpe, Joseph, 180
- Worldview, impact of, 14–15
- Yalom, Irvin, 148
- YAVIS, 55

