

# INDEX

- AC/DC converters, 223, 230
- Acceleration:
  - sensorless switched reluctance motors, 120
  - sliding mode controller, 153
  - switched reluctance motors, 106–107, 112–113
- Accuracy enhancement algorithms, 101–107
- ACLUSTER algorithm, 373–374
- Active magnetic bearings (AMBs) system:
  - characterized, 126
  - nominal  $H_\infty$  control of test rig:
    - experimental results, 137–138
    - parametric system identification, 133–135
    - uncertainty bound specification, 135–137
  - nominal sliding mode control of test rig, 148–150
  - uncertainty bounds, 130–131
- Active power filters (APFs), 224–225, 232
- Actuator controller, flight control systems, 68
- Adaptation algorithm, general parameter, 22–23
- Adaptive aircraft control, 58
- Adaptive control algorithms:
  - adaptive dynamic programming, 63–64
  - characterized, 62
  - neural adaptive control, 64–67
- Adaptive control systems, 57
- Adaptive Dynamic Programming (ADP), 58, 61–62, 64, 67, 69, 74–75, 85
- Adaptive filtering, 234
- Adaptive flight control:
  - adaptive control algorithms, 62–67
  - design for uncertainty, with hard constraints, 82–85
  - flight control, 67–68
  - fusion structures, 85
  - LoFLYTE<sup>®</sup> UAV:
    - optimal control, 73–76
    - stability augmentation, 76–82
    - soft-computing techniques, generally, 61–62
    - X-43A-LS autolander, 68–73
- Adaptive linear combiner, least-mean-square (LMS), 22
- Adaptive LMS-FIR filter, power systems, 204
- Adaptive-network-based fuzzy inference system (ANFIS), 89–90, 99–100, 120, 165
- Adaptive neuro-fuzzy inference system (ANFIS), 388
- Adaptive resonance theory (ART), tool wear monitoring, 179
- Adaptive resonance theory 2 (ART2), 184
- Adaptive time-delay neural networks (ATNN), 195
- ADC (analog-to-digital converter) channel, 96
- Additive uncertainty, 136, 146
- Aircraft, high-performance, 57. *See also* Adaptive flight control
- Algorithms, adaptation, 22
- Amino acids, binding energy prediction, 344–345
- Analog pre-processing, tool wear monitoring system, 175
- Analytic continuation, 64
- Analyze/StripMiner code, direct kernel ridge regression, 343
- Angle estimation systems, switched reluctance motors:
  - accuracy, 101–107
  - characterized, 89–90, 94, 101
- Annealing, simulated, 41–42
- Anomaly detection, 241–242, 246, 265
- Anomaly recognition, intrusion detection, 258
- Ant colony optimization (ACO):
  - clustering results, 373–374, 392–393
  - components of, 371, 372–374
  - experiment setup, 373–374
- Anti-aliasing, 156, 159
- Artificial current signal, 230–232
- Artificial intelligence (AI), 2, 6, 319

- ARX (autoregressive with exogenous input) model, 134, 140
- Association rules, 323
- Attenuation, 114, 235
- Attribution, EGC calculation, 293–294
- Audit trail, intrusion detection, 254–255
- Augmented linear controller, 11
- Authenticated Post Office Protocol (APOP), 304
- Autolander, 64
- Automated flight control, 84
- Autonomous control system, 46
- Autopilot, 67
- Autoregression, 37
- Autoregressive integrated moving average (ARIMA), 38
- Backpropagation:
  - fusion structures, 13
  - tool wear monitoring, 189
  - uncertainty bounds, 152, 155
- Baldwinian learning, 42–43
- Baldwin local search, 15
- Bandpass filter, 204, 225, 232–233
- Basic Security Module (BSM), intrusion detection, 254–256, 259
- Baum–Welch reestimation, 258
- Bayesian network (BN):
  - data mining, 323
  - intrusion detection, 253
- Behavior modeling, intrusion detection systems, 256–259
- Best-compromise solution, multiobjective optimization, 43–44
- Bias, in data mining, 335, in data mining, 340–341
- Boiler-turbine system, supervisory control, 46–47
- Bootstrapping, 332, 334
- Canonic fusion structures, 16
- Cascades, fusion of soft computing with hard computing, 12–13
- Case-based reasoning, 6
- Chat rooms, 302, 307–308
- Chattering, 145
- Chromosome(s):
  - genetic algorithm (GA), 208–210
  - modeling and representation, *i-Miner* framework, 385–387
- Closed control loop, 12
- Classifying self-organizing map (CSOM) tool wear monitoring, 179
- Clustering, switched reluctance motors, 98–100. *See also specific types of clusters*
- Combat hybrid power system (CHPs) flywheel alternator, 130–131
- Complementary fusion, 12
- Complicated emotion allocating method:
  - attribution, 293–294
  - characterized, 286
  - confirmation, 290–292
  - dependency, 294–295
  - examples of, 296–297
  - fortunes of others, 288–289, 296
  - prospect-based emotions, 289–290
  - well-being, 292–293, 297
  - well-being/attribution, 294
- Computational intelligence, defined, xvii
- Computer security, *see* Intrusion detection systems (IDSs)
  - audit databases, 242, 246
  - fusion structures, 242
  - importance of, 241
- Computer–user interaction, 273. *See also* Human–computer interaction, emotion-generating method
- Condensed nearest-neighbor network (CNNN), 179, 182
- Confidence, angle estimation, 90, 94, 102
- Confidence interval network (CIN), uncertainty bounds, 130, 145–147, 156, 161
- Confidence intervals, frequency-dependent, 142, 144
- Confirmation, EGC calculation, 290–292
- Continuous-time systems, 11
- ControlDesk<sup>®</sup>, 109
- Control engineering, 32
- Controller(s):
  - augmented linear, 11
  - proportional integral derivative (PID), 20, 23
- Control system(s), *see specific types of control systems and controllers*
  - architecture, 36–37
  - design constraints, 83
- Cooperative scheduling system, 41–42
- Correlation coefficient, 388
- Correlation matrix, 339
- Cousin features, data mining, 336
- Crater wear, 177
- Crossover, genetic algorithm (GA), 209–210
- CS Telecom, 248
- Cumulative uncertainty bound, 159–160
- Current reference generators, predictive filtering methods:

- artificial current signal corrupted by odd harmonics, 230–232
- characterized, 223–225
- sequence of 49-, 50-, and 51-Hz noisy sinusoids:
  - corrupted by harmonics, 229–230
  - generally, 225–229
- Cutting conditions, defined, 172. *See also* Tool wear monitoring system
- DARPA IDEVAL, 248–249, 251, 253
- Data clustering, Web mining framework, 371
- Data kernel, in data mining:
  - bias, 340–341
  - defined, 336
  - regression models based on, 338
  - transformations, 338–340
- Data matrix, 337
- Data mining, *see* Scientific data mining
  - characterized, 318–320
  - collective approach, 313
  - development of, 313
  - dilemma, defined, 336
  - MetaNeural data format, 323–326
  - model quality assessment metrics, 333–335
  - phases of, 313
  - predictive, 329–333, 336
  - process overview, 321–322
  - standard problem of, 326–329
  - techniques and methods, 322–323
- Data strip mining, 328–329
- Daubechies-4 wavelet transform, 351
- DC gain, 219–220
- Decentralization, supply chain optimization system, 40–41
- Decision-making process, 40, 43–44
- Decision systems, design constraints, 84
- Decision trees, 323
- Decomposition, hierarchical, 40
- Deep-knowledge-based supervisory control, 46–47
- Deep reasoning, 46
- Degrees of freedom, 230
- Delayless filtering, 204
- Demand forecasting, 37–39
- Design for uncertainty, with hard constraints, 82–85
- Diesel generators, 228
- Differential equation models, 21
- Digital pre-processing, tool wear monitoring, 185, 193–194
- Digital signal processor (DSP), switched reluctance motors, 94–96, 120
- Direct kernel partial least squares (DK-PLS), 314–315, 348, 351–352, 354, 356
- Direct kernel principal component analysis (DK-PCA), 352, 354, 356
- Direct kernel ridge regression:
  - choosing ridge parameter, 343–344
  - overview of, 342–343
- Direct kernel self-organizing map (DK-SOM), 348–351, 355, 357, 360
- Discrete-time systems, 11
- Distance functions, multiobjective optimization, 44
- Distortion generation, 223
- Distribution planners, 42
- dSPACE, Inc., 109, 150
- Dual-stage optimization, 12–13
- EC=HC fusions, 20–21
- E-commerce, 393
- Edge-search strategies, hybrid genetic algorithms, 43
- Electric power engineering, signal processing, 200
- Electric power systems, 26
- Electricity distribution network, 233
- Electromagnetic interferences (EMI), 90
- Electromagnetics, design constraints, 84
- Electronics, design constraints, 84
- E-mail software, 274, 278
- Emotion Eliciting Condition Theory, 279, 286–287, 292, 310
- Emotion generating calculations (EGC):
  - complicated emotion allocating method, 286–294, 296–297
  - components of, 279–280, 285, 310–311
  - dependency among emotion groups, 294–295
  - experimental result, 285–286, 297
  - favorite value database, 280–282
  - modified element, favorite value of, 284–285
  - pleasure/displeasure calculation, 282–284
- Emotion-oriented interaction systems:
  - applications, 302–308
  - facial expression generating method by neural networks:
    - assign rules to facial expressions, 301–302
    - characterized, 298–300
- Emotion value (EV):
  - Characterized 278–279, 285
  - Emotion generating calculation (EGC), 279, 288–294
- Error cost function, uncertainty bounds, 143–146, 152–153, 155–156, 159, 162
- Ethanol production planning, 44–45
- Evolutionary algorithms, 42

- Evolutionary computation (EC), 6–7, 13, 19–20, 32, 200, 323
- Evolutionary optimization, 22
- Evolutionary programming algorithm (EPA), 211–213, 226–227, 229, 233
- Expert systems, 6, 46
- Extended fusion schemes, 22–23
- Facial expressions, *see* Human–computer interaction, emotion–generating method
- Fast Fourier transforms (FFTs), uncertainty bounds, 142
- Fault detection, supervisory control, 46
- Favorite value (FV):  
 default, 280–281  
 defined, 278–279  
 Emotion Generating Calculation (EGC), 288–294  
 learning method, 281–282  
 of modified element, 284–285
- Feature extraction, tool wear monitoring system, 175, 185
- Feedback, hard-computing with soft-computing feedback, 12
- Feedback controller, flight control system, 85
- Field programmable gate array (FPGA), 204
- Filters/filtering, power system, *see specific types of filters*
- Filter tap cross-connections, power systems, 207–211
- Finite impulse response (FIR) filter:  
 power systems applications, 203  
 tool wear monitoring, 188
- Finite-state machine (FSM), tool wear monitoring, 179, 181
- FIR tap cross-connections, 222
- Fitness function:  
 current reference generators, 226–229  
 zero-crossings detector, 214–221
- FL/HC fusions, 21
- FL=HC fusions, 20
- Flank wear, 177
- Fletcher–Powell optimization algorithm, 21, 23
- Flight control system, 57, 67–68. *See also* Adaptive flight control
- Floating-point processor unit (FPU), 382
- Flow chart, in data mining, 341–342
- Flow-graph reversal, 17
- Flux linkage measurements, 95–97
- Flywheel alternators, 130–131
- Forecasting models, 32–33, 50
- Forecasts, market demand, 37–39
- Fortunes of others, EGC calculation, 288–289, 296
- Forward-backward procedure, intrusion detection systems, 257–258
- Frequency response function (FRF), uncertainty bounds, 142–146
- Full qualified domain name (FQDN), 304
- Fusion categories, 49–51
- Fusion of soft computing and hard computing methodologies, *see specific types of systems*
- characteristics of:  
 extended fusion schemes, 22–23  
 general parameter adaptation algorithm, 22  
 optimization utilizing local information, 21  
 overview of, 7–9, 19–20, 23  
 physical models, 20–21  
 proportional integral derivative (PID) controllers, 20  
 stochastic system simulators, 22
- fusion grades, defined, 9–10
- hybrid applications, characterization of, 24–25
- large-scale plant control systems, 49–50
- structural categories:  
 cascaded SC and HC, 12–13  
 connected SC and HC, 11–12  
 feedback, 12  
 general mapping functions, 19  
 hard-computing-assisted soft computing and soft-computing-assisted hard computing, 15–16  
 hard-computing augmented soft computing and soft-computing-augmented hard computing, 14–15  
 hard-computing-designed soft computing and soft computing–designed hard computing 13–14  
 independent SC and HC, 10–11  
 overview of, 9–10  
 qualitative classification, 26  
 hard computing–designed hard computing, 13–14  
 supplementary categories, 16–19
- Fusion structures:  
 adaptive flight control, 85  
 emotion-generating method, human–computer interfaces, 308–311  
 intrusion detection, 267–269  
 predictive filtering methods, 233–234  
 scientific data mining, 359

- switched reluctance motors (SRMs), 119–122
- tool wear monitoring, 166
- uncertainty bounds, 159–162
- WWW usage mining, 389–393
- FuzzyARTMAP, tool wear monitoring, 179
- Fuzzy *c*-means (FCM) clustering, 98, 374–378, 380–381, 393
- Fuzzy Hammerstein models, 49
- Fuzzy interference system (FIS):
  - switched reluctance motors, 98–100, 103–104
  - WWW usage mining, 382–387
- Fuzzy logic (FL):
  - applications, generally, 2, 6, 26
  - demand forecasting, 37–39
  - fusion structures, 16, 19–20
  - intrusion detection, 242, 251–253
  - local control, 48
  - scientific data mining, 323
  - SRM motor drives, 90
  - supervisory control, 46
- Fuzzy-neuro method, 7
- Gain scheduler, 48
- Gaussian noise, 153
- General parameter (GP), 22–23
- Generating station, 31–32
- Genetic algorithm (GA):
  - applications, generally, 7
  - architecture, 23
  - intrusion detection systems, 249–250, 252
  - for optimizing filter tap cross-connections, 207–211
  - predictive filtering, power systems
    - applications, 207–208
    - in process scheduling, 41–43
    - zero-crossings detector, 216, 218
- Genetic computing (GC):
  - applications, generally, 6
  - intrusion detection using, 249–251
- Global manufacturing, scheduling system, 41–42
- Global optimization, 12
- Google, xix
- Group method of data handling (GMDH), tool wear monitoring, 183
- $H_\infty$  controllers:
  - linear optimal control, 125
  - uncertainty bounds, control of AMB test rig
    - estimating uncertainty, 138–147
    - nominal, 126, 133–138
- $H_\infty$  control, 48
- Hacker attacks, 241. *See also* Intrusion detection systems (IDS)
- Hackers, identification of, 250
- Hamilton–Jacobi–Bellman Equation, 63, 85
- Hanning window, 114
- Hard computing:
  - defined, xviii
  - fusion of, *see* Fusion of soft and hard computing methodologies
- Hard constraints, flight control systems, 82
- Hard redundancies, in data mining, 337
- Harmonic distortion, 223–224
- Harmonics, predictive filtering, 229–233, 235–236
- Harmonics-resistant adaptive FIR filter, 204–205
- HC//EC fusion, 22
- HC//EC-type hybrid optimization, 21
- HC estimation method, 94
- HC/SC fusion, 15, 24–25, 50
- HC\SC fusion, 12, 16, 24
- HC-(SC+SC+HC)-(HC+SC+SC) fusion, 392
- HC-SC fusion, 12–13, 24, 50, 166, 171, 193–195, 310
- HC+NN fusion, 22
- HC+SC fusion, 14–18, 24–25
- HC+SC+SC fusion, 392
- HC=SC fusion, 13–14, 19, 24, 359
- Heuristics, 43–44
- Hidden Markov models (HMMs):
  - Hidden Markov models (HMMs):
    - intrusion detection:
      - components of, 242, 256–260
      - effectiveness of, 263
      - fused structures, 266–268
      - tool wear monitoring, 167
- Hierarchical control systems, 32
- High-frequency switching, 149
- Highpass filter, 136
- High-speed test, SRM, 90, 114–118, 120
- Human–computer interaction, emotion-generating method
  - development of, 274
  - emotional states, 278
  - Emotion generating calculations (EGC), 279, 298, 310–311
  - emotion-oriented interaction systems:
    - applications of, 302–308
    - types of, 298–302
    - fusion structures, 278, 308–311
    - types of, 273–274, 277–278
- Human operators, significance of, 36–37, 45
- Human preference, multiobjective optimization, 44

- Human reasoning, 26
- Hybrid cascades, 12–14
- Hybrid electric vehicles, 67
- Hybrid intelligent systems, 2
- Hypertext probabilistic grammar (HPG), 368
- Identified  $H_\infty$  controllers, uncertainty bounds, 147–148
- IEEE, *Xplore*<sup>TM</sup> database, 6
- IEEE International Conference on Systems, Man, and Cybernetics, 5
- If-then rules, fuzzy interference systems (FIS), 383, 388
- i-Miner*, 379, 383, 385–387, 393
- Industrial electronics, 26
- Information density, 336
- Information processing:
  - human brain analogy, 1
  - hybrid, 2
- Inner-loop controller, flight control systems, 67, 77
- Integral of time absolute error (ITAE), 219
- Intelligent model error identification, 141–142
- Interactive approach, multiobjective optimization, 44
- Interconnections:
  - process scheduling, 39–40
  - significance of, 23
- Interface section, of SC and HC fusion, 2
- Internet protocol (IP), 250
- Intimate connections, 2
- Intrusion detection systems (IDSs):
  - anomaly detection, 241–242, 246, 265
  - audit data, implications of, 246–247
  - commercial products, 242, 247–248
  - defined, 245
  - error rate, 246, 263, 265
  - example of, 247
  - experimental results:
    - modeling, 263–266
    - preprocessing, 261–263
  - fusion structures, 267–268
  - HMM, effectiveness of, 263, 266
  - with hybrid techniques:
    - behavior modeling with HMMs, 256–259, 263
    - evaluations, 263–266
    - multiple models fusion by fuzzy logic, 259–261, 266
    - overview of, 253–254, 269
    - preprocessing with self-organizing map, 254–256, 261–263
    - importance of, 241–242
    - misuse detection, 241, 246
    - security incidents, prevalence of, 245, 248
    - self-organizing maps, 254–256, 261–263
    - types of:
      - fuzzy logic, 251–253
      - genetic computing, 249–251
      - neural computing, 248–249
      - overview, 241, 247–248
      - probabilistic reasoning, 253

Inventory cost, 40

Inverse-model-based control techniques, 23

Isolation, in SC and HD fusion, 10–11

Italian olive oils, predicting region of origin, 346–350

JavaFaceChat, 274, 307–308

JavaFaceMail:
  - characteristics of, 274, 278, 302
  - client side, 304–305
  - mental effects of outputting facial expressions, 305–307
  - server side, 302–304

Journals, as information source, 6–7

JUMAN, 302–303

Kalman filter, 48

KANSEI, 274, 309

Kernel-centering algorithm, 341

Kernel ridge regressions, 327. *See also* Direct kernel ridge regression

Kinematics, aircraft, 68

$K$ -nearest neighbor algorithm, 318

Knowledge discovery and data mining (KDD), 319

KNP, 302–303

Kohonen feature map (KFM), tool wear monitoring, 179, 184

Krylov-space methods, direct kernel ridge regression, 343

$k$ -step-ahead prediction, 135

Lagrangian multipliers, 40, 207, 213–214, 220–222

Lagrangian relaxation methods, 32, 40

Lamarckian learning, 42–43

Lamarckian local search, 15

Large-scale plants:
  - characteristics of, 35–36
  - control system architecture, 36–37
  - fusion models/categories, 49–51
  - local control, 47–49
  - market demand forecasts, 37–39

- process scheduling, 39–45
- supervisory control, 36–37, 45–47
- Large-scale systems:
  - defined, 31
  - hierarchical architecture, 32
- Layered neural networks, 13, 22
- Learning vector quantization (LVQ) algorithm, 350
- Least-squares estimator, 100
- Least-squares support vector machines (LS-SVM), 327, 351–352
- Leave-one-out (LOO) method, in data mining, 331–332
- Left-hand pseudo-inverse, in data mining, 336
- LibSVM, 352
- Linear genetic programming (LGP), 379, 381–382, 392
- Linear quadratic Gaussian (LQG) regulator, 48
- LISP, 381
- LMS-FIR filter, power systems, 204
- Load forecasting, 38–39
- Load planning, 42
- Local control, 32–33, 47–50
- Local-information-based algorithm, 13
- Local search strategies, hybrid genetic algorithms, 42–43
- Lo-FLYTE<sup>®</sup> UAV:
  - defined, 58
  - Neural adaptive flight controller, 80–81
  - nonlinear longitudinal model, 74–75
  - optimal control, 73–76
  - 6-degree-of-freedom (6-DoF), 66, 77, 80–81
  - stability augmentation, 76–82
- LOGSOM, 368
- Longitudinal flight dynamics, 74
- Loose connections, 2
- Low-current low-speed, SRMs, 90, 113–114, 120
- LumberJack, 368
- Lyapunov synthesis technique, 58, 62–63, 65–66
  
- Mach 5 waverider, 58, 62
- Machine IQ (MIQ), 25
- Machine learning, 6
- Magnetization data, switched reluctance motors, 93–94, 100
- Magnetocardiography (MCG), predicting ischemia from:
  - binary classification of magnetocardiograms, 351–358
  - characterized, 314–315
  - data acquisition and preprocessing, 350–351
  - feature selection, 358–359
- Mahalanobis scaling, direct kernel ridge regression, 341, 351–352
- Management structure, 40
- Mapping functions, 19
- Market demand, 32, 37–39
- Master–slave structures, 15, 91, 121
- Material resource planning, 40–41
- MathWorks, Inc., 134
- MATLAB, 109, 111, 146, 208
- Maxwell's equations, 129
- Mean of squared control inputs (MSCI), 150–151
- Mean of squared tracking errors (MSTE), uncertainty bounds, 139, 150, 159
- Membership functions, FIS, 383
- Mercer conditions, 339
- Metal-cutting manufacturing process, 170–172, 194–195. *See also* Tool wear monitoring system
- Meta-learning, 388–389
- MetaNeural data format, 323–326
- MGP-FIR filters, power systems:
  - current reference generators, 224, 228, 231–233, 235, 237
  - multiplicative general-parameter filtering, 205, 207, 229, 232
  - multiplierless basis filters, 211
  - zero-crossings detector, 213–214, 217–219, 221, 234–235
- Misuse detection, 241
- Mixed integer linear programming (MILP) method, 41
- Modal analysis, 129
- Model error modeling (MEM), uncertainty bounds:
  - characterized, 140–141
  - defined, 140
  - fusion structures, 161
  - identified  $H_\infty$  control, 147–148
  - intelligent error identification, 141–146
  - uncertainty bound specification, 146
- Model predictive control (MPC), 48–49
- Monte-Carlo-method-based stochastic simulation, 22
- Mountain clustering, 98
- Multiclass classification, data mining, 327–328
- Multilayer perceptron (MLP) networks:
  - defined, 22
  - intrusion detection, 248–249
  - tool wear monitoring, 166, 178–179, 182–183, 187
- Multilayer perceptrons with a sliding input window (MLP-sw), 187

- Multiplicative general-parameter filtering, power systems, 205–207, 229, 232
- Multiplicative uncertainty, 136
- Multiplierless basis filters, power system, 211–213
- Mutations:
  - genetic algorithm (GA), 210
  - multiplierless basis filters, 212
  - zero-crossings detector, 216
- MYCIN project, 47
  
- NASA X-43, 58
- Nearest-neighbor clustering, 98
- Neuro-fuzzy classifiers (NEFCLASS), tool wear monitoring, 179
- Neural Adaptive Controller (NAC<sup>TM</sup>), 58, 61–62, 65–67, 69, 80, 85
- Neural computing (NC):
  - defined, 6
  - intrusion detection using, 248–249
- Neural network(s):
  - characterized, 2, 7, 13, 22
  - data mining, 332
  - demand forecasting, 37–39
  - direct kernel ridge regression, 346
  - emotion-oriented interaction systems, 298–302
  - fusions of, 16, 19–20
  - learning, 389
  - local control, 48–49
  - scientific data mining, 323
  - tool wear monitoring, 171, 178–184
  - uncertainty bounds, 141–142
- Newton's laws, 129
- NN/HC fusions, 21
- NN=HC fusions, 20
- No free lunch (NFL) theorems, 204
- Noise, SRM motor drives, 90
- Noise gain (NG), in predictive filtering, 226–231
- Nominal H4 controllers, uncertainty bounds, 147–148
- Noninferior solutions, multiobjective optimization, 44–45
- Noninteractive approach, multiobjective optimization, 44
- Nonlinear autoregressive model with exogenous inputs (NARX), 195
- Nonlinear optimization, 21
- Nonlinear regression, 314
- Nonlinear systems, 125
- Nonverbal communication, 277–278
- Nyquist frequency, 143
  
- Operating conditions, 125
- Operatorless plant, 32
- Optimal control law, 58
- Optimal cost functional, 63–64
- Optimal phase selection, 90
- Optimal schedule, 32
- Optimization, 21, 32, 43–45
- Order and supply planning, 41
- Outer-loop controller, flight control systems, 67
  
- Paper industries, 41–42
- Paralanguage, 278
- Parallel connections, feedback, 12
- Parallel sand-glass-type neural network, 298–299, 310
- Pareto optimal solutions, 43–44
- Partial least squares (PLS), 327
- Parzen window, 339
- Passive system, design constraints, 84
- Pattern recognition, 13
- Penrose inverse, data mining, 336
- 3-GHz Pentium, 208
- Petri net, 23
- Petroleum plant, supervisory control, 46
- Pharmacoplots, 359
- Phase windings, switched reluctance motors, 96
- Physical models:
  - characterized, 20–21
  - tool wear monitoring, 171, 176–178
- Plant tables, 45
- Pleasure/displeasure, calculation of, 282–284
- Polynomial predictive filter, 94, 105–107, 237
- Power plants, start-up scheduling, 43
- Power systems:
  - predictive filtering methods:
    - current reference generators, 223–233
    - fusion structures, 233–234
    - genetic algorithm for optimizing filter tap cross-connections, 207–211
    - multiplicative general-parameter filtering, 205–207, 229
    - multiplierless basis filters, design by evolutionary programming, 211–213
    - overview of, 203–205, 234–237
    - zero-crossings detector, 213–223, 225
  - process scheduling, 40
- Predictive control structure, 49
- Predictive data mining, 336
- Preference function, multiobjective optimization, 44
- Preprocessing, intrusion detection, 261–263
- Principal component regression (PCR), 327

- Probabilistic reasoning (PR), 6, 51, 253  
 Probability theory, 323  
 Process scheduling:  
   hybrid genetic algorithms, 42–43  
   impact of, 32  
   multiobjective optimization, 43–45  
   problem decomposition, 39–42  
 Production planning/scheduling, 40. *See also*  
   Process scheduling  
 Proportional integral derivative (PID), generally:  
   controllers, 20, 23, 134  
   control methods, 32, 48  
 Prospect-based emotions, EGC calculation,  
   289–290  
 Pulse-width modulation (PWM), 225  
  
*Q2/q2*, 335  
 Quadratic approximation, 64  
 Quantitative structural activity (QSAR), 323, 329,  
   360  
 Quantitative structural property relationship  
   (QSPR), 323  
  
 Radial basis function (RBF), generally:  
   approximation, 64, 78–79  
   kernel, 339  
 Radial basis function networks (RBFNs):  
   defined, 22  
   feedforward, 151  
   industrial electronics applications, 237  
   scientific data mining, 327  
   tool wear monitoring, 179, 181  
   uncertainty bounds, 126, 142–145, 151–157  
 Real-time resistance estimation, 94  
 Real-time systems, 22  
 Recurrent neural network (RNN), tool wear  
   monitoring, 179  
 Recursive least-squares (RLS), generally:  
   algorithm, 38, 126, 135  
   estimate, 134, 180  
 Recursive linear smoothed newton (RLSN)  
   predictors, 106, 108–109, 139  
 Reduced-rank adaptation, 22  
 Redundancies, in data mining, 337  
 Reference generators, 200  
 Regression, data mining techniques, 328  
 Reinforcement Learning, 51  
 Research and development (R&D), xix  
 Resilient propagation (RPROP), 189  
 Ridge regression, 338. *See also* Direct kernel  
   ridge regression  
 Right-hand pseudo-inverse, in data mining,  
   336–337  
  
 Robotic joint control, 67  
 Robust control, uncertainty bounds:  
   active magnetic bearings (AMBs), 130–132  
   modeling, 135–136  
   nonlinear:  
     of AMB test rig, 148–150  
     intelligent SMC, 156, 159  
   significance of, 129  
   specifications of, 146  
 ROC (Receiver operating characteristics) curve,  
   261, 263, 354  
 Root mean square error index (RMSE), 333, 335,  
   393  
 Rotors, switched reluctance motors, *see*  
   Sensorless SRM motor drives; Switched  
   reluctance motors (SRMs)  
 Rough sets, 51  
  
 Sampling, data mining and, 328  
 SC/HC systems, 11–12, 24, 122, 126, 161  
 SC//HC fusions, 24–25, 50, 121, 310  
 SC\HC structures, 12, 16, 24  
 SC&HD-type systems, 10–11, 24  
 SC-designed hard computing, 234  
 SC=HC fusion, 13–14, 19, 24, 359  
 SC-HC fusion, 12–13, 24, 58, 194  
 SC-HC//SC fusion, 50  
 SC-HC-SC fusion, 194  
 SC+HC fusion, 14–18, 24–25, 58, 392  
 SC+SC fusion, 393  
 SC+SC+HC fusion, 392  
 Scheduling, 32–33, 50. *See also* Process  
   scheduling  
 Scientific data mining:  
   applications of, generally, 314–315  
   characterized, 320–321  
   direct kernel methods:  
     bias, 340–342  
     case studies, 344–359  
     fusion structures, 359–360  
     machine learning dilemmas, 335–337  
     regression models based on, 338–340  
     ridge regression, 342–344  
   types of, 317–318  
 Selection-crossover-mutation chain, 15  
 Self-organizing maps:  
   direct kernel (DK-SOM), 348–351, 355, 357,  
     360  
   intrusion detection, 242, 248–249, 254–256  
   scientific data mining, 318, 327, 348  
   WWW usage mining:  
     applications, generally, 371  
     clusters, 378, 382–383, 385, 390

- Sensorless SRM motor drives:
    - acceleration from zero speed, 90, 112–113, 120
    - accuracy enhancement algorithms:
      - hard-computing-based on-line resistance estimation, 104–105
  - Sensorless SRM motor drives (*Continued*)
    - polynomial predictive filtering, 105–107
    - significance of, 101–102
    - soft-computing-based optimal phase selection, 102–104
  - characterized, 93–95
  - defined, 89
  - digital signal processor (DSP), 94, 120
  - fuzzy logic model:
    - flux linkage characteristics, measurement of, 95–97
    - training and validation, 97–101
  - hardware configuration, 109–110
  - high-speed test, 90, 114–118, 120
  - low-current low-speed test, 90, 113–114, 120
  - magnetization data, 93–94, 100
  - software configuration, 110–111
  - step change of load, test of, 90, 118–120
- Sequential function chart, 45
- Servoactuators, 67–68
- Setpoint, parametric system identification, 134, 138
- Shallow reasoning, 46
- Signal processing:
  - design constraints, 83
  - predictive filtering, power systems, 199–200
- Simple mail transfer protocol (SMTP), 304
- Simple network manipulation protocol (SNMP), 246–247
- Simulators, stochastic system, 22–23
- Simulink<sup>®</sup>, 109, 111
- Single value decomposition (SVD), 337
- Sinusoid-predictive filters, 213–217, 221–222, 225–226, 239–240
- Sinusoids, 49-, 50-, and 51-Hz, 217–222, 225–230, 239–240
- 6-DOF models, flight control, 67–70
- Size of map, self-organizing maps, 261–263
- Sliding mode control (SMC) systems, uncertainty bounds:
  - characterized, 125–126, 129–130
  - estimating uncertainty for SMC of AMB test rig:
    - experimental results, 156–159
    - intelligent model error identification, 155–156
    - intelligent system identification, 151–154
    - nominal, of AMB test rig, 148–150
- Soft computing (SC), *see specific fusion structures*
- adaptive flight control, 61–62
- characterized, 5–7
- defined, xvii
- hard computing methodology, fusion with, 1, 7–27
- principal requirements of, 8
- Soft constraints, flight control systems, 82
- Soft redundancies, in data mining, 337
- SOM-HMM, 242
- Sperry, Roger W., 1
- SQUID (superconducting interference device), 351
- Stability augmentation system, 67
- Stabilizing controllers, 63–64
- Stand-alone FIR filters, 221
- Statistics, in data mining, 323
- Stochastics, intrusion detection systems, 256–257
- Stochastic system simulators, 22–23
- Structural fusion categories, 9–10
- Subfilters, 227
- Subsystems, in process scheduling, 39–41
- Subtractive clustering, 98
- Sugeno-type fuzzy motor model, 90
- Supervisory control, 32–33, 36–37, 45–47, 50
- Supply chain optimization system, 40–41
- Support vector machines (SVMs), data mining, 318, 327, 339, 342, 344, 351
- Switched reluctance motors (SRMs):
  - angle estimation, 89–91, 101
  - characterized, 89–90
  - fusion structures, 119–122
  - sensorless, *see* Sensorless SRM motor drives
  - simulation algorithm, 108–109
- System identification, uncertainty bounds, 129, 133–135, 138
- System model uncertainty, 125
- Systems, components of, 31
- Systems engineering, 26
- Table lookup scheme, switched reluctance motors, 97–98
- Tabu search, 41–42
- Takagi–Sugeno fuzzy inference system (TSFIS), 371, 388, 392
- Taylor's tool-life equation, 182–183
- Telecommunications, 26
- Temporal RPROP, 189
- Thermodynamic phase changes, 47
- Thermodynamics, principles of, 129

- Time-delay neural network (TDNN), tool wear monitoring, 166, 185, 187–190, 192, 195
- Time-delay radial basis function (TDRBF) networks, 195
- Time-series analysis, data mining problems, 329
- Time-series prediction, 22
- Tool wear monitoring system, indirect on-line:
  - analytical models:
    - sensor-based methods, 177–178
    - sensorless methods, 176–177
  - architecture, 172–176
  - characteristics of, 166, 170
  - estimation, generally, 165–166
  - experimental results, 189–192
  - functional levels of, 166
  - fusion of physical and neural network models, 181–184
  - fusion structures, 166, 192–195
  - importance of, 165, 169–170
  - influential factors, 171
  - neural network model:
    - characterized, 171
    - disadvantages of, 180–181
    - examples of, 179–180
    - fusion with physical models, 181–184
    - techniques, 178–181, 187–189
  - physical model, 176–178
  - problem description, 172–176
  - process parameters, 172
  - solution:
    - dynamic neural network at wear model level, 187–189
    - outline of, 184–185
    - physical force model at digital preprocessing level, 185–187
- Total harmonic distortion (THD), 230–233
- Transient load test, SRMs, 90, 118–120
- Transposition, structural, 17–18
- Truncation errors, 115
- Ultrasound, tool wear monitoring, 178
- Uncertainty bounds:
  - estimation of:
    - components of, 129–130
    - nominal  $H_{\infty}$  control of AMB test rig, 133–138
    - robust control of AMB, 130–132, 148–151
  - fusion structures, 159–162
  - sliding mode control (SMC) systems, 151–159
- Unity-coefficient basis FIR filter, 213, 221, 223, 228
- Unmanned aerial vehicles (UAVs), 58, 62, 67
- Unstructured uncertainties, 136
- Vectors:
  - data mining, 332
  - emotion, 302
  - HC-SC/SC-HC fusion, 13, 19
  - intrusion detection systems, 262
  - neural adaptive control, 65–66
  - synthetic, 282–284
  - weight, 332
  - wisdom, 332
- Viterbi algorithm, 258
- Water treatment plant, supervisory control, 46
- Wear model, tool wear monitoring system, 176, 185
- Weighting functions, uncertainty bounds, 136–139
- Weights, multiobjective optimization, 44
- Weight vector, 332
- Welch method, 114
- Well-being, EGC calculation, 292–294, 297
- White noise:
  - gain, 226, 229–230
  - impact of, 181
- Widrow-Hoff least mean-square (LMS) adaptation algorithm, 203
- Winding resistance, switched reluctance motors:
  - characterized, 94–96
  - on-line estimation, 104–105, 108
- Wisdom vector, 332
- World Wide Web (WWW) usage mining:
  - applications, generally, 363–364
  - clustering, daily and hourly:
    - analysis of, 377–378
    - ant colony optimization (ACO), 372–374
    - fuzzy clustering algorithm, 374–376
    - self-organizing maps (SOMs), 376–377
  - development of, 367
  - fusion structures, 364, 389–393
  - framework for, 368–372
  - log format, 368
  - log records, 363–364, 369
  - usage analysis, daily and hourly:
    - experiment setup, training, and performance evaluation, 386–389
    - fuzzy inference systems (FIS), 382–387

- linear genetic programming (LGP),
  - 379–382, 389, 392
- neural network learning, 389
- significance of, 378–379
- X-43A-LS autolander, 68–73
- xPC Target, 134, 137
- Xplore*<sup>TM</sup> database, 6
- Zadeh, Lotfi A., xvii, 5–6, 26
- Zero-crossings detector, predictive filtering
  - methods for power system:
    - characterized, 200
    - 49-, 50-, and 51-Hz sinusoids corrupted by noise, sequence of, 217–223
    - single 60-Hz sinusoid corrupted by noise, 213–217, 222–223