

SUBJECT INDEX

- Abel integrals, photoelectric circular dichroism modeling, photoelectron imaging, 303–307
- Ab initio* quantum chemical calculations:
 - cyclohexadiene-hexatriene photoisomerization, 183–191
 - intermolecular dynamics, rare gas–dihalogen triatomic complexes, 393–396
 - nonadiabatic transition, complete reflection phenomenon, 177–182
 - rare gas–dihalogen complexes, higher-order complex stabilization, 389–392
 - tunneling splitting in polyatomic molecules:
 - instant trajectory, 118–121
 - malonaldehyde model, 121–129
- Absorption circular dichroism, chiroptical asymmetries, 269–270
- Abstraction, multiple reaction paths:
 - single-product channels,
 - addition-elimination vs., 216–217
 - vinyl + hydrogen reaction, 243–246
- Acetaldehyde, photodissociation, roaming atom mechanism, 241–243
- Achiral molecules, forward-backward asymmetry, 271
- Action spectra, intermolecular dynamics, higher-order rare gas–dihalogen triatomic complexes, 390–392
- Addition-elimination reaction, multiple reaction paths:
 - single-product channels, abstraction vs., 216–217
 - vinyl + hydrogen reaction, 243–246
- Adiabatic energy difference, nonadiabatic chemical dynamics, periodic chirping, 150–161
- Adiabatic rapid passage (ARP), nonadiabatic chemical dynamics, external field control, 158–161
- Adiabatic state representation:
 - trajectory surface hopping, 98–106
 - Zhu–Nakamura (ZN) theory, 96
- Adiabatic theory:
 - electric Nuclear Born–Oppenheimer (ENBO) approximation, 56–64
 - Landau–Zener transition, 196–201
- Aharonov–Bohm, geometric phase, reaction dynamics, nuclear wave function unwinding, Feynman path integral, 9–12
- Angle-resolved chiral molecule photoemission, forward-backward asymmetry, 270–273
- Angular-dependent adiabatic potential energy curves, intermolecular dynamics, rare gas–dihalogen triatomic complexes, 383–389
- Angular distribution, chiral molecules, quantum interference and phase, 379–381
- Angular momentum projections, photoionization differential cross-section, 321–324
- Argon tagging, potential energy surface, vibrational spectroscopy, 343–344
- Arrhenius plot:
 - $\text{HO}_2 + \text{O}_3$ dual abstraction pathways, 231–234
 - nonadiabatic transition:
 - electron transfer, 144–149
 - semiclassical rate constant theory, 112–114
- Asymmetric mechanisms:
 - chiroptical asymmetries:
 - absorption circular dichroism, 269–270
 - forward-backward asymmetry, angle-resolved photoemission, 270–273
 - nonadiabatic transition, electron transfer, 147–149

- Barrier height (BH) comparisons,
malonaldehyde tunneling splitting,
124–128
- Barrierless entrance pathways, multiple reaction
paths, vinyl + hydrogen abstraction
vs. addition-elimination, 244–246
- Basis set expansions:
metastable tunneling state decay, 134–138
photoelectric circular dichroism modeling,
photoelectron imaging, 303–307
time-dependent Schrödinger equation,
69–71
tunneling splitting in polyatomic molecules,
instanton trajectories, 119–121
- BESSY I bending magnet beamline,
photoelectric circular dichroism,
camphor molecule, 313–318
- BESSY II:
photoelectric circular dichroism modeling,
nonimaging photoelectric circular
dichroism, 307–309
UE56/2 beamline, photoelectric circular
dichroism modeling, 301
- Bimolecular reactions:
geometric phase, nuclear wave function, 14
potential energy surface, 332
- Binding energies:
intermolecular dynamics, rare gas-dihalogen
triatomic complexes, 385–389
rare gas-dihalogen complexes, preferential
conformer stabilization, 400–402
- Bixon–Jortner perturbation theory, nonadiabatic
transition, electron transfer, 146–149
- B3LYP/6-31G* calculations:
multiple reaction paths, methyl radical
transition state, 249–253
potential energy surface:
methane–methanol conversion, 344–347
prereactive complexes, 364–367
resonance-enhanced photodissociation
spectroscopy, 348–351
vibrational spectroscopy, 354–355
- Body-fixed frame of reference (BF),
malonaldehyde tunneling splitting,
121–129
- Bohr radius, photoionization differential
cross-section, 321–324
- Bond activation, potential energy surface,
methane–methanol conversion,
344–355
- Born–Oppenheimer approximation. *See* Electric
Nuclear Born–Oppenheimer (ENBO)
approximation
single-product channels, kinetic isotope
effects, 220–221
- Boundary condition:
geometric phase, reaction dynamics:
hydrogen-exchange reaction, 18–22
scattering systems vs., 36–38
metastable tunneling state decay, 134–138
- Branching space, geometric phase, reaction
dynamics, nuclear wave function
unwinding, topology and
encirclement, 4–5
- B-spline LCAO density functional theory,
photoelectric circular dichroism
modeling, 283–287
camphor, 288
future research issues, 297–299
molecular conformation, 290–296
oxiranes, 284–287
partial wave expansion, 288–290
- Butterworth bandpass filter:
laser pulses, optimal control theory, 48–50
optimal control theory, conjugate gradient
method, 52–54
- Cahn–Ingold–Prelog sequence rules,
photoelectric circular dichroism,
fenchone molecule, 309–313
- Camphor, photoelectric circular dichroism
modeling, 288, 313–318
- Cancellation puzzle:
geometric phase, reaction dynamics:
hydrogen-exchange reaction, potential
energy surface, 15–16
overview, 3
hydrogen-exchange reaction, 22–30
full cross-sections, 25–27
low impact-parameter cross-sections,
23–25
2-TS mechanism, 27–30
- Canonically invariant formula, metastable
tunneling state decay, 136–140
- Carbon-hydrogen stretching frequencies,
potential energy surface, prereactive
complexes, 364–367
- Carbon monoxide Doppler profiles, multiple
reaction paths, acetaldehyde
photodissociation, 241–243

- Carbon-oxygen bond activation, V^+
 spectroscopy and dissociation
 dynamics, 356–364
 mode-selective photodissociation, 361–364
 vibrational spectroscopy/photodissociation,
 357–360
 $V^+(\text{OCO})$ electronic spectroscopy, 356–357
Cartesian coordinate system:
 malonaldehyde tunneling splitting, 121–129
 nonadiabatic transition, trajectory surface
 hopping, 98–106
Caustic detection, metastable tunneling state
 decay, 138–140
CCSD(T) triple excitation estimates:
 intermolecular dynamics, rare gas-dihalogen
 triatomic complexes, 386–389
 malonaldehyde tunneling splitting, 122–129
 potential energy surface, vibrational
 spectroscopy, 354–355
 vinyl radical tunneling splitting, 129
Chebyshev polynomial expansion, time-
 dependent Schrödinger equation,
 64–71
Chemical “double slits”, H_2CO
 photodissociation, 257–259
Chiral molecules, photoelectron circular
 dichroism:
 camphor case study, 313–318
 valence shell ionization, 314–318
 chiroptical asymmetries, 269–275
 CIPO beamline Elettra technique, 303
 conventions, 324–325
 data acquisition and analysis, 305–307,
 308–309
 experimental measurement techniques,
 299–318
 fenchone case study, 309–313
 nondipole interactions, 311–313
 future research issues, 318–321
 nonimaging measurements, 307–308
 overview, 268
 photoelectron imaging technique, 303–305
 photoelectron dynamics, 275–282
 photoionization differential cross-section,
 321–324
 polarized light sources, 300–303
 SU5 beamline LURE technique, 302–303
 theoretical modeling, 282–299
 camphor, 288
 computational techniques, 283–284
 continuum resonances, 296–297
 future developments, 297–299
 molecular conformation and substitution
 effects, 290–296
 oxiranes, 284–287
 partial wave expansion, 288–290
 UE56/2 Beamline BESSY II measurement
 techniques, 301
Chiroptical asymmetries:
 absorption circular dichroism, 269–270
 forward–backward asymmetry,
 angle-resolved photoemission,
 270–273
 photoelectric circular dichroism, 273–275
Christoffel symbols, tunneling splitting in
 polyatomic molecules, 119
Circles-full quantum results, nonadiabatic
 transition, semiclassical rate constant
 theory, 112–114
Circular dichroism in the angular distribution
 (CDAD), chiral molecules, 281
Circularly polarized light (CPL), absorption
 circular dichroism, 269–270
Circular polarization (CIPO) beamline (Elettra),
 photoelectric circular dichroism
 modeling, 303
Clebsch–Gordan coefficients (CGC),
 photoelectron dynamics:
 chiral molecules, 275–281
 photoionization differential cross-section,
 321–324
Closed-loop control process, optimal control
 theory, 45
Cluster chemistry, intermolecular dynamics,
 overview, 376–379
Coherent control theory, optimal control theory,
 44
Collinear model, nonadiabatic transition,
 semiclassical rate constant theory,
 112–114
Collision-induced dissociation, potential energy
 surface, prereactive complexes,
 364–367
Complete active space self-consistent field
 (CASSCF) method, cyclohexadiene-
 hexatriene photoisomerization,
 183–191
Complete reflection phenomenon, nonadiabatic
 transition, 98
 utilization of, 177–182

- Computational techniques:
 photoelectric circular dichroism modeling, 282–287
 potential energy surface, methane–methanol conversion, 344–347
- Configuration space dimensionality,
 nonadiabatic transition, semiclassical Herman–Kluk frozen Gaussian form, 106–112
- Conformational energetics, photoelectric circular dichroism modeling, 319–321
- Conic intersections (CIs):
 geometric phase, reaction dynamics:
 future research issues, 38–39
 hydrogen-exchange reaction, 15–30
 cancellation puzzle, 22–30
 reaction paths and potential energy surface, 15–16
 reactive scattering and topology, 16–18
 vector potentials, 18–22
 nuclear wave function, 4–14
 Feynman path integral approach, 9–12
 symmetry approach, 6–8
 symmetry-Feynman path consistency, 12–14
 topology and encirclement, 4–5
 overview, 2–3
 topological aspects, 30–38
 bound/scattering system difference, 36–38
 nuclear wave function unwinding, 33–36
 particle-exchange symmetry, 30–33
 nonadiabatic transition, hydrogen transmission, 191–194
- Conjugate Descent (CD) method, optimal control theory, conjugate gradients, 84
- Conjugate gradient method, optimal control theory:
 iterative solutions, 54–56
 variations on, 83–84
- Continuous wave (CW) laser field, nonadiabatic transition:
 complete reflection phenomenon, 181–182
 semiclassical Herman–Kluk frozen Gaussian wavepacket propagation, 106–112
- Continuum function, photoionization differential cross-section, 321–324
- Continuum multiple scattering (CMS- $X\alpha$), photoelectric circular dichroism modeling, 283–288
- camphor, 288
 camphor molecule, 313–318
 future research issues, 297–299, 318–321
 molecular conformation, 290–296
 oxiranes, 284–287
- Continuum resonances, photoelectric circular dichroism modeling, 296–297
- Continuum scattering phase shifts,
 photoelectron dynamics, chiral molecules, 277–279
- Convergence limit:
 optimal control theory, gradient convergence, 54–56
 photoelectric circular dichroism modeling, partial wave expansion, 288–290
- Coordinate-dependent level approximation,
 nonadiabatic transition, wave packet excitation, 169–172
- Coordinate-space wave functions, split-operator Fourier grid method, time-dependent Schrödinger equation, 66–69
- Core electron-binding energies (CEBEs), photoelectric circular dichroism modeling:
 fenchone molecule, 309–313
 molecular conformation, 290–296
- Coriolis coupling, geometric phase, reaction dynamics, hydrogen-exchange reaction, 21–22
- Cost functional, optimal control theory, basic formalism, 46–48
- Coulomb interactions, time-dependent Schrödinger equation, 64–71
- Coulomb phase difference, photoelectron dynamics, chiral molecules, 275–282
- Coupled differential equations, optimal control theory, electric Nuclear Born–Oppenheimer (ENBO) approximation, 60
- Curve crossing problems:
 nonadiabatic chemical dynamics, external field control, 160–161
 nonadiabatic transition:
 complete reflection phenomenon, 177–182
 trajectory surface hopping, 104–106
- Cyclohexadiene–hexatriene photoisomerization,
 nonadiabatic chemical dynamics, 183–191

- Dai–Yuan (DY) methods, optimal control theory, conjugate gradients, 84
- Data acquisition and analysis, photoelectric circular dichroism modeling:
 nonimaging photoelectric circular dichroism, 308–309
 photoelectron imaging, 303–307
- Delocalized linear rare gas-dihalogen complexes, photoinitiated dynamics, vibrational predissociation, 411–412
- Delta function, photoelectron dynamics, photoionization differential cross-section, 321–324
- Deuterium, tunneling splitting of, 125–129
- Diabatic potentials, nonadiabatic transition, semiclassical rate constant theory, 113–114
- Diagonalization matrix, metastable tunneling state decay, 139–140
- Diatomic molecule, nonadiabatic transition, wave packet excitation, 165–172
- Diatomics In Molecule (DIM) matrix:
 multidimensional tunneling, reaction dynamics, 140–143
 nonadiabatic transition, trajectory surface hopping, 103–106
- Difference mass spectrum, potential energy surface, ion production, 335–339
- Differential cross-section (DCS), geometric phase, reaction dynamics, hydrogen-exchange reactive scattering and topology, 16–18
 cancellation puzzle, 22–30
- Dihalogen bonds, intermolecular dynamics, overview, 376–379
- Dimethylformamide (DMF), nonadiabatic transition, electron transfer, 148–149
- Direct current-sliced ion imaging, formaldehyde photodissociation, roaming atom mechanism, 237–241
- Direct dissociation, photoinitiated dynamics, linear rare gas-dihalogen complexes, 412–415
- Directed momentum method, nonadiabatic transition, photoswitching functions, 190–191
- Discrete Variable Representation (DVR), split-operator Fourier grid method, time-dependent Schrödinger equation, 66–69
- Dogonadze model, nonadiabatic transition, electron transfer, 148–149
- Double space symmetry, geometric phase, reaction dynamics, particle-exchange symmetry, 30–31
- Dressed states, nonadiabatic transition, 97–98
- Dual abstraction pathways, multiple reaction pathways, 231–234
- Dynamical path branching, multiple reaction paths, 261–262
- E1-E2/E1-M1 dipole interactions, photoelectric circular dichroism modeling, fenchone molecule, 309–313
- Eigenvectors, nonadiabatic transition, trajectory surface hopping, 102–106
- Electric field strength, electric Nuclear Born–Oppenheimer (ENBO) approximation, optimal control theory, 56–64
- Electric Nuclear Born–Oppenheimer (ENBO) approximation, optimal control theory:
 electronically adiabatic electronic state, 57–64
 overview, 44–45
- Electronic structure theory:
 multiple reaction paths, single-product channels, 225
 tunneling splitting phenomenon, 127–129
- Electronic transition, wave packet, nonadiabatic chemical dynamics, 161–172
- Electron spectroscopy:
 potential energy surface, 339–341
 insertion intermediates, 352–355
 predissociative states, 347–348
 V^+ (OCO) spectroscopy and dissociation dynamics, carbon-oxygen bond activation, 356–357
- Electron transfer, nonadiabatic chemical dynamics, 144–149
- Enantiomer modeling:
 photoelectric circular dichroism, camphor molecule, 313–318
 photoelectric circular dichroism modeling, 324–325
- Encirclement, geometric phase, reaction dynamics, nuclear wave function unwinding, 4–5

- Energy level excitation, nonadiabatic
chemical dynamics, periodic chirping,
150–161
- Energy transfer, nonadiabatic transition,
trajectory surface hopping, 98–106
- Euclidean norm, optimal control theory,
conjugate gradient method, 83–84
- Excited-state surface regions, interrogating
dynamics, 402–416
higher-order complexes, 416
linear complexes, 411–415
vibrational energy redistribution, 410–411
vibrational to rotational energy transfer,
406–409
vibrational to translational energy transfer,
404–406
- Exothermicity, nonadiabatic transition, electron
transfer, 145–149
- External fields, nonadiabatic chemical
dynamics, molecular function
comprehension and control, 149–182
complete reflection phenomenon utilization,
177–182
periodic chirping, 150–172
semiclassical guided optimal control theory,
172–176
- Femtosecond pump-probe spectroscopy,
multiple reaction paths, transient
probing of intermediates, 223–224
- Fenchone molecule, photoelectric circular
dichroism, 309–313
- Feynman path integral, geometric phase,
reaction dynamics:
complete unwinding topology, 33–36
nuclear wave function unwinding, 9–12
symmetry consistency with, 12–14
particle-exchange symmetry, 30–33
- Field-dependent eigenfunctions, optimal control
theory, electric Nuclear
Born–Oppenheimer (ENBO)
approximation, 58–60
- Field-molecule interaction:
nonadiabatic chemical dynamics, periodic
chirping, 150–161
optimal control theory, objective functional
variation and derivation, 75–79
- Final state distributions, multiple reaction paths,
single-product channels, 221–223
- Finite Basis Representation (FBR),
split-operator Fourier grid method,
time-dependent Schrödinger equation,
66–69
- Five-membered carbon ring, nonadiabatic
transition, hydrogen transmission,
191–194
- Floquet Hamiltonian, nonadiabatic chemical
dynamics, external field control,
149–172
- Flux-flux-correlation function, nonadiabatic
transition, semiclassical rate constant
theory, 112–114
- Forbidden transitions, nonadiabatic transition,
trajectory surface hopping, 98–106
- Formaldehyde, multiple reaction paths, roaming
atom mechanism, 237–241
- Forward-backward asymmetry:
angle-resolved chiral molecule
photoemission, 270–272
photoelectric circular dichroism, 313–321
- Forward-backward scattering:
multiple reaction pathways, exothermic ion
molecule, 228–231
photoelectric circular dichroism, camphor
molecule, 313–318
- Four-dimensional models, nonadiabatic
chemical dynamics, semiclassical
optimal control theory, 172–176
- Fourier transform-ion cyclotron resonance
(FT-ICR) mass spectrometer, multiple
reaction pathways, exothermic ion
molecule, 228–231
- Franck–Condon factors:
excited-state surface regions, interrogating
dynamics, 402–416
 H_2CO photodissociation, chemical “double
slits,” 257–259
intermolecular dynamics, 376–379
rare gas-dihalogen geometries, triatomic
complexes, 379–381
multiple reaction paths, final state
distributions, 221–223
potential energy surface, 332–335
insertion intermediates, 352
- Free energy profile, electron transfer,
nonadiabatic transition, 144–149
- Frequency range limits, laser pulses, optimal
control theory, 46–50
- Frozen Gaussian propagation method,
nonadiabatic transition, 97–98
semiclassical Herman–Kluk wavepacket
propagation, 106–112

- Frustrated H loss pathway, multiple reaction paths, methyl radical transition state, 253
- Full cross-sections, geometric phase, reaction dynamics, hydrogen-exchange reactive scattering and topology, cancellation puzzle, 22–30
- Full width at half-maximum (FWHM):
 - nonadiabatic transition, semiclassical Herman–Kluk frozen Gaussian wavepacket propagation, 112
 - potential energy surface, prereactive complexes, 364–367
- Gaussian approximation, tunneling splitting in polyatomic molecules, 115–119
- Geometric phase (GP):
 - photoelectron dynamics, chiral molecules, 275–282
 - reaction dynamics:
 - future research issues, 38–39
 - hydrogen-exchange reaction, 15–30
 - cancellation puzzle, 22–30
 - reaction paths and potential energy surface, 15–16
 - reactive scattering and topology, 16–18
 - vector potentials, 18–22
 - nuclear wave function, 4–14
 - Feynman path integral approach, 9–12
 - symmetry approach, 6–8
 - symmetry-Feynman path consistency, 12–14
 - topology and encirclement, 4–5
 - overview, 2–3
 - topological aspects, 30–38
 - bound/scattering system difference, 36–38
 - nuclear wave function unwinding, 33–36
 - particle-exchange symmetry, 30–33
- Golden Rule treatment, photoinitiated dynamics, rare gas-dihalogen complexes, 404–406
- Grounded electronic state:
 - intermolecular dynamics, higher-order rare gas-dihalogen triatomic complexes, 389–392
 - potential energy surface, vibrational spectroscopy, 342–344
- Hamiltonian:
 - electric Nuclear Born–Oppenheimer (ENBO) approximation, optimal control theory, 56–60
 - time-dependent Schrödinger equation, 64–71
- Hamilton–Jacobi equation:
 - low vibrationally excited states, tunneling splitting, 130–133
 - tunneling splitting in polyatomic molecules, 115–119
- Hartree–Fock calculations, photoelectric circular dichroism modeling, molecular conformation, 290–296
- H-atom Rydberg time-of-flight spectroscopy (HRTOF), H₂CO photodissociation:
 - chemical “double slits,” 257–259
 - multiple electronic states, 254–257
- H₂CO photodissociation:
 - final state distributions, 221–223
 - multiple electronic state, 254–257
- Heaviside step function:
 - nonadiabatic transition, semiclassical rate constant theory, 112–114
 - optimal control theory, photodissociation equations, 79–82
- Henon–Heiles system, multidimensional tunneling, 140
- Herman–Kluk-type frozen Gaussian wavepacket propagation, nonadiabatic chemical dynamics, 106–112
 - semiclassical optimal control theory, 172–176
- Herring formula, tunneling splitting in polyatomic molecules, 115–119
- Hessian matrix:
 - nonadiabatic transition, trajectory surface hopping, 98–106
 - tunneling splitting in polyatomic molecules, instanton trajectories, 121
- Hexatriene-cyclohexadiene photoisomerization, nonadiabatic chemical dynamics, 183–191
- Higher-order rare gas-dihalogen triatomic complexes:
 - intermolecular dynamics, 389–392
 - photoinitiated dynamics, 416
- Highest occupied molecular orbital (HOMO), photoelectric circular dichroism, 273–275
 - camphor molecule, 313–318
 - modeling, 382–387

- High-temperature theories, nonadiabatic transition, electron transfer, 147–149
- Homochirality:
photoelectric circular dichroism modeling, 320
photoelectron circular dichroism, 268
- Homotopy class, geometric phase, reaction dynamics, nuclear wave function unwinding, Feynman path integral, 9–12
- Hönl–London factors, rare gas-dihalogen complexes, preferential conformer stabilization, 400–402
- $\text{HO}_2 + \text{O}_3$ dual abstraction pathways, identical atoms, 231–234
- Hydride transfer reactions, multiple reaction pathways, exothermic ion molecule, 228–231
- Hydrogen encapsulation, nonadiabatic transition, five-membered carbon ring, 191–194
- Hydrogen-exchange reaction, geometric phase, reaction dynamics, 15–30
cancellation puzzle, 22–30
overview, 2–3
reaction paths and potential energy surface, 15–16
reactive scattering and topology, 16–18
vector potentials, 18–22
- Hydrogen migration, multiple reaction pathways, exothermic ion molecule, 228–231
- Hydrogen transmission, five-member carbon ring/encapsulation, 191–194
- Identical atoms, multiple reaction paths, single-product channels, 217–218
- Infrared photon absorption, $\text{V}^+(\text{OCO})$ spectroscopy and dissociation dynamics, carbon-oxygen bond activation, 356–360
- Initial value representation method:
dynamical path branching, 261–262
nonadiabatic transition, 96–98
- Insertion devices, photoelectric circular dichroism modeling, 324–325
- Insertion intermediates, electron spectroscopy, 352–354
- Instanton trajectory:
metastable tunneling state decay, 134–138
tunneling splitting in polyatomic molecules:
ab initio quantum chemical calculations, 119–121
defined, 118
- Integral cross-section (ICS), geometric phase, reaction dynamics, hydrogen-exchange reactive scattering and topology, 16–18
cancellation puzzle, 22–30
- Interfering pathways, optimal control theory, 44–45
- Intermolecular dynamics:
conformer stabilization, 393–402
isomerization mechanisms, 399–400
multiple conformers, 396–398
relative binding energies, 400–402
triatomic complexes, 394–396
van der Waals complexes, supersonic expansions, 398–399
- excited-state surface regions, 402–416
photoinitiated dynamics, 403–411
higher-order complexes, 416
linear complexes, 411–415
vibrational energy redistribution, 410–411
vibrational to rotational energy transfer, 406–409
vibrational to translational energy transfer, 403–406
overview, 376–379
- rare gas-dihalogen geometries, 379–392
rovibronic spectroscopy, 381–389
spectroscopic analysis, 389–392
triatomic interactions, 379–381
- Internal conversion (IC), H_2CO photodissociation:
chemical “double slits,” 257–259
multiple electronic states, 254–257
- Interrogating dynamics, excited-state surface regions, 402–416, 403–411
higher-order complexes, 416
linear complexes, 411–415
vibrational energy redistribution, 410–411
vibrational to rotational energy transfer, 406–409
vibrational to translational energy transfer, 404–406

- Intersystem crossing (ISC), H_2CO
 photodissociation, multiple electronic states, 254–257
- Intramolecular vibrational redistribution (IVR):
 multiple reaction paths, single-product channels, abstraction *vs.* addition-elimination, 216–217
 potential energy surface, vibrational spectroscopy, 342–344
 rare gas-dihalogen complexes, photoinitiated dynamics, 410–411
- Intrinsic reaction coordinate, single-product channels, minimum energy path avoidance, 218
- Ion cyclotron resonance (ICR), potential energy surface, 344–355
 insertion intermediate, 352–355
- Ion production, potential energy surface, 335–339
- Iron-catalyzed methane-methanol conversion, potential energy surface, 344–355
 insertion intermediate spectroscopy, 352–355
 low-lying quartet states, 351–352
 predissociative electronic spectroscopy, 347–348
 reaction and computational studies, 345–347
 resonance-enhanced photodissociation, 348–351
- Isomerization:
 rare gas-dihalogen complexes, preferential conformer stabilization, 399–400
 ring intermediate pathways, 234–237
- Isotopic labeling:
 $\text{HO}_2 + \text{O}_3$ dual abstraction pathways, 231–234
 multiple reaction paths, single-product channels, 219–221
- Iterative algorithms, optimal control theory, 51–56
 convergence of solutions, 87–88
- Jacobian matrix, multidimensional tunneling, reaction dynamics, 143
- Jacobi coordinates:
 cyclohexadiene-hexatriene photoisomerization, 183–191
 nonadiabatic transition, semiclassical rate constant theory, 112–114
- Jacobi kinetic energy operator, geometric phase, reaction dynamics,
 hydrogen-exchange reaction, 19–22
- Jahn–Teller intersection, geometric phase, reaction dynamics,
 hydrogen-exchange reaction, 15–16
- Ketone photochemistry, multiple electronic states, 256–257
- Kinetic energy operator:
 malonaldehyde tunneling splitting, 121–129
 nonadiabatic transition, semiclassical Herman–Kluk frozen Gaussian wavepacket propagation, 106–112
- Kinetic isotope effects, multiple reaction paths, single-product channels, 220–221
- Kinetics techniques, multiple reaction paths, single-product channels, 224
- Krotov iteration method, optimal control theory:
 gradient convergence, 52–56
 time discretization principles, 85–86
- Lagrange multiplier, optimal control theory:
 basic formalism, 46–48
 iterative solutions, 51–56
 Krotov iteration method, 54–56
 photodissociation equations, 79–82
 variation and derivation, 75–79
- Lagrange–Sylvester formula, nonadiabatic transition, periodic chirping, 152–161
- Lanczos propagation method, time-dependent Schrödinger equation, 64–71
- Landau–Zener formula:
 nonadiabatic chemical dynamics:
 external field control, 161
 Zhu–Nakamura (ZN) theory, 195–196
 nonadiabatic transition:
 electron transfer, 144–149
 hydrogen transmission, 191–194
 nonadiabatic tunneling-type transition, 201–206
 trajectory surface hopping, nonadiabatic transition, 98–106
 transition parameters, 196–201
- Landau–Zener–Stueckelberg theory,
 nonadiabatic transition, 96–98

- Laser control:
 nonadiabatic transition:
 photoswitching functions, 188–191
 wave packet electronic transition, 161–172
 $V^+(\text{OCO})$ spectroscopy and dissociation
 dynamics, carbon-oxygen bond
 activation, 356–364
- Laser-induced fluorescence (LIF):
 intermolecular dynamics, rare gas-dihalogen
 geometries, triatomic complexes,
 379–392
 linear rare gas-dihalogen complexes,
 photoinitiated dynamics, 411–415
- Laser pulses:
 nonadiabatic chemical dynamics, external
 field control, 149–161
 optimal control theory:
 analytic design, 71–73
 basic formalism, 46–48
 design overview, 44–45
 restrictions on, 48–50
- Legendre polynomial:
 forward-backward asymmetry, angle-resolved
 chiral molecule photoemission,
 270–273
 photoelectron dynamics, chiral molecules,
 275–282
- Lennard–Jones potentials, intermolecular
 dynamics, rare gas-dihalogen
 geometries, triatomic complexes,
 379–381
- Light polarization, photoelectric circular
 dichroism modeling, 324–325
- Linear rare gas-dihalogen complexes,
 photoinitiated dynamics, 411–415
 direct dissociation, 412–415
 rotational predissociation, 415
 vibrational predissociation, 411–412
- Linear response approximation, nonadiabatic
 transition, electron transfer, 144–149
- Linear triatomic complexes, rare gas-dihalogen
 geometries, preferential conformer
 stabilization, 394–396
- Longitudinal excitation, low vibrationally
 excited states, tunneling splitting,
 130–133
- Low-lying iron oxide quartet states,
 photoionization, 351–352
- Low vibrationally excited states, tunneling
 splitting in, 130–133
- LURE, SU5 beamline, photoelectric circular
 dichroism modeling, 302–303
- Malonaldehyde, tunneling splitting in,
 121–129
- Marcus theory, electron transfer, nonadiabatic
 chemical dynamics, 144–149
- Mead–Truhlar vector-potential approach,
 geometric phase, reaction dynamics,
 complete unwinding topology, 33–36
- Metal-ligand ion production, potential energy
 surface, 335–339
- Metal oxide ions, potential energy surface, 333
- Metastable state decay through tunneling,
 nonadiabatic chemical dynamics,
 134–138
- Methane–methanol conversion, potential energy
 surface, 344–355
 insertion intermediate spectroscopy, 352–355
 low-lying quartet states, 351–352
 predissociative electronic spectroscopy,
 347–348
 reaction and computational studies, 345–347
 resonance-enhanced photodissociation,
 348–351
- Methyl cations, multiple reaction pathways,
 hydrogen migration, 228–231
- Methyl radicals, multiple reaction paths,
 transition state, 249–253
- Minimum energy crossing point (MECP),
 nonadiabatic transition:
 electron transfer, 144–149
 semiclassical rate constant theory, 112–114
- Minimum energy path (MEP):
 methyl radical transition state, 249–253
 single-product channels:
 avoidance of, 218, 246–249
 dynamical path branching, 261–262
 product branching vs. pathway branching,
 215
- Mode-selective photodissociation, $V^+(\text{OCO})$
 spectroscopy and dissociation
 dynamics, 361–364
- Modified-Shepard interpolation technique,
 malonaldehyde tunneling splitting,
 121–129
- Molecular conformation, photoelectric circular
 dichroism modeling, 290–296
- Molecular enantiomers, photoelectric circular
 dichroism modeling, 324

- Molecular function:
- nonadiabatic chemical dynamics:
 - electron transfer, Marcus theory improvement, 144–149
 - external field control, 149–182
 - complete reflection phenomenon utilization, 177–182
 - periodic chirping, 150–172
 - semiclassical guided optimal control theory, 172–176
 - future research issues, 194–195
 - hydrogen transmission, 191–194
 - Landau–Zener transition, 196–201
 - multidimensional tunneling, 114–143
 - caustic reactions, 138–140
 - DIM potential matrix, 141–143
 - Henon–Heiles system, 140
 - metastable state decay (predissociation), 134–138
 - polyatomic molecule splitting, 115–133
 - nonadiabatic tunneling-type transition, 201–206
 - overview, 96–98
 - photochromism, 183–191
 - semiclassical Herman–Kluk-type frozen Gaussian wavepacket propagation, 106–112
 - semiclassical thermal rate constant theory, 112–114
 - trajectory surface hopping method, 98–106
 - Zhu–Nakamura theory and formula summary, 195–196
 - time-dependent version, 206–207
 - optimal control theory:
 - basic principles, 46–48
 - conjugate gradient methods, 83–84
 - electric nuclear Born–Oppenheimer approximation, 56–63
 - examples, 60–63
 - theoretical formulation, 58–60
 - iterative–OCT equation convergence, 87–88
 - Krotov iterative method, 85–86
 - laser pulse design, 71–73
 - laser pulse restrictions, 48–50
 - objective functional derivative, 82–83
 - objective functional variation and equation derivation, 75–79
 - overview, 44–45
 - photodissociation, 50–51
 - equations for, 79–82
 - problem solutions, 53
 - conjugate gradient method, 52–54
 - iterative methods, 54–56
 - summary of equations, 73–74
 - time-dependent Schrödinger equation solution, 64–71
 - basis expansion, 69–71
 - split-operator Fourier grid method, 66–69
- Momentum-space wave function, split-operator Fourier grid method, time-dependent Schrödinger equation, 66–69
- Monte Carlo procedure, nonadiabatic transition, semiclassical Herman–Kluk frozen Gaussian wavepacket propagation, 106–112
- Morse potentials, intermolecular dynamics, rare gas–dihalogen geometries, triatomic complexes, 379–381
- Multidimensional tunneling:
 - nonadiabatic chemical dynamics, molecular function comprehension and control, 114–144
 - caustic reactions, 138–140
 - DIM potential matrix, 142–144
 - Henon–Heiles system, 140–142
 - metastable state decay (predissociation), 134–138
 - polyatomic molecule splitting, 115–134
 - nonadiabatic transition, 97–98
- Multiple conformers, rare gas–dihalogen complexes, higher-order complex stabilization, 396–398
- Multiple electronic states:
 - H₂CO photodissociation, 254–257
 - single-product channels, multiple reaction paths, 219
- Multiple reaction paths, single-product channels:
 - abstraction vs. addition-elimination, 216–217
 - addition-elimination vs. abstraction, C₂H₂ + H, 243–246
 - dual abstraction pathways, 231–234
 - future research trends, 260–262
 - H₂CO photodissociation:
 - chemical “double slits,” 260
 - multiple electronic state, 254–257
 - roaming atom mechanism, 237–241
 - hydrogen migration mechanisms, 228–231
 - identical atom participation, 217–218

- Multiple reaction paths (*continued*)
 methods and observables, 219–224
 final state distributions, 221–223
 intermediate transient probing, 223–224
 isotopic labeling, 220–221
 kinetics methods, 224
 minimum energy path, 218
 $\text{OH}^- + \text{CH}_3\text{F}$, 246–249
 multiple electronic state, 219
 overview, 214–215
 product *vs.* pathway branching, 215
 ring intermediate pathways, 234–237
 roaming atom mechanism:
 CH_3CHO photodissociation, 241–243
 H_2CO photodissociation, 237–241
 theoretical methods, 225–228
 electronic structure, 225
 statistical methods, 225–226
 trajectory calculations, 226–228
 transition-state pathways, $\text{CH}_3 + \text{O}$,
 249–253
- Multireference configuration interaction (MRCI)
 method, cyclohexadiene-hexatriene
 photoisomerization, 185–189
- Multireference (MR) polarization (POL),
 nonadiabatic transition, hydrogen
 transmission, 192
- Neodymium-yttrium-argon (Nd:YAG) laser,
 potential energy surface, ion
 production, 335–339
- Newton's equations of motion, multiple reaction
 paths, single-product channels,
 226–228
- Nonadiabatic chemical dynamics:
 molecular function comprehension and
 control:
 electron transfer, Marcus theory
 improvement, 144–149
 external field control, 149–182
 complete reflection phenomenon
 utilization, 177–182
 periodic chirping, 150–172
 semiclassical guided optimal control
 theory, 172–177
 future research issues, 195–196
 hydrogen transmission, 191–194
 Landau–Zener transition, 196–200
 multidimensional tunneling, 114–144
 caustic reactions, 138–140
 DIM potential matrix, 141–144
 Henon–Heiles system, 140–144
 metastable state decay (predissociation),
 134–138
 polyatomic molecule splitting, 115–134
 nonadiabatic tunneling-type transition,
 201–206
 overview, 96–98
 photochromism, 183–191
 semiclassical Herman–Kluk-type frozen
 Gaussian wavepacket propagation,
 106–112
 semiclassical thermal rate constant theory,
 112–114
 trajectory surface hopping method, 98–106
 Zhu–Nakamura theory and formula
 summary, 195–196
 time-dependent version, 206–207
 tunneling transition, 201–206
- Nonadiabatic tunneling (NT) transition,
 nonadiabatic chemical dynamics,
 Zhu–Nakamura (ZN) theory,
 195–196
- Noncovalent interactions, potential energy
 surface, vibrational spectroscopy,
 342–344
- Noncrossing Rosen–Zener, nonadiabatic
 transition, trajectory surface hopping,
 102–106
- Non-dipole interactions, photoelectric circular
 dichroism modeling, fenchone
 molecule, 311–313
- Non-imaging photoelectric circular dichroism,
 307–308
- Normalization condition, low vibrationally
 excited states, tunneling splitting,
 130–134
- Nuclear wave function, geometric phase,
 reaction dynamics, 4–14
 complete unwinding topology, 33–36
 Feynman path integral approach, 9–12
 symmetry approach, 6–8
 symmetry-Feynman path consistency,
 12–14
 topology and encirclement, 4–5
- Numerical applications, tunneling splitting in
 polyatomic molecules,
 121–130
 malonaldehyde, 121–129
 vinyl radicals, 129–130

- Objective functional concept, optimal control theory, 45
 basic formalism, 46–48
 derivative of, 82–83
 iterative solutions, 51–56
 variation and derivation, 75–79
- One-dimensional energy transfer:
 multiple reaction paths, vinyl + hydrogen
 abstraction vs. addition–elimination, 243–246
 nonadiabatic transition:
 electron transfer model, 148–149
 hydrogen transmission, 191–194
 trajectory surface hopping, 98–106
- Optimal control theory (OCT):
 molecular process manipulation:
 basic principles, 46–48
 conjugate gradient methods, 83–84
 electric nuclear Born–Oppenheimer approximation, 56–64
 examples, 60–64
 theoretical formulation, 58–60
 iterative–OCT equation convergence, 87–88
 Krotov iterative method, 85–86
 laser pulse design, 71–73
 laser pulse restrictions, 48–50
 objective functional derivative, 82–83
 objective functional variation and equation derivation, 75–79
 overview, 44–45
 photodissociation, 50–51
 equations for, 79–82
 problem solutions, 51–56
 conjugate gradient method, 52–54
 iterative methods, 54–56
 summary of equations, 73–74
 time-dependent Schrödinger equation solution, 64–71
 basis expansion, 69–71
 split-operator Fourier grid method, 66–69
 nonadiabatic chemical dynamics:
 external fields, 149–182
 complete reflection phenomenon utilization, 177–182
 periodic chirping, 150–172
 semiclassical guided optimal control theory, 172–177
 semiclassical guided OCT, 172–177
- Oxiranes, photoelectric circular dichroism modeling, 284–287
- Partial wave expansion, photoelectric circular dichroism modeling, 288–290
- Particle-exchange symmetry, geometric phase, reaction dynamics, topology, 30–33
- Pathway branching ratio, multiple reaction paths, single-product channels, 215
- Penalty term, optimal control theory:
 basic formalism, 46–48
 conjugate gradient method, 52–54
 laser pulse analytic design, 71–73
- Periodic chirping, nonadiabatic chemical dynamics, 150–172
 energy level excitation, 150–161
 wave packet electronic transition, 162–172
- Phase control methods, optimal control theory, 44
- Phase shifts, photoelectron dynamics, chiral molecules, 277–278
- Photochromism, nonadiabatic chemical dynamics, 183–191
 photoswitching laser control, 189–191
 potential energy surfaces and reaction scheme, 183–189
- Photodissociation:
 multiple reaction paths:
 acetaldehyde roaming atom mechanism, 241–243
 final state distributions, 221–223
 H₂CO:
 chemical “double slits,” 257–260
 multiple electronic states, 254–257
 roaming atom mechanism, 237–241
 single-product channels, identical atoms, 215–216
 optimal control theory:
 equations for, 79–82
 flux maximization with, 53
 potential energy surface:
 electronic spectroscopy, 339–341
 predissociative states, 347–348
 ion production, 335–339
- V⁺(OCO) spectroscopy and dissociation dynamics:
 carbon–oxygen bond activation, 356–364
 mode-selective technique, 361–364

- Photoelectron circular dichroism (PECD), chiral molecules:
- camphor case study, 313–318
 - valence shell ionization, 314–318
 - chiroptical asymmetries, 269–275
 - CIPO beamline Elettra technique, 303
 - conventions, 324–325
 - data acquisition and analysis, 305–307
 - experimental measurement techniques, 299–318
 - fenchone case study, 309–311
 - nondipole interactions, 311–313
 - future research issues, 318–320
 - non-imaging measurements, 307–309
 - overview, 268–269
 - photoelectron imaging technique, 303–305
 - photoelectron dynamics, 275–281
 - photoionization differential cross-section, 321–324
 - polarized light sources, 300–301
 - SU5 beamline LURE technique, 302–303
 - theoretical modeling, 282–299
 - camphor, 287–288
 - computational techniques, 282–284
 - continuum resonances, 296–297
 - future developments, 297–299
 - molecular conformation and substitution effects, 290–296
 - oxiranes, 284–287
 - partial wave expansion, 288–290
 - UE56/2 Beamline BESSY II measurement techniques, 301–302
- Photoelectron dynamics, chiral molecules, 275–281
- Photoelectron imaging, photoelectric circular dichroism modeling, 303–307
- data acquisition and analysis, 305–307
- Photoelectron spectroscopy:
- photoelectric circular dichroism modeling, 305–307
 - potential energy surfaces, future research issues, 367–368
- Photoemission, angle-resolved, forward–backward asymmetry, 270–273
- Photofragment spectroscopy:
- H₂CO photodissociation, multiple electronic states, 254–257
 - potential energy surface, electronic spectroscopy, 339–341
- Photoinitiated dynamics:
- higher-order complexes, 416
 - linear complexes, 411–415
 - vibrational energy redistribution, 410–411
 - vibrational to rotational energy transfer, 406–409
 - vibrational to translational energy transfer, 403–406
- Photoionization differential:
- Forward–backward asymmetry, angle-resolved chiral molecule photoemission, 270–273
 - photoelectric circular dichroism modeling, cross-section, 321–324
 - potential energy surface, 331–335
 - low lying quartet states, 351–352
- Photoisomerization, nonadiabatic chemical dynamics, 183–191
- photoswitching laser control, 188–191
 - potential energy surfaces and reaction scheme, 183–188
- Photoswitching functions, nonadiabatic transition, laser control of, 188–191
- π -pulse, optimal control theory, laser pulse analytic design, 71–73
- Polak–Ribière–Polyak search direction, optimal control theory, conjugate gradient method, 52–54
- Polarization switching, photoelectric circular dichroism modeling, 306–307
- Polarized light sources, photoelectric circular dichroism modeling, 300–303
- CIPO beamline, 303
 - polarimetry, 300–301
 - SU5 beamline, 302
 - UE56/2 beamline, BESSY II, 301
- Polyatomic molecules, nonadiabatic chemical dynamics:
- low vibrationally excited state tunneling, 130–134
 - malonaldehyde, 121–129
 - numerical applications, 121–130
 - tunneling splitting in, 115–134
 - general formulation, 115–119
 - instanton trajectory and *ab initio* quantum chemical calculations, 119–121
 - vinyl radical, 129–130
- Population transfer, optimal control theory, π -pulse design, 72–73

- Position sensitive detector, photoelectric circular dichroism modeling, photoelectron imaging, 303–305
- Potential energy surface (PES):
 basic principles, 332–335
 carbon-oxygen bond activation, 356–364
 mode-selective photodissociation, 361–364
 vibrational spectroscopy/photodissociation, 357–361
 $V^+(\text{OCO})$ electronic spectroscopy, 356–357
 electronic spectroscopy, 339–341
 future research issues, 367–368
 geometric phase, reaction dynamics, hydrogen-exchange reaction, 15–16
 H_2CO photodissociation, chemical “double slits,” 257–260
 intermolecular dynamics:
 overview, 376–379
 rare gas-dihalogen geometries, triatomic complexes, 379–381
 ion production, 335–339
 iron-catalyzed methane–methanol conversion, 344–355
 insertion intermediate spectroscopy, 352–355
 low-lying quartet states, 351–352
 predissociative electronic spectroscopy, 347–348
 reaction and computational studies, 345–347
 resonance-enhanced photodissociation, 348–351
 multiple reaction paths:
 electronic structure, global surfaces, 225
 final state distributions, 221–223
 formaldehyde photodissociation, roaming atom mechanism, 239–241
 methyl radical transition state, 249–253
 minimum energy path avoidance, 248–249
 ring intermediate pathways, 234–237
 roaming atom mechanism, formaldehyde photodissociation, 238–241
 single-product channels, abstraction vs. addition-elimination, 216–217
 single-product channels, minimum energy path avoidance, 218
 trajectory calculations, 227–228
 vinyl + hydrogen abstraction vs. addition-elimination, 243–246
 nonadiabatic transition, trajectory surface hopping, 101–106
 photoelectric circular dichroism, camphor molecule, 314–317
 prereactive complexes, vibrational spectroscopy, 364–367
 single-product channels, H_2CO photodissociation, roaming atom mechanism, 242–243
 vibrational spectroscopy, 342–344
 Predissociation, metastable tunneling state, 134–138
 Preferential conformer stabilization, intermolecular dynamics, 393–402
 isomerization mechanisms, 399–400
 multiple conformers, 396–398
 relative binding energies, 400–402
 triatomic complexes, 394–396
 van der Waals complexes, supersonic expansions, 398–399
 Prereactive complexes, vibrational spectroscopy of transition metals, 364–367
 Probability, Landau–Zener transition, 199–201
 Product branching ratio, multiple reaction paths, single-product channels, 215
 Pulse area theorem, optimal control theory, laser pulse analytic design, 71–73
 Pulse envelope function, laser pulses, optimal control theory, 48–50
 Pump-dump control method:
 nonadiabatic transition:
 photoswitching functions, 190–191
 wave packet excitation, 165–172
 optimal control theory, 44–45
- Quadratic chirping, nonadiabatic transition, wave packet excitation, 167–172
- Quadratic configuration interaction method (QCISD), malonaldehyde tunneling splitting, 121–130
- Quantum chemical calculations, *ab initio* accuracy, tunneling splitting in polyatomic molecules, 114–119
- Quantum interference, chiral molecules, angular distribution, 279–281
- Quantum mechanical scattering:
 H_2CO photodissociation, chemical “double slits,” 257–260
 multiple reaction paths, trajectory calculations, 226–228

- Quasiclassical trajectory (QCT) approach,
hydrogen-exchange reaction,
cancellation puzzle, 28–30
- Rare gas-dihalogen complexes:
intermolecular dynamics, 379–392
overview, 376–379
preferential conformer stabilization,
393–402
isomerization mechanisms, 399–400
multiple conformers, 396–398
relative binding energies, 400–402
triatomic complexes, 394–396
van der Waals complexes, supersonic
expansions, 398–399
rovibronic spectroscopy, 381–389
spectroscopic analysis, 389–392
triatomic interactions, 379–381
photoinitiated dynamics:
linear complexes, 411–415
vibrational energy distribution, 410–411
vibrational to rotational energy transfer,
406–409
vibrational to translational energy
transfer, 403–406
- Reaction dynamics:
cyclohexadiene-hexatriene
photoisomerization, 183–191
geometric phase:
future research issues, 38–39
hydrogen-exchange reaction, 15–30
cancellation puzzle, 22–30
reaction paths and potential energy
surface, 15–16
reactive scattering and topology,
16–18
vector potentials, 18–22
nuclear wave function, 4–14
Feynman path integral approach, 9–12
symmetry approach, 6–9
symmetry-Feynman path consistency,
12–14
topology and encirclement, 4–5
overview, 2–3
topological aspects, 30–38
bound/scattering system difference, 36–
38
nuclear wave function unwinding,
33–36
particle-exchange symmetry, 30–33
multidimensional tunneling, 138–143
potential energy surface, methane-methanol
conversion, 345–347
- Reaction paths, geometric phase, reaction
dynamics, hydrogen-exchange
reaction, 15–16
- Reactive scattering, geometric phase, reaction
dynamics, hydrogen-exchange
topology, 16–18
- Reagents, geometric phase, reaction dynamics,
particle-exchange symmetry,
31–33
- Resonance-enhanced infrared multiphoton
dissociation (IRMPD), potential
energy surface, vibrational
spectroscopy, 342–344
- Resonance-enhanced photodissociation
(REPD) spectroscopy, potential
energy surface, 341
iron oxide state below dissociation limit,
348–351
- Resonant-type transmission, nonadiabatic
transition, hydrogen transmission,
192–195
- Rice-Ramsberger-Kassel (RKKM) theory:
intermolecular dynamics, 378–379
multiple reaction paths:
formaldehyde photodissociation, roaming
atom mechanism, 241
methyl radical transition state, 253
single-product channels, 225–226
- Ring intermediate pathways, identical atom
 $\text{HCCO} + \text{O}_2$, 234–237
- Roaming atom mechanism, multiple reaction
paths:
acetaldehyde photodissociation, 241–243
future research issues, 261–262
 H_2CO photodissociation, 237–241
- Rotating wave approximation (RWA), optimal
control theory, laser pulse analytic
design, 71–73
- Rotational excitation process, electric Nuclear
Born-Oppenheimer (ENBO)
approximation, 45
- Rotational predissociation, photoinitiated
dynamics, linear rare gas-dihalogen
complexes, 415
- Rovibronic spectroscopy, intermolecular
dynamics, rare gas-dihalogen
triatomic complexes, 381–389

- SAOP potential, photoelectric circular dichroism modeling, 297–299
- Scattering systems, geometric phase, reaction dynamics, boundary conditions and, 36–38
- Semiclassical Herman–Kluk-type frozen Gaussian wavepacket propagation, nonadiabatic chemical dynamics, 106–112
- Semiclassical optimal control theory, nonadiabatic chemical dynamics, 172–176
- Semiclassical scattering theory, photoinitiated dynamics, rare gas-dihalogen complexes, 393–394
- Semiclassical thermal rate constant theory, nonadiabatic transition, 112–114
- Separate statistical ensembles-phase space theory (SSE/PST), H_2O photodissociation, multiple electronic states, 256–257
- Shape resonances, photoelectric circular dichroism modeling, 296
- Short-time propagator, split-operator Fourier grid method, time-dependent Schrödinger equation, 66–69
- “Sifting” process, optimal control theory, laser pulse restrictions, 48–50
- Single-product channels, multiple reaction paths:
abstraction vs. addition-elimination, 213–215
addition-elimination vs. abstraction, $\text{C}_2\text{H}_2 + \text{H}$, 243–246
dual abstraction pathways, 231–234
future research trends, 260–262
 H_2CO photodissociation:
chemical “double slits,” 260
multiple electronic state, 254–257
roaming atom mechanism, 237–241
hydrogen migration mechanisms, 228–231
identical atom participation, 217–218
methods and observables, 219–224
final state distributions, 221–223
intermediates transient probing, 223–224
isotopic labeling, 220–221
kinetics methods, 224
minimum energy path, 218
 $\text{OH}^- + \text{CH}_3\text{F}$, 246–249
multiple electronic state, 219
overview, 214–215
product vs. pathway branching, 215
ring intermediate pathways, 234–237
roaming atom mechanism:
 CH_3CHO photodissociation, 241–243
 H_2CO photodissociation, 237–241
theoretical methods, 224–225
electronic structure, 225
statistical methods, 225–226
trajectory calculations, 226–228
transition-state pathways, $\text{CH}_3 + \text{O}$, 249–254
- Soft X-ray (SXR) synchrotron radiation, photoelectric circular dichroism modeling, 282
experimental techniques, 299–309
nonimaging photoelectric circular dichroism, 306–308
UE56/2 beamline, 301
- Spectator spectroscopy, potential energy surface, 343–344
- Spectral filter, optimal control theory, conjugate gradient method, 53–54
- Split-operator Fourier grid method, time-dependent Schrödinger equation, 66–69
- Statistical methods, multiple reaction paths, single-product channels, 225–226
- Statistical pathway branching, multiple reaction paths, 261–262
- Stimulated Raman adiabatic passage (STIRAP), optimal control theory, laser pulse design, 72–73
- Stokes parameters:
Landau–Zener transition, 196–199
nonadiabatic transition, periodic chirping, 152–161
nonadiabatic tunneling-type transition, 201–206
polarized light sources:
photoelectric circular dichroism modeling, 324–325
polarimetry, 300–301
- SU5 beamline, photoelectric circular dichroism modeling, 302–303
- Substitution effects, photoelectric circular dichroism modeling, molecular conformation, 291–296
- Supersonic expansions, rare gas-dihalogen complexes, van der Waals interactions, 398–399

- Symmetry mechanisms:
 geometric phase, reaction dynamics, nuclear wave function unwinding, 4–6
 Feynman path integral consistency with, 9–12
 nonadiabatic transition, electron transfer, 148–149
 photoelectron circular dichroism, 267
- Thermal rate constant, semiclassical theory, nonadiabatic transition, 112–114
- Three-dimensional wave packet dynamics, nonadiabatic transition, hydrogen transmission, 191–194
- Time-dependent density functional theory:
 photoelectric circular dichroism modeling, 297–299
 potential energy surface, resonance-enhanced photodissociation spectroscopy, 348–351
- Time-dependent Schrödinger equation:
 nonadiabatic chemical dynamics, semiclassical optimal control theory, 172–175
 optimal control theory:
 basic formalism, 46–48
 electric Nuclear Born–Oppenheimer (ENBO) approximation, 56–58
 objective functional variation and derivation, 75–79
 photodissociation equations, 79–82
 solutions, 64–71
 split-operator Fourier grid method, 66–69
- Time-dependent Zhu–Nakamura (ZN) theory, 195–196
- Time-integrated flux, nonadiabatic transition, complete reflection phenomenon, 177–182
- Time-of-flight (TOF) photofragment spectrometer, potential energy surface, ion production, 335–339
- Time-resolved Fourier transform, ring intermediate pathways, 234–237
- Topology, geometric phase, reaction dynamics:
 hydrogen-exchange reactive scattering, 15–18
 nuclear wave function unwinding, 4–6
 symmetry approach, 6–8
 particle-exchange symmetry, 30–33
- Toroidal (belt) configuration, intermolecular dynamics, higher-order rare gas-dihalogen triatomic complexes, 389–392
- Total excitation probability, nonadiabatic transition, wave packet excitation, 166–172
- Trajectory calculations, multiple reaction paths:
 minimum energy path avoidance, 246–249
 single-product channels, 226–228
- Trajectory surface hopping (TSH):
 Henon–Heiles system, 140–144
 nonadiabatic chemical dynamics, semiclassical optimal control theory, 172–177
 nonadiabatic transition:
 basic principles, 97–98
 chemical reaction dynamics, 98–106
- Transient probing of intermediates, multiple reaction paths, final state distributions, 221–223
- Transition dipole moment, nonadiabatic chemical dynamics, external field control, 155–162
- Transition metal ions, potential energy surface, 331
 prereactive complexes, vibrational spectroscopy, 354–355
- Transition position, trajectory surface hopping, 98–106
- Transition probability, nonadiabatic transition:
 electron transfer, 144–149
 periodic chirping, 150–161
 wave packet, 164–172
- Transition state theory (TST):
 multiple reaction paths:
 methyl radicals, 249–253
 vinyl + hydrogen abstraction vs. addition-elimination, 243–246
 multiple reaction paths, single-product channels, 214–215
 potential energy surface, methane–methanol conversion, 344–347
 Zhu–Nakamura (ZN) principles, 96–98
- Transmission probability, nonadiabatic tunneling-type transition, 201–206
- Transversal excitation, low vibrationally excited states, tunneling splitting, 130–134

- Triatomic complexes, intermolecular dynamics, 375–379
rare gas–dihalogen geometries, 379–381
preferential conformer stabilization, 393–394
- Triplet states, $V^+(\text{OCO})$ spectroscopy and dissociation dynamics, mode selective photodissociation, 361–364
- T-shaped geometry, intermolecular dynamics: preferential conformer stabilization, 393–396
rare gas–dihalogen geometries, triatomic complexes, 379–381
rovibronic spectroscopy, 381–389
- Tunneling splitting, polyatomic molecules, 115–134
general formulation, 115–119
instanton trajectory and *ab initio* quantum chemical calculations, 119–121
- Tunneling-type transition, nonadiabatic chemical dynamics, 201–206
- 2-TS mechanism, geometric phase, reaction dynamics, hydrogen-exchange reactions, cancellation puzzle, 27–30
- UE56/2 beamline, BESSY II, photoelectric circular dichroism modeling, 301
- Unimolecular reaction, geometric phase, nuclear wave function, 14
- Upside down potential, tunneling splitting in polyatomic molecules, 115–119
- Vacuum ultraviolet (VUV), photoelectric circular dichroism modeling, 282–283
circular polarization (CIPO) beamline (Elettra), 302
experimental techniques, 299–309
nonimaging photoelectric circular dichroism, 273–275
- Valence absorption circular dichroism, chiroptical asymmetries, 269–270
- Valence shell ionization, photoelectric circular dichroism:
camphor molecule, 313–318
future research issues, 318–321
- Van der Waals, rare gas–dihalogen complexes, supersonic expansions, 398–399
- Vector potentials, geometric phase, reaction dynamics:
complete unwinding topology, 33–36
hydrogen-exchange reaction, 15–23
- Velocity map imaging (VMI), photoelectric circular dichroism modeling, 304–305
- Vibrational excitation, electric Nuclear Born–Oppenheimer (ENBO) approximation, 56–64
- Vibrationally mediated photodissociation (VMP), potential energy surface, 343–344
- Vibrational predissociation (VP):
intermolecular dynamics, overview, 375–379
photoinitiated dynamics:
delocalized linear rare gas–dihalogen complexes, 393–402
rare gas–dihalogen complexes, 379–393
- Vibrational spectroscopy:
potential energy surface, 332–335, 352–354
prereactive complexes, 364–367
 $V^+(\text{OCO})$ spectroscopy and dissociation dynamics, carbon-oxygen bond activation, 356–368
- Vibrational spectrum photodissociation, $V^+(\text{OCO})$ spectroscopy and dissociation dynamics, carbon-oxygen bond activation, 356–368
- Vibrational-to-rotational energy transfer, photoinitiated dynamics, rare gas–dihalogen complexes, 406–409
- Vibrational to translational energy transfer, photoinitiated dynamics, rare gas–dihalogen complexes, 403–406
- Vinyl chloride, multiple reaction paths, single-product channels, 216–219
- Vinyl + hydrogen reaction, multiple reaction paths, abstraction vs. addition–elimination reaction, 243–246
- Vinyl radicals:
low vibrationally excited states, tunneling splitting, 134
tunneling splitting, 130–134
- $V^+(\text{OCO})$ spectroscopy and dissociation dynamics:
carbon-oxygen bond activation, 356–367
electronic spectroscopy, 356–357
mode-selective photodissociation, 361–364
vibrational spectroscopy photodissociation, 364–367
potential energy surface:
electronic spectroscopy, 339–341
ion production, 335–339
vibrational spectroscopy, 342–344

- Wavepacket propagation:
 nonadiabatic chemical dynamics:
 cyclohexadiene–hexatriene
 photoisomerization, 183–191
 semiclassical optimal control theory,
 172–177
 nonadiabatic transition:
 periodic chirping, 150–161
 semiclassical Herman–Kluk frozen
 Gaussian form, 106–112
- Wiley–McLaren time-of-flight mass
 spectrometer, potential energy surface,
 ion production, 332–335
- WKB theory, tunneling splitting in polyatomic
 molecules, 115–121
- X-ray photoelectron spectrum (XPS),
 photoelectric circular dichroism:
 camphor molecule, 313–318
 fenchone molecule, 309–311
- Zero momentum, nonadiabatic transition, wave
 packet excitation, 161–172
- Zeroth-order eigenfunctions:
 nonadiabatic chemical dynamics,
 semiclassical optimal control theory,
 172–177
 time-dependent Schrödinger equation, basis
 expansion, 64–66
- Zhu–Nakamura (ZN) theory:
 nonadiabatic chemical dynamics:
 cyclohexadiene–hexatriene
 photoisomerization, 183–188
 formula summary, 195–196
 nonadiabatic transition:
 complete reflection phenomenon, 177–182
 electron transfer, 144–149
 overview, 96–98
 periodic chirping, 150–161
 trajectory surface hopping, 98–106
 time-dependent version, 206–207