

Subject Index

- (A_1, A_2, A_3) system, 329
- C_p criterion, 428
- C_p statistic, 27
- D -optimal criterion, 230
- D_s efficiency, 377
- D_s -optimal criterion, 232
- F distribution, 18
- F test, 18, 24, 26, 48, 65, 71, 92, 96, 102, 109, 112, 125
- p value, 16, 18
- t distribution, 16
- t test, 16, 24, 92
- χ^2 distribution, 435, 608
- Adding columns technique, 383
- Adjusted p value, 99
- Adjusted treatment sum of squares, 118
- Adjustment factor, 183, 521, 572
- Akaike information criterion (AIC)*, 27
- Alias matrix, 423
- Aliased effects, 214, 277
- Analysis of covariance, 129
- Analysis of variance (ANOVA), 17, 23, 47, 92, 96, 103, 110, 112, 115, 118, 126
 - F statistic, 92, 109, 112
 - F test, 48, 112
 - between-treatment sum of squares, 48
 - extra sum of squares principle, 25, 130
 - mean square error, 16, 24
 - multi-way layout, 108
 - one-way layout, 45
 - regression sum of squares, 17, 23
 - residual sum of squares, 15, 63
 - three-way layout, 108
 - treatment of factorial effects, 171
 - two-way layout, 95
 - within-treatment sum of squares, 48
- Antagonistic plot, 166
- Axial point, 460, 484
- Balance, 160, 442
- Balanced incomplete block design, 115
- Balanced randomization, 10
- Bartlett's test, 189
- Baseline constraints, 53, 91, 95
- Bayesian approach, 610, 635, 641
- Bayesian information criterion (BIC)*, 27
- Bayesian variable selection, 433, 445, 612
- Binomial distribution, 628
- Block defining contrast subgroup, 196, 238, 302
- Blocking, 8, 193, 515
 - non-orthogonal, 206
 - orthogonal, 490
- Blocking scheme, 197, 238
- Box-Behnken design, 489, 507
- Box-whisker plot, 76
- Canonical analysis, 475
- Cause-and-effect diagram, 5
- Censored data, 605
 - estimability problem, 608
 - interval censoring, 605
 - left censoring, 605
 - maximum likelihood estimation, 607
 - right censoring, 605
- Center point, 460, 484, 488
- Central composite design, 459, 484, 505
- Chi-squared (χ^2) distribution, 435, 608

- Clear effect, 214, 239, 277, 303, 329, 536
- Cochran's Theorem, 67
- Coded variable, 461
- Collapsing factors, 388
- Complex aliasing, 424, 426, 433
- Complexity factor method, 548
- Compound noise factor, 542, 586
- Conditional main effect, 164
- Confidence interval, 17
- Confirmation experiment, 8
- Confounded effects, 194, 302
- Constrained optimization, 481
- Contour plot, 481
- Contrast, 53
 - cubic, 328
 - linear, 58, 328
 - quadratic, 58, 328
- Control array, 520
- Control chart, 515
- Control factor method, 548
- Control system, 569
 - feedback, 569
 - feedforward, 569
- Control-by-noise interaction, 536, 538
- Control-by-noise interaction plot, 518, 527
- Corner point, 460, 484
- Covariate, 11, 20, 128, 515
- Credible interval, 612
- Criterion
 - AIC*, 27
 - BIC*, 27
 - C_p*, 428
 - D*-optimal, 230
 - D_s*-optimal, 232
 - maximum resolution, 217, 248, 278
 - minimum aberration, 197, 219, 278, 302, 326
 - number of clear effects, 235, 240, 303
 - rotatability, 488
- Cross array, 520, 535, 584
- Cube point, 460, 484
- Curvature check, 465

- Defining contrast subgroup, 215, 278, 326
- Defining relation, 214, 325
 - type 0, 326
 - type 1, 326
 - type 2, 327
- Defining words, 215
- Degradation, 517
- Degradation data, 617
- Design construction
 - adding columns technique, 383
 - collapsing factors, 388
 - idle column technique, 396
 - method of replacement, 323, 346, 384
- Designs
 - 2^k , 155
 - 2^k with blocking, 193, 207
 - $2^m 4^1$, 364
 - $2^m 4^2$, 366
 - $2^m 4^n$, 325
 - 2^{k-p} , 215, 234, 252
 - 2^{k-p} with blocking, 260
 - 3^{k-p} , 275, 277, 312
 - 3^{k-p} with blocking, 313
 - 3^k , 270
 - r^{k-p} , 341, 345
 - 25-run fractional factorial, 342
 - 49-run fractional factorial, 345
 - balanced incomplete block, 115
 - Box-Behnken, 489, 507
 - central composite, 459, 484, 505
 - equivalent, 377
 - first-order, 463, 466
 - fold-over, 225
 - Graeco-Latin square, 114, 150
 - Hall's, 378, 401
 - Hyper-Graeco-Latin square, 150
 - isomorphic, 377, 486
 - Latin square, 110, 150
 - minimum aberration, 235, 326, 327, 537
 - mixed two-level and three-level, 334
 - mixed-level orthogonal arrays, 323, 379, 381, 405
 - nonregular, 371, 374, 609
 - orthogonal, 160
 - paired comparison, 87
 - Plackett-Burman, 375, 397, 421, 486
 - randomized block, 90
 - regular, 371, 374, 609
 - screening, 424, 444
 - second-order, 463, 466
 - small composite, 486
 - spherical, 487
 - split-plot, 120
 - supersaturated, 442
 - uniform shell, 490, 508
 - unpaired, 88
- Desirability function, 481
- Deviance, 632
- Difference matrix, 381
- Directional data, 653
- Dispersion, 162, 185, 571, 653
- Dispersion factor, 521
- Distribution
 - F*, 18
 - t*, 16

- binomial, 628
- chi-squared (χ^2), 435, 608
- exponential, 604
- extreme-value, 604
- inverse gamma, 434, 610
- inverse Gaussian, 628
- lognormal, 604
- multivariate normal, 610
- non-central chi-squared, 66
- normal, 12, 21, 628
- ordered multivariate normal, 642
- Poisson, 627
- studentized maximum modulus, 191
- studentized range, 56
- Weibull, 604
- Dynamic characteristic, 565
- Dynamic parameter design, 568
- Dynamic signal-to-noise (SN) ratio, 572, 573
- Effect heredity principle, 173, 292, 426
- Effect hierarchy principle, 172, 192, 193, 195-197, 199, 213, 217, 219, 225, 276, 424, 535, 538, 609
- Effect ordering principle in parameter design, 538
- Effect sparsity principle, 173, 424, 426
- Effects
 - aliased, 213, 276
 - clear, 214, 239, 277, 303, 329, 536
 - conditional main, 164
 - confounded, 194, 302
 - eligible, 535
 - estimable, 536
 - factorial, 168
 - interaction, 164, 167
 - linear, 287
 - linear-by-linear, 288
 - linear-by-quadratic, 288
 - main, 162
 - partially aliased, 378, 422
 - quadratic, 287
 - quadratic-by-linear, 288
 - quadratic-by-quadratic, 288
 - strongly clear, 214, 239, 277, 303, 329
- Eligible effect, 535
- Elliptic system, 475
- Estimability problem, 608, 641
- Estimable effect, 536
- Estimation capacity, 538, 540
- Experimental unit, 8
- Experimentwise error rate (EER), 181
- Exponential distribution, 604
- Extra sum of squares principle, 25, 28, 130
- Extreme-value distribution, 604
- Face center cube, 487
- Factor, 5
 - adjustment, 183, 521, 572
 - compound noise, 542, 586
 - dispersion, 521
 - hard-to-change, 5, 158, 380
 - hard-to-set, 6, 441
 - load, 516
 - location, 521
 - noise, 516
 - orthogonal, 160
 - qualitative, 7, 97, 270
 - quantitative, 7, 57, 270
 - random, 99
 - signal, 563, 565, 584
 - subplot, 121
 - whole plot, 121
- Factorial designs, 155
 - 2^k , 155
 - 2^k with blocking, 207
 - 3^k , 270
- Factorial effects, 168
- Failure amplification method, 548
- Failure time, 599
- Failure time data, 610
- Falling ridge system, 477
- Fiducial inference, 105
- Fieller interval, 570
- First-order design, 463, 466
- First-order model, 463
- Flow chart, 5
- Fold-over design, 226
- Fold-over technique, 225
- Follow-up experiment, 8, 225, 281
 - D -optimal design, 230
 - D_s -optimal design, 231
 - fold-over technique, 225
 - optimal design, 229
- Fractional factorial designs, 211
 - $2^m 4^1$, 364
 - $2^m 4^2$, 366
 - $2^m 4^n$, 325
 - 2^{k-p} , 215, 234, 252
 - 2^{k-p} with blocking, 260
 - 3^{k-p} , 275, 277, 312
 - 3^{k-p} with blocking, 313
 - r^{k-p} , 341, 345
 - 25-run, 342, 368
 - 49-run, 345, 368
- Galois field, 346
- Gauge repeatability and reproducibility, 99
- Generalized inference, 104, 105
- Generalized Kronecker sum, 382

- Generalized linear models (GLMs), 627, 631
 - binary regression, 630
 - binomial distribution, 628
 - deviance, 632
 - deviance residuals, 633
 - dispersion parameter, 627
 - extended quasi-likelihood, 639
 - gamma regression, 630
 - inverse Gaussian distribution, 628
 - inverse Gaussian regression, 630
 - link function, 629
 - logistic regression, 630
 - loglinear model, 630
 - maximum likelihood estimation, 631
 - mean deviance, 633
 - normal distribution, 628
 - one-parameter exponential family, 627
 - over-dispersion, 633
 - Poisson distribution, 627
 - Poisson regression, 630
 - probit regression, 630
 - quasi-likelihood, 634
 - variance function, 629
- Geometric projection, 378
- Gibbs sampling, 437, 455, 611, 642
- Graeco-Latin square, 150
- Graeco-Latin square design, 114
- Hadamard matrix, 375
- Hadamard number, 376
- Half-normal plot, 178, 190, 200
- Hall's designs, 378, 401
- Hard-to-change factor, 158, 380
- Hard-to-set factor, 441
- Heredity
 - relaxed weak, 436
 - strict weak, 436
 - strong, 436
- Hidden projection, 378, 379, 394
- Hyper-Graeco-Latin square, 115, 150, 344
- Hyperbolic system, 475
- Idle column technique, 396
- Imbalance, 389
- Individual error rate (IER), 181
- Inner-outer array, 520
- Interaction, 95, 164, 167, 272
 - block-by-treatment, 195
 - control-by-noise, 536, 538
 - linear-by-linear, 288
 - linear-by-quadratic, 288
 - quadratic-by-linear, 288
 - quadratic-by-quadratic, 288
- Interaction graph, 236
- Interaction plot, 165
- Inverse gamma distribution, 434, 610
- Inverse Gaussian distribution, 628
- Kronecker sum, 381
- Larger-the-better problem, 268, 482, 522
- Latent variable, 642
- Latin square, 150, 343
- Latin square design, 110, 150
- Least squares estimator, 12, 22
- Lenth's method, 180, 185, 192
- Level, 5
- Likelihood ratio test, 608, 632, 641
- Linear effect, 287
- Linear-quadratic system, 288
- Link function, 629
- Load factor, 516
- Location, 162, 185
- Location and dispersion modeling, 521
- Location factor, 521
- Lognormal distribution, 604
- Lurking variable, 158
- Main effect, 162
- Main effects plot, 163
- Main plot, 121
- Markov Chain Monte Carlo, 437
- Maximum likelihood estimate (MLE), 607, 631, 641
- Maximum resolution criterion, 217, 248, 278
- Mean, 183
- Mean square error, 16, 24
- Measurement system, 99, 568, 574
- Measurement system capability study, 99
- Method of replacement, 323, 346, 384
- Mid-rank scores, 648
- Minimum aberration blocking scheme, 197
- Minimum aberration criterion, 219, 278, 302, 325
- Minimum aberration designs, 219, 235, 327, 537
- Mixed effects model, 123
- Mixed-level orthogonal arrays, 323, 379, 381, 405
- Model matrix, 21, 159
- Model selection, 609
- Multi-way layout, 108
- Multiple comparisons, 53, 92
 - Bonferroni method, 54, 94
 - step-down, 340
 - Tukey method, 55, 93, 113, 119
- Multiple correlation coefficient, 23
- Multiple responses, 294, 481
- Multiple target system, 568, 575
- Multivariate normal distribution, 610

- Nearly orthogonal arrays, 379
- Nested effects modeling, 348
- Noise array, 520
- Noise factor, 516
- Nominal setting, 270
- Nominal-the-best problem, 183, 482, 521
- Noncentrality parameter, 66
- Nonregular designs, 371, 374, 609
- Normal distribution, 12, 21, 628
- Normal probability plot, 78, 177

- One-factor-at-a-time approach, 173
- One-factor-at-a-time plan, 175
- One-way components of variance model, 70
- One-way layout, 45
- One-way random effects model, 70
- Operating window method, 548
- Operating window signal-to-noise ratio, 548
- Optimal design algorithm, 234
- Order of estimability, 197
- Ordered categorical data, 640
- Ordered multivariate normal distribution, 642
- Ordinal data, 640, 641
 - estimability problem, 642
 - scoring method, 647
- Orthogonal arrays, 323, 375
 - asymmetrical, 323
 - mixed-level, 323, 379, 381, 405
 - symmetrical, 323
- Orthogonal columns, 322
- Orthogonal components system, 274
- Orthogonal designs, 160
- Orthogonal factors, 160
- Orthogonal Latin squares, 114
- Orthogonal main-effect plans, 388
- Orthogonal polynomials, 60, 62, 580
- Orthogonality, 160
- Out-of-spec probability, 294
- Over-dispersion, 633
- Overall curvature, 465
- Overall desirability function, 483
- Overall out-of-spec probability, 299
- Overfitting, 62

- Paired t test, 89
- Paired comparison design, 87
- Parameter design, 511, 519, 639
- Pareto principle, 173
- Partial F statistic, 28
- Partially aliased effects, 378, 422
- Performance measure independent of adjustment, 544, 573
- Performance measure modeling, 575, 580, 585
- Plackett-Burman designs, 375, 397, 421, 486
- Planning matrix, 157
- Plot
 - A -against- B , 165
 - antagonistic, 166
 - box-whisker, 76
 - contour, 481
 - control-by-noise interaction, 518, 527
 - half-normal, 178, 190, 200
 - interaction, 165
 - main effects, 163
 - normal probability, 78, 177
 - residual, 75, 76
 - scaled lambda, 135
 - synergistic, 166
- Poisson distribution, 627
- Prediction interval, 20
- Principle
 - effect heredity, 173, 292, 426
 - effect hierarchy, 172, 192, 193, 195-197, 199, 213, 217, 219, 225, 276, 424, 535, 538, 609
 - effect ordering, 538
 - effect sparsity, 173, 424, 426
 - extra sum of squares, 25, 28, 130
 - of parsimony, 26
 - Pareto, 173
- Projective property, 218
- Proportional frequencies, 387

- Quadratic effect, 287
- Quadratic loss function, 183
- Qualitative factor, 7, 97, 270
- Quantitative factor, 7, 57, 270

- Random factor, 99
- Randomization, 8, 237
- Randomized block design, 90
- Rectangular grid search, 470, 471
- Reference distribution, 177
- Regression analysis, 26, 169
- Regression sum of squares, 17, 23
- Regular designs, 371, 374, 609
- Related factors, 346
 - asymmetrical, 355
 - symmetrical, 355
- Relative efficiency, 388
- Reliability experiment, 613
- Reliability improvement, 599
- Repeatability, 106
- Repetitions, 8
- Replicated experiment, 161
- Replicates, 8
- Replication, 8
- Reproducibility, 106, 162, 165

- Residual plots, 75, 76
- Residual sum of squares, 15, 63, 632
- Residuals, 21, 74
- Resolution, 217, 278, 326
- Resolution III*, 485
- Response, 4
- Response function modeling, 576, 581, 586
- Response modeling, 526, 535
- Response optimization, 463
- Response surface exploration, 3
- Response surface methodology, 459, 462
 - axial point, 460, 484
 - Box-Behnken design, 489
 - canonical analysis, 475
 - center point, 460, 484, 488
 - central composite design, 459, 484
 - corner point, 460, 484
 - cube point, 460, 484
 - curvature check, 465
 - elliptic system, 475
 - face center cube, 487
 - factorial portion, 484
 - falling ridge system, 477
 - first-order design, 463, 466
 - hyperbolic system, 475
 - line maximum, 476
 - near rotatability, 488
 - orthogonal blocking, 490
 - rectangular grid search, 470, 471
 - response optimization, 463
 - response surface mapping, 463
 - rising ridge system, 477
 - rotatability criterion, 488
 - saddle point, 475
 - second-order design, 463, 466
 - sequential experiment, 484
 - small composite design, 486
 - spherical design, 487
 - star point, 460, 484, 487
 - stationary point, 474
 - stationary ridge system, 475
 - steepest ascent search, 466
 - uniform shell design, 491
- Response surface modeling, 353
- Restricted randomization, 159
- Rising ridge system, 477
- Robust design, 511, 518
- Robust estimator, 180
- Robust parameter design (parameter design), 511, 518
 - adjustment factor, 521, 572
 - complexity factor method, 548
 - compound noise factor, 542, 586
 - control array, 520
 - control factor method, 548
 - control main effect, 538
 - control system, 569
 - control-by-noise interaction, 536, 538
 - control-by-noise interaction plot, 518, 527
 - cross array, 520, 535, 584
 - dispersion, 571
 - dispersion factor, 521
 - dual response modeling, 547
 - dynamic characteristic, 565
 - dynamic parameter design, 568
 - dynamic signal-to-noise (SN) ratio, 572, 573
 - effect ordering principle, 538
 - failure amplification method, 548
 - for general loss functions, 547
 - inner-outer array, 520
 - integrated design, 548
 - internal noise, 516
 - location and dispersion modeling, 521
 - location factor, 521
 - measurement system, 568, 575
 - multiple target system, 568, 575
 - noise array, 521
 - noise factor, 516
 - noise main effect, 538
 - nonlinearity, 519
 - operating window method, 548
 - performance measure independent of
 - adjustment, 544, 573
 - performance measure modeling, 575, 580, 585
 - response function modeling, 576, 581, 586
 - response modeling, 526, 535
 - robust setting, 527
 - sensitivity, 571
 - shrinkage factor, 560
 - signal factor, 563, 565, 584
 - signal-response system, 565, 572, 584
 - signal-to-noise (SN) ratio, 543, 572
 - simple response system, 565
 - single array, 532, 584
 - tolerance design, 519, 548
 - transmitted variance model, 527, 530
 - two-stage design, 548
 - two-step procedure, 521, 526, 543, 560, 572, 575
- Robust reliability, 599
- Rotatability criterion, 488
- Run, 157
- Run order, 157
- Run size, 157
- Run size economy, 373
- Saddle point, 475
- Sample size determination, 68

- Sampling inspection, 514
- Scoring method, 647
- Screening design, 424, 444
- Screening experiment, 462
- Second-order design, 463, 466
- Second-order model, 463, 473
- Sequential experiment, 484
- Signal factor, 563, 565, 584
- Signal-response system, 565, 572, 584
- Signal-to-noise (SN) ratio, 543
 - dynamic, 572, 573
 - operating windows, 548
- Simple linear regression, 11
- Simultaneous confidence intervals, 56, 57, 93, 113, 119
- Simultaneous testing, 177
- Single array, 532, 584
- Sliding levels, 346
- Small composite design, 486
- Smaller-the-better problem, 268, 482, 521
- SN ratio, 543, 572
- Spatial variation, 517
- Specification limit(s), 294, 300, 481
 - lower, 295
 - upper, 295
- Spherical design, 487
- Split plot, 121
- Split-plot design, 120
- Split-split-unit experiment, 585
- Split-unit experiment, 121, 547
- Star point, 460, 484, 487
- Stationary point, 474
- Stationary ridge system, 475
- Steepest ascent search, 466
- Steepest descent, 466
- Stress condition, 617
- Stress variable, 617
- Strongly clear effect, 214, 239, 277, 303, 329
- Studentized maximum modulus distribution, 191
- Studentized maximum modulus test, 191, 219
- Studentized range distribution, 56
- Subplot, 121
- Subplot error, 124
- Subplot factor, 121
- Supersaturated design, 442
- Surrogate variable, 517
- Synergistic plot, 166
- System optimization, 4
- System robustness, 4
- Tables
 - 2^k designs with blocking, 207
 - $2^m 4^1$ designs, 364
 - $2^m 4^2$ designs, 366
- 2^{k-p} designs, 252
- 2^{k-p} designs with blocking, 260
- 3^{k-p} designs, 312
- 3^{k-p} designs with blocking, 313
- F , 669
- t , 665
- χ^2 , 667
- 25-run fractional factorial, 368
- 49-run fractional factorial, 368
- Box-Behnken designs, 507
- central composite designs, 505
- difference matrices, 416
- Graeco-Latin squares, 150
- Hall's designs, 401
- Hyper-Graeco-Latin squares, 150
- Latin squares, 150
- Lenth's method critical values, 701
- mixed-level orthogonal arrays, 405
- normal, 663
- orthogonal polynomials, 699
- Plackett-Burman designs, 397
- studentized maximum modulus, 685
- studentized range, 677
- uniform shell designs, 508
- Test, 188
 - F , 18, 24, 26, 48, 65, 71, 92, 96, 102, 109, 112, 125
 - t , 16, 24, 92
 - Bartlett's, 189
 - likelihood ratio, 608, 632, 641
 - of overall curvature, 465
 - of variance homogeneity, 188
 - paired t , 89
 - studentized maximum modulus, 191, 219
 - two-sample t , 53, 89
 - unpaired t , 89
- Three-way layout, 108
- Tolerance design, 519, 548
- Trade-off strategy, 300
- Transformable non-additivity, 150
- Transformation, 133, 545, 630
 - log, 135, 184
 - power, 133
 - reciprocal, 135
 - reciprocal square root, 136
 - square root, 135
 - variance stabilizing, 134, 185
- Transmitted variance model, 527, 530
- Treatment, 5, 157
- Treatment comparison, 3
- Treatment defining contrast subgroup, 238, 302
- Treatment of factorial effects, 171
- Treatment sum of squares, 63
- Two-sample t test, 53, 89

- Two-step procedure, 183, 223, 268, 521, 526, 543, 560, 572, 575
- Two-way layout, 95
- Two-way random effects model, 102
- Two-way variance components model, 102
- Uniform shell design, 490, 508
- Unit-to-unit variation, 517
- Unpaired t test, 89
- Unpaired design, 88
- Unreplicated experiment, 161
- Variable screening, 3
- Variable selection, 27, 291, 340
 - backward elimination, 28
 - Bayesian, 433, 445, 612
 - best subset regression, 26
 - forward selection, 28
 - principle of parsimony, 26
 - stepwise selection, 28
- Variance, 183
- Variance components, 70, 102
- Weibull distribution, 604
- Whole plot, 121
- Whole plot error, 123
- Whole plot factor, 121
- Wordlength, 215
- Wordlength pattern, 217, 326
- Zero-sum constraints, 50, 91, 95, 108