

SUBJECT INDEX

A

- AAFP. *See* American Academy of Family Physicians
- AAAMC. *See* Association of American Medical Colleges
- AAP. *See* American Academy of Pediatrics
- ABC News, 134
- Accountability, 188
- ACIP. *See* Advisory Committee on Immunization Practices
- Action plans. *See* Tactical plans
- Activism, Internet, 275
- Ad Council, 302
- ADA. *See* Americans with Disabilities Act
- Adriana (schizophrenia patient caretaker), 316–317
- Advertising, PR versus, 148–149
- Advertising Law Resource Center, 151
- Advisory Committee on Immunization Practices (ACIP), CDC, 233
- Advocacy: media, 152, 265, 271–274, 276; public, 28, 158–159, 196–197, 247, 263–278
- Advocacy briefs, 270
- Africa, 17–18; HIV/AIDS in, 79, 355–356; New Media and Activism report in, 275–276; *Njangi* associations, 181
- African Americans, 329; “BodyLove” target of, 448–450; depression among, 377; health and illness ideas among, 92; higher SIDS rates for, 311; hypertension among, 123; infant mortality of, 55–56, 86, 300
- Age, 89; health and illness ideas by, 93; IPC and, 107–108
- Agency for Healthcare Research and Quality (AHRQ), 206
- Agency for International Development, US, 327
- Agriculture and Agri-Food Canada, 111
- AHRQ. *See* Agency for Healthcare Research and Quality
- AI. *See* Avian influenza
- AIDS. *See* HIV/AIDS
- AIDS Walk New York, 202
- AIDS-Related Information Bill, New York State, 200
- Aligarh Muslim University (AMU), 477
- AMA. *See* American Medical Association
- Amaya-Lacson Initiative, 481–483
- Amazing Adventures of Dietgirl, 159
- American Academy of Family Physicians (AAFP), 63, 103, 125
- American Academy of Pediatrics (AAP), 124, 233–234
- American Association for the Advancement of Science, 231
- American Association of Blood Banks, 199
- American Association of Colleges of Nursing, 145
- American College of Surgeons, 220
- American Diabetes Association, 95
- American Dietetic Association, 158–159
- American Folklife Preservation Act (1976), 83
- American Geriatric Association, 252
- American Heart Association, 265, 266, 267, 368
- American Heritage Dictionary of the English Language*, 139, 175, 244, 376
- American Hospital Association, 144
- American Lung Association, 301
- American Medical Association (AMA), 63, 234; on health disparities, 120; on provider-patient information, 125
- American Medical Student Association, 90
- American Organization of Nurse Executives, 144
- American Public Health Association, 152
- Americans with Disabilities Act (ADA), 200
- AMU. *See* Aligarh Muslim University
- ANC. *See* Antenatal care
- Angola: focus groups in, 383; malaria prevention program in, 205–206, 347; refugee camp, 286
- Animal rights versus animal research, 247
- Annual Health Education Advocacy Summit, 267
- Antenatal care (ANC), in Cambodia, 484–487
- Anthrax letter scare (2001), 19, 78

- Anthropology, 35
- Anxiety and uncertainty management (AUM), 50
- Asian Americans, smoking cessation among, 387
- Asian Indians, 126
- Ask Me 3, 125
- ASPH. *See* Association of Schools of Public Health
- Association of American Medical Colleges (AAMC), 125
- Association of Cancer Online Resources, 273
- Association of Nurses in AIDS Care, 251
- Association of Schools of Public Health (ASPH), 34, 84, 180, 244, 252, 260, 264, 282
- Asthma, pediatric: fatality, 335; outcome objectives, 301–303
- Attention, 43
- Attitudes: as audience segmentation factor, 319–322; regarding diabetes, 95–96; health issues relation to, 319; ideation theory on, 46, 47; of physician, patient behavior impact by, 119–120; as situation analysis factor, 314–315; TRA on, 44–45; verbal expressions and, 109–110. *See also* Beliefs; Health beliefs; Values
- Audience profile, 294, 307–354; characteristics used for, 309–310; described, 13; “Got a Minute? Give It to Your Kids!” campaign use of, 323–326; as health communication planning factor, 293; identifying preferred communication channels, 327–330; of secondary audiences, 313–314; situation analysis step of segmenting and developing, 318–326; TRA used for, 45; type 2 diabetes population example of, 321–322
- Audience segmentation, 37, 98; behavior as factor of, 321–322; characteristics used for, 319–320; prioritize and resource allocation in, 323; as situation analysis step, 318–326; stages of behavior change model and, 320; type 2 diabetes population example of, 321–322
- Audience-centered approach, 12, 55
- Audiences: analysis of, 13, 293; communication objectives and strategies specific to, 366–367; diffusion of innovation theory on, 37; gatekeepers to intended, 395; health communication program understanding of, 295–296; identifying communication vehicles for specific, 297–298; primary, 45, 313, 323; psychological type theory for, 140–141; reach, in communication channels, 328; secondary, 45, 313–314, 323; securing feedback on communication concepts from, 403; situation analysis and identifying key, 339–340. *See also* Messages; Target audience
- AudienceScapes, 383
- Audience-specific communication channels, 19–20, 221, 297–298
- AUM. *See* Anxiety and uncertainty management
- Australia, depression in, 377
- Avian influenza (AI): in Egypt, 469–472; in India, 478–480; IPC contribution to prevention of, 479–480
- ## B
- Bacillus anthracis* letter attacks (2001), 19, 78
- Bacon and eggs PR campaign (mid-1920s), 133
- Balance concept, of health, 86–87
- Barriers: of communication objectives, 362–363; to effective provider-patient IPC, 118–120, 122; to situation analysis implementation and proposed changes, 331–333
- BBC News*, 342
- BCC. *See* Health Behavior Change Communication
- Bedwetting. *See* Primary nocturnal enuresis
- Behavior: as audience segmentation factor, 321–322; health issues relation to, 319; impact of IPC on, 110; influence of parents versus peer communications on, 329–330; influencing health care provider, 226–228; of patient, physician attitudes impact on, 119–120; signs and symbols indicating meaning of, 105–106. *See also* Health behavior; Motivation
- Behavior change, 8; counseling to promote, 115–116; IPC focus on, 107–108; LF case study on, 113–114; obstacles to provider, 227–228; outcome objectives regarding, 291–292, 300–303, 358; people-centered approach, 225–226; physician, institutional approach to, 224–225; stages of behavior change model on, 48–49, 320; used as audience segmentation factor, 320
- Behavioral and social results, in health communication, 20–21
- Behavioral and social sciences theories, 36–51; communication for persuasion theory,

- 49–50; convergence theory, 47–48; diffusion of innovation theory, 36–40; features of, 35; HBM, 40–43; ideation theory, 46–47; SCT, 43–44; stages of behavior change model, 48–49, 320; TRA, 44–45
- Behavioral beliefs, 44
- Behavioral impact, 110, 119–120, 191–192, 412
- Behavioral outcome objectives: breast cancer prevention, 319, 357; health communication program, 291–292, 300–303; pediatric asthma, 302–303; SMART approach to, 292, 358
- Beliefs: HBM on, 40–43; health issues relation to, 319; normative and behavioral, 44–45; religious and spiritual, 88–89, 92; as situation analysis factor, 319–320. *See also* Attitudes; Health beliefs; Values
- Benin, Communication Theater in, 393–394
- “Beyond 2000 Sexual Health Survey,” of GMHC, 201
- Bing, 341
- Bingwa (Kenyan youth), 196–197
- Biomedical model, 62–65, 85
- Biopsychosocial model, 63, 86
- Biotechnology Journal*, 167
- Bioterrorism: anthrax letter scare of 2001, 19, 78; increasing threat of, 78–79
- Blog, 274; *The Daily Table*, 458; format, of Exchange program, 454; posts, 164; *SFoPH*, 165–166; web log, 164
- “BodyLove” case study on obesity, 448–450
- Brain drain, 238
- Brain on Drugs campaign, 386–387
- Brazil, 93, 256, 319, 388
- Breast cancer screening objectives, 319, 357
- B-roll, 157
- Budgets: allowing for adequate, 329, 358; monitoring, for program implementation, 400–401; tactical plan estimating, 377, 397–398. *See also* Cost-effectiveness
- C**
- C4D. *See* Communication for development
- CAFOs. *See* Concentrated animal feeding operations
- Calgary Health Region of Canada, on pandemic influenza, 472–476
- Cambodia, ANC in, 484–887
- Cambodia Demographic and Health Survey (CDHS), 486
- Cameroon, community mobilization project in, 181
- Campaign for Nursing’s Future (Johnson & Johnson), 144–145
- Campaign for Tobacco-Free Kids, 248
- Canada, 95, 111; basic literacy skills in, 73; nutritional habits importance in, 89; obesity in, 180; pandemic flu interventions, 209, 472–476; ParticipACTION program of, 179–180
- Canadian Public Health Association, 179, 180
- Cancer BACKUP, 92, 93
- Cancer Research Awareness Initiative, NCI, 388–390
- Cancer treatment and prevention, 260; breast cancer, 319, 357; cervical cancer, 151; colorectal cancer, 375; oral cancer, 69, 223; pediatric cancer, 273; skin cancer, 38–39
- Capacity-building needs in developing countries, 80–81, 191
- Capital punishment, 110–111
- CARE. *See* Comprehensive AIDS Resources Emergency Act, Ryan White
- Caribbean Cervical Cancer Prevention and Control Project, SWOT analysis for, 334–335
- Caribbean Epidemiology Center, 335
- Carmen (Spanish patient), 119–120
- Case studies, 113–114, 341–343, 393–394; analysis, 344–345; of global health communication, 467–492; of health communication, in United States, 443–466
- Case Western Reserve University, 402
- Catholic health beliefs, 92
- CBOs. *See* Community-based organizations
- CDC. *See* Centers for Disease Control and Prevention
- CDHS. *See* Cambodia Demographic and Health Survey
- Center for Clinical Global Health Education, at Johns Hopkins University, 238
- Center for Consumer Freedom, 247
- Center for Health Equity Research and Promotion, 66
- Centers for Disease Control and Prevention (CDC), 92, 302; ACIP of, 233; AIDS definition, 200; on colorectal cancer death reduction, 375; on communicable disease reemergence, 75–76; on community action, 375–376; “Got a Minute? Give It to Your Kids!” campaign by, 323–326; health communication defined by, 6; on kalazar

- presentation, 388; malaria prevention strategies of, 231; on media influences on health behavior, 151; MIM Kids and, 463; on participatory research for community mobilization, 206; pediatric immunizations supported by, 232–234; on pertussis incidence in US, 328, 360; on physically active life, 368; on positioning smoking cessation, 367; REACH 2010 initiative, 55–56; on SIDS prevention program decisions, 311; on smoking, 151; syphilis elimination efforts, 212; on TBI, 231; VERB campaign, 367–368, 451–453
- Cervical cancer screening, 151
- CFSC. *See* Communication for social change *Chapel Hill News*, 154
- Child* magazine, 233
- Child protection, UNICEF program on, 59
- Childhood immunizations: campaigns aimed toward parents, 151, 232–234, 328; communication concept examples promoting, 386; decreasing parental complacency about, 76, 386; door-to-door strategy for, 113; mass media campaigns for, 151; multifaceted approach to encouraging, 232; NFID approach to influenza, 232–234; pertussis incidence motivating, 328, 360
- Childhood obesity, 350, 367–368, 451–453, 461, 463
- Children, 153, 393–394; asthma of, 301–303, 335; “Got a Minute? Give It to Your Kids!” campaign focus on, 323–326; health beliefs of Brazilian, 93; MyWellness case study on, 444–448; obesity of, 350, 461, 463; pertussis incidence in US of, 328, 360; PNE in, 224; VERB campaign for obesity of, 367–368, 451–453. *See also* Parents
- China, 86–87, 92
- Christopher and Dana Reeve Foundation, 267
- Chronic disease, 68–69
- Cigarette warnings, mandated, 281
- CITI. *See* Collaborative Institutional Training Initiative
- Citizen engagement, 27, 188, 212–216, 273
- Clinic era, 14
- Clinical communication competency. *See* Core clinical competency
- Clinical education, health disparities prioritizing by, 120–121, 239–240
- CMCs. *See* Community mobilization coordinators
- CME. *See* Continuing medical education
- Coalition for Health Communication (2013), 249
- Coalition for Healthy Children, 260
- Coalition of National Health Education Organizations, 267
- Cognitive communication processes, 109–111
- Collaborative agreements, 222
- Collaborative Institutional Training Initiative (CITI), 353
- College of Family Physicians, 180
- Colorectal cancer death, 375
- COMBI. *See* Communication for behavioral impact
- Communicable diseases reemergence, 75–77
- Communication: as core clinical competency in provider-patient relationships, 116–128; defining, 4–5; for development, 17; IMC, 57, 379–380; IPC, 26–27, 103–131, 477, 479–480; models of, 34–35; one message—one behavior approach to, 19; with policymakers, 265, 267–271; technology-mediated, 128–129; vehicles of, 10, 297–298, 328, 330, 389–394; written, origins of, 5. *See also* Health communication
- Communication approaches, 203, 210, 380
- Communication channels, 391–394; audience profile and identifying preferred, 327–330; audience reach in, 328; audience-specific, 19–20, 221, 297–298; community-specific, 327–328; cost-effectiveness, 329; cultural and issue appropriateness, 329; definition of, 5, 327; Internet as PR, 147; interpersonal, 26–27, 103–130, 327, 328; key professional medical, 228–234; key stakeholder analysis, 330; mass media types of, 155–158, 327; message content and complexity, 328–329, 389–390; multiple, 297–298; PATH on, 393–394. *See also* Communication vehicles; Mass media; Messages
- Communication concepts, 377; childhood immunizations program examples of, 386; examples of, 385–386; message development and use of, 382–385; pretesting, 396–397; securing audience feedback on, 403
- Communication for behavioral impact (COMBI), 58–60, 190, 380; on LF, 114; on social mobilization to fight Ebola in Yambio, 193

- Communication for development (C4D), of UNICEF, 57–58, 191, 369, 380
- Communication for persuasion theory, 49–50
- Communication for social change (CFSC), 61–62
- Communication initiative, 52
- Communication objectives: adequate funding for, 298, 363; analyzing barriers and success factors of, 362–363; audience specific, 366–367; connections with other program elements, 359; defining time factors for, 363–364; definition of, 15; development and validation of, 356–364; expressions of, 356; human resources for, 298; identifying and prioritizing, 361–362; limiting number of, 361; measurable, 293; NCI at, 291–292; outcomes of, 356–357; quantitative measures and, 357–358; setting of, 359–360; SMART approach to, 292, 358; strategies designed to meet, 364–372; tactical and evaluation plans and roles for, 371–372, 378; vehicles used for, 10; well-defined, 297. *See also* Objectives; Outcome objectives
- Communication specialists, 131
- Communication strategies, 294; creative tactics supporting, 18–19, 375, 381; described, 16, 365; examples of, 365, 378–379; on health equity, 162–163; key principles of developing, 366–371; peer-to-peer, 465; SWOT analysis for, 366–367; tactical plans role in, 378–379
- Communication strategies principles: audience specific, 366–367; positioning, 367–368; rate, prioritize, and select strategic approaches, 370–371; review research evidence, 366
- Communication Theater in Benin case study, 393–394
- Communication training session, 124
- Communication vehicles, 10, 330, 391–394; multiple and audience-specific, 297–298; selecting message, 328, 389–390. *See also* Communication channels
- Communities of practice, 226–227
- Community, 140; African *Njangi*, 181; COMBI on, 191; definition and meeting of, 181; development, 25; group meetings in, 206–207; health communication planning participation, 296; leaders selection in, 204–206; level of, 69; members reliance on, 194–197; organizations, selection of, 204–206; participatory research on, 190; partnership meetings held by, 207–208
- Community action: CDC on, 375–376; cycle, 191, 211–212
- Community dialogue, 103, 111–112, 130
- Community empowerment, 67–68, 190
- Community health, health disparities and, 192
- Community Health Center Movement, 264
- Community health centers, 263–264
- Community mobilization, 38, 465; bottom-up approach to, 181; Cameroon project, 181; community action cycle of, 191, 211–212; definition of, 181; disease specific, 183; of gay activists, 198–202; as global health community strategy, 194; goals of, 182; impact on health-related knowledge and practices, 194–203; key steps of, 203–212; media advocacy and, 273; ParticipACTION use of, 179–180; participatory research, 190, 206; social marketing and, 190–194; as social process, 182–188; VCT strategy of, 196–197. *See also* Social mobilization
- Community mobilization coordinators (CMCs), 477
- Community mobilization steps, 203–212; community group meetings, 206–207; community organizations and leaders selection, 204–206; developing communication approaches, activities, tools, and spokespeople, 203; general criteria for, 203–204; participatory research, 190, 206; partnership meetings, 207–208
- Community radio, 210
- Community Tool Box, 252, 258, 261
- Community-based communication, 189
- Community-based interventions, 171
- Community-based organizations (CBOs), 258
- Community-driven assessment, 206, 336, 384
- Community-needs assessment, 206, 336
- Community-specific communication channels, 327–328
- Comorbidities, 289
- Comparative analysis concept, of health, 88–93
- Complementary interventions, 184
- Comprehensive AIDS Resources Emergency (CARE) Act, Ryan White (1990), 200
- Concentrated animal feeding operations (CAFOs), 457
- Concepts: balance, of health, 86–87; comparative analysis of health, 88–93; development of, 385–390; medical, of

- health, 85–86; NCI on, 385; positioning, of social marketing, 367–368. *See also* Communication concepts
- Consensus-building workshops, 209
- Consistency, 234
- Constituency groups: developing alliances to address health or social issues, 249–251; in health communication program, 295–296; known as third-party groups, 245; legitimacy of, 246–247; potential drawbacks of partnerships with, 253; recognizing legitimacy of all, 246–247; right partners choice, 254–255; WHO on, 250. *See also* Public-private partnerships
- Constituency Outreach and Education Program, of NIMH, 245–246
- Constituency relations, 27; in corporate world, 245; in democratic societies, 243; guidelines for, 249; NCI guidelines for commercial partner, 255; organization mission advancement through, 250–251; practice-based definition of, 244–246; in public health, 243–244; structured approach to, 247–251
- Constituents, 244, 313–314; attracted to public advocacy, 247; health communication program understanding of, 254
- Consumer publications, 153
- Continuing medical education (CME) satellite symposium, 233–234
- Convergence theory, 47–48
- Cooney Waters Group, 155
- Core clinical competency: cultural competence and, 119–120; IPC as, 116–128
- Corporate world, constituency relations in, 245
- Cost-cutting interventions, 74–75
- Cost-effectiveness: as health communication feature, 18; health message assessment of, 329; pretesting, 397; social marketing contribution of, 55; of tactical plan, 381–382, 395. *See also* Budgets
- Counseling, 103, 112–128, 130. *See also* Voluntary counseling and testing
- Crisis and emergency risk communication, 77
- Crisis management, 140
- Cross-cultural approach to message development, 391
- Cross-cultural communication efforts, 90, 121
- Cross-cultural health communication: clinical education prioritizing of health disparities for, 120–121, 239–240; cultural competence framework, 240
- Crystalinks, 221
- Cultivation theory of mass media, 52
- Cultural competence, 117, 240; communication approaches, 210; as core clinical competency, 119–120; definition of, 69, 97; health communication implications, 97–98; as tactical plan element, 382–385, 392
- Cultural differences: American Folklife expression of, 83; comparative overview of health and illness ideas, 92–93; in gender roles and responsibilities, 91–94; of health beliefs, 84–93; in illness definitions, 88–90, 92–93; as provider-patient communication factor, 122; in signs and symbols, 104; in social status indicators, 105; as tactical plan element, 390–392. *See also* Language issues
- Cultural impact, 86–87, 104
- Cultural norms and values, comparison of, 105
- Culture: health disparities and, 162; IOM on role in health, 97; new media and, 171
- ## D
- Darfur, genocide in, 250
- Data collection: primary sources for, 344; secondary sources for, 339–347
- Databases, 341–342
- Day-to-day demands and tasks, of physicians, 219–220
- Delivered dialogue, 209
- Democratic societies, constituency relations in, 243
- Demographic characteristics, 318–319
- Department of Health, New York City, 387
- Department of Health and Human Services (DHHS), 9, 11, 64, 194, 282–283, 383, 455; cultural competence defined by, 97; *Healthy People 2010*, 6, 23, 40, 73–74, 76, 162, 299; *Healthy People 2020*, 24, 76, 162, 298, 299, 355–356, 380; on logic models, 422; on planning framework, 15; on smoking cessation, 70
- Department of Health and Mental Hygiene, New York City, 387
- Depression, 300, 377
- DES Action Canada and Working Group on Women and Health Protection, 151
- Developing countries: capacity-building and infrastructure in, 80–81, 191; essential medication access in, 79–80; HIV prevention in, 298; new media use in, 275–276

Development Communication and Media
 Advocacy, 402
 DHHS. *See* Department of Health and Human Services
 Diabetes, 450; attitudes or ideas regarding, 95–96; audience segmentation of population with, 321–322; prevention and control, 96; type 2, 95, 321–322
 Diffusion of Innovation Theory, 36–40, 369
 Disability movement, 387
 Disease: awareness, 18, 55; chronic, 68–69; communicable, reemergence of, 75–77; community mobilization specific, 183; tropical, 260. *See also* Illness; Sexually transmitted diseases
 Diversification, of mass media, 143
 Doctors Without Borders, 80, 272
 Document review, 341–343
 Door-to-door engagement strategy, 112, 113, 114
 Door-to-door immunization, 113
 Drug abuse recovery, 385

E

Eat Well Guide, 458
 Ebbinghaus curve of forgetfulness, 391
 Ebola social education, Yambio, 193
 EBPH. *See* Evidence-based public health
 Economic and Social Research Council, 140
 Ecuador, 91–92
 Eduardo (smoker), 69–70
 Education: clinical, for prioritizing health disparities, 120–121, 239–240; level factor, for provider-patient communication, 122
 E-E. *See* Entertainment-education format
 Effective and efficient health practices, 96
 Egypt: AI, 469–472; polio free, 368–370
 e-health, 71–72
 Elderly population, 93, 108
 Elite Tech Users, 135
 e-mail communication, 128, 152, 269
eMarketer Digital Intelligence, 164
 Emergency risk communication, 77, 212–216
 Emerson College, 57
 Enabling factors, 61
 Entertainment-education (E-E) format, of “BodyLove,” 449
 Epilepsy, 90, 95
 Ethical issues: of focus group research, 348; of public relations programs, 146, 151–152

Ethnic differences. *See* Racial and ethnic differences
 European Commission, on ANC, 484
 European Network for Smoking Prevention, 362–363
 Evaluation, 215, 339
 Evaluation parameters: in health communication planning, 296–297; mass media, 171–174; public relation program, 148–149
 Evaluation plan, 294–295; for communication objectives, 371–372, 378
 Every Woman, Every Baby global campaign, UNICEF, 252
 Evidence-based culturally competent programs, 84
 Evidence-based health communication, 12–13
 Evidence-based health issue problem, 312–313
 Evidence-based information, 183
 Evidence-based policy communication, 266
 Evidence-based program goal, 299
 Evidence-based public health (EBPH), 488
 Exchange. *See* Health Equity Exchange
Explaining Pandemic Influenza, 474

F

Facebook, 167, 274
 Facial expressions, 103–104
 Families USA, 156
 Family Health Outcomes Project, of UCSF, 55–56
 Family Smoking Prevention and Tobacco Control Act (2009), 281
 FamilyDoctor.org, 342
 Faxes, to policymakers, 269
 FDA. *See* Food and Drug Administration
 Fear appeal, 385, 386–387
 Field era, 14
 Financial issues. *See* Budgets; Cost-effectiveness
 Fitness, 151
 Flickr, 167
 Flu Fight for Kids campaign, NFID, 232–234
 Focus groups, 344, 347–349, 383
 Food and Agricultural Organization, 270
 Food and Drug Administration (FDA), 201, 314
 FoodNavigatorUSA, 272
 Formative research, 338–339
 Four Ps of social marketing, 54

Funding resources, 264; for communication objectives, 298, 363; for health communication programs, 298
 Futerra Sustainability Communications, 173

G

Gatekeepers, 46, 395
 Gay activists community mobilization, 198–202
 Gay Men's Health Crisis (GMHC), 198–202
 Gender: communication differences and, 108; definition of, 83; health behaviors and, 86, 91, 93–94; IPC, 107–108
 Geneva social mobilization, WHO on, 58–59
 Genocide, in Darfur, 250
 Geographical factors, 319
 GETHealth. *See* Global Education and Technology Health
 Ghana, 259–260, 383
 Global Education and Technology Health (GETHealth), 238
 Global health: community strategy, 194; workforce gap, IT innovation use, 237–239
 Global health communication, 467–492; Cambodia maternal and child health case study, 484–487; Canada pandemic flu case study, 472–476; community (or social) mobilization used in, 194; Egypt AI case study, 469–472; health science librarians and, 487–490; India polio and AI case study, 476–480; overview of, 26; US and Mexico TB case study, 481–483
 Global Health Education Consortium, 467
 Global Public-Private Partnership for Handwashing (PPPHW) with Soap, 259
 GMHC. *See* Gay Men's Health Crisis
 GNB Allies. *See* Greater New Bedford Allies for Health and Wellness
 Goals. *See* Objectives
 Google, 341, 488
 “Got a Minute? Give It to Your Kids!” campaign, CDC, 323–326
 GRACE Communications Foundation, 456–460
 Greater New Bedford Allies for Health and Wellness (GNB Allies), 462
 Grounding process, 128
 Gun violence, regulation on, 275, 294

H

Harvard Family Research Project, 63
 Harvard Medical School, 146

Harvard School of Public Health, 463
 HBM. *See* Health belief model
 Health: balance concept of, 86–87; comparative analysis concept of, 88–93; cultural differences in definition of, 84–85; medical concept of, 85–86; NCI on improvement of, 289; new media and, 157–169; WHO model of, 86–88. *See also* Illness
 Health behavior: communication for persuasion theory, 49–50; components of, 40–41; convergence theory, 47–48; diffusion of innovation theory on, 36–40; HBM on, 40–43; ideation theory, 46–47; intergroup theories, 50–51; Internet impact on, 129, 151; NAP, 41–42; SCT, 43–44; social norms theory, 45–46; stages of behavior change model, 48–49, 320; TRA, 44–45. *See also* Behavior; Motivation
 Health Behavior Change Communication (BCC) Project, 484
 Health belief model (HBM), 40–43
 Health beliefs: cultural differences in, 84–93; desires and, 94–97; gender influences on, 86, 91, 93–94; HBM on, 40–43; religious and spiritual influences on, 88–89, 92; as situation analysis factor, 319–320. *See also* Attitudes; Beliefs
 Health Canada and Schizophrenia Society of Canada, 95
 Health care: access, quality, and efficiency of, 260; decisions, mass media influence on, 149–152; level of, 69; settings of, 24. *See also* Public health and health care
 Health care providers: behavior change obstacles, 227–228; behavior overview, 226–227; communicating with, a peer-to-peer approach, 220–224; patient relationships with, 126–128; professional medical communication by, 220–224, 236; social factors that influence, 227; tablets use by, 235; theoretical basis for behavior of, 226–228. *See also* Provider-patient relationships
 Health communication, 72; for behavior change, 8; CDC definition of, 6; cultural competence and, 97–98; cycle of, 28–29, 287–289; defining, 4–9; effective and efficient, 96; eras of, 14; global, 26, 194, 467–492; health beliefs versus desires, 94–97; health issues and topics affecting, 66–81; health sciences librarians role in, 487–490; *Healthy People 2010* definition

- of, 6, 23; to increase knowledge, 8, 198; increasing importance of, 3; for individual, key group motivation, 8; influences in, 35–36; to inform and influence, 8; interpersonal, 26–27, 103–131; IOM on, 13, 23; key characteristics and defining features of, 7, 11–22; marketing mix role of, 25–26; professional medical, 27, 219–242; public health role of, 23–24; role of, 7–9; for smoking cessation, 282; in twenty-first century, 9–22; in US, 443–466; what it can and cannot do, 29–30. *See also* Communication; Messages
- Health communication case studies, in US, 443–466; “BodyLove” on obesity, 448–450; emerging trends, 464–465; Health Equity Exchange, 453–456; MIM, 460–464; The Sustainable Table on nutrition, 456–460; VERB Campaign, 451–453; WhyWellness on mental health, 444–448
- Health communication cycle, 28–29, 287–289
- Health communication environment, 22–23
- Health communication features, 9–22; audience and media specific, 19–20; audience centered, 12; behavioral and social results, 20–21; cost-effective, 18; creativity in support of strategy, 18–19; evidence-based, 12–13; list of, 11; multidisciplinary, 13–15, 33; process oriented, 16–18; relationship building, 20; strategic, 15–16
- Health Communication Partnership, 402; on community action cycle model, 211; on community mobilization, 182, 190–191, 194; on diffusion of innovation theory, 36, 37, 38; on global health communication, 26, 194; on multidisciplinary health communication, 33; on primary and secondary audiences, 45; on SCT, 43, 44; on TRA, 44
- Health communication planning, 10–11; approaches to, 285–287; developing tactical and evaluation, 371–372; evaluation parameters in, 296–297; framework, 15, 35; importance of, 283–285; NCI on, 283, 293, 398; phases of, 288; for program implementation, 400–404; steps of, 289–295; tips for, 490–492; traditional versus participatory, 285–287
- Health communication planning steps: communication objectives, 293; communication strategies, 294; evaluation plan, 294–295; outcome objectives, 291–292; overall program goal, 289–291; situation analysis and audience profile, 293; tactical plan, 294
- Health communication program, 299; communication objectives, 297; community and key stakeholders participation, 296; constituency and audience needs and preferences, 295–296; constituents understanding by, 254; expected outcomes and evaluation parameters of, 296–297; funding, commitment and human resources for, 298; interpersonal channels use in, 26–27, 103–130, 327, 328; multiple and audience-specific communication channels, 297–298; multisectoral partnerships for, 464; objectives strategies, 237, 241, 297; primary audiences of, 313; secondary audiences of, 313–314; situation, opportunities and communication needs analysis, 295
- Health communication theoretical influences: behavioral and social sciences theories, 36–51; combining behavioral, social, or marketing theories, 53–56; integrated marketing communications, 57, 379–380; logic modeling, 63–65, 422; marketing based models, 14, 22, 34, 53–57, 190–194, 367–368, 379–380, 451–453; mass communication theories, 51–53, 136; medical models, 62–63
- Health communication theories: applications of, 40–41; C4D, 57–58, 191, 369, 380; CFSC, 61–62; COMBL, 58–60, 114, 190, 191, 193, 380; communication for persuasion theory, 49–50; convergence theory, 47–48; cultivation theory of mass media, 52; diffusion of innovation theory, 36–40; HBM, 40–43; ideation theory, 46–47; IMC, 57, 379–380; precede-proceed model, 60–61; SCT, 43–44; social marketing, 53–56; stages of behavior change model, 48–49, 320
- Health communication theory, 10
- Health Communication Unit, 301, 330, 392
- Health condition, cost of, 312
- Health disparities: “BodyLove” case study for, 448–450; clinical education prioritizing for, 120–121, 239–240; community health and, 192; culture, 162; Exchange program

- on, 453–456; health issues, 21, 66–67; race and ethnicity, 162; social marketing for raising awareness of, 55; socioeconomic conditions, 162; technological advances to address, 170
- Health equity, 6; sports for, 162–163
- Health Equity Exchange program, 17, 380, 453–456
- Health Equity Initiative (HEI), 126, 162, 252, 453, 454
- Health issues: beliefs, attitudes, social norms, behaviors in relation to, 319; bioterrorism threat, 19, 78–79; communicable diseases reemergence, 75–77; constituency group alliances to address, 249–251; developing world capacity and infrastructure building, 80–81; e-health emergence, 71–72; evidence-based, problem parameters for, 312–313; graphic materials for, 384; health disparities, 21, 66–67; impact of managed care and cost-cutting interventions, 74–75; international medication access, 79–80; low health literacy, 73–74; patient empowerment, 67–68; personal experience and, 268; preventive medicine and behaviors limits, 69–70; social, political and other external influences on, 315–318. *See also* Situation analysis
- Health IT, 72
- Health Leads, 240
- Health literacy, 72; assessments, as tactical plan element, 390–391; as barrier to provider-patient communication, 122; factors for low, 73–74; *Healthy People 2010* on, 73–74; *Healthy People 2020* on, 355–356; new media and, 160; public engagement and, 189
- Health literacy-health communication continuum, 74
- Health program implementation, 384; budget monitoring for, 400–401; human resource allocation for, 398, 400–401; issue management, 403–404; monitoring teams establishment, 401–402; process definition, 403; situation analysis development and, 331–333; technical support and advisory groups, 184, 402–403
- Health sciences librarians, 222, 487–490
- Health warning, by policymakers, 282
- Healthy People 2010*: on HBM, 40; health communication defined by, 6, 23; on health communication program, 299; on health disparities, 162; health literacy defined by, 73–74; on risk communication, 76
- Healthy People 2020*, 24, 298; on health communication program, 299; on health disparities, 162; for health literacy improvement, 355–356; multimedia communication approach and, 380; on risk communication, 76
- HEART. *See* Helping Each Other Act Responsibly Together
- HEI. *See* Health Equity Initiative
- Helping Each Other Act Responsibly Together (HEART) program, 402
- High-pertension, 123
- High-risk areas (HRAs), of polio, 477
- Hindu health beliefs, 93
- H1N1 flu outbreak (2009), 209
- Hispanics, 384; breast cancer prevention for, 357; cultural health beliefs of, 87–88; health and illness ideas of, 92; HIV incidence rates decrease, 299; women, cervical cancer screening of, 151
- Hits, Internet, 172, 174
- HIV Reporting and Partner Notification Act, New York State, 201
- HIV/AIDS, 67; of high school students, parent communication versus peer communications, 329–330; online community for, 273; photovoice on, 274; social stigma of, 209
- HIV/AIDS crisis, 124, 250–251; in Africa, 79, 355–356; audience profile used to fight, 309; community mobilization by gay activists during, 198–202; patient empowerment lessons learned through, 67; public advocacy on, 196–197; situation analysis for understanding, 307–309
- HIV/AIDS prevention, 79, 194, 198; in developing countries, 298; international organizations for, 272; NAP for, 41–42; Radio Salankoloto on, 355–356; for young women, 307
- HIV/AIDS programs: HEART initiative, 402; PHR, 250–251; promoting international access to medication, 79–80
- Hmong cultural health beliefs, 90
- Household surveys, 349, 350
- HPV. *See* Human papilloma virus
- HRAs. *See* High-risk areas
- Huffington Post*, 152, 164
- Human papilloma virus (HPV), 314–315

- Human resources allocation, 298, 363; for health program implementation, 398, 400–401
- Hypertension, 123, 284–285, 450
- I
- I-can-do attitude, 109
- ICM. *See* Interpersonal Communication Motives scale
- ICTs. *See* Information-Communication-Technologies
- Ideation theory, 46–47
- Identity campaign ambassadors, 148
- IEC. *See* Information-education-communication
- Illness: cultural differences in definitions of, 88–90, 92–93; disease specific ideas of, 95; health status and recovery from, 88. *See also* Disease; Health
- Imagination, 382
- IMC. *See* Integrated marketing communications
- Immunization plus days (IPDs), 185
- Immunizations, 15–16; communication concept promoting childhood, 386; decreasing parental complacency about, 76, 386; door-to-door strategy for, 113; HPV vaccine, 314–315; mass media campaigns promoting, 151; multifaceted approach to encouraging, 232; NFID approach to pediatric influenza, 232–234; pertussis incidence motivating, 328, 360; promotion of, 314
- Impact: behavioral, 110, 119–120, 191–192, 412; cultural, 86–87, 104; of Internet on health behavior, 129, 151; of physician, on patient behavior and attitudes, 119–120; research, 339
- Implementation. *See* Health program implementation
- Implementation plans. *See* Tactical plans
- Incidence, 290, 312
- “Increasing Influenza Immunization Rates in Infants and Children: Putting Recommendations Into Practice” report, 233
- In-depth interviews, 344–347
- India, 113–114; AI in, 478–480; household surveys in, 349; National Immunization Day, 112; polio eradication, 476–478
- Individual level, of healthy behavior, 69
- Individual’s stage model, 38
- Infant mortality: of African-Americans, 55–56, 86, 300; PPE on, 194–195; prevention, in US, 383; SIDS and, 55–56, 311
- Infectious Diseases News*, 154
- Information technology (IT), 72, 237–239
- Information-Communication-Technologies (ICTs), 93–94
- Information-education-communication (IEC), 187
- Innovator studies, 37
- Insecticide-treated nets (ITNs), 18–19
- Institute for Public Relations, 172–173
- Institute of Medicine (IOM), 225, 467; on culture role in health, 97; on health communication, 13, 23; on multidisciplinary health communication, 33; *Unequal Treatment* report by, 121, 240
- Institutional review board (IRB), 352–353
- Integrated marketing communications (IMC), 57, 379–380
- Intensified ward communication strategy (IWCS), 185
- Interactive health communication, 72
- Interdependent factors in situation analysis, 317
- Intergroup theories: AUM, 50; PI, 50–51
- International access to medication, 79–80
- International Center for Research on Women, 309
- International health, 467
- International Telecommunication Union, 136
- International Walk to School Day, 452
- Internet, 135; activism, 275; African-American and European American men, 329; cultural and issue appropriate concerns about, 329; for data collection, 342; emergence of e-health via, 71–72; health cultural perspectives influenced by, 90, 93; health literacy and role of, 73; hits, 172, 174; impact on health behavior, 129, 151; for infant mortality prevention, 383; literature review and, 341; for medical information, 124, 150; as PR channel, 147; professional health organization use of, 159; professional medical communication use of, 174–175; as secondary data source, 341–342; as stakeholder identification resource, 330; surveys administered through, 350; usage, 136; voluntary, patient, and advocacy organizations use of, 159. *See also* Websites

Interpersonal behavior, 103–104
 Interpersonal channels, 26–27, 103–130, 327, 328
 Interpersonal communication (IPC): age and gender, 107–108; AI prevention contribution by, 479–480; barriers to effective provider-patient, 118–120, 122; behavior or social change focus of, 107–108; Carmen's story on physician attitudes, 119–120; cognitive processes of, 109–111; as core clinical competency, 116–128; counseling, 103, 115, 130; cultural and social factors importance in, 108–109; pediatric nurse practitioner's perspective on, 117–118; personal selling, 103, 112–115, 130; skills, 402, 477; social needs and factors of, 106; social processes of, 105–111; technology-mediated, 128–129; for transforming patient-provider partnerships, 126–128; trends in provider-patient, 124–126
 Interpersonal Communication Motives (ICM) scale, 107
 Interpreters, 123
 Interviews: one-on-one in-depth, 344–347; as qualitative research method, 344; as secondary data source, 343–344; stakeholder, 345; tips for, 346–347
 Intuitive/feeling (NF) psychological type, 140, 141
 Intuitive/thinking (NT) psychological type, 140, 141
 IOM. *See* Institute of Medicine
 IPC. *See* Interpersonal communication
 IPDs. *See* Immunization plus days
 IRB. *See* Institutional review board
 ISeek Education, 138
 Issue management, 140, 403–404
 Issue Management Council, 140
 IT. *See* Information technology
 Italy, smoking ban in, 362
 ITNs. *See* Insecticide-treated nets
 IWCS. *See* Intensified ward communication strategy

J

Jamia Hamdard, 477
 Jamia Millia Islamia (JMI), 477
 John Hopkins University, 59, 238

Johnson & Johnson Campaign for Nursing's Future, 144–145
 Joint United Nations Programme on HIV/AIDS, 272
 José (fictitious oral cancer patient), 223
 Julie (diabetic woman), 95

K

Kalazar (visceral leishmaniasis), 388
 Kenya, 113–114, 275
 Key communication areas: citizen engagement, 27; community mobilization, 27; constituency relations and strategic partnerships, 27; global health communication, 26; IPC, 26–27; mass media, 27; overview of, 235–237; policy communication, 28; professional medical communications, 27; public advocacy, 28; tools of, 236
 Key groups, 4–5, 12, 313–314, 364, 376–377
 Key influencers roadmap, 46
 Key stakeholders. *See* Stakeholders
 Keyword mentions, 174
 Kids Need Flu Vaccine, Too! kit, 234
 Knowledge: advancement of, 8, 198; community mobilization and, 194–203
 Knowledge Networks and MediaPost Communications, 164, 166
 Korea, 92, 127

L

Language issues: Carmen (Spanish patient) example of, 119–120; as provider-patient communication factor, 122. *See also* Cultural differences
 Latinos. *See* Hispanics
 Legislation: ADA, 200; American Folklife Preservation Act, 83; CARE Act, 200; Family Smoking Prevention and Tobacco Control Act, 281; HIV Reporting and Partner Notification Act, New York State, 201
 Legitimacy of constituency groups, 246–247
 LexisNexis, 153
 LF. *See* Lymphatic filariasis
 Lia Lee (Hmong child), 90
 LibGuides, 488, 489
 Lifestyle and cultural characteristics, 319
 LinkedIn, 167, 274
 Literacy rates, 73
 Literature review, 341–343

- Living and working environment, 319
 Logic modeling, 63–65, 422
 London School of Hygiene and Tropical
 Medicine, 259
 Long-term behaviors, 213
 Long-term relationships, 249
 Low health literacy, 73–74
 Luciana (diffusion of innovation theory
 example), 38–40
 Lymphatic filariasis (LF), 113–114
- M**
- MAB. *See* Multiauthor blog
 Macy Initiative, 402
 Malaria, 17–18, 95, 287; Angola prevention
 program, 205–206, 347; prevention
 strategies, 231
 Malaria Vaccine Initiative, 271
 Malaria Vaccine Science & Society Fellowship
 Program, 271
 Malmo University, Sweden, 58
 Managed care, 74–75
 “Mapping & Review of Existing Guidance and
 Plans for Community-and
 Household-Based Communication to
 Prepare and Respond to Pandemic Flu,”
 UNICEF, 332–333
 Maria (sub-Saharan African villager), 17–18
 Mario (schizophrenia), 316–317
 Maristela (Brazilian mother), 388
 Market research, 336
 Marketing and social marketing theory, 35
 Marketing based models, 22; IMC, 57,
 379–380; social marketing, 14, 34, 53–56,
 190–194, 367–368, 451–453
 Marketing mix, 25–26
 Marketing public relations, 140
 Marketing research, 336
 Mass and new media communication theories,
 51–56
 Mass communication, 51–53, 136
 Mass in Motion (MIM), for urban health,
 460–464
 Mass in Motion Kids, CDC, 463
 Mass media, 27, 134–135; campaigns, 150, 151;
 channels, 155–158, 327; diversification of,
 143; dos and don’ts of relations with,
 152–154; evaluation parameters, 171–174;
 Flu Fight for Kids campaign promotion by,
 232–234; health care decisions influenced
 by, 149–152; immunizations campaigns,
 151; new media theory and, 35; professional
 medical communication use of, 236; story
 noteworthiness and, 153–157. *See also*
 Communication channels; Public relations
 Massachusetts Department of Public Health
 (MDPH), 461
 Massachusetts School of Professional
 Psychology (MSPP), 445–446
 Mat release, 157
 MDPH. *See* Massachusetts Department of
 Public Health
 Measureable objectives, 293, 301, 357–358
The Meatrix series, 458
 MEB. *See* Mental, emotional, and behavioral
 disorders
 Media advocacy, 152, 265, 271–274; citizen
 engagement and, 273; community
 mobilization and, 273; incorporation of,
 276; planning questions, 274
 Media alert, 156
 Media effectiveness, 51
 Media effects, 51
 Media literacy, 189, 384
 Media pitch, 153
 Media power, 51, 146
 Media relations, 140, 152–154
 Media-specific health communication, 19–20
 Medical concept of health, 85–86
 Medical librarians, 222
 Medical models, 35; biomedical model, 62–65,
 85; biopsychosocial model, 63, 86
 Medical training for communication, 118
 Medication, international access to essential,
 79–80
 Medicus Mundi, 80
 Mediterranean Centre for Vulnerability
 Reduction, WHO, 193
 MEDLINE quality of care studies, 225
 Medscape, 317
 Mental, emotional, and behavioral (MEB)
 disorders, 445
 Mental illness, 316–317, 401; WhyWellness
 case study, 444–448
 Mental retardation, 76
 Merck Frosst Canada, 180
 Mercy Corps, 189, 210
 Mesoamerica, 5
 Messages, 19, 174; audience reach factor, 328;
 Cancer Research Awareness Initiative,
 388–390; communication concepts used
 in, 382–385; content and complexity of,
 328–329, 389–390; cost-effectiveness of,

- 329; cross-cultural approach to development of, 391; cultural and issue appropriateness of, 329; development of, 382–385; frequency of, 391; health literacy required to understand, 73–74, 122; for Hispanics, 384; launching, 394–396; pretesting, 396–397; retention of, 391; selecting communication channels and vehicles for, 328, 389–390. *See also* Audiences; Communication channels; Health communication
- Methodologies. *See* Research methodologies
- Mexico, TB in, 481–483
- mHealth, 134, 168–169, 274
- Microsoft Word Dictionary, 376
- Mild traumatic brain injury (MTBI), 231, 300
- MIM. *See* Mass in Motion
- Ministries of Health, Agriculture, and Education, 470
- Ministry of Health, Egypt, 369
- Minority populations: African Americans, 55–56, 86, 92, 123, 311, 329, 377, 448–450; Hispanics, 87–88, 92, 151, 299, 357, 384; Hmong, 90; Koreans, 92, 127; Native Americans, 92; religious, 88–89, 92–93; Vietnamese, 92. *See also* Racial and ethnic differences
- Mobile, on-demand, audience-driven communication environment: E-health, 71–72; health literacy, 72–74; interactive health communication, 72
- Mobile interactive features, use of, 174
- Models. *See* Health communication theories
- Moldova, UNICEF's program on child protection, 59
- Monitoring, 401–402
- Morbidity factors, 289, 312
- Morbidity rates, 289
- Mortality, 289, 312
- Motivation: IPC factors affecting, 107–108; SCT on, 43–44; stages of behavior change model on, 48–49. *See also* Behavior; Health behavior
- MSNBC, 272
- MSPP. *See* Massachusetts School of Professional Psychology
- MTBI. *See* Mild traumatic brain injury
- Multiauthor blog (MAB), 164–165
- Multidisciplinary health communication, 13–15, 33
- Multifaceted interventions, 223
- Multimedia communication, 380, 453–456
- Multiple communication channels, 297–298
- Multisectoral partnerships: for health communication programs, 464; strategies to develop, 251–260
- Museum of Public Relations, 134, 140
- Muslim health beliefs, 92
- ## N
- NAP. *See* National AIDS program
- NAPNAP. *See* National Association of Pediatric Nurse Practitioners
- NAPWA. *See* National Association of People with AIDS
- National AIDS program (NAP), 41–42
- National Alliance on Mental Health, 445
- National Association of Chain Drug Stores, 267, 269
- National Association of Community Health Centers, 263–264
- National Association of Pediatric Nurse Practitioners (NAPNAP), 76, 117
- National Association of People with AIDS (NAPWA), 199
- National Cancer Institute (NCI), 253, 291–292, 304, 348; Cancer Research Awareness Initiative, 388–390; on communication concepts to present information, 377, 385–386; on communication for persuasion theory, 49; on communication outcome objectives, 293; on concepts, 385; on diffusion of innovation theory, 36, 39; on ethical issues of focus group research, 348; on HBM, 40; on health communication importance, 23, 29; on health communication planning, 283, 293, 398; OC, 389–390; on outcome objectives, 300, 301; on planning frameworks, 15; on precede-proceed model, 61; public-private partnerships with, 145, 254–255; on SCT, 43; on social marketing, 54; on stages of behavior change model, 48–49; on surveys, 349, 359
- National CNS Competency Task Force, 252
- National Foundation for Infectious Diseases (NFID), 76; Flu Fight for Kids campaign, 232–234
- National Immunization Day, India (1999), 112
- National Influenza Vaccine Summit, 234
- National Initiative for Children's Healthcare Quality, 463
- National Institute of Child Health and Human Development, 311, 355

- National Institute of Mental Health (NIMH):
 Constituency Outreach and Education Program of, 245–246; Office of Constituency Relations, 248; Outreach Partnership Program, 246
- National Institutes of Health (NIH), 168, 246, 253, 348, 455; on communication for persuasion theory, 49; on diffusion of innovation theory, 36; on ethical issues of focus group research, 348; on HBM, 40; on health communication importance, 23, 29; on health communication planning, 283, 293; health disparities defined by, 66; NCI at, 283; on planning frameworks, 15; on precede-proceed model, 60–61; public-private partnerships with, 145, 255; on SCT, 43; on SIDS, 311; on social marketing, 54; stages of behavior change model, 48–49; on surveys, 349
- National League for Nursing, 252
- National Library of Medicine (NLM), US, 341
- National Network for Election Reform, 217
- National Opinion Research Center, 135
- National Patient Safety Foundation, 125
- National Plan for Avian and Human Influenza (NPAHI), 470
- National Planning Council, Colombia, 285
- National Public Radio, 139
- National Research Council and Institute of Medicine, on MEB disorders, 445
- National SIDS/Infant Death Resource Center, 311
- National Student Nurses Association, 144
- Native Americans, 92
- NCI. *See* National Cancer Institute
- NetTracker, 459
- New media, 465; activism, 275; age of, health communication in, 134; blogs, 164–166, 274, 454, 458; channels, 327; culture and user-friendly selection of, 171; developing countries use of, 275–276; evaluation parameters, 171–172; health and, 157–169; health literacy and, 160; hits, 172, 174; keyword mentions, 174; mHealth, 168–169; page views, 173–174; podcasts, 166–167; policymakers use of, 275; public perception factors for use of, 161; public policy influenced by, 274–277; reaching underserved with, 170–171; responses to text messages, 174; social media, 53, 167–168; social networking, 167–168; Sustainable Table use of, 456–460; text messaging readership, 174; theories, 52–53; unique visitors, 173; use of mobile interactive features, 174; VERB campaign use of, 451–452; visits, 173
- New Media and Activism report, Africa, 275–276
- New School for Public Engagement, 189
- New York Academy of Sciences, 239
- New York Times*, 173
- New York University, 58, 402
- Newsworthiness, 153–157
- NF (Intuitive/feeling) psychological type, 140, 141
- NFID. *See* National Foundation for Infectious Diseases
- NGOs. *See* Nongovernmental organizations
- Nielsen Norman Group, 166
- Nigeria, 93; IPDs in, 185; IWCS, 185; oral polio vaccine refusals, 184–188; STDs, 309; WPV cases, 184
- NIH. *See* National Institutes of Health
- NIMH. *See* National Institute of Mental Health
- Njangi* associations, Africa, 181
- NLM. *See* National Library of Medicine
- Nobel Prize for Peace, 250
- Nongovernmental organizations (NGOs), 204–205, 420, 478–479
- Normative beliefs, 44–45
- Norms: cultural, 105; subjective, 44. *See also* Values
- NPAHI. *See* National Plan for Avian and Human Influenza
- NT (Intuitive/thinking) psychological type, 140, 141
- Numedeon, Inc., 445–446
- Nurse educators, 252
- Nurses: behavior change obstacles, 227–228; on IPC, 117–118; professional medical communication by, 220–224. 236; relationship between patient and physicians, 121–128. *See also* Physicians
- NurseWeek*, 144
- Nutrition, 89, 456–460
- O**
- Obesity, 321–322; “BodyLove” case study, 448–450; in Canada, 180; childhood, 350, 461, 463; PPPs on, 260; VERB campaign for childhood, 367–368, 451–453
- Objective briefs, 270
- Objectives: behavioral, social, and organizational outcome, 291–292,

- 300–303; breast cancer screening, 319, 357;
health communication planning, 283, 293;
health communication program, 237, 241,
297; SMART approach to, 292, 358;
strategies designed to meet, 297. *See also*
Communication objectives
- OC. *See* Office of Communications
- Office for Human Research Protections, 348
- Office of Behavioral and Social Sciences
Research, 168
- Office of Communications (OC), of NCI,
389–390
- Office of Constituency Relations, of NIMH, 248
- Office of Minority Health (OMH), 64, 194, 195,
383
- Office of Minority Health Resource Center
(OMHRC), 64, 194, 383
- Office of National AIDS Policy, 202
- Office visits, 123–124
- Ohio University, 58
- OHM. *See* Office of Minority Health
- OMHRC. *See* Office of Minority Health
Resource Center
- 101 PublicRelations, 152
- One-message–one behavior approach, to
communication, 19
- One-on-one contacts, 343–344
- One-on-one in-depth interviews, 344–347
- Online communities, 273–274
- Online libraries, 343–344
- Online surveys, 350
- Ontario Milk Marketing Board, 180
- Ontario Physical and Health Education
Association, 180
- Op-ed article, 156, 274
- OpenForum2012, 275
- Opinion polls, 271
- Oral cancer, 69
- Oral health, 260
- Oral polio vaccine, Nigeria, 184–188
- Organization, mission advancement and,
250–251
- Organizational objectives, 291
- Organizational outcome objectives: health
communication program, 291, 300–303;
pediatric asthma program, 301–303;
SMART approach to, 292, 358
- Outcome objectives: behavioral, social,
organizational, 291–292, 300–303, 358;
pediatric asthma program, 301–303;
SMART approach to, 292, 358. *See also*
Communication objectives
- Outcome research, 339
- Outcomes: of communication objectives,
356–357; cultural impact on, 86–87; in
health communication planning, 296;
objectives of health communication
program, 294, 296
- Outreach Partnership Program, NIMH, 246
- Overall program goal, 289–291
- ## P
- Page views, 173–174
- Pandemic flu: in Canada, 209, 472–476;
UNICEF on, 189
- Pandemic Response Plan*, 474
- Panel studies, 339, 345
- Parents: childhood immunization campaigns
aimed toward, 151, 232–234, 328;
childhood immunization complacency by,
76, 386; “Got a Minute? Give It to Your
Kids!” campaign focus on, 323–326; peer
influence compared to that of, 329–330;
snapshot of less-involved, 325. *See also*
Children
- Parents* magazine, 233
- ParticipACTION: community mobilization
used by, 179–180; “Walk a Block a Day”
event, 179
- Participatory health communication planning,
285
- Participatory influential road mapping,
208–209
- Participatory needs assessment, 206
- Participatory research, 190, 336, 384; categories
of, 318–319; community action cycle
approach to, 211; community group
meetings to share, 206–207; community
mobilization through, 206; focus group
moderator in, 348–349
- Participatory situation analysis, 308
- Participatory-needs assessment, 336
- Partnering for Patient Empowerment Through
Community Awareness (2005), 67
- Partnership at Drugfree.org, 363
- Partnership for Clear Health Communication,
125
- Partnership for Health in Aging, 252
- Partnership meetings, 207–208
- Partnership plan, 377, 398–400
- Partnerships: meetings in, 207–208;
provider-patient relationships
transforming into, 126–128; types of,

- 258–260. *See also* Public-private partnerships
- Pasture Post* Newsletter, 459
- PATH. *See* Program for Appropriate Technology in Health
- Patient, problem, and/or population intervention (PICO), 488
- Patients: behavior, impacted by attitudes of physicians, 119–120; empowerment of, 67–68; professional medical communication with, 220–224. 236; quality of care gaps for, 225; relationship between physicians and, 121–128; relationship between providers and, 103–131. *See also* Provider-patient relationships
- PCOS. *See* Polycystic ovarian syndrome
- Peace Corps, 84
- Pediatric asthma outcome objectives, 301–303
- Pediatric cancer, online communities for, 273
- Peer-to-peer approach for health care provider communication, 219–224
- Peer-to-peer communication meetings, 379
- Peer-to-peer communication strategy, 465
- PEI. *See* Polio Eradication Initiative
- People-centered health communication, 12, 225–226
- Performance, 44
- Personal experience, 108, 268
- Personal selling: LF elimination through, 113; power of, 112–128; public health applications of, 112–115, 130
- Personal values, 85
- Pertussis incidence, 328, 360
- Pew Internet & American Life Project, 135, 150, 151, 164, 166, 169
- Pew Research Center, 86
- Philippines, 113–114
- Photovoice, 273–274, 345, 481–483
- PHR. *See* Physicians for Human Rights
- Physical fitness, 368
- Physical or medical factors, 319
- Physicians: behavior change, institutional approach to, 224–225; behavior change obstacles, 227–228; communication skills, Macy Initiative for, 402; day-to-day demands and tasks faced by, 219–220; patient behavior impacted by attitudes of, 119–120; relationship between patients and, 121–128; tablets use by, 235; theoretical basis for behavior of, 226–228. *See also* Nurses
- Physicians for Human Rights (PHR), 80, 250–251
- PI. *See* Problematic integration theory
- PICO. *See* Patient, problem, and/or population intervention
- Place, marketing and, 54
- Planning. *See* Health communication planning
- PNE. *See* Primary nocturnal enuresis
- Podcasts, 166–167
- Policy briefs, 269–270
- Policy communication, 28, 263–278; through e-mails, 269; evidence-based, 266; fellow program, of Population Reference Bureau, 266; through personal encounters, 269; presidential, 265; public advocacy support of, 266; research and, 266; success factors for, 267–268
- Policymakers, 465; asking for assistance from, 269; communicating with, 265, 267–271; e-mail communication to, 269; faxes and e-mails to, 269; health warning program by, 282; new media use by, 275; Twitter and, 275
- Polio, 76, 112–113, 368–370; eradication, in India, 476–478. *See also* Wild poliovirus
- Polio Eradication Initiative (PEI), 186
- Political debates, 188–190
- Political processes, 188–190
- Polycystic ovarian syndrome (PCOS) treatment, 488
- Population Reference Bureau, 266, 267
- Positioning concept, of social marketing, 367–368
- Positive appeals, 387
- Posts, 164
- Power: of personal selling and counseling, 112–128; as provider-patient communication factor, 122
- PowerPoint presentations, 341
- PPE. *See* Preconception peer educator
- PPP Bulletin International*, 258
- PPPs. *See* Public-private partnerships
- PPPW. *See* Global Public-Private Partnership for Handwashing
- PR. *See* Public relations
- Precede-proceed model, 60–61
- Preconception care, 383
- Preconception peer educator (PPE), 194–195, 383

- Predisposing factors, 61
- Preparedness, 214
- Preparedness-readiness-response-evaluation-constant cycle (PRRECC), 213–216
- Presidential policy communication, 265
- Press release, 155–156
- Pretesting, 377; communication concepts, messages and materials, 396–397; cost-effectiveness of, 397; definition of, 338–339
- Prevalence, 290, 312
- Preventive medicine and behaviors, 69–70, 313
- Price, marketing and, 54
- Primary audiences, 45, 313, 323
- Primary data, 344
- Primary nocturnal enuresis (PNE), 224, 256, 388
- Problematic integration (PI) theory, 50–51
- Process-oriented health communication, 16–18
- Process-related research, 339
- Proctor & Gamble, 259
- Product, marketing and, 54
- Professional channels, 327
- Professional medical communications, 27, 219–242; aims of, 222; analysis of approaches and tools used in, 236; channels and activities related to, 235–237; instrumental approach of, 223; Internet use by, 174–175; interventions focus, 239; key elements of, 228–234; by nurses, patients, physicians, 220–224, 236; peer-to-peer approach to, 219–224; theoretical assumptions in, 224–226. *See also* Physicians
- Professional medical communications elements, 228–234; audience-specific, 221; behavior-centered, 229; consistency, 234; easy to implement, 231; evidence-based, 228–229; group-specific, 229; multifaceted, 232; patient-centered, 230; practical, 230–231
- Program for Appropriate Technology in Health (PATH), 195–197; on communication channels, 393–394; Malaria Vaccine Initiative, 271
- Program implementation. *See* Health program implementation
- Program outcomes, 15
- Project ECHO, at University of New Mexico, 238
- Promotion, marketing and, 54
- ProQuest, 153
- Provider-patient relationships, 103; barriers to effective communication in, 118–120, 122; communication as core clinical competency in, 116–128; impact of physician attitudes on patient behavior, 119–120; pediatric nurse practitioner's perspective on, 117–118; technology-mediated communications in, 128–129; transforming into partnerships, 126–128; trends in, 124–126. *See also* Patients
- PRRECC. *See* Preparedness-readiness-response-evaluation-constant cycle
- PRSA. *See* Public Relations Society of America
- PSAs. *See* Public service announcements
- Psychological type theory, 140–141
- Public advocacy, 28, 263–278; American Heart Association on, 266; constituents attracted to, 247; on HIV/AIDS crisis, 196–197; influence of, 276; PR as, 158–159; reasons for, 272; rural communities and, 273; strategies, 272
- Public affairs, 140
- Public communication campaigns, 64
- Public consultation, 209
- Public engagement, 188, 189
- Public health: community health centers for, 263–264; constituency relations and, 245; health communication role in, 23–24; personal selling application to, 112–115, 130
- Public Health Agency of Canada, 473
- Public health and health care, 64–81; bioterrorism threat, 19, 78–79; capacity-building needs in developing countries, 80–81, 191; chronic diseases rise, 68–69; communicable diseases reemergence, 75–77; health disparities, 66–67; international access to essential drugs, 79–80; managed care, 74–75; mobile, on-demand, audience-driven communication environment, 71–74; patient and community empowerment, 67–68; PR in, 140; preventive medicine and behaviors, 69–70; worldwide urbanization, 77–78
- Public health informatics, 72
- Public policy: new media influence on, 274–277; policy briefs for, 269–270

- Public relation programs: ethical issues of, 146, 151–152; evaluation parameters of, 148–149; key elements of, 146; mass media channels and tools used in, 158
- Public relations (PR): advertising versus, 148–149; bacon and eggs campaign (mid-1920s), 133; characteristics of ethical, 146, 151–152; defined, 139; dos and don'ts of relations with mass media, 152–154; ethical standards, 145–146; Internet as channel for, 147; Johnson & Johnson Campaign for Nursing's Future, 144–145; media of, 271–274; practice of, 143–147; psychological types in, 140–141; as public advocacy, 158–159; in public health and health care, 140; relationships emphasis, 142; theory of, 139–143. *See also* Mass media
- Public Relations Society of America (PRSA), 143, 146, 152
- Public relations–driven mass media programs, 172–173
- Public service announcements (PSAs), 156, 375
- Public-private partnerships (PPPs): to address health or social issues, 249; building long-lasting and results-driven, 256–260; NCI guidelines on, 145, 254–255; on obesity, 260; one-on-one interviews and, 346; potential drawbacks of, 253; right partners choice by, 254–255; steps in building strategic, 253; tactical plans and, 398–400. *See also* Constituency groups
- Puerto Ricans, 223

Q

- Qualitative research, 337; case study analysis, 344–345; focus groups, 344, 347–349, 383; one-on-one in-depth interviews, 344–347; panel studies, 339, 345; photovoice, 273–274, 345, 481–483; quantitative research comparison to, 338; surveys, 349–351
- Quality of care gap, 225
- Quality of life, 290–291
- Quantitative measures, 357–358
- Quantitative research, 337; overview of methods used for, 345; qualitative research compared to, 338
- Questionnaires, 351
- QuickMBA, 336
- R
- Racial and ethnic differences, 162; comparative health and illness ideas, 92–93; oral cancer and, 69. *See also* Minority populations
- Radio: actuality, 156; community, 210; news release, 156
- Radio Salankoloto, on Africa HIV/AIDS prevention, 355–356
- Random sampling, 350
- REACH 2010 initiative, CDC, 55–56
- Readiness, 214–215
- Red Cross, 199
- Referendum, 209
- Reinforcing factors, 61
- Relationship: as good communication element, 20; provider-patient, 103, 118–129
- Religion, 89
- Religious and spiritual beliefs, 88–89, 92
- Reproduction, 43
- Research, 247; advocacy in, 265; of existing programs, initiatives and resources, 330–331; findings, organizing, sharing, and reporting on, 333–335; formative, process-related and summative types of, 338–339; health communication features based on, 12–13; market versus marketing, 336; outsourced to marketing research professionals, 351–353; participatory, 190, 206–207, 211, 318–319, 336, 348–349, 384; policy communication and, 266; primary data used during, 344; qualitative and quantitative, 273–274, 337–338, 344–351, 383, 481–483; reporting in situation analysis, 333–335; secondary data used during, 339–347
- Research methodologies, 335–353; formative, 338–339; panel studies, 339, 345; pretesting, 338–339, 377, 396–397; process-related, 339; qualitative, 273–274, 337–338, 344–351, 383, 481–483; quantitative, 337–338; random sampling issue of, 350; summative, 339
- Response, 215
- Responses to text messages, 174
- Retention, 43
- Rhode Island Department of Health, 86–88, 92
- Risk communication: community mobilization and citizen engagement in, 212–216; *Healthy People 2010* on, 76; *Healthy People 2020* on, 76
- Robert Graham Center, 124

- Robert Wood Johnson Foundation, 238
 Rockefeller Foundation Communication and Social Change Network, 61
 Ron Brown Award for Corporate Leadership, 144
 Roper poll, 200
 Royal Free Interview for Religious and Spiritual Beliefs, 88–89
 Rural community, public advocacy and, 273
- S**
- Safe routes to school (SRTS), 461–462
 Sample partnership success factors, 257
 San Francisco Public Health Department (SFDPH), REACH initiative, 55–56
 Scaling up phase, 211
 Schepens Eye Research Institute, 146–147
 Schizophrenia, 95, 316–317
 SCT. *See* Social cognitive theory
 Search Engine Land, 341
 Search engines, 341
 Second Life, 167
 Secondary audiences, 45, 313–314, 323
 Secondary data, 339–340; database and Internet sources of, 341–342; limitations of, 340; literature, case studies, document review, 341–343; one-on-one contacts, 343–344; one-on-one in-depth interviews sources of, 344–347; websites of existing organizations sources of, 342–343
 Self-administered surveys, 350
 Self-efficacy: ideation theory on, 46; SCT on, 44
 Self-esteem, 387
 Sensitive/feeling (SF) psychological type, 140, 141
 Sensitive/thinking (ST) psychological type, 140, 141
Sesame Street, 387
 Sesame Workshop, 387
 Seven Principles Project, on infant mortality, 55–56
 Sexually transmitted diseases (STDs), 195; Bingwa story on changing behavior to prevent, 196–197; gender-specific element of awareness of, 93; situation analysis report on Nigeria, 309
 SF (Sensitive/feeling) psychological type, 140, 141
 SFDPH. *See* San Francisco Public Health Department
- SFoPH*. *See* *Street Fighters of Public Health*
 Short-term behaviors, 213
 Short-term partnerships, 252
 SIDS. *See* Sudden infant death syndrome
 Sign language, 103
 Signs, 88; culture impact on interpretation of, 104; definition of, 103; distinction between symbols and, 103–104
 Sikh health beliefs, 93
 Situation analysis, 293, 352; definition of, 13; development of comprehensive, 308–333; as health communication planning step, 293; in health communication program, 295; HIV/AIDS crisis and, 307–309; interdependent factors in, 317; stigma in, 317; for understanding health issues, 315–318. *See also* Health issues
 Situation analysis development: audience profile and segmentation step in, 318–326; defining and understanding health problem, 310–313; describing barriers to implementation and proposed changes, 331–333; highlighting unmet communication needs, 331; identify key audiences, 313–315; incorporating available resource on, 330–331; key steps of, 309–311; organizing and reporting research findings, 333–335; preferred communication channels, media and venues, 327–330; SWOT analysis example for, 334–335; understanding social, political and other external influences, 315–318
 Skin cancer, 38–39
 Skype.com, 346
 SMART objectives, 292, 358
 Smoking ban, in Italy, 362
 Smoking cessation, 70, 96, 98; among Asian Americans, 387; European Network for Smoking Prevention for, 362–363; health communication for, 282; mandated cigarette warnings for, 281; mass media campaigns for, 151; physical fitness and, 368; positioning, 367; smoking bans for, 362–363; among teens, 364–365. *See also* Tobacco use
 SNSs. *See* Social network sites
 Social change, 192; CFSC model on, 61–62; health communication focus on, 20–21; IPC focus on, 107–108; outcome objectives regarding, 291–292, 300–303, 358

- Social cognitive theory (SCT), 43–44
- Social cues, needs and factors, 107–109
- Social determinants of health, 13, 86–87, 313
- Social efficacy, 285
- Social level, of chronic disease, 68
- Social marketing, 14, 34; audience-centered approach of, 55; community mobilization influenced by, 190–194; contributions, 55; cost effectiveness of, 55; definition of, 53; for disease and risk awareness, 55; four Ps of, 54; as health communication framework, 54; infant mortality awareness through, 55–56; positioning concept of, 367–368; Seven Principles Project, 55–56; VERB campaign example of, 451–453
- Social media, 53, 167–168
- Social mobilization, 183, 190; to fight Ebola in Yambio through, 193; as global health community strategy, 194; partners, 195. *See also* Community mobilization
- Social needs, 106
- Social network sites (SNSs), 329
- Social networking, 465
- Social norms, 103; comprehensive analysis of, 183; health issues relation to, 319; theory, 45–46
- Social objectives, 291
- Social outcome objectives: connections with other program elements, 359; health communication program, 291, 300–303; pediatric asthma, 302–303; SMART approach to, 292, 358
- Social process, 182–188
- Social sciences theories. *See* Behavioral and social sciences theories
- Social status factor, 105, 122
- Society for Neuroscience, 236, 267
- Socioecological model, 22
- Socioeconomic level, 122, 162, 319
- Solving Kids' Cancer, 167
- Somali, 92
- Soul Beat Africa, 309
- South Sudan, polio immunization in, 113
- Southwest Center for the Application of Prevention Technology, 320, 322
- “Spacing Our Children,” PATH play, 393–394
- Spiritual and religious beliefs, 88–89, 92
- Spirituality, 89
- Sports for Health Equity, 162
- Sri Lanka, 113–114
- SRTS. *See* Safe routes to school
- ST (Sensitive/thinking) psychological type, 140, 141
- Stages of behavior change model, 48–49, 320
- Stakeholders, 296, 313–314, 330; communicating with, 267–271; communication objectives and, 363; definition of, 14–15; health communication planning participation by, 296; interviews, 345; resources for identifying, 330; as situation analysis factor, 352; theory, 245
- Standing Committee of European Doctors (2004), 67
- State University of New York, at Stony Brook, 117, 259
- STDs. *See* Sexually transmitted diseases
- Steering Committee of the International Campaign to Ban Landmines, 250
- Stigma, 209, 317
- Strategic behavior communications models, 14; C4D, 57–58, 191, 369, 380; CFSC, 61–62; COMBI, 58–60, 114, 190, 191, 193, 380; Precede-proceed model, 60–61
- Strategic health communication, 15–16
- Strategic partnerships, 27, 253
- Strategic planning process, 287–289
- Strategies. *See* Communication strategies
- Street Fighters of Public Health (SFoPH)*, 165–166
- Stress, 86
- Subjective norms, 44
- Sudden infant death syndrome (SIDS), 55–56, 311
- Suffolk County Department of Health Services, New York, 117
- Summative research, 339
- Summit on the Science of Eliminating Health Disparities, 2012, 455
- SurveyMonkey.com, 349
- Surveys, 349–351
- Sustainable behavioral results, 192
- Sustainable Table case study, 456–460
- SWOT analysis: Caribbean Cervical Cancer Prevention and Control Project, 334–335; as communication strategy factor, 366–367; description of, 334
- Symbols: culture impact on interpretation of, 104; definition of, 103; distinction between signs and, 103–104
- Syphilis, 212

T

- Tablets, 235, 274
- Tactical plan elements: concept development, 385–390; cost-effectiveness, 381–382, 395; creativity in support of strategy, 375, 381; cultural competence, 382–385, 392; cultural differences as, 390–392; health literacy assessments, 390–391; imagination, 382; integrated approach, 379–380, 398–400; message development, 382–385, 390–391; nature and functions of, 375–376; partnership plan, 377; pretesting, 377, 396–397; program launch, 394–396; program time line and budget estimate, 377, 397–398
- Tactical plans, 294; communication objectives role in, 371–372, 378; communication strategies role in, 378–379; definition of, 376–379; designing and implementing, 375–405; key elements of, 379–398
- Tactics, 330, 376, 392
- Target audiences: definition of, 8; gatekeepers to intended, 395; “Got a Minute? Give It to Your Kids!” campaign and parents as, 323–326; media pitch made to, 153. *See also* Audiences
- TB. *See* Tuberculosis
- TB Photovoice Project, 481–483
- TBI. *See* Traumatic brain injury
- Teamwork, 11
- Technical support, 184, 402–403
- Technological advances, 89–90; to address health disparities, 170; social standing and, 159–160
- Technology-mediated communication, 128–129
- Teens, smoking cessation and, 364–365
- Telephone surveys, 350
- Text messages, 174
- Theory of Reasoned Action (TRA), 44–45
- Third-party groups. *See* Constituency groups
- Time line: GMHC health crisis HIV/AIDS, 198–202; tactical plan on program, 377, 397–398
- Tobacco use: Campaign for Tobacco-Free Kids, 248; limitations of preventative medicine for, 70; mandated cigarette warnings against, 281; mass media campaigns on dangers of, 151. *See also* Smoking cessation
- TRA. *See* Theory of Reasoned Action
- Traditional health communication planning, 285–287
- Training, 10–11
- Transfat-free products, 272
- Transtheoretical model. *See* Stages of behavior change model
- Traumatic brain injury (TBI), 231
- Tropical diseases, 260
- Troupe Bio Guerra (African theater troupe), 393–394
- Trust building, 109
- Tuberculosis (TB), 93, 95, 481–483
- Twitter networks, 152–153, 167, 274, 275
- Type 2 diabetes, 95, 321–322

U

- UCSF. *See* University of California, San Francisco
- UNAIDS, 181, 184
- Underserved populations, 6
- Unequal Treatment*, IOM, 121, 240
- UNICEF, 21, 186, 259; on AI, 470, 471, 478–479; on AI in Egypt, 469; on ANC, 484; C4D of, 57–58, 191, 369, 380; COMBI and, 58–59; on communication objectives, 293; on community-based communication, 189; on disability movement, 387; on Egypt polio free, 368–370; Every Woman, Every Baby global campaign, 252; on global health communication, 194; on polio, 112; VCM Net of, 186
- Unilever, 259, 272
- Unique visitors, 173
- United Nations Development Programme, 243
- United Nations Foundation, 169, 256
- United States (US): annual office visits in, 123–124; health communication in, 443–446; infant mortality prevention in, 383; pertussis incidence in, 328, 360; quality of care gap in, 225; TB in, 481–483. *See also* Health communication case studies, in US
- Universal values, 84–85
- University of British Columbia, 342
- University of Buffalo, 259
- University of California, San Francisco (UCSF), Family Health Outcomes Project of, 55–56
- University of Massachusetts Medical School, 402
- University of New Mexico, Project ECHO at, 238
- University of Utah, 57

University of Wisconsin, Extension Program Development, 63
 Urban communities, mobilization tools for, 208–212; consensus-building workshops, 209; participatory influential road mapping, 208–209
 Urban health, MIM case study on, 460–464
 US *See* United States
USA Today, 233
 USAID, 259

V

Values: cultural, 105; as situation analysis factor, 319; universal, 84–85. *See also* Attitudes; Beliefs; Norms
 Vancouver/Richmond Early Psychosis Intervention, 317
 VCM Net. *See* Volunteer community mobilizer network
 VCT. *See* Voluntary counseling and testing
 Vehicles, communication. *See* Communication vehicles
 Venues, 327
 VERB campaign, CDC, 367–368, 451–453
 Verbal expressions, 109–110
 Video news release, 156–157
 Vietnamese health beliefs, 92
 Virginia Public Health Association, 267
 Virtual newsrooms, 155
 Virtual world, 444
 Visceral leishmaniasis, 388
 Visits, 173
 Voluntary counseling and testing (VCT), 196–197
 Volunteer community mobilizer network (VCM Net), 186
 Vovici, 350
 Vulnerable populations, 6

W

The Waiting Room, 170–171
 “Walk a Block a Day” event, ParticipACTION, 179
Wall Street Journal, 158
 Wallace Foundation, 350
 War on Poverty, 264
 Washington State Department of Health, 397
 Web log, 164
 Websites, 274; researching existing organizations through, 342–343. *See also* Internet

WHO. *See* World Health Organization
 WHO Mediterranean Centre for Vulnerability Reduction, 192
 Whyville, 167
 WhyWellness, 444–448
Wikipedia, 165, 342
 Wild poliovirus (WPV), 184, 476–478
 Women: depression among, 300; Hispanic, cervical cancer screening of, 151; HIV/AIDS prevention for, 307; wife and mother role, 91–92
 World AIDS Day, 200
 World Bank, 380
 World Health Assembly, 113
 World Health Organization (WHO), 88, 200, 212, 214; on behavioral objectives, 291; COMBI program of, 58–60, 114, 190, 191, 193, 380; on communication for behavioral impact, 191–192; on communication objectives, 292; on concepts, 86–87; on constituency groups, 250; on door-to-door engagement strategy, 112; Ebola social education through, 193; on Egypt polio free, 369; on Geneva social mobilization, 58–59; on global health communication, 194; on health communication importance, 7, 13–14; on HIV/AIDS prevention, 272; international access to medications promoted by, 79–80; on Internet, 135; on IPC channels, 26, 103; LF targeted for elimination by, 113; malaria prevention strategies by, 231; on online libraries use, 343; on pandemic influenza, 473; on polio, 112–113; on social determinants of health, 86–87; on tactical plans, 376
 Worldwide urbanization, 77–78
 WPV. *See* Wild poliovirus

Y

Yahoo!, 341
 Yambio, social mobilization to fight Ebola in, 193
 Yin and yang, 86–87
 Youth Media Campaign Longitudinal Survey (YMCLS), 452
 YouTube, 167, 274, 452

Z

Zambia, HEART program in, 402
 Zanzibar, 113–114

