

# Subject Index

## A

Acoustic emission testing, 391  
Aging aircraft, 17  
Air France Concorde Crash, 22  
Al-Cu phase diagram, 120  
Al-Ni phase diagram, 124  
Aloha Airlines Boeing 737, 16  
Aluminum alloys, 120  
Aluminum-copper system, 120  
American Airlines DC-10, 17  
Angle beam techniques, 387  
Anisotropy, 36  
Annealing, 116  
API, 5  
Arithmetic mean, 293  
Arrhenius-type behavior, 220  
ASME Boiler and Pressure Vessel Code,  
217  
ASME, 4  
ASTM Designation E 1351, 143  
ASTM Designation E 23, 163  
ASTM E 1221, 96  
ASTM E 1290, 90  
ASTM E 399, 89, 90  
ASTM E 561, 91  
ASTM E 813, 97  
ASTM E 837, 149  
ASTM, 4

Austenite, 109, 112  
Axisymmetric stress, 180

## B

Bainite, 116  
Banded microstructure, 330  
Banding, 118  
Basquin's law, 241  
Bearing and system reliability, 407  
Bearing failures, 409  
Blue brittleness, 118  
Bottle cap, 2  
Bragg's law, 147  
Branch cracking, 344  
Brittle fracture, 8, 156  
Brittle-to ductile transition  
temperature, 65  
Bulk modulus, 37  
Burger's vector, 64  
Bushings, 403

## C

C\*, 98  
Cannon barrels, 92  
Carbon equivalent, 319  
Carburizing, 117  
Case crushing, 412

## Case Studies:

- Airbus 380, 22
- Aircraft crankshaft, 378
- Aircraft gas turbines, 281
- Alexander Kielland, 321
- Aloha Airlines 737, 384
- Backing rings, 356
- Boeing 737-300, 23
- Bushing, 403
- Challenger, 4
- China Airlines Flight 611, 20
- Cigarette lighter, 4
- Citicorp Tower, 7
- Comet Aircraft, 8
- Concorde, 22
- Continuous casting, 329
- Counterfeit part, 332
- Dan Air Boeing 707, 11
- DC 10 crash, Chicago, 17
- F-111 Aircraft, 330
- Fossil-fuel fired boilers, 229
- Golf club shaft, 204
- Hartford Coliseum Roof, 12
- Heat exchanger tube, 226
- Helicopter bolt, 185
- Helicopter tail rotor, 136
- Hydroelectric generator, 276
- Japan Airlines 747 Crash, 20
- Kansas City Hyatt Walkways, 12
- Ladder rung, 349
- Mianus River Bridge, 12
- Molasses tank, 159
- Ovalized tube, 228
- Point Pleasant Bridge, 159
- Railroad car axle, 410
- Sioux City DC-10, 367
- Spring failures, 348
- Stack corrosion, 355
- Steering column component, 134
- Tacoma Narrows Bridge, 8
- Tay bridge, 8
- Titanic, 172
- Three Mile Island, 4
- Train wheel, 149
- USS Thresher, 24
- UTS examination of fuse pins, 389
- Welded pipe, 225
- Welding electrodes, 353
- Zinc die casting, 144
- 747 fuse pin, 277
- Jet engine components, 331
- Casting defects, 328
  - Cavities, 328
  - Centerline piping, 328
  - Defective surface, 328
  - Discontinuities, 328
  - Incomplete casting, 328
  - Incorrect dimensions or shape, 328
  - Metallic projections, 328
  - Nonmetallic inclusions, 328
- Cathodic protection, 346
- Cavitation, 285
- Cementite, 112
- Center-cracked panel, 81
- Chain of custody, 151
- Charpy V-notch test (CVN), 161
- Chemical analysis, 143
- Chevron markings, 158
- Cleavage fracture, 157
- Coatings, 126
- Codes, 4
- Coefficient of variation, 294
- Coffin-Manson law, 241
- Coherent phases, 123
- Coil springs, 283
- Cold working, 116
- Compliance calibration, 92
- Compression, 32
- Concluding remarks, 417
- Constitutive relations, 35
- Corrosion, 336
  - Corrosion fatigue, 337
  - Corrosion fundamentals, 337
  - Corrosion packout, 14
  - Corrosion science, 3
  - Cost of inspections, 393
  - Countersunk rivets, 17
  - Crack arrest, 95
  - Crack arrestor, 352
  - Crack closure, 247
  - Crack opening level,  $K_{op}$ , 248
  - Crack tip opening displacement, 90
  - Crack velocity, 158
  - Cracking in oil and gas pipelines, 350
  - Creep characteristics, 217
  - Creep deformation map, 218
  - Creep, 216
  - Creep fracture mechanism map, 224

Creep fracture mechanisms, 222  
 Creep parameters, 220  
 Critical angles, 386  
 Critical strain energy release rate, 84  
 Cross-examination, 154  
 Crystallographic facets, 156  
 Crack tip opening displacement, CTOD,  
 90, 91

## D

Decomposition of a stress tensor, 29  
 Defects, 316  
 Delta  $K_{eff}$ ,  $\Delta K_{eff}$ , 248  
 Depositions, 152  
 Depth of field, 141  
 Design considerations in fatigue, 240  
 Diffusion, 219  
 Diffusion Coatings, 129  
 Dilatation, 36  
 Dimples, 184  
 Directionally solidified alloys, 123  
 Dislocation, 61  
 Dislocation climb, 123, 218  
 Dislocation loop, 64  
 Distortional energy, 68  
 Distortional stress, 29  
 Ductile fracture, 177  
 Ductile-Brittle transition temperature  
 (DBTT), 163  
 Dwell-time fatigue, 331

## E

Earthquake, 2  
 Eddy current inspection, 17  
 Eddy current testing, 277  
 Edge dislocation, 61  
 Elasticity, 3  
 Elastic constants, 36  
 Elastic constitutive relationships, 36  
 Elastic-plastic fracture mechanics, 96  
 Electron energy loss spectroscopy (EELS),  
 145  
 Electron probe microanalysis (EPMA), 145  
 Elongated dimples, 184  
 Energy dispersive X-ray spectroscopy  
 (EDS), 139  
 Engineering strain, 32

Engineering stress, 27  
 Environmental effects in fatigue, 256  
 Environmental effects, 336  
 Environmentally assisted cracking, 342  
 Epoxy bonding, 16  
 Equivalent strain, 69  
 Equivalent shear stress, 69  
 Eutectic, 114  
 Eutectoid, 112  
 Everhard-Thornley detector, 140  
 Examination and Reporting Procedures,  
 132  
 Examination in laboratory, 152  
 Examination tools (field), 132  
 Examples of brittle fracture, 159  
 External work, 84

## F

Federal Aviation Administration, FAA,  
 4, 5  
 Fail-safe, 3  
 Failure analysis, 1, 2  
 Failure Assessment Diagram, 98  
 False Brinnelling, 405  
 Faraday's law, 339  
 Fatigue crack initiation, 246, 254  
 Fatigue crack propagation, 252  
 Fatigue crack, 8, 11, 92  
 Fatigue failure analysis, 273  
 Fatigue limit, 238  
 Fatigue mechanism, 246  
 Fatigue of composite materials, 286  
 Fatigue striations, 253, 260  
 Fatigue, 237  
 Fault trees, 326  
 FBI, 4  
 Ferrite, 111  
 Fillet weld a-measure, 325  
 Finite element method (FEM), 3  
 Finite fatigue life, 239  
 Finite width correction, 85  
 Flaw detection, 360  
 Foreign object damage (FOD), 240, 282  
 Forming defects, 329  
   alligating, 330  
   edge cracking, 329  
   flow patterns, 330  
   over-under cambering, 329

Forming defects (*cont'd*)  
 seams and laps (folds), 330  
 residual stresses, 330  
 stretcher strains, 330  
 Forming limit diagram, 183  
 Fourier transform infrared spectroscopy,  
 145  
 Fractography, 3  
 Fracture mechanics, 80  
 Fracture surface preparation, 133  
 Fracture toughness, 82  
 Frequency factor, 164  
 Fretting fatigue, 399  
 Fuel storage tank, 161

**G**

Galloping Gertie, 8  
 Gamma-prime, 123  
 Gear design and manufacturing problems,  
 412, 414  
 Gear failures, 410  
 Gear material problems, 412  
 General yield, 98  
 Gerber diagram, 241  
 Goodman diagram, 241  
 GP zones, 121  
 Grain boundaries, 123  
 Grain size, 111, 167  
 Griffith analysis, 80  
 Ground-air-ground cycle (GAG), 243  
 Gumbel distribution, 302

**H**

Hammurabi (laws of), 2  
 Hard-alpha, 122, 373  
 Hardenability, 116  
 High cycle fatigue, 242  
 Hole-drilling method, 149  
 Homologous temperature, 224  
 Hooke's law, 36  
 Hot corrosion (sulfidation), 358  
 Hot forging, 116  
 Hot shortness, 117  
 Hot working, 116  
 Hydrogen attack, 337, 356  
 Hydrogen embrittlement, 337  
 Hydrogen-induced cracking (HIC), 337

Hydrostatic pressure, 36  
 Hydrostatic stress, 29

**I**

Incorrect heat treatment, 333  
 Infinite fatigue life, 239  
 Instability, 91  
 Intergranular creep fracture, 223  
 Intergranular fracture, 159  
 Internal energy, 84  
 Iron-carbon equilibrium diagram, 109  
 Iron-carbon system, 109  
 Iron-nitrogen phase diagram, 379  
 Isothermal transformation diagram, 110

**J**

J integral,  $J_{IC}$ , 96

**L**

Laminar tearing, 320  
 Larson-Miller parameter, 220  
 Lattice friction, 67  
 Leak before burst, 92  
 LEFM, 88  
 Liberty ships, 159  
 Limit of resolution, 134  
 Linear elastic fracture mechanics, 88  
 Liquid metal embrittlement, 337  
 Loading modes, 88  
 Localized deformation, 337  
 Log normal distribution, 297  
 Logarithmic spiral, 73  
 Low-cycle fatigue, 242  
 Lower shelf, 167  
 Lüder's band, 67

**M**

Magnetic Particle testing, 375  
 MAR-M200, 125  
 Martensite, 116  
 Maximum shear stress criterion, 69  
 MCrAlY coatings, 128  
 Median, 294  
 Miller indices, 65  
 Mode I, 88  
 Mode II, 88

- Mode III, 88  
 Mode, (statistics), 294  
 Mohr circles, 32, 37,  
 Monkman-Grant law, 220  
 $M_s$  temperature, 116  
 Multiple site damage, 17
- N**
- National Aviation and Space  
     Administration, NASA, 4  
 Necking in thin strip, 181  
 Necking of a bar, 177  
 Nelson diagram, 259  
 Neuber notch rule, 243  
 Neutron irradiation, 168  
 Nickel-aluminum system, 124  
 Nickel-base superalloys, 122  
 Nil-ductility transition temperature  
     (NDTT), 170  
 Nitriding, 117  
 Non-destructive testing, 3  
 Non-linear elastic, 96  
 Normal beam technique, 386  
 Normal distribution, 294  
 Normalizing, 116  
 Notch, 44  
 Notch constraint, 166  
 Notch size effect in fatigue, 244  
 Nuclear regulatory Commission,  
     NRC, 4  
 National Transportation Safety Board,  
     NTSB, 4  
 Nuclear pressure vessel design code, 168
- O**
- Octahedral plane, 65  
 Optical examination, 135  
 Optical Microscopes, 135  
 Occupational Safety and Health  
     Administration, OSHA, 4  
 Overlay coatings, 129  
 Overload, 3  
 Oxidation-resistant coatings, 127
- P**
- Palmgren-Miner law, 243  
 Paris law, 262  
 Pb-Zn phase diagram, 144  
 Pearlite, 114  
 Peirels force, 164  
 Penetrameters, 391  
 Penetrant testing, 364  
 Percent elongation, 65  
 Peritectic, 112  
 Persistent slip bands, 246  
 Phase diagrams, 108  
 Pipeline reinforcement, 352  
 Pitting corrosion, 356  
 Plane strain, 44  
 Plane strain fracture toughness,  
      $K_{Ic}$ , 84  
 Plane stress, 38  
 Plastic deformation, 59  
 Plastic-zone size, 88  
 Plating problems, 353  
 Point rupture fracture, 224  
 Poisson's ratio, 36  
 Polycrystalline alloys, 122  
 Polymers, 84  
 Potential-current diagram, 340  
 Pourbaix diagram, 341  
 Power law creep, 219  
 Preheating, 117  
 Pretrial preparation, 152  
 Principal stress, 30  
 Problem Solutions, 419  
 Product liability, 4  
 Pure shear, 33
- Q**
- Quench cracking, 119, 204
- R**
- Radiographic testing, 389  
 R-curve, 91  
 Record keeping and testimony, 151  
 Recrystallization, 116  
 Redundancy, 3  
 Redundant, 3  
 Reference stress intensity  
     factor, 114  
 Reference temperature, 168  
 Renitriding, 378  
 Replicas, 142

Residual life assessment, 230  
 Residual stress toughening, 208  
 Residual Stress, 132, 146, 196  
   carburizing, 117  
   induction hardening, 207  
   measurement, 211  
   nitriding, 208  
   non-uniform plastic deformation, 200  
   quenching, 204  
   welding, 210  
 Resolved shear stress, 66  
 Retained austenite, 116  
 Return period, 303  
 River patterns, 158  
 Robinson's life fraction rule, 222  
 Roller bearings, 404  
 Rolling contact fatigue, 406

## S

S/N curve, 238  
 Safe-life, 3  
 Safety factor, 3  
 Scanning atomic force microscopy  
   (AFM), 146  
 Scanning Auger microanalysis  
   (SAM), 145  
 Scanning Electron Microscope  
   (SEM), 138  
 Scatter in fatigue, 297  
 Screw dislocation, 61  
 Secondary ion mass spectrometry, 145  
 Semicircular surface flaw, 86  
 Shear modulus, 36  
 Shear strain, 34  
 Shear stress, 28  
 Short crack limitation, 92  
 Shot peening, 256  
 Single crystal, 66  
 SI units, 5, 6  
 Slip direction, 65  
 Slip plane, 65  
 Small spot electron spectroscopy (EPS),  
   145  
 Sour gas, 253  
 Spectrographic analysis, 143  
 Spheroidizing, 117  
 Springback, 200  
 Stage I, 257

Stage II, 257  
 Standard deviation, 294  
 Statistical distributions, 294  
 Statistics of fatigue, 296  
 Steels, 109  
 Stereo-pair, 142  
 Storage of evidence, 152  
 Stored elastic energy, 42  
 Strain, 32  
 Strain energy, 45  
 Strain energy density, 42  
 Strain localization, 179  
 Strain rate, 91  
 Strain-rate sensitivity, 164  
 Strength of materials, 3  
 Stress analysis, 3  
 Stress deviator tensor, 29  
 Stress intensity factor, 85  
 Stress measurement by X-rays, 147  
 Stress relaxation, 232  
 Stress relieving, 117  
 Stress tensor, 29  
 Stress-corrosion cracking, 237  
 Stress-strain relations, 38  
 Sulfide print, 144  
 Surface energy, 80  
 Surface finish in fatigue, 255

## T

Technical Report, 150  
 Temper embrittlement, 118  
 Tempering, 117  
 Tension, 30  
 Theoretical strength, 59  
 Thermal shock, 196, 198  
 Thermal strain, 196  
 Thermal Stress, 196  
 Thermal-barrier coatings, 127  
 Thermal-mechanical cyclic  
   strain, 198  
 Thermal-mechanical fatigue, 243, 285  
 Thickness and fracture toughness, 89  
 Three-point bend specimen, 87  
 Threshold for SCC,  $K_{Isc}$ , 338  
 Titanium alloys, 121  
 (Ti-6Al)-V phase diagram, 122  
 Torsion, 43  
 Torsional failure, 185

Transformation range, 114  
Transgranular creep fracture, 223  
Transgranular fracture, 156  
Transmission Electron Microscope  
(TEM), 136  
Tresca criterion, 69  
Trial testimony, 153  
True strain, 34  
True stress, 27

## U

Ultimate tensile strength, 67  
Ultra-long life fatigue, 271  
Ultrasonic testing, 384  
Upper shelf, 167

## V

Vacuum remelting, 374  
Viscoelasticity, 3  
Viscous creep, 218  
Visual examination, 133, 364  
Von Mises criterion, 68

## W

Wear, 396  
Weibull distribution, 298, 406  
Weld cooling rate, 319  
Weld defects, 159, 316, 318  
    weld mismatch, 319  
    weld porosity, 318  
    weld reinforcement, 318  
    weld shrinkage, 319  
    weld slag inclusions, 319  
    weld spatter, 319  
Weld toe, 317  
Wöhler curves, 318  
Wrong alloys, 333

## X

X-ray analysis, 146

## Y

Yield criteria, 68  
Yield stress, strength, 69  
Young's modulus, 36

