

Index of Subjects

References to tables, figures and notes are given as, for example, 62t, 81f, 499n.

- abdominal muscles, 15, 19–20, 27
- accentual lengthening, 395–6
- acoustic signal, 6, 7, 41–4, 70–5, 179–81, 230, 234–8, 478–9, 487–8
 - boundary effects, 73–4
 - and velopharyngeal function, 109–25
- acoustic theory, 6, 489–95
- adaptation, 270–2
- adenoids, 118
- aerodynamics, 109, 111–25, 478–9, 499n
- affricates, 484–5, 531–2
- age-related differences
 - breathing, 14, 17–22, 23–4, 25
 - jaw movement, 100–1
 - Parkinson's disease, 25–7, 167–8, 303–4
 - velopharyngeal function, 120–1
- alveolar ridge, 86
- American English, 137–9, 141, 544–5, 546
- American Speech-Language-Hearing Association (ASHA), 334
- Amharic (Semitic language), 484–5
- amyotrophic lateral sclerosis (ALS), 308, 310
- anatomy, 16–20, 80–93
- anesthesia, 230–1
- animal studies, 82, 86–8, 168, 201–2, 280, 359–60, 361
- anthropocentrism, 354
- aphasia, 432, 446–8
- apraxia of speech, 8, 299, 301, 305, 309, 310–11, 315–20, 331–44
- Arabic (Semitic language), 479, 509, 547
- Arrernte (Pama-Nyungan language), 138
- articulators, 3–4, 59–76, 478–80
 - coordination *see* coordination
 - developmental changes, 71, 97–101, 114, 118–21
 - jaw and lips, 6, 79–101, 135–8, 206, 209–10, 212–13, 359–62, 492–3
 - larynx, 34–6, 481–3
 - modeling of, 67–70, 91–2
 - tongue, 60–5, 67–70, 96–7, 135, 148, 209–10, 251–2
 - velopharyngeal port (VP port), 109–25, 489–92
 - vocal folds, 6, 34–55
- Articulatory Phonology, 4, 7, 8, 143–8, 166, 184, 192–4, 313–15, 370–2, 384
- arytenoid cartilages, 34
- aspiration, 141–2, 261, 497–8
- ataxic dysarthria, 304–5
- attenuation, 406–15
- auditory cortex, 278–9, 280–6
- auditory feedback, 7–8, 98–9, 115–16, 178–94, 200–14, 267–86
 - altered feedback experiments, 230–1, 236, 238–9, 242, 267–86

- modeling of, 276–8
 visual feedback, 274
 Auditory Theory of Speech Perception, 204–5
 auditory-visual speech processing, 7,
 169–70, 178–94, 200–14
 autism, 547
 Autosegmental Phonology, 513
- babbling, 97–8, 208, 210–11, 358, 362–8,
 380–2, 383, 558–9, 560–1
 language-specific factors, 537
 back vowels, 493–5
 Bantu languages, 483–4
 basal ganglia, 301, 303–4
 Beijing dialect (Mandarin Chinese), 489
 Bernoulli effect, 44, 49
 bilabial consonants, 112
 biphasic movement cycles, 355–8
 bite-block experiments, 203–4, 228–9,
 232–3, 241
 blindness *see* visual impairment
 blood supply, 82–3, 92
 body language, 172
 body size, 13, 16–17
 boundary effects, 73–4, 148, 394–7, 424–5,
 517–22, 569–70
 brain, 7, 8
 brainstem, 26, 95, 98–9, 356–8
 breathing control, 26
 central pattern generator, 95, 98–9, 356–8
 feedback control mechanisms, 268–86
 lateralization, 279
 mirror neurons, 201–2, 361, 556–7
 Parkinson's disease, 25–7
 plasticity, 211, 225
 breathing, 13–28
 effects of disease on, 14, 25–7
 measurement of respiratory patterns,
 20–5
 Broca's area, 280, 281, 283, 284, 305, 361,
 556–7
 buccinator, 81f, 94–5, 250
- Cantonese (Sino-Tibetan language), 139,
 531–2, 537, 541–3
 Carib languages, 487–8
 Catalan (Indo-European language), 392–3,
 508, 509, 511
 categorical perception, 279
- central nervous system (CNS), 7, 8
 breathing control, 26
 central pattern generator, 95, 98–9, 356–8
 feedback control mechanisms, 268–86
 lateralization, 279
 mirror neurons, 201–2, 361, 556–7
 Parkinson's disease, 25–7
 plasticity, 211, 225
 cerebellum, 301, 304–5
 cerebral palsy, 303, 308
 Chebchev filters, 183
 chewing, 8, 93–5, 96, 98, 357, 360, 558–9
 childhood apraxia of speech (CAS), 331–44
 children, physical development, 16–19,
 20–5, 71, 81–2, 118–20, 123–4, 126n, 547
 chimpanzee, 82
 choral speaking, 169–70
 cleft lip/palate, 116, 118, 121–5, 126n
 clicks, 483–4
 clinical conditions (disordered speech), 5,
 298–322, 446–9
 amyotrophic lateral sclerosis (ALS),
 308, 310
 aphasia, 432, 446–8
 apraxia of speech, 8, 299, 301, 305, 309,
 310–11, 315–20, 331–44
 cerebral palsy, 303, 308
 cleft lip/palate, 116, 118, 126n
 diagnosis, 110, 250, 299, 315–16, 317,
 318–19, 332–43, 446–8
 dysarthria, 8, 298–9, 300–7, 308–10,
 322n, 432
 fluency disorders, 167–8, 280–2, 432–3,
 448–9
 hearing and visual impairments, 207–13,
 258, 261–2, 267–8
 Parkinson's disease, 14, 25–7, 167–8,
 303–4, 309–10, 322n
 pulmonary fibrosis, 14
 specific language impairment (SLI),
 557–8
 stroke victims, 280–1, 300–1
 treatment, 303, 343–4, 431–3
 cliticization, 394–5
 cluttering, 448
 coarticulation *see* coordination
 cochlear implants, 208–9
 coda timing patterns, 139–40, 144, 145–6
 cognitive rhythms, 172n

- compensation, 268–70
computational models, 49–51, 52–4, 170
 articulators, 67–70, 91–2
 limitations, 193–4
 see also theory
Computer Articulation Instrument (CAI), 340
consonants, 112–14, 135, 137–43, 481–5,
 486–92, 531–2, 534–9
 perturbation studies, 234–5
coordination, 3, 6–7, 99–101, 133–214
 developmental changes, 97–101, 379–98,
 562–70
 internal model hypothesis, 242
 language-specific factors, 481–6, 516
 laryngeal-oral coordination, 134, 137,
 141–3, 148–51
 motor speech disorders, 300–7, 313–15
 multiple segments, 143–51, 483–4
 perturbation studies, 7–8, 100–1, 203–4,
 227–43
 rhythm, 7, 148, 158–72
 single segments, 134–43
 spatiotemporal coordination, 192–4
corticobulbar tract, 301–2
Coupled Oscillator Model of Syllable
 Structure (COMS), 143–8
cover-body model, 37–8, 49–50, 53
cranial nerves, 85, 92, 301, 305–6
creaky voice, 496, 497
cricoarytenoid muscle, 35
cricoid cartilage, 34, 35f
cricothyroid muscle, 35f
cross-language studies, 9, 477–571
 acquisition, 530–49
 phonetic fieldwork, 477–99, 500n
 phonetics-prosody interface, 511–23
 sequencing and planning, 436–7, 458–9
 timing patterns, 137–41, 143–51, 161–6,
 391–7, 505–24
Czech (Indo-European language), 509

deafness *see* hearing impairment
Deep Brain Stimulation, 303
dementia, 303
dental prosthesis experiments, 234–5
devoicing, 148–9
digastric muscle, 61f, 63t, 64–5
digital signal processing (DSP), 267, 268
direct realism theory, 202–3

disfluency, 9, 167–8, 432–3, 448–9, 451–68
disordered speech, 5, 298–322, 446–9
 amyotrophic lateral sclerosis (ALS),
 308, 310
 aphasia, 432, 446–8
 apraxia of speech, 8, 299, 301, 305, 309,
 310–11, 315–20, 331–44
 cerebral palsy, 303, 308
 cleft lip/palate, 116, 118, 126n
 diagnosis, 110, 250, 299, 315–16, 317,
 318–19, 332–43, 446–8
 dysarthria, 8, 298–9, 300–7, 308–10,
 322n, 432
 fluency disorders, 167–8, 280–2, 432–3,
 448–9
 hearing and visual impairments, 207–13,
 258, 261–2, 267–8
 Parkinson's disease, 14, 25–7, 167–8,
 303–4, 309–10, 322n
 pulmonary fibrosis, 14
 specific language impairment (SLI), 557–8
 stroke, 280–1, 300–1
 treatment, 303, 343–4, 431–3
DIVA/GODIVA model, 315–20, 560–1
Dongbei dialect (Mandarin Chinese), 545
dorsal processing stream, 280–2
Drehu (Austronesian language), 532
dual stream hypothesis, 280–1
duration, 390–2, 459, 508–11
Dutch speakers of English, 433
dynamical systems models, 170–1
dysarthria, 8, 298–9, 300–7, 308–10,
 322n, 432

efference copy hypothesis, 269–70, 273, 277–8
eigenmodes, 38–9
elderly people
 breathing, 14, 17–22, 23–4, 25
 jaw movement, 100–1
 Parkinson's disease, 25–7, 167–8, 303–4
 velopharyngeal function, 120–1
electroglottograph (EGG), 41, 479–80, 482,
 485, 500n
electromyography (EMG), 70, 241, 480,
 493, 510, 562
emphysema, 14
English (Indo-European language), 137–9,
 141, 391–7, 508, 509, 511, 520–3, 531–2,
 537, 538, 539, 541–3, 544–5, 568–70

- epiglottic vallecula, 71, 72f, 73
- errors, 8–9, 355, 451–68, 534–9
 - exchange errors, 423, 431, 434–5, 438, 439n
 - inner speech errors, 404–15
 - interaction errors, 421–39
 - prosodic frames, 419–39
 - repair strategies, 9, 451–4, 463–8
 - second language learners, 430, 433
 - sign language errors, 430–1
 - tongue twister errors, 405–15, 426, 439n, 567
- ethical issues, research methods, 111, 479
- ethology, 365–7
- evolutionary theory, 2, 8, 80, 86, 87, 353–72
- exchange errors, 423, 431, 434–5, 438, 439n
- eye movements, 181–2, 183–4
- F0 (fundamental frequency), 38, 120–1, 180–1, 183, 234, 514–15, 517–18
- Facial Action Coding System (FACS), 187–8
- facial skin, role in speech motor control, 230–1, 248–62
- feedback, 7–8, 98–9, 115–16, 178–94, 200–14, 267–86
 - altered feedback experiments, 230–1, 236, 238–9, 242, 267–86
 - modeling of, 276–8
 - visual feedback, 274
- feet (stress feet), 148, 162, 568–9
- females
 - anatomy and physiology, 99–101, 116, 126n
 - breathing, 15, 17, 19–23, 24, 26–7
 - developmental changes, 16–19, 20–5, 71
 - ‘feminine’ speech styles, 545–6, 547
 - formants, 75
 - Parkinson’s disease, 26–7, 322n
- fieldwork, 9, 477–99, 500n
- filled pauses, 458–9
- film and video recordings, 37, 97
- Finnish (Uralic language), 382, 518
- first words, 368–70, 382–5, 559
- flaps, 544–5
- fluency, 445–68
 - disorders, 167–8, 280–2, 448–9
 - repair strategies, 9, 451–4, 463–8
 - rhythm, 166–8
- foot (stress foot), 148, 162, 568–9
- force field perturbation studies, 230, 235–6, 238–9, 242
- formants, 42–4, 70–5, 206–7, 226, 235–6, 487–8, 537
 - altered feedback experiments, 270–6
 - singers, 75, 181, 270–6
- Frame/Content theory, 353–72, 532, 558–9
- French (Indo-European language), 138, 207, 212–13, 226, 233–4, 458, 532, 537–8, 541–3
- frequency effects, 462, 566–9
- fricatives, 124–5, 142–3, 484–5, 486, 489–92, 535–6
- frontal cortex, 279–80
- Fulfulde (Niger-Congo language), 482–3
- functional residual capacity, 15–16
- fundamental frequency, 38, 120–1, 180–1, 183, 234, 514–15, 517–18
- fusion illusion (McGurk effect), 188–90, 200, 201, 260, 261
- Gaussian filters, 183
- gaze, 181–2, 183–4
- gemination, 482, 484–5
- gender identity, 545–6, 547
- genioglossus, 61f, 62t, 63, 68–9, 70
- geniohyoid (muscle), 61f, 63t, 64
- Georgian (Kartvelian language), 145–6, 147–8
- German (Indo-European language), 143, 145, 146, 210–11, 456–7, 514–16
 - second language learners, 433
- gestures and body language, 172
- glottal flow, 15, 20, 23, 25, 27, 44–52, 496–8
- glottalic consonants, 481–3, 497
- glottalic vowels, 485–6
- glottis, 34–5, 39–41, 45–7, 73, 479–80
- GODIVA model, 315–20, 560–1
- gorilla, 87
- gradient effects (speech errors), 405–6
- Greek (Indo-European language), 531–2, 534, 538, 541–3
- Guarani (Tupian language), 489–92
- head movement, 179–81, 183, 184–6
- hearing impairment, 207–10, 258, 261–2, 267–8
- height (vowels), 61, 69, 73, 74, 114–16, 188, 206, 493–5
- Heschl’s gyrus, 278
- hesitations, 456–63
- Hindi (Indo-European language), 141–2, 489, 534

- hot-wire anemometers, 113
 hyoglossus, 61f, 62t, 64, 70
 hyoid bone, 61f, 63–4
 hypopharynx, 6, 70, 71, 72–3, 74
- immigrants, 546–7
 implosives, 482–3
 infants
 babbling, 97–8, 208, 210–11, 358, 362–8,
 380–2, 383, 558–9, 560
 effect of hearing and visual impairments
 on, 207–8, 210–11
 speech perception, 203, 534
 velopharyngeal function, 118, 119, 126n
 inferior colliculus, 278
 inflated palate task, 236–7
 innate behavior patterns, 365–7
 inner speech errors, 404–15
 insula, 301, 302–3, 360–1
 interaction errors, 421–39
 International Phonetic Alphabet (IPA),
 9, 480–1
 Intonational Phonology, 513
 intonational phrase, 385–6, 424–33, 512
 intraglottal pressure, 44–52
 IPA (International Phonetic Alphabet), 9
 isochrony, 159–66
 Italian (Indo-European language), 492–3, 518
- Japanese (Altaic language), 162–3, 179–82,
 184–6, 237–8, 511, 518–19, 532, 533,
 538–9, 540–3, 544, 545–6
 jaw, 6, 8, 61, 79–80, 86–95, 96–8, 99, 100–1,
 135–7, 209–10, 360–2, 562–4
 anatomy and physiology, 86–93
 perturbation studies, 203–4, 228–9,
 232–3, 235–6
- Kalapalo (Upper Xingu Carib dialect), 487–8
 Kanincin dialect (Ruwund), 495
 Karitiana (Tupi language), 493–5
 kinematics
 breathing cycle, 14–16
 jaw and lips, 89–92, 99–101, 562–4
 multimodal speech, 178–94, 203, 209
 vocal fold vibration, 36–41
 Korean (Altaic language), 519–20, 539, 541–3
 Kotiria (Tucanoan language), 497–8
 kymographs, 160, 478
- language acquisition, 2–3, 5, 8, 358, 530–49
 apraxia of speech, 8, 331–44
 autism, 547
 babbling, 97–8, 208, 210–11, 358, 362–8,
 380–2, 383, 537, 558–9, 560
 breathing, 16–19, 20–5
 cross-language studies, 9, 530–49
 effect of anatomical and physical
 development on, 16–19, 20–5, 71,
 115–16, 118–20, 123–4
 effect of hearing and visual impairments
 on, 207–9, 210–11, 267
 first words, 368–70, 382–5, 534–5, 559
 and motor control, 2–3, 9, 97–101,
 530–49, 555–71
 prosody, 9, 379–98, 428–30
 role of auditory feedback, 115–16, 124
 theoretical models, 5, 8, 9
 language hierarchies, 1–2
 language-specific factors, 9, 477–571
 acquisition, 530–49
 phonetic fieldwork, 477–99, 500n
 phonetics-prosody interface, 511–23
 sequencing and planning, 436–7, 458–9
 timing patterns, 137–41, 143–51, 161–6,
 391–7, 505–24
 laryngealization, 496–8
 laryngeal-oral coordination, 134, 137,
 141–3, 148–51
 larynx, 34–6, 481–3, 496–8
 developmental changes, 71, 120–1
 modeling of, 72–5
 subglottal pressure, 15, 20, 23, 25, 44–9,
 485, 500n, 517–18
 lateral consonants, 139–40, 143, 148
 learning tasks, 258–60
 lengthening, 395–7, 457–8, 518–23, 569–70
 lesion studies, 298–322
 lexical access, 462, 566–9
 lexical bias effect, 407, 408, 409, 410
 lexical frequency, 144–5, 567
 lexical stress, 336, 391, 393–7, 568–9
 limb studies, 254–5, 256–7
 lips, 6, 79–86, 93, 94–6, 97–101, 135–8,
 203–4, 253, 359–61, 362, 562–4
 anatomy and physiology, 80–6, 492–3
 boundary effects, 73–4
 developmental changes, 81–2, 97–101
 rounding, 206, 212–13, 226, 229, 492–3

- lip-tube experiment, 233–4
- liquids, 115, 138–9, 145, 148
- lung-thorax unit, 14–16
 - anatomical and physical developmental changes, 13, 16–25
 - effects of disease on, 25–7
- macaque, 201, 361
- MacArthur-Bates Communication Development Inventories (CDI), 559
- Madison Speech Assessment Protocol (MSAP), 339–40
- magnetic resonance imaging (MRI), 65, 68, 72f, 110, 118, 141, 192, 283, 285, 304
- magnetoencephalography (MEG), 282
- males
 - anatomy and physiology, 99–101, 116, 126n
 - breathing, 15, 17, 19–23, 26–7
 - developmental changes, 16–19, 20–5, 71
 - formants, 75
 - ‘masculine’ speech styles, 545–6, 547
 - Parkinson’s disease, 26–7, 322n
- mandible (jaw), 6, 8, 61, 79–80, 86–95, 96–8, 99, 100–1, 135–7, 209–10, 360–2, 562–4
 - anatomy and physiology, 86–93
 - perturbation studies, 203–4, 228–9, 232–3, 235–6
- mandibular nerve, 85
- masseter, 87f, 90–1, 95, 98
- maxillary nerve, 85–6
- McGurk effect, 188–90, 200, 201, 260, 261
- medial pterygoid (muscle), 87f, 90–1
- medial temporal gyrus, 279
- Melodic Intonation Therapy, 432
- memory, 242, 280, 281, 333, 338, 380, 384, 388, 416n, 451, 461, 556, 557–8
- mesopharynx, 70–1
- minority languages, 9, 477–99
- mirror neurons, 201–2, 361, 556–7
- mora-timing, 162–3, 391
- motion studies, 179–81
- motor control, 2–4, 9, 225–344
 - chewing, 8, 93–5, 96, 98, 357, 360, 558–9
 - developmental changes, 97–101, 379–98, 555–71
 - evolutionary theory, 8, 353–72
 - interaction with language skills, 555–71
 - internal model hypothesis, 242
 - mirror neurons, 201–2, 361, 556–7
 - motor equivalence, 225–43
 - motor goals, 3, 7–8, 213, 226–7, 232–8
 - orofacial cutaneous function, 230–1, 248–62
 - stuttering, 167–8, 281–2, 432–3, 448
 - swallowing, 95–7, 360
- motor cortex, 279–80, 301–3
- Motor Theory of Speech Perception, 166, 202
- movement, measurement issues, 183–8, 194n, 195n
- MRI (magnetic resonance imaging), 65, 68, 72f, 110, 118, 141, 192, 283, 285, 304
- mucosal wave, 37, 38–9, 44–5, 50f, 52–3, 54
- multimodal speech, 7, 169–70, 178–94, 200–14
 - altered feedback experiments, 230–1, 236, 238–9, 242, 267–86
- muscles, 34–6
 - breathing, 15, 19–20, 27
 - effects of disease on, 27
 - jaw, 88–92, 251
 - lips and face, 80–3, 85–6, 249–52, 492–3
 - pharynx, 65–7
 - tongue, 60–5
 - see also* vocal folds
- music, 158–9, 169–70, 172
- mylohyoid (muscle), 61f, 63t
- Namtrik (Barbacoan language), 489
- Nasa Yuwe (isolate), 485–6
- nasal cavity, 109
- nasal consonants, 112–14, 137–8, 489–92
- nasalization, 115–17, 143, 490, 492
- Nasometer, 121
- nasopharynx (adenoids), 118
- Navajo (Athabaskan language), 494
- neighborhood density, 462, 566–8
- nervous system
 - brain *see* brain
 - cranial nerves, 85, 92, 301, 305–6
 - facial nerves, 84–6, 252–3, 270, 274–6
 - jaw, 92–3, 95
 - sensory nerves, 85–6, 95, 270, 274–6, 277
 - spinal nerves, 15
- nonce words, 569
- oblique muscles, 15
- obstruent consonants, 112–13, 124
- onset timing patterns, 143–4, 145, 147
 - measurement issues, 160–1

- Optotrak, 194n
 oral consonants, 112–14
 oral motor functions *see* chewing; speech
 motor control
 orbicularis oris, 80–1, 85, 94, 96, 202, 241,
 250, 253
 orofacial cutaneous function, 230–1, 248–62
 orofacial landmarks, 183–4, 186–8
- PACT (perception for action control
 theory), 213
 paidologos project, 532, 533
 palatalization, 140–1
 palatoglossus, 62t
 palatopharyngeus, 61f, 66t, 67
Pan troglodytes (chimpanzee), 82
 parent-child interaction, 369–70
 Parkinson's disease, 14, 25–7, 167–8, 303–4,
 309–10, 322n
 pauses, 456–63
 P-center, 160–1
 perception for action control theory
 (PACT), 205, 213
 perception tasks, 539–43
 perioral reflex, 253
 perturbation studies, 7–8, 100–1, 203–4,
 227–43
 pharynx, 61, 65–7, 74
 Philadelphia English, 546
 phonation, 34–55, 495–8
 phonemic similarity effect, 406–15
 phonetics, 9
 phonetics-prosody interface, 511–23
 phrase-final lengthening, 396–7, 426–7,
 428–9, 569–70
 physiology, 16–20, 80–93
 piriform fossa, 71, 72f, 73, 74, 75
 place-order effects, 145–6, 147–8
 planning and sequencing, 2–5, 8–9, 353–468,
 569–70
 breathing, 23–5
 hesitations, 456–63
 language-specific factors, 436–7
 motor speech disorders, 300–7, 331–44
 prosodic frames, 419–39
 speech errors, 9, 404–15, 419–39, 451–68
 plasticity, 7, 211, 225
 plosives, 112, 113–14, 122–4, 135, 141–3,
 497, 537–9
 pneumotachography, 112, 114, 117, 121
 Polish (Indo-European language), 509
 prediction-error-correction principle,
 240–1, 242
 premotor cortex, 201–2, 284, 286, 315, 361
 pressure-flow method, 111–12, 114, 120, 125n
 primates, 82, 86–8, 280, 361
 procedural memory, 557–8
 prolongation, 457–8
 prosody, 8–9
 acquisition, 379–98
 boundary effects, 148, 394–7, 424–5,
 517–22, 569–70
 breath groups, 24
 frames, 419–39
 intonational phrase, 385–6, 424–33
 phonetics-prosody interface, 511–23
 rhythm, 7, 158–72, 355, 359, 390–7,
 431–3, 438
 sign language, 430–1
 see also timing
 pulmonary fibrosis, 14
- radiography (X-rays), 37, 91, 110, 232–3
 recall tasks, 416n
 recoil pressure, 14–15, 17–19, 25
 rectus abdominus, 15
 reduction, 394–5
 redundancy, role in perception, 7, 189, 190–2
 reflexes, 249–52, 253, 256, 257
 regional dialects, 546–7
 reliability, research methods, 111–12, 183–4,
 416n, 561–2
 repair strategies, 9, 451–4, 463–8
 repetition, 459–60
 research questions
 coordination, 141, 150–1, 171–2
 language acquisition, 569–70
 motor control, 239, 321–2, 344, 569–70
 sequencing and planning, 372, 436–9, 451
 speech mechanism, 28, 55, 101, 125
 speech perception, 190–4
 residual capacity, 15–16, 17
 resonance, 6, 7, 42–4, 70–5, 230, 234–8, 487–8
 fundamental frequency, 38, 180–1, 183,
 234, 514–15, 517–18
 respiratory system *see* breathing
 retroflex consonants, 488–9
 rhotacization, 141, 143

- rhotic consonants, 498
 rhythm, 7, 148, 158–72, 355, 359, 390–7,
 431–3, 438
 risorius (muscle), 81f, 85, 250, 492–3
 Romanian (Indo-European language), 144–5
 rounding, 206, 210, 212–13, 226, 233–4, 492–3
 Russian (Indo-European language), 140–1,
 162, 391
 Rwanda (Bantu language), 483–4

 saliva, 93, 94, 95, 101n
 salpingopharyngeus, 66t, 67
 Sardinian (Indo-European language), 486
 second language learning, 430, 449–50
 self-sustaining oscillation, 36, 44–52
 sensory nerves, 85–6, 95, 270, 274–6, 277
 see also feedback
 septum, 61f
 sequencing and planning, 2–5, 8–9,
 353–468, 569–70
 breathing, 23–5
 hesitations, 456–63
 language-specific factors, 436–7
 motor speech disorders, 300–7, 331–44
 prosodic frames, 419–39
 speech errors, 9, 404–15, 419–39, 451–68
 Serbo-Croat (Indo-European language), 140
 sex differences, 99–101, 116, 126n
 breathing, 15, 17, 19–23, 24, 26–7
 developmental changes, 16–19, 20–5, 71
 formants, 75
 gendered speech styles, 545–6, 547
 Parkinson's disease, 26–7, 322n
 Shona (Bantu language), 483–4
 sibilants, 234–5
 sidetone amplification effect, 268
 sign language errors, 430–1
 silent pause, 456–7
 singing, 75, 181, 270–6, 432–3
 skin, role in speech motor control, 230–1,
 248–62
 Slovak (Indo-European language), 147
 sociolinguistic variation, 543–7
Sound Pattern of English (Chomsky and
 Halle), 190
 source-filter model, 42–4
 South American languages, 493–5, 496–8
 Spanish (Indo-European language), 392–3
 spatiotemporal coordination, 192–4

 speaker-listener dyads, 7, 169, 171–2,
 369–70
 specific language impairment (SLI), 557–8
 speech breathing *see* breathing
 speech cycling experiments, 168–9
 speech errors, 8–9, 355, 451–68, 534–9
 exchange errors, 423, 431, 434–5, 438, 439n
 inner speech errors, 404–15
 interaction errors, 421–39
 and prosodic frames, 419–39
 repair strategies, 9, 451–4, 463–8
 second language learners, 430, 433
 sign language errors, 430–1
 tongue twister errors, 405–15, 426,
 439n, 567
 speech motor control, 2–4, 8, 9, 225–344
 developmental changes, 97–101, 379–98,
 555–71
 evolutionary theory, 353–72
 internal model hypothesis, 242
 mirror neurons, 201–2, 361, 556–7
 motor equivalence, 225–43
 motor goals, 3, 7–8, 213, 226–7, 232–8
 orofacial cutaneous function, 230–1,
 248–62
 stuttering, 167–8, 281–2, 432–3, 448
 see also chewing
 speech pathology, 5, 298–322, 446–9
 amyotrophic lateral sclerosis (ALS),
 308, 310
 aphasia, 432, 446–8
 apraxia of speech, 8, 299, 301, 305, 309,
 310–11, 315–20, 331–44
 cerebral palsy, 303, 308
 cleft lip/palate, 116, 118, 126n
 diagnosis, 110, 250, 299, 315–16, 317,
 318–19, 332–43, 446–8
 dysarthria, 8, 298–9, 300–7, 308–10,
 322n, 432
 fluency disorders, 167–8, 280–2, 432–3,
 448–9
 hearing and visual impairments, 207–13,
 258, 261–2, 267–8
 Parkinson's disease, 14, 25–7, 167–8,
 303–4, 309–10, 322n
 pulmonary fibrosis, 14
 specific language impairment (SLI), 557–8
 stroke victims, 280–1, 300–1
 treatment, 303, 343–4, 431–3

- speech perception, 7, 115–16, 178–94,
200–14, 260–2
 - categorical perception, 279
 - cross-language studies, 163–6, 539–48
 - fluency, 445–6, 451–2, 468
 - measurement issues, 160–1
 - sociolinguistic variation, 543–7
 - Tadoma method, 261–2
- speech production, definition, 1–5
- speech rate, 386–90
- speech SA (sensorimotor adaptation)
studies, 270–2
- speech sound disorder (SSD), 336–7,
341–2, 343–4 *see also* apraxia
of speech
- SPIN studies (SPeech-In-Noise), 182–3
- spinal nerves, 15
- stop consonants, 112, 113–14, 122–4, 135,
141–3, 497, 537–9
- stress, 7, 158–72, 336, 355, 391, 393–7,
568–70
- stress-timing, 161–6, 391–7
- stroboscopic techniques, 37
- stroke victims, 280–1, 300–1, 304–5
- stuttering, 167–8, 281–2, 432–3, 448
- styloglossus, 61f, 62t, 63–4, 69, 70
- stylohyoid (muscle), 63t, 64–5
- stylopharyngeus, 66t, 67
- subglottal pressure, 15, 20, 23, 25, 44–51,
485, 500n, 517–18
- subphonemic attenuation hypothesis,
406–15
- superior temporal gyrus, 279
- superior temporal sulcus, 279
- supralaryngeal articulators, 59–76
 - coordination, 3, 6–7, 133–51
 - jaw, 79–80, 86–95, 96–8, 99, 100–1
 - lips, 79–86, 93, 94–6, 97–101
 - tongue, 60–5, 67–70, 96–7, 135, 148,
209–10, 251–2
 - velopharyngeal port (VP port), 109–25
- swallowing, 95–7, 360
- Swedish (Indo-European language), 232–3,
456, 458, 510, 531–2, 534
- syllable structure, 137–41, 143–51, 355–60,
362–8, 560–1, 565–6
- syllable-timing, 161–6, 391–3
- synchronous speech task, 169–70
- syntactic theory, 1–2
- Tadoma communication method, 261–2
- talking head animations, 184–6
- Tamil (Dravidian language), 489
- taps, 487–8, 498
- task dynamics model, 521–3
- Telugu (Dravidian language), 489
- temporal alignment problem, 188–90
- temporalis (muscle), 87f, 90–1
- theory, 1–5
 - acoustic theory, 115–16, 489–95
 - Articulatory Phonology, 4, 7, 8, 143–8,
166, 184, 192–4, 313–15, 370–2, 384
 - auditory feedback, 276–8
 - Auditory Theory of Speech Perception,
204–5
 - COMS model, 143–8
 - direct realism theory, 202–3
 - DIVA/GODIVA model, 315–20, 560–1
 - dual stream hypothesis, 280–1
 - efference copy hypothesis, 269–70,
273, 277–8
 - evolutionary theory, 2, 8, 80, 86, 87,
353–72
 - Frame/Content theory, 353–72, 532,
558–9
 - innate behavior patterns, 365–7
 - internal model hypothesis, 242
 - LRM99 model, 434–6, 560
 - motor speech disorders, 307–21, 343–4
 - Motor Theory of Speech Perception,
166, 202
 - perception for action control theory
(PACT), 213
 - phonetics-prosody interface, 511–23
 - rhythm class hypothesis, 161–6
 - rhythm theory, 7, 158–72
 - role of motor control in language
development, 555–71
 - self-sustaining oscillation models,
44–52
 - source-filter models, 42–4
 - speech planning, 433–6
 - subphonemic attenuation hypothesis,
406–15
 - syntax, 1–2
 - task dynamics model, 521–3
 - see also* computational models
- thyroarytenoid muscle, 34, 35f, 36
- thyroid cartilage, 34, 35f

- timing, 9, 133, 158–72, 273–4, 379–98, 438
 coda timing patterns, 139–40, 144, 145–6
 language-specific factors, 137–41,
 143–51, 161–6, 505–24, 569–70
 modeling of, 170–1
 tone-segment alignment, 513–17
 turn-taking, 171–2
 tongue, 60–5, 96–7, 135, 148, 209–10, 251–2
 modeling of, 67–70
 tongue twister errors, 405–15, 426,
 439n, 567
 trachea, 35f
 transcription, 9, 160, 480–1, 561–2
 transmission-line model (vocal tract), 72–3
 transverse abdominus, 15
 trills, 145, 498
 tube models (vocal tract), 6, 71–2, 73
 Tupi languages, 493–5
 turn-taking, 171–2

 ultrasound, 479
 uncontrolled manifold (UCM), 239–40
 utterance length, 23–5, 426–7
 uvular tap, 487–8

 validity, 185, 335, 416n, 461–2
 vallecula, 71, 72f, 73
 velarization, 139–40
 velopharyngeal port (VP port), 109–25
 developmental changes, 118–21
 observation and measurement, 110–12,
 114, 489–92
 velum, 136–7, 138–9
Verbal Behavior (Skinner), 2
 vertical phase difference, 37
 video recordings, 37, 97

 videofluoroscopy, 126n
 visual feedback, 274
 visual impairment, 210–13, 261–2
 vital capacity, 16, 17, 18–20
 vocal folds, 6, 34–55
 modeling of, 36, 37–8, 44–54
 vocal intensity, 24–5, 27
 vocal process, 34, 35f
 vocal tract, 35f, 41–4, 59–76, 226
 aerodynamics, 109, 111–25, 230
 developmental changes, 71, 80
 individual differences, 206–7
 modeling of, 6, 47–51, 60, 67–70, 71–5
 voice onset time (VOT), 142, 146, 495,
 506–7, 515, 537–9
 voiceless consonants, 148–50
 vowel systems, 492–5
 vowels
 articulation, 61, 67–70, 73, 74, 114–17,
 188, 205–6, 211, 212–13, 485–6, 498
 duration, 390–2, 459, 508–11
 formants, 42–4, 70–5, 206–7
 nasalization, 115–17, 143, 490, 492
 perturbation studies, 226, 232–4

 Wa'ikhana (Tukanoan language), 497–8
 whistles, 486
 words (prosodic words), 148, 394–6
 working memory, 280, 388

 X-rays, 37, 91, 110, 232–3

 Yoruba (Niger-Congo language), 492–3

 zygomaticus major (muscle), 81f, 85, 250,
 492–5