

Subject Index

a

abstinence rates (calculating, verifying) 14–15

acceptance-based approaches/
 acceptance 3, 4, 5, 6–7, 9, 10, 24, 75–78, 104, 106, 108, 133–134, 136, 158, 162

advice for smoking cessation. *See* education (about risks, treatment strategies). *See also* health risks of smoking

alcohol (and smoking). *See* comorbid conditions with smoking

alternative behaviors. *See* behavioral substitution/alternative behaviors

ambivalence 8, 13, 22–25, 27–28, 37, 51–53, 118, 123, 145, 159, 161.
See also resistance (to treatment, stopping smoking)

American Cancer Society 16, 124, 154

American Lung Association (ALA). *See* *Freedom from Smoking* program

anchoring 21, 24, 52, 59–60, 83, 105, 107, 131, 136

apps for smoking cessation 160

assessment/data forms 36, 110, 125, 163–166, 168, 169, 173, 174, 176, 178–188. *See also* follow-up (assessment)

automaticity of smoking habit (programmed behavior) 7, 24, 25, 31–32, 67, 77, 78, 158, 159

b

behavioral contract (to stop smoking) 9, 24, 51, 56, 111, 116

behavioral substitution/alternative behaviors 4, 10, 27, 32, 78–85, 114, 126–127, 133, 147, 158–160, 168

behavior therapy 7, 17–18, 20, 21, 67–75.
See also cognitive-behavioral therapy (CBT) techniques for smoking cessation

bias-modification training 147, 161

“buddy system” 9, 55, 85, 89, 94, 111, 116

bupropion. *See* medications (for smoking cessation)

c

carbon monoxide (CO) testing 9, 20, 125, 164, 165

Centers for Disease Control and Prevention (CDCP) 1

Champix. *See* medications (for smoking cessation)

“change talk” 8, 24, 26

Chantix. *See* medications (for smoking cessation)

client-centered approach. *See* collaborative approach

Clinical Practice Guidelines. *See* US Clinical Practice Guidelines

closing comments 188

Cochrane Reviews (of smoking cessation approaches) 5, 8, 16, 19. *See also* smoking cessation success rates.

cognitive-behavioral therapy (CBT) techniques for smoking cessation 3–7, 9, 10, 12, 13, 15, 17, 19, 20, 23, 25, 40–41, 43–46, 60–67, 92, 95, 147, 161, 166, 167, 168

cognitive distortions 4, 24, 27, 31, 41, 51, 60–67, 104, 109, 116–117, 118, 119, 156

“cold turkey” 124, 127

collaborative approach 6, 23, 25–26, 35, 44, 95

Columbo approach 28, 52

combination approach/combining therapies. *See* integrating therapeutic approaches

commitment. *See* motivation, *to stop smoking*

comorbid conditions with smoking 142, 155–156, 161–162

CD/CDs. *See* (*The*) *Winning Edge* program, *CD/CDs (audio)* and *hypnosis scripts*

companion website. *See* (*The*) *Winning Edge* program, *website (companion)*

consent/consent form 9, 36, 138, 163, 166, 167, 168, 171, 172–178

coping modeling vii, 8, 9, 37, 103–105, 164

cost-effective treatment 1, 2, 3, 10, 13

costs of smoking 25, 26, 48, 52, 85. *See also* health risks of smoking

counter-productive beliefs. *See* cognitive distortions

cravings. *See* urge management (coping with urges)

cue, behavioral. *See* anchoring

cutting down (on smoking). *See* harm reduction/cutting down on smoking

d

dangers of smoking. *See* health risks of smoking

deaths attributable to smoking 1–2, 49

decisional balance (pros and cons of smoking) 8, 24, 25, 26, 27, 45, 67, 149

Department of Health and Human Services. *See* US Department of Health and Human Services

deploying discrepancies. *See* Columbo approach

depression/negative affect 4, 6, 11, 20, 31, 33, 42, 87, 89, 127, 143, 147, 153–156, 161, 175

diacetyl, 150

diet. *See* weight gain (and fear of)/weight management

DVD. *See* (*The*) *Winning Edge* program, *DVD (educational component)*

dysfunctional beliefs. *See* cognitive distortions

e

education (about risks, treatment strategies) 1, 5, 16, 24, 25, 44, 46, 47, 49. *See also* health risks of smoking

electronic cigarettes (e-cigs) 19, 148–151

empathy, empathic listening 23, 26, 33, 133

European Commission Special Eurobarometer (ECSE) 2, 152

exercise 21, 67–68, 73–75, 84, 123, 126–127, 134, 142, 146–147, 156, 159–160, 170, 185

expectations/positive treatment expectancies 7–8, 9, 12, 20, 21, 40, 146

f

facilitator tips 26, 36–38, 108, 109, 123–126, 137–138, 142, 145, 146, 151, 159, 160, 163, 165 *See also* chapters 3 and 9

follow up (assessment) 14–16, 29, 124–125, 129, 137–141, 149, 163, 165–167, 169, 174, 176, 183–188

Food and Drug Administration (FDA). *See*
 US Food and Drug Administration
 (FDA)
Freedom from Smoking program 4, 109
 frequently asked questions (FAQs)
 sheet 36, 138
 “friend” (conceptualizing cigarettes as)
 24, 31, 33–34, 51, 63, 118

g

gender differences 142–143, 145
 goal setting 7–9, 24–30, 32–33, 37, 40–42,
 46, 51–52, 54–58, 62–63, 67–68,
 70–73, 77, 85–88, 90–91, 95, 100–102,
 103, 107–108, 114–115, 117, 129,
 131–133, 135–136, 137, 158–161, 163,
 166, 168, 172
 group counseling. *See* cognitive-behavioral
 therapy (CBT) techniques for
 smoking cessation
 guided imagery. *See* imagery/visualization/
 imagination

h

handouts. *See* self-instructional materials
 (home study, handouts, worksheets)
 harm reduction/cutting down on
 smoking 29–30, 157–158, 164
 health questionnaire 182
 health risks of smoking 1–2, 24, 26, 30,
 34, 48–49, 145–146, 148–151,
 155–158, 166
 home study. *See* self-instructional materials
 (home study, handouts, worksheets)
 hookah. *See* water pipes
 hypnosis (self-hypnosis)
 assessment (brief) 110
 description/definition 3, 7, 9–10, 13,
 24, 78, 94–100, 105
 effectiveness 4, 7, 12–22, 95, 100–101
 exaggerated claims 3, 12
 myths and misconceptions 12–13, 95,
 97–99
 public views, attitudes 7, 12–14
 suggestibility/hypnotizability 8, 12, 17,
 20, 95
 training 10–11

hypnosis scripts. *See* (*The*) *Winning Edge*
 program, *CD/CDs (audio)* and
hypnosis scripts
 hypnotherapy/hypnotizability. *See*
 hypnosis, *suggestibility/*
hypnotizability

i

identification as a nonsmoker 7, 8, 62, 66,
 134–136
 imagery/visualization/imagination 4, 21,
 25, 26–27, 37, 40, 42, 51, 58, 81, 84,
 92, 95, 100–101, 105, 108, 124, 126,
 131, 133–136, 159, 162, 164, 166, 168,
 173, 175
 implementation instructions 8, 12, 24.
See also (*The*) *Winning Edge* program,
hypnosis scripts 1 and 2
 individual difference variables
 (predicting treatment success), 17, 19.
See also smoking cessation success
 rates
 integrating therapeutic approaches 4–10,
 17–18, 23, 25, 30, 37, 40, 41–42, 45,
 75, 78, 95, 124–125, 154–155, 158,
 161–162
 irrational thinking. *See* cognitive
 distortions

l

light cigarettes 148
 low tar cigarettes 148

m

medications (for smoking
 cessation) 8–9, 17–19, 142,
 153–154, 179, 184, 185
 menthol-flavored cigarettes 148
 meta-analysis
 described 15–16
 findings 5, 7, 13, 16–19, 25, 143, 149
 mindfulness 3–4, 6–7, 9, 17, 24, 25, 33,
 61, 73, 75–78, 83, 104, 133–134, 141,
 156, 158, 159, 161, 162
 monitoring. *See* self-monitoring
 (monitoring, monitoring forms)
 morbidity. *See* health risks of smoking

mortality. *See* health risks of smoking
 motivation
 assessment of 30, 138
 to stop smoking 3–5, 6, 8, 10, 12, 13,
 17, 19, 22, 23–25, 27, 30–31, 32,
 34–35, 40, 42, 51–60, 70, 91–92,
 100, 106, 107, 114, 117, 131, 132,
 135–136, 137, 147, 157–161, 164,
 170, 178
 motivational interviewing (MI) 4–5, 7, 8,
 23, 25, 30
 multidimensional approach. *See* integrating
 therapeutic approaches
 myths (about smoking, cessation) 24, 60,
 65–66, 109, 116, 119. *See* hypnosis,
myths and misconceptions. *See also*
 cognitive distortions.

n

National Institute on Drug Abuse
 (NIDA) 7, 150, 151, 154, 155
 negative affect. *See* depression/negative
 affect
 negative reinforcement (of smoking
 habit) 32–33
 nicotine fading 124, 164
 nicotine replacement therapy (NRT)
 3, 5, 10, 15, 17–21, 24, 37, 45–47,
 50–51, 123–124, 127, 142, 148, 150,
 153–155, 158, 163–167, 169–176,
 184, 187
 non-directive approach. *See* collaborative
 approach

o

open-ended questions (use of) 26
 outcome. *See* smoking cessation
 success rates

p

patch. *See* nicotine replacement therapy
 (NRT)
 pharmacological therapies. *See*
 medications (for smoking
 cessation)
 practice guidelines. *See* US Clinical
 Practice Guidelines

pregnancy (as related to smoking and
 smoking cessation) 142, 143, 154,
 157–158
 prevalence of smoking 1–2,
 148, 152
 program for smoking cessation. *See* (*The*)
Winning Edge program
 programmed behavior. *See* automaticity of
 smoking habit (programmed
 behavior)

q

quit attempts
 past 6
 unassisted 2
 quit rates. *See* smoking cessation success
 rates
 quitlines (tobacco) 146, 163

r

rapport 12, 26
 readiness to change 30–31, 136. *See also*
 motivation
 reasons for stopping smoking 5, 6, 8,
 27, 51, 56–57, 59, 72, 83, 87, 108,
 109, 111–112, 127, 132, 151, 160,
 178, 185
 reinforcement (self). *See* rewards
 relapse (rates, risks of, prevention of) 4,
 6, 8, 17, 21, 24, 30, 32–33, 61, 87–91,
 142, 144, 154, 156, 162, 163
 reminder cards/reminder of goal 24,
 51, 52, 57, 72, 85, 87, 104–105, 112,
 136, 160
 resistance (to treatment, stopping
 smoking) 22, 23–24, 28–29, 103,
 161. *See also* ambivalence
 rewards 8, 21, 24, 28, 58, 85–87, 114–115,
 126–127, 136
 risks. *See* health risks of smoking

s

second-hand smoke 9, 49, 153
 self-determination theory (SDT) 5.
See also collaborative approach
 self-efficacy 4–5, 8, 24, 29, 61, 66–67,
 131, 147, 161

- self-hypnosis. *See* hypnosis. *See also* (*The Winning Edge* program
- self-instructional materials (home study, handouts, worksheets) 3, 9, 21, 36, 38, 40, 42, 45, 56, 61–62, 67, 69, 79, 85–86, 91–95, 101, 108, 109–122, 123, 128, 137–141, 167–168, 172–173, 185
- self-monitoring (monitoring, monitoring forms) 20, 36, 38, 67, 73, 91, 109, 119–122, 123, 137–140, 144, 158, 160, 164, 168, 174, 175
- shisha. *See* water pipes
- sleep (importance of) 67, 74, 134, 141, 146, 160
- smoking cessation success rates 5, 14–22, 25, 142–143, 146–147, 149, 155, 157. *See also* meta-analysis, *findings*
- smoking habit 5, 8, 10, 23, 24, 27, 28, 31–34, 43, 45, 47, 48, 51, 53, 63, 67, 78, 79, 88, 109–110, 117–118, 127–128, 132, 135, 158, 164, 167, 169, 172
- smoking reduction. *See* harm reduction/cutting down on smoking
- social support 4, 9, 10, 17, 18, 19, 20, 24, 28, 30, 33, 34, 51, 55–56, 87, 89, 91, 104–105, 111, 115–116, 118, 123, 125, 126–127, 136, 137, 140, 146, 156, 162, 163, 164–165, 167–169, 172–175, 181, 184
- spitting in the client's soup 51
- stimulus control 21, 24, 67, 69–72, 132–133, 158–159
- strength of the habit (worksheet) 47, 110. *See also* smoking habit
- stress (management; effects of) 24, 25, 30, 32–33, 40, 42, 45, 67, 73, 87, 89, 123, 127, 136, 138, 147, 156, 159–160, 165, 181, 184. *See also* relapse (rates, risks of, prevention of)
- “surf the urge” 5, 24, 32, 79, 81–83, 104, 106, 107, 117, 133, 134, 158. *See also* urge management (coping with urges)
- “sustain talk” 8, 26
- t**
- tailoring treatment 5, 6–11, 23, 155–157, 158–161, 153
- telephone support 19, 21, 115–116, 125, 129, 137, 140–141, 146, 165, 174
- thought suppression 24, 32, 78–80
- training (in hypnosis). *See* hypnosis, *training*
- treatment components (multiple). *See* integrating therapeutic approaches
- treatment outcome. *See* smoking cessation success rates
- triggers, 6, 10, 17, 21, 24, 31, 32, 67, 69, 70, 78, 87, 90, 104, 110, 113, 119, 123, 126–127, 132, 155–156, 158–159, 162, 164
- u**
- US Clinical Practice Guidelines 18, 19, 153–155
- US Department of Health and Human Services (USDHHS) 1, 2, 6, 19, 29, 145, 150, 157
- US Food and Drug Administration (FDA) 148, 150, 153, 154
- urge management (coping with urges) 5, 7, 26–27, 30–32, 34, 42, 60, 64, 75–85, 87, 92, 104, 106–107, 114, 117, 124, 126–127, 132–136, 160, 164, 175, 180, 183, 187. *See also* “surf the urge”
- v**
- vaping. *See* electronic-cigarettes (e-cigs)
- varenicline. *See* medications (for smoking cessation)
- visualization. *See* imagery/visualization/imagination
- w**
- water pipes 142, 152–153
- website (companion). *See* (*The Winning Edge* program, *website (companion)*)
- weight gain (and fear of)/weight management 4, 6, 24, 30, 61, 65–67, 72–75, 119, 126–127, 134, 142–147, 158–161, 175, 180

(The) Winning Edge program

CD/CDs (audio) vii, 10, 20, 21, 26, 31, 37, 40–41, 54, 57, 75, 85, 89, 91–95, 101, 104, 108, 109, 111, 121–122, 123, 124, 126–130, 137, 138–141, 164–165, 167–170, 172–174, 185

DVD (educational component) vii, 9–10, 20, 26, 37–102, 103, 108, 109, 116, 123, 124, 137, 138, 141, 164, 168, 172, 173, 174

effectiveness of the program 19–21

frequency asked questions (FAQs) sheet 138, 163, 166–171

history of 3–4, 39

hypnosis script 1, *Learning Hypnosis* 106–108

hypnosis script 2, *Being a Nonsmoker* 130–136

introduction/welcome 37–39

overview of 9–10, 40–42

revisions/refinements 4–10

room set up 36

study notice 138, 166–167

success ceremony 123, 127, 164

website (companion) vii, 91, 109

withdrawal symptoms 3, 17, 19, 24, 46, 49, 61, 65–66, 119, 124, 143–147, 150, 153–154, 164, 169, 175, 184

worksheets. *See* self-instructional materials (home study, handouts, worksheets)

World Health Organization (WHO) 1, 2, 149

Z

Zyban. *See* medications (for smoking cessation)