

Subject Index

Page locators in **bold** indicate tables. Page locators in *italics* indicate figures. This index uses letter-by-letter alphabetization. Please also refer to separate species index.

a

- AA *see* arachidonic acid
- abdominal sense organ (ASO) 47
- abrasion 84
- absorption efficiency (AE)
- environmental contaminants 445
 - growth 312
 - particle processing and nutrient utilisation 176, 191–194, 193
- ABT *see* Arrhenius break temperature
- ABV *see* aquatic birnavirus
- AC *see* Agulhas Current
- ACAP *see* Arctic Council Action Plan
- ACC *see* amorphous calcium carbonate
- acetate peels 302–304, 303–304
- acetylcholinesterase (AChE) inhibition 472, 474–475
- acid mucopolysaccharide (AMPS) 165, 167
- ACTase *see* aspartate transcarbamylase
- active metabolic rate (AMR) 367
- active swimming 7, 253
- adductor muscles
- ecology of marine mussels 93
 - functional morphology 21
 - growth 310
- adenosine triphosphate (ATP) 376
- ADG *see* adipogranular
- adhesive proteins 34–40, 35–37
- adipogranular (ADG) cells 223, 229, 239
- AE *see* absorption efficiency
- aerial exposure
- cardiovascular system 361, 363
 - ecology of marine mussels 60, 63, 70–71, 73–75
 - excretory system 391
 - growth 303–304, 326–328, 327–328
 - population genetics, genomics and selective breeding 555
 - reproduction 236, 241
 - respiratory system 386–387
- AFDW *see* ash-free dry weight
- AFLP *see* amplified fragment-length polymorphism
- AFM *see* atomic force microscopy
- AG *see* agranulocytes
- age determination
- functional morphology 27
 - shell growth rings 301–305, 302–304
- agranulocytes (AG) 358–360, 359
- Agulhas Current (AC) 68–69, 68, 531
- Aichi virus (AiV) 763
- AIF *see* allograft inflammatory factor
- AiV *see* Aichi virus
- algal blooms
- aquaculture 645–646
 - growth 319–320
 - larval development 252

- particle processing and nutrient utilisation 156
- see also* harmful algal blooms
- alimentary canal 40–42, 41
- alizirin red S (ARS) 300
- allograft inflammatory factor (AIF) 724
- allometric growth measurement 307–311, 309–310
- AM *see* artificial mussels
- amino acids
 - aquaculture 623
 - excretory system 397–399, **398**
 - particle processing and nutrient utilisation 190
- ammonia excretion 45, 388–395, **389**, 390, 392–394
- amnesic shellfish poisoning (ASP) 766, 768–769
- amorphous calcium carbonate (ACC) 112
- AMOVA *see* analysis of molecular variance
- AMP *see* antimicrobial peptides
- amplified fragment-length polymorphism (AFLP) 519, 520, 554
- AMPS *see* acid mucopolysaccharide
- AMR *see* active metabolic rate
- analysis of molecular variance (AMOVA) 535
- anisostomic extracellular regulation 395–397
- ANN *see* artificial neural networks
- annual growth bands 27
- antibiotics
 - aquaculture 627–628
 - bioconcentration factor 447, 447
 - population genetics, genomics and selective breeding 565–566
 - public health 754–755
- antibody microarrays 572–573
- antifouling agents
 - aquaculture 649
 - dispersal, settlement and recruitment 259
 - functional morphology 40
- antimicrobial peptides (AMP) 715, 722, **723**
- anus 42, 180–181
- AOAC *see* Association of Official Analytical Chemists
- AOC *see* Appellation d'Origine Contrôlée
- Apicomplexan parasite unknown (APX) 684
- APMW *see* Asia-Pacific Mussel Watch
- Appellation d'Origine Contrôlée (AOC) 638
- APX *see* Apicomplexan parasite unknown
- aquaculture 603–674
 - broodstock conditioning 615–618, 616–617
 - culture methods 630–642
 - bottom culture in The Netherlands 639–640, 640
 - bouchot culture in France 636–638, 637–638
 - longline culture in Chile 630–634, 632
 - pole/stake culture in Thailand 640–642
 - raft culture in Spain 634–636, 635
 - culture of microalgae 607–612, 608–610
 - disease in the hatchery 626–628
 - disease, parasites and the immune response 696, 711
 - ecology of marine mussels 96–99, 97, 113–114
 - ecosystem approach to bivalve culture 653–657, 654
 - embryo development 620, 621
 - environmental contaminants 414
 - environmental impacts 645–652, 648
 - excretory system 390
 - grow-out of mussel seed 628–629, 629
 - growth 310, 328–329, 331, 336
 - hatchery culture of mussels 615–629
 - hatchery culture of seed and juvenile mussels 605–615
 - historical and contemporary context 603–604, 630
 - larval identification and abundance 258
 - larval rearing 620–622, 622
 - metamorphosis, settlement and nursery culture of spat 622–626, 624–625
 - offshore mussel culture 642–645, 643–644
 - particle processing and nutrient utilisation 156, 192–193
 - population genetics, genomics and selective breeding 515, 528–529, 565–566, 569–578

- aquaculture (*cont'd*)
 productivity by country 606, 630
 replacement/supplement diets for
 microalgae 612–615
 wild seed collection 604–605
- aquatic birnavirus (ABV) 676
- arachidonic acid (AA) 611–612
- aragonite 24–25, 24, 111–112
- Arctic Council Action Plan (ACAP) 781
- Arrhenius break temperature (ABT) 368
- ARS *see* alizirin red S
- artificial mussels (AM) 362, 459–460, 460
- artificial neural networks (ANN) 760–761
- ash-free dry weight (AFDW) 95–96, 312
- Asia-Pacific Mussel Watch (APMW) 468–471
- ASO *see* abdominal sense organ
- ASP *see* amnesic shellfish poisoning
- aspartate transcarbamylase (ACTase) 237
- ASQAAC *see* Australian Shellfish Quality Assurance Advisory Committee
- ASSETS model 655
- assimilation efficiency 446
- Association of Official Analytical Chemists (AOAC) 776
- astrovirus 763
- atomic force microscopy (AFM) 25
- ATP *see* adenosine triphosphate
- attachment
 ecology of marine mussels 80–84, 81, 99–100
 functional morphology 37–40
 reproduction 244–245
see also byssal apparatus
- Australian Shellfish Quality Assurance Advisory Committee (ASQAAC) 791
- autonomous underwater vehicles (AUV) 258
- azaspiracid poisoning (AZP) 766, 767, 770–771, 777–778
- b**
- bacterial artificial chromosome (BAC) fingerprinting 554
- bacterioplankton 188–191
- ballast water 651–652
- BAP *see* Best Aquaculture Practices
- basophilic cells 176, 178
- basophilic granulocytes (BG) 358–360, 359
- batch culture 608–609, 609
- BC *see* Benguela Current
- BCF *see* bioconcentration factor
- BDE *see* brominated diphenyl esters
- Benguela Current (BC) 68–69, 68
- Best Aquaculture Practices (BAP) certification 643
- best linear unbiased prediction (BLUP) 575–576
- BFR *see* brominated flame retardants
- BG *see* basophilic granulocytes
- BGI *see* Blue Growth Initiative
- bioaccumulation
 bioaccumulation potential 446–450, 447
 biomonitoring and bioindicators 455–460, 457–458, 460
 concepts and definitions 444–445
 factors affecting bioconcentration in marine mussels 450–455
 functional morphology 33–34
 kinetic modelling in contaminant bioaccumulation 448–460, 459
- bioarchives 28–29
- biochips *see* microarrays
- bioconcentration factor (BCF) 446–450, 447
- biocontrol 649
- biodeposition 197–198
- biodiversity 62–63, 104, 645–646
- bioerosion 14
- biofouling
 aquaculture 647–649, 648
 ecology of marine mussels 83–86, 99
- bioindicators 455–460, 457–458, 460
- biomagnification factor (BMF) 450
- biomarkers
 acetylcholinesterase inhibition 472, 474–475
 active biomonitoring with marine mussels 472–481
 cardiovascular system 364–365, 365
 concepts and definitions 471–472, 472
 dispersal, settlement and recruitment 255
 environmental contaminants 471–485
 enzyme reactions 473
 genotoxicity 480–481

- gg 325
 integrative biomarker approach 481–485, 483
 lysosome membrane stability/permeability 475–476
 morphological damage 477
 particle processing and nutrient utilisation 180, 187
 peroxisome proliferation 476–477
 physiological markers 477–479
 population genetics, genomics and selective breeding 563, 567
 reproduction 241
 specific proteins/metallothioneins 472, 473–476
 biomimetic sensors/loggers
 artificial mussels 362, 459–460, 460
 environmental contaminants 416
 public health 758–759, 777–778
 robomussels 71–79, 72–73, 76
 biomineralisation 560–561
 biophysical modelling 255
 biotoxins *see* phycotoxins
 bivalve purification procedures 788–798
 depuration techniques 789–791, 790–792
 efficiency of depuration 791–798, 793, 795
 relaying 789
 black-body discolouration 680, 681
 Blue Growth Initiative (BGI) 657
 BLUE SEED project 606–607, 621–622
 BLUP *see* best linear unbiased prediction
 BMF *see* biomagnification factor
 bonamiosis 685
 boring habits 13–14
 bottom culture 639–640, 640
 bouchot culture 603, 628, 636–638, 637–638
 bovine serum albumin (BSA) 163, 164
 bradycardia 362–363, 364
 BrdU *see* bromodeoxyuridine
 breeding programmes 575–578, 576, 577
 brevetoxins (BTX) 767, 770
 brominated diphenyl esters (BDE) 417
 brominated flame retardants (BFR) 252, 432–433, 453
 bromodeoxyuridine (BrdU)
 immunohistochemistry 177–178, 179
 broodstock conditioning 615–618, 616–617
 broodstock establishment 570–571
 brown-spot discolouration 680, 681
 BSA *see* bovine serum albumin
 BT *see* butyltins
 BTX *see* brevetoxins
 burrowing 7–8
 BUSCO analysis 561–562
 butyltins (BT) 463–464, 468–471
 byssal apparatus
 aquaculture 603
 ecology of marine mussels 69, 80–83, 86–89, 89, 93, 112
 functional morphology 21, 34–40, 35–37
 metamorphosis and post-larval dispersal 261–262
 phylogeny and evolution of marine mussels 6–7, 11
 reproduction 237
- C**
 C1q domain-containing (C1qDC) proteins 720
 calcein 300–301, 300
 calcification 250
 calcite 24–25, 24
 calcium carbonate
 ecology of marine mussels 109–112, 110
 functional morphology 24–26, 24, 45
 larval development 250
 California State Mussel Watch (CSMW) 462–465, 464
 Canadian Food Inspection Agency (CFIA) 791, 798–800
 Canadian Shellfish Sanitation Program (CSSP) 791, 798–800
 canonical variates analysis (CVA) 307
 capture efficiency (CE) 160–163, 162, 164
 carbon dioxide
 ecology of marine mussels 102, 103, 109–114, 110
 excretory system 391–392
 growth 329–331, 330
 larval development 250
 respiratory system 387

- cardiovascular system 357–365
 functional morphology 43–44, 43
 haemolymph plasma and haemocytes 357–360, 358, 359, 365–366
 heart and haemolymph system 357
 heart rate 360–365, 361, 363–365
- carotenoids 220
- carrying capacity 328–329
- caspases 702–703
- CCRF *see* Code of Conduct for Responsible Fisheries
- CDC *see* Centers for Disease Control and Prevention
- cDNA *see* complementary DNA
- CE *see* capture efficiency
- CEFAS *see* Centre for Environment, Fisheries and Aquaculture Science
- cell sorting (CS) 258
- cementation 7
- CEN *see* European Committee of Standardization
- Centers for Disease Control and Prevention (CDC) 756, 760
- central nervous system (CNS) 46
- Centre for Environment, Fisheries and Aquaculture Science (CEFAS) 791
- cerebral ganglia 45–46, 45
- Certified Reference Materials Program (CRMP) 776
- CFIA *see* Canadian Food Inspection Agency
- chemical boring 13–14
- chemoreceptors 31, 46
- chemosynthetic bacteria 33
- chemosynthetic habitats 14–15, 14
- chlorophyll *a*
 aquaculture 604
 dispersal, settlement and recruitment 265
 growth 318, 331
- Cholera and Other Vibrio Illness Surveillance (COVIS) 756
- chromosome set manipulation 336
- CI *see* condition index; cyclic imines
- cilia
 functional morphology 32, 33–34, 40–42
 particle processing and nutrient utilisation 157–163, 159, 161, 166–167, 172–173
- circulatory system *see* cardiovascular system
- cirri trapping 159–160
- clearance rate (CR) 141–157
 control of filtration rate 156
 energetic costs of filtration 156–157
 environmental contaminants 478–479
 estimation of filtration rate 141–146, 142–145
 factors influencing filtration rate 146–156
 current velocity 154–156, 155
 particle concentration 148–150, 149
 salinity 152–154, 152, 153
 size 146–148, 147
 temperature 150–151, 151
- CL-Fl *see* liquid chromatography with fluorescence detection
- climate change
 aquaculture 604
 disease, parasites and the immune response 694
 ecology of marine mussels 56, 102–115
 climate warming 65–66, 69–71, 74, 102–109, 103, 107
 hypoxia 104, 114–115
 ocean acidification 102–104, 103, 109–114, 110
 precipitation 66
 larval development 250
- climate variability hypothesis 377–379
- CLSM *see* confocal laser scanning microscopy
- clustering analysis 255
- cMDH *see* cytosolic malate dehydrogenase
- cnetidia *see* gills
- CNS *see* central nervous system
- cocoon-forming cells 13
- Code of Conduct for Responsible Fisheries (CCRF) 653
- COI *see* cytochrome *c* oxidase subunit I
- cold-and-hold method 615–616
- cold-seep vents
 disease, parasites and the immune response 697

- larval development 251
 - phylogeny and evolution of marine mussels 14–15, 14
 - population genetics, genomics and selective breeding 537–539
 - competition
 - aquaculture 650–651
 - ecology of marine mussels 56, 79, 83, 86–87, 99–102, 100–101
 - growth 332
 - particle processing and nutrient utilisation 185–186
 - reproduction 221
 - complementary DNA (cDNA) 520–521, 556–557, 715, 725
 - conchiolin 24
 - condition index (CI) 240, 241, 242, 478
 - confocal laser scanning microscopy (CLSM) 157
 - confocal microscopy 249
 - connectivity 254–255
 - conspecific sperm precedence (CSP) 246, 547
 - continuous culture 609–611, 610
 - coral reefs 13–14
 - COVIS *see* Cholera and Other Vibrio Illness Surveillance
 - CR *see* clearance rate
 - critical temperature (CT) 377–379
 - CRMP *see* Certified Reference Materials Program
 - cryopreservation 360, 619–620
 - cryoprotection 77
 - crystalline style
 - functional morphology 40–42, 41
 - particle processing and nutrient utilisation 172–173–5
 - CS *see* cell sorting
 - CSMW *see* California State Mussel Watch
 - CSP *see* conspecific sperm precedence
 - CSSP *see* Canadian Shellfish Sanitation Program
 - CT *see* critical temperature
 - cultured mussels *see* aquaculture
 - currents
 - dispersal, settlement and recruitment 253
 - growth 331
 - particle processing and nutrient utilisation 154–156, 155
 - population genetics, genomics and selective breeding 528, 531
 - see also* oceanic currents
 - CVA *see* canonical variates analysis
 - cyclic imines (CI) 770–771
 - cytochrome *c* oxidase subunit I (COI)
 - gene 521, 531, 534–537, 552–553
 - cytogenetic mapping 554
 - cytokines 722–724
 - cytosolic malate dehydrogenase (cMDH)
 - 65, 548–549
- d**
- DA *see* domoic acid; dopamine
 - DCF *see* diclofenac
 - DD *see* dispersal distance
 - DEB *see* dynamic energy budget
 - denitrifying bacteria 198
 - DEPOMOD model 656
 - depuration 789–798
 - efficiency of depuration 791–798, 793, 795
 - techniques 789–791, 790–792
 - desiccation
 - ecology of marine mussels 60, 69–70, 74, 113
 - reproduction 236
 - DFA *see* direct fluorescent antibody; discriminant function analysis
 - DFAA *see* dissolved free amino acids
 - DHA *see* docosahexaenoic acid
 - diarrhoeic shellfish poisoning (DSP) 564–565, 766, 768–769, 777
 - diclofenac (DCF) 566
 - digestion *see* particle processing and nutrient utilisation
 - digestive cells 176, 177
 - digestive gland
 - functional morphology 40–42, 41
 - particle processing and nutrient utilisation 175–180, 176–179, 179

- dihydroxyphenylalanine (DOPA) 35–38, 36
 DI-MS/MS *see* direct infusion tandem mass spectrometry
 dinophysistoxins (DTX) 768–770, 778
 dioxin-like PCBs **418**, 430–432, 431
 direct fluorescent antibody (DFA) testing 765
 direct infusion tandem mass spectrometry (DI-MS/MS) 565
 discriminant function analysis (DFA) 307, 567
 disease, parasites and the immune response 675–752
 abiotic effects on mussel immune response 726–727
 annelids 703–704
 aquaculture 603, 626–628, 650–651
 bacteria 677–678, 679
 concepts and definitions 675
 crustaceans 704–711, 705, 707–708, 710
 defence mechanisms 714–725, 716
 adaptive and innate immunity 714–715
 cellular defence components of the immune system 717–718
 genomics of bivalve immunity 715–717
 humoral defence mechanisms 721–725, 723, 724
 immune recognition 718–720
 functional morphology 29–30
 fungi 678–682, 680–682
 neoplasia 711–714, 712
 platyhelminths 694–703
 Cestoda 700–702, 701
 Trematoda 694–700, 695, 700
 Tubellaria 702–703
 population genetics, genomics and selective breeding 555, 559–560
 porifera 692–694, 693
 protistans 682–692
 Apicomplexa 682–684, 684
 Asctosporrea 685–689, 687–688
 Chlorophyta 689–690, 689
 Ciliophora 690–692, 692
 reproduction 241
 signal transduction pathways 725–726
 viruses 675–677
 see also separate species list
 dislodgement 80–82, 81, 84
 dispersal distance (DD) 253–254
 dispersal, settlement and recruitment 252–267
 aquaculture 622–626, 624–625
 ecology of marine mussels 65, 67, 74, 84–85
 larval dispersion and population connectivity 252–259
 larval identification and abundance 256–258, 257
 metamorphosis and post-larval dispersal 261–263, 261
 population genetics, genomics and selective breeding 516, 529, 531, 534–535, 539–553
 recruitment 65, 67, 74, 84–85, 263–267, 264–265
 settlement 259–263, 261
 see also hybridisation and hybrid zones; invasive species
 disseminated neoplasia (DN) 711–714, 712
 dissolved free amino acids (DFAA) 190
 dissolved organic matter (DOM)
 environmental contaminants 451–452
 larval development 251–252
 particle processing and nutrient utilisation 170, 181, 188–191
 dissolved oxygen (DO) 114–115, 330–331
 disturbance 84–87
 DLS *see* dynamic light scattering
 DN *see* disseminated neoplasia
 DNA barcoding 521
 DNA chips *see* microarrays
 DNA damage 360, 480–481
 DO *see* dissolved oxygen
 docosahexaenoic acid (DHA) 611–612
 DOM *see* dissolved organic matter
 domoic acid (DA) 767, 768, 777–778
 DOPA *see* dihydroxyphenylalanine
 dopamine (DA) 238
 doubly uniparental inheritance (DUI) 221–222
 down-welling 623, 624, 628–629, 629

- DSP *see* diarrhoetic shellfish poisoning
 DTX *see* dinophysistoxins
 DUI *see* doubly uniparental inheritance
 dynamic energy budget (DEB)
 ecology of marine mussels 108–109
 growth 313–317, 314, 315–316
 particle processing and nutrient
 utilisation 194
 dynamic light scattering (DLS) 442–444
- e**
- EAA *see* ecosystem approach to aquaculture
 EBSD *see* electron backscatter diffraction
 ECASA project 654–655
 ECF *see* extracellular fluid
 ecology of marine mussels 56–140
 climate change: potential and observed
 impacts 102–115
 climate warming 102–109, 103, 107
 hypoxia 104, 114–115
 ocean acidification 102–104, 103,
 109–114, 110
 precipitation 60
 concepts and definitions 56
 factors affecting geographic
 distribution 64–69, 68
 factors affecting local distribution 69–102
 biofouling 99
 competition 99–102, 100–101
 disturbance 84–87
 predation 87–99, 89–90, 94, 97
 salinity 78–79
 substrate 82–83
 temperature 70–78, 72–73, 76
 wave exposure 79–82, 81
 global distribution patterns 57–59
 local distribution patterns 59–64, 60–61
 ecosystem approach to aquaculture (EAA)
 653–657, 654
 ecosystem bioengineering 62–63
 EcoWin2000 model 655
 ectotherms 77–78
 EDC *see* endocrine-disrupting compounds
 EDTA *see* ethylenediaminetetraacetic acid
 effective shore level (ESL) 79
- EFSA *see* European Food Safety Authority
 EG *see* eosinophilic granulocytes
 egg disease 681–682, 682
 EIA *see* Environmental Impact Assessments;
 enzyme immunoassay
 eicosapentaenoic acid (EPA) 186, 611–612
 electron backscatter diffraction (EBSD) 25
 electron micrography 177–178
 electron probe microanalysis (EPMA) 25
 electrospray ionisation (ESI-MS) 562
 ELEFAN 297–298, 297
 ELISA *see* enzyme-linked
 immunosorbent assay
 El Niño–Southern Oscillation (ENSO)
 69, 267
 embryology *see* larval development
 encapsulation 718
 Encyclopedia of Life 57
 endocrine-disrupting compounds (EDC)
 252, 426, 433–434, 446
 endocytosis 173, 176, 180
 energetics
 dynamic energy budget 108–109, 194,
 313–317, 314, 315–316
 ecology of marine mussels 108–109
 environmental contaminants 446,
 448–450, 449
 particle processing and nutrient
 utilisation 156–157, 194
 reproduction 229–243, 240, 242, 244
 respiratory system 367–368, 383–384
 scope for growth 311–313, 313, 321–322
 engineered nanoparticles (ENP) 440–444,
 441, 443
 ENSO *see* El Niño–Southern Oscillation
 environmental contaminants 414–514
 aquaculture 636
 biological markers of pollution 471–485
 acetylcholinesterase inhibition
 472, 474–475
 active biomonitoring with marine
 mussels 472–481
 concepts and definitions 414–416,
 471–472, 472
 enzyme reactions 473

- environmental contaminants (*cont'd*)
- genotoxicity 480–481
 - integrative biomarker
 - approach 481–485, 483
 - lysosome membrane stability/
 - permeability 475–476
 - morphological damage 477
 - peroxisome proliferation 476–477
 - physiological markers 477–479
 - specific proteins/metallothioneins 472, 473–476
- cardiovascular system 364–365, 365
- contaminant levels in seawater, sediments and biota 444–448
- absorption and absorption efficiency 445
 - assimilation and assimilation efficiency 446
 - bioaccumulation 444–445
 - bioconcentration factor 446–448, 447
- contaminants in the marine
- environment 416–444, **417–424**
 - analytical techniques 424, 425
 - emerging organic contaminants 432–444, 436, 438, 441, 443
 - heavy metals 420–425, 423–424
 - persistent organic
 - contaminants 417–422, 425–432, 431
- disease, parasites and the immune response 726–727
- ecology of marine mussels 69–70
- excretory system 395
- functional morphology 29, 33–34
- growth 332–333
- kinetic modelling in contaminant
 - bioaccumulation 448–460, 459
 - biomonitoring and bioindicators 455–460, 457–458, 460
 - factors affecting bioconcentration in marine mussels 450–455
- larval development 252
- mussel monitoring programmes 460–471
- Asia-Pacific Mussel Watch 468–471
 - California State Mussel Watch 462–465, 464
 - Mediterranean Mussel Watch 465–468
 - Mussel Watch Program 460–462
- particle processing and nutrient utilisation 156, 175, 180
- population genetics, genomics and selective breeding 558–559, 563–566
- public health 779–784
- respiratory system 388
- see also individual types*
- Environmental Impact Assessments (EIA) 655
- Environmental Protection Agency (EPA) 785
- environmental quality standards (EQS) 415–416
- Environmental Sample Processor (ESP) 258, 775
- enzyme immunoassay (EIA) 765
- enzyme-linked immunosorbent assay (ELISA)
 - public health 758–759, 775, 777
 - reproduction 231
- enzymes
 - cardiovascular system 359–360
 - disease, parasites and the immune response 702–703
 - ecology of marine mussels 65
 - environmental contaminants 473
 - functional morphology 42
 - particle processing and nutrient utilisation 173, 174–181, 179
 - population genetics, genomics and selective breeding 548–549
 - reproduction 237
- eosinophilic granulocytes (EG) 358–360, 359
- EPA *see* eicosapentaenoic acid; Environmental Protection Agency
- epibionts 80–82, 92, 332
- epizoism 84
- EPMA *see* electron probe microanalysis
- EQS *see* environmental quality standards
- ESI-MS *see* electrospray ionisation
- ESL *see* effective shore level
- ESP *see* Environmental Sample Processor

- EST *see* expressed sequence tags
- estuarine systems
- aquaculture 645
 - ecology of marine mussels 59–60, 62, 66–67, 78–79
 - larval development 250
 - particle processing and nutrient utilisation 186
 - population genetics, genomics and selective breeding 542
- ethylenediaminetetraacetic acid (EDTA) 620
- eulamellibranch gills 33
- eulittoral zone 70
- European Committee of Standardization (CEN) 763
- European Food Safety Authority (EFSA) 767, 768–772, 781–783
- eutrophication
- aquaculture 645–646, 655
 - growth 319–320, 330–331
 - see also* algal blooms
- evaporative cooling 74
- evenness index 63
- excretory system 388–399
- ammonia excretion 388–395, **389**
 - factors influencing excretion rates 390–392, 390, 392
 - functional morphology 45
 - oxygen–nitrogen ratio 392–395, 393–394
 - functional morphology 44–45
 - osmoregulation 395–399, 396, 398
- exhalant opening
- functional morphology 31–32, 31
 - particle processing and nutrient utilisation 155–156, 162, 166
- expressed sequence tags (EST) 520–521, 715, 725
- extracellular digestion 174–175
- extracellular fluid (ECF) 77
- f**
- FA *see* fatty acid
- FAA *see* free amino acids
- FAAS *see* flame atomic absorption spectroscopy
- factor analysis 307
- faecal indicator organisms (FIO) 755–757
- faeces
- functional morphology 42
 - particle processing and nutrient utilisation 183, 187, 191, 197
- family selection 571–573
- FAO *see* Food and Agriculture Organization
- FARM model 655
- fatty acid (FA) profiling 186–188, 187
- FC *see* flow cytometry
- FDA *see* Food and Drug Administration
- fecundity 231, 242–245
- aquaculture 603, 617
 - population genetics, genomics and selective breeding 516, 542
- fertilisation 245–247
- FFF *see* field-flow fractionation
- FGKAM *see* functional generalised kernel additive model
- FIA *see* flow injection analysis
- fibrinogen-related proteins (FREP) 719
- field-flow fractionation (FFF) 442
- fillibranch gills 32–33, 32
- filtration rate (FR) 141–157
- control of filtration rate 156
 - energetic costs of filtration 156–157
 - estimation of filtration rate 141–146, 142–145
 - factors influencing filtration rate 146–156
 - current velocity 154–156, 155
 - particle concentration 148–150, 149
 - salinity 152–154, 152, 153
 - size 146–148, 147
 - temperature 150–151, 151
- FIO *see* faecal indicator organisms
- FIR *see* Fish Inspection Regulations
- FiSAT II 297–298
- FISH *see* fluorescence *in situ* hybridisation
- fish farms 645–646, 654
- fishing 87
- Fish Inspection Regulations (FIR) 791, 799
- flame atomic absorption spectroscopy (FAAS) 425
- flow cytometry (FC) 765

- flow injection analysis (FIA) 425
- flow-through broodstock tank 616–617, 616
- fluorescence *in situ* hybridisation (FISH) 258, 554, 765–766, 779
- follicle stimulating hormone (FSH) 237–238
- Food and Agriculture Organization (FAO) 754–756, 767–768, 770–771, 781, 785
- Food and Drug Administration (FDA) 785
- foot
- attachment* 37–40
 - byssus composition* 34–37, 35–37
 - functional morphology* 34–40
 - phylogeny and evolution of marine mussels* 1, 3, 5, 12
- Ford–Walford plot 298
- Fourier analysis 308
- Fourier transform infrared spectrometry (FT-IR) 429, 444
- FR *see* filtration rate
- Français de Recherche pour l'Exploitation de la Mer (IFREMER) 797
- free amino acids (FAA) 397–399, **398**
- FREP *see* fibrinogen-related proteins
- FSH *see* follicle stimulating hormone
- FT-IR *see* Fourier transform infrared spectrometry
- Fukushima Dai-ichi Nuclear Power Plant 784
- functional generalised kernel additive model (FGKAM) 605
- functional morphology 21–55
- alimentary canal* 40–42, 41
 - environmental contaminants* 477
 - excretory organs* 44–45
 - foot* 34–40, 35–37
 - gills* 31–34, 32, 40
 - gonads* 43
 - heart and haemolymph vessels* 43–44, 43
 - labial palps* 40
 - larval identification and abundance* 256–258, 257
 - mantle* 25–26, 26, 29–34, 30–32
 - metamorphosis* 261–263, 261
 - nerves and sensory receptors* 45–47, 45
 - shell* 21–29, 22, 23, 24, 26–28
- furans 430–432, 431
- g**
- GAA *see* Global Aquaculture Alliance
- GAG *see* glycosaminoglycans
- GAM *see* generalised additive model
- gamete compatibility 245–247
- gamete-recognition proteins (GRP) 246–247
- gamete volume fraction (GVF) 229–230, 243
- gametogenesis
- aquaculture 615–616
 - disease, parasites and the immune response 696–697
 - functional morphology 29–30
 - particle processing and nutrient utilisation 180, 181, 192
 - reproduction 219–221, 222–224, 223, 225–227, 232, 234, 236–240
 - respiratory system 387
- gaping 74, 386–387
- gas chromatography mass spectrometry (GC-MS) 426–429, 432–434, 444, 565
- gas chromatography with electron capture detection (GC-ECD) 429, 433
- gastric shield
- functional morphology 40–42, 41
 - particle processing and nutrient utilisation 173, 174–175
- gastroenteritis 754
- GC-ECD *see* gas chromatography with electron capture detection
- GC-MS *see* gas chromatography mass spectrometry
- gel electrophoresis (GE) 516–517, 562
- generalised additive model (GAM) 605
- genetics *see* population genetics, genomics and selective breeding
- genome-wide association studies (GWAS) 574
- genomics *see* population genetics, genomics and selective breeding
- genotoxicity *see* DNA damage
- geochemical tags 255
- Geographic Information Systems (GIS) 656
- geometric morphological methods 307–309, 309–310
- GES *see* Good Environmental Status

- GF-AAS *see* graphite furnace atomic absorption spectrometry
- GHG *see* greenhouse gases
- GHO *see* Global Health Observatory
- GIA *see* growth increment analysis
- gill filaments
- particle processing and nutrient utilisation 141, 157–163, 159, 161
 - phylogeny and evolution of marine mussels 5–6
- gill necrosis virus (GNV) 676
- gills
- functional morphology 31–34, 40
 - functions 33–34
 - metamorphosis and post-larval dispersal 261–262
 - particle processing and nutrient utilisation 141, 157–172, 159, 161–162, 164, 166, 168–169
 - respiratory system 365–366, 383–384
 - structure 31–33, 32
- GIS *see* Geographic Information Systems
- Global Aquaculture Alliance (GAA) 643
- global distribution patterns 57–59
- GlobalHAB 774–775, 774
- Global Health Observatory (GHO) 756
- glucagon-like peptides 239–240
- glucan-binding proteins (GNBP) 719
- glycogen
- excretory system 390, 394–395
 - functional morphology 29–30
 - reproduction 239–240, 240
 - respiratory system 387
- glycoproteins 174–175, 388
- glycosaminoglycans (GAG) 25
- GNBP *see* glucan-binding proteins
- GnRH *see* gonadotropin-releasing hormone
- GNV *see* gill necrosis virus
- Gompertz growth model 298–299
- gonadal neoplasia 711–714, 712
- gonadosomatic index (GSI) 229, 242
- gonadotropin-releasing hormone (GnRH) 237–238
- gonads
- environmental contaminants 454
 - functional morphology 43
 - reproduction 220–221, 228–229
- Good Environmental Status (GES) 484
- GPT *see* gut passage time
- granulocytes 358–360, 359
- granulocytoma 180
- graphite furnace atomic absorption spectrometry (GF-AAS) 425
- greenhouse gases (GHG) 102, 103, 109–114, 110
- groundwater discharge 330–331
- growth 296–356
- concepts and definitions 296
 - dynamic energy budget 313–317, 314, 315–316
 - ecology of marine mussels 83, 93, 106–108, 107, 110–113
 - endogenous growth modulators 333–337
 - genotype 333–336, 335
 - growth factors 336–337
 - size and net growth efficiency 336, 337
- environmental contaminants 454–455
- excretory system 391–392
- exogenous growth modulators 317–333
- carbon dioxide and oxygen concentrations 329–331, 330
 - food 317–320, 318–319
 - other factors 331–333
 - salinity 324–326, 325–326
 - stock density 328–329
 - temperature 320–324, 321–323
 - tidal level and wave action 326–328, 327–328
- measurement of absolute growth 296–306
- growth curves 298–299, 299, 328
 - length-frequency distribution 296–299, 297, 299, 301
- mark-and-recapture and growth increment analysis 299–301, 300
- mussel shell as a marine archive 305–306, 306
- shell growth rings 301–305, 302–304
- measurement of allometric growth 307–311, 309–310
- see also* scope for growth

- growth increment analysis (GIA) 299–301, 300
 GRP *see* gamete-recognition proteins
 GRT *see* gut retention time
 GSI *see* gonadosomatic index
 Gulf Stream 64–65
 gut content analysis 181–184, 182
 gut passage time (GPT) 192, 193
 gut retention time (GRT) 173
 GVF *see* gamete volume fraction
 GWAS *see* genome-wide association studies
 gymnodimines (GYM) 771
 gynodioecy 220
- h**
- HAB *see* harmful algal blooms
 HACCP *see* Hazard Analysis and Critical Control Point
 Control Point
 haemocyte infection virus (HIV) 676
 haemocytes 357–360, 359
 haemocytosis 717
 haemolymph
 cardiovascular system 357–360, 358
 functional morphology 33, 43–44, 43
 respiratory system 365–366
 Hardy–Weinberg equilibria (HWE) 541–542, 571
 harmful algal blooms (HAB)
 aquaculture 636
 public health 766, 772–776, 773–774
 hatchery culture
 broodstock conditioning 615–618, 616–617
 culture of microalgae 607–612, 608–610
 disease in the hatchery 626–628
 embryo development 620, 621
 grow-out of mussel seed 628–629, 629
 larval rearing 620–622, 622
 metamorphosis, settlement and nursery culture of spat 622–626, 624–625
 mussels 615–629
 productivity by country 606
 replacement/supplement diets for microalgae 612–615
 seed and juvenile mussels 605–615
 spawning, fertilisation and cryopreservation 618–620, 618
- HAV *see* hepatitis A virus
 Hazard Analysis and Critical Control Point (HACCP) 777, 788, 800–805, **801–803**, 804
 heart 43–44, 43, 357
 heart rate (HR) 360–365, 361, 363–365, 478
 heat-and-treat method 615–616
 heat shock proteins (Hsp) 72–74
 heatwaves 74
 heavy metals
 cardiovascular system 364–365, 365
 environmental contaminants 420–425, 423–424, 446, 451–455, 458–460, 466–468, 472–478, 481, 485
 functional morphology 29, 45
 larval development 252
 population genetics, genomics and selective breeding 558, 565–566
 respiratory system 388
 hepatitis A virus (HAV) 761, **762**, 763, 793–796
 hepatitis E virus (HEV) 763
 heritability 568–573, 569, **570**, 578
 hermaphroditism/intersex 219–220, 552–553
 heteromyarian form 5–7, 6, 11–13, 12
 heterozygosity 333–334, 516–517
 HEV *see* hepatitis E virus
 high-performance liquid chromatography (HPLC)
 excretory system 390, 397–398
 public health 778–779, 778
 high-performance liquid chromatography mass spectrometry (HPLC-MS) 428
 high-resolution melting (HRM) analysis 257
 high-speed solvent extraction (HSSE) 434
 high-throughput sequencing (HTS)
 dispersal, settlement and recruitment 258–259
 population genetics, genomics and selective breeding 518, 534, 556–557
 hinge apparatus 256
 holding tanks 617–618, 617
 homorhabdic gills 33, 166–168

- HPLC *see* high-performance liquid chromatography
- HPLC-MS *see* high-performance liquid chromatography mass spectrometry
- HR *see* heart rate
- HRM *see* high-resolution melting
- Hsp *see* heat shock proteins
- HSSE *see* high-speed solvent extraction
- HTS *see* high-throughput sequencing
- hummocking 84
- HWE *see* Hardy–Weinberg equilibria
- hybridisation and hybrid zones 539–551
 genetic variation and population structure
 in mussels 532, 537
 M. edulis and *M. galloprovincialis*
 539–544, 541, 543
 M. edulis and *M. trossulus* 544–548, 545–546
 M. trossulus and *M. galloprovincialis*
 548–551, 550
- hydrodynamic modelling 254–255
- hydrogen bonding 38
- hydrographic factors 64–69, 68
- hydrothermal vents
 disease, parasites and the immune
 response 680
 functional morphology 33
 larval development 251
 phylogeny and evolution of marine
 mussels 14–15, 14
 population genetics, genomics and
 selective breeding 535–539, 538
- hypoosmotic stress 66
- hypoxia
 cardiovascular system 362–363, 364
 ecology of marine mussels 104, 114–115
 functional morphology 38
 growth 330–331
 particle processing and nutrient
 utilisation 175
 respiratory system 370–372, 371,
 382–386, 383–385
- i**
- IBD *see* isolation-by-distance
- IBR *see* integrated biomarker response
- ice-nucleating bacteria 77
- ice-nucleating proteins 77
- ICES *see* International Council for the
 Exploration of the Sea
- ICON *see* integrated contaminant monitoring
- ICP-AE *see* inductively coupled plasma
 atomic emission
- ICP-MS *see* inductively coupled plasma mass
 spectrometry
- ICP-OES *see* inductively coupled plasma
 optical emission spectrometry
- IEA *see* integrated ecosystem assessment
- IFN *see* interferons
- IFREMER *see* Français de Recherche pour
 l'Exploitation de la Mer
- IHC *see* immunohistochemistry
- IL *see* interleukins
- immigration *see* dispersal, settlement and
 recruitment
- immune response *see* disease, parasites and
 the immune response
- immunohistochemistry (IHC)
 larval development 247
 particle processing and nutrient utilisation
 177–178, 179
- IMTA *see* Integrated Multi-Trophic
 Aquaculture
- inducible defence characters 83
- inductively coupled plasma atomic emission
 (ICP-AE) 425
- inductively coupled plasma mass
 spectrometry (ICP-MS) 425
- inductively coupled plasma optical emission
 spectrometry (ICP-OES) 425
- infaunal beds
 ecology of marine mussels 60, 82
 phylogeny and evolution of marine
 mussels 11–13
- infrared photoplethysmogram (IR-PPG) 360
- inhalant opening
 functional morphology 31–32, 31
 particle processing and nutrient utilisation
 155–156, 162, 166, 167–168
- in situ* hybridisation localisation 172
- insulin-related peptides 337

- integrated biomarker response (IBR)
481–482
- integrated contaminant monitoring (ICON)
484–485
- integrated ecosystem assessment (IEA) 482, 485
- Integrated Multi-Trophic Aquaculture
(IMTA) 646, 654
- interbreeding *see* hybridisation and
hybrid zones
- interferons (IFN) 722
- Intergovernmental Oceanographic
Commission (IOC) 774–775, 774
- Intergovernmental Panel on Climate Change
(IPCC) 102–104
- interleukins (IL) 722
- internal transcribed spacer 1 (ITS-1) region
688–689
- International Council for the Exploration of
the Sea (ICES) 482–484, 483
- International Organization of
Standardization (ISO) 763, 786, 791
- Interstate Shellfish Sanitation Conference
(ISSC) 785
- intertidal zone
aquaculture 628–629, 650–651
cardiovascular system 361–362, 361, 363
disease, parasites and the immune
response 696–699
dispersal, settlement and recruitment
262–263, 266
ecology of marine mussels 59–64, 60–61,
66, 69–82, 81, 84–86, 99
environmental contaminants 454–455
functional morphology 38
growth 302–305, 324–328, 327–328
particle processing and nutrient utilisation
155–156, 178, 181–185, 188, 192–193
population genetics, genomics and
selective breeding 548–549, 555
reproduction 220, 234, 236–237, 244–245
respiratory system 370, 373–376
- intestine 42, 180–181
- intracellular digestion 175–180, 176–179, 179
- invaginated eyecups 46
- invasive species
aquaculture 647–652, 648
ecology of marine mussels 65–67, 79,
93–94, 99
population genetics, genomics and
selective breeding 551–553
- IOC *see* Intergovernmental Oceanographic
Commission
- IPCC *see* Intergovernmental Panel on
Climate Change
- IR-PPG *see* infrared photoplethysmogram
- ISO *see* International Organization of
Standardization
- isolation-by-distance (IBD) models 255
- isomyarian form 6, 7, 11, 12
- isoosmotic intracellular regulation 397
- ISSC *see* Interstate Shellfish Sanitation
Conference
- ITS-1 *see* internal transcribed spacer 1
- j**
- JAK-STAT pathway 725–726
- k**
- Keber's organs 44–45
- kidneys
excretory system 388–389
functional morphology 44–45
- l**
- labial palps
functional morphology 40
metamorphosis and post-larval
dispersal 261–262
particle processing and nutrient
utilisation 165–172, 166, 168–169
- Labrador Current 64–65
- lagoons 331
- LA-ICP-MS *see* laser ablation inductively
coupled plasma mass spectrometry
- lamellibranch gills 31–33, 32
- landmark-based methods 308–309,
309–310
- large marine ecosystems (LME) 104
- larval byssal apparatus
ecology of marine mussels 82, 86–87, 112
functional morphology 34

- phylogeny and evolution of marine mussels 6–7
 - larval development 249–252
 - aquaculture 620–622, 621–622
 - concepts and definitions 219
 - embryology and morphological features 247–248, 247, **248**
 - factors affecting larval growth 249–252, 249
 - see also* dispersal, settlement and recruitment; metamorphosis
 - larval identification 256–259, **257**
 - laser ablation inductively coupled plasma mass spectrometry (LA-ICP-MS) 25, 255
 - laser diffraction (LD) 442–444
 - LC-MS *see* liquid chromatography mass spectrometry
 - LC-MS/MS *see* liquid chromatography tandem MS
 - LD *see* laser diffraction
 - lectins 718–719
 - length-frequency distribution (LFD) 296–299, 297, 299, 301
 - LFD *see* length-frequency distribution
 - LH *see* luteinising hormone
 - limit of detection (LOD) 426
 - limit of quantification (LOQ) 426
 - lipid dynamics 77–78
 - lipofuscin 325
 - lipopolysaccharide (LPS) 715
 - liquid chromatography mass spectrometry (LC-MS) 426, 429–430, 565
 - liquid chromatography tandem MS (LC-MS/MS) 562, 779
 - liquid chromatography with fluorescence detection (LC-Fl) 426
 - liquid-liquid extraction (LLE) 426
 - littoral zones 70
 - LLE *see* liquid-liquid extraction
 - LME *see* large marine ecosystems
 - LOAEL *see* lowest observed adverse effect level
 - LOD *see* limit of detection
 - loess 156
 - longline culture 630–634, 632, 641, 647
 - LOQ *see* limit of quantification
 - lowest observed adverse effect level (LOAEL) 767–770
 - LPS *see* lipopolysaccharide
 - luteinising hormone (LH) 237–238
 - lysosome membrane stability/permeability 475–476
 - lysozymes 721–722
- m**
- M7/M3 lysin 246–247
 - MAB *see* monoclonal antibodies
 - MAC *see* membrane attack complex
 - MAE *see* microwave assisted extraction
 - magnetic resonance imaging (MRI) 157–158, 231
 - MALDI-TOF-MS *see* matrix-assisted laser desorption/ionisation-time of flight
 - male-associated polypeptide (MAP39) 220, 245
 - MALS *see* multi angle light scattering
 - managed aquifer recharge (MAR) 435–436
 - Management and Exploitation Areas for Benthic Resources (MEABR) 632–633
 - mangroves 62
 - mantle
 - function 29–31, 31
 - functional morphology 29–34
 - mytilid shell margin 25–26, 26
 - population genetics, genomics and selective breeding 560–561
 - structure 29, 30
 - MAP39 *see* male-associated polypeptide
 - MAPK pathway 725–726
 - MAR *see* managed aquifer recharge
 - Marine Protected Areas (MPA) 254–255
 - Marine Strategy Framework Directive (MSFD) 2008/56/EC) 414–416, 484
 - Marine Water Quality Monitoring Program 799
 - mark-and-recapture 299–301, 300
 - marker-assisted selection (MAS) 571–574
 - martelliosis 686–690, 687–688
 - MAS *see* marker-assisted selection

- mass selection 571–572
- matrix-assisted laser desorption/ionisation-time of flight (MALDI-TOF-MS) 562
- maximum allowable levels **769**
- maximum entropy model (MAXENT) 254–255
- MEABR *see* Management and Exploitation Areas for Benthic Resources
- mechanical boring 13–14
- Mediterranean Mussel Watch (MMW) 465–468
- mefp proteins 35–37, 40
- membrane attack complex (MAC) 722
- MeML *see* mucosal C-type lectin
- Memoranda of Understanding (MOU) 785, 791
- messenger RNA (mRNA) 520–521, 555, 715–717
- metabolic rate depression (MRD) 384
- metabolomics 565–567
- metallothioneins (MT) 34, 472, 473–476, 797
- metamorphosis 261–263, 261
aquaculture 622–626, 624–625
- metapopulation dynamics 265
- methane-oxidising bacteria 15
- mGDF *see* molluscan growth and differentiation factor
- microalgae
culture of microalgae 607–612, 608–610
grow-out of mussel seed 629–629
population genetics, genomics and selective breeding 564–565
replacement/supplement diets for microalgae 612–615
- microalgal-binding lectins 171–172, 172
- microarrays
disease, parasites and the immune response 715–716
population genetics, genomics and selective breeding 556–558, 562–563
public health 759, 777–778
- microcapsules 614
- microfouling 37–38, 39
- microplastic particles (MP)
environmental contaminants 388, 437–440, 438
particle processing and nutrient utilisation 189
population genetics, genomics and selective breeding 558
public health 783
- microsatellite markers 518–521, 528–531, 554, 571
- microwave assisted extraction (MAE) 426
- microwave solid phase dispersion (MSPD) 433
- migration inhibitory factor (MIF) 722
- mitochondrial DNA (mtDNA) 220–222, 517–518, 533, 555, 556
- mitochondrial respiration 376–377, 377
- mixed mucopolysaccharide (MMPS) 165
- MLH *see* multiple locus heterozygosity
- MMPS *see* mixed mucopolysaccharide
- MMW *see* Mediterranean Mussel Watch
- molecular markers 515, 517–521, 520, **522–527**
- molluscan growth and differentiation factor (mGDF) 336–337
- monitoring and quality control 798–800
live mussel legislation and regulation in Canada 798–799
marine biotoxin monitoring and control 800
sanitary survey and classification 799–800
- monoclonal antibodies (MAb) 256–257, 758–759
- monomyarian form 5–7, 6
- monospermy 245
- monsoonal rains 79
- Most Probable Number (MPN)
technique 786, **786**, 793–794
- MOU *see* Memoranda of Understanding
- MP *see* microplastic particles
- MPA *see* Marine Protected Areas
- m-PCR *see* multiplex polymerase chain reaction
- MPN *see* Most Probable Number
- MRD *see* metabolic rate depression
- MRI *see* magnetic resonance imaging

- mRNA *see* messenger RNA
- MSFD *see* Marine Strategy Framework Directive
- MSP *see* mycotic sloughing periostracum
- MSPD *see* microwave solid phase dispersion
- MSTN *see* myostatin
- MSX *see* multinucleate sphere X
- MT *see* metallothioneins
- mtDNA *see* mitochondrial DNA
- mucosal C-type lectin (MeML) 171–172, 172
- mucus 165
- mud blisters 703
- multi angle light scattering (MALS) 442–444
- MULTIFAN 297–298
- multinucleate sphere X (MSX) 685
- multiple locus heterozygosity (MLH) 333–334
- multiplex polymerase chain reaction (m-PCR) 758
- mussel breeding programmes 575–578, 576, 577
- mussel culture *see* aquaculture
- mussel mitigation farming 320
- Mussel Watch Program (MWP) 460–465, 464, 701–702
- MWP *see* Mussel Watch Program
- mycotic sloughing periostracum (MSP) 678, 680
- myostatin (MSTN) 337
- myostracum 26
- MYTIAD project 467–468
- MYTILOS project 467
- MYTIOR project 467–468
- MYTITURK project 468
- n**
- NA *see* noradrenaline
- nacre
 - disease, parasites and the immune response 718
 - functional morphology 24, 26–27, 29–30
 - growth 302
- nanoparticles (NP)
 - environmental contaminants 440–444, 441, 443, 481
 - excretory system 388, 395
 - particle processing and nutrient utilisation 163, 164, 188–189
 - public health 783
- National Mussel Watch (NMW) 462–463
- National Oceanic and Atmospheric Administration (NOAA)
 - disease, parasites and the immune response 701–702
 - environmental contaminants 460–461, 464, 485
 - public health 785
- National Shellfish Sanitation Program (NSSP) 776, 784–786, 787, 805
- National Status and Trends Program (NS&T) 701–702
- nDNA *see* nuclear DNA
- neoglycoproteins (NGP) 163, 164
- neoplasia 711–714, 712
- nephridia 44–45, 388–389
- nervous system 45–47, 45
- nest-building 13
- net culture 96–99, 97
- net growth efficiency 336, 337
- neuropeptides 46, 237–238
- neurotoxic shellfish poisoning (NSP) 766, 769–770
- next-generation sequencing (NGS) 518, 556–557
- NFκB *see* nuclear factor κB
- NGP *see* neoglycoproteins
- NGS *see* next-generation sequencing
- nitrogen cycle
 - aquaculture 645–646
 - growth 320
 - particle processing and nutrient utilisation 195, 196, 198
- NMR *see* nuclear magnetic resonance
- NMW *see* National Mussel Watch
- NOAA *see* National Oceanic and Atmospheric Administration
- noradrenaline (NA) 238
- norovirus (NoV) 760–761, 763, 793–796, 795
- North Pacific Gyre Oscillation (NPGO) 266
- NoV *see* norovirus

NP *see* nanoparticles
 NPGO *see* North Pacific Gyre Oscillation
 NS&T *see* National Status and Trends Program
 NSP *see* neurotoxic shellfish poisoning
 NSSP *see* National Shellfish Sanitation Program
 nuclear DNA (nDNA) 517–518, 546
 nuclear factor κ B (NF κ B) pathway 725–726
 nuclear magnetic resonance (NMR) 399, 565
 nutrient recycling 195, 197–198
 nutrient utilisation *see* particle processing and nutrient utilisation

O

OA *see* ocean acidification; okadaic acid
 ocean acidification (OA)
 disease, parasites and the immune response 694, 727
 ecology of marine mussels 102–104, 103, 109–114, 110
 excretory system 391–392
 functional morphology 38
 growth 305, 329–331, 330
 larval development 250
 respiratory system 387
 oceanic currents
 ecology of marine mussels 64–65, 68–69, 68, 87
 particle processing and nutrient utilisation 154–156, 155
 population genetics, genomics and selective breeding 528, 531
 ocelli 31
 OCR *see* oxygen consumption rate
 Office International des Epizooties (OIE) 686, 688–689
 offshore mussel culture 642–645, 643–644
 OIE *see* Office International des Epizooties
 oil spills, growth 333
 okadaic acid (OA) 767, 768–770, 777–778
 O:N *see* oxygen–nitrogen
 oocytes/oocytosis 224, 226–227, 229, 231, 241, 681–682, 682
 oocyte volume fraction (OVF) 231
 optimal foraging theory 92
 organic matter sources (OMS) 186
 organochlorine pesticides (OCP)
 environmental contaminants 421–422, 429–430, 462–464, 467–471
 public health 782
 organophosphate pesticides 395, 472, 474–475
 OsHV-1 *see* *Ostreid herpesvirus 1*
 osmoregulation 395–399, 396, 398
 osmosensing 397
 OSPAR monitoring programmes 483–484, 483
 osphradia 46–47
Ostreid herpesvirus 1 (OsHV-1) 676–677
 OTC *see* oxytetracycline
 overall pump efficiency 157
 OVF *see* oocyte volume fraction
 OVVD *see* oyster velar virus disease
 oxidative burst 716, 724–725, 724
 oxidative shell damage 325
 oxidative stress *see* reactive oxygen species
 oxygenation
 cardiovascular system 362–363, 364
 ecology of marine mussels 104, 114–115
 functional morphology 38
 growth 330–331
 particle processing and nutrient utilisation 155, 175
 respiratory system 370–372, 371, 382–386, 383–385
 oxygen consumption rate (OCR) 366–388
 acclimation to temperature change 372–373, 372, 374–375
 acute temperature response 368–372, 370, 371
 adaptation and acclimation to low temperatures 373–377, 377
 aerial exposure 386–387
 food 367–368
 gas exchange processes 365–366
 other factors 387–388
 oxygen availability 382–386, 383–385
 oxygen consumption rate 366–388, 371, 382–386, 383–385

- salinity 379–382, 380–384
 size 366–367
 temperature tolerances 377–379
 oxygen–nitrogen (O:N)
 ratio 392–395, 393–394
 oxytetracycline (OTC) 300
 oyster velar virus disease (OVVD) 676
- p**
- Pacific Decadal Oscillation (PDO)
 dispersal, settlement and recruitment 266
 ecology of marine mussels 65, 106
 PAH *see* polyaromatic hydrocarbons
 pallial line 21, 31
 pallial muscle 31
 PAMP *see* pathogen-associated molecular
 patterns
 parallel sequencing 518
 paralytic shellfish poisoning (PSP)
 aquaculture 651
 population genetics, genomics and
 selective breeding 558–559
 public health 766–767, 769, 772, 773,
 776, 797
 parasites *see* disease, parasites and the
 immune response
 Paris Agreement 104
 particle processing and nutrient utilisation
 141–218
 absorption efficiency 176, 191–194, 193
 alimentary canal and digestive process
 174–191
 digestive gland and intracellular
 digestion 175–180, 176–179, 179
 intestine 180–181
 mussel nutrition 181–191, 182, 187
 stomach and extracellular digestion
 174–175
 aquaculture 611–615, 629–629
 concepts and definitions 141
 filtration and clearance rates 141–157
 functional morphology 37–38, 42
 growth 317–320, 318–319
 impacts of mussels on marine
 ecosystems 194–198, 196
 mechanisms 157–173
 imaging techniques 157–158, 158
 postingestive processing in the
 stomach 172–173
 pre-ingestive processing on gills and
 labial palps 165–172, 166, 168–169
 role of cilia 157–160, 159, 161
 selective capture on the gills 160–163,
 162, 164
 respiratory system 367–368
 see also bioaccumulation
 particulate organic matter (POM)
 aquaculture 645
 growth 312, 317, 320
 particle processing and nutrient
 utilisation 150, 171, 184–186,
 190–191
 particulate organic nitrogen (PON) 198
 passive sampling devices (PSD) 459–460,
 460, 465
 pathogen-associated molecular patterns
 (PAMP) 718–719
 pathogenic infections *see* disease, parasites
 and the immune response
 pattern-recognition receptors
 (PRR) 558–559, 718–720
 PCA *see* principal components analysis
 PCB *see* polychlorinated biphenyls
 PCP *see* personal care products
 PCR *see* polymerase chain reaction
 PCR-DGGE *see* polymerase chain reaction-
 denaturing gradient gel
 electrophoresis
 PDO *see* Pacific Decadal Oscillation
 pearl formation 29–30, 718
 pectenotoxins (PTX) 770
 pedal ganglia 45–46, 45
 peptidoglycan recognition proteins
 (PGRP) 719–720
 perforin proteins 722
 pericardial glands 44–45
 periostracum 24–26
 peroxisome proliferation 476–477
 persistent organic pollutants (POP) 782
 personal care products (PCP) 434–436, 436

- PES *see* protein expression signatures
- PFP *see* pufferfish poisoning
- PGRP *see* peptidoglycan recognition proteins
- phagocytosis 359–360, 359, 717–718
- pharmaceuticals
- environmental contaminants **422**, 434–436, 447–448, 447
 - larval development 252
 - population genetics, genomics and selective breeding 566
- photomicrography 304
- photoperiod 178
- photoplankton 198
- phycotoxins
- bivalve purification procedures 793–797, 800
 - detection of marine toxins 776–779, 778, **780**
 - harmful algal blooms 772–776, 773–774
 - marine biotoxin monitoring and control 800
 - maximum allowable levels **769**
 - population genetics, genomics and selective breeding 558–559, 564–565
 - public health 766–779, 793–797, 800
 - quantitation 767
 - sources and vectors 766–772
- phylogenetic analysis 220
- phylogeny and evolution of marine
- mussels 1–20
 - Bivalvia
 - evolution and adaptive radiation 5–8, 6
 - phylogeny and evolution 3–5, 4
 - Mytilida
 - phylogeny and evolution 8–11, **9**, 10
 - significant evolutionary developments 11–15, 12, 14
 - phylum Mollusca 1–2, 2
- phytoplankton
- aquaculture 613, 645–646
 - dispersal, settlement and recruitment 266
 - growth 317–319, 318
 - larval development 251–252
 - particle processing and nutrient utilisation 150, 161–162, 181–186, 182, 188–192, 193, 194–195, 196
 - reproduction 232, 235–236
 - respiratory system 367–368
 - see also* harmful algal blooms
- picoplankton 188–191
- pinnatoxins (PnTX) 771
- pinocytosis 173, 176
- planktonic larval duration (PLD) 253–254
- plaques 34–38, 35–37
- PLD *see* planktonic larval duration
- PLE *see* pressurised liquid extraction
- plicate organ (PO) 388–389
- PnTX *see* pinnatoxins
- PO *see* plicate organ
- pole/stake culture 640–642
- pollution *see* environmental contaminants
- polyaromatic hydrocarbons (PAH)
- disease, parasites and the immune response 726–727
 - environmental contaminants **419**, 426–427, 458–459, 467–468, 473, 479, 484–485
 - excretory system 388
 - functional morphology 33–34
 - population genetics, genomics and selective breeding 565–566
 - public health 782–783, 797–798
- polychlorinated biphenyls (PCB)
- disease, parasites and the immune response 727
 - environmental contaminants **419–420**, 428–429, 458–459, 463–464, 467–471, 473, 481, 485
 - growth 332
 - particle processing and nutrient utilisation 180
 - population genetics, genomics and selective breeding 563–564
 - public health 782
- polychlorinated dibenzo-p-dioxins **418**, 430–432, 431
- polymerase chain reaction-denaturing gradient gel electrophoresis (PCR-DGGE) 185
- polymerase chain reaction (PCR)

- disease, parasites and the immune response 676, 688–689
- larval identification and abundance 257
- population genetics, genomics and selective breeding 518, 534, 541
- public health 757–758, **762**, 763, 765
- polysaccharide β -chitin 24
- polyspermy 245
- polystyrene microspheres/nanoparticles 163, 164, 188–189
- polyunsaturated fatty acids (PUFA) 186–188, 187, 611–613
- POM *see* particulate organic matter
- PON *see* particulate organic nitrogen
- POP *see* persistent organic pollutants
- population connectivity 254–255
- population density
- dispersal, settlement and recruitment 265–266
 - ecology of marine mussels 60–64, 93, 102
 - functional morphology 27, 38
 - growth 310–311, 328–329, 332
 - larval identification and abundance 258
 - phylogeny and evolution of marine mussels 11, 14
 - population genetics, genomics and selective breeding 548
- population genetics, genomics and selective breeding 515–602
- concepts and definitions 515–516
- genomics 553–567
- disease, parasites and the immune response 715–717
 - functional genomics 555–567
 - genome mapping 553–555
 - metabolomics 565–567
 - proteomics 562–565
 - transcriptomics 555–562, 556–557
- growth 333–336, 335
- larval identification and abundance 256–257
- population genetics 516–553
- genetic variation and heterozygosity 516–517
 - genetic variation and population structure in mussels 521–539
 - hybridisation and hybrid zones 532, 537, 539–551, 541, 543, 545–546, 550
 - interspecific genetic variation 532–539, 536, 538
 - intraspecific genetic variation 528–531, 530
 - invasive species 551–553
 - molecular markers and applications 515, 517–521, 520, **522–527**
- quantitative genetics and selective breeding 567–578
- breeding objectives 569–570
 - breeding schemes 571–573, 572
 - broodstock establishment 570–571
 - genetic variation and traits 567–568
 - heritability 568–569, 569, **570**
 - mussel breeding programmes 575–578, **576**, 577
- QTL mapping and marker-assisted selection 573–574
- precipitation
- ecology of marine mussels 66
 - growth 324–325
 - monsoonal and seasonal rains 79, 234
 - public health 755
 - reproduction 234
- preCOLs *see* prepepsinised collagens
- predation
- aquaculture 647, 650–651
 - cardiovascular system 363–364
 - ecology of marine mussels 56, 69–70, 83–84, 87–99, 89–90, 94, 97, 112–113
 - prey profitability 88, 92
- prepepsinised collagens (preCOLs) 35–36, 36, 38
- pressurised liquid extraction (PLE) 426
- PRIMER-E software 699
- principal components analysis (PCA) 307
- priority substances (PS) 414–415
- prismatic layer 24–27
- probiotics
- aquaculture 627–628
 - particle processing and nutrient utilisation 189

programmed cell death 703
 proteases 721–722
 protein catabolism 388, 390–395
 protein expression signatures (PES) 563–565
 proteomics 562–565
 ecology of marine mussels 66
 larval identification and abundance 257
 PRR *see* pattern-recognition receptors
 PS *see* priority substances
 PSD *see* passive sampling devices
 pseudoeulamellibranch gills 33
 pseudofaeces
 functional morphology 40
 particle processing and nutrient
 utilisation 150, 165–169, 166,
 192, 197
 PSP *see* paralytic shellfish poisoning
 pteriatoxins (PtTX) 771
 PTX *see* pectenotoxins
 public health 753–830
 bacterial infections 753–759
 bacterial assays 757–759
 Escherichia coli 757
 Salmonella spp. 753–755
 Vibrio spp. 755–756
 concepts and definitions 753
 Hazard Analysis and Critical Control Point
 and its application 777, 788,
 800–805, **801–803**, 804
 industrial pollutants 779–784
 monitoring and quality control 798–800
 live mussel legislation and regulation in
 Canada 798–799
 marine biotoxin monitoring and
 control 800
 sanitary survey and
 classification 799–800
 mussel/bivalve production and processing
 controls 784–798
 bivalve purification
 procedures 788–798, 790–793, 795
 controlling harvesting
 areas 785–788, **786–787**
 regulatory framework 784–785
 parasites 763–766

 parasite assays 765–766
 phycotoxins 766–779
 detection of marine toxins 776–779,
 778, **780**
 harmful algal blooms 766, 772–776,
 773–774
 maximum allowable levels **769**
 quantitation 767
 sources and vectors 766–772
 viral infections 759–763, **762**
 viral assays 763
 PUFA *see* polyunsaturated fatty acid;
 polyunsaturated fatty acids
 pufferfish poisoning (PFP) 766, 767–768

q

qPCR *see* quantitative polymerase chain
 reaction
 QTL *see* quantitative trait loci
 quantitative genetics and selective
 breeding 567–578
 breeding objectives 569–570
 breeding schemes 571–573, 572
 broodstock establishment 570–571
 genetic variation and traits 567–568
 heritability 568–569, 569, **570**
 mussel breeding programmes 575–578,
 576, 577
 QTL mapping and marker-assisted
 selection 573–574
 quantitative polymerase chain reaction
 (qPCR) 676, 758, 763, 779
 quantitative trait loci (QTL) 335,
 518–520, 573–574
 QuEChERS method 429–430, 436

r

radiation hybrid (RH) mapping 554
 radionuclides
 functional morphology 29, 45
 public health 783–784
 raft culture 634–636, 635, 641–642, 647
 Raman spectroscopy 429, 444
 random amplified polymorphic DNA (RAPD)
 markers 518–519, 528

- rare earth element and yttrium (REY)
 distribution 305
- RBA *see* receptor-based assays
- rDNA *see* ribosomal DNA
- RE *see* reproductive effort
- reactive oxygen species (ROS)
 aquaculture 620
 disease, parasites and the immune
 response 716, 724–725, 724
 respiratory system 384
- receptor-based assays (RBA) 777
- recruitment *see* dispersal, settlement and
 recruitment
- rectum 180–181
- Regional Monitoring Program (RMP) 463–464
- Regional Sea Conventions (RSC) 415–416
- relaying 789
- remote sensing 656
- reproduction 219–247
 concepts and definitions 219
 doubly uniparental inheritance and sex
 determination 221–222
 environmental contaminants 454
 excretory system 390–391
 factors controlling reproduction 235–241
 annual storage cycle 239–241, 240, 242
 endogenous regulation of
 gametogenesis 237–239
 exogenous regulation of gametogenesis
 and spawning 236–237
 fertilisation and gamete compatibility
 245–247
 functional morphology 43
 gametogenesis 219–221, 222–224, 223,
 225–227, 232, 234, 236–240
 reproductive cycles 225–235
 annual cycles by species 231–235
 methods of assessment 225–231, **230**
 reproductive effort and fecundity 231,
 242–245, 244
 respiratory system 387
 sex identification 219–221
see also aquaculture; larval development;
 population genetics, genomics and
 selective breeding
- reproductive effort (RE) 242–245, 244
- reproductive isolating mechanisms
 (RIM) 246, 539, 547–548
- reproductive output (RO) 231, 242–245
- REPROSEED project 607
- RER *see* rough endoplasmic reticulum
- resource partitioning 185–186
- respiration rate (RR) 74, 155
- respiratory system 365–388
 acclimation to temperature
 change 372–373, 372, 374–375
 acute temperature response 368–372,
 370, **371**
 adaptation and acclimation to low
 temperatures 373–377, 377
 aerial exposure 386–387
 food 367–368
 gas exchange processes 365–366
 other factors 387–388
 oxygen availability 366–388, **371**,
 382–386, 383–385
 oxygen consumption rate 366–388
 salinity 379–382, 380–384
 size 366–367
 temperature tolerances 377–379
- restriction fragment-length
 polymorphisms (RFLP)
 disease, parasites and the immune
 response 689
 larval identification and abundance 257
 population genetics, genomics and
 selective breeding 518, 533, 551–552
 public health 765
- retractor muscles 21
- reverse transcription polymerase chain
 reaction (RT-PCR) 220–221, 758,
762, 763
- REY *see* rare earth element and yttrium
- RFLP *see* restriction fragment-length
 polymorphisms
- RH *see* radiation hybrid
- ribosomal DNA (rDNA) 533, 535
- ribosomal RNA (rRNA) 688–690
- Ricker logistic model 298–299
- RIM *see* reproductive isolating mechanisms

- RMP *see* Regional Monitoring Program
- RMR *see* routine metabolic rate
- RO *see* reproductive output
- robomussels 71–79, 72–73, 76
- rocky shores
- disease, parasites and the immune response 696
 - dispersal, settlement and recruitment 265–266
 - ecology of marine mussels 59–62, 60, 69–71, 79–86, 81, 90–91, 99–100
 - excretory system 392
- ROMS model 656
- rope culture
- dispersal, settlement and recruitment 260
 - ecology of marine mussels 98–99
 - environmental impacts 647
 - excretory system 390
 - growth 328–329
 - longline culture in Chile 630–634, 632
 - metamorphosis, settlement and nursery culture of spat 624–626, 625, 628
- ROS *see* reactive oxygen species
- rough endoplasmic reticulum (RER) 176, 224
- routine metabolic rate (RMR) 367, 376
- RR *see* respiration rate
- rRNA *see* ribosomal RNA
- RSC *see* Regional Sea Conventions
- RT-PCR *see* reverse transcription polymerase chain reaction
- S**
- salinity
- cardiovascular system 362
 - disease, parasites and the immune response 727
 - ecology of marine mussels 56, 61–69, 68, 78–79
 - environmental contaminants 452, 475
 - excretory system 391, 395, 396
 - functional morphology 38
 - growth 324–326, 325–326
 - larval development 247–249
 - population genetics, genomics and selective breeding 544–546, 545, 548–549, 560, 563–564
 - reproduction 233–234, 237
 - respiratory system 379–382, 380–384
- salt marshes
- aquaculture 651
 - ecology of marine mussels 62
 - excretory system 390
 - growth 327
 - particle processing and nutrient utilisation 155–156
 - reproduction 234
- sand burial/scour 86
- sandwich hybridisation assay (SHA) 258
- sandy beds 60, 62
- sanitary survey and classification 799–800
- sapovirus 763
- saxitoxins (STX) 558–559, 766–767, 777–778
- sbPOM *see* Stony Brook Parallel Ocean Model
- scanning electron microscopy (SEM)
- functional morphology 25
 - larval development 249
 - particle processing and nutrient utilisation 157
 - reproduction 223
- scavenger receptor cysteine-rich receptors (SRCR) 720
- Schnute–Richards model 299
- Scientific Committee on Oceanic Research (SCOR) 774–775, 774
- scope for growth (SFG)
- ecology of marine mussels 106–108, 107, 111–113
 - environmental contaminants 478–479
 - exogenous factors 311–313, 313, 319–326, 319, 323, 326, 330–331, 330
- SCOR *see* Scientific Committee on Oceanic Research
- SDM *see* species distribution modelling
- SE *see* selection efficiency
- sea grasses 62
- seamounts 537
- sea palm 100–101
- secondary ion mass spectrometry (SIMS) 25
- sediment retention 63
- seed mussel collectors (SMC) 639–640
- selection efficiency (SE) 170–172, 172

- selective breeding *see* population genetics,
genomics and selective breeding
- SEM *see* scanning electron microscopy
- semi-continuous culture 611
- sensory papillae 31, 31
- sensory receptors 45–47, 45
- sentinel organisms *see* biomonitoring and
bioindicators
- sequential injection analysis (SIA) 425
- serotonin 47, 238
- settlement *see* dispersal, settlement and
recruitment
- sex determination 221–222, 515
- sex identification 219–221
- sex steroids 238–239
- sexual selection 246
- SFE *see* supercritical fluid extraction
- SFG *see* scope for growth
- SHA *see* sandwich hybridisation assay
- shell
dispersal, settlement and recruitment 256
ecology of marine mussels 88–89
endogenous factors 334–335
external characteristics 26–29, 27–28
functional morphology 21–29
growth rings 301–305, 302–304
internal and external features 22, 23
mussel shell as a marine archive
305–306, 306
mytilid shell margin 25–26, 26
phylogeny and evolution of marine
mussels 8–13, 10, 12
population genetics, genomics and
selective breeding 560–561
structure 24–26, 24, 26
- SHELL-E model 656
- shell matrix proteins (SMP) 26
- ShellSIM 655
- sheltered harbours
ecology of marine mussels 60, 61, 69,
100–101
population genetics, genomics and
selective breeding 541–542, 543
- Shepherd's Length Composition Analysis
(SLCA) 297–298
- SIA *see* sequential injection analysis
- signal transduction pathways 725–726
- silk proteins 24
- simple sequence repeats (SSR) 518
- SIMS *see* secondary ion mass spectrometry
- single nucleotide polymorphisms (SNP)
disease, parasites and the immune
response 714
population genetics, genomics and
selective breeding 519–520, 528, 546,
548, 554, 571, 578
- SLCA *see* Shepherd's Length Composition
Analysis
- SLE *see* solid-liquid extraction
- SMC *see* seed mussel collectors
- SMI *see* strict maternal inheritance
- SMP *see* shell matrix proteins
- SMR *see* standard metabolic rate
- SMX *see* sulphamethoxazole
- SNP *see* single nucleotide polymorphisms
- solar irradiance 604–605
- solid-liquid extraction (SLE) 434
- solid-phase adsorption toxin tracking
(SPATT) 775
- solid phase extraction (SPE) 426, 434, 436
- solid phase micro extraction (SPME) 426
- SPATT *see* solid-phase adsorption toxin
tracking
- spawning
aquaculture 615–620, 618
ecology of marine mussels 64
environmental contaminants 454
excretory system 390–391
population genetics, genomics and
selective breeding 542, 547, 571
reproductive cycle 228, 230–231,
231–237, 240–241
- SPE *see* solid phase extraction
- species distribution modelling (SDM)
106–107, 107
- sperm/spermatogenesis 223–224, 223, 225,
245–246, 547, 561–562
- spiroliodes (SPX) 771
- SPME *see* solid phase micro extraction
- SPR *see* surface plasmon resonance

- spray drying 613–614
 SPX *see* spirulides
 SRCR *see* scavenger receptor cysteine-rich receptors
 SSR *see* simple sequence repeats
 stable isotope analysis
 growth 304–306, 306
 particle processing and nutrient utilisation 184–186
 standard metabolic rate (SMR) 367
 statocyst 47
 stereology 229
 Stockholm Convention on Persistent Organic Pollutants 782
 stocking density 328–329
 stomach
 functional morphology 40–42, 41
 particle processing and nutrient utilisation 172–175, 183–184
 Stony Brook Parallel Ocean Model (sbPOM) 254–255
 strict maternal inheritance (SMI) 222
 STX *see* saxitoxins
 subcritical water extraction (SWE) 426
 sublittoral zone 70
 submerged structures 60–62, 64
 substrate type/complexity
 artificial substrates 98–99, 260
 dispersal, settlement and recruitment 260, 266
 ecology of marine mussels 82–83
 subtidal zone
 aquaculture 603, 628–629, 639–640
 disease, parasites and the immune response 698
 ecology of marine mussels 59–60, 62–64, 69, 75
 particle processing and nutrient utilisation 188
 reproduction 244
 succession 86–87
 sulphamethoxazole (SMX) 447, 447, 566
 sulphide-rich habitats 14–15, 14, 33
 sulphur-oxidising bacteria 15
 supercritical fluid extraction (SFE) 426
 supersaturation 26
 supralittoral zone 70
 surface plasmon resonance (SPR) 777
 surfactants 156, 427–428
 SWE *see* subcritical water extraction
 symbiosis
 functional morphology 33
 particle processing and nutrient utilisation 190–191
 phylogeny and evolution of marine mussels 14–15
 population genetics, genomics and selective breeding 535–536
- t**
- tactile cells 31
 TAG *see* triacylglycerides
 TAM *see* total ammonia
 TDV *see* three-dimensional visualisation
 TEF *see* toxicity equivalency factors
 TEM *see* transient event margins; transmission electron microscopy
 temperature
 aquaculture 604–605
 cardiovascular system 361–362, 361, 363
 disease, parasites and the immune response 694, 727
 dispersal, settlement and recruitment 258
 ecology of marine mussels 56, 61–69, 68, 70–78, 72–73, 76
 environmental contaminants 452–454, 475
 excretory system 391, 392
 functional morphology 38–39
 growth 305, 320–324, 321–323
 larval development 249–251, 249
 particle processing and nutrient utilisation 150–151, 151
 population genetics, genomics and selective breeding 530–537, 536, 542–543, 548–549, 560, 563, 567
 reproduction 233, 241, 243–245
 respiratory system
 acclimation to temperature change 372–373, 372, 374–375
 acute temperature response 368–372, 370, 371

- adaptation and acclimation to low temperatures 373–377, 377
 temperature tolerances 377–379
 TEP *see* thioester-containing proteins
 TEQ *see* total toxicity equivalent
 tetrodotoxin (TTX) 767–768, 777
 TGF- β *see* transforming growth factor
 thin sectioning 302
 thioester-containing proteins (TEP) 720
 thread matrix proteins (TMP) 35–36
 three-dimensional visualisation (TDV) plots 624
 TidbiT loggers 71–73, 72–73
 TLR *see* Toll-like receptors
 TMP *see* thread matrix proteins
 TNF *see* tumour necrosis factor
 tolerable weekly intake (TWI) 781–782
 Toll-like receptors (TLR) 719
 TOM *see* total organic matter
 total ammonia (TAM) 388–389
 total organic matter (TOM) 197
 total toxicity equivalent (TEQ) 767
 toxicity equivalency factors (TEF) 767
 trace elemental fingerprinting 29, 255
 trampling 85–86
 transcriptomics 555–562, 556–557
 transforming growth factor (TGF- β) 337
 transient event margins (TEM) 106–107, 107
 transmission electron microscopy (TEM)
 cardiovascular system 358, 359
 disease, parasites and the immune response 689, 689
 functional morphology 25
 triacylglycerides (TAG) 77–78
 trophic transfer factor (TTF) 450
 TTX *see* tetrodotoxin
 tumour necrosis factor (TNF) 722
 turbidity 195, 331
 TWI *see* tolerable weekly intake
 typhoid fever 753–754
- U**
- ultrasonic assisted extraction (USE) 426
 United Nations Educational Scientific and Cultural Organisation (UNESCO) 774–775, 774
 United Nations Environment Programme (UNEP) 781
 United Nations Framework Convention on Climate Change (UNFCCC) 104
 upwelling
 aquaculture 604
 growth 317–318, 318
 population genetics, genomics and selective breeding 529
 USE *see* ultrasonic assisted extraction
- V**
- valve opening/closure 395, 396
 VBGF/M *see* von Bertalanffy growth function/model
 VCL *see* vitelline coat lysin
 VCT *see* vesicular connective tissue
 velum 31
 ventral flattening 12–13
 VERL *see* vitelline envelope receptor for lysin
 vesicular connective tissue (VCT) 239
 vibration sensitivity 47
 video endoscopy 157, 158
 visceral ganglion 45–46, 45
 visual perception 46
 vitelline coat lysin (VCL) 220–221
 vitelline envelope receptor for lysin (VERL) 220–221
 VIV *see* haemocyte infection virus
 von Bertalanffy growth function/model (VBGF/M) 297, 298–299, 299, 328
- W**
- WAC *see* wood-based activated carbon
 wastewater treatment plants (WWTP)
 environmental contaminants 427, 437
 growth 330–331
 Water Framework Directive (WFD) 414–415, 788
 wave action/exposure
 dispersal, settlement and recruitment 262–263, 265
 ecology of marine mussels 60, 79–82, 81, 84–86, 99
 functional morphology 39

- wave action/exposure (*cont'd*)
 - growth 326–328, 327–328
 - phylogeny and evolution of marine mussels 11–12
 - population genetics, genomics and selective breeding 541–542, 543
 - reproduction 245
 - wave splash 75–76
 - West Wind Drift (WWD) 528
 - WFD *see* Water Framework Directive
 - WGS *see* whole-genome sequencing
 - WHO *see* World Health Organization
 - whole-genome sequencing (WGS) 554
 - wigwam system 641
 - wild seed collection 604–605
 - wind energy farms 644–645, 644
 - within-family selection 571–573
 - WMW *see* World Mussel Watch
 - wood-based activated carbon (WAC) 797
 - World Health Organization (WHO) 754, 761, 764, 767–768, 770–772, 781, 785
 - World Mussel Watch (WMW) 462
 - World Organisation for Animal Health *see* Office International des Epizooties
 - World Register of Marine Species (WoRMS) 57
 - Wright's fixation index 255
 - WWD *see* West Wind Drift
 - WWTP *see* wastewater treatment plants
- X**
- X-ray diffraction (XRD) 25
- Y**
- yeast-based diets 614–615
 - yessotoxins (YTX) 769, 770–772
- Z**
- zooplankton
 - aquaculture 613, 636
 - particle processing and nutrient utilisation 181–184, 182, 194–195