

Subject Index

- (A_1, A_2, A_3) system, 325
A-criterion, 592
 C_p criterion, 424
 $\hat{C}_p$ statistic, 27
D-criterion, 590, 592, 606
D-optimal criterion, 223
D-optimal design 590
D-optimality 590
 D_s efficiency, 375
 D_s -optimal criterion, 225
F distribution, 18
F test, 18, 24, 25, 48, 65, 68, 90, 94, 100, 107, 110, 123
G-criterion, 592
I-criterion, 592, 606
 L_2 calibration, 635
IV criterion, 592
p value, 16, 18
 t distribution, 16
 t test, 16, 24, 90
 χ^2 distribution, 431
- Adding columns technique, 381
Adjusted p value, 96
Adjusted treatment sum of squares, 115
Adjustment factor, 179, 513
Akaike information criterion (AIC), 27
Alias matrix, 419
Aliased effects, 207, 275
Analysis of covariance, 126
Analysis of variance (ANOVA), 17, 23, 47, 91, 94, 101, 107, 110, 113, 116, 123
 F statistic, 90, 107, 110
 F test, 48, 110
 between-treatment sum of squares, 48
 extra sum of squares principle, 25, 128
 mean square error, 16, 24
 multi-way layout, 105
 one-way layout, 45
 regression sum of squares, 17, 23
 residual sum of squares, 15, 61
 three-way layout, 105
 treatment of factorial effects, 168
 two-way layout, 93
 within-treatment sum of squares, 48
Antagonistic plot, 162
Approximate design, 591
Asymptotic design, 591
Axial point, 456, 478
- Balance, 156, 438
Balanced incomplete block design, 113
Balanced randomization, 10
Bartlett's test, 185
Baseline constraints, 52, 89, 93
Bayesian approach, 564, 569
Bayesian design, 594
Bayesian information criterion (BIC), 27
Bayesian variable selection, 342, 429, 440, 449, 450
Binomial distribution, 556
Black-box functions, 631
Black-box optimization, 634
Block defining contrast subgroup, 191, 236, 299
Blocking, 8, 188, 507
 non-orthogonal, 201
 orthogonal, 484
Blocking scheme, 192, 236

- Box-Behnken design, 484, 500
- Box-whisker plot, 74
- Calibration Parameters, 635
- Canonical analysis, 470
- Cause-and-effect diagram, 5
- Center point, 456, 478, 483
- Central composite design, 455, 478, 498
- Chi-squared (χ^2) distribution, 431
- Clear effect, 208, 237, 275, 300, 325, 527
- CME analysis, 230
- Cochran's Theorem, 65
- Coded variable, 457
- Collapsing factors, 384
- Complex aliasing, 342, 420, 422, 429
- Complexity factor method, 539
- Composite Gaussian process, 634
- Compound noise factor, 533
- Conditional main effect, 160, 227
- Conference matrix, 341
- Confidence interval, 17
- Confirmation experiment, 8
- Confounded effects, 189, 299
- Continuous design, 590
- Constrained optimization, 476
- Contour plot, 476
- Contrast, 52
 - cubic, 324
 - linear, 57, 324
 - quadratic, 57, 324
- Control array, 512
- Control chart, 507
- Control factor method, 539
- Control-by-noise interaction, 528, 529
- Control-by-noise interaction plot, 510, 518
- Coordinate exchange algorithm, 596, 597, 607
- Corner point, 456, 478
- Covariate, 11, 20, 126, 507
- Criterion
 - A*, 592
 - AIC*, 27
 - BIC*, 27
 - C_p , 424
 - D*, 590, 592, 606
 - D*-optimal, 223
 - D_s -optimal, 225
 - G*, 592
 - I*, 592, 606
 - IV*, 592
 - maximum resolution, 210, 246, 276
 - minimum aberration, 192, 212, 276, 299, 321
 - number of clear effects, 233, 238, 301
 - rotatability, 482
- Cross array, 512, 527
- Cross-validation, 628
- Cube point, 456, 478
- Cubic correlation, 624
- Curvature check, 461
- CV estimators, 629
- Defining contrast subgroup, 209, 276, 321
- Defining relation, 207, 321
 - type 0, 322
 - type 1, 322
 - type 2, 322
- Definitive screening design, 341, 360, 449, 450
- Defining words, 209
- Degradation, 509
- Design construction
 - adding columns technique, 381
 - collapsing factors, 384
 - idle column technique, 393
 - method of replacement, 319, 340, 382
- Designs
 - 2^k , 151
 - 2^k with blocking, 188, 201
 - $2^m 4^1$, 361
 - $2^m 4^2$, 362
 - $2^m 4^n$, 321
 - 2^{k-p} , 209, 232, 252
 - 2^{k-p} with blocking, 258
 - 3^{k-p} , 273, 275, 309
 - 3^{k-p} with blocking, 310
 - 3^k , 268
 - r^{k-p} , 337, 340
 - 25-run fractional factorial, 337
 - 49-run fractional factorial, 340
 - balanced incomplete block, 113
 - Box-Behnken, 483, 500
 - central composite, 455, 478, 498
 - definitive screening, 341, 360, 449, 450
 - equivalent, 375
 - first-order, 458, 461
 - fold-over, 219
 - Graeco-Latin square, 112, 147
 - Hall's, 373, 397
 - Hyper-Graeco-Latin square, 147
 - isomorphic, 375, 480
 - Latin square, 108, 147
 - minimum aberration, 233, 322, 323, 529
 - mixed two-level and three-level, 332
 - mixed-level orthogonal arrays, 319, 377, 379, 399
 - nonregular, 369, 372
 - orthogonal, 156
 - paired comparison, 85

- Plackett-Burman, 374, 394, 417, 480
- randomized block, 88
- regular, 369, 372
- screening, 420, 438
- second-order, 459, 461
- small composite, 481
- spherical, 482
- split-plot, 118
- supersaturated, 437
- uniform shell, 485, 501
- unpaired, 86
- Desirability function, 476
- Deviance, 560
- Difference matrix, 379
- Directional data, 581
- Dispersion, 158, 181, 580
- Dispersion factor, 513
- Distribution
 - F , 18
 - t , 16
 - binomial, 556
 - chi-squared (χ^2), 431
 - inverse gamma, 430
 - inverse Gaussian, 556
 - multivariate normal, 451, 452
 - non-central chi-squared, 64
 - normal, 12, 21, 556
 - ordered multivariate normal, 569
 - Poisson, 555
 - studentized maximum modulus, 186
 - studentized range, 55
- Effect heredity principle, 169, 288, 422
- Effect hierarchy principle, 168, 187, 188, 190-192, 194, 207, 210, 212, 214, 217, 274, 421, 527, 529
- Effect ordering principle in parameter design, 530
- Effect sparsity principle, 169, 421, 422
- Effects
 - aliased, 207, 274
 - clear, 208, 233, 275, 300, 325, 527
 - conditional main, 160
 - confounded, 189, 299
 - eligible, 527
 - estimable, 527
 - factorial, 164
 - interaction, 159, 161
 - linear, 282
 - linear-by-linear, 285
 - linear-by-quadratic, 285
 - main, 158
 - partially aliased, 376, 419
 - quadratic, 282
 - quadratic-by-linear, 285
 - quadratic-by-quadratic, 285
 - strongly clear, 208, 237, 275, 301, 325
- Eligible effect, 527
- Elliptic system, 470
- Emulator, 627
- Estimability problem, 569
- Estimable effect, 527
- Estimation capacity, 529, 531
- Exact design, 590, 606
- Expected Fisher Information Matrix (Information Matrix), 592, 593, 608
- Experimental unit, 8
- Experimentwise error rate (EER), 176
- Extra sum of squares principle, 25, 27, 128
- Exploration-exploitation trade-off, 632
- Expected Improvement criterion, 632
- Face center cube, 481
- Factor, 5
 - adjustment, 179, 513
 - compound noise, 533
 - dispersion, 513
 - hard-to-change, 5, 155, 379
 - hard-to-set, 6, 437
 - load, 508
 - location, 513
 - noise, 508
 - orthogonal, 156
 - qualitative, 6, 95, 268
 - quantitative, 6, 56, 268
 - random, 98
 - subplot, 118
 - whole plot, 118
- Factorial designs, 151
 - 2^k , 151
 - 2^k with blocking, 201
 - 3^k , 268
- Factorial effects, 164
- Failure amplification method, 539
- Falling ridge system, 472
- Family, 229
- Fiducial inference, 103
- First-order design, 458, 462
- First-order model, 458
- Flow chart, 5
- Fold-over design, 219
- Fold-over technique, 218
- Follow-up experiment, 8, 219, 278
 - D -criterion, 600
 - D -optimal design, 223
 - D_s -optimal design, 225
 - fold-over technique, 219

- Follow-up experiment (*contd.*)
 optimal design, 222
- Fractional factorial designs, 205
 $2^m 4^1$, 361
 $2^m 4^2$, 362
 $2^m 4^n$, 321
 2^{k-p} , 209, 232, 252
 2^{k-p} with blocking, 258
 3^{k-p} , 273, 275, 309
 3^{k-p} with blocking, 310
 r^{k-p} , 337, 340
 25-run, 337, 364
 49-run, 340, 364
- Fully Bayesian criterion, 594, 607
- Galois field, 340
- Gauge repeatability and reproducibility, 98
- Gaussian correlation, 624
- Gaussian process, 622
- Gaussian process for quantitative and qualitative factors, 634
- General Equivalence Theorem (GET), 591, 607
- Generalized inference, 102, 103
- Generalized Kronecker sum, 380
- Generalized linear models (GLMs), 554, 559
 binary regression, 557
 binomial distribution, 556
 deviance, 560
 deviance residuals, 561
 dispersion parameter, 555
 extended quasi-likelihood, 567
 gamma regression, 557
 inverse Gaussian distribution, 556
 inverse Gaussian regression, 557
 link function, 557
 logistic regression, 557
 loglinear model, 557
 maximum likelihood estimation, 558
 mean deviance, 561
 normal distribution, 556
 one-parameter exponential family, 555
 optimal design, 593, 594, 605
 over-dispersion, 561
 Poisson distribution, 555
 Poisson regression, 557
 probit regression, 557
 quasi-likelihood, 562
 variance function, 556
- Geometric projection, 376
- Gibbs sampling, 432, 452, 570
- Graeco-Latin square, 147
- Graeco-Latin square design, 112
- Hadamard matrix, 373
- Hadamard number, 374
- Half-normal plot, 173, 185, 194
- Hall's designs, 376, 397
- Hard-to-change factor, 154, 378
- Hard-to-set factor, 437
- Heredity
 relaxed weak, 432
 strict weak, 432
 strong, 432
- Hidden projection, 376, 378, 391
- Hyper-Graeco-Latin square, 113, 147, 338
- Hyperbolic system, 470
- Idle column technique, 393
- Imbalance, 383
- Individual error rate (IER), 176
- Inner-outer array, 512
- Interaction, 93, 159, 163, 270
 block-by-treatment, 190
 control-by-noise, 527, 529
 linear-by-linear, 285
 linear-by-quadratic, 285
 quadratic-by-linear, 285
 quadratic-by-quadratic, 285
- Interaction effect, 228
- Interaction graph, 234
- Interaction plot, 161
- Interpolation property, 627
- Inverse gamma distribution, 430
- Inverse Gaussian distribution, 556
- Kennedy-O'Hagan models, 635
- Kriging, 622
- Kriging predictor, 626, 627
- Kronecker sum, 380
- Larger-the-better problem, 267, 477, 514
- Latent variable, 570
- Latin hypercube designs, 613
- Latin square, 147, 338
- Latin square design, 108, 147
- Least squares estimator, 12, 22
- Lenth's method, 176, 181, 187
- Level, 5
- Likelihood ratio test, 560, 569
- Limit kriging, 639
- Linear effect, 282
- Linear-quadratic system, 286
- Link function, 557
- Load factor, 508
- Local D-optimal design, 594

- Location, 158, 181
- Location and dispersion modeling, 513
- Location factor, 513
- Lurking variable, 154
- Matèrn correlation, 624
- Main effect, 158
- Main effects plot, 159
- Main plot, 118
- Markov Chain Monte Carlo, 432
- Maximin distance designs, 619
- Maximin Latin hypercube designs, 619
- Maximum likelihood estimate (MLE), 559, 569
- Maximum likelihood estimation, 627
- Maximum projection designs, 620
- Maximum resolution criterion, 210, 246, 276
- MaxPro designs, 621
- Mean, 179
- Mean square error, 16, 24
- Measurement system, 98
- Measurement system capability study, 98
- Method of replacement, 319, 340, 382
- Mid-rank scores, 575
- Minimum aberration blocking scheme, 192
- Minimum aberration criterion, 212, 276, 299, 321
- Minimum aberration designs, 212, 232, 322, 529
- Minimum MSPE predictor, 626
- Mixed effects model, 121
- Mixed-level orthogonal arrays, 319, 377, 379, 399
- Model matrix, 21, 155
- Modified Federov Algorithm, 595
- Multi-fidelity simulations and models, 634
- Multi-way layout, 105
- Multiple comparisons, 52, 90
 - Bonferroni method, 53, 91
 - step-down, 334
 - Tukey method, 55, 91, 111, 117
- Multiple correlation coefficient, 23
- Multiple responses, 292, 475
- Multivariate normal distribution, 451, 452
- Nearly orthogonal arrays, 377
- Nested effects modeling, 346
- Noise array, 512
- Noise factor, 508
- Nominal setting, 268
- Nominal-the-best problem, 178, 476, 513
- Noncentrality parameter, 64
- Nonlinear regression model 593, 605
 - Optimal design 593, 605
- Nonregular designs, 369, 372
- Normal distribution, 12, 21, 556
- Normal probability plot, 75, 172
- Nugget, 629
- One-factor-at-a-time approach, 169
- One-factor-at-a-time plan, 171
- One-way components of variance model, 68
- One-way layout, 45
- One-way random effects model, 68
- Operating window method, 539
- Operating window signal-to-noise ratio, 539
- Optimal design algorithm, 226, 595-597, 607
- Order of estimability, 192
- Ordered categorical data, 567
- Ordered multivariate normal distribution, 569
- Ordinal data, 567, 568
 - estimability problem, 569
 - scoring method, 575
- Ordinary kriging, 623, 630
- Orthogonal arrays, 319, 373
 - asymmetrical, 319
 - mixed-level, 319, 373, 379, 399
 - symmetrical, 319
- Orthogonal array-based Latin hypercube designs, 618
- Orthogonal columns, 318
- Orthogonal components system, 265
- Orthogonal designs, 156
- Orthogonal factors, 156
- Orthogonal Latin squares, 112
- Orthogonal main-effect plans, 385
- Orthogonal polynomials, 59, 60
- Orthogonality, 156
- Out-of-spec probability, 292
- Over-dispersion, 561
- Overall curvature, 461
- Overall desirability function, 478
- Overall out-of-spec probability, 296
- Overfitting, 61
- Paired *t* test, 87
- Paired comparison design, 85
- Parent effect, 228
- Parameter design, 503, 511, 567
- Pareto principle, 169
- Partial *F* statistic, 27
- Partially aliased effects, 376, 419
- Performance measure independent of adjustment, 535
- Plackett-Burman designs, 374, 394, 417, 480
- Planning matrix, 153
- Plot
 - A*-against-*B*, 161
 - antagonistic, 162

- Plot (*contd.*)
 box-whisker, 74
 contour, 476
 control-by-noise interaction, 510, 518
 half-normal, 174, 185, 194
 interaction, 161
 main effects, 159
 normal probability, 75, 172
 residual, 72, 73
 scaled lambda, 132
 synergistic, 162
Poisson distribution, 555
Point exchange algorithm, 595-597, 607
Power exponential correlation, 624
Prediction interval, 20
Principle
 effect heredity, 169, 288, 422
 effect hierarchy, 168, 187, 188, 190-192, 194, 207, 210, 212, 214, 217, 274, 421, 527, 529
 effect ordering, 530
 effect sparsity, 169, 421, 422
 extra sum of squares, 25, 27, 128
 of parsimony, 26
 Pareto, 169
Projective property, 211
Proportional frequencies, 384
Pseudo-Bayesian criterion, 594, 606

Quadratic effect, 282
Quadratic loss function, 178
Qualitative factor, 7, 95, 270
Quantitative factor, 7, 57, 268

Random factor, 98
Randomization, 8, 235
Randomized block design, 88
Rectangular grid search, 466, 467
Reference distribution, 173
Regression analysis, 26, 165
Regression sum of squares, 17, 23
Regular designs, 369, 372
Related factors, 343
 asymmetrical, 352
 symmetrical, 352
Relative efficiency, 386
Repeatability, 103
Repetitions, 8
Replicated experiment, 157
Replicates, 8
Replication, 8
Reproducibility, 103, 158, 161
Residual plots, 72, 73
Residual sum of squares, 15, 61, 560

Residuals, 21, 71
Resolution, 210, 276, 322
Resolution III*, 480
Response, 4
Response modeling, 518, 525
Response optimization, 459
Response surface exploration, 3
Response surface methodology, 455, 458
 axial point, 456, 478
 Box-Behnken design, 484
 canonical analysis, 470
 center point, 456, 478, 483
 central composite design, 455, 478
 corner point, 456, 478
 cube point, 456, 478
 curvature check, 461
 elliptic system, 470
 face center cube, 481
 factorial portion, 478
 falling ridge system, 472
 first-order design, 458, 462
 hyperbolic system, 470
 line maximum, 471
 near rotatability, 483
 orthogonal blocking, 484
 rectangular grid search, 466, 467
 response optimization, 459
 response surface mapping, 460
 rising ridge system, 472
 rotatability criterion, 482
 saddle point, 470
 second-order design, 459, 462
 sequential experiment, 479
 small composite design, 481
 spherical design, 482
 star point, 456, 478, 482
 stationary point, 469
 stationary ridge system, 471
 steepest ascent search, 461
 uniform shell design, 485
Response surface modeling, 349
Restricted randomization, 155
Rising ridge system, 472
Robust design, 503, 510
Robust estimator, 176
Robust parameter design (parameter design), 503, 510
 adjustment factor, 513
 complexity factor method, 539
 compound noise factor, 533
 control array, 512
 control factor method, 539
 control main effect, 530

- control-by-noise interaction, 528, 530
- control-by-noise interaction plot, 510, 518
- cross array, 512, 526
- dispersion factor, 513
- dual response modeling, 538
- effect ordering principle, 530
- failure amplification method, 539
- for general loss functions, 538
- inner-outer array, 512
- integrated design, 539
- internal noise, 508
- location and dispersion modeling, 513
- location factor, 513
- noise array, 513
- noise factor, 508
- noise main effect, 530
- nonlinearity, 511
- operating window method, 539
- performance measure independent of
 - adjustment, 535
- response modeling, 518, 525
- robust setting, 518
- shrinkage factor, 550
- signal-to-noise (SN) ratio, 534
- single array, 524
- tolerance design, 511, 539
- transmitted variance model, 518, 523
- two-stage design, 539
- two-step procedure, 513, 518, 534, 550
- Rotatability criterion, 482
- Run, 153
- Run order, 154
- Run size, 153
- Run size economy, 371
- Saddle point, 470
- Sample size determination, 66
- Sampling inspection, 506
- Scale parameters, 625
- Scoring method, 575
- Screening design, 420, 438
- Screening experiment, 458
- Second-order design, 459, 462
- Second-order model, 459, 469
- Sensitivity analysis, 636
- Sensitivity index, 636
- Sequential experiment, 479
- Shannon information gain, 594
- Siblings, 229
- Signal-to-noise (SN) ratio, 534
 - operating windows, 539
- Simple linear regression, 11
- Simple kriging, 639
- Simulator, 627
- Simultaneous confidence intervals, 55, 56, 91, 110, 117
- Simultaneous testing, 168
- Single array, 524
- Sliding levels, 343
- Small composite design, 480
- Smaller-the-better problem, 267, 477, 513
- SN ratio, 534
- Space-filling property, 616, 619
- Spatial variation, 509
- Specification limit(s), 292, 297, 476
 - lower, 293
 - upper, 293
- Spherical design, 482
- Split plot, 118
- Split-plot design, 118
- Split-unit experiment, 119, 538
- Star point, 456, 478, 481
- Stationary point, 469
- Stationary ridge system, 471
- Steepest ascent search, 461
- Steepest descent, 462
- Strongly clear effect, 208, 237, 275, 301, 325
- Studentized maximum modulus distribution, 186
- Studentized maximum modulus test, 186, 213
- Studentized range distribution, 55
- Subplot, 118
- Subplot error, 121
- Subplot factor, 118
- Supersaturated design, 437
- Surrogate variable, 509
- Synergistic plot, 162
- System optimization, 4
- System robustness, 4
- Tables
 - 2^k designs with blocking, 201
 - $2^m 4^1$ designs, 361
 - $2^m 4^2$ designs, 362
 - 2^{k-p} designs, 252
 - 2^{k-p} designs with blocking, 258
 - 3^{k-p} designs, 309
 - 3^{k-p} designs with blocking, 310
 - F , 669
 - t , 665
 - χ^2 , 667
 - 25-run fractional factorial, 364
 - 49-run fractional factorial, 364
 - Box-Behnken designs, 500
 - central composite designs, 498
 - conference matrices 366, 367
 - difference matrices, 411

Tables (*contd.*)

- Graeco-Latin squares, 147
 - Hall's designs, 397
 - Hyper-Graeco-Latin squares, 147
 - conference matrices, 366–367
 - Latin squares, 147
 - Lenth's method critical values, 701
 - mixed-level orthogonal arrays, 405
 - normal, 663
 - orthogonal polynomials, 683
 - Plackett-Burman designs, 394
 - studentized maximum modulus, 685
 - studentized range, 677
 - uniform shell designs, 501
- Test, 184
- F , 18, 24, 25, 48, 63, 68, 90, 94, 100, 107, 110, 123
 - t , 16, 24, 90
 - Bartlett's, 185
 - likelihood ratio, 560, 569 (This bit needs doublecheck.)
 - of overall curvature, 461
 - of variance homogeneity, 184
 - paired t , 87
 - studentized maximum modulus, 186, 213
 - two-sample t , 53, 87
 - unpaired t , 87
- Three-way layout, 105
- Tolerance design, 511, 539
- Trade-off strategy, 297
- Traditional effect, 228
- Transformable non-additivity, 147
- Transformation, 130, 536, 558
- log, 134, 180
 - power, 130
 - reciprocal, 131
 - reciprocal square root, 134
 - square root, 131
 - variance stabilizing, 131, 181
- Transmitted variance model, 518, 521

- Treatment, 5, 153
- Treatment comparison, 3
- Treatment defining contrast subgroup, 236, 299
- Treatment of factorial effects, 167
- Treatment sum of squares, 61
- Treed Gaussian process, 634
- Twins, 229
- Two-sample t test, 53, 87
- Two-step procedure, 179, 215, 267, 513, 518, 534, 550
- Two-way layout, 93
- Two-way random effects model, 100
- Two-way variance components model, 100
- Uncertainty quantification, 626
- Uniform shell design, 485, 501
- Unit-to-unit variation, 509
- Universal kriging, 623, 630
- Unpaired t test, 87
- Unpaired design, 86
- Unreplicated experiment, 157
- Variable screening, 3
- Variable selection, 26, 289, 335
- backward elimination, 28
 - Bayesian, 342, 429, 440, 449, 450
 - best subset regression, 26
 - forward selection, 28
 - principle of parsimony, 26
 - stepwise selection, 28
- Variance, 179
- Variance components, 68, 100
- Whole plot, 118
- Whole plot error, 121
- Whole plot factor, 118
- Wordlength, 209
- Wordlength pattern, 210, 322
- Zero-sum constraints, 50, 89, 93, 106

