

Subject Index

Note: References to the four supplemental chapters are shown as Supplement A, Supplement B, Supplement C, and Supplement D.

A

ABC classification. *See also* Inventory management
continuous review system and, 408–411
example, 409
lead time and, 409
periodic counting and, 412
two-bin system and, 409
ABC classification system, periodic review system, 409
ABS function, Supplement A
Absolute references, Supplement A
Acceptable quality level (AQL), 191, 219
Acceptance sampling. *See also* Statistical quality control (SQC)
average outgoing quality, 194–195, 210
defined, 168, 190
goal of, 191
operating characteristic (OC) curves, 192–194
sampling plans, 191–192
Accounting
aggregate planning and, 466
inventory management and, 433
JIT and lean systems and, 237
operations information flow and, 20
project management and, 571
resource planning and, 503
scheduling and, 538
supply chain management and, 125
total quality management (TQM) and, 158
work system design and, 387
Act, in PDSA cycle, 145
Action bucket, 498, Supplement D
Action notices, 498–499
Activity-on-node (AON), 554
Advertising revenue model, 97
Affiliate revenue model, 97
Aggregate planning
across the organization, 465–466
back orders, 451
business planning and, 448–450
capacity-based options, 451–452
current situation evaluation, 452–453
demand-based options, 450–451
duration of the change, 453
finished goods inventory, 450
hiring and firing, 452
magnitude of the change, 453
within OM, 465
options, 450–453
options summary, 452
overtime, 451
point of departure, 453
shifting demand, 451
strategies, 454–455
subcontracting, 452
supply chain link, 466

sustainability link, 466
undertime, 451
yield management and, 465
Aggregate plans
chase, 455, 460–461, 464
for companies with nontangible products, 461–465
for companies with tangible products, 457–460
defined, 448
development of, 456–465
with hiring and firing, 460–461, 464
hybrid, 455
identifying, 456
implementation, 466
with initial workforce and overtime, 463
with inventories and back orders, 458–460
level, 454–455
with no back orders, no tangible product, 462
performance evaluation, 459
steps in, 456–457
testing, 459
Aggregate production rate, 459
AGVs (automated guided vehicles), 72
ALDEP (automated layout design program), 339
Algebraic approach, Supplement A
Algebraic formulation, Supplement B
Alternative workplace
considerations, 369
defined, 368
desk sharing, 369
hoteling, 369–370
telework center, 369
teleworking and telecommuting, 369
virtual office/virtual workplace, 369
AMT (Asset Management Tool), 483
Answer Report, Solver, Supplement B
Anticipatory inventory, 400, 402
AON (activity-on-node), 554
Application service provider (ASP), 483
Appointments, 535
Appraisal costs, 138
AQL (acceptable quality level), 191, 219
Arrival rate, Supplement C
AS/RSs (automated storage and retrieval systems), 72
Assemble-to-order strategy, 63, 69
Asset Management Tool (AMT), 483
Assignable causes of variation, 169
Assigning tasks to workstations, 347
Atmosphere, 137
ATP. *See* Available-to-promise
Attributes
control charts for, 172–173, 179–184
defined, 172
Authorized MPS, 489
Automated guided vehicles (AGVs), 72
Automated layout design program (ALDEP), 339
Automated order entry systems, 96

Automated storage and retrieval systems (AS/RSs), 72
Automation
advantages and disadvantages of, 71
defined, 71
flexible manufacturing system (FMS), 72
material handling, 72
numerically controlled (NC) machines, 72
robotics, 72–73
Available-to-promise (ATP). *See also* Master production schedule (MPS)
defined, Supplement D
quantities, Supplement D
quantity calculation formulas, Supplement D
records, Supplement D
revised records, Supplement D
row, Supplement D
AVERAGE function, Supplement A
Average number of jobs in the system, 525–526, 546
Average outgoing quality (AOQ)
curve, 194, 195–196
defined, 194
equation, 194, 210
Average transportation inventory (ATT), 442

B

B2B. *See* Business-to-business
B2C. *See* Business-to-consumer
Backlogs, 535
Back-ordering, 408
Back orders
aggregate plan with, 462
defined, 451
Backward integration, 108
Backward scheduling
completion time/due date and, 481
defined, 487, 521
illustrated, 521
Balance delay, 348, 357
Balking, Supplement C
Base-case spreadsheet model, Supplement A
Basic partnerships, 112
Batch processes, 60
Behavioral feasibility, 365
Benchmarking
in continuous improvement, 145
defined, 52, 145
Best operating level, 297
Beta probability distribution, 558, 564
Bills of material (BOM)
components, 492
defined, 487, 491
end item, 492
indented, 491
parent item, 492
product structure tree, 492, 493

- Binding constraints, Supplement B
- Black belts, Six Sigma, 137, 190
- Black box diagram, Supplement A
- Block plans
 - ALDEP and, 339
 - CRAFT and, 339
 - with decision-support tools, 338–339
 - developing, 336–338
 - load-distance model and, 337–338
 - with trial and error, 336–338
- BOM (bill of material), 487
- Bottlenecks
 - defined, 62
 - elevating, 534
 - exploiting, 534
 - identifying, 534
 - scheduling, 532–534
 - system inventory and, 533
 - throughput determination and, 533
 - time needed by, 519
- Bottom-round management, 231
- Break-even analysis. *See also* Location analysis
 - defined, 53, 314
 - equations, 315
 - fixed costs and, 53
 - graphical approach, 54
 - quantity computation, 54–55
 - steps in, 315
 - using, 315–317
 - variable costs and, 53
- Break-even point, modeling, Supplement A
- Break-even quantity, 54–55
- Broad view of the organization, 215
- Bullwhip effect
 - causes of, 95
 - counteracting, 95–96
 - defined, 94
- Business functions
 - information flow between operations and, 20
 - organizational chart, 2
- Business planning
 - example, 448
 - hierarchy, 449
 - master production schedule, 449
 - sales and operations planning, 448–450
 - strategic business plan, 448
- Business process reengineering, 13
- Business results, in MBNQA, 155
- Business strategy
 - core competencies, 29–30
 - defined, 26
 - developing, 27–31
 - environmental scanning, 28–29
 - formulation of, 30–31
 - inputs in developing, 29
 - mission, 27–28
 - relationship with operations strategies, 26
 - understanding role of, 31
- Business-to-business (B2B)
 - defined, 15
 - e-commerce, 96–98
 - transactions, 89
- Business-to-consumer (B2C)
 - defined, 15–16
 - e-commerce, 97
- C**
 - C2C (customer-to-customer), 16
 - CAD (computer-aided design), 73–74
 - CAE (computer-aided engineering), 73
 - CAM (computer-aided manufacturing), 74
 - Capacity
 - alternatives, developing, 300–301
 - alternatives, evaluating, 301
 - available, calculating, 513
 - competitors and, 300
 - considerations, 296–299
 - defined, 294
 - demonstrated, Supplement D
 - design, 296
 - diseconomies of scale and, 297–298
 - economies of scale and, 297
 - effective, 296
 - effectiveness of use, 296
 - focused factories and, 298–299
 - forecasting, 300
 - measure examples, 295
 - measuring, 295–299
 - purchase of, 295
 - requirements, identifying, 299–301
 - subcontractor networks and, 299
 - Capacity-based options. *See also* Aggregate planning
 - defined, 450
 - hiring and firing, 452
 - overtime, 451
 - subcontracting, 452
 - undertime, 451
 - Capacity-constrained resources, 532
 - Capacity cushions, 300
 - Capacity planning
 - across the organization, 318
 - decisions, 299–301
 - defined, 294
 - importance of, 294–295
 - issues, 294–295
 - within OM, 318
 - rough-cut, 500, Supplement D
 - steps in decisions, 299–300
 - supply chain link, 318
 - sustainability link, 319
 - Capacity planning using overall planning factors (CPOPF)
 - defined, 500, Supplement D
 - example, Supplement D
 - planning factors, Supplement D
 - procedure for, Supplement D
 - Capacity requirements planning (CRP). *See also* Resource planning
 - data from MPS, 500
 - defined, 487
 - open shop orders and, 500
 - Capacity utilization
 - computing, 297
 - defined, 296
 - formula, 296, 325
 - Capital costs, 406
 - Causal models. *See also* Forecasting models
 - defined, 250
 - linear regression, 266–268
 - multiple regression, 269–270
 - Cause-and-effect diagrams, 146
 - c-charts
 - constructing, 183–184
 - control limits, 184, 210
 - defined, 180
 - use of, 179–180
 - Cell layouts, defined, 333
 - Cells
 - layouts of. *See also* group technology (cell) layouts
 - manufacturing, 226–227
 - Center of gravity approach, 314–315
 - Champion, Six Sigma, 190
 - Chance events, 301
 - Changing Cells, Solver, Supplement B
 - Chase aggregate plan. *See also* Aggregate plans
 - advantage of, 455
 - defined, 455
 - using hiring and firing, 460–461, 464
 - Checklists, 147
 - CIM (computer-integrated manufacturing), 74
 - Closed-loop MRP, 486
 - Collaborative Planning, Forecasting and Replenishment (CPFR)
 - defined, 276
 - implementation of, 277
 - as iterative process, 277
 - nine-step process, 277
 - premise, 276–277
 - Collaborative product commerce (CPC)
 - software, 74
 - Combining forecasting, 276
 - Common causes of variation, 169
 - Community considerations, in location decisions, 306
 - Compensation
 - gain sharing, 386
 - group incentive plans, 385–386
 - incentive plan trends, 386
 - output-based systems, 385
 - overview of, 385
 - profit sharing, 386
 - time-based systems, 385
 - Competitive advantage, technology as tool, 36–37
 - Competitive evaluation, 150
 - Competitiveness, productivity and, 39–40
 - Competitive priorities
 - cost, 31–32
 - defined, 31
 - flexibility, 33–34
 - intermittent operations and, 66
 - operations and, 66
 - order winners and order qualifiers and, 34–35
 - quality, 32–33
 - time, 33
 - trade-offs, 34, 35
 - translating into production requirements, 35
 - Competitors
 - capacity and, 300
 - ideas from, 52
 - Completion dates
 - beta probability distribution, 564
 - probability calculation, 566
 - probability estimation, 564–566
 - variance of activities calculation, 564–565

- Completion time estimation. *See also* Project Management
 deterministic time estimates, 555–558
 overview of, 555
 probabilistic time estimates, 558–562
- Compliance metric, SCM, 123
- Components, defined, 400, 492
- Computer age, 12
- Computer-aided design (CAD), 73–74
- Computer-aided engineering (CAE), 73
- Computer-aided manufacturing (CAM), 74
- Computer-integrated manufacturing (CIM), 74
- Computerized relative allocation of facilities technique (CRAFT), 339
- Concurrent engineering
 computerized technologies and, 58
 defined, 57
 illustrated, 57
 sequential design versus, 57
- Conformance, 137
 costs of nonconformance, 143
- Conformance specification, 136
- Constrained optimization problem, Supplement B
- Constraints
 binding, Supplement B
 defined, Supplement B
 equality, Supplement B
 greater-than-or-equal-to, Supplement B
 less-than-or-equal-to, Supplement B
 market, 534
 nonbinding, Supplement B
 nonnegativity, Supplement B
 policy, 534
 shadow price, Supplement B
 slack, Supplement B
 Solver, Supplement B
- Consumer expectations, e-commerce and, 97–98
- Consumer's risk, 191–192, 193
- Continuous improvement
 benchmarking, 145
 defined, 144
 JIT, 216
 kaizen, 144, 216
 plan-do-study-act (PDSA) cycle, 144–145
- Continuous processes, 60
- Continuous review systems (CRS), 408–411, 432
- Contracting metric, SCM, 123
- Control charts
 c-charts, 180
 for attributes, 172–173, 179–184
 center line, 171–172
 defined, 147, 171
 developing, 171–172
 lower control limit, 172
 mean ($\bar{x}$ -bar) charts, 173–176
 mean and range together, 177–178
 p-charts, 180
 as quality tool, 147–148
 range (R) charts, 176–178
 types of, 172–173
 upper control limit, 172
 for variables, 172–179
- Controllable inputs, Supplement A
- Control limits
 c-charts, 184, 210
 p-charts, 180, 210
 range (R) charts, 176–178, 210
 $\bar{x}$ -bar charts, 173–176, 209–210
- Copyright infringement, 102
- Core competencies. *See also* Business strategy
 defined, 29
 leveraging, 114
 organizational, 29
- Correct model, Supplement A
- Correlation coefficient, 269, 288
- Cost-efficient operations, 404–405
- Costs
 appraisal, 138
 capital, 406
 as competitive priority, 31–32
 of ERP systems, 485–486
 external failure, 139
 fixed, 53
 holding, 406, 407, 416
 internal failure, 138–139
 inventory, 406–408
 inventory policy, 415–416
 item, 406
 ordering, 407
 prevention, 138
 risk, 407
 setup, 218, 427
 shortage, 408
 storage, 406–407
 variable, 53
- COUNT function, Supplement A
- Courtesy/friendliness, 137
- CPFR. *See* Collaborative Planning, Forecasting, and Replenishment
- CPM. *See* Critical path method
- CPOPF. *See* Capacity planning using overall planning factors
- CR (critical ratio), 523
- Cradle to Cradle, 159
- CRAFT (computerized relative allocation of facilities technique), 339
- Crashing projects
 cost estimates, 567
 critical activities, 569
 defined, 567
 diagram, 567
 example, 568
- Critical chain approach
 adding safety time, 569
 defined, 569
 project buffer, 570
 wasting safety time, 569–570
- Critical path method (CPM)
 defined, 552
 network diagram, 553–554
- Critical paths, 555, 570
- Critical ratio (CR), 523
- CRM. *See* Customer relationship management
- Crosby, Philip B., 141, 142
- Crossdocking
 defined, 118
 distributor, 118
 failure, 119
 implementation, 119
 innovations, 118–119
 manufacturing, 118
 retail, 118
 transportation, 118
 types of, 118
- Cross-functional decision making, 17
- Cross-functional worker skills, 230–231
- CRP. *See* Capacity requirements planning
- CRS (continuous review systems), 432
- Cultures, globalization and, 307
- Customer and market focus, in MBNQA, 155
- Customer-defined quality, 157
- Customer population, waiting lines, Supplement C
- Customer relationship management (CRM), 17
- Customers
 arrival rate, Supplement C
 average number waiting, Supplement C
 average time spent waiting, Supplement C
 external, 145
 focus on, 144
 ideas from, 52, 144
 internal, 145
 proximity to, 305
 requirements of, 149–150
 in service design, 78–79
 service experience by, 74
 services and contact with, 74–75
- Customer service
 defined, 403
 inventory management for, 403–404
- Customer-to-customer (C2C), 16
- Cycle counting, 412
- Cycles, 252
- Cycle stock, 400–401
- Cycle time
 defined, 345
 equation, 345
 formula, 357
 maximum output relationship, 346
 maximum versus minimum, 346
 reductions, 236
 in units per day, 345–346
 in units per hour, 345
 volume production and, 345
- D**
- Data Tables. *See also* Excel; Spreadsheet models
 creating, Supplement A
 defined, Supplement A
 illustrated, Supplement A
 problem-solving, Supplement A
 results, graphing, Supplement A
 using, Supplement A
- Days of supply, 442
- Decision alternatives, 301
- Decision points, 301
- Decisions
 capacity planning, 299–301
 example, 6–7
 insourcing versus outsourcing, 109–111
 location, 298–299, 304–306
 in long-range plan support, 25
 operations, 35
 operations management (OM), 6–9

- Decisions (*Continued*)
 - product mix, Supplement B
 - product design, 66–67
 - sourcing, 108–116
 - strategic, 8
 - tactical, 8
 - technology, 70–74
- Decision trees
 - defined, 301
 - expected value (*EV*), 302–303
 - illustrated example, 303
 - procedure for drawing, 302
 - procedure for solving, 303
 - reading, 302
 - using, 302
- Decision variables, Supplement A, Supplement B
- Defects
 - cost of, 139
 - inspections and, 196–197
 - variation in production process and, 168
 - zero, 142
- Delayed services, 535
- Delphi method, 249, 300
- Demand
 - dependent, 488
 - independent, 488
 - peak, staffing for, 535
 - types of, 488–489
 - uncertainty, 429
- Demand-based options. *See also* Aggregate planning
 - back orders, 451
 - defined, 450
 - finished goods inventory, 450
 - shifting demand, 451
- Demand forecast updating, 95
- Demand management, Supplement D
- Demand time fences, Supplement D
- Deming, W. Edwards, 141
- Deming Prize, 141, 155
- Demonstrated capacity, Supplement D
- Dependent demand, 488
- Descriptive statistics. *See also* Statistical quality control (*SQC*)
 - defined, 168
 - distribution of data, 170–171, 171
 - mean, 170
 - range and standard deviation, 170, 171
 - use of, 169–170
- Design capacity, 296
- Design for manufacture (*DFM*), 55–56
 - guidelines, 55
- Design for the environment (*DFE*), 120
- Design of experiment, 142
- Desk sharing, 369
- Deterministic time estimates
 - calculation example, 556–557
 - defined, 555
 - slack and, 557
 - table, 556
- Digital Millennium Copyright Act (*DMCA*), 102
- Diseconomies of scale, 297–298
- Distribution inventory, 400
- Distribution management, 92
- Distribution of data, 170–171, 171
- Distribution warehouses
 - defined, 117
 - importance of, 117
- Distributor crossdocking, 118
- Division of labor, 11
- DMAIC (Define, Measure, Analyze, Improve, Control), 190
- Do, in PDSA cycle, 145
- Documented model, Supplement A
- Double sampling, 191
- Due dates, 521
- Duplication, partnering and, 113–114
- Durability, 137
- Duration of the change, 453
- E**
- Earliest due date (*EDD*), 523
- Early supplier involvement (*ESI*), 52, 115
- E-commerce
 - advertising revenue model, 97
 - affiliate revenue model, 97
 - B2B, 96–98
 - B2C, 97
 - competition resulting from, 97–98
 - consumer expectations and, 97–98
 - copyright infringement and, 102
 - defined, 15, 96
 - government regulation and, 102
 - safety and welfare issues, 102
 - sales revenue model, 97
 - sales tax collection and, 102
 - subscription revenue model, 97
 - supply chains and, 96–98
 - transaction fee model, 97
- Economic feasibility, 364–365
- Economic order quantity (*EOQ*) model. *See also* Order quantity determination
 - annual costs formula, 416
 - assumptions, 414–415
 - calculating, 417
 - defined, 414
 - example, 417
 - formula, 417, 442
 - illustrated, 414
 - inventory policy costs calculation, 415–416
 - non-*EOQ* order quantity and, 417
 - policy, 426
 - quantity discounts and, 426
- Economic production quantity (*EPQ*) model. *See also* Order quantity determination
 - calculating, 420
 - calculating ratios, 419
 - defined, 417–418
 - example, 420–421
 - factors, understanding, 427–428
 - formula, 420, 442
 - illustrated, 418
 - maximum inventory level and, 418, 419
 - perpetual inventory record, 420–421
 - total cost formula, 418
 - use of, 418
- Economic trends, 29
- Economies of scale, 297
- EDD* (earliest due date), 523
- EDI* (electronic data interchange), 96
- E-distributors, 98
- Effective capacity, 296
- Efficiency
 - defined, 4
 - metric, 64
 - operational, 27
 - in product layout, 348, 357
 - server, waiting line, Supplement C
- Electronic commerce. *See* E-commerce
- Electronic data interchange (*EDI*), 96
- Electronic requests for quotes (*ERFQs*), 97
- Electronic storefronts, 96
- Elemental time database, 379
- E-manufacturing, 73–74
- Employee boredom, eliminating, 366–367
- Employees. *See also* Workforce
 - on call, 536
 - empowerment, 145–146
 - floating, 535–536
 - part-time, 536
 - scheduling, 535–538
 - seasonal, 536
 - temporary, 536
 - work environment, 229
- Employment, lifetime, 231
- End item, 492
- Energy Star certification, 159
- Engineering plan, 449
- Enterprise resource management, illustrated, 481
- Enterprise resource planning (*ERP*)
 - application service provider (*ASP*) and, 483
 - benefits of, 484–485
 - common database, 482
 - costs of, 485–486
 - defined, 17, 481
 - design and implementation of, 8
 - evolution of systems, 482–484
 - implementation, 482
 - improvements from using, 486
 - as information technology, 70
 - modules, 482
 - motivation for implementation, 484
 - nonmanufacturer use of, 483–484
 - SCM software and, 482–484
 - service costs, 486
 - supply chain intelligence (*SCI*) and, 483
 - system evolution, 482–484
 - system selection, 486
 - use of, 484–485
- Enterprise software, 485
- Environmental scanning. *See also* Business strategy
 - defined, 28
 - information from, 28
 - trends and, 28–29
- EOQ*. *See* Economic order quantity (*EOQ*) model
- E-purchasing
 - benefits for suppliers, 107
 - benefits to buyers, 107
 - defined, 98, 106
 - example web site, 108
 - key features of, 107
 - process, 106–107
 - sourcing strategy, 106
- Equality constraint, Supplement B

ERFQs (electronic requests for quotes), 97
 ERP. *See* Enterprise resource planning
 ESI (early supplier involvement), 52, 115
 Ethics, supplier management, 115–116
 Excel

ABS function, Supplement A
 AVERAGE function, Supplement A
 COUNT function, Supplement A
 Data Table, Supplement A
 editing formulas in, Supplement A
 Footer dialog box, Supplement A
 formulas, Supplement A
 Goal Seek dialog box, Supplement A
 IF function, Supplement A
 INDEX function, Supplement A
 MATCH function, Supplement A
 MAX function, Supplement A
 MIN function, Supplement A
 NORMSDIST function, Supplement A
 NORMSINV function, Supplement A
 Options dialog box, Supplement A
 Page Setup dialog box, Supplement A
 Solver, Supplement B
 SQRT function, Supplement A
 Stacked Column chart, Supplement A
 STDEV function, Supplement A
 SUM function, Supplement A
 SUMPRODUCT function, Supplement A

Exchanges, 98

Executive opinion, 248–249

Expanded partnerships, 112

Expected value (*EV*), 302–303

Expediting orders, 499

Explosion process, 494

Exponential smoothing, 257–258, 287

External customers, 145

External distributors

defined, 92
 for manufacturers, 92
 service organizations, 93, 94

External factory, 232

External failure costs, 139

External setups, 225

External suppliers, 92

Extranets, 98

F

Facilities

best operating level, 297
 location analysis, 304–317

Facility layout, 329–351

across the organization, 350–351
 intermittent operations and, 66–67
 for intermittent versus repetitive
 operations, 67

just-in-time manufacturing, 226–227
 layout planning and, 330
 layout types and, 330–333
 within OM, 350
 operations and, 66–67
 repetitive operations and, 67
 supply chain link, 351
 sustainability link, 351

Factor rating, 308–310

FCFS (first come, first served), 523

Feigenbaum, Armand V., 141, 142

Finance

capacity planning and, 318
 defined, 41
 facility layout and, 351
 forecasting and, 278
 JIT and lean systems and, 237
 location analysis and, 318
 operations information flow and, 19
 operations strategy and, 41
 process selection and, 79
 product design and, 79
 in product screening, 53
 statistical quality control (SQC) and, 199
 total quality management (TQM) and, 158

Financial metric, SCM, 123

Financial plan, 449

Finished goods, 400

Finished goods inventory, 450

Finite customer population, Supplement C

Finite loading, 520–521

Firing employees, 452, 453

First come, first served (FCFS), 523

Fitness for use, 136

Fixed costs, 53

Fixed-order quantity, 413

Fixed-position layouts, 333

Flexibility

as competitive priority, 33–34
 defined, 13, 33, 217
 JIT, 217
 mass customization, 13
 in office layouts, 343
 product, 33
 resource, 226
 volume, 33

Flexible layouts, defined, 343

Flexible manufacturing system (FMS), 72

Flexible model, Supplement A

Floating employees, 535–536

Flowcharts, 146

Flow operations

defined, 518
 routings, 518–519

Fluctuation inventory, 400, 402

Focused factories, 298–299

Forecast accuracy

in forecasting model selection, 273
 for groups/families of items, 246
 mean absolute deviation (MAD) and, 270–271
 mean squared error (MSE) and, 270–271
 measuring, 271–272
 monitoring, 247
 for shorter time horizons, 246
 tracking signal, 272–273

Forecast bias, 272

Forecast error, 270, 288

Forecasting

across the organization, 278
 capacity, 300
 combining, 276
 cost of, 275
 CPFR and, 276–277
 defined, 246
 guidelines for selecting software, 274–275
 importance of, 245
 level or variation, 250–266, 251, 252–253

models, 246, 247

within OM, 277

predictive analytics and, 275–276

principles of, 246

process, 246–247

qualitative methods, 247–248, 248–249

quantitative methods, 247–248, 250

software compatibility, 276

specialty forecasting packages, 274

spreadsheets, 274

statistical packages, 274

supply chain link, 278

sustainability link, 278–279

types of methods, 247–251

Forecasting models

available data and, 273

causal, 250

data patterns and, 274

exponential smoothing and, 257–258

features of, 246

forecast accuracy requirement and, 273–274

forecast horizon and, 274

linear regression, 266–268

linear trend line, 260–263

list of, 250

multiple regression, 269–270

naïve, 252–253

selecting and testing, 247

selection of, 273–276

simple mean or average, 253

simple moving average (SMA), 254

time series, 250–251

trend-adjusted exponential smoothing,
 260–261, 261

weighted moving average, 256–258

Forecasts

content decision, 246

data analysis and evaluation, 246–247

generation of, 246–247

horizon length, 274

Formulation. *See also* Optimization

complete, Supplement B

constraints and, Supplement B

defined, Supplement B

examining, Supplement B

feasible solution, Supplement B

infeasible solution, Supplement B

optimal solution, Supplement B

test-based, Supplement B

Forward integration, 108

Forward scheduling

defined, 521

illustrated, 521

Frequency of occurrence, 377

From-to-matrix, 335

G

Gain sharing, 386

Gantt charts

defined, 519

earliest-start, 561

latest-start, 562

load chart, 519

progress chart, 519–520

General warehouses, 117

Gillette, 120–121

Globalization
 advantages of, 307
 border security and, 100
 defined, 306
 disadvantages of, 307
 location decisions and, 306–308
 supply chain management (SCM) and, 99–100
 Global marketplace, 15
 Global Organic Textile Standards (GOTS), 159
 Global positioning systems (GPS), 70–71
 Global priority rule, 523
 Goal Seek approach, Supplement A
 Goods and services consistency, 32
 GOTS (Global Organic Textile Standards), 159
 Government regulations, e-commerce
 and, 102
 GPS (global positioning systems), 70–71
 Greater-than-or-equal-to constraint,
 Supplement B
 Green belts, Six Sigma, 190
 Green operations, 15
 Green Seal certification, 159
 Green supply chain management, 102–104
 Gross requirements, 489
 Group technology (cell) layouts. *See also*
 Facility layout; Layouts
 advantages of, 349
 defined, 333
 parts organized by families, 349–350
 process flows, 349–350

H

Hawthorne effect, 12
 Hawthorne studies, 11
 Hedge inventory, 401
 High customer attention approach, 78
 High-performance design, 32
 High-volume operations, scheduling, 518–519
 Hiring and firing
 as capacity-based option, 452
 chase aggregate plan with, 460–461, 464
 defined, 452
 Histograms, 149
 Historical development
 big data analytics, 16–17
 computer age, 12
 concepts, 10
 electronic commerce, 15–16
 flexibility, 13
 global marketplace, 15
 human relations movement, 11–12
 Industrial Revolution, 10–11
 just-in-time (JIT), 12–13
 management science, 12
 milestones, 9–10
 outsourcing, 16
 overview, 9–10
 reengineering, 13
 scientific management, 11
 supply chain management (SCM), 14–15
 sustainability and green operations, 15
 time-based competition, 13
 total quality management (TQM), 13
 Holding costs, 406, 407, 416
 Hot desking, 369
 House of quality, 149, 150, 151

Human relations movement, 11–12
 Human resource managers, 20
 Human resources
 facility layout and, 351
 forecasting and, 278
 in MBNQA, 155
 process selection and, 79–80
 product design and, 79–80
 statistical quality control (SQC) and, 199
 total quality management (TQM) and, 158
 work system design and, 387
 Hybrid aggregate plan, 455
 Hybrid layouts, 333

I

Idea development, 51–52
 Idle time, 348
 IF function, Supplement A
 Immediate predecessor, 344
 Incentives
 gain sharing, 386
 group plans, 385–386
 output-based system, 385
 plan trends, 386
 profit sharing, 386
 Incoming inspection, 106
 Indented BOM, 491
 Independent demand, 488
 INDEX function, Supplement A
 Industrial Revolution, 10–11
 Industry consortia, 98
 Infeasible problem, Supplement B
 Infinite customer population, Supplement C
 Infinite loading, 520, 521
 Information and analysis, in MBNQA, 155
 Information flow
 between operations and other business
 functions, 20
 organizational chart, 19
 supply chains, 94
 Information systems (IS)
 aggregate planning and, 466
 defined, 19
 forecasting and, 278
 inventory management and, 433
 JIT and lean systems and, 238
 process selection and, 79
 product design and, 79
 project management and, 571
 resource planning and, 503
 scheduling and, 538–539
 statistical quality control (SQC) and, 199
 supply chain management (SCM) and, 125
 total quality management (TQM) and, 158
 work system design and, 387
 Information technology (IT). *See also* software
 defined, 36, 70
 ERP, 70
 examples of, 36–37
 GPS, 70–71
 rapid growth of, 247
 RFID, 71
 wireless technologies, 70–71
 Infrastructure
 issues, 101–102
 operations decisions, 35
 Input/output control, 521–523
 Inputs, Supplement A
 Insourcing
 decisions, 109–111
 defined, 108
 formula for, 132
 Inspections
 costs, 196–197
 frequency, 196–197
 location, 197
 tool selection for, 197
 Institute for Supply Management (ISM*),
 115, 116
 Interchangeable parts, 11
 Intermittent operations
 competitive priorities and, 66
 defined, 58
 facility layout and, 66–67
 repetitive operations versus, 58–59
 Intermittent processing systems, 330
 Internal customers, 145
 Internal failure costs, 138–139
 Internal functions, 92
 Internal operations, 93–94
 Internal resource constraints, 534
 Internal setups, 225
 Internet, government regulation of, 102
 Intimacy, partnering and, 114
 Intranets, 97–98
 Inventory
 aggregate decisions, 433
 anticipatory, 400, 402
 back orders and, 408
 capital costs, 406
 costs, 406–408
 distribution, 400
 finished goods, 450
 fluctuation, 400, 402
 functions of, 402
 holding costs, 406, 407, 416
 item costs, 406
 in just-in-time manufacturing, 218
 lost sales and, 408
 lot-size, 400–401, 402
 maintenance, repair, and operating (MRO),
 401, 402
 manufacturer use of, 400–401
 minimum investment, 404–405
 ordering costs, 407
 policy costs, 415–416
 principles, 400–402
 risk costs, 407
 in service organizations, 401–402
 setup cost, 427
 speculative, 401, 402
 storage costs, 406–407
 target level, 430
 transportation, 401, 402
 types of, 400–401, 402
 Inventory management, 399–434
 ABC classification, 408–411
 across the organization, 433
 continuous review system, 408–411
 for cost-efficient operations, 404–405
 for customer service, 403–404
 cycle counting, 412

days of supply, 405
 hours of supply, 405
 idle time due to material and component shortages, 403–404
 lead time, 409
 minimum inventory investment and, 404–405
 objectives, 402–406
 within OM, 433
 order quantity determination, 413–428
 percentage of dollar volume shipped on schedule, 403
 percentage of line items shipped on schedule, 403
 percentage of orders shipped on schedule, 403
 periodic counting, 412
 periodic review system, 409, 430–432
 record accuracy, 411–413
 safety stock levels, 428–430
 supply chain link, 434
 sustainability link, 434
 two-bin system, 409
 vendor-managed inventory (VMI), 413
 weeks of supply, 405

Inventory records
 material requirements planning (MRP) and, 490–491
 planned orders and, 490
 planning factors, 490
 scheduled receipts and, 490

Inventory turnover
 calculation, 442
 defined, 404

IS. *See* Information systems

Ishikawa, Kaoru, 141, 142

ISM* (Institute for Supply Management), 115, 116

ISO 9000 standards, 155–156, 159

ISO 14000 standards, 156, 159

ISO 26000 standards, 156, 159

Item costs, 406

J

Jidoka, 228–229

JIT. *See* Just-in-time

Job design
 alternative workplace, 368–370
 behavioral feasibility, 365
 defined, 364
 economic feasibility, 364–365
 employee boredom and, 366–367
 job enlargement and, 366–367
 job enrichment and, 367
 job rotation and, 367
 machines versus people, 365–366
 methods analysis, 370–372
 problem-solving teams, 367–368
 self-directed teams, 368
 specialization, 366
 special-purpose teams, 368
 team approaches to, 367–368
 technical feasibility, 364
 work environment, 370

Job enlargement, 12, 366–367

Job enrichment, 12, 367

Job flow time, 525, 546

Job lateness, 526–527

Job rotation, 367

Jobs
 priority, 523
 sequencing through two work centers, 530–531

Job tardiness, 526–527

Jockeying, Supplement C

Johnson's rule, 530

Juran, Joseph M., 141–142

Just-in-time (JIT)
 across the organization, 237–238
 benefits of, 233–234
 broad view of, 215
 broad view of operations, 216
 champion for implementation, 235
 continuous improvement, 216
 cross-functional worker skills, 230–231
 cycle time reductions, 236
 defined, 12–13
 defining beliefs of, 215
 elements of, 217–220
 flexibility, 217
 implementing, 234–235
 JIT system, 217
 just-in-time manufacturing, 218, 220–227
 layout changes implementation, 235
 lifetime employment, 231
 lot size and lead time reduction and, 235
 management role, 231–232
 multifunction workers, 236
 within OM, 237
 philosophy, 215
 problem elimination, 214
 production employees, 230–231
 pull production implementation, 235
 quality improvements and, 235, 236
 respect for people, 219–220, 230–233
 in services, 236–237
 setup time reduction and, 235
 setup times and parallel processing, 236–237
 simplicity, 216
 supplier relationships, 232–233, 235
 supply chain link, 238
 sustainability link, 238
 total quality management (TQM), 219, 227–229
 uniform facility loading, 236
 visibility, 216–217
 waste elimination, 215–216
 workplace organization and, 237
 workplace reorganization and, 235

Just-in-time manufacturing
 cell manufacturing, 226–227
 defined, 218
 external setups, 225
 facility layout, 226–227
 internal setups, 225
 inventory and, 218
 kanban, 218
 kanban production, 221–224
 master production schedule, 218
 multifunction workers, 226
 pull system, 218, 220–221
 resource flexibility, 226
 small-lot production, 224–225
 uniform plant loading, 225–226
 variations on kanban production, 223–224

K

Kaizen, 144, 216

Kanban(s)
 cards, 221–223
 computing number of, 223
 defined, 218
 formula, 223, 243
 production, 221–223
 signal, 223–224
 supplier, 224
 variations on production, 223–224

L

Labor sources, proximity to, 305–306

Language barriers, 307–308

Large-scale waiting line systems, Supplement C

Last come, first served (LCFS), 523

Layout planning, 330

Layouts. *See also* Facility layout
 fixed-position, 333
 flexible, 343
 group technology (cell), 333, 349–350
 hybrid, 333
 office, 342–343
 process, 330–331, 333–339
 product, 331–333, 343–349
 warehouse, 340–342

LCFS (last come, first served), 523

Leadership, in MBNQA, 154–155

Lead time
 in ABC classification, 411–413
 cumulative, calculating, 493
 defined, 409, 490

Lean systems. *See also* Just-in-time (JIT)
 across the organization, 237–238
 defined, 17
 within OM, 237

Learning curves
 coefficients, 383–384
 formula, 383
 illustrated, 383
 importance of, 382
 theory, 382–385

Least-squares straight line, 266

LEED certification, 159

Less-than-or-equal-to constraint, Supplement B

Level aggregate plan, 454–455

Leveling, 225

Leveraging
 core competencies, 114
 supply chain management strategies, 122–123

LHS value, Supplement B

Lifetime employment, 231

Limits Report, Solver, Supplement B

Linear program (LP) problems
 defined, Supplement B
 infeasible solution, Supplement B
 outcomes of, Supplement B
 Simplex Method, Supplement B
 unbounded, Supplement B

Linear regression. *See also* Causal models
 correlation coefficient, 269
 defined, 266
 fit to historical data, 267
 forecasting with, 267–268
 formula, 288

- Linear regression. *See also* Causal models
(*Continued*)
least-squares straight line, 266
relationship between variables, 267
steps, 266–267
- Linear trend line. *See also* Time series models
defined, 260
equation, 261, 288
forecasting with, 262–263
steps in process, 262
- Line processes, 60
- Line shape, 348
- Load charts, 519
- Load-distance model. *See also* Location analysis
in block plan development, 337–338
calculation, 310
defined, 310
distance identification, 311
load identification, 311
rectilinear distance and, 311
using, 311–313
- Loading
finite, 520–521
infinite, 520, 521
uniform facility, 236
uniform plant, 225–226
- Local priority rule, 523
- Location analysis
across the organization, 318
break-even analysis, 314–317
center of gravity approach, 314–315
defined, 294, 304
evaluation procedures, 308–317
facility location and, 304
factor rating, 308–310
factors affecting decisions, 304–306
globalization and, 306–308
load-distance model, 310–313
within OM, 318
supply chain link, 318
sustainability link, 319
transportation method, 315
- Location decisions
community considerations, 306
factors affecting, 304–306
globalization and, 306–308
procedure for making, 308
proximity to customers and, 305
proximity to source of labor and, 305–306
proximity to sources of supply and, 305
quality of life issues, 306
site considerations, 306
- Logistics, 92
- Longest processing time (LPT), 523
- Long-range plan, 25
- Lost sales, 408
- Lot-for-lot, 413
- Lot-size inventory, 400–401, 402
- Lot tolerance percent defective (LTPD), 191
- Low-volume operations, scheduling, 519–520
- LP. *See* Linear program (LP) problems
- M**
- MAD. *See* Mean absolute deviation
- Magnitude of the change, 453
- Maintenance, repair, and operating (MRO) inventory, 401, 402
- Makespan, 525, 526
- Make-to-order strategy, 63, 69
- Make-to-stock strategy, 62–63, 69
- Malcolm Baldrige National Quality Award (MBNQA), 154–155
- Management, role in JIT, 231–232
- Management science, 12, 231–232
- Managers, SQC implications for, 196–197
- Manufacturability, 50
- Manufacturers
ERP use, 483
external distributors, 92
external suppliers, 92
internal functions, 92
postponement, 117
quality in, 137–138
supply chain components for, 91–92
use of inventory, 400–401
- Manufacturing
cell, 226–227
just-in-time, 218, 220–227
value-added, 218
- Manufacturing crossdocking, 118
- Manufacturing organizations
characteristics of, 4
defined, 4
service organization differences, 4–6
- Marginal value, Supplement B
- Market constraints, 534
- Marketing
aggregate planning and, 466
capacity planning and, 318
concurrent engineering, 57
customer expectations, 75
defined, 41
facility layout and, 351
forecasting and, 278
inventory management and, 433
JIT and lean systems and, 237
location analysis and, 318
operations information flow and, 18–19
operations strategy and, 41
process selection and, 79
product design and, 79
in product screening, 53
project management and, 571
resource planning and, 503
scheduling and, 538
service design, 77
statistical quality control (SQC) and, 199
supply chain management (SCM) and, 125
total quality management (TQM) and, 158
work system design and, 387
- Marketing plan, 448
- Marketplace trends, 28–29
- Market research, 249
- Mass customization, 13
- Mass production, 11
- Master production schedule (MPS)
available-to-promise (ATP) and, Supplement D
as basis of communication, Supplement D
defined, 218, 449, Supplement D
demand management and, Supplement D
developing, Supplement D
evaluating and accepting, Supplement D
extended record, Supplement D
leveled, 218
linkages, Supplement D
as MRP input, Supplement D
objectives, Supplement D
within OM, Supplement D
order promising and, Supplement D
projected available quantity, Supplement D
records, Supplement D
stabilizing, Supplement D
time fences and, Supplement D
using, Supplement D
- Master scheduler
defined, Supplement D
MPS objectives, Supplement D
- MATCH function, Supplement A
- Material handling, automated, 72
- Material requirements planning (MRP) systems. *See also* Resource planning
action notices, 498–499
authorized MPS, 489
backward scheduling, 487
bill of material (BOM) and, 487, 492–493
closed-loop, 486
defined, 486, Supplement D
example, 494–498
expediting in, 499
explosion process, 494
functioning of, 494–500
gross requirements, 489
inventory records, 490–491
lot size rules comparison, 499–500
material resource planning (MRP II), 486–487
MPS as input, Supplement D
objectives of, 487
operating logic of, 489–494
overview illustration, 488
overview of, 487, 488
reports, 503
time-phased schedule, 489
types of demand, 488–489
use of, 12
- Material resource planning (MRP II), 486
- Materials requirements planning (MRP) systems, logic behind, 494
- Mathematical models, Supplement A
- MAX function, Supplement A
- Maximum cycle time, 346
- Maximum output, 346, 357
- MBNQA (Malcolm Baldrige National Quality Award), 154–155
- Mean, 170, 209
- Mean absolute deviation (MAD)
advantages of, 270–271
defined, 270
example use of, 271–272
formula, 270, 288
- Mean flow time, calculating, 525
- Mean job flow time, 546
- Mean observed time, 376
- Mean squared error (MSE)
advantages of, 270–271
defined, 270
example use of, 271–272

formula, 270, 288
 Mental models, Supplement A
 Methods analysis. *See also* Job design
 defined, 370
 example, 371–372
 steps in, 370
 Methods-time measurement (MTM), 379–380
 MIN function, Supplement A
 Mini-max system, 414
 Minimum cycle time
 maximum cycle time versus, 346
 maximum output and, 346
 Minimum inventory investment, 404–405
 Mission statement, 27–28
 Mixed-model line, 349
 Mixed services, 76
 Models. *See also* Spreadsheet models
 defined, Supplement A
 inputs/outputs, Supplement A
 types of, Supplement A
 Monitoring
 forecast accuracy, 247
 project progression, 563
 workflow, 521–523
 Most likely time estimate, 558
 Moving assembly line, 11
 MRO (maintenance, repair, and operating)
 inventory, 401, 402
 MRP. *See* Material requirements planning
 (MRP) systems
 MSE. *See* Mean squared error
 MTM (methods-time measurement), 379–380
 Multifactor productivity, 38
 Multifunction workers, 226, 236
 Multiple-criteria decision making
 absolute references in, Supplement A
 calculation, Supplement A
 formulas, entering, Supplement A
 illustrated, Supplement A
 input section, Supplement A
 relative references in, Supplement A
 spreadsheet modeling, Supplement A
 Multiple regression, 269–270
 Multiple-sampling plans, 191–192
 Multiplicative seasonality, 263
 Multiserver waiting line model. *See also*
 Waiting lines
 assumptions, Supplement C
 characteristics spreadsheet, Supplement C
 defined, Supplement C
 example, Supplement A
 formulas, Supplement C
 probabilities of customers in the system,
 Supplement C

N

Naïve method, 252–253, 287
 Net marketplaces, 97
 Network diagrams
 activity-on-node (AON), 554–555
 creating, 554–555
 critical path, 555
 early starts/early finishes network, 561
 example, 554–555
 late starts/late finishes network, 562
 network rotation, 555

precedence relationships, 553
 project activities, 553
 Nonbinding constraints, Supplement B
 Nonbottlenecks, 532, 533
 Nonnegativity constraints, Supplement B
 Nontangible products, aggregate plans for
 companies with, 461–465
 Normal times, 377, 394
 NORMSDIST function, Supplement A
 NORMSINV function, Supplement A
 Numerically controlled (NC) machines, 72

O

Objective function, Supplement B
 Objectives, Supplement B
 Occupational Safety and Health Act (OSHA), 370
 OC curves. *See* Operating characteristic (OC)
 curves
 Office landscaping, 343
 Office layouts. *See also* Process layouts
 characteristics of, 342–343
 flexible, 343
 office landscaping, 343
 proximity versus privacy, 343
 OM. *See* Operations management
 On-time delivery, 33
 Open shop orders, 500
 Operating characteristic (OC) curves
 acceptable quality level (AQL), 191
 constructing, 194–195
 consumer's risk, 191–192, 193
 defined, 192
 developing, 193–194
 with different steepness levels, 191
 example, 192
 lot tolerance percent defective (LTPD), 191
 producer's risk, 193
 Operational efficiency, 27
 Operations
 broad view of, 216
 competitive priorities and, 66–67
 cost-efficient, 404–405
 degree of vertical integration and, 69–70
 facility layout and, 66–67
 function design, 32
 intermittent, 58–59
 internal, 93–94
 product and service strategy and, 68–69
 in product screening, 53
 project management and, 571
 repetitive, 59
 scheduling and, 539
 supply chain management (SCM) and, 125
 Operation sequencing, 523
 Operations management (OM)
 across the organization, 18–20
 benefits of learning about, 2
 decisions, 6–9
 defined, 2
 differences between manufacturing and
 service organizations and, 4–6
 efficiency and, 4
 historical development, 9–17
 improper, 4
 as management function, 2
 operations strategy within, 40–41
 in practice, 17–18
 responsibilities, 9
 role of, 2
 success generation, 3
 today's environment, 17
 transformation process, 2–3
 value added and, 4
 Operations strategy
 across the organization, 41
 competitive priorities, 31–34
 competitive priorities translation, 35
 cost and, 31–32
 defined, 26
 design of operations function and, 32
 developing, 31–35
 flexibility and, 33–34
 importance of, 27
 need for tradeoffs, 34
 within OM, 40–41
 operational efficiency and, 27
 operations decisions, 35
 order winners and order qualifiers and, 34–35
 quality and, 32–33
 role of, 26–27
 supply chain and, 41
 sustainability and, 42
 time and, 33
 Opportunities
 identification of, 28
 partnering and, 114
 Optimistic time estimate, 558
 Optimization. *See also* Formulation
 algebraic formulation, Supplement B
 constrained problem, Supplement B
 constraints, Supplement B
 as decision support tool, Supplement B
 decision variables, Supplement B
 defined, Supplement B
 feasible solution, Supplement B
 infeasible solution, Supplement B
 introduction to, Supplement B
 LHS value, Supplement B
 linear program (LP), Supplement B
 objective, Supplement B
 within OM, Supplement B
 optimal solution, Supplement B
 problem-solving steps, Supplement B
 RHS value, Supplement B
 solution interpretation, Supplement B
 Solver basics, Supplement B
 spreadsheet model development,
 Supplement B
 use of, Supplement A
 Optimized production technology
 balancing the process and, 532–533
 capacity-constrained resources and, 532
 constraint consideration and, 534
 defined, 532
 nonbottleneck usage and, 533
 principles, 532
 process batch and, 533
 resource usage and activation and, 533
 scheduling bottlenecks and, 532–534
 theory of constraints (TOC) and, 534
 throughput and, 533
 transfer batch and, 533

Order batching, 95
 Order-cycle service level, 428
 Ordering costs, 407
 Order n periods, 414
 Order promising, Supplement D
 Order qualifiers, 34–35
 Order quantity determination, 413–428
 economic order quantity (EOQ), 414–419
 economic production quantity (EPQ), 417–421
 fixed-order quantity, 413
 lot-for-lot, 413
 mathematical models for, 414–424
 mini-max system, 414
 non-mathematical techniques, 413–414
 optimal order quantity and, 426
 order n periods, 414
 quantity discount model, 421–424
 single-period model, 424–426
 smaller order quantities and, 426–427
 stock-keeping units (SKUs) and, 413
 Order winners, 34–35
 Organizational chart
 business functions, 2
 flow of information, 19
 Organizational core competencies, 29
 Organizations
 manufacturing, 4–6
 quasi-manufacturing, 5
 service, 4–6
 OSHA (Occupational Safety and Health Act), 370
 Outcomes, 301
 Out of control, 171
 Output-based (incentive) systems, 385
 Output rate, 345, 357
 Outputs, Supplement A
 Outsourcing
 decisions, 109–111
 defined, 16, 108
 formula for, 132
 U.S. market, 16
 Overtime, 451, 463

P

Paced lines, 348–349
 Parallel processing, 236–237
 Parameters, Supplement A
 Parent item, 492
 Pareto analysis, 148
 Pareto's law, 408
 Partial cumulative binomial probability table, 194
 Partial productivity, 38
 Partnering
 benefits of, 115
 benefits possible from, 113
 critical factors in, 113–115
 defined, 112
 duplication and, 113–114
 evaluation, 113
 impact and, 113–114
 intimacy and, 114
 leveraging core competencies and, 114
 new opportunities and, 114
 relationship characteristics, 115

types of, 112
 vision and, 114–115
 Part-time employees, 536
 p -charts
 constructing, 181–183
 control limits, 180, 210
 defined, 180
 standard deviation, 180
 use of, 179–180
 Percentage of dollar volume shipped on schedule, 403
 Percentage of line items shipped on schedule, 403
 Percentage of orders shipped on schedule, 403
 Performance measures
 process, 64–65
 scheduling, 525–527
 SCM, 123–124
 waiting line, Supplement C
 Performance rating factor, 375–377
 Periodic counting, 412
 defined, 412
 Periodic review system, 409
 continuous review comparison, 432
 defined, 430
 target inventory level (TI) and, 430
 using, 432
 Period-order quantity (POQ), 499–500
 Perpetual inventory record, 420–421
 PERT. *See* Program evaluation and review technique
 Pessimistic time estimate, 558
 PFD allowance factor, 381
 Phases, waiting lines and, Supplement C
 Physical models, Supplement A
 Piece-rate incentives, 11
 Pipeline inventory, 401
 Plan-do-study-act (PDSA) cycle, 144
 Planned orders, 490
 Planning factors
 defined, 490
 formulas, Supplement D
 Planning time fences, Supplement D
 Plant-within-a-plant (PWP), 34, 299
 Point of departure, 453
 Point-of-sale (POS) technology, 122
 Poka-yoke, 229
 Policy constraints, 534
 Political trends, 29
 POQ (period-order quantity), 499–500
 Posted schedules, 535
 Postponement, 117
 Precedence diagram, 344
 Precedence relationships, 553
 Predetermined time data, 379–380
 Predictive analytics, 275–276
 Preventative maintenance, 229
 Prevention costs, 138
 Price and availability, 106
 Price fluctuations, 95
 Priority rules
 commonly used, 523
 defined, 523
 different, using, 527–529
 global, 523

local, 523
 steps for using, 524
 use example, 524
 waiting line, Supplement C
 Privacy, in office layouts, 343
 Probabilistic time estimates
 advantage of using, 564
 beta probability distribution, 558
 defined, 555
 earliest and latest start times calculation, 560–563
 earliest-start Gantt chart, 561
 expected times, 558–560, 579
 late starts/late finishes network diagram, 562
 latest-start Gantt chart, 562
 most likely time estimate, 558
 network diagram, 558
 optimistic time estimate, 558
 pessimistic time estimate, 558
 table, 559
 Problem-solving teams, 367–368
 Process
 continuum of process types, 59–61
 designing processes, 61–63
 Process batch, 533
 Process capability
 defined, 185
 measuring, 185–189
 process variability and specification width relationship, 186
 product specifications, 185
 Process capability index
 computing, 185–186
 defined, 185
 formula, 185
 in measuring process capability, 187
 ranges, 186
 values, 188–189
 Process flow analysis, 61
 Process flowcharts
 assemble-to-order strategy, 63
 customer flow, 63
 defined, 61
 elements of development, 61
 make-to-order strategy, 63, 66
 make-to-stock strategy, 62–63, 69
 for product strategies, 62, 68–69
 Process layouts. *See also* Facility layout;
 Layouts
 block plan development, 336–338
 challenge in, 330–331
 characteristics of, 331, 332
 closeness measures identification, 335–336
 defined, 330
 designing, 333–339
 detailed, developing, 339
 improper design of, 331
 information gathering, 333–336
 quality, 32–33
 Process performance metrics, 64–65
 Process velocity
 defined, 64
 formula, 86
 Product mix decision, Supplement B

- Product design, 50–51
 - defined, 50
 - final design, 55
 - goods versus services, 51
 - idea development, 51–52
 - within OM, 79–80
 - preliminary design and testing, 55
 - process, 51–52
 - process selection and, 65–70
 - product life cycle and, 56–57
 - product screening, 52–53
 - quality function deployment (QFD) and, 149–153
 - reliability and, 151–153
 - remanufacturing and, 58
 - service design, 51
 - simplification, 55
 - standardization, 55
 - steps in process, 51
 - sustainability, 80
 - total quality management (TQM) and, 149–153
 - Product flexibility, 33
 - Production card, 221
 - Production employees, 230–231, 231
 - Productivity, 37–40
 - competitiveness and, 39–40
 - computing, 38
 - defined, 37
 - example measures, 39
 - formula, 46
 - interpretation of measures, 39
 - measuring, 37–39
 - metric, 64
 - multifactor, 38
 - partial, 38
 - service sector and, 40
 - total, 37–38
 - U.S. business sector, percentage change, 40
 - Product layouts. *See also* Facility layout; Layouts
 - balance delay computation, 348
 - characteristics of, 332
 - cycle time, 345–346
 - defined, 331
 - efficiency, importance of, 332–333
 - efficiency computation, 348
 - idle time, 348
 - line balancing, 343
 - mixed-model line, 349
 - number of product models produced, 349
 - output rate, 345
 - paced lines, 348–349
 - precedence diagram, 344
 - shape of the line, 348
 - single-model line, 349
 - task assignment to workstations, 347
 - task identification, 344
 - theoretical minimum number of stations, 347
 - unpaced lines, 349
 - Product life cycle
 - defined, 56
 - stages of, 56
 - Product mixing, 117
 - Products
 - characteristics of, 150
 - manufacturability, 50
 - Product screening, 52–53
 - break-even analysis, 53–54
 - defined, 52
 - Product specifications, 185
 - Product technology, 36
 - Product tree structure
 - defined, 492
 - end item, 492
 - illustrated, 492
 - parent item, 492
 - paths through, 493
 - Profit sharing, 386
 - Program evaluation and review technique (PERT)
 - defined, 552
 - network diagram, 553–554
 - Progress charts, 519–520
 - Project activities, 553
 - Project buffer, 570
 - Projected available
 - defined, 490
 - quantity calculation formula, Supplement D
 - Project management, 550–572
 - across the organization, 571
 - completion date probability estimation, 564–566
 - completion time estimation, 555–563
 - completion time reduction, 566–569
 - concepts, 552–563
 - CPM and, 552–553
 - critical chain approach, 569–570
 - deterministic time estimates, 555–558
 - network diagram creation, 554–555
 - network planning, 553
 - within OM, 570–571
 - path identification, 556
 - PERT and, 552–553
 - probabilistic time estimates, 555, 558–563
 - project description, 553
 - project life cycle and, 551–552
 - project progression monitoring, 563
 - steps in, 553–563
 - supply chain link, 571
 - sustainability link, 572
 - Project processes, 60
 - Projects
 - completion date probability, 564–566
 - completion time, calculating, 553–563
 - completion time, estimating, 555–564
 - completion time reduction, 566–569
 - crashing, 567–569
 - critical path, 555
 - defined, 551
 - describing, 553–563
 - life cycle, 551–552
 - progression monitoring, 563
 - Promptness, 137
 - Proximity, in office layouts, 343
 - Psychological criteria, 136
 - Pull systems
 - defined, 218, 221
 - push systems versus, 221
 - with two kanban cards, 222
 - Purchase orders, 106
 - Purchasing
 - defined, 105
 - incoming inspection and, 106
 - price and availability, 106
 - purchase orders, 106
 - requisition requests, 105–106
 - in supply chain management, 105–108
 - traditional process, 105–106
 - traditional versus e-purchasing, 106–108
 - Pure services, 76
 - Push systems, 218
 - PWP (plant-within-a-plant), 34, 299
- Q**
- QFD. *See* Quality function deployment
 - Qualitative forecasting methods
 - characteristics of, 247–248
 - defined, 248
 - Delphi method, 249
 - executive opinion, 248–249
 - market research, 249
 - strengths/weaknesses of, 247–248
 - Quality. *See also* Total quality management (TQM)
 - atmosphere, 137
 - awards and standards, 154–156
 - competing on, 41
 - as competitive priority, 32–33
 - conformance, 137
 - conformance specification and, 136
 - cost of, 138–139
 - courtesy/friendliness and, 137
 - customer-defined, 157
 - defect cost and, 139
 - defining, 136–138
 - durability and, 137
 - fitness for use and, 136
 - goods and services consistency and, 32
 - gurus of, 140–143
 - high-performance design and, 32
 - house of, 149, 150, 151
 - manufacturing versus service organizations, 137–138
 - performance and, 137
 - process, 32–33
 - product design, 32
 - promptness and, 137
 - psychological criteria, 136
 - reliability and, 137
 - service, 198–199
 - Six Sigma, 189–190
 - supplier, managing, 153
 - support services and, 136
 - value for price paid and, 136
 - Quality at the source, 153, 219, 228–229
 - Quality circles, 142, 146, 231
 - Quality control
 - defined, 142
 - tools of, 146–149
 - total, 142
 - Quality Control Handbook* (Juran), 141
 - Quality function deployment (QFD)
 - competitive evaluation, 150
 - customer requirements, 149–150
 - defined, 149
 - house of quality, 149, 150, 151
 - product characteristics, 150
 - in product design, 121

Quality function deployment (QFD) (*Continued*)
 relationship matrix, 150
 setting targets, 150–151
 trade-off matrix, 150
 Quality improvement, 142
Quality Is Free (Crosby), 142
 Quality-of-life issues, in location decisions, 306
 Quality planning, 142
 Quality tools
 cause-and-effect diagrams, 146
 checklists, 147
 control charts, 147–148
 defined, 146
 flowcharts, 146
 histograms, 149
 illustrated, 147
 Pareto analysis, 148
 scatter diagrams, 148
 Quantitative forecasting methods
 causal models, 250, 266–270
 characteristics of, 247–248
 defined, 248
 list of, 250
 strengths/weaknesses of, 247–248
 time series models, 250–266
 Quantity, break-even, 54–55
 Quantity discount model. *See also* Order quantity determination
 annual costs formula, 421
 defined, 421
 example, 423–424
 procedure, 422–424
 procedure steps, 422–423
 total cost curves, 422
 total cost formula, 442
 Quasi-manufacturing organizations, 5
 Quasi-manufacturing services, 75
 Queues, 523
 Queuing system. *See also* Waiting lines Supplement C

R

Radio frequency identification (RFID)
 applications, 119–120
 defined, 71, 119
 requirement of use, 121
 tags, 71, 119
 Range, 170
 Range (*R*) charts. *See also* Control charts
 with *x*-bar charts, 177–178
 center line, 177
 constructing, 177
 defined, 176
 factors for 3-sigma control limits, 176–177
 process shifts captured by, 179
 Rapid delivery, 33
 Rationing and shortage gaming, 95
 Raw materials, 400
 RCCP. *See* Rough-cut capacity planning
 Rectilinear distance, 311, 337
 Redundancy, product reliability
 with, 153
 Reengineering, 13
 Relationship matrix, 150
 Relative references, Supplement A

REL chart, 335–336
 Reliability
 computing, 152–153
 defined, 137, 151
 formula, 164
 with redundancy, 153
 in TQM, 151–153
 Remanufacturing, 58
 Reneging, Supplement C
 Reorder point, 428, 442
 Repetitive operations
 defined, 59
 facility layout and, 67
 intermittent operations versus, 58–59
 organizational decisions for, 66
 Repetitive processing systems, 330
 Replenishment order quantity, 431–432
 Requisition requests, 105–106
 Reservations, 535
 Resource flexibility, 226
 Resource planning, 480–504
 across the organization, 503
 enterprise resource planning (ERP), 481–486
 material requirements planning (MRP), 486–494
 within OM, 502–503
 supply chain link, 504
 sustainability link, 504
 Respect for people. *See also* Just-in-time manufacturing
 defined, 219–220, 230
 in JIT, 230–233
 lifetime employment, 231
 management role, 231–232
 production employees, 230–231
 supplier relationships, 232–233
 Retail crossdocking, 118
 Revenue formula, 86
 Reverse engineering, 52
 RFID. *See* Radio frequency identification
 RHS value, Supplement B
 Risk costs, 407
 Robotics, 72–73
 Robust design, 142–143
 Role of operations management, 2
 Rough-cut capacity planning (RCCP)
 CPOPF, Supplement D
 defined, 500, Supplement D
 master scheduling and, Supplement D
 within OM, Supplement D
 Routings, 518–519

S

Safety stock
 calculation of, 430, 442
 defined, 400
 demand uncertainty and, 429
 example, 430
 formula, 442
 levels, determining, 428–430
 order-cycle service level and, 428
 reorder point, 428, 442
 Safety time
 adding, 569
 problem, solving, 570
 wasting, 569–570

Sales and operations planning, 448–450
 Sales revenue model, 97
 Sampling plans
 defined, 191
 double sampling, 191
 multiple, 191–192
 single sampling, 191
 Scatter diagrams, 148
 Scheduled receipts, 490
 Schedules
 constraint consideration in establishing, 534
 posted, 535
 slack, 521
 time-phased, 489
 workforce, 536–538
 Scheduling, 517–539
 across the organization, 538–539
 appointments, 535
 average number of jobs in the system and, 525–526
 backward, 481, 487, 521
 bottlenecks, 532–534
 concepts, 518–523
 delayed services or backlogs, 535
 employees, 535–538
 forward, 521
 Gantt charts, 519–520
 high-volume operations, 518–519
 job flow time and, 525
 job lateness/tardiness and, 526–527
 makespan and, 525–526, 526
 monitoring workflow and, 521–523
 within OM, 538
 optimized production technology and, 532–534
 performance measures, 525–527
 posted schedules, 535
 reservations, 535
 schedule of operations development and, 523–531
 for service organizations, 534–538
 shop loading methods, 520–523
 supply chain link, 539
 sustainability link, 539
 theory of constraints (TOC) and, 534
 SCI. *See* Supply chain intelligence
 Scientific management, 11
 SCM. *See* Supply chain management
 SCM software, 483
 SCOR (Supply Chain Operations Reference) model, 124
 Scrap costs, 138
 Seasonal employees, 536
 Seasonal index, 263
 Seasonal inventory, 400
 Seasonality. *See also* Time series models
 computation steps, 263–264
 defined, 252
 forecast example, 264–265
 forecasting, 263–266
 formula, 288
 multiplicative, 263
 Self-directed teams, 368
 Sensitivity Report, Solver, Supplement B
 Servers. *See also* Waiting lines
 arrangement of, Supplement C

- efficiency, Supplement C
- in multiserver model, Supplement C
- number of, Supplement C
- in single-server model, Supplement C
- Service design
 - customer involvement in, 78–79
 - defined, 51
 - differing, 77–79
 - high customer attention approach, 78
 - substituting technology for people, 77–78
- Service organizations
 - appointments, 535
 - characteristics of, 4
 - defined, 4
 - delayed services or backlogs, 535
 - external distributors, 93, 94
 - internal operations, 93–94
 - inventory in, 401–402
 - manufacturing organization differences, 4–6
 - posted schedules, 535
 - productivity and, 40
 - quality in, 137–138
 - reservations, 535
 - scheduling employees in, 535–538
 - scheduling issues for, 534–538
 - scheduling techniques for, 535–538
 - staffing for peak demand, 535
 - supply chain for, 93–94
 - workforce schedules, 536–538
- Service package, 76–77
- Service rate, Supplement C
- Services
 - classification of, 75–76
 - customer contact, 74–75
 - designing, 74–79
 - as intangible product, 75
 - JIT in, 236–237
 - manufacturing versus, 75
 - mixed, 76
 - pure, 76
 - quasi-manufacturing, 75
 - statistical quality control (SQC) in, 198–199
 - warehouse, 117
- Service system, Supplement C
- Setting targets, 150
- Setup cost, 404, 427
 - defined, 218
- Shadow price, Supplement B
- Shewhart, Walter A., 140–141
- Shifting demand, 451
- Shortage costs, 408
- Shortest processing time (SPT), 523, 524, 527–529
- Signal kanban, 223–224
- Simple mean or average, 253, 287
- Simple moving average (SMA). *See also* Time series models
 - computing with, 257–258
 - defined, 254
 - forecasting with, 254–255
 - forecasting with (five-period MA), 255–256
 - formula, 254, 287
- Simplex Method, Supplement B
- Simplicity, defined, 216
- Single-model line, 349
- Single-period model. *See also* Order quantity determination
 - characteristics of, 424
 - defined, 424
 - example, 425–426
- Single sampling, 191
- Single-server waiting line model. *See also* Waiting lines
 - assumptions, Supplement C
 - characteristics spreadsheet, Supplement C
 - example, Supplement C
 - formulas, Supplement C
 - probabilities of customers in the system, Supplement C
- Single setups, 225
- Single-source suppliers, 232
- Site considerations, in location decisions, 306
- Six Sigma quality
 - black belts, 137, 190
 - champion, 190
 - defined, 189
 - DMAIC, 190
 - green belts, 190
 - implementation aspects, 190
- Skewed distribution, 170, 171
- SKUs (stock-keeping units), 402, 413
- Slack
 - constraint, Supplement B
 - defined, 521, 557
 - finding, 557–559
- Slack per remaining operations (S/RO), 523, 527, 529
- SMA. *See* Simple moving average
- Small-lot production, 224–225
- Social responsibility, 388
- Social trends, 29
- Software. *See also* Information technology (IT)
 - collaborative product commerce (CPC), 74
 - enterprise, 485
 - forecasting, 274–275
 - SCM, 483
- Solver. *See also* Excel
 - Answer Report, Supplement B
 - basics, Supplement B
 - Changing Cells, Supplement B
 - constraints, Supplement B
 - defined, Supplement B
 - Limits Report, Supplement B
 - Sensitivity Report, Supplement B
 - setting up and running, Supplement B
 - solution reports, Supplement B
 - Solver Options, Supplement B
 - specifying model to, Supplement B
 - steps for using, Supplement B
 - Target Cell, Supplement B
- Sourcing decisions, 108–116
 - formula, 132
 - insourcing versus outsourcing, 109–111
 - number of suppliers and, 111–112
 - partnerships and, 112–115
 - supplier management ethics and, 115–116
 - supplier relationship development, 111
- Sourcing strategy, 106
- SPACECRAFT, 339
- SPC. *See* Statistical process control
- Specialization
 - advantages/disadvantages of, 367
 - defined, 366
 - in job design, 366
- Special-purpose teams, 368
- Specialty forecasting packages, 274
- Speculative inventory, 401, 402
 - Spreadsheet models, Supplement A
 - algebraic approach, Supplement A
 - for analysis, Supplement A
 - assessing, Supplement A
 - base-case, Supplement A
 - column chart, Supplement A
 - constructing, Supplement A
 - correct model, Supplement A
 - Data Tables, Supplement A
 - defined, Supplement A
 - development steps, Supplement A
 - documented model, Supplement A
 - evaluating, Supplement A
 - Excel formulas, Supplement A
 - flexible model, Supplement A
 - formulas, entering, Supplement A
 - Goal Seek approach, Supplement A
 - illustrated, Supplement A
 - modeling process, Supplement A
 - multiple-criteria decision making, Supplement A
 - within OM, Supplement A
 - in optimization, Supplement B
 - results, graphing, Supplement A
 - stacked column chart, Supplement A
 - testing, Supplement B
 - tips, Supplement A
- Spreadsheets
 - formulas, Supplement A
 - in software forecasting, 274
- SPT (shortest processing time), 523, 524, 527–529
- SQC. *See* Statistical quality control
- SQRT function, Supplement A
- S/RO (slack per remaining operations), 523, 527, 529
- Standard deviation, 170, 171, 209
- Standards development
 - allowance factor, 377–378, 394
 - elemental time base, 379
 - frequency of occurrence, 377
 - mean observed time, 376
 - normal time, 377, 394
 - number of observations, 374–375
 - performance rating factor, 375–377
 - predetermined time data, 379–380
 - time study, 374–375
- Standard time
 - benefits of, 373–374
 - calculating, 378
 - in costing products, 372–373
 - defined, 372
 - formula, 394
 - use of, 373–374
- State of control, 171
- Statistical packages, 274
- Statistical process control (SPC). *See also* Control charts
 - attributes, 172, 179–184

- Statistical process control (SPC). *See also*
 Control charts (*Continued*)
 defined, 168
 methods, 171–173
 out of control, 171
 state of control, 171
 variables, 172, 172–179
- Statistical quality control (SQC)
 acceptance sampling, 168, 190–196
 across the organization, 199–200
 categories of, 168
 defined, 168
 descriptive statistics, 168, 169–171
 implementation of, 200
 implications for managers, 196–197
 within OM, 199–200
 process capability, 185–189
 in services, 198–199
 Six Sigma quality, 189–190
 statistical process control (SPC), 168, 171–184
 supply chain link, 200
 sustainability link, 200
- STDEV function, Supplement A
- Stock-keeping units (SKUs), 402, 413
- Stopwatch time studies, 11
- Storage areas. *See also* Warehouse layouts;
 Warehouses
 of equal sizes, 340–341
 of unequal sizes, 341–342
- Storage costs, 406–407
- Strategic alliances, 29
- Strategic business plan, 448
- Strategic decisions
 defined, 8
 tactical decisions relationship, 9
- Strategic planning, in MBNQA, 155
- Structure, operations decisions, 35
- Study, in PDSA cycle, 145
- Subcontracting, 452
- Subcontractor networks, 299
- Subscription revenue model, 97
- Substituting technology for people approach,
 77–78
- SUM function, Supplement A
- SUMPRODUCT function, Supplement A
- Supplier kanbans, 224
- Suppliers
 e-purchasing benefits, 107
 external, 92
 ideas from, 52
 in JIT, 232–233
 management ethics, 115–116
 number of, 111–112
 one versus multiple, 111
 opportunities for, 109
 purchase price and availability and, 106
 quality, managing, 153
 relationships, developing, 111
 single-source, 232
 tier one, 92
 tier two, 92
 tier three, 92
- Supply chain carbon footprint analysis, 103, 104
- Supply chain intelligence (SCI), 483
- Supply chain link, supply chain management
 (SCM) and, 125
- Supply chain management (SCM), 89–125
 across the organization, 125
 compliance metric, 123
 contracting metric, 123
 defined, 14, 90
 e-commerce and, 96–98
 financial metric, 123
 globalization and, 99–100
 government regulation and, 102
 green, 102–104
 implementing, 121–124
 infrastructure issues and, 101–102
 issues affecting, 96–104
 leveraging strategies, 122–123
 for manufacturers, 91–92
 within OM, 124
 overview, 14–15
 performance metrics, 123–124
 purchasing and, 106–108
 software, 483
 sourcing decisions, 108–116
 supply chain link, 125
 warehouses and, 116–121
- Supply chain management, sustainability
 and, 125
- Supply Chain Operations Reference (SCOR)
 model, 124
- Supply chains
 aggregate planning and, 466
 author-controlled publishing, 14–15
 basic, 90–96
 bullwhip effect and, 94–96
 capacity planning and, 318
 dairy products, 91–92
 defined, 14, 90
 design trends, 101–102
 e-commerce and, 96–98
 facility layout and, 351
 forecasting and, 278
 illustrated, 90
 information flow, 94
 inventory management and, 434
 just-in-time (JIT) and, 238
 location analysis and, 318
 for manufacturers, 91–92
 OM function and, 20
 operations strategy and, 41
 process selection and, 80
 product design and, 80
 project management and, 571
 publishing, 14–15
 resource planning and, 504
 scheduling and, 539
 for service organizations, 93–94
 statistical quality control (SQC) and, 200
 total quality management (TQM)
 and, 158
 for travel agency, 93–94
 work system design and, 387
- Supply chain velocity, 101
- Supply sources, proximity to, 305
- Support services, 136
- Sustainability
 aggregate planning and, 466
 capacity planning and, 319
 defined, 15
- facility layout and, 351
 forecasting and, 278–279
 inventory management and, 434
 ISO standards for reporting, 156
 just-in-time (JIT) and, 238
 location analysis and, 319
 metrics, 200
 OM function and, 20
 operations strategy and, 42
 product design and, 80
 project management and, 572
 resource planning and, 504
 scheduling, 539
 supply chain management (SCM)
 and, 125
 total quality management (TQM)
 and, 159
 work system design and, 388
- System utilization rate, Supplement C
- T**
- Tactical decisions
 defined, 8
 strategic decisions relationship, 9
- Taguchi, Genichi, 141, 142–143
- Taguchi loss function, 143
- Tangible products, aggregate plans for
 companies with, 457–460
- Target Cell, Solver, Supplement B
- Target inventory level (*TI*), 430, 442
- TBO (time between orders), 431
- Team approach, 145–146
- Teams
 problem-solving, 367–368
 self-directed, 368
 special-purpose, 368
- Technical feasibility, 364
- Technology
 automation, 71–73
 computer-aided design (CAD), 73–74
 computer-integrated manufacturing
 (CIM), 74
 decisions, 70–74
 e-manufacturing, 73–74
 information, 36–37, 70–71
 process, 36
 product, 36
 strategic role of, 36–37
 substitution for people, 77–78
 3D printing, 74
 as tool for competitive advantage, 36–37
 types of, 36–37
 wireless, 70–71
- Telecommuting, 369
- Teleworking, 369
- Temporary employees, 536
- Test-based formulation, Supplement B
- Testing
 aggregate plans, 459
 forecasting models, 247
 in product design, 55
 spreadsheet models, Supplement B
- Theoretical minimum number of
 stations, 347
- Theory of constraints (TOC)
 constraint types and, 534

defined, 534
 steps for using, 534
 Third-party service providers, 120–121
 Threats, identification of, 28
 3D printing, 74
 Throughput, 533
 Throughput time, 64
 Tier one suppliers, 92
 Tier two suppliers, 92
 Tier three suppliers, 92
 Time
 as competitive priority, 33
 cycle, 236, 345–346, 357
 idle, 348
 job flow, 525, 546
 lead, 387, 409, 493
 mean observed, 376
 normal, 376, 394
 on-time delivery and, 33
 rapid delivery and, 33
 safety, 569–570
 shortest processing (SPT), 523, 524, 527–529
 standard, 378, 394
 throughput, 64
 wait, Supplement C
 Time-based competition
 defined, 13
 systems, 385
 Time between orders (TBO), 431
 Time fences
 demand, Supplement D
 example, Supplement D
 illustrated, Supplement D
 planning, Supplement D
 policies, Supplement D
 Time measurement units (TMUs), 379–380
 Time-phased schedule, 489
 Time series, 250
 Time series models. *See also* Forecasting models
 cycles, 252
 defined, 250
 exponential smoothing, 257–258
 forecasting level or variation, 250–266
 level or horizontal pattern, 251, 252–253
 linear trend line, 260–263
 naïve method, 252–253
 random variation, 252
 seasonality, 252, 263–266
 simple mean or average, 253
 simple moving average (SMA), 254–256
 trend-adjusted exponential smoothing, 260–261
 trends, 251, 260–263
 weighted moving average, 256–258
 Time study
 defined, 374
 normal times and, 377, 394
 number of observations and, 374–375, 379, 394
 procedure for, 374
 standard time and, 372–374, 378, 394
 TMUs (time measurement units), 379–380
 TOC. *See* Theory of constraints
 Tolerances, 185
 Total cost formula, 86

Total item time, 513
 Total productivity, 37–38
 Total Quality Control (Feigenbaum), 142
 Total quality management (TQM). *See also* Quality
 across the organization, 157–158
 continuous improvement, 144–145
 customer focus, 144
 defined, 13, 135, 140, 154, 219
 employee empowerment, 145–146
 evolution of, 139–143, 154
 failure, causes of, 156–157
 gurus of, 140–143
 in JIT, 219, 227–229
 within OM, 157
 philosophy of, 143–144
 preventative maintenance, 229
 process management, 153
 product design, 149–153
 product versus process, 228
 quality at the source, 219, 228–229
 quality function deployment (QFD) and, 149–153
 reliability and, 151–153
 supplier quality management, 153
 supply chain link, 158
 sustainability link, 159
 team approach, 145–146
 use of quality tools, 146–149
 work environment, 229, 230
 Tracking signal, 272–273, 288
 Trade-off matrix, 150
 Trade-offs
 competitive priorities, 34, 35
 defined, 34
 Traffic management, 92
 Transaction fee model, 97
 Transfer batch, 533
 Transportation consolidation, 117
 Transportation crossdocking, 118
 Transportation inventory, 401, 402
 Transportation method, 315
 Trend-adjusted exponential smoothing, 260–261, 261, 288
 Trends
 driving supply chain design, 101–102
 economic, 29
 forecasting, 260–263
 incentive plans, 386
 marketplace, 28–29
 political, 29
 seasonality, 263–266
 social, 29
 time series models, 251, 260–263
 Turnover, inventory, 404, 442
 Two-bin system, 409
 Types of inventory, 400, 402
 Types of waste, 215

U
 Unbounded problem, Supplement B
 Uncontrollable inputs, Supplement A
 undercapacity scheduling, 229
 Undertime, 451
 Uniform facility loading, 236
 Uniform plant loading, 225–226

Units per day, output in, 345–346
 Units per hour, output in, 345
 U.S. employment by economic sector, 6
 Utilization
 defined, 64
 formula, 86

V

Value added, 4
 Value-added manufacturing, 218
 Value chain management (VCM), 98
 Value for price paid, 136
 Variable costs, 53
 Variables
 control charts for, 172–179
 defined, 172
 linear regression, 267
 Variation
 assignable causes of, 169
 common causes of, 169
 product consistency and, 168–169
 Vendor-managed inventory (VMI), 413
 Vertical integration
 defined, 108
 operations and, 69–70
 as strategic decision, 69–70
 Virtual office, 369
 Virtual private networks (VPNs), 97
 Visibility, 216–217
 Vision, partnering and, 114–115
 Visual models, Supplement A
 VMI (vendor-managed inventory), 413

W

Waiting lines. *See also* Multiserver waiting line model; Queuing systems; Servers;
 Single-server waiting line model
 arrangement of servers and, Supplement C
 arrival and service patterns, Supplement C
 arrival rate, Supplement C
 average number of customers waiting, Supplement C
 average time customers spend waiting, Supplement C
 cost and service level trade-off, Supplement C
 customer population, Supplement C
 defined, Supplement C
 elements of, Supplement C
 large-scale systems, Supplement C
 multiserver model, Supplement C
 number of, Supplement C
 number of servers and, Supplement C
 within OM, Supplement C
 operational characteristics, changing, Supplement C
 performance measures, Supplement C
 phases, Supplement C
 priority rules, Supplement C
 server efficiency, Supplement C
 service facilities, Supplement C
 service rate, Supplement C
 service system, Supplement C
 single-server model, Supplement C
 Supplement C
 system utilization rate, Supplement C

Wait time, Supplement C1

Warehouse layouts. *See also*

Process layouts

characteristics of, 340

storage areas of equal sizes, 340–341

storage areas of unequal sizes,

341–342

Warehouses

crossdocking, 118

distribution, 117

general, 117

need for, 363

product mixing, 117

radio frequency identification (RFID) and,
119–120

role in SCM, 116–121

services, 117

supply chain link, 387

sustainability link, 388

third-party service providers, 120–121

transportation consolidation, 117

Weeks of supply, 405

Work environment, total quality management
(TQM) and, 229

Workflow, monitoring, 521–523

Workforce. *See also* Employees

schedules, developing, 536–538

size, calculating, 459

Work-in-process (WIP)

defined, 400

inventory, 404

Workload calculation, 501–502

Work measurement, 372–385

defined, 372

work sampling, 381–382

Workplace, virtual, 369

Work sampling, 381–382

Workstations, assigning tasks to, 347

Work system design

within OM, 386–387

social responsibility and, 388

work measurement, 372–385

X

x-bar charts. *See also* Control charts

constructing, 173–176

control limits, 173–175, 209–210

defined, 173

factors for 3-sigma control limits, 176

formulas, 173

process shifts captured by, 179

with range (*R*) charts, 177–178

from sample range, 176

Y

Yield management, 465

Z

Zero defects, 142

z value, 565–566, 579

