

Note: Page references followed by “f” indicate content in figures; page references followed by “t” indicate content in tables.

A

- ABC model of attitudes, 535
- abnormal brain structures, 657
- abnormal psychology, 620
 - see also psychological disorders
- Aboriginal Head Start, 119–120
- Aboriginal Head Start Association of British Columbia, 119
- Aboriginal Head Start in Urban and Northern Communities (AHSUNC), 119
- Aboriginal Head Start on Reserve (AHSOR), 119
- Aboriginal people. See Indigenous experiences
- absolute pitch, 187
- absolute refractory period, 94
- absolute threshold, 169, 170t
- academic psychology, 22, 23
- acceptance and commitment therapy, 696
- accommodation, 136
- accurate empathy, 697
- acetylcholine, 95t, 96, 97, 332
- acetylcholinesterase, 96
- the Ache, 135
- achievement, 460–462
- acquired brain injury, 100
- acquisition, 270f
- acrophobia, 648t
- ACTH. See adrenocorticotrophic hormone (ACTH)
- action potential, 86, 92–96, 92f, 93f, 173
- activation-synthesis, 229f
- activation-synthesis hypothesis, 228–229
- activation-synthesis model, 228–229
- active searching, 292
- actor–observer effect, 548–549, 548f
- acute pain, 184
- acute stress disorder, 624t, 651
- acute stressor, 580
- Adam, Allan (Chief), 569
- Adams, John Quincy, 622
- adaptation, 15–17
- adaptive, 9
- adaptive theory of sleep, 222
- addiction, 242, 243
- addictive disorders, 624t
- additive task, 561
- Adler, Alfred, 496
- adolescence, 151–159
 - emotional development, 156–159
 - growth spurt, 151–152, 152f
 - identity development, 158
 - moral development, 153–156
 - physical development, 151–152
 - social development, 156–159
- adolescent egocentrism, 153
- adrenal cortex, 591
- adrenal glands, 151
- adrenal medulla, 591
- adrenocorticotrophic hormone (ACTH), 591
- adulthood, 159–163
 - aging, 160, 161
 - cognitive decline, slowing, 334
 - cognitive development, 160–161
 - emotional development, 161–162
 - physical development, 160
 - social development, 161–162
- advanced sleep phase syndrome, 234
- advertising, 16
- aerial perspective, 201
- aerophobia, 648t
- aesthesia, 167
- affect program, 479
- afferent neurons, 71
- affiliation, 460
- afterimage, 195, 195f
- age of the Earth, 107
- age of viability, 126–127
- agentic characteristics, 553
- ageusia, 176
- aggression, 41–42, 287–288, 492, 569–570
 - see also violence
- aging, 160, 161, 162–163, 334
- agoraphobia, 648t, 649
- agrammatism, 355
- agreeableness, 500, 508, 514
- AIDS, 128
- Ainsworth, Mary Salter, 26, 146–147
- Alberta Family Wellness Initiative, 130
- alcohol, 128–129, 241t, 243–245, 244t
- alcohol dehydrogenase, 245
- alcohol related neurodevelopmental disorder (ARND), 129
- alcohol use disorder, 623t
- Alcoholics Anonymous, 702
- alcoholism, 244, 245, 634
- alexithymia, 468–469
- algorithm, 369
- all-or-none principle, 94
- alleles, 125
- Allport, Gordon, 502
- alpha waves, 225
- altered states of consciousness, 213
 - coma, 220
 - hypnosis, 237–240
 - psychoactive drugs, 240–256
- alternate personalities, 660
- alternative hypothesis, 725, 726
- alternative model of personality disorders (AMPD), 527
- altruism, 518–519, 566–567
- Alzheimer’s disease, 337–340, 341f, 378, 412
- ambiguous stimuli, 171
- amblyopia, 204
- American Psychiatric Association, 525
- American Psychological Association, 11, 18, 22, 37
- American Sign Language (ASL), 191, 347, 355f
- American Society for Neuroscience, 22
- Ames, Elinor, 117
- Ames room, 203f
- amnesia, 659–660
- amnesic disorders, 336–337
- amotivation, 458–459
- amphetamines, 242t, 250–251
- amphibians, 108, 109, 109f
- amplitude, 185
- amputees, 83
- amusia, 188
- amygdala, 79, 229, 272, 468, 574, 646, 649
 - 650, 652
- anal personality, 631f
- anal stage, 492
- analogies, 370
- analogous, 110
- analyses of variance, 53
- analytic (internal) components of intelligence, 388
- analytical psychology, 496
- ancient Greece, 7
- androgens, 451
- anger, 473
- angry outbursts, 601–602
- animal research, 15, 19, 58
- animal studies, 66
- Animalia kingdom, 108–109
- anorexia nervosa, 445, 624t
- anosmia, 176, 177
- ANS. See autonomic nervous system (ANS)
- anterior cingulate, 646
- anterior cingulate cortex, 240
- anterograde amnesia, 336
- antianxiety drugs, 677, 681
- antidepressant drugs, 677, 679–680, 682–683
- antipsychotic drugs, 656, 677–679
- antisocial personality disorder, 526, 528t, 624t, 661–664
- anvil, 186
- anxiety, 473, 492–494, 647, 678t
- anxiety disorders, 624t, 643–653
 - generalized anxiety disorder (GAD), 644–646
 - obsessive-compulsive disorder (OCD), 378–379, 644, 649–650
 - panic disorder, 644, 649
 - phobias. See phobias
 - posttraumatic stress disorder. See posttraumatic stress disorder (PTSD)
 - social anxiety disorder, 644, 646–647, 648t
- anxiolytics, 677
- anxious-ambivalent attachment, 572
- anxious/ambivalent/resistant attachment, 147
- anxious/avoidant attachment, 147
- apathy, 655
- appeals to fear, 546
- appearance, 139, 139f
- applied psychology, 22, 23–24
- apprenticeship in thinking, 143
- approach motivation, 457

- approach–approach conflict, 582
 approach–avoidance conflict, 582
 arachnophobia, 273f, 648t
 Archea kingdom, 108
 archetypes, 496
 Aristotle, 7–8, 8f, 171
 Arnold, Magda, 26
 arousal theory, 433–434
 Asch studies, 555–556
 assimilation, 136
 association areas, 187
 association cortex, 80
 Associationism, 8
 associative learning, 261, 264
 astrocytic feet, 88
 astroglia, 87–88
 attachment, 145–148, 571–572
 attachment styles, 147
 attention, 213, 291–293
 attention deficit hyperactivity disorder (ADHD), 263, 412
 attitude specificity, 539
 attitude strength, 539
 attitudes, 535
 ABC model of attitudes, 535
 and behaviour, 539
 change in, 536–539
 cognitive dissonance theory, 537–538
 development, 535–536
 implicit attitudes, 540–541
 misrepresentation of, 539–541
 persuasion, 545–547, 545f
 prejudice, 542–545
 self-perception theory, 538–539
 social desirability factor, 540
 stereotypes, 542–545
 attraction, 570–572
 attractiveness, 448
 attributions, 547–551
 atypical development
 see also psychological disorders; *specific types of disorders*
 learned helplessness, 285
 teratogens, 128–129
 auditory hallucinations, 655
 auditory sense, 185–191
 see also hearing
 auras, 177
Authentic Happiness (Seligman), 37
 authoritarian parenting styles, 149t
 authoritative parenting styles, 149t
 autism spectrum disorder (ASD), 263, 295, 623t
 automatic behaviours, 218
 automatic processing, 307–308, 367–368
 automatic thoughts, 640
 autonomic nervous system (ANS), 71, 464, 466t, 651
 autonomic reactivity, 596
 autonomy *versus* shame and doubt, 146, 158t
 autopsy tissue, 65
 availability heuristic, 372–373
 aversion therapy, 690, 691, 691f
 avoidance motivation, 457
 avoidance–avoidance conflict, 582
 avoidant attachment, 572
 avoidant personality disorder, 528t, 623
 avoidant/restrictive food intake disorder, 624t
 avolition, 655
 awake. *See* conscious awareness
 awareness, 291–293
 axon, 86, 86f
 axon terminal, 86
B
 babbling, 350
 Babinski reflex, 134f, 134t
 Bacon, Francis, 8, 34–35
Bacopa monnieri, 412
 Bacteria kingdom, 108
 balance theory of wisdom, 403
 Baldwin, James Mark, 11, 11f
 Bandura, Albert, 16–17
 basal ganglia, 79–80
 basic anxiety, 496
 basic emotions, 480–481
 basic needs, 436
 basilar membrane, 186
 BBB. *See* blood–brain barrier (BBB)
 Beck, Aaron, 630
 Beck's cognitive therapy, 694–695
 behaviour, 3, 38f
 and attitudes, 539
 and the brain. *See* the brain
 and stress, 610–611
 behaviour modification, 284
 behavioural genetics, 19, 144
 behavioural inhibition, 144
 behavioural perspective, 630
 behavioural therapies, 676t, 689–693
 classical conditioning techniques, 690–691
 modelling techniques, 692–693
 operant conditioning techniques, 691
 in perspective, 693
 behaviourism, 15–17, 20t, 276
 bell curve, 392, 719
 bell curve controversy, 407
The Bell Curve (Herrnstein & Murray), 407
 benzodiazepine, 681
 beta-amyloid protein, 340
 bias, 34–35
 confirmation bias, 371
 cultural bias, 397–400
 item bias, 400
 participant bias, 46
 in research, 45, 48
 researcher bias, 48
 sampling biases, 43
 self-serving bias, 551
 subject bias, 46, 48
 Big Data, 47
 Big Five model, 504, 527
 Binet, Alfred, 392–393, 410
 Binet-Simon intelligence test, 392–393
 binge drinking, 244
 binge-eating disorder, 446, 624t
 binocular cues, 200–202
 biochemical abnormalities, 656–657
 biochemistry of memory, 331–332
 bioecological model of intelligence, 389
 biological clock, 223
 biological constraints, 283
 biological motivations
 hunger, 439–441
 mate choice, 447–448
 sex, 447–454
 thirst, 438–439
 biological therapy, 671
 biological treatments, 676t, 677–686
 drug therapy, 677–683
 electroconvulsive therapy (ECT), 57, 684–685
 in perspective, 686
 psychosurgery, 685–686
 biopsychosocial perspective, 627
 bipolar disorders, 624t, 636, 642–643
 bipolar I disorder, 624t
 bipolar II disorder, 624t
 Black Americans, over-representation in prisons, 534
 #BlackLivesMatter movement, 534
 blastocyst, 126
 blind spot, 193f, 194
 blindness, 204
 blindsight, 216
 blood–brain barrier (BBB), 87, 100, 102
 blood sugars, 439
 BMI. *See* body mass index (BMI)
 body dysmorphic disorder, 624t
 body language, 349
 body mass index (BMI), 443
 body weight set point, 442
 Bogumill, Travis, 84f
 BOLD signal, 68
 borderline personality disorder, 526, 528t, 624t, 666, 689
 bottom-up processing, 171
 bounded rationality, 374
 Bowlby, John, 146
 Braille, 204
 the brain
 see also nervous system; neuroscience;
 specific structures of the brain
 during adolescence, 152
 in adulthood, 160–161
 and altruism, 518–519
 and behaviour, 69–70
 brain size, 417–418
 building better brains, 130
 cerebral cortex, 80–84, 80f
 during childhood, 135
 and conscious awareness, 214–217
 and emotions, 481–482
 evolution of, 112–113
 explicit memories, 316
 forebrain, 78–84
 functioning of the brain, 21
 growth of, in early years, 131–132, 131f
 and happiness, 468
 hemispheres, 105
 hindbrain, 76–77
 and hunger, 440–441
 and hypnosis, 239–240
 and intelligence, 417–421
 and language, 81f, 354–357
 and memory, 329–332
 midbrain, 77
 music therapy, 78
 neural systems, and personality, 515–516
 nootropics, 412
 and pain, 180
 and personality, 515–518
 and phobias, 273f
 plasticity, 99, 130
 processing speed, 418
 protective features, 101f
 and psychoactive drugs, 256
 psychology, and level of the brain, 4

- psychopathic brain, 664–665
 and schizophrenia, 656–657
 and sex, 451
 and sight, 196–198
 and sleep, 225–227, 236
 and smell, 174
 and social functioning, 573–574
 and speech, 81f
 and spinal cord, 73
 structures of the brain, 76–85
 and tactile senses, 179–180
 and taste, 174
 and touch, 179–180
 and trait theory, 518–519
 weight of the brain, 64
- brain circuits, 646
 brain damage, 65
 brain entropy, 419
 brain games, 334
 brain-imaging studies, 21
 brain injury
 and anosmia, 176
 degenerative diseases/disorders, 102
 infections, 100–102
 main sources of acquired brain injury, 101f
 stroke, 102
 toxins, 102
 treatments, 103–104
 tumours, 102
 types of, 100–102
 brain lateralization, 104–106
 brain tumours, 102
 brain waves, 418
 brainstem, 229
 branches of psychology, 22–24
 brightness, 194
 Broca's aphasia, 354
 Broca's area, 81, 81f, 83, 105, 106, 354–356
 brontophobia, 648t
 bulimia nervosa, 445–446, 624t
 bullying, 157, 569
 Bullying Canada, 157
 burning your tongue, 207f
 buttons, 253
 bystander apathy, 567–569
 bystander effect, 567–569, 568f
- C**
- caffeine, 242t, 248–249, 248t, 412
 caffeine intoxication, 623t
 Calkins, Mary Whilton, 26
 Cameron, Donald, 57
 Canadian Arctic, 375
 Canadian Council on Animal Care, 58
 Canadian Institutes of Health Research (CIHR), 56
 Canadian Positive Psychology Association, 27, 46
 Canadian Psychological Association, 22, 28, 39, 50
 Canadian Public Health Association, 157
 Canadian Safe School Network, 157
 Canadian Society for Brain, Behaviour and Cognitive Science, 22
 Canadian Space Vision System, 180
 cannabis, 128, 242t, 254–256, 330
 Cannon-Bard theory of emotion, 475–476
 Capilano Bridge study, 477–478, 478f
 capsaicin, 173
 carcinophobia, 648t
 caring, 572
- case study, 44
 castration anxiety, 492
 catatonia, 655–656
 catatonic posturing, 655
 catatonic rigidity, 655
 catatonic stupor, 655
 catharsis, 688
 Cattell, James McKeen, 11
 Cattell, Raymond, 503–504
 caudate nuclei, 650
 causality, 52, 53f
 causation, 52f, 497
 cause and effect, 53–54
 CBTs. *See* cognitive-behavioural therapies (CBTs)
 Ceci's bioecological model of intelligence, 389, 389f
 cell assemblies, 98
 cell assembly, 19
 cell body, 86f
 cellular clock theory, 161
 central disorders of hypersomnolence, 234
 central executive, 304
 Central Intelligence Agency (CIA), 57
 central nervous system (CNS), 71, 73–74, 100, 179f, 475
 central nervous system (CNS) injuries. *See* brain injury
 central route to persuasion, 545
 central sleep apnea, 624t
 central tendency, measures of, 715–717
 Centre for Indigenous Sovereignty, 705
 cephalocaudal pattern, 130, 131f
 cerebellum, 77
 cerebral cortex, 78, 80–84, 80f, 216–217, 216f, 229
 cerebral hemisphere dominance, 516
 cerebrospinal fluid (CSF), 88
 Challenger, 565
 change, 585–588
 attitude change, 536–539
 life change, 585, 587–588
 social change, 633
 chemical senses, 172–177
 child-directed speech, 352–353
 childcare, 149
 childhood, 129–151
 body, growth of, 135
 cognitive development, 136–143
 corporal punishment, 280
 emotional development, 143–148
 fathers and, 148, 150
 physical development, 130–135
 positive discipline, 280
 social development, 143–148
 childhood experiences. *See* early experiences
 chordates, 108, 109
 chromosomes, 124–125, 124f
 chronic illnesses, 589
 chronic negative situations, 589
 chronic pain, 182–183
 chronic stressor, 580
 chronic traumatic encephalopathy (CTE), 67
 chronological age, 163
 chunking, 314
 cingulate cortex, 229, 650
 circadian rhythm, 222–223, 223t
 circadian rhythm sleep disorder, 223
 circadian rhythm sleep-wake disorders, 234
- circus performers, 205
 Cirque du Soleil, 205
 cirrhosis, 245
 clarity, 201
 classical conditioning, 265–274, 267f, 630, 648
 and drug dependency, 270–271
 and fears, 271–272
 how classical conditioning works, 266–268
 processes of, 268–269
 and taste aversions, 272–274
 techniques, 690–691
 classification of psychological disorders, 622–625
 classification system, 622–623
 claustrophobia, 648t
 cleaning compulsions, 649–650
 client-centred therapy, 17, 500, 697–698
 clinical and counselling psychology, 22, 24
 clinical practitioners, 671
 clinical psychologists, 24
 clinical researchers, 671
 clinicians, 671
 closure, 198, 199f
 CNS. *See* central nervous system (CNS)
 cocaine, 242t, 249–250
 cochlea, 186
 cocktail party effect, 189
 Code of Ethics of the Canadian Psychological Association (CPA), 56
 codeine, 246
 codominance, 126
 coefficient of determination, 722
 cognition, 18, 346
 and learning, 289–290
 social cognition. *See* social cognition
 cognitive-behavioural model, 629–631, 689–690
 depression, 639–641
 obsessive-compulsive disorder (OCD), 650
 cognitive-behavioural therapies (CBTs), 676t, 693–697
 cognitive therapy, 694–695
 in perspective, 697
 rational-emotive behavioural therapy, 694
 second-wave cognitive-behavioural therapies, 695–696
 third-wave cognitive-behavioural therapy, 696
 cognitive behaviourism, 17
 cognitive behaviours, 630
 cognitive control, 367
 cognitive development, 136
 adolescence, 152–153
 adulthood, 160–161
 childhood, 136–143
 infancy, 136–143
 information processing views of, 140–143
 Piaget's theory of cognitive development. *See* Piaget's theory of cognitive development
 socio-cultural theory, 143
 cognitive dissonance, 537
 cognitive dissonance theory, 537–538
 cognitive-mediational theory of emotion, 478
 cognitive neuroscience, 26
 cognitive perspective, 630–631
 cognitive psychology, 17–18, 20t
Cognitive Psychology (Neisser), 18
 cognitive reappraisal, 604–605
 cognitive responses to stress, 593–595
 cognitive restructuring, 694

- cognitive theory, and generalized anxiety disorder, 644–645
- cognitive therapy, 694–695
- cognitive triad, 640
- cohesive groups, 564
- cohort, 118
- cohort effects, 118, 120
- cohort-sequential design, 120, 120t
- collaterals, 86
- collective unconscious, 496
- collectivist, 25
- collectivist cultures, 148, 522
- colour, 194–195
- colour blindness, 195, 195f
- colour constancy, 202
- colour perception theories, 194–195
- colour vision deficiency (CVD), 195
- colour weakness, 195
- Columbia space shuttle, 565
- Columbine high school, 527
- coma, 220
- commitment, 572
- common ancestor, 107
- common cold, 609f
- communal characteristics, 553
- community, 158
- community mental health treatment, 703
- comorbidity, 623
- comprehensive community care, 703
- compulsions, 649
- computed tomographic scans (CT scans), 66–67
- concentration gradient, 91–92
- concentrative meditation, 601
- conception, 126
- concordant, 656
- concrete operational stage, 137t, 139–140
- concussions, 67, 100, 336
- conditioned response (CR), 266, 648
- conditioned stimulus (CS), 266, 648
- conditioned taste aversion, 272–274
- conditioning, 15, 265
- conditions of worth, 500
- conduct disorders, 624t
- conduction deafness, 190
- Cone, William, 69
- cones, 193
- confidentiality, 57
- confirmation bias, 371
- conflict, 581–582
- conformity, 555–557
- conjunctive task, 561
- connectionist model, 305
- conscience, 491
- conscientiousness, 506, 508
- conscious awareness, 213–218
 see also consciousness
- conscious mind, 491
- conscious motivations, 455–456
- consciousness, 10, 212
 altered states of consciousness, 213, 220, 237–256
 and the brain, 214–217
 conscious awareness, 213–218
 contents of consciousness, 213
 and development, 217–218
 divided consciousness, 238
 preconsciousness, 218
 states of consciousness, 213
 unconscious state, 218–221
- conservation, 139, 139f
- content validity, 392
- contents of consciousness, 213
- context, 320
 and learning, 291
 and retrieval, 319–320
- context effect, 291
- continuity, 198, 199f
- continuous reinforcement, 281
- contralateral side, 78, 80
- control, 4
- control group, 47
- controlled processing, 367–368
- convergence, 200
- convergent evolution, 110
- conversion disorder, 624t, 658
- cooing, 350
- coping, 599
 constructive strategies, 604–605
 emotion-focused coping, 604
 humour, 599–600
 lashing out, 601–602
 problem-focused coping, 604
 self-defence, 602–604
 self-indulgence, 604
 stress management methods, 603
- core story, 130
- Coren, Stan, 40
- coronary heart disease, 606–608
- coronary-prone personality, 607–608
- coronavirus. *See* COVID-19 pandemic
- corporal punishment, 280
- corpus callosum, 78, 105, 105f
- correlation, 51–53, 52f, 53f
- correlation coefficient, 51, 52f
- correlation statistics, 52
- correlational research, 52
- correlations, 497
- cortex, 174
- cortical maturation, 420–421
- cortisol, 591, 652
- cosmogonies, 6
- Cotton, Ronald, 328
- counselling psychologists, 24
- couple therapy, 702
- COVID-19 pandemic
 anosmia, 177
 anxiety, 647
 children, and screen time, 539
 hyposmia, 177
 physical distancing, 2
 remote learning, 260–261
 and social media, 536
 sports, and home teams, 34
 and stress, 583
 videoconferencing, 532–533
 virtual social interaction, 346
- crack, 249
- crank, 250
- creative (external) components of intelligence, 388
- creativity, 403–405
- critical periods, 122–124, 352
- Crosby, Sidney, 67, 67f
- cross-cultural psychology, 18, 25
- cross-modal integration, 80
- cross-sectional design, 118, 119f, 120t
- crystal meth, 250
- crystal therapy, 40
- crystallized intelligence, 398
- Csikszentmihalyi, Mihaly, 37, 499
- CT scans. *See* computed tomographic scans (CT scans)
- CTE. *See* chronic traumatic encephalopathy (CTE)
- cultural bias, 397–400
- cultural genocide, 154
- cultural norms, and IQ testing, 410
- cultural practices, 134–135
- cultural psychology, 18, 25
- cultural strategic thinking, 375
- cultural universality, 20, 20f
- culturally diverse university students, 700
- culture, 5
 and adolescence, 158
 and conformity, 556–557
 and development, 496–497
 elders as knowledge keepers and transmitters, 499
 intelligence, and cultural influences, 409–411
 and personality, 522–524
 and psychological abnormality, 633–634
 somatic symptom and related disorders, 659
 as treatment for Indigenous youth, 461
- culture-sensitive therapies, 706
- curse words, 602
- cutaneous senses, 178–185
 see also tactile senses
- cutting, 277
- CVD. *See* colour vision deficiency (CVD)
- cyberbullying, 157, 569
- cyclothymic disorder, 624t, 636
- cystic fibrosis, 127
- D**
- daily hassles, 583–584
- Daily Hassles Scale, 584
- danger, and psychological dysfunction, 621–622
- Dark Ages, 8
- dark traits, 526–528
- Darwin, Charles, 9, 9f, 12, 19, 37, 110–111, 111f, 479, 480
- daydreams, 230
- deafness, 190–191
- debriefing, 57–58
- decay, 324
- decay theory, 324
- deception, 57
- decision making, 372–376
 and emotions, 374–376, 470
 information for, 372–373
 rational decision making, 373–374, 373t
- Decolonize Street Art Event, 405
- deductive reasoning, 34
- deep brain stimulation, 686
- deep sleep, 226
- defence mechanisms, 492–494, 494t, 602–603
- defensive coping, 603–604
- defensive pessimists, 596
- degenerative diseases/disorders, 102
- delayed gratification, 462–463
- delayed sleep phase syndrome, 234
- delirium, 623t
- delta sleep, 226
- delta waves, 226

- delusional disorder, 623t
- delusions, 379, 654–655
- delusions of grandeur, 655
- delusions of persecution, 654–655
- demand characteristic, 48
- dementias, 160f, 161, 336, 337–341, 412
- demyelination, 88
- dendrites, 86, 86f
- denial, 493, 494t
- deoxyribonucleic acid (DNA), 124, 126
- dependent personality disorder, 528t
- dependent variable, 41
- depersonalization/derealization disorder, 624t, 660
- depolarization, 96
- depressants, 241t, 242–247
- depression, 378, 636, 678t
 - and the brain, 639
 - characteristics of, 637–638
 - cognitive-behavioural perspective, 639–641
 - DSM-5 diagnostic criteria, 637, 637t
 - major depressive disorder, 623, 636–642
 - major depressive episode, 637t
 - socio-cultural model, 641–642
- depressive disorders, 624t
- derailment, 655
- Descartes, René, 8, 9f
- description, 3
- descriptive norms, 553
- descriptive research methods, 43–44, 44f
- descriptive statistics, 53, 713
 - frequency distributions, 714–715, 719–720
 - measures of association, 720–724
 - measures of central tendency, 715–717
 - measures of variability, 717–718
- desire, 450
- development
 - adolescence, 140–148
 - adulthood, 159–163
 - attitudes, 535–536
 - atypical development. *See* atypical development; *specific types of disorders*
 - childhood, 129–151
 - and consciousness, 217–218
 - critical period, 352
 - and culture, 496–497
 - delayed gratification, 462–463
 - developmental psychology, 117, 118–121
 - early experiences, 122–124
 - Freud's psychosexual stages, 492, 492t
 - habituation, 262–263
 - hearing, 190
 - heredity, 124–126
 - infancy, 129–151
 - intelligence, and the brain, 420–421
 - of language, 349–354
 - and memory, 332–333
 - metacognition, 377–378
 - nature and nurture, 121–122
 - perinatal development, 126–129, 127f
 - perinatal learning, 294
 - prior to birth, 127–129
 - qualitative *versus* quantitative shifts in, 122
 - sensitive periods, 122–124
 - sight, 203
 - sleep patterns and, 230–231
 - smell, 174–175
 - and stress, 588–589
 - tactile senses, 180–181
 - taste, 174–175
 - understanding how we develop, 121–124
- developmental psychologist, 23
- developmental psychology, 27, 117, 118–121
- developmental psychopathology, 635
- developmental Stages over the Lifespan, 117t
- deviance, 621
- diagnosis, 622–625
- Diagnostic and Statistical Manual of Mental Disorders* (DSM), 623, 627–629
- Diagnostic and Statistical Manual of Mental Disorders* (DSM-5), 129, 296, 525, 623–624t, 637, 637t
- Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV-TR), 296
- dialectic behaviour therapy, 689
- diathesis-stress model, 627, 642–643
- Dickinson, Emily, 622
- difference threshold, 169
- difficult temperament, 144
- diffusion of responsibility, 568
- diffusion tensor imaging (DTI), 66, 67
- direct aggression, 570
- direct relationship, 721
- discontinuous development, 122
- discrete traits, 126
- dishabituation, 262
- disinhibition/constraint dimension, 516
- disjunctive task, 562
- disorder of written expression, 297
- disorganized/disoriented attachment, 147
- disorganized thinking and speech, 655
- displacement, 494t
- disposition-situation consistency, 513
- dispositional attributions, 547–548
- disruptive disorders, 624t
- disruptive mood dysregulation disorder, 624t
- dissociation, 239
- dissociative amnesia, 624t, 659–660
- dissociative disorders, 624t, 659–661
- dissociative identity disorder, 624t, 660
- distorted memories, 326–329
- distress, 611, 621
- distributed practice, 309
- distributions, 392
- diversity, and psychology, 25–26
- diversity of life, 110–111
- divided consciousness, 238
- divisible tasks, 562
- dizygotic (fraternal) twin, 639
- DMT, 253
- DNA. *See* deoxyribonucleic acid (DNA)
- dog therapy, and exam stress, 594
- dominance, 506
- dominant trait, 125
- door-in-the-face technique, 546
- dopamine, 77, 95t, 97, 249, 256, 412
- dopamine hypothesis, 656
- double-blind procedure, 49, 681, 682f
- Down syndrome, 127, 423
- dream anxiety disorder, 230
- dream interpretation, 229, 687
- The Dream of Eternal Life* (Benecke), 63
- dream themes, 228t
- dreams, 227–229
- drive-reduction theory, 432–433, 432f
- driving on autopilot, 364
- drug dependency, 270–271
- drug therapy, 677–683
- DSM. *See* *Diagnostic and Statistical Manual of Mental Disorders* (DSM)
- DSM-5. *See* *Diagnostic and Statistical Manual of Mental Disorders* (DSM-5)
- DTI. *See* diffusion tensor imaging (DTI)
- dual-centre theory of motivation, 441
- dualism, 8
- Duchenne smile, 479
- dynamic, 491
- dynamic systems approach, 135
- dyscalculia, 296
- dysexecutive syndrome, 368
- dysfunction, 621
- dysfunctional assumptions, 644–645
- dysfunctional attitudes, 640
- dysgraphia, 297
- dyslexia, 296
- dysthymic disorder, 636
- E**
- ear, 186f
 - see also* hearing
- early adult transition, 162
- early adulthood, 161–162
- early belief systems, 7
- early days of psychology, 9–13
- early deprivation, 123, 123f
- early experiences, 122–124, 614, 652
- early intervention programs, 416
- Early Years Study 3: Making Decisions and Taking Action* (McCain, Mustard, & McCuaig), 130, 150
- Early Years Study* (Fraser), 40
- Earth, age of, 107
- Eastern cultures, 25–26
- easy temperament, 144
- eating, 173–174
- eating disorders, 442–446, 624t
- eccentrics, 622
- echoic memory, 303
- École Polytechnique, 527
- ecstasy, 242t, 251
- ECT. *See* electroconvulsive therapy (ECT)
- educational psychology, 12
- EEG. *See* electroencephalograms (EEG); electroencephalograph (EEG)
- effect size, 54, 726
- efferent neurons, 71
- effortful processing, 307–308
- ego, 491
- egocentrism, 138, 138f
- egoistic helping behaviours, 566
- eidetic memories, 309
- Einstein, Albert, 386f, 498
- elaboration, 321–322
- elderly adults. *See* old age
- electrical brain activity, 65–66
- electroconvulsive therapy (ECT), 57, 684–685
- electroencephalograms (EEG), 65, 418
- electroencephalograph (EEG), 225
- electromagnetic spectrum, 192f
- electrostatic pressure, 91
- Elements of Psychophysics* (Fechner), 9
- elevation, 200
- Elliot (case), 470
- Ellis, Albert, 630
- Ellis's rational-emotive behavioural therapy, 694

- embarrassment, 473
- embryonic stage, 126, 127f
- emerging adulthood, 162
- emotion, 463, 469f
- autonomic nervous system (ANS), 466t
 - behavioural component, 463, 467–469
 - behavioural displays, 471
 - behavioural functions, 472–473
 - and the brain, 481–482
 - cognitive component, 463, 466–467
 - cognitive functions, 472
 - components of, 463–469
 - and decision making, 374–376, 470
 - emotional behavioural component, 463, 469
 - functions of, 472–473
 - goal activation, 470
 - incidental emotions, 470
 - integral emotions, 470
 - and interpersonal decision making, 470
 - measurement of emotions, 470–473
 - physiological component, 463, 464–466
 - positive emotions, 27, 182, 482–485
 - psychophysiological reactions, 471
 - social functions, 473
 - theories of emotion, 474–482
- emotion, theories of, 474–482
- Cannon-Bard theory of emotion, 475–476
 - cognitive-mediational theory of emotion, 478
 - evolutionary theory, 480–481
 - facial-feedback theory of emotion, 478–480
 - James-Lange theory of emotion, 474–475
 - Schachter and Singer's two-factor theory of emotion, 476–478
- emotion-focused coping, 604
- emotion-focused treatments, 699
- emotional behavioural component of emotion, 463, 469
- emotional development
- adolescence, 156–159
 - adulthood, 161–162
 - childhood, 143–148
 - early adulthood, 161–162
 - infancy, 143–148
 - middle adulthood, 161–162
 - old age, 162–163
- emotional discomfort, 537
- emotional intelligence, 402, 417
- emotional memory, 321–322
- emotional responses to stress, 593
- empirical, 36
- empirically supported treatment movement, 706
- empiricism, 8
- encoding, 303, 307–312
- automatic processing, 307–308
 - effortful processing, 307–308
 - form of information, 309–310
 - into long-term memory, 309
 - and meaning, 311
 - organization, 311–312
 - into working memory, 308
- encoding specificity principle, 320
- endangered, feeling, 582
- endocrine system, 78
- endogenous opiates, 183
- endorphins, 182, 256, 435
- Englehart, Kevin, 83, 83f
- enkephalins, 182
- environmental influences on intelligence, 408–412
- environmental resources, 389f
- enzymatic degradation, 96
- ependymal cells, 87, 88
- Epicurus, 431
- epigenetic, 121
- epilepsy, 69–70, 177
- episodic buffer, 304
- episodic learning, 291
- episodic memory, 79, 316, 333
- equifinality, 635
- equilibrium, 136
- erectile disorder, 624t
- Erikson, Erik, 161–162
- Erikson's stages of psychosocial development, 146, 157, 158t, 163
- see also specific stages of psychosocial development*
- erogenous zones, 492
- ERP. *See* event related potentials (ERP)
- errors in thinking, 640
- estrogen, 451
- ethical research guidelines, 56–58
- ethyl alcohol, 243
- Eucharia kingdom, 108
- eugenics, 39
- eugenics movement, 394
- eustress, 611–612
- event related potentials (ERP), 65
- evidence-based treatment movement, 706
- evolution, 107–113
- of the brain, 112–113
 - by natural selection, 110
 - theory of evolution, 107–112
 - timeline of, 108f
- evolution by natural selection, 110
- evolutionary history, 107
- evolutionary psychology, 20, 20t, 107–113
- evolutionary theory, 480–481
- exam stress, and dog therapy, 594
- excessive daytime sleepiness, 234
- excessive drinking. *See* alcoholism
- excessive remembering, 310
- excitatory action, 96
- excitement, 450, 514
- executive attention, 305
- executive function, 368
- exercise, 334, 603
- existential therapy, 676t, 699
- experience-driven periods, 124
- experiment, 44, 44f, 47–49
- experimental analyses, 53–54
- experimental design, 48f
- experimental group, 47
- experimental (practical) components of intelligence, 389
- experimental psychology, 9
- explanation, 4
- explanatory style, 596
- explicit memory, 219, 315
- explicit norms, 553
- exposure treatments, 690
- The Expression of the Emotions in Man and Animals* (Darwin), 480
- external attributions, 547–548
- external (creative) components of intelligence, 388
- extinction, 269, 270f
- extrinsic motivation, 434, 458–459
- extroceptive cues, 270
- extroversion, 503, 504, 508
- extroverted, 506
- the eye, 193f
- see also* sight
- eyewitness testimony, 328, 338–339
- Eysenck, Hans, 504, 504f
- F**
- FA. *See* factor analysis (FA)
- Facebook, 293
- facial efference, 479
- facial electromyography (EMG), 471
- facial EMG. *See* facial electromyography (EMG)
- facial expressions, 467, 479
- facial-feedback theory of emotion, 478–480
- factitious disorder, 624t, 658
- factor analysis (FA), 385, 503–504
- factors, 503
- FAE. *See* fetal alcohol effects (FAE)
- false beliefs, 142
- familial dysautonomia, 184
- familiar size, 201
- family, and intelligence, 407–408
- family studies, 407–408
- family systems theory, 635
- family therapy, 702
- farsightedness, 203
- FAS. *See* fetal alcohol syndrome (FAS)
- FASD. *See* fetal alcohol spectrum disorder (FASD)
- Fast Facts about Mental Illness, 673
- fast pathway, 180
- fathers, 148, 150
- fear-based learning, 284
- fear hierarchy, 690, 690f
- fear of missing out. *See* FOMO (fear of missing out)
- fears
- and classical conditioning, 271–272
 - phobias. *See* phobias
- Fechner, Gustav, 9
- feedback system, 645
- feeding and eating disorders, 624t
- female sexual interest/arousal disorder, 624t
- feminist therapies, 706
- fetal alcohol effects (FAE), 245
- fetal alcohol spectrum disorder (FASD), 129
- fetal alcohol syndrome (FAS), 129, 245
- fetal stage, 126, 127f
- fetus. *See* prenatal development
- 50 Great Myths of Popular Psychology: Shattering Widespread Misconceptions about Human Nature* (Lilienfeld, Lynn, Ruscio, and Beyerstein), 3
- fight-or-flight response, 72–73, 466, 590–592
- figure ground, 198, 199f
- First Nations. *See* Indigenous experiences
- first words, 350
- fitness, 110
- five-factor model (FFM), 508
- fixated, 492
- fixations, 631
- fixed interval schedule, 281, 282t
- fixed mindset, 459
- fixed ratio schedule, 281, 282t
- flashbacks, 252
- flashbulb memories, 322–323
- flat affect, 655
- flavour, 173
- Flourishing Centre, 27
- Flow* (Csikszentmihalyi), 37
- Flowers, Marjorie, 154

- fluid intelligence, 398
 Flynn effect, 401, 401f
 fMRI. *See* functional magnetic resonance imaging (fMRI)
 FOMO (fear of missing out), 2, 6, 536
 food, enjoyment of, 206
 food swamps, 443
 foot-in-the-door technique, 546
 forebrain, 78–84
 forebrain region, 222
 forgetting, 324–326
 forgetting curve, 324, 324f
 formal operational stage, 137t, 140
 formats of therapy. *See* therapy
 formulas, 716
 Fortnite, 398
 fossilize, 107
 founding of psychology, 9–11
 fovea, 194
 Fox, Michael J., 97f, 102
 Fox, Terry, 455f
 Framework for Understanding Trauma and Healing Related to Residential School Abuse, 705
 Frameworks Institute, 130
 framing, 376
 Franklin, Benjamin, 622
 fraternal twins, 656
 free association, 687
 free nerve endings, 178
 free-radical theory, 161
 free riding, 564
 freebasing, 249
 frequency, 185, 187–188
 frequency distributions, 714–715, 719–720
 frequency polygons, 715
 frequency theory, 187
 Freud, Sigmund, 14–15, 24f, 220–221, 229, 431, 490–491, 492–495, 492t, 571, 631
 Freudian dream theory, 229
 Freudian slip, 221
 frontal eye fields, 357
 frontal lobe, 81–82
 frotteuristic disorder, 624t
 frustration, 580
 frustration-aggression hypothesis, 570
 fugue, 659–660
 functional age, 163
 functional fixedness, 371
 functional magnetic resonance imaging (fMRI), 66, 68, 472
 functional neurological symptom disorder, 658
 functionalism, 12
 fundamental attribution error, 548, 548f, 551
G
g factor, 385–386, 390
 GABA (gamma aminobutyric acid), 95t, 96, 98, 243, 645
 GAD. *See* generalized anxiety disorder (GAD)
 Gage, Phineas, 83–84, 368
 Galton, Francis, 393
 game personality, 404
 gamma aminobutyric acid. *See* GABA (gamma aminobutyric acid)
 Garcia effect, 274
 Gardner's theory of multiple intelligences, 387–388, 388t
 GAS. *See* general adaptation syndrome (GAS)
 gate control theory of pain, 181
 gemmules, 111
 gender and gender differences
 see also men; women
 dementia, 341
 and language, 357–358, 358f
 personality, 520–522
 roles, 554
 sex, 451–452
 social skills, 554
 gender dysphoria, 624t
 gender-sensitive therapies, 706
 general adaptation syndrome (GAS), 592–593, 592f
 general paresis, 620
 General Personality Pathology Scale, 528
 generalized anxiety disorder (GAD), 624t, 644–646
 generativity *versus* self-absorption, 158t
 generativity *versus* stagnation, 162
 genes, 124
 see also genetics
 genetic defects, 124f
 genetic research, 39
 genetics, 124–126, 626
 and intelligence, 407–408
 and personality, 514–515
 schizophrenia, 656
 and sleep, 224
 Genie, 353–354
 genital herpes, 128
 genital stage, 492
 genotype, 125, 125f
 Genovese, Kitty, 568
 genuineness, 697
 germinal stage, 126, 127f
 Gestalt principles, 198–199, 199f
 Gestalt psychology, 12–13
 Gestalt therapy, 698–699
 giftedness, 423–425
 Gilligan's theory of moral development, 156
Ginkgo biloba, 412
 glia, 85–88
 glial cells. *See* glia
 glucose, 439
 glutamate, 95t, 96, 98, 332
 goal activation, 470
 goalie psychology, 434
 Google Doodle, 69
 Goostman, Eugene, 211
 Government of Canada (Public Safety Canada)
 Bullying Prevention in Schools Program, 157
 graduate study, 28
 graffiti, 405
 grammar, 351
 grapheme-colour synesthesia, 168
 graphs and graphing
 correlations, 51f
 histogram, 715
 scatterplot, 720
 grasping reflex, 134t
 Greek philosophy, 7
 Green, Hetty, 622
 grit, 459
 group, 4–5, 561
 see also group dynamics
 group differences, and IQ scores, 412–415
 group dynamics, 561–566
 group polarization, 564
 group productivity, 561–562
 group work to teamwork, 563
 groupthink, 564–566
 social facilitation, 562
 social loafing, 564
 group polarization, 564
 group therapy, 701–702
 grouped frequency distribution, 714, 714t
 groupthink, 564–566
 growth mindset, 459
 gustatory sense, 172–177
 see also taste
 gyri, 64, 76
H
 habituation, 141, 141f, 262–263
 hair cells, 186
 Hall, G. Stanley, 11
 hallucinations, 238, 379, 654, 655
 hallucinogens, 242t, 251–256
 hallucinosis, 251
 hammer, 186
 Hansen, Rick, 74–75, 75f, 455
 Hanson Robotics, 549
 happiness, 21f, 482–485
 action tendencies, 473
 cultural differences in definition, 523
 global happiness levels, 483t
 intelligence, effect of, 415
 interdependent happiness, 484
 and music, 435
 neuroscience of happiness, 468
 and optimism, 484
 and prosocial spending, 567
 psychological capital, 484
 and sleep, 223
 hardy personality, 597
 Hare, Robert, 664
 harm, protection from, 57
 Harper, Stephen, 493
 Hawthorne effect, 45
 head trauma. *See* brain injury
 health
 coronary heart disease, 606–608
 immune system, 608–611
 and stress, 605–612
 hearing, 132–133, 185–191
 development of, 190
 drowning out the noise, 188–189
 frequency, 185, 187–188
 hearing loss, 189, 190–191
 pitch, 185, 187–188
 from sound waves to sounds, 185–187
 space, sounds in, 189–190
 throat singing, 188
 hearing loss, 189, 190–191
 heart attack, 606
 heart rate, 471
 Hebb, Donald, 18, 19, 19f, 40, 98
 Hebbian synapses, 99
 hedonic principle, 457
 Heinz and the drug, 155
 Helmholtz, Herman von, 9
 helping behaviour, 566–567
 hemi-neglect, 197
 hemispheres, 105
 hemispheric lateralization, 522
 hemorrhagic stroke, 102
 heredity, 124–126
Heridium herinaceus, 412
 heritability, 408
 heritability coefficient, 408, 514
 heroin, 129, 246, 270

- heterozygous, 125
- heuristics, 369
- hidden observer, 239
- hierarchical model of intelligence, 390
- hierarchy of needs, 436
- high, 246
- higher order conditioning, 269
- highly superior autobiographical memory (HSAM), 310
- hikikomori*, 458
- hindbrain, 76–77
- hip-to-waist ratio, 447–448
- hippocampus, 79, 229, 331, 652
- Hippocrates, 7, 8f
- histogram, 715
- historic trauma theory, 705
- histrionic personality disorder, 528t
- HMS Beagle, 110
- hoarding disorder, 624t
- Hollingsworth, Leta, 26
- Holocaust, 39
- home arena effect, 35
- home environment, 409
- homeostasis, 432
- Homo sapiens* species, 109, 112
- homologous, 110
- homozygous, 125
- hope, 182, 484
- hormones, 79, 516
- Horney, Karen, 496–497
- hospitalization, 675
- Hubel, David, 19
- hue, 194
- human development. *See* development
- humanistic perspective, 498–501
- humanistic psychology, 17, 20t
- humanistic therapies, 676t, 697–700
- humour, 599–600
- humour training, 505
- humourism, 7
- humours, 7
- hunger, 439–446
 - biological factors, 439–441
 - brain signals, 440–441
 - chemical signals, 439
 - and eating disorders, 442–446
 - gastrointestinal signals, 439
 - residential school system, 440
 - social factors, 441–442
- Huntington's disease, 98, 127
- Hurricane Katrina, 542, 551–552
- Huta, Veronika, 46
- hyperalert hypnotic trance, 237
- hyperpolarization, 96
- hypersomnolence, 234
- hypersomnolence disorder, 624t
- hyperthymestic syndrome, 310
- hypnagogic hallucinations, 225
- hypnagogic state, 225
- hypnosis, 40, 237–240
 - and the brain, 239–240
 - effects of, 237–238
 - and misinformation, 328
 - procedures, 237–238
 - theories, 238–239
- hypnotic hallucinations, 238
- hyposmia, 176, 177
- hypothalamic-pituitary-adrenal (HPA), 651
- hypothalamus, 78, 215–216, 224, 440, 441f, 649
- hypothesis, 35, 36, 41–42, 55
- hypothesis testing, 725–726
- hypothetico-deductive reasoning, 35
- hysteria, 14
- I**
- IAT. *See* Implicit Association Test (IAT)
- ICD. *See* International Classification of Diseases (ICD)
- ice, 250
- iconic memory, 303
- id, 491
- identification, 494t
- identity, 157, 158
- identity development, 158
- identity *versus* role confusion, 158t
- ill-defined problems, 368
- illness, 587–588
- illness anxiety disorder, 658
- illogical thinking processes, 630
- imaginary audience, 153
- imagination, 327t, 328–329, 404
- imaging technology
 - brain-imaging studies, 21
 - development of, 26–27
- immortality, 63
- immune system, 608–611
- Implicit Association Test (IAT), 456, 540–541
- implicit attitudes, 540–541
- implicit learning, 289
- implicit memory, 219, 315
- implicit norms, 553
- impossible figures, 199f
- imprinting, 123
- impulse control disorders, 624t
- in-group, 543
- inappropriate affect, 655
- incentive salience, 435
- incentive theory, 434–436
- incentives, 434
- incidental emotions, 470
- incomplete disclosure, 57
- incubation period, 370
- incus, 186
- independent variable, 41
- Indian Act, 493
- Indian Residential School Settlement Agreement (IRSSA), 5, 322
- Indigenous experiences
 - Aboriginal Head Start, 119–120
 - alcohol, 245
 - alcoholism rates, 634
 - arrest of Chief Allan Adam, 569
 - Canadian Arctic research partnership, 375
 - chronic illness, 183
 - colonization, 145
 - creativity, 405
 - cultural genocide, 154
 - cultural strategic thinking, 375
 - culture as treatment for Indigenous youth, 461
 - dementia in Indigenous communities, 340
 - denial, 493
 - discrimination, 541
 - elders, and mental health care, 672
 - elders as knowledge keepers and transmitters, 499
 - familial bonds, intentional breaking of, 145
 - fear-based learning, 284
 - graffiti and street art, 405
 - healing journey, 705
 - historic trauma theory, 705
 - historical resistance, 557
 - hunger, and residential school system, 440
 - identity development, 158
 - Indian Act, 493
 - Indigenous languages, 154, 359
 - Indigenous ways of understanding, 50
 - intellectual disabilities, assessment of, 424
 - intergenerational trauma, 653
 - “killing the Indian in the child,” 154
 - lateral violence, 284
 - life changes, 585
 - medicine wheel, 50f
 - mental health care, 672
 - multigenerational trauma, 653
 - neurological conditions, and Indigenous women, 103
 - numbers to identify children, 154
 - opioid addiction, narratives regarding, 247
 - oral history, 322
 - over-representation in prisons, 534
 - pain, 183
 - parent resistance, 557
 - residential schools. *See* residential schools
 - Sixties Scoop, 103, 543
 - smudging as a spiritual act, 241
 - social factors, and neurological conditions, 103
 - stereotyping, 543
 - substance abuse disorders, risk of, 121
 - suicide, 159f, 461, 634, 641
 - throat singing, 188
 - Truth and Reconciliation Commission (TRC), 5, 50, 493, 672
 - two-eyed seeing, 50
- individual, 4
- individual differences
 - dementia, 341
 - language acquisition, 357–360
 - personality, 519–524
 - smell, 175–176
 - stress, responses to, 595–598
 - tactile senses, 181
 - taste, 175–176
 - treatment, who seeks, 673–674
 - workplace settings, 203
- individual psychology, 496
- individual therapy, 700–701
- individualist cultures, 522
- individualistic, 25
- individualistic cultures, 148
- inductive reasoning, 35
- industrial/organizational psychology, 23, 49, 562
 - see also* Psychology@Work (videos)
- industry *versus* inferiority, 158t
- infancy, 129–151
 - cognitive development, 136–143
 - emotional development, 143–148
 - physical development, 130–135
 - reflexes, 134, 134t
 - social development, 143–148
- infections, and brain injury, 101–102
- inferential statistics, 53, 713
 - effect size, 726
 - hypothesis testing, 725–726
 - population, 724
 - sample, 724
- inferiority, 496
- information processing, 18
- information-processing model, 303

- information-processing theory, 140–143, 227–228
- informed consent, 57
- inhibitory action, 96
- initiative *versus* guilt, 146, 158t
- injunctive norms, 553
- innate abilities, 389f
- inner eye, 304
- inoculation, 612
- Inside Out*, 37
- insight, 370
- insight learning, 290
- insomnia, 233
- insomnia disorder, 624t
- Instagram, 293
- instinct theory, 431–432
- instinctive drift, 283
- instincts, 431
- instrumental conditioning, 275
 see also operant conditioning
- insula, 174, 574
- insulin, 441
- integral emotions, 470
- integrated brain, 106
- integrity *versus* despair, 158t, 163
- intellectual disability, 421–423, 424, 623t
- intellectualization, 494t
- intelligence, 384
 additional types of intelligence, 402–406
 bell curve controversy, 407
 biological *versus* environmental factors, 406–416
 and the brain, 417–421
 and brain activity, 419
 and brain size, 417–418
 and brain's processing speed, 418
 and cortical maturation, 420–421
 creativity, 403–405
 crystallized intelligence, 398
 cultural influences, 409–411
 emotional intelligence, 402
 and environmental enrichment, 416
 environmental influences, 408–412
 extremes in intelligence, 421–425
 family and home environment, 409
 fluid intelligence, 398
 general *versus* specific, 385–386
 genetic factors, 407–408
 giftedness, 423–425
 increase over time, 400–401
 intellectual disability, 421–423
 measurement of, 390–401
 multifactor theories of intelligence, 386–390
 neurons, number of, 417–418
 occupational influences, 411
 parents, and children's intelligence, 409
 participatory approach, 50
 personality characteristics, 405
 school influences, 411–412
 smart nations, and happiness, 415
 social intelligence, 402–403
 wisdom, 403
- intelligence quotient (IQ), 394, 397
- intelligence testing, 390–401
 accuracy of, 410
 construction and interpretation, 391–392
 cultural bias, 397–400
 and cultural norms, 410
 group differences, 412–415
 history of, 392–397
- performance, prediction of, 397
- stereotypes, 397–400
- intelligence tests, 391
- interaction effects, 47
- interactionism, 512–513
- interactionist perspective, 512–513
- intercorrelations, 503
- interdependent happiness, 484
- interference, 324–325
- interference theory, 324–325
- intergenerational trauma, 653
- intermittent explosive disorder, 624t
- intermittent reinforcement, 281
- intermittent reinforcement schedules, 282t
- internal (analytic) components of intelligence, 388
- internal attributions, 547–548
- internal working model, 148
- internalize, 491
- International Classification of Diseases* (ICD), 623, 627–629
- International Positive Psychology Association, 27
- Internet
 cyberbullying, 157, 569
 research methods, 47
 social media, 2, 45, 293, 536
- interneurons, 71, 87
- interpersonal attraction, 570–572
- interpersonal circle, 505–506, 506f
- interpersonal traits, 505
- interposition, 200
- interrelationships of traits, 506
- interval schedule, 281
- intimacy, 572
- intimacy *versus* isolation, 158t, 161
- intolerance of uncertainty theory, 645
- intrinsic motivation, 404, 424, 434, 458–459
- introspection, 11
- Inuit. *See* Indigenous experiences
- inverse relationship, 721
- ion channels, 90
- ions, 90, 91f
- IQ. *See* intelligence quotient (IQ)
- irreversibility, 138
- ischemic stroke, 102
- item bias, 400
- J**
- James, William, 12, 12f, 15
- James-Lange theory of emotion, 474–475
- Journal of Positive Psychology*, 27
- Jung, Carl, 28, 496, 497
- just noticeable difference, 169
- K**
- Kahneman, Daniel, 28
- Kandel, Eric, 28
- Kant, Immanuel, 38
- Kanzia illusion, 13f
- Kaspar the robot, 295
- ketamine, 98, 253–254, 680
- kindness, 500
- kinesthetic sense, 205
- kingdoms, 108–109
- Kinsey, Alfred, 449
- the Kipsigis, 134, 231
- kleptomania, 624t
- Kohlberg's theory of moral development, 153–156, 155t
- Kolb, Bryan, 99
- L**
- Lady Gaga, 622
- language, 347
- and the brain, 81f, 354–357
- critical period, 353–354
- development of, 349–354
- differences in language acquisition, 357–360
- gender differences, 357–358, 358f
- Indigenous languages, 154, 359
- language structure, 348–349
- learning more than one language, 359–362
- learning to read, 354
- linguistic relativity hypothesis, 364–365
- poverty, and language development, 351
- sensitive periods, 190
- theories of language development, 352–353
- and thought, 363–366
- language acquisition device, 352
- language comprehension, 347
- language disorder, 623t
- language production, 347
- “larks,” 223–224
- lashing out, 601–602
- Lashley, Karl, 18–19
- latency stage, 492
- latent content, 229
- latent learning, 289–290
- lateral geniculate nucleus (LGN), 78, 195
- lateral hypothalamus (LH), 440
- lateral violence, 284
- lateralization of function, 81
- laughter yoga, 609
- Laurier, Wilfrid, 622
- law of effect, 276, 277
- LCUs. *See* life-change units (LCUs)
- learned helplessness, 285, 639–640
- learning, 261
 associative learning, 261, 264
 attention, 291–293
 awareness, 291–293
 classical conditioning, 265–274
 and cognition, 289–290
 and context, 291
 factors that facilitate learning, 290–294
 fear-based learning, 284
 habituation, 262–263
 implicit learning, 289
 insight learning, 290
 latent learning, 289–290
 learning by teaching paradigm, 295
 meaning of, 261–264
 multi-tasking, 293
 non-associative learning, 261, 262
 observational learning, 285–288, 512
 operant conditioning, 275–285, 630
 postnatal learning, 294
 prenatal learning, 294
 remote learning, 260–261
 second language, 359–362
 and self-harm, 277
 sensitization, 264
 and sleep, 293
 social networking, 293
 spatial navigation learning, 289–290, 297
 specific learning disorder, 295–297
 and timing, 291
 vicarious learning, 287, 536
 video games, learning to play, 297
 learning by teaching paradigm, 295
 Learning Disabilities Association of Canada, 295
 learning disability, 296
 learning to read, 354
 “left-brain” dominant thinking, 106

leptin, 439
 lesioning, 66
 Levels of Processing model, 316
 Levi-Montalcini, Rita, 28
 lexical hypothesis, 502
 lexical meaning, 348
 LGN. *See* lateral geniculate nucleus (LGN)
 LH. *See* lateral hypothalamus (LH)
 libido, 491
 lies, detection of, 471
 life, organization of, 107–112
 life change, 585, 587–588
 life-change units (LCUs), 585–586
 life-threatening situations, 582
 lifespan development. *See* development
 lifespan development psychology, 117
 light, 201
 liking, 571
 limbic system, 79
 linear perspective, 201
 linguistic relativity hypothesis, 364–365
 lipids, 439
 Little Albert, 271
 Little Hans, 494
 living things, 365, 365f
 lobes, 80, 80f
 lobotomy, 685
 Locke, John, 8
 locus coeruleus, 77, 649
 Loewi, Otto, 97
 long-term memory, 305, 309, 315f
 encoding, 309
 organization of, 316
 storage, 314–316
 types of memories stored in, 315–316
 long-term potentiation (LTP), 331
 longitudinal design, 118–120, 119f, 120t
 loose associations, 655
 Lorenz, Konrad, 123f
 loss aversion, 457
 loud music, 189
 loudness, 185, 189
 loving, 571–572
 LSD (lysergic acid diethylamide), 242t, 251–252
 LTP. *See* long-term potentiation (LTP)
 LUCA (last universal common ancestor), 107
 lucid dreams, 230
 lying, 378
 lymphocytes, 608
 lysergic acid diethylamide. *See* LSD (lysergic acid diethylamide)

M

Macdonald, Linda, 57
 Machiavellianism, 526
 Mackenzie King, William Lyon, 622
 magic mushrooms, 252–253
 magnetic resonance imaging (MRI), 66
 magnification, 631
 major depressive disorder, 623, 624t, 636–642
 see also depression
 major depressive episode, 637t
 major structures of the brain, 76f
 maladaptive beliefs, 630
 male hypoactive sexual desire disorder, 624t
 maleus, 186
 malingering, 658
 mammals, 108, 109, 110f
 mamillary bodies, 336
 mania, 636, 642, 678t

manifest content, 229, 687
 mantra, 601
 manufactured memories, 326–329
 MAO inhibitors, 679
 MAOs. *See* Monoamine oxidase inhibitors (MAOs)
 marathon, 464
 Marfan syndrome, 127
 marijuana, 128, 254, 255
 see also cannabis
 Markos, Diane, 618–619
 Maslow, Abraham, 17, 18f, 498–499
 Maslow's hierarchy of needs, 436, 437f
 massed learning trials, 291
 massed practice, 309
 mate choice, 447–448
 mathematics disorder, 296
The Mating Mind (Miller), 448
 maturation, 121
 McLachlin, Beverley, 154
 MDMA. *See* methylenedioxymethamphetamine (MDMA)
 mean, 53, 392, 715–716
 meaning, and encoding, 311
 measures of association, 720–724
 measures of central tendency, 715–717
 measures of variability, 717–718
Media Violence and its Effects on Aggression (Freedman), 33
 medial geniculate nucleus (MGN), 78
 median, 392, 716
 medical model approach, 621
 meditation, 377, 500, 600–601, 603, 696
 medulla, 77
 Meissner's corpuscles, 178
 melatonin, 224, 225f
 memory, 303
 see also specific types of memory
 anatomy of memory, 330–331
 biochemistry of memory, 331–332
 and the brain, 329–332
 and cannabis, 330
 connectionist model, 305
 encoding, 307–312
 forgetting, 324–326
 infancy, 332–333
 information-processing model, 303
 memory disorders, 336–341
 in the old, 333–335
 parallel distributed-processing model (PDP), 305
 retrieval, 317–323
 and sleep, 293
 storage of memories, 313–316
 three-stage memory model, 304f
 memory consolidation, 331
 memory disorders, 336–341
 memory span, 314
 memory stores, 305
 memory trace, 324
 men
 see also gender and gender differences
 and agentic characteristics, 553
 fathers, 148, 150
Men Are from Mars, Women Are from Venus (Gray), 520
 meningitis, 100–101
 menopause, 160
 mental absorption, 239

mental age, 393
 mental disorders, 620
 mental illness. *See* psychological disorders
 mental imagery, 363
 mental processes, 3, 4
 mental relaxation, 239
 mental set, 370
 mere categorization effect, 543
 mere thought effect, 536–537
 Meredith, Henry Vincent, 69
 Merkel's discs, 178
 mescaline, 253
 message, 545
 metacognition, 376–378, 385
 methamphetamine, 250
 methylenedioxymethamphetamine (MDMA), 242t, 251
 Metis. *See* Indigenous experiences
 MGN. *See* medial geniculate nucleus (MGN)
 Michelangelo, 622
 micro-stressors, 583
 microglia, 87, 88
 midbrain, 77
 middle adulthood, 162
 middle life transition, 162
 migraines, 177, 263
 mild traumatic brain injuries (mTBI), 67
 Milgram's obedience experiment, 558–560, 558f, 559f
 Miller, George A., 17–18
 Milner, Brenda, 26, 40
 Milner, Peter, 19
 mindfulness based cognitive therapy, 696
 mindfulness meditation, 696
 mindfulness training, 377
 Minecraft, 398
 Minnesota Multiphasic Personality Inventory 2 (MMPI-2), 508
 Minnesota Study of Twins Reared Apart (MISTRA), 514
 minor tranquilizers, 677
 minority groups
 and psychology, 25
 and stress, 589
 mirror box therapy, 185
 mirror neurons, 288
 miscarriage, 126
 miscarriages of justice, 328
 misconceptions, 3
 misinformation, 327–328, 327t
 misrepresentation of psychology, 39–40
 missing link, 111f
 MISTRA. *See* Minnesota Study of Twins Reared Apart (MISTRA)
 MKULTRA, 57
 MMPI-2. *See* Minnesota Multiphasic Personality Inventory 2 (MMPI-2)
 mnemonic devices, 311
 mode, 392, 716
 modelling, 16, 286, 512, 630
 modelling therapy, 692–693
 models, 625
 models of abnormality, 625–636, 626t
 cognitive-behavioural model, 629–631, 689–690
 developmental psychopathology model, 635
 neuroscience model of abnormality, 626–627
 psychodynamic model, 631–633

- Research Domain Criteria (RDoC) project, 628–629
- socio-cultural model, 633–635
- moderate intellectual disability, 423
- modern synthesis, 112
- modular model of mental functioning, 387
- modulation hypothesis, 321
- monoamine oxidase inhibitors (MAOIs), 679
- monochromatic, 195
- monocular cues, 200–202
- monozygotic (identical) twin, 639
- Montreal Neurological Institute and Hospital, 69
- The Montreal Procedure, 69
- mood, 321, 435
- mood disorders, 636–643
- see also* depression
- bipolar disorder, 636, 642–643
- major depressive disorder, 623, 636–642
- mood stabilizing drugs, 677, 680–681
- moon illusion, 202f
- Mooney, Eliot, 124f
- moral development, 153–156
- moral reasoning, 83, 155
- moral treatment, 621
- moro reflex, 134t
- morphemes, 348
- morphine, 246
- mother-child interaction, 12f
- mother-child relationship, 148
- motion parallax, 201
- motivated forgetting, 326, 326f
- motivation, 430
- achievement, 460–462
- affiliation, 460
- amotivation, 458–459
- approach motivation, 457
- avoidance motivation, 457
- biological motivations. *See* biological motivations
- conscious motivations, 455–456
- extrinsic motivation, 434, 458–459
- fixed *versus* growth mindset, 459
- and happiness, 484
- hunger, 439–446
- intrinsic motivation, 404, 424, 434, 458–459
- marathon, 464
- and psychological capital, 484
- psychological motivations. *See* psychological motivations
- sex, 447–454
- theories of motivation, 430–437, 431t
- unconscious motivations, 455–456
- unifying theory of motivation, 437
- motivation theories, 430–437, 431t
- arousal theory, 433–434
- drive-reduction theory, 432–433, 432f
- hierarchy of needs, 436
- incentive theory, 434–436
- instinct theory, 431–432
- motives, 430
- motor areas, 80
- motor development, 135t
- motor neurons, 87
- motor skills, 134
- movement, 134–135
- MRI. *See* magnetic resonance imaging (MRI)
- MSG, 173
- mTBI. *See* mild traumatic brain injuries (mTBI)
- Müller, Johannes, 9
- Müller-Lyer illusion, 202, 202f
- multi-tasking, 214, 293
- Multifactor Emotional Intelligence Scale, 402
- multifactor theories of intelligence, 386–390
- multifinality, 635
- multigenerational trauma, 653
- multilingual homes, 359
- multiple personality disorder, 660
- multiple sclerosis, 88
- mushrooms, 252–253
- music
- and mood, 435
- and motivation, 435
- music learning, 190
- music therapy, 78
- Mustard, Fraser, 40
- myelin, 88, 94
- myelin sheath, 86, 86f
- myelinating glia, 87
- myelination, 132
- Myers-Briggs Type Indicator (MBTI), 497, 508
- myocardial infarction, 606
- myoclonic jerk, 225
- mysophobia, 648t
- myths, 3, 6
- N**
- N, N-dimethyltryptamine (DMT), 253
- nail gun accidents, 84f
- narcissism, 526
- narcissistic personality disorder, 528t, 624t
- narcolepsy, 234, 624t
- National Centre for Truth and Reconciliation (NCTR), 5, 322
- National Circus School, 205
- National Scientific Council on the Developing Child (Harvard), 130
- natural laws, 34
- natural reflex, 265
- Natural Science and Engineering Research Council of Canada (NSERC), 56
- natural selection, 9, 110
- naturalistic observation, 44–45
- nature and nurture, 121–122
- Nazi Germany, 39
- NCV. *See* nerve conduction velocity (NCV)
- nearsightedness, 203
- necrophobia, 648t
- negative afterimage effect, 195f
- negative correlation, 51
- negative emotionality, 516
- negative hallucinations, 238
- negative influences, 134
- negative punishment, 278, 279t
- negative reinforcement, 16, 277–278, 279t
- negative relationship, 721
- negative situations, 589
- negative symptoms, 655
- negative thinking, 640–641
- negatively skewed distribution, 719, 720f
- Neisser, Ulric, 18
- NEO, 504
- neo-Freudians, 495–496
- NEO PI-R. *See* Revised NEO Personality Inventory (NEO PI-R)
- nerve cell. *See* neurons
- nerve conduction velocity (NCV), 418
- nerve deafness, 190
- nerve dysfunctions, 184
- nervous system
- see also* the brain
- autonomic nervous system (ANS), 71, 464, 466t, 651
- central nervous system (CNS), 71, 73–74, 179f, 475
- classical conditioning, and drug dependency, 270–271
- how the nervous system works, 85–88
- neurons. *See* neurons
- organization of, 71–75, 72f
- parasympathetic nervous system, 71, 466
- peripheral nervous system (PNS), 71–73
- somatic nervous system, 71, 73
- study of, 64–71
- sympathetic nervous system, 72–73, 466
- neural bypasses, 75
- neural circuits, 98–99
- neural efficiency hypothesis, 419
- neural machine interfacing, 83
- neural networks, 85, 98–99, 98f
- neural plasticity, 332
- neural pruning, 420
- neural systems, and personality, 515–516
- neurocognitive disorders, 623t
- neurodevelopmental disorders, 623t
- neurofibrillary tangles, 340
- neurogenesis, 79
- neuroglial cells. *See* glia
- neuroimaging, 66–68, 66f, 68
- neuron impulse, 92
- neurons, 63, 71, 85–88, 86f, 87f
- see also specific types of neurons*
- basic structure, 85
- communication, 89
- communication across the synapse, 94–96
- connections among, during infancy, 131
- firing of neurons. *See* action potential
- how neurons work, 88–100
- and intelligence, 417–418
- kinds of, 86–87
- neural networks, 98–99, 98f
- neuroplasticity, 99
- neurotransmitters. *See* neurotransmitters
- production of new neurons, 79
- resting potential, 89–91
- shapes, 87f
- neuropathies, 184
- neuroplasticity, 99
- neuropsychiatric disorders, 263
- neuropsychologists, 65
- neuroscience, 18–20, 20t, 63
- see also* the brain; nervous system
- depression, 639
- and *Diagnostic and Statistical Manual of Mental Disorders* (DSM), 627–629
- dissociative disorders, 660–661
- generalized anxiety disorder, 645–646
- happiness, 468
- and *International Classification of Diseases* (ICD), 627–629
- methods to study the brain, 65–66
- neuroimaging, 66–68, 66f
- neuroscience model of abnormality, 626–627
- obsessive-compulsive disorder (OCD), 650
- Research Domain Criteria (RDoC) project, 628–629
- schizophrenia, 656–657
- neuroscience model of abnormality, 626–627

neurosis, 492
 neuroticism, 504, 508
 neurotoxicity, 250–251
 neurotransmitter activity, 516
 neurotransmitter receptors, 95–96
 neurotransmitters, 86, 94–98, 95f, 95t, 331, 639
 see also specific neurotransmitters
 New Guinea, 467f
 new wave cognitive explanations, 645
New York Longitudinal Study, 144
 nicotine, 242t, 249
 night terrors, 235
 nightmare disorder, 230, 235
 nightmares, 230
 nine-dot problem, 370f, 379f
 Nobel Prize winners, 19, 28, 89, 105
 nod, 246
 nodes of Ranvier, 94, 94f
 non-associative learning, 261, 262
 non-REM sleep (NREM), 226
 non-verbal communication, 349
 non-verbal information, 309
 nootropics, 412
 noradrenaline, 97
 norepinephrine, 77, 95t, 97, 639, 649, 652
 normal curve, 392
 normal distribution, 392, 719
 normative sample, 392
 norms, 449, 552–553
 not criminally responsible on account of mental disorder, 663
 Not Criminally Responsible Reform Act (Bill C-14), 663
 nucleus accumbens, 79–80, 436, 468
 null hypothesis, 725, 726
 nurturance, 506
 nurture. *See* nature and nurture

O
 obedience, 558–560
 obesity, 443–444
 object permanence, 137, 141f
 object relations, 633
 object-relations theorists, 229
 observational learning, 285–288, 512
 observations, 36, 41
 obsessions, 378, 649
 obsessive-compulsive and related disorders, 624t
 obsessive-compulsive disorder (OCD), 378, 528t, 624t, 644, 649–650
 occipital lobe, 80
 occupational influences on intelligence, 411
 OCEAN of personality, 508
 odorants, 172–173
 Oedipus complex, 492
 old age, 162–163
 brain games, 334
 and memory, 333–335
 slowing cognitive decline, 334
 Olds, James, 19
 olfactory adaptation, 170–171
 olfactory bulb, 174
 olfactory receptor neurons, 172
 olfactory sense, 172–177
 see also smell
 oligodendroglia, 87, 88
On the Origin of Species (Darwin), 9, 110
 online surveys, 47
 opening-up meditation approach, 601

openness to experience, 508, 514
 operant conditioning, 275–285, 630
 how operant conditioning works, 276–279
 new behaviours, teaching, 282–285
 techniques, 691
 operationalize, 41–42
 operationalizing, 148
 operations, 139–140
 opiates, 182, 435
 opioid use disorder, 623t
 opioids, 241t, 246–247
 opponent process theory, 195
 optic disc, 194
 optic nerve, 194
 optimism, 484
 optimistic brand of pessimism, 596
 optimistic explanatory styles, 596
 oral history, 322
 oral stage, 492
 orbitofrontal cortex, 574, 650
 organic memory disorders, 336–341
 organization, 311–312, 321–322
The Organization of Behavior (Hebb), 98
 organizational psychology, 23, 49
 orgasm, 450
 ossicles, 186
 Ottawa Self-Injury Inventory, 277
 out-groups, 543
 oval window, 186
 ovaries, 151
 overeating, 443
 overgeneralization, 631
 overregularization, 353
 overweight, 443
 ovulation, 176
 “owls,” 223–224
 OxyContin, 246

P
 p-FAS. *See* partial fetal alcohol syndrome (p-FAS)
 PACFOLD. *See* “Putting a Canadian Face on Learning Disabilities” (PACFOLD)
 Pacinian corpuscles, 178
 pain, 178–185
 acute pain, 184
 and the brain, 180
 chronic pain, 182–183
 gate control theory of pain, 181
 Indigenous experiences, 183
 no pain, 184
 pain threshold, 181f
 phantom limb sensations, 184–185
 sensitivity to pain, 181
 pandemic. *See* COVID-19 pandemic
 panic attacks, 649
 panic disorder, 624t, 644, 649
 papillae, 173
 paradigms, 625
 paradoxical sleep, 226
 parallel distributed-processing model (PDP), 305
 parallel processing, 81f
 paranoid personality disorder, 528t, 624t
 paraphilic disorders, 624t
 parasomnias, 235
 parasympathetic nervous system, 71, 73, 466
 parenting styles, 148–151

parents, and children’s intelligence, 409
 parietal lobe, 81
 Parkinson’s disease, 77, 78, 97f, 102, 263
 Parks, Ken, 235
 partial fetal alcohol syndrome (p-FAS), 129
 partial reinforcement, 281
 participant bias, 46
 participants
 in research, 43
 voluntary participation, 57
 participatory research methods, 50
 passion, 572
 Pavlov, Ivan Petrovich, 15, 265, 268, 269
 Pavlovian conditioning, 266
 see also classical conditioning
 PCL-R. *See* Psychopathy Checklist-Revised (PCL-R)
 PCP, 254
 PDP. *See* parallel distributed-processing model (PDP)
 peak experiences, 499
 Pearson product-moment correlation coefficient, 720–721
 peat bog preservation, 107f
 peer relationships, 157
 Penfield, Wilder, 69
 penis envy, 492
 perception, 168–172
 perceptual constancies, 202–203
 perceptual illusions, 202f
 perceptual judgment task, 556f
 perceptual set, 171
 perfect correlation, 52
 periodic limb movements of sleep (PLMS), 234
 peripheral nervous system (PNS), 71–73
 peripheral route to persuasion, 545
 permissive parenting styles, 149t
 perseverance, 459
 person, level of the, 4
 personal fable, 153
 personal responsibility, 568
 personal unconscious, 496
 personality, 490, 511, 652
 biological foundations of, 513–519
 and the brain, 515–518
 and culture, 522–524
 dark traits, 526–528
 differences in, 519–524
 Freud’s psychosexual stages, 492, 492t
 gender differences, 520–522
 and genetics, 514–515
 humanistic perspective, 498–501
 intelligence, and personality characteristics, 405
 interactionist perspective, 512–513
 neural systems and, 515–516
 and posttraumatic stress disorder (PTSD), 614
 psychodynamic perspective, 490–497
 situationist perspective, 511–512
 socio-economic environment, 524
 and stress, 596–597, 610–611
 structure of personality, 491
 trait perspective, 501–507, 518–519
 personality assessment, 507–511
 personality inventories, 508–510
 projective tests, 510–511
 Personality Assessment Inventory, 528

- personality disorders, 525–528, 528t, 624t, 661–666
 see also specific personality disorders
 personality inventories, 508–510
 Personality Inventory for the DSM-5, 528
 personality trait model, 502
 personality traits, 501–507, 501t
 personnel problems, 16
 perspective-taking skill, 138, 138f
 persuasion, 545–547, 545f
 pessimistic explanatory styles, 596
 PET. *See* positron emission tomography (PET)
 phallic stage, 492
 phantom limb sensations, 184–185
 phenotype, 125, 125f
 phenylcyclidine (PCP), 254
 phenylketonuria (PKU), 127
 philosophy, 6–8
 phobias, 272, 273f, 644, 648, 648t
 phonemes, 348
 phonological code, 309
 phonological loop, 304
 phonology, 348
 photographic memories, 309
 photons, 192
 photoreceptors, 192f, 193
 phrenology, 515
 phylogeny, 107
 physical attractiveness, 571
 physical development
 adolescence, 151–152
 adulthood, 160
 childhood, 130–135
 infancy, 130–135
 physiological responses to stress, 590–593, 591f
 physiology, 8–9
 Piaget's theory of cognitive development, 136–143, 137t
 concrete operational stage, 137t, 139–140
 evaluation of, 140–143
 formal operational stage, 137t, 140
 preoperational stage, 137t, 138–139
 sensorimotor stage, 136–138, 137t
Picking Cotton: Our Memoir of Injustice and Redemption (Thompson-Cannino and Cotton), 328
 pineal gland, 224
 pitch, 185, 187–188
 pituitary gland, 79, 151, 222
 PKU. *See* phenylketonuria (PKU)
 place theory, 187
 placebo, 681
 placenta, 126
 plasticity, 99
 plateau, 450
 Plato, 7, 8f
 pleasure pathway, 256
 pleasure principle, 491
 PNS. *See* peripheral nervous system (PNS)
 polarized state, 89
 polygenic trait, 126
 polygraph machines, 471
 pons, 77, 222
 Ponzo illusion, 202, 202f
 pop-out effect, 292, 292f
 pop psychology, 40
 Popper, Karl, 35
 population, 724
 positive correlation, 51
 positive discipline, 280
 Positive Education Schools Association, 37
 positive emotionality, 516
 positive emotions, 27, 182, 482–485
 positive hallucinations, 238
 positive psychology, 27–28, 482, 499
 Aboriginal Head Start, 119
 building better brains, 130
 chronic pain, and the value of hope, 182
 combatting FOMO (fear of missing out), 536
 contemporary circus performers, 205
 culturally diverse university students, and well-being, 700
 exam stress and dog therapy, 594
 impact on psychological research, 46
 interdependent happiness, 484
 Kaspar the robot, 295
 laughter yoga, 609
 mindfulness training, 377
 music therapy, 78
 neural machine interfacing, 83
 neuroscience of happiness, 468
 personality traits and humour training, 505
 Picking Cotton, 328
 posttraumatic growth, and Canadian refugees, 652
 prosocial spending and happiness, 567
 random acts of kindness, 500
 reading, and emotional intelligence, 417
 and science, 37
 second language learning, 360
 second wave of positive psychology (PP 2.0), 632
 service dogs and PTSD, 283
 sleep and happiness, 223
 slowing cognitive decline in older adults, 334
 smart nations, and happiness, 415
 third-wave cognitive-behavioural therapy, 696
 positive psychotherapy, 27–28
 positive punishment, 278, 279t
 positive reinforcement, 16, 277, 279t
 positive relationship, 721
 positive symptoms, 654–655
 positively skewed distribution, 719, 719f
 positron emission tomography (PET), 66, 68
 posthypnotic amnesia, 238
 posthypnotic responses, 238
 postnatal learning, 294
 postpartum depression, 638
 postpartum psychosis, 638
 postsynaptic potentials, 96
 posttraumatic growth, 611, 652
 posttraumatic stress disorder (PTSD), 588, 613–615, 624t, 644, 650–653
 biological factors, 613–614
 development of, 613–615
 early experiences, 614
 “fear circuit” disorder, 629
 and personality, 614
 service dogs, 283
 social support, 614–615
 potentiation, 331
 poverty, 351, 633
 see also socio-economic status (SES)
 poverty of speech, 655
 PP 2.0, 632
 PQRST method, 312
 practical (experimental) components of intelligence, 389
 Prader-Willi syndrome, 441
 pragmatics, 348, 350
 preconscious, 491
 preconsciousness, 218
 prediction, 4
 predictive validity, 392
 prefrontal cortex, 152, 331, 436, 468, 573, 646
 prefrontal lobe, 83
 prefrontal lobotomy, 84
 prejudice, 542–545
 premenstrual dysphoric disorder, 624t
 prenatal development, 126–129, 127f
 prenatal learning, 294
 prenatal period, 124
 preoperational stage, 137t, 138–139
 prescription privileges, 24
 pressure, 178–185, 580–581
 presynaptic terminal, 94
 prevention, 703
 prevocal learning, 349–350
 primacy effect, 317
 primary appraisal, 595
 primary auditory cortex, 80–81
 primary incentives, 434
 primary mental abilities, 386
 primary motor strip, 82
 primary prevention, 703
 primary punisher, 279
 primary reinforcer, 279
 primary sensory areas, 80
 primary sensory neurons, 87
 primary sex characteristics, 151, 152f
 primary visual cortex, 80
 priming, 319
Principles of Psychology (James), 12
 proactive interference, 325, 325f
 probability, 373
 probability statistic, 54
 problem-focused coping, 604
 problem solving, 368–372
 defining our problems, 368–369
 problems in, 370–372
 strategies for, 369–370
 profound intellectual disability, 423
 progesterone, 451
 Progressive Matrices Test, 400, 400f
 Project Head Start, 416
 The Project of Heart, 145
 projection, 494t
 projective tests, 510–511
 proprioceptive feedback, 172
 prosopagnosia, 197
 prospective memory, 335
 proximity, 198, 199f, 571
 proximodistal pattern, 130
 pseudopsychology, 40
 psilocybin, 252–253
 psychedelic drugs, 251
 psychiatric social workers, 24
 psychiatrists, 24
 psychoactive drugs, 240–256, 241–242t
 see also specific types of psychoactive drugs
 depressants, 241t, 242–247
 hallucinogens, 242t, 251–256
 stimulants, 242t, 248–251
 psychoanalysis, 14–15, 20t

psychoanalytic theory, 14
 psychobiology, 18–20, 20t
 psychodynamic, 491
 psychodynamic model, 631–633, 660
 psychodynamic perspective, 490–497
 psychodynamic therapies, 676t, 687–689
 borderline personality disorder, 689
 in perspective, 688
 relational psychoanalytic therapy, 688
 short-term psychodynamic therapies, 688
 techniques of, 687–688
 psychological abnormality. *See* psychological disorders
 psychological capital, 484
 psychological disorders, 620, 623–624t
 see also specific psychological disorders
 anxiety disorders, 624t, 643–653
 causes of mental illness, 620
 classification, 622–625
 defining psychological abnormality, 621–622
 diagnosis, 622–625
 dissociative disorders, 624t, 659–661
 models of abnormality, 625–636
 mood disorders, 636–643
 neuropsychiatric disorders, 263
 personality disorders, 661–666
 reform movements, 620
 somatic symptoms and related disorders, 624t, 657–659
 treatment. *See* treatment
 psychological dysfunctioning, 620
 psychological factors affecting other medical conditions, 658
 psychological getaway, 602
 psychological motivations
 achievement, 460–463
 affiliation, 460
 amotivation, 458–459
 approach *versus* avoidance motivation, 457
 extrinsic motivation, 458–459
 fixed *versus* growth mindset, 459
 individual factors, 455–459
 intrinsic motivation, 458–459
 unconscious *versus* conscious motivations, 455–456
 psychology, 3, 708
 see also specific types of psychology
 academic psychology, 22, 23
 application of psychology, 39
 applied psychology, 22, 23–24
 areas of study, 22t
 branches of psychology, 22–24
 clinical and counselling psychology, 22, 24
 contextual, 25
 cross-cultural psychology, 18, 25
 cultural psychology, 18, 25
 current trends, 25–29
 defined, 2–6
 developmental psychology, 27, 117, 118–121
 early days of, 9–13
 educational psychology, 12
 empirical nature of, 24–25
 founding of, 9–11
 goals of, 3–4, 38–39
 graduates, 23t
 industrial/organizational psychology, 23, 49, 562
 intellectual history of, 7
 levels of analysis, 4–5, 4t

lifespan development psychology, 117
 major perspectives (table), 20t
 making psychology more popular, 40
 misrepresentation of psychology, 39–40
 multi-level nature of, 25
 notable women in psychology, 26
 philosophy, roots in, 6–7
 physiology, roots in, 8–9
 positive psychology. *See* positive psychology
 psychophysics, roots in, 8–9
 and science, 36–40
 shared values, 24–25
 theory-driven, 24
 twentieth-century approaches, 13–21
 where psychologists work, 22t
 psychology degree, 28
 Psychology@Work (videos)
 Applied Sensation & Perception, 203
 Career Development, 158
 Consumer Psychology, 68
 Ethics of Taking Psychology to Work, 57
 Groups and Teams, 562
 Individual Differences, 508
 Job Analysis: Research and Statistics, 49
 Leadership and Management, 662
 Occupational Health and Safety, 610
 Training Program Design and Evaluation, 292
 Work Attitude, 539
 psychometric approach, 391
 psychoneuroimmunology, 608
 psychopathic brain, 664–665
 psychopathology, 620
 psychopaths, 661
 psychopathy, 526
 Psychopathy Checklist, 664
 Psychopathy Checklist–Revised (PCL-R), 662, 664
 psychophysical performance, 393
 psychophysics, 8–9
 psychophysiological diseases, 605
 psychosexual stages, 492, 492t
 psychosis, 654, 678t
 psychosocial strength, 146
 psychosomatic diseases, 605
 psychosurgery, 685–686
 psychotherapy, 24, 671
 psychotic disorders, 677
 psychoticism, 504, 515
 psychotropic drugs, 677, 678t
 PTSD. *See* posttraumatic stress disorder (PTSD)
 puberty, 151
 public speaking, 606
 pulse generator, 684
 punishers, 279–281
 punishment, 16, 278, 279t, 280
 “Putting a Canadian Face on Learning Disabilities” (PACFOLD), 295
Q
 Q-sort approach, 148
 quadriplegic, 74
 qualitative change, 122
 quantitative change, 122
 Qu’Appelle Child and Family Services (QCFS), 705
 Quebec Longitudinal Study of Child Development, 235
 Quebec Sign Language (Langue des signes québécoise (LSQ)), 191, 355f

R
 racial minority groups. *See* minority groups
 radical behaviourism, 19
 random acts of kindness, 500
 random assignment, 48
 random sample, 724
 random selection, 43
 range, 717
 rapid eye movement, 226
 rapid eye movement sleep (REM), 226, 236
 ratio schedule, 281
 rational decision making, 373–374, 373t
 rational-emotive behavioural therapy, 694
 rationalization, 494t
 reaction formation, 494t, 602
 reactive attachment disorder, 624t
 reading, 354, 417
 reading disorder, 296
 realistic conflict theory, 544
 reality, 139, 139f
 reality principle, 491
 reasoning, 35, 35f
 REB. *See* research ethics board (REB)
 recall tasks, 319
 receiver, 545
 recessive trait, 125
 reciprocal determinism, 512
 reciprocal socialization, 150
 recognition tasks, 319
 Red Cross Bullying and Harassment Prevention, 157
 reductionist perspectives, 627
 reflexes, 134, 134t, 146
 refractory period, 94
 refugees, 652
 regression, 494t
 rehearsal, 308, 321–322
 reinforcement, 16, 276–278, 279t, 295
 reinforcer, 276, 279, 512
 rejection level, 725
 relational aggression, 570
 relational psychoanalytic therapy, 688
 relationship counselling, 702
 relationships, measures of. *See* correlations
 relative height, 200
 relative refractory period, 94
 relative size, 201
 relaxation, 603
 relearning, 324
 reliability, 391
 religion, 634
 REM sleep. *See* rapid eye movement sleep (REM)
 REM sleep behaviour disorder, 235
 Renaissance, 8
 replication, 55
 representations, 137
 representativeness heuristic, 372
 repression, 326, 493, 494t, 660
 repressive coping style, 603
 reptiles, 108, 109, 110f
 research
 correlational research, 52
 correlations, 51–53
 ethical research guidelines, 56–58
 experimental analyses, 53–54
 hypothesis, 41–42
 making sense of research, 49–56
 participants, 43

- participatory research methods, 50
- positive psychology, impact of, 46
- research methods, 43–49
- research process, 41–49
- statistics, 55–56
- research bias, 45
- Research Domain Criteria Matrix, 628t
- Research Domain Criteria (RDoC) project, 628–629
- research ethics board (REB), 56
- research methods, 43–49
- researcher bias, 48
- resetting the clock, 225
- residential schools
 - denial, 493
 - fear-based learning, 284
 - Framework for Understanding Trauma and Healing Related to Residential School Abuse, 705
 - history of, in Canada, 5
 - hunger, 440
 - impact of, 641
 - and Indigenous languages, 154
 - intentionally breaking familial bonds, 145
 - “killing the Indian in the child,” 154
 - lateral violence, 284
 - life changes, 585
 - long-term success, effects on, 288
 - parent resistance, 557
 - suicidal behaviour, 641
- resilience, 27, 484, 611, 635
- resistance, 687
- resolution, 450
- response tendencies, 511
- responses, 15
- rest and digest system, 73
- resting potential, 89–91, 90f, 92
- restless legs syndrome (RLS), 234
- restorative theory of sleep, 222
- reticular formation, 77, 215, 222
- retina, 192
- retinal disparity, 200, 200f
- retrieval, 303, 317–323
 - and context, 319–320
 - elaboration, 321–322
 - emotional memory, 321–322
 - flashbulb memories, 322–323
 - organization, 321–322
 - primacy effect, 317
 - priming, 319
 - rehearsal, 321–322
 - serial position effect, 317, 317f
 - specific retrieval cues, 320–323
- retrieval cues, 319
- retrieval failure, 318
- retroactive interference, 325, 325f
- retrograde amnesia, 336
- retrospective memory, 335
- reuptake, 96
- Revised NEO Personality Inventory (NEO PI-R), 508
- reward centre, 19
- reward-deficiency syndrome, 256
- reward learning pathways, 256, 464
- “right-brain” dominant thinking, 106
- risk factors, 635
- rituals, 6, 7f
- robotics
 - Kaspar the robot, 295
 - robot-human interactions, 549–550
 - social robotics, 295
 - Sophia (robot), 549, 550
 - uncanny valley, 549–550
- rods, 193
- Rogers, Carl, 17, 17f, 500
- Rogers’s client-centred therapy, 697–698
- role confusion, 157
- role playing, 698
- roles
 - and gender, 554
 - and situational demands, 554–555
- Romanian orphans, 117, 150
- Roosevelt, Eleanor, 498
- rooting reflex, 134, 134t
- Rorschach Inkblot Test, 510
- Rouge test, 217
- rubella, 128
- Ruffini’s end-organs, 178
- rules, 698
- runner’s high, 435
- rush, 246
- Rush, Benjamin, 621f
- S**
- s factor, 385
- sadism, 526
- sadness, 21f, 473
- saltatory conduction, 94
- same-sex marriage, 454
- sample, 43, 724
- sampling, 43f
- sampling biases, 43
- sampling distribution, 725
- saturation, 194
- scaffolding, 143
- scatterplot, 720
- Schachter and Singer’s two-factor theory of emotion, 476–478
- schedules of reinforcement, 281–282
- schemas, 312, 521
- schemes, 136
- schizoaffective disorder, 623t
- schizoid personality disorder, 528t
- schizophrenia, 97, 263, 379, 623t, 626, 654–657
 - abnormal brain structures, 657
 - biochemical abnormalities, 656
 - cognitive symptoms, 655
 - diagnosis, 654
 - genetic factors, 656
 - negative symptoms, 655
 - neuroscience, 656–657
 - positive symptoms, 654–655
 - psychomotor symptoms, 655–656
- schizophrenia-spectrum and other psychotic disorders, 623t
- schizotypal personality disorder, 528t
- Schmidt, Heather, 50
- school influences on intelligence, 411–412
- school shootings, 527
- schools, bullying in, 157
- Schwann cells, 75, 87, 88
- science
 - meaning of, 34–36
 - and psychology, 36–40
 - scientific method, 34–36, 35f
 - scientific principles, 34
- scientific journal articles, 55
- scientific method, 34–36, 35f
- scientific principles, 34
- scientific revolution, 8
- SCN. See suprachiasmatic nucleus (SCN)
- second language, 359–362
- second language acquisition (SLA), 360
- second-wave cognitive-behavioural therapies, 695–696
- second wave of positive psychology (PP 2.0), 632
- secondary appraisal, 595
- secondary incentives, 434
- secondary prevention, 703
- secondary punisher, 279
- secondary reinforcer, 279
- secondary sex characteristics, 151, 152f
- secondary social sharing, 468
- secure attachment, 147, 572
- sedative-hypnotic drugs, 241t, 245–246
- selective perception, 631
- selective serotonin reuptake inhibitors (SSRIs), 680, 682
- self, 496
- self-actualization, 17, 498, 498f
- self-concept, 500
- self-defence, 602–604
- self-determination, 461
- self-disclosure, 571, 603
- self-efficacy, 484, 512
- self-harm, 277
- self-help groups, 701
- self-indulgence, 604
- self-perception theory, 538–539
- self-ratings, 471
- self-reflection, 376
- self-schema, 521
- self-serving bias, 551
- Seligman, Martin, 37
- semantic codes, 310
- semantic learning, 291
- semantic memory, 316
- semantics, 348
- semi-permeable membrane, 90–91
- senile plaques, 340
- sensation, 168–172
 - see also senses
- sense of self, 217
- senses, 132–134, 171–172
 - auditory sense, 185–191
 - chemical senses, 172–177
 - cutaneous senses, 178–185
 - food, enjoyment of, 206
 - kinesthetic sense, 205
 - limits of the senses, 169–170
 - processing sensory information, 171
 - sensory adaptation, 170–171
 - smell, 172–177
 - tactile senses, 178–185
 - taste, 172–177
 - thresholds, 169–170
 - vestibular sense, 205
 - visual sense, 191–205
- sensitive periods, 122–124, 190, 352
- sensitization, 264
- sensorimotor stage, 136–138, 137t
- sensory adaptation, 170–171
- sensory memory, 303, 305, 308
- sensory neurons, 86–87
- sensory receptor cells, 169
- sensory transduction, 169, 169t
- serial position effect, 317, 317f
- serotonin, 95t, 97, 98, 639, 650

- service dogs, 283
 SES. *See* socio-economic status (SES)
 setting the clock, 225
 severe intellectual disability, 423
 severely deficient autobiographical memory (SDAM), 310
 sex, 447–454
 gender differences in sexuality, 451–452
 neurological factors, 451
 physiological factors, 450–454
 psychological factors, 448–449
 social factors, 448–449
 sexual dysfunctions, 624t
 sexual norms, 449
 sexual orientation, 452–454
 sexual sadism disorder, 624t
 sexual taboo, 449
 sexuality, 492
 shadow, 201
 shape constancy, 203
 shaping, 282–284
 short-term memory, 83, 304–305
 short-term psychodynamic therapies, 688
 shrooms, 252–253
 sickle-cell anemia, 127
 sight, 191–205
 binocular cues, 200–202
 and the brain, 196–198
 colour, 194–195
 development of, 203
 Gestalt principles, 198–199
 light, 192–194
 monocular cues, 200–202
 perceptual constancies, 202–203
 visual loss, 203–204
 visual perceptual organization, 198–203
 signal detection theory, 170, 170f
 significance level, 725
 similarity, 198, 199f, 571
 Simon, Herbert, 28
 situational attributions, 547–548
 situational demands, 554–555
 situational factors, 571
 situationism, 511–512
 situationist perspective, 511–512
 16 Personality Factors Inventory (16PF), 503–504
 Sixties Scoop, 103, 543
 size constancy, 202
 skillful frustration, 698
 skin conductance, 471–472
 Skinner, B. F., 16, 16f, 38, 276, 511–512
 Skinner box, 16f, 276f
 sleep, 221–236
 adaptive theory of sleep, 222
 and the brain, 225–227, 236
 controlling the clock, 224–225
 daydreams, 230
 dreams, 227–229
 function of sleep, 221–222
 and happiness, 223
 “larks,” 223–224
 and learning, 293
 lucid dreams, 230
 and memory, 293
 nightmares, 230
 “owls,” 223–224
 patterns of sleep, 225–227, 230–231
 restorative theory of sleep, 222
 rhythms of sleep, 222–223
 sleep deprivation, 231–232, 293
 sleep disorders, 233–235
 sleep needs of various animals, 222f
 stages of sleep, 225–226, 226f, 236
 when we sleep, 224–227
 sleep apnea, 233
 sleep deprivation, 231–232, 293
 sleep disorders, 233–235
 sleep-related breathing disorders, 233–234
 sleep-related movement disorders, 234–235
 sleep spindles, 225
 sleep-wake disorders, 624t
 sleepwalking, 235
 slow-to-warm-up temperament, 144
 slow-wave sleep, 236
 smart drugs, 412
 smart phones, 45, 569
 smell, 132, 172–177
 and the brain, 174
 development of, 174–175
 how smell works, 172–174
 individual differences, 175–176
 regeneration in the smell system, 175
 smell disorders, 176–177
 smell route, 174f
 smoking, 128, 128f
 smudging, 241
 Snapchat, 293
 SNRIs. *See* selective serotonin reuptake inhibitors (SSRIs)
 social anxiety disorder, 624t, 644, 646–647, 648t
 social categorization, 544
 social change, 633
 social cognition, 534
 attitudes, 534–547
 attributions, 547–551
 social-cognitive theory, 512
 social comparison, 544
 social Darwinism, 39
 social desirability factor, 540
 social development
 adolescence, 156–159
 adulthood, 161–162
 childhood, 143–148
 early adulthood, 161–162
 infancy, 143–148
 middle adulthood, 161–162
 old age, 162–163
 social facilitation, 562
 social forces, 551–561
 conformity, 555–557
 norms, 552–553
 obedience, 558–560
 social roles, 553–554
 social functioning, 573–574
 social identity, 544
 social identity theory, 544
 social intelligence, 402–403
 social learning, 285–288
 see also observational learning
 social loafing, 564
 social media, 2, 45, 293, 536
 social networking, 293
 social networks, 634–635
 social neuroscience, 26
 social observation, 16
 social phobia, 646, 648t
 social psychology, 534
 social cognition. *See* social cognition
 social forces, 551–561
 social functioning, 573–574
 social relations, 561–572
 Social Readjustment Rating Scale (SRRS), 586–587, 586t
 social relations, 561–572
 aggression, 569–570
 group dynamics, 561–566
 helping behaviour, 566–567
 interpersonal attraction, 570–572
 social robotics, 295
 social role theory, 521
 social roles, 553–554
 Social Sciences and Humanities Research Council of Canada (SSHRC), 56
 social skills, 554
 social skills training, 692
 social support, 652
 lashing out, effect of, 601–602
 and mental health, 634–635
 and posttraumatic stress disorder (PTSD), 614–615
 and stress, 597–598, 603, 610–611
 socially desirable responding, 509
 Society for the Psychology of Women Heritage, 26
 socio-cultural conditions, 589
 socio-cultural model, 633–635
 depression, 641–642
 somatic symptom and related disorders, 659
 socio-cultural perspective, 20t
 socio-cultural theory, 143
 socio-economic status (SES), 351, 524, 633
 see also poverty
 sociobiologists, 19
 Sociobiology: The New Synthesis (Wilson), 19
 sociopaths, 661
 sodium-potassium pumps, 92
 somatic nervous system, 71, 73
 somatic symptom disorder, 624t, 658
 somatic symptoms and related disorders, 624t, 657–659
 somatization, 659
 somatosensory cortex, 179, 184, 207f
 somatosensory strip, 81
 somnambulism, 235
 Sophia (robot), 549
 sound waves, 185
 source, 545
 source misattributions, 327, 327t
 space, sounds in, 189–190
 space disasters, 565
 spaced learning trials, 291
 spaced practice effect, 309
 spatial navigation, 363–364
 spatial navigation learning, 289–290, 297
 Spearman, Charles, 385
 specific factor, 385
 specific learning disorder, 295–297, 623t
 specific phobia, 624t, 648
 speech, 81f, 190–191, 347
 Spencer, Herbert, 111
 Sperry, Roger, 19, 28, 105
 spike, 92
 spinal cord, 73, 74f
 spinal cord injuries, 74–75
 split-brain research, 19, 104–106, 105f
 split-half reliability, 391
 spontaneous abortion, 126
 spontaneous recovery, 269, 270f
 sports, and pressure, 581

- sports psychologists, 23
squid axons, 89
SRRS. *See* Social Readjustment Rating Scale (SRRS)
stage, 122
stage 1 sleep, 225
stage 2 sleep, 225–226
stage 3 sleep, 226
stage 4 sleep, 226
standard deviation, 53, 53f, 718, 723
standardization, 392
Stanford-Binet Intelligence Test, 394
Stanford Prison Experiment, 554–555
stapes, 186
state-dependent memory, 320–321
states of consciousness, 213
statistical significance, 53–54, 54f
statistics, 49
 correlation statistics, 52
 descriptive statistics, 53, 713–724
 to evaluate and plan research, 55–56
 importance of, 726–727
 inferential statistics, 53, 713, 724–726
 probability statistic, 54
stereotype vulnerability or threat, 400
stereotypes, 397–400, 542–545
Sternberg's triarchic theory of intelligence, 388–389
stimulant use disorder, 623t
stimulants, 242t, 248–251
stimuli, 15
stimulus discrimination, 269
stimulus generalization, 268, 271
stirrup, 186
storage, 303
 long-term memory, 314–316
 working memory, 313–314
stovetop laboratories, 250
strabismus, 204
Strange Situation, 147, 147f, 148
Straschnitzki, Ryan, 75, 75f
street art, 405
stress, 580
 autonomic reactivity, 596
 and behaviour, 610–611
 benefits of, 611–612
 biochemical activity, 609–610
 cognitive responses to stress, 593–595
 coping. *See* coping
 and COVID-19 pandemic, 583
 emotional responses to stress, 593
 exam stress and dog therapy, 594
 explanatory style, 596
 and health, 605–612
 immune system, 608–611
 individual responses to stress, 595–598
 and performance, 612
 and personality, 596–597, 610–611
 physiological responses to stress, 590–593, 591f
 posttraumatic stress disorder (PTSD). *See* posttraumatic stress disorder (PTSD)
 responses to stress, 590–598
 and social support, 597–598, 603, 610–611
 stress management methods, 603
 stressors, 580, 582–588
 see also specific types of stressors
 ways of experiencing stress, 580–582
stress disorders, 650–653
stress-resistant personality, 597
stressor-related disorders, 624t
stressors, 580, 582–588
 see also specific types of stressors
striatum's caudate nucleus, 650
string problem, 371f, 379f
stroke, 102
Stroop Effect, 292, 292f
structuralism, 11
structures of the brain, 76–85
 see also specific structures of the brain
subgoals, 370
subject bias, 46, 48
sublimated sexual energy, 571
sublimation, 494t
subpersonalities, 660
substance-related and addictive disorders, 121, 623t
substantia nigra, 77
success, 523
successive approximations, 282
suicidal behaviour, 641
suicide, 159f, 461, 621, 634, 641
SUIT process, 563
sulci, 64, 76
super kingdoms, 108–109
superego, 491
superfactors, 504, 504f
superior colliculus, 196
suprachiasmatic nucleus (SCN), 224, 224f, 225f
surveys, 46–47
“survival of the fittest,” 111
sympathetic nervous system, 72–73, 466
synapses, 86, 94, 131–132, 298f
synaptic cleft, 94
synaptic plasticity, 99
synaptic pruning, 98, 132, 135
synaptic vesicles, 94
synesthesia, 167
syntax, 348, 353
syphilis, 128
systematic desensitization, 272, 690
systemic racism, 534
T
t-tests, 53
tabula rasa, 8, 19–20
tactile senses, 178–185
 and the brain, 179–180
 development of, 180–181
 disorders of, 182–185
tails, 447
“talking cure,” 15
 see also psychoanalysis
taste, 132, 172–177
 and the brain, 174
 development of, 174–175
 individual differences, 175–176
 regeneration in the taste system, 175
 taste aversions, and classical conditioning, 272–274
 taste disorders, 176–177
 types of tastes, 173
taste aversion, 272–274
taste buds, 173
taste disorders, 176–177
TAT. *See* Thematic Apperception Test (TAT)
teamwork, 563
technological advances, 26–27
telegraphic speech, 350
Teleogryllus oceanicus crickets, 111
television, violence on, 32–33
telomeres, 161
temperament, 144
temporal lobes, 80–81, 336
teratogens, 128–129
Terman, Lewis, 394
terminal buttons, 86f
tertiary prevention, 703
test-retest reliability, 391
testes, 151
tetrahydrocannabinol (THC), 242t, 254, 330
 see also cannabis
texture gradient, 200
thalamus, 78, 174, 196, 215–216, 650
THC. *See* tetrahydrocannabinol (THC)
Thematic Apperception Task (TAT), 456
Thematic Apperception Test (TAT), 510
theories, 35, 36, 55
theory of evolution, 107–112
theory of mind, 142, 142F, 377
theory of multiple intelligences, 387–388, 388t
theory of psychophysical performance, 393
therapist interpretation, 687
therapists, 671
therapy, 671
 see also treatment; *specific treatments and therapies*
 community mental health treatment, 703
 couple therapy, 702
 culture-sensitive therapies, 706
 effectiveness of, 704–707
 empirically supported treatment movement, 706
 evidence-based treatment movement, 706
 family therapy, 702
 feminist therapies, 706
 finding and choosing a therapist, 707
 formats of therapy, 700–704
 gender-sensitive therapies, 706
 group therapy, 701–702
therapy outcome studies, 704–706
theta waves, 225
third-wave cognitive-behavioural therapy, 696
third wave cognitive explanations, 645
thirst, 438–439
Thomas, Mercy, 154
Thompson-Cannino, Jennifer, 328
Thorndike, Edward, 15
Thorndike's puzzle box, 275, 275f
thought, 38f, 366–380
 automatic processing, 367–368
 controlled processing, 367–368
 decision making, 372–376
 and language, 363–366
 linguistic relativity hypothesis, 364–365
 metacognition, 376–378
 problem solving, 368–372
 problems with thought processes, 378–379
 thinking about our own thinking, 377
three-day measles, 128
three-stage memory model, 304f
threshold, 92, 169–170
throat singing, 188
Thurstone's seven factors of intelligence, 386t
timing, and learning, 291

tinnitus, 191
 tip-of-the-tongue phenomenon, 318–319
 Titchener, Edward, 11
 TMS. *See* transcranial magnetic stimulation (TMS)
 token economy, 691
 tolerance, 242, 270
 tonal languages, 187
 tone deafness, 188
 tonotopic map, 186–187
 top-down processing, 171, 189, 198
 Toronto Rehabilitation Institute, 100
 total focus, 240
 touch, 132, 178–185
 Tourette's syndrome, 263
 toxins, and brain injury, 102
 trait perspective, 501–507, 518–519
 transcranial magnetic stimulation (TMS), 66, 357, 685
 transduction, 192
 transference, 687
 transition, 162
 trauma, 653
 trauma and stressor-related disorders, 624t
 traumatic brain injury, 100, 623t
 traumatic events, 588–589
 TRC. *See* Truth and Reconciliation Commission (TRC)
 treatment, 671
 see also therapy; *specific treatments and therapies*
 behavioural therapies, 676t, 689–693
 biological treatments, 676t, 677–686
 clients, characteristics of, 673
 cognitive-behavioural therapies, 676t, 693–697
 comparison of treatments, 676t
 conducting treatment, 675–676
 entering and receiving treatment, 674
 formats of therapy, 700–704
 humanistic and existential therapies, 676t, 697–700
 psychodynamic therapies, 676t, 687–689
 in today's world, 673–677
 tree of life, 108f
 trends in psychology, 25–29
 trephining, 685
 triangular theory of love, 572, 572f
 triarchic theory of intelligence, 388
 trichromatic theory, 195
 tricyclics, 679
 Trisomy 18, 124f
 trust *versus* mistrust, 146, 158t
 Truth and Reconciliation Commission (TRC), 5, 50, 493, 672
 tumours, 102
 Turing Test, 211
 twentieth-century approaches to psychology, 13–21
 Twitter, 293
 two-factor theory of emotion, 476–478
 two-factor view of intelligence, 385
 tympanic membrane, 186
 Type A, 597, 607, 608f
 Type B, 597
 Type C, 597
 Type D, 597

U
 Uganda, 452
 umami, 173
 unanimity, 556
 uncanny valley, 549–550
 unconditional positive regard, 500, 697
 unconditioned response (UR), 266, 648
 unconditioned stimulus (US), 266, 648
 unconscious, 14, 491
 unconscious motivations, 455–456
 unconscious state, 218–219
 cognitive views, 219–220
 Freud's views, 220–221
 undergraduate degree in psychology, 28
 Undergraduate Stress Questionnaire, 584, 584t
 ungrouped frequency distribution, 714, 714t
 uninvolved parenting styles, 149t
 unique temperament, 144
 United Auto Workers, 674
 United Nations Committee on the Rights of the Child, 280
 universal tree of life, 108f
 utility, 373
V
 vagus nerve stimulation, 684–685
 validity, 391–392
 validity coefficient, 392
 validity items, 509
 values
 and the application of psychology, 39
 shared values, 24–25
 variability, 53f
 variable, 41
 variable interval schedule, 281, 282t
 variable ratio schedule, 281, 282t
 variance, 717
 variance analysis, 53
 vasomotor centre, 474
 ventromedial prefrontal cortex, 574
 ventromedial region of the hypothalamus (VMH), 440–441
 verbal information, 310
 vertebrates, 108, 109, 109f
 vesicles, 86
 vestibular sense, 205
 vibration, 178–185
 vicarious learning, 287, 536
 video games, 32–33, 48, 52, 297, 398, 527
 violation-of-expectation, 141
 violence
 see also aggression
 lateral violence, 284
 television violence, 32–33
 and video games, 32–33, 48, 52
 viral infections, 626
 Virchow, Rudolf, 87
 visceral organs, 475
 visible light, 192f
 visible minority groups, 158
 vision, 134
 visual agnosia, 197
 visual code, 309
 visual impairment, 204
 visual loss, 203–204
 visual perceptual organization, 198–203
 visual sense, 191–205
 see also sight
 visuospatial sketchpad, 304

VMH. *See* ventromedial region of the hypothalamus (VMH)
 vocalizations, 347
 voluntarism, 10
 voluntary participation, 57
 voyeuristic disorder, 624t
 Vygotsky, Lev, 143
W
 Wallace, Arthur, 110
 warmth, 514
 water jar problem, 370f, 379f
 Watson, John, 15–16, 16
 waxy flexibility, 655–656
 wear-and-tear theory, 161
 Wechsler, David, 394–397
 Wechsler Adult Intelligence Scale (WAIS), 394, 395–396f
 Wechsler-Bellevue Intelligence Scale, 394
 Wechsler Intelligence Scale for Children (WISC), 394
 well-defined problems, 368
 Wernicke's aphasia, 356
 Wernicke's area, 81, 81f, 105, 356
 Wertheimer, Max, 12
 Western cultures, 25
 “what” pathways, 197, 197f
 “where” pathways, 197, 197f
 Wiesel, Torsten, 19
 Wiggins interpersonal circle of traits, 505–506, 506f
 will, 10
 Wilson, Edward O., 19
 wisdom, 403, 499
 withdrawal, 655
 withdrawal symptoms, 242
 women
 see also gender and gender differences
 and anxiety disorders, 634
 and communal characteristics, 553
 and depressive disorders, 634
 menopause, 160
 notable women in psychology, 26
 ovulation, and sense of smell, 176
 and psychology, 25
 work through, 688
 working backwards, 369–370
 working memory, 83, 304, 305, 308
 duration of, 314
 enhancement of, 314
 storage, 313–314
 storage limits, 313–314
 workplace bullying, 157
 World Congress on Positive Psychology, 37
 worrying, 644f, 645
 Wright, Mary, 26
 Wundt, Wilhelm, 9, 10–11, 10f, 23
Y
 Yangyang, 39f
 Yates, Andrea, 638
 yawning, 552
 Yerkes-Dodson law, 433–434, 433f, 581
 yoga (laughter yoga), 609
 “You Think You Know Ghetto?” test, 399, 399t
 Young-Helmholtz trichromatic theory, 195
Z
 Zika virus, 128
 zone of proximal development, 143
 Zoom, 533
 zygote, 126