

Subject Index

- accelerated life testing 358, 603, 604, 638,
640, 641, 643, 644, 646
- acceptable quality level (AQL) 354, 672,
673, 679, 685, 690–697, 821, 822
- acceptance
number 674, 675, 690, 693, 696, 821
region 139, 150, 198
sampling 20, 354, 358, 671, 672,
674–71, 685–687, 694–695, 701,
702
- accuracy 5, 11, 18–19, 42, 43, 325, 326,
330, 546, 550, 582, 634, 707
- actuarial estimator 624
- additive linear models 476–478
- alfa-trimmed mean 39
- alfa-trimmed standard deviation 41
- aliases 523, 524, 543, 802
- alternative hypothesis 4, 139, 147, 179,
181, 196, 401, 405, 406
- American National Standard Institute
(ANSI) 671, 689
- American Society for Quality (ASQ) 358,
689, 775
- analysis of variance (ANOVA) 184–186,
197, 198, 225, 235, 241, 242,
247–251, 263, 265, 266, 269, 270,
334, 483–485, 487, 489–491,
495–501, 540–544, 571, 743,
753–759, 797–801, 805
- ANOVA Table 248, 251, 483, 484, 489,
501, 536, 540, 758
- arcsin transformation 264, 266
- Arrhenius law 641
- ASN function 635–638, 678, 680, 681,
696
- assignable causes 363, 372, 381, 396, 462
- attained significance level 142, 407
- automatic process control 355, 441–444,
448
- autoregressive integrated moving average
(ARIMA) 306, 307, 317–319, 768
- availability 358, 557, 603–606, 610–617,
643, 662–665, 814
- availability function 612, 614, 641, 645
- average outgoing quality (AOQ) 679, 688,
696, 697, 822
- average outgoing quality limit (AOQL)
688, 689, 695
- average run length (ARL) 396, 408–410,
414, 423–427, 430–432, 434, 444,
447, 790, 791
- average sample number (ASN) 635–638,
643, 646, 678–681, 695, 696, 820,
821
- average total inspection (ATI) 688, 689,
695–697, 822

- balanced incomplete block design (BIBD)
 - 476, 486–489, 541
- balanced sample 293
- bar diagram 21, 23, 24
- basic probability results 47, 50–53, 55, 58
- batches 188, 204, 209, 270, 305, 440, 460,
 - 463–465, 467, 468, 542, 559, 666,
 - 744, 799
- Bayes decision function 167–169
- Bayes estimation of the current mean
 - (BECM) 433, 435–436
- Bayes estimator 170, 436, 624, 653–656,
 - 665–669
- Bayes' formula 57–59, 121, 165, 428,
 - 715
- Bayes risk 167–170
- Bayesian decisions 5, 162–171, 198, 358,
 - 649
- Bayesian detection 355, 401, 427–432,
 - 444
- Bayesian hierarchical model 601
- Bayesian network (BN) 59
- BECM procedure 435–436
- Bernoulli trials 70, 152, 186, 681,
 - 683–684
- beta distribution 92–94, 128, 130, 152,
 - 164, 165, 199, 461, 650, 651, 654,
 - 656, 663, 682
- beta function 93, 650, 668, 682
- binomial distribution 67, 70–73, 75–80,
 - 102, 112, 115–116, 125, 126, 129,
 - 138, 139, 142, 147, 148, 152, 153,
 - 164, 172, 187, 191, 192, 200, 202,
 - 263, 412, 418, 425, 463, 626,
 - 650–651, 719, 733, 788
- binomial experiments 263–265, 651
- binomial testing 200, 631–632
- bivariate frequency distribution 213
- bivariate normal distribution 105–114,
 - 128, 129, 199, 457, 459, 599, 726,
 - 730
- block designs 476, 478–489, 540
- block diagram 372, 607–609, 644, 814
- blocking 357, 475–476, 485, 490, 492,
 - 521–526, 540, 541, 581, 797
- Bonferroni's inequality 815
- bootstrap
 - ANOVA 198, 247
 - confidence intervals 175, 179, 182, 198,
 - 203, 616, 627, 630, 740, 743
 - confidence limits 174, 175, 182, 630,
 - 743
 - correlation 203
 - distribution 174, 177, 197, 616
 - estimate 174, 175, 204, 616, 743
 - linear regression 197, 205
 - method 162, 174–176, 180, 185, 188,
 - 198, 701
 - population (BP) 177
 - quantiles 174, 182
 - sampling 174–177
 - standard errors 203
 - testing 176–186
 - tolerance interval 186–191
- the bootstrap method 162, 174–176, 180,
 - 185, 188, 198
- box and whiskers plot 36–37, 42, 213
- boxplot, multiple 208–210, 265, 266,
 - 746, 747
- burn-in procedure 641–643
- business intelligence (BI) 6, 351
- canonical form 539
- canonical representation 538–540
- capability maturity model integrated
 - (CMMI) 356
- categorical data analysis 263–266
- Cauchy distribution 65, 717

- cause and effect diagrams 380, 382–383, 396
- c*-chart 371, 372
- censored observations 618
- center line 371, 372, 375
- central limit theorem (CLT) 114–115, 121, 129, 133, 177, 198, 263, 281, 730, 761
- central moments 65, 67, 68, 87, 121, 125, 126, 281, 717, 719, 720, 723
- change point 423, 428–430, 433, 434, 436, 448, 784
- Chebyshev's inequality 35, 133
- check sheets 380, 382, 396
- chi-square automatic interaction detector (CHAID) 326
- chi-squared distribution 117, 145–147, 161
- chi-squared statistic 260, 261, 760
- chi-squared test
for contingency tables 266
for goodness of fit 131, 159–161, 197, 202
- chronic problems 362, 369, 370, 396
- circuit pack assemblies (CPA) 474
- circular tolerance regions 468
- class intervals 25, 28, 38
- classification and regression trees (CART) 326, 327, 331, 344, 769
- clustering 6, 10, 206, 334–337, 356, 401, 402, 771, 772
- coal mines disasters 44
- code variables 209, 210, 265
- coding 19, 455, 534
- coefficient of determination 219, 221, 265, 267, 812
- coefficient of variation 34, 44, 292, 293, 615, 709
- combinatoric designs 486, 488
- common causes 362, 366, 369–372, 375, 377, 396, 401, 416, 440, 601
- comparison of treatments 179, 247, 248, 251, 263, 476, 478–482, 484
- complementary event 48, 51, 57
- complete block design (CBD) 478–485, 540
- computer aided design (CAD) 350
- computer aided drawing and drafting (CADD) 350
- computer aided manufacturing (CAM) 350
- computer based experiments 550
- computer integrated manufacturing (CIM) 350
- computerized numerically controlled (CNC) 210–211, 370
- conditional distribution 94–104, 106, 121, 128, 214–215, 459, 642, 725, 746
- conditional expectation 99, 100, 655
- conditional expected delay (CED) 423–427, 430, 431, 434, 435, 444, 448, 791
- conditional frequency distribution 205, 215, 259, 267, 748
- conditional independence 59
- conditional probabilities 55, 56, 58, 59, 104, 123, 128
- conditional probability density function 99, 100
- conditional variance 100, 101, 128
- confidence intervals 149–153, 175, 177, 179–182, 187, 188, 196, 197, 201–203, 251–254, 281, 284, 296, 307, 378–380, 395, 397, 465, 469, 484, 485, 501, 503, 543, 556, 561, 616, 624–626, 630, 631, 646, 655, 659–661, 736, 737, 740, 741, 743, 778, 799, 800, 819

- confidence level 35, 149–151, 154, 155, 175, 178, 188, 190, 191, 201, 203, 251, 254, 281, 285, 378, 379, 397, 465, 655, 698, 737, 778
- conjugate distributions 668
- consistent estimator 133, 198, 199, 246, 440, 626, 730
- consumer's risk 672, 673, 675, 687, 695, 696
- contingency tables 5, 205, 254–266, 271
- contingency tables analysis 205, 261, 266
- continuous flow production 4, 350, 359, 360, 775
- continuous random variable 20, 25–28, 42, 60, 62–64, 89, 95, 105, 121, 472, 606, 611, 685
- continuous variable 20, 188–189, 330, 331, 474–476, 697, 771, 821
- contrasts 251, 252, 266, 501, 511, 522
- control charts
 - for attributes 371, 375, 388–390, 396
 - for variables 371, 375, 390–396
- control strategy 560, 564, 566, 577
- controllable factors 471, 475, 540, 550, 551, 571, 796
- convergence in probability 110, 121
- convolution 129, 611
- Cook distance 244, 245, 266, 269
- coordinate measurement machines (CMM) 7
- correlation 97–102, 103, 105, 128, 137, 156–159, 199, 203, 205, 215–223, 226, 229–232, 238–240, 258, 259, 263, 265–269, 295, 297, 300–305, 317, 318, 320, 371, 461, 462, 591, 592, 724, 725, 732, 748, 749, 761, 767, 768
- covariance 97, 98, 129, 215, 301–303, 305, 308–309, 314, 316–318, 338, 449, 450, 457, 458, 460, 591, 767
- covariance matrix 308, 314, 338, 449, 450, 453, 457, 458, 460, 462–464, 468, 469, 553, 578, 597, 752
- covariates 5, 6, 290–295, 326, 330
- coverage proportion 284, 285, 296
- Cramér's index 760
- credibility intervals 171, 202, 655, 656, 663, 669, 739
- critical quality attribute (CQA) 559–561, 577
- critical region 139–144, 146–149, 402
- cumulative distribution function (c.d.f.)
 - 61–64, 66, 68, 71–74, 76–78, 80, 83, 84, 87, 88, 90, 92, 93, 95, 106–109, 114–117, 121, 140, 146, 148, 159, 190, 245, 404, 606, 618–620, 643, 673
- cumulative frequency distribution 22, 27
- cumulative hazard rate 607
- cumulative sum (CUSUM) 355, 372, 401, 414–417, 419, 421, 423, 425, 432, 444, 448, 790, 791
 - for binomial distributions 418, 425
 - for normal distributions 414, 418, 424, 427
 - for Poisson distributions 419, 420, 424, 426
 - parameters 414, 419, 421, 423, 425–427
 - chart 396, 414–427, 444
- cumulative sum control charts 396, 414–427, 444
- current good manufacturing practices (cGMP) 356, 559, 577,
- customer requirement 349, 350, 355, 358, 546
- customer's tolerance interval 547
- cycle time 13, 14, 30, 45, 60, 161, 162, 189, 192, 203, 204, 269, 361, 363–368, 370–372, 375–378, 388,

- 397, 398, 445–447, 498–501, 503, 508, 531, 532, 542, 546, 577, 579, 584, 588, 592, 594, 595, 601, 610, 611, 615, 643, 744, 758, 778, 781, 783, 784, 789, 815
- defects in parts per million (PPM) 126, 398, 440, 666, 780
- defining parameters 521–524, 543, 802
- degree of fractionation 522, 524, 525
- degrees of freedom 117, 118, 120, 146, 151, 152, 160, 161, 201, 221, 227, 232, 234, 237, 248, 462, 464, 468, 469, 479, 516, 518, 519, 581, 582
- De-Morgan Rule 50
- design and analysis of computer experiments (DACE) 357, 581, 591, 595, 600, 701,
- design of experiments (DoE) 10, 13, 350, 471, 559, 560, 577, 702
- design parameters 548, 550–553, 556
- design space 559–561, 564, 566, 591, 596, 597
- desirability function 33, 564, 565
- deterministic component 42, 218, 707
- difference in fits distance (DFIT) 245, 266
- directed acyclic graph (DAG) 59
- discrete random variables 20–25, 59, 60, 95, 98, 124, 137, 164, 618
- discrete variable 20, 61, 475
- disjoint events 51, 57, 122, 123
- disqualification 691
- distribution free estimators 667
- distribution free tolerance limits 190, 197, 201
- distribution median 195
- distribution of F-ratio 120
- distribution quantiles 37, 38
- document term matrix (DTM) 6, 341, 342
- double-sampling plan 358, 671, 678–680
- Dow-Jones financial index 437, 438
- down time 605, 606
- drift in the mean 414
- dynamic linear model (DLM) 312–317, 439, 441, 442
- dynamic programming 443, 684, 698
- economic design 355, 411–414
- elementary events 47, 48, 122, 713
- empirical Bayes method 440, 668
- empirical bootstrap distribution (EBD) 174, 176–178, 180, 181, 183, 185, 186, 188, 203, 616, 646, 741, 742, 820
- emulator 595–596, 600, 601
- equivalent events 15, 18, 24, 48, 56
- estimator 133–136, 150, 170, 176, 177, 188, 198, 247, 278–281, 284, 287–290, 295, 390, 433, 434, 458, 464, 485, 505, 506, 519, 522, 547, 552, 622, 626, 666
- European Quality Award (EFQM) 355
- event 47–49, 52–55, 57, 58, 60, 61, 70, 76, 100, 109, 122, 123, 129, 201, 366, 371, 372, 382, 428, 655, 815
- EWMA control charts 434, 448
- EWMA control procedure 414
- expected frequency 159, 161, 260, 705, 739
- expected loss 163, 527, 547, 653
- expected value 64–66, 71, 74, 75, 78, 80, 81, 85, 87, 88, 90, 97, 99–101, 108, 109, 112, 114, 118, 120, 121, 125–130, 136, 176, 177, 274, 279, 295, 407, 433, 434, 444, 445, 457, 459, 462, 463, 465, 477, 522, 551–555, 578, 600, 607, 645, 650, 651, 667, 688, 706, 722, 725, 808, 809

- experiment 14, 15, 47, 48, 55, 122, 209, 245, 246, 481, 503, 516, 521, 557, 558, 567, 572, 581–583, 587, 628, 796, 797
- experimental array 471, 540, 557, 561, 571, 574, 585, 592, 601
- experimental layout 471–473, 475, 796
- explainable 219, 226, 235, 237, 238
- exponential distribution 88–90, 125, 127, 129, 133, 200, 447, 547, 598, 607, 620, 626, 628, 632–641, 645, 646, 652, 654–655, 668, 695, 721
- exponentially weighted moving average (EWMA) 372, 433–436, 443, 444, 448, 791, 792
- external feedback loop 369, 370, 372, 396
- external sources 548
- external targets 468, 469
- extract-transform-load (ETL) 9

- factor levels 24, 183, 475, 503, 531, 540, 546, 551, 557, 561, 564, 565, 567, 571, 572, 574, 575, 581, 584, 585, 796
- factorial designs 475, 496–501, 503–526, 530, 540, 543, 545, 557, 560–563
- factorial experiments 475, 495–521, 543, 551, 556, 559, 561, 577, 702, 796
- failure intensity function 612
- failure rate 89, 257, 604, 606, 643, 644, 660, 661, 665
- failures per million (FPM) 255, 257
- fidelity level 597, 598, 601
- finite population 5, 20, 53, 60, 131, 133, 175, 197, 273–296, 761
- finite population multiplier 283, 295
- fire fighting 776
- fishbone charts 382
- flow charts 380, 382, 396
- food and drug administration (FDA) 356, 464, 468, 559, 577
- fractional factorial designs 357, 504, 540, 557
- fractional replications 475, 504, 521–526, 543, 545, 559, 566, 579
- free time 605
- frequency censoring 618, 628, 646
- frequency curve 381
- frequency distribution 20–29, 42, 44, 94, 132, 133, 159, 160, 172, 173, 202, 205, 208, 210–215, 259, 265–267, 270, 278, 644, 666, 669, 708, 739, 747, 748
- F*-statistic 221, 227, 232, 234, 249, 483, 497, 518, 536
- functional data analysis (FDA) 5, 6, 10, 337–340, 343, 344, 702
- functional principal component analysis (FPCA) 338

- gage repeatability and reproducibility (GR&R) 18
- gamma distribution 90, 114, 116, 128, 171, 199, 439, 578, 597, 615, 651, 662
- Gaussian distribution 32, 35, 81
- generators 13, 50, 275, 523–526, 543, 581, 582, 625
- geometric distribution 78–80, 126, 720
- geometric mean 33, 44, 564
- Google file system (GFS) 325
- guiding principles for experimental designs 471–475

- hazard function 606, 612, 814
- headstart values 423
- highest posterior density (HPD) 171, 202, 660, 739

- high-performance liquid chromatography (HPLC) 337–338
- Histograms 8, 45, 203, 215, 293, 295, 381, 382, 396, 455, 456, 710, 741, 762
- homogeneous groups 253, 270, 326, 489, 760
- hypergeometric distribution 73–76, 104, 126, 283, 673, 676
- hyper-rectangular tolerance regions 468
- ICH guidelines Q8-Q11 559, 577
- idempotent matrix 268
- inclusion relationship 48
- incomplete beta function ratio 93, 682
- independence of categorical variables 225, 259
- independent and identically distributed (i.i.d.) 107, 110, 114, 115, 117, 118, 133, 137, 190, 280, 290, 315, 417, 439, 458, 644
- independent events 56, 57, 121, 123
- independent random variables 99, 101, 112–114, 127–130, 136, 247, 286, 437, 439, 473, 477, 478, 496, 506, 554, 586, 611, 668, 722, 726, 728
- independent trials 70, 78, 102, 121, 151, 201, 263, 665, 669
- indices of association 258–263, 265
- information quality (InfoQ) 5, 8–11, 471
- initial public offering (IPO) 11
- inline process control (IPC) 6
- inner array 557, 558, 577
- in process inspection (IPI) 694
- inspection
 - normal 690, 692, 697
 - reduced 690, 695, 696
 - tightened 690, 697
- inter quartile range (IQR) 34, 36, 41
- interactions 362, 475, 478, 483, 490, 495–497, 500–503, 505, 507, 509, 511–514, 519–521, 523, 532, 540–543, 558, 559, 561, 563, 564, 571, 572, 582, 583, 591, 594, 797, 799, 801, 802, 808, 809
- intercept coefficient 218, 221, 227, 229, 231, 232, 234, 516, 517
- internal feedback loop 356, 369, 370, 372, 396
- internal sources 548, 550
- internal targets 468
- interquartile range 34
- interruption 604, 691
- intersection of events 49, 57
- interval estimator 150, 284
- intrinsic availability 605, 606, 643, 814
- inventory management 163
- inverse document frequency (IDF) 341
- Ishikawa diagrams 382
- JMP 5, 13, 77, 174, 207, 298–301, 327, 361, 404, 456, 498, 561, 584, 658–662, 769
- job shop 4, 350, 359, 360, 775
- joint distribution 59, 97, 105, 109, 121, 128, 457, 553, 578
- joint frequency distribution 211–214, 266, 747, 748
- joint probability density function 59, 102
- just in time 355
- Kalman Filter 433, 436–439, 442, 444, 448, 792, 793
- Kaplan-Meier survival function 622, 646, 819
- Kolmogorov-Smirnov test (KS) 162, 198, 586
- k out of n system 610
- Kriging 357, 584, 585, 591–593, 600, 701

- kurtosis 31–33, 35, 42, 44, 66, 68, 69, 82, 89, 121, 125, 126, 128, 709, 717, 719, 720, 723
- Lagrange multiplier 290
- Lagrangian 290, 537, 731
- Laplace transform 70, 611–614, 645, 816
- Latin hypercubes 585–587, 590, 592, 594–596, 600, 601, 702
- Latin squares 490–495, 540, 542, 799
- law of iterated expectation 121
- law of large numbers (LLN) 114, 121, 134, 600, 666
- law of total variance 101, 121
- least squares 135–137, 197, 218–225, 229, 233, 242, 267, 298, 301, 310, 317, 326, 437, 622
- least squares estimator 135, 136, 198, 225, 227, 304, 502, 507, 508, 514, 592, 624
- length of runs 407–408
- level of significance 139, 147, 150, 151, 177, 183, 185, 192, 204, 249, 253, 264, 265, 387, 404, 407, 479, 511, 561, 631, 633, 673, 734
- life distribution 603, 606, 618, 619, 622, 624, 631, 632, 641–646, 649, 654, 655, 658
- life length 127, 249, 547, 603, 606, 607, 644, 815, 820
- likelihood function 137, 138, 198, 428, 625, 626, 629, 652, 659, 662, 732
- likelihood ratio 328, 417, 429, 634, 636, 639
- likelihood statistic 138
- limiting quality level (LQL) 671–673, 679, 685, 695–697, 821
- linear congruential generator 50
- linear combination 109–114, 136, 251, 282, 302, 306, 317, 342, 450
- linear graph 558, 572, 577
- linear model 218, 224, 225, 239, 269, 312, 475, 476, 478, 483, 506, 507, 537, 767
- linearity 18
- log-normal distribution 81–88, 127, 158
- loss function 163, 167, 170, 546, 547, 571, 576, 577, 653–655, 665, 667
- lot 75, 76, 672, 687–69
- lot tolerance percent defective (LTPD) 671
- lower control limit (LCL) 371, 372, 375, 387, 388, 390–394, 396, 411, 412, 423, 444, 446, 461, 559, 560, 564, 779, 781, 782, 788
- lower specification limit (LSL) 397, 458, 459, 546, 560, 685
- lower tolerance limit 154, 155, 459, 686, 687
- lower warning limit (LWL) 387, 396
- macro
- BINOPRED.MTB 187, 197, 204
 - BOOT1SMP.MTB 197
 - BOOTPERC.MTB 197, 203, 741
 - BOOTREGR.MTB 197, 203, 743
- Mahalanobis T^2 467, 468
- main effects 475, 477, 478, 483, 484, 490, 492, 495–497, 501–503, 505, 507, 509, 511–514, 519–521, 524, 531, 533, 540–543, 551, 552, 558, 559, 564, 571–573, 575, 576, 579, 594, 797, 800, 802, 808, 810
- manufacturer's tolerance 547
- marginal distribution 94–96, 100–102, 104, 105, 121, 214, 278, 332, 457, 723, 725
- marginal frequencies 211, 215
- marginal probability density function 95, 96, 98, 128, 649, 723

- mass production systems 350, 359, 775
 matrix scatterplot 206, 265
 maximum likelihood estimator (MLE)
 137–139, 197, 198, 428, 458,
 624–628, 659, 732
 mean squared contingency 261, 271, 760
 mean squared deviation (MSD) 248
 mean squared error (MSE) 293, 295, 296,
 484, 485, 487, 491, 492, 547, 550,
 552, 553, 556, 568, 570, 577, 581,
 764, 806–807
 mean time between failures (MTBF) 605,
 646, 695
 mean time to failure (MTTF) 116, 606,
 607, 617, 618, 625, 638, 641–645,
 647, 655, 669, 814, 815, 820
 mean vector 335, 450, 462, 463, 468
 measurements 7, 13, 15, 16, 18–19, 23,
 30, 31, 34, 35, 43, 47–48, 122, 155,
 203–205, 210, 211, 217, 218, 226,
 281, 290, 326, 334, 337, 356, 364,
 366, 369–372, 377, 381, 388, 391,
 454, 455, 460, 462, 471–474, 485,
 559, 574, 582, 672, 686, 706, 707
 metamodel 596, 600, 701
 MIL-STD-414 695
 MIL-STD-105 354, 689, 690, 692, 694
 minimal sufficient statistic 662, 668
 MINITAB 5, 15, 71, 147, 209, 275,
 298–301, 327, 371, 373, 376, 404,
 454, 479, 555, 587, 603, 671, 705
 mixing 47, 402, 597, 650, 651
 mixture design 577
 mixtures of distributions 34, 35
 mode 545, 594
 model 10, 47–130
 moment equation estimator 134–135,
 197, 199, 730
 moment generating function (m.g.f.)
 69–71, 74, 76, 79, 81, 82, 92, 93,
 112, 114, 115, 121, 125–128, 600,
 611, 719, 721, 722, 732
 moments 64–66, 70, 81, 82, 121, 125,
 126, 134, 198, 199, 281, 669, 717,
 719, 720, 723, 730
 monitoring indices 464, 468
 multi-hypergeometric distribution
 103–104
 multinomial distribution 102–103
 multiple box-plot 208–210, 265
 multiple comparisons 251–254, 265, 266,
 542, 760
 multiple regression 5, 219, 223–230,
 235–239, 243, 247, 265, 268, 507,
 512–514, 750, 752
 multiple squared correlation 226, 265
 multivariate control charts 444, 449, 456,
 460–464
 multivariate process capability indices
 457–459, 468
 multivariate statistical process control
 338, 449–469, 795
 multivariate tolerance region 468
 mutual independence 57, 121

 negative-binomial distribution 79, 199
 nonconforming item 139–142, 153, 204,
 672, 673, 691, 693, 694, 696
 non-parametric test 191–198
 normal approximation 115–117, 129,
 147, 153, 177, 200, 284, 387, 392,
 402, 406, 412, 444, 625, 626, 631,
 632, 677, 783, 788, 790
 normal distribution 35, 41, 81–86, 127,
 129, 133–135, 138, 142–147, 149,
 151, 153–156, 158–162, 164, 169,
 190, 198, 200–202, 377–379, 397,
 398, 403, 405, 409, 414, 418, 424,
 427, 429, 434, 436, 442, 448, 457,

- normal distribution (*cont'd*)
 501, 553, 554, 564, 567, 578, 600,
 619, 676, 685, 687, 709, 771
- normal equations 233, 267, 304
- normal independently distributed (NID)
 325
- normal inspection level 690
- normal probability plot 156–160, 198,
 300, 361, 364, 737, 738, 740, 750,
 817, 818
- normal scores 156, 158, 198, 817
- np*-chart 371, 372
- null event 48
- null hypothesis 4, 139–143, 145, 147,
 152, 162, 167, 173, 175–177,
 191–193, 196, 200, 204, 249, 251,
 263, 264, 387, 402, 463, 479, 495,
 497, 498, 631, 632, 743, 744, 760
- objectives 442, 471, 472, 474, 546, 550,
 559
- observed frequency 159, 161, 259, 260
- OC curve 140, 141, 412, 413
- off-line quality control 545–553, 570, 577
- one way layout ANOVA 248
- one-armed bandit (OAB) 681, 682, 684
- ongoing chronic problems 369
- operating characteristic (OC) 411, 413,
 640, 678, 696
- operating characteristic curve 200, 676
- operating characteristic function 140, 142,
 144, 146–148, 198, 411, 444, 695
- operating time 605, 606
- operational readiness 605, 606, 643
- operational risk 560
- optimal allocation 287, 290, 295, 296
- order statistics 28, 34, 35, 44, 94,
 107–111, 121, 162, 188, 190, 390,
 618, 623
- orthogonal array 473, 557–559, 571, 574,
 576, 578
- outer array 557, 577
- outliers 34, 36, 39, 41, 45, 218, 326, 335,
 712, 795
- Page's control schemes 401, 422, 423, 425
- paired comparisons 476, 478–482, 541,
 797
- parallel connection 608
- parameters
 design 546–553, 577
 space 133, 134, 137, 150, 164, 167,
 170, 198, 649, 652, 655
- parametric empirical Bayes 440
- parametric family 133, 137, 666
- Pareto chart 380–382, 384–387
- partial correlation 230, 231, 238–240,
 265, 266, 268, 269, 304, 317, 749
- partial regression 229–232, 265, 266,
 268, 749
- partial-*F* test 238, 265, 266
- partition of sample space 50, 54, 58, 122
- p*-chart 371, 372, 389, 411–414, 445, 786
- performance measures 13, 356, 546, 547,
 577
- physical experiments 550, 581–584,
 596–598, 600, 601
- piston 13, 14, 30, 45, 161, 162, 189, 192,
 203, 204, 269, 361–364, 366, 367,
 370–372, 375–378, 388, 396–399,
 498, 500, 501, 503, 508, 531, 542,
 546, 577, 584, 594, 784, 786, 806,
 808, 810, 811
- piston simulator 13, 269, 361, 362, 366,
 367, 396–399, 445, 498, 531, 546,
 564, 584, 585, 587, 589, 590, 592,
 594, 595, 600, 601, 786, 806
- point estimator 134, 197, 198, 624

- point identification 53, 58, 186, 274, 354, 367, 380, 559
- Poisson distribution 76–78, 89, 113, 116, 126, 128–130, 134, 146, 164, 171, 199, 201, 202, 419, 420, 424, 426, 439, 448, 613, 651, 665, 666, 668, 719
- Poisson process 598, 639–640, 646
- population
 - list 273, 274
 - mean 64, 114, 133, 154, 179, 186, 187, 197, 247, 273, 274, 276, 278, 280, 281, 285, 286, 288, 296
 - quantiles 295
 - quantities 273–296
- posterior distribution 5, 163–167, 169–171, 202, 313, 436, 439, 441, 597, 649–657, 661, 662, 665, 667, 668, 681, 739
- posterior expectation 170, 202, 313, 439, 651–653, 668
- posterior probability(ies) 58, 59, 121, 169, 428, 655, 682, 739
- posterior risk 169, 170, 653, 668
- power circuit simulator 812
- power function 141, 145, 146, 149, 198, 200, 736
- practical statistical efficiency (PSE) 357–360
- precision 3, 18–19, 42, 43, 133, 274, 279, 290, 295, 330, 368, 370, 433, 472, 473, 475, 582, 616, 628
- precision of an estimator 279, 295
- predicted values 222, 223, 225, 228, 236, 243, 245, 266, 328, 329, 344, 641
- predicted values, FITS 235, 265
- prediction errors 5, 307, 325
- prediction intervals 5, 34–35, 42, 187, 223, 224, 265, 655–658, 667, 669
- prediction intervals, normal 35
- prediction model 290–296, 764
- prediction MSE 295, 296, 764, 766
- prediction profiler 565, 577
- prediction unbiased 295, 296, 764
- predictive distribution 439, 657, 658, 668, 669, 682
- predictive probability density function 164–167, 649, 657, 665, 667
- predictors 136, 224–226, 229, 230, 232, 239, 240, 243, 246, 265, 291–293, 296, 306, 308–312, 317, 318, 326, 331–334, 512, 531, 755
- principal component analysis (PCA) 338, 342
- principal components 338, 340, 342, 458, 459, 468, 564
- principle of least squares 218, 224, 225
- prior distribution 169, 202, 313, 428, 436, 597, 649–655, 657, 660, 664–666, 668, 669, 681, 683
- prior probability 121, 167, 170, 202, 328
- prior risk 167
- probability axioms 51, 52
- probability density function (p.d.f.) 60–63, 65, 67–75, 77–83, 86, 88, 90, 92, 93, 97, 137, 404
- probability function 51, 53–55, 56, 60, 78, 102
- probability of events 121
- probability of false alarm (PFA) 423–427, 430, 431, 434, 435, 444, 448, 791
- process improvement 352, 355, 380–383, 395
- process capability
 - analysis 376, 401
 - indices 355, 377–380, 396, 457–459, 467, 468
 - study 355, 369, 371, 375–377, 381, 396, 457, 460

- process control 8, 9, 349–351, 354, 355, 358, 359, 361–399
 process tracking 355, 432–441, 444
 producer's risk 672, 673, 686, 694, 696
 product limit estimator (PL) 622–624, 643, 646
 project evaluation and review technique (PERT) xxiv
 proportional allocation 287–290, 295, 763
 proportional rule 441
 protocol 47, 384, 472, 475, 796
 p -th quantile 134, 178, 188, 191, 198, 201, 439, 682
 p -value 4, 142, 144, 173, 179, 181, 191–194, 196, 198, 203, 204, 221, 227, 232, 234, 237, 238, 250, 251, 264, 328, 403, 405, 479, 480, 482, 495, 501, 518, 536, 734, 752, 797, 803
 Q - Q plot 156, 158, 201, 619–621, 630, 645, 646, 818
 quadratic model 513, 527
 qualification 691–693, 697, 822
 quality by design (QbD) 352, 355–360, 468, 545–579, 595, 776, 806–807
 quality engineering 356, 545, 577
 quality ladder 10, 352, 353, 356, 357, 359, 545, 643
 quality management 352, 359
 quality measurement plan (QMP) 439–441, 444
 quality planning 7, 357, 395, 577
 quality productivity dilemma 351–353, 359
 quantile(s)
 plot 36–38, 42
 vs. quantile plot (Q - Q plot) 156, 158, 201, 619–621, 630, 645, 646, 816, 818
 random censoring 618, 623
 random component 17, 18, 42, 218, 224, 291, 583
 random measurements 47–48
 random numbers 13, 15, 50, 53, 158–160, 275, 398, 581, 598, 600, 618, 691, 781
 random numbers generation 598
 random sample 20, 53–55, 60, 70, 76, 104, 110, 122, 133, 169–172, 177, 180, 182, 247, 274–275, 378, 404, 445, 598, 619, 644, 649, 650
 random sample with replacement (RSWR) 20, 42, 43, 54, 55, 71, 121, 122, 172–178, 180, 183, 185–189, 198–200, 249, 274, 275, 278–281, 283, 288, 293, 295, 479, 707
 random sample without replacement (RSWOR) 20, 42, 43, 54, 55, 60, 73, 75, 103, 104, 121, 126, 274, 275, 278, 279, 282–289, 291, 295, 296, 525, 761
 random variable 15, 20, 28, 61, 65, 73, 78–80, 83, 85, 86, 89, 100, 115, 118, 125–128, 132, 190, 603, 673, 716, 728, 815
 randomization 176, 197, 357, 475–476, 540, 581, 583, 659, 797
 randomization test 191, 193–195, 197, 204, 270, 479–482, 541, 758, 759
 randomized complete block design (RCBD) 476, 478–485
 randomness 47, 214, 353, 372, 396, 401–408, 444, 582, 584, 705, 767, 778, 783, 784, 786
 ratio predictor 291–293, 295

- rational subgroups 375, 388, 396
- R-charts 372, 374, 392–395
- rectifying inspection 687–689, 695, 696
- reduced inspection level 690, 696
- reference distribution 158, 172–173, 176, 177, 193, 194, 196–198, 479
- reference sample 460–464, 467, 468
- regression coefficients 136, 203, 218, 221, 223–225, 227, 229, 230, 232–234, 244–246, 265, 267, 268, 290, 291, 527, 572, 750
- regression diagnostics 242–245, 265, 266
- regularised expression (Regex) 341
- rejection region 139, 141, 198, 402
- reliability function 603, 606–608, 610, 622–624, 643, 645, 646, 656, 667, 815
- reliable 249, 560, 603, 609, 640
- renewal density 613, 645
- renewal function 612, 614, 643
- renewal process 611, 616, 645
- repair intensity function 612
- repeatability 18, 19
- reproducibility 18, 19
- residuals around the regression 222, 225, 226, 235, 238, 265
- resistant regression 211–213, 252, 253, 265–267
- resolution 9, 504, 524, 525, 543, 558, 559, 596, 802
- response surface 527–540, 561, 577, 703
- response variable 4, 471, 472, 474, 475, 540, 541, 554, 571, 574, 586, 587, 796
- resumption 691, 692
- right censoring 618, 658, 659
- risk management 356, 357, 559, 560, 577
- robust correlation 265
- robust design 7, 577, 586, 596
- robust standard deviation 36, 38–41, 331, 391
- robust statistics 36, 38–42
- root mean squared error (RMSE) 325
- rotatable designs 530, 531
- run(s)
 - above or below 372, 403–406, 414
 - charts 6, 8, 361, 363, 371, 380, 382, 396, 783, 785, 786
 - length 408, 409, 423–427, 431, 432, 462
 - test 401, 405, 413, 444, 445, 783, 784
 - up and down 406–408
- saddle point 539
- sample
 - allocation 287, 295
 - correlation 203, 215, 216, 218, 226, 259, 265, 295
 - covariance 215, 216, 338, 458
 - kurtosis 31, 32
 - maximum 28, 44, 107
 - mean 30, 31, 33, 35, 36, 38, 39, 42, 110, 114, 116, 120, 132, 133, 135, 136, 142, 145, 150, 151, 154, 160, 161, 172, 173, 175, 177, 178, 180, 184, 197–200, 202, 203, 215, 218, 225, 248, 253, 265, 270, 276–278, 280, 291, 295, 296, 372, 376, 378, 396, 408, 425, 429, 431, 433, 436, 440, 444, 447, 448–450, 577, 625, 686, 732, 741, 758, 785
 - median 28, 29, 31, 44, 124, 192, 403, 715
 - minimum 28, 35, 44, 200
 - percentile 29
 - quantiles 29, 37, 156
 - quartiles 28, 29
 - range 28, 372, 390–392
 - realization 625

- sample (*cont'd*)
- skewness 31, 35
 - space 47–50, 53–56, 58–61, 121, 122, 124
 - standard deviation 31, 38, 41, 118, 144–146, 151, 155, 177, 182, 203, 374, 376, 378, 390–392, 395, 427, 741, 785
 - variance 31, 42, 110, 117–118, 132, 151, 175, 176, 182, 183, 200, 215, 219, 225, 226, 233, 278, 284, 295, 396, 440, 449, 667, 743, 744
- sampling distribution 114, 131, 133, 150, 160, 172, 174, 187, 197, 198, 202, 264, 275, 276, 278, 279, 284, 294, 295, 378, 392, 740, 762
- sampling distribution of an estimate 198, 276
- sampling inspection 354, 671, 688, 694, 695
- sampling with replacement 274, 733
- sampling without replacement 194, 274
- scatterplots 205–210, 215–217, 228, 230, 231, 235, 236, 265, 300, 338, 380, 382, 455, 466
- S-charts 372, 374, 392–395, 447
- scheduled operating time 605, 606
- Scheffe's method 252, 266
- Schwarz inequality 215, 216
- second order designs 527–538
- sequential probability ratio test (SPRT) 417, 634–640, 643, 646, 695, 696, 820
- sequential sampling 358, 671, 687, 695, 696
- sequential SS 237–238, 265, 266, 269
- series structure function 607, 608
- Shewhart control charts 355, 387–395, 401, 408–414, 423, 447, 462, 790
- shift 16, 17, 163, 196, 274, 310, 377, 388, 401, 411, 413, 414, 419, 423, 425, 431, 434, 446–448, 461, 462, 605, 781, 784, 786, 788, 790, 791
- shift in the mean 409, 411, 414, 434, 447, 448
- shifted exponential distribution 200
- Shiryayev–Roberts (SR) procedure 432
statistic 429, 444, 448
- short circuit current of solar cells (ISC) 200, 219–224, 242, 244, 268, 541, 737
- sign test 191–192, 195, 197, 204, 744
- signal to noise 571, 577
- signal to noise ratio 552, 571, 576, 578
- significance level 140–143, 145, 150, 198, 385–387, 407, 631, 632, 636, 733, 744
- simple linear regression 136, 197, 199, 218, 219, 222, 229, 230, 236, 237, 243, 265, 752
- simple random sample 133, 274, 278–285, 293, 295
- simulation 3, 5, 13, 42, 50, 150, 156, 197, 269, 284, 285, 350, 361, 364, 366, 367, 423, 430, 431, 434, 435, 531, 550, 553, 555, 556, 564, 581, 582, 594, 596–601, 626, 646, 660, 682, 698, 757, 806, 809
- simultaneous confidence interval 251–254, 266, 484, 485, 501
- single stage sampling plan 673–678, 687, 690, 695, 696

- singular value decomposition (SVD) 341, 342
- skewness 31–33, 35, 36, 38, 42, 44, 66–69, 73, 87–89, 121, 126, 361, 719, 720
- skip lot (SL) 358, 671, 691–693
- skip lot sampling plans (SLSP) 690–693, 696
- skip lot switching rules 691–693
- slope coefficient 218, 229, 230
- source lines of code (SLOC) xxv
- source of noise 548
- space filling designs 585, 587, 589, 596, 600
- special causes 363, 366, 367, 369–373, 375, 396, 416, 447, 601
- sporadic spikes 363, 369, 370, 375, 396
- stability 18, 43, 318, 330, 372, 427, 444, 604, 707
- standard deviation (STD) 6, 18, 31, 35, 38, 66–69, 133, 143, 214, 222, 276, 330, 361, 364, 366, 403, 407, 414, 424, 427, 461, 508, 532, 542, 551–553, 572, 577, 620, 645, 653, 682, 706, 740, 741, 748, 763
- standard error (SE)
 - mean 481, 734, 736, 789, 797
 - of predicted value 243, 266
- standardized residual 244, 266, 269, 384–387
- statistic 28, 29, 110, 133, 215, 260, 414, 429, 433
- statistic of central tendency 29
- statistical dependence 213, 215, 224, 237, 258, 270, 582, 586
- statistical hypotheses 139, 631
- statistical inference 4, 5, 35, 94, 117, 121, 131–204, 343, 730–745
- statistical model 4, 131, 133, 247, 273, 325, 471, 473, 475, 476, 495, 514, 540, 596, 797
- statistical process control (SPC) 10, 13, 200, 338, 350, 361–371, 396, 401–469, 585, 671, 694, 695, 703, 783–795
- steepest ascent 537
- stem and leaf diagram 36, 38, 39, 42, 45, 710
- step-wise regression 755
- stochastic control 441
- stochastic emulator 595–596, 600, 601
- stopping threshold 429–432
- storage time 605
- stratified random sample 274, 295, 296
- stratified sampling 763
- structure function 607, 608, 610, 643, 644
- studentized difference of means 179–182
- studentized test for the mean 174, 175, 177–179
- studentized test statistic 177
- Student's *t*-distribution 118
- sufficient statistic 138, 662, 668, 684, 732
- sum of squares around the regression model (SSR) 235, 237, 491, 492, 494
- sum of squares of deviations (SSD) 248, 496
- sum of squares of errors (SSE) 218, 219, 225, 232, 233, 235, 238, 267, 483, 487, 488, 491, 492, 749
- sure event 48
- symmetric matrix 233
- symmetry of distribution 85
- system design 350, 548, 549
- system reliability 7, 358, 607–610
- Taguchi method 356, 546–553
- Taylor approach 351

- Tschuprow's Index 261, 271, 760
 testing hypotheses 131, 147–149, 167,
 176, 273, 631, 634
 testing statistical hypotheses 157, 198,
 631
 theoretical frequency function 20, 96,
 131, 158, 276, 284, 362, 417, 461,
 560, 585, 678
 3D-scatterplots 208, 265
 three dimensional-spinning 208, 215, 582
 tightened inspection level 690
 time categories 605–606, 643
 time censored observations 618, 626
 time till censoring (TTC) 623, 624
 time till failure (TTF) 107, 109, 116, 122,
 127, 128, 603, 610, 624, 643, 645,
 658
 time till repair (TTR) 610, 611, 613, 615,
 617, 643, 645, 662, 664, 669
 tolerance design 548–550, 566–570, 577
 tolerance interval 35, 153–155, 186–192,
 197, 198, 201, 204, 395, 467, 547,
 548, 566, 567, 641, 737, 744
 total sum of squares (SST) 235, 237, 238,
 248, 265, 483, 487, 488, 491, 492,
 495–497, 798
 total time on test (TTT) 626, 628, 639,
 655, 658
 treatment combinations 247, 263, 266,
 477, 495, 496, 498, 501, 503–505,
 508, 509, 512, 513, 521, 522, 545,
 551, 556, 568, 577, 806, 807
 treatments 179, 248, 251–253, 471, 476,
 478–490, 492, 541–543, 798, 799
 trial 47, 54, 70, 78, 171, 186, 201, 255,
 598, 638, 665, 681–684
 T^2 chart 450, 452, 460, 467, 468
 t-test 144, 145, 150, 177, 179, 181, 191,
 200, 447, 479, 481, 482, 541, 734,
 789, 797
 two-armed bandit (TAB) 681, 684
 two-sided test 144
 type I error 140–142, 198, 417, 462, 635,
 640
 type II error 140, 141, 198, 417, 632,
 634–636
 u-chart 371, 372, 375
 unbiased coin 15
 unbiased estimator 133, 134, 151, 175,
 176, 198, 229, 233, 280, 282, 286,
 289, 295, 433, 478, 484, 502, 515,
 553, 624, 628, 645, 816
 unbiased predictor 292, 296, 592, 765,
 766
 uniform distribution 38, 80–81, 96, 100,
 109–112, 125, 127, 129, 133, 160,
 162, 190, 586, 598, 654, 691, 720,
 721
 union of events 49, 51, 57, 122
 up time 605
 upper control limit (UCL) 367, 371, 372,
 375, 387, 390–394, 396, 411, 412,
 423, 440, 450, 452, 460–462, 560,
 781, 786, 795
 upper Page's control scheme 418
 upper specification limit (USL) 378, 397,
 458, 459, 546, 560
 upper tolerance limit 154, 190, 459
 upper warning limit (UWL) 387, 396
 US National Quality Award 355
 validity 378, 475
 variance 4, 5, 31, 65, 71, 74, 75, 77, 78,
 80–82, 85, 87, 88, 90, 118–120,
 125, 133, 145, 182, 184–186
 Wald SPRT 634, 646
 wave soldering process (WSP) 75, 474,
 476

Weibull distribution 89–94, 128, 615,
619, 620, 629, 641, 642, 645, 646,
659, 817

Wilcoxon signed rank test 191, 195–197,
744

x-bar chart 365, 366, 368, 371, 372, 375

x-leverage 243, 244

x-leverage of a point 243, 266

Z-test 142–145, 191

