

Subject Index

- A1 to A51 3
- AAC, Augmentative and Alternative Communication 134, 145, 376–377, 411, 514
- APA style 4
- A good method 414
- active ingredient
- abstraction ('in the mind') 13, 33, 70, 119, 270
- adoption 491–496
- adoption, children adopted internationally (CAI) 491–496
- aetiology 74, 154–155, 158
- 'Shane', case example 155–158
- activity and participation in society 16–19, 77, 150, 380, 550
- advertising 7
- affricates 149, 193–194, 447
- phonemic placement and shaping 444–447
- alliterative stories and activities 179, 185–188, 268, 272, 338, 341, 353–354, 458–464
- PW12 458–464
- allophone, allophonic variation 36, 47, 69–71, 391
- alveolars with high front vowels 347
- appeal to common practice, appeal to novelty 288, 434
- articulation 8, 149
- Development 37–39, 483–486
- disorders 9–12, 17, 30–32, 82–83, 119
- intervention (therapy) 39–40, 176–192, 444–450, 524–527
- Assessment (Evaluation) 88–91, 93–106
- Articulation 525–527
- assessment and case history gathering 129, 159, 261, 324–328, 337–338
- assessment reports 128, 150
- Assessment, assessment tools
- Audiology assessment 125–126
- Bilingual CPPA 47
- Diagnostic Evaluation of Articulation and Phonology (DEAP) 243–244
- Dynamic Assessment of Motor Speech Skill (DEMSS) 323–326, 332–333, 375, 386–389
- Dynamic assessment, Dynamic motor speech assessment (DMSA) 386
- Edinburgh Articulation Test 237
- Goldman-Fristoe Test of Articulation (GFTA-3) 77, 125, 220, 520, 521
- Hodson Assessment of Phonological Patterns (HAPP-3) 42, 45, 221, 260, 264, 323
- Inconsistency Assessment (of the DEAP) 243–244
- Intelligibility in Context Scale (ICS) 17, 160, 379, 474, 486, 501
- Khan-Lewis Phonological Analysis Third Edition (KLPA-3) 222
- Locke Task (Locke's Speech Perception Task) 260, 264, 455–456
- Metaphon* Resource Pack Screening Test 261–262
- Nonword Repetition Tasks 93
- Nuffield Dyspraxia Programme Assessment (NDP3 Assessment) 397
- Phonological Assessment of Child Speech (PACS) 28
- Polysyllable Preschool Test (POP) 223
- Psycholinguistic Framework 249–255
- South Tyneside Assessment of Phonology (STAP) 284
- Speech Characteristics Rating Form (SCRF) 323, 327, 370–371
- Systemic Phonological Assessment of Child Speech (SPACS) 87, 211–212
- Syllable Repetition Task (SRT) 95–98
- The Quick Screener 127, 128, 260–264, 323
- The Quick Vowel Screener 127, 221, 222–223, 323
- Toddler Phonology Test (TPT) 156
- Tympanography 121, 122
- Vowel-Consonant Assessment Protocol (VCAP) 222

- Assessment, assessment tools
(*Continued*)
Whole Word Assessment 50–51,
499, 500
Proximity, whole word proximity
98–102
and normative expectations, ‘age
norms’, typical development
38, 86–87, 151–152, 431,
484–486
and parent/caregiver observation
129, 138, 261, 263–264, 454
and parent/caregiver participation
205, 237, 260–261, 264–265,
407–408, 454
and telepractice 519–521, 522
and use of prompts and cues
102–105
‘Brett’ case example 88–91, 431
in craniofacial differences 91,
146–149, 157–158
in children who are multilingual,
multilinguals 479–482,
483–486
of childhood apraxia of speech
(CAS), suspected CAS
(sCAS) 323–334
of children with hearing loss
(CWHL) 123–127
of infant vocalizations 366–369
of intelligibility 151–152, 261,
375–379, 381–382
Intelligibility in Context Scale
(ICS) 17, 161, 379, 474, 486
of motor speech skill (motor speech
assessment) 332–333
of phonology: independent analysis
and relational analysis 86–87,
89–90
of suspected childhood apraxia of
speech (sCAS) 321, 323,
328–329, 366–369, 370–375
screening 127–129
intelligibility 379, 486, 500
oral musculature 91–92
phonology 261–263
‘Sarabi’ case example 298–301
assimilation, assimilation processes
71–72, 152, 193–194, 330,
457
Aetiology (‘causes’) of SSD 74
behavioural phenotypes 70–81
distal cause 75, 81, 154–158
middle ear disease (ear infections,
otitis media, glue ear) 98, 131,
156
protective factors 130
proximal cause 75, 81, 154–158
questions parents ask 131–133
risk factors 130
Alliterative stories and activities
272–274, 338, 341, 458–464
Allophones 36, 70–71
Amplified auditory stimulation
(‘auditory bombardment’,
AB) 203–204, 225
Analysis, independent and relational
86–87, 89–90
App, Apps (application software),
software 511–512, 522–523
Cued Articulation App 39
Phoneme Factory 127–128
SayBananas! 344
Smart Oral Motor 412
Sound Contrasts in Phonology
(SCIP) 209–210
Speech Assessment and Interactive
Learning System (SAILS)
190–192
staRt App (for residual rhotic errors)
224, 527
VowelViz, VowelViz Pro Apps 224
Apraxia-KIDSSM (CASANA) 336–337
Articulation disorder 10, 12, 27–28,
30, 31–32, 76, 82, 84–85,
119–121, 158, 380
‘Aaliyah’ case example 8
assessment 87–91
place voice manner analysis
(PVM analysis) 69, 437
assessment tools
Diagnostic Evaluation of
Articulation and Phonology
(DEAP) 243–244
Edinburgh Articulation Test 237
Goldman-Fristoe Test of
Articulation (GFTA-3) 77,
125, 220, 520, 521
South Tyneside Assessment of
Phonology (STAP) 284
Vowel Consonant Assessment
Protocol VCAP 222
compared with phonological
disorder 182
IEP goals 428
intervention, therapy 176–182,
245, 293, 525
drill, phonetic production drill,
drill play 180–181
metalinguistic cues 177–178
phonetic placement techniques
176–180
sound elicitation fricatives and
affricates 444–447
intervention resources 456–464
traditional articulation therapy
(‘Van Riper Therapy’) 12, 30,
33, 38–40 176, 293, 312–313,
340
associative–imitative model 31
aspiration trick 127, 457
Audiology 121–122
audiogram 121
audiometry, pure tone 121–122
children with hearing loss (CWHL)
123–127
cochlear implant (CA) 129, 132
collaboration between SLPs/SLTs
and audiologists 76, 122,
124–125
hearing aids (HA) 76, 129, 132
tympanogram, tympanometry 121
Auditory input therapy (AIT) 203,
204–205
Compared with Naturalistic Recast
Intervention 236
‘Hamish’ case example 238–239
Auditory Verbal Therapy (AVT)
126–127
Autism, autism spectrum disorder
(ASD) 132, 144, 155, 205,
238, 268, 328, 374, 411–412,
414, 513
Autonomy versus ‘noncompliance’
328
Babble Boot Camp 369
backward build-ups 340, 343, 358
backward chaining 340, 343, 358
Behaviourist model of phonological
acquisition 48
beneficence 295–296
benefits of social media 515–516
best practice 19, 283, 294
and clinicians 38, 297–301
and EBP 172

- and ethics 295–296
and researchers 295–296
and VPI 148
barriers to 301
bigger picture 294–295
six-factor model for ethical practice 295–296
- Berry, Mildred 27
- Bernthal, John E. 29
- Best science 413
- Bilingual/crosslinguistic speech
assessment 47, 472–474, 481–482, 496–501
- Biofeedback 224, 524–527
- Biofeedback instrumentation 523–524
- biological model of phonological acquisition 52
- Black Sheep Press 272, 342, 458, 464
- Blogs
McLeod, Sharynne
<https://speakingmylanguages.blogspot.com> 513
Rvachew, Susan
<https://developmentalphonologicaldisorders.wordpress.com> 513
Storkel, Holly <https://kuscholarworks.ku.edu/handle/1808/24767> 444
- body function 16–17, 77, 154
- body structure 11, 17, 129
- brag book 410
- Butterfly procedure 343–344
butterfly position 178, 343–344
- CAI 491–496
- CASANA 336–337
- CAS assessment prompt for case history interviews 324–329
- CoP, CoRP 528–531
- COVID-19, pandemic 3, 550–551
and telepractice 29, 149, 297, 391, 516–517, 518, 522, 528, 530
- CPD (continuing professional development), Pro-D, training 2–3, 296, 518, 521–522
- CPD participants 81, 181, 294, 296, 428
- CPD Resources 68
- CPPA, Cycles Phonological Patterns Approach 41–47
- CWHL (children with hearing loss) 123–127
auditory verbal therapy (AVT) approach 126–127
‘Bobby’, case example 126–127
- Camp Candoo 370
- case history interviews, interviewing 88, 129–132, 159, 215, 261, 324
- CAS assessment prompt 324–329
- case history interviewing as a skill 337–338
goal of 338
red flags for speech impairment 129–132, 158, 369
- Change and Changes 501
in normative reference data for typical consonant acquisition 37, 483–486
in practice in multilingual South Africa 472–474
in sociolinguistic knowledge in SLP/SLT 475, 483
in the international adoption landscape 491–496
in thinking about crosslinguistic language acquisition 483–486, 487–490
- Practice change 311, 534, 551, 554–556
and implementation science 309–311, 540, 551–554
and low value care 311, 552
and research dissemination 551
don’t just do something, stand there 552
things we do for no reason 311, 552, 553
to the SDCS 80–81
- Childhood Apraxia of Speech (CAS) 12, 78–80, 120
adults with 403–406, 408–409
age-related procedures and observations 325–330
Andy case example 408
as a life-long disorder 337, 403–406
brag book 410
case history interview 324
- CAS assessment prompt for the interview 324–329
- characteristics and general observations 329
- characteristics in common with phonological disorder 322–323
- characteristics that may be in common with phonological disorder 334–335
- cognitive behaviour therapy (CBT) 406
- compared with dysarthria 12
- contextual changes in articulatory proficiency 332
- controversial interventions 411–414, 445
- core characteristics of 389, 390
- critical positive encounters with professionals 337
- DEMSS 323–326, 332–333, 375, 386–389
- diagnostic signs and defining characteristics 131
- differential diagnosis 81–83, 95–98, 299, 386–389
- disturbed temporal–spatial relationships 330, 331
- dynamic Assessment (DA) 386–387
- Dynamic Assessment of Motor Speech Skill (DEMSS) 323–326, 332–333, 375, 386–389
- Dynamic temporal and tactile cueing (DTTC) 182, 355, 364, 384–386, 386–389
- early days 406–408
- expanding research and intervention horizons 406
- guidelines for observations 331–332
- Homework and homework habit 127, 206, 275–276, 328, 329, 407, 409–410
- impact on phonological awareness, reading, and spelling 405–406
- integral stimulation 182, 383–384
- ‘James’ case example 408–409
- KP and KR feedback 364–366, 397
- knowledge of performance (KP) 343, 366, 382, 389, 394, 397

- Childhood Apraxia of Speech (CAS)
 (*Continued*)
 knowledge of results (KR) 343,
 366, 382, 389, 394, 397
 lifelong consequences, long-term
 consequences of 154
 phonetic characteristics of 331
 Motor speech examination
 worksheet 330, 332
 Nuffield Dyspraxia Programme,
 Third Edition ('NDP', NDP3)
 393–403
 dosage 397
 oromotor activities 400
 randomized controlled trial 397
 'Peter' case example 388–389
 phonological awareness (PA)
 256–259, 323, 351, 364, 375,
 405
 prognosis 78, 387–388, 389, 406
 Rapid Syllable Transition
 Treatment (ReST) 182, 364,
 379, 389–391, 397
 in CAS management 390
 in dysarthria management 390
 in English and Italian 389,
 390–391
 in treating the three core
 diagnostic features of CAS
 390
 intervention frequency and
 intensity 390–391
 publications, manual and
 instructional videos 364, 390
 randomized controlled trial
 (RCT) 390
 research and development, two
 RCTs 390
 Website 390
 Zoom teletherapy 391
 receptive language 326, 373, 388,
 391
 receptive-expressive gap 182, 323,
 325, 326, 329, 331
 rote prosodic contours, avoiding
 habituation of 389
 segmental characteristics
 182, 329
 sound sequencing difficulties 331
 suprasegmental (prosodic)
 characteristics 329
 timing disturbances 331
 token-to-token inconsistency/
 variability 182, 329, 332, 375,
 388
 transcoding errors 96–97
 Childhood Apraxia of Speech
 Association of North America
 (CASANA) 336–337
 Sharon Gretz 336–337
 Childhood dysarthria (developmental
 dysarthria) 120, 380–383
 cerebral palsy 12, 76, 120, 155, 219,
 374, 379, 380–381
 characteristics of dysarthric speech
 381
 dysarthric speech as disordered
 speech 380
 effect on social participation and
 quality of life 380
 improving speech intelligibility in
 developmental dysarthria
 380–383
 Goal Attainment Scaling (GAS)
 383
 KP feedback 382
 KR feedback 382
 Intelligibility 380–383
 objective measures of
 intelligibility in MSD
 375–379
 scaled rating approaches
 378–379
 word identification approaches
 377–378
 intelligibility and comprehensibility
 376
 Intelligibility in Context Scale (ICS)
 17, 160, 379, 474, 486, 501
 Intervention 379, 380–383, 386–389,
 390–391
 Speech Systems Approach for
 Developmental Dysarthria
 380–383
 Viking Speech Scale (VSS) 379
 Children adopted internationally
 (CAI), international adoption,
 overseas adoption 491–496
 Children with hearing loss (CWHL)
 123–127
 cisgender (cis) 476
 Clinical linguistics 28, 34–37, 56
 Clinical phonology/ clinical
 phonologists 12, 28, 33, 41,
 98, 441
 Clinical practice 3, 35–36, 85, 105,
 251–252, 284–288, 294–297,
 537–541, 551–556
 Clinical reasoning/Decision making
 4–8, 311, 344, 438
 Clinical thinking 4, 19, 18, 283,
 297–301, 551
 Communities of Practice (CoP)
 528–531
 Communities of Research Practice
 (CoRP) 528–531
 and support 529–530
 developing professional/ disciplinary
 identities 529, 531
 high impact practices and
 transformation 530
 Counselling 129, 134–140, 141–143,
 450, 496
 Coarticulation 30, 71, 392, 444
 Child Speech Disorder Research
 Network (CSDRN) 287–288
 Good Practice Guidelines 287
 *Children with Delayed or Defective
 Speech* 29
 Chomsky, Noam 27, 32, 35, 49, 435
 Classification of SSD 74–82
 articulation disorder as a cover term
 119
 clinicians' usage 74, 115, 118, 119
 Dodd's subtypes (DDCS) 81–83
 ICF-CY 3, 11, 16–19, 76–77, 143,
 298, 481
 developmental phonological disorder
 as a cover term 73
 psycholinguistic framework
 249–255
 Speech Disorders Classification
 System (SDCS) 77–81
 speech sound disorder(s) as a cover
 term 73
 phonological disorder 73–74
 speech sound disorder (SSD)
 definition 8
 speech sound disorders (SSD),
 children with 8–10
 Classic galactosemia, galactosemia 80,
 87, 369
 Cleft palate 146–149, 450–454

- compensatory errors 148–149, 450–454
- Clinical reasoning/Decision making 4–8, 311, 344, 438
- and clinical thinking 4, 18, 19, 283, 297–301, 551
- and ICF-CY 3, 11, 16–19, 76–77, 143, 298, 481
- ‘Sarabi’ case example 298–301
- clinical intuition, intuition 50, 430
- clinical linguistics 28, 34–37, 56
- clinical phonology/ clinical phonologists 12, 28, 33, 41, 98, 441
- cochlear implants (CIs) 76, 118, 123–127
- cognitive model of phonological acquisition 48, 51
- cognitive stage of phonological acquisition 52
- collaboration between professional groups 144–145
- audiologists and SLPs/SLTs 123–127
- cleft palate teams/craniofacial teams 149–150, 156
- counsellors and SLPs/SLTs 134–140
- educators/teachers and SLPs/SLTs 532–534, 534–537
- common practice 284–288, 289, 533, 511–512, 533, 553
- communicating with clients 105–106
- breaking the news 106
- plain English explanations for families 114–116, 116–120, 130–132, 150
- technical language 106, 114–115, 135
- the questions families/parents ask 114–115, 152–161, 413–414
- web questions 115–116
- communities of practice (CoP) 528–521
- communities of research practice (CoRP) 528–531
- communication rights 16
- competence 38, 295, 554
- Complex treatment targets, complexity approach 434, 441–444
- markedness, markedness theory
- sonority 430, 435–436, 437–438, 458
- word complexity 99, 101
- consistency assessment 88, 89, 222, 243, 248
- consonant acquisition 37–38, 434, 483–486, 501
- constraints-based non-linear phonology 496–501
- in the crosslinguistic context 496–501
- Canadian French example 499–500
- in the crosslinguistic project 498
- research outcomes 499
- consultative model 183–184, 252
- consultative treatment in the UK 284–286
- contrastive pairs 68, 205
- contrastive stress 327, 384
- controversial practices, controversial interventions 288–292, 411–414, 445, 454
- Conventional Minimal Pair model 28, 56, 192, 197, 205, 236, 239, 341, 354
- conversational speech (CS) analysis 9, 37, 86–87, 88, 93–94, 260
- Core Vocabulary (‘power words’) 338, 385, 411
- Core Vocabulary Therapy 81–82, 85, 242–249
- ‘Alice’ case example 245–247
- assessment, inconsistency assessment 243–244
- intervention 244–249
- counselling and children with SSDs 129, 134–140, 141–143, 450, 496
- Coviu 516–517, 520
- craniofacial anomalies (differences) 17, 91–92, 119–120, 136, 146–149
- assessment 91–92
- articulation 149
- associated syndromes 147
- cleft palate 146–149, 450–154
- errors in learning 149
- hearing 147
- intervention 450–454
- resonance 147–148
- velo-cardio-facial syndrome (VCFS) 147
- velopharyngeal dysfunction (VPD), velopharyngeal insufficiency (VPI) 143
- voice 147
- Cued Articulation 39–40
- cues 102–105, 176–180, 182, 185–188, 196, 384–385, 386–389, 394, 444
- ICF-CY 3, 11, 16–19, 76–77, 143, 298, 481
- Cycles Phonological Patterns Approach (CPPA) 41–47
- auditory input 203
- amplified auditory stimulation 203–204
- cycle, definition 43, 44
- dynamic systems theory 43
- focused auditory input 203–204
- gestural phonology 43
- in Spanish 45
- metaphonology 44–45
- multilingual children 45
- placeholder sound 43
- syllableness 43
- typical session structure 45
- underlying concepts 45–46
- DDK 92, 374, 404
- DEMSS 323–326, 332–333, 375, 386–389
- DNA, definition 74
- DTTC 182, 355, 364, 384–386, 386–389
- DOI, Digital Object Identifier 4
- Debbie’s 10 long clinically useful words 333
- Defective in Speech, The* 31
- Developmental Apraxia of Speech (DAS) 352, 354
- Developmental Language Disorder (DLD) 13, 144, 154, 161, 220, 259, 511
- Venn diagram 13
- Developmental Phonological Disorder 73–74
- Developmental Verbal Dyspraxia (DVD) 66, 81, 120, 364, 393, 403
- Diadochokinesis (DDK) 92, 374, 404

- Diagnosis of SSD 82, 158, 159
 diagnostic evaluation 129
 differential diagnosis 76–83, 95–98,
 243, 299, 270–275, 375, 287
- Dialects 475–478
 racialized 476
 regional 68, 94 220, 447, 474
- Dodd's SSD classification system
 (DDCS) 82
- Dosage, dose 172, 173, 257–258, 390,
 293
 effective versus ineffective 293–294,
 314
 form 173
 frequency 172, 173
 intensity 172, 173
 rate 181, 214, 264–265, 266–267
- Down syndrome 76, 80, 141–143,
 156, 238–239, 257, 411–412,
 525
- drinking, chewing, swallowing 120,
 381
- Drill 176, 180, 181, 342, 344, 350,
 356, 365, 453, 526
 drill-and-kill 180, 181
- Drill-play 176, 180, 181, 342, 350
- Duchan, Judith Felson 25–26, 31, 55,
 77
- Dynamic Assessment (DA) 386–387,
 495
 Dynamic Evaluation of Motor
 Speech Skill (DEMSS)
 323–326, 332–333, 375,
 386–389
- Dysarthria 4, 10–12, 76, 78–81, 120,
 121, 155, 224, 326, 336, 363,
 374, 379, 380–383, 390–391
- Dyslalia 27, 31–32
- Dysphagia 290, 324
- Dyslexia 77, 191, 256, 411, 535
- EBP, evidence-based practice 4–8, 19,
 283–288, 294–295, 310–316,
 414
- E³BP, evidence-based practice 4–8, 19,
 283–288, 294–295, 310–316,
 414
- EI, early intervention 126, 144, 145,
 495
- EPG 179, 224, 512, 523, 524–527
- ExtIPA 69
- Early-8, middle-8, and late-8 acquired
 sounds 37, 434
- Early-13, middle-7, and late-4 acquired
 sounds 37, 38, 151
- 'Eclectic approaches' 39–40, 236–237,
 294, 539, 540
 eclecticism in UK practice 39,
 284–288
- Einstein Time 270
- Eisenson, Jon 27, 28, 31, 32
- Eldridge, Margaret 25
- elements that drive treatment effects
 464
- Empty Set (Unknown Set) approach
 171, 205–208, 210, 267, 341,
 354
- English as a second first language
 491–496
 internationally adopted children
 491–496
- English feature contrasts 205
- Epenthesis 183, 195, 335
- epistemic trust 475, 477–478
- Evaluating and Enhancing Children's
 Phonological Systems* 41
- evidence-based practice (EBP/E³BP/
 E⁴BP) 4–8, 19, 283–288,
 294–295, 310–316, 414
- executive functions and SSD 83–86
- FCD 68, 131, 240, 334–336, 345, 350
- Facebook groups 3, 7
 Clinical Research for SLPs 513, 516
 EB3PforSSD 3, 161–162, 340, 513,
 516
 ReST – Rapid Syllable Transition
 Training 513, 516
 SLPs for Evidence Based Practice
 516
 The Write Stuff 516
- Fairbanks, Grant 27
- Family and speech acquisition 16, 18,
 19
 'a family with a SSD' 140
 family and the diagnostic evaluation,
 and diagnosis 129, 135
 family atmosphere 136
 family centred practice 128–129,
 141, 144–146
 family history of SSD 130, 132, 153,
 155–156, 161
- parent education (family education)
 in PACT 268–269
 questions families ask 114–116, 150
 joining with families 159
- Family Therapy, family counselling
 134–140, 328
- Fidelity in treatment 311–316
- Final consonant deletion (FCD) 68,
 131, 240, 334–336, 345, 350
 favoured final consonants 346
- feature contrasts in English 205
- feeding 324
- Ferguson, Charles 28, 49
- Fey, Marc 28, 54–55
- fixed-up-one routine 270–271,
 341–342, 357, 456
- focused auditory input 203–204, 225,
 236, 272, 341
- Functional Articulation Disorder 27,
 28, 31–32, 383
- Functional SSD, definition 76
- gendered pronunciation 476–478
- gene expression, definition 74
- gene, definition 74
- genetic transmission 75
- genome, definition 74
- genotype, definition 74
- glossary of intervention related terms
 74–75
- Goldman–Fristoe Test of Articulation
 (GFTA-3) 77, 125, 220, 520,
 521
- Goldstein, Kurt 27, 32
- good science 4, 292
- groping, articulatory struggle, silent
 posturing 325–327, 328–329,
 331, 374, 384, 387, 388
- Grunwell, Pamela 28, 32, 33, 43, 73,
 174–175
 Grunwell's guidelines for
 phonological therapy
 235–236, 351
- HAPP-3 42, 45, 221, 260, 264, 323
- Hague Convention on Protection of
 Children and Co-operation in
 Respect of Inter-country 491
 Children adopted internationally
 491–496
- Halle, Morris 27, 32

- Handbook of Clinical Pathology* 28, 54
 ‘Harriet’ (‘Harry’) case example
 133–134
 hereditary, definition 74
 Hill-Young, Edna 30
 Historians 25
 Armstrong, Linda 25, 26
 Duchan, Judith Felsen 25–26, 31,
 55, 77
 Eldridge, Margaret 25
 Stansfield, Jois 25, 26, 33
 Hodson, Barbara Williams 28, 40,
 41 54
 homologous chromosomes, definition
 75
 hypernasality 148, 149, 331, 451
 hyponasality 148, 331
 mixed nasality 331

 ICF-CY 3, 11, 16–19, 76–77, 143,
 298, 481
 ICT 511–512
 IEP, IEPs 428–430
 IPA (International Phonetic Alphabet)
 69
 IPA (International Phonetic
 Association) 69
 IPA Consonant Chart (full chart) 69
 iambic feet 348
 Independent analysis 86–87, 89–90
 individualized education programs
 (IEPs) 428–430
 Imagery Therapy 341–342
 implicational relationships 206–207,
 350, 435–436
 Implementation Science (IS) 540,
 550–554
 incidence, definition 75
 incidence proportion, definition 75
 incidence rate, definition 75
 inconsistent deviant phonological
 disorder 81
 inconsistent phonological disorder
 (inconsistent speech disorder)
 81–83
 independent and relational analysis
 86–87, 89–90
 ‘Brett’ case example 88–91
 individualized education programs or
 plans (IEPs) 428–430
 ‘Alison’ case example 428
 ‘Tad’ case example 429–430

 informal intelligibility ratings
 150–151
 informal logical fallacy 268, 434
 Information and Communication
 Technology (ICT), see
 Technology
 Ingram, David 28, 33, 43, 48–49, 98,
 435
 inheritance, definition 75
 initial consonant deletion (ICD) 68,
 131, 195, 345, 433, 535
 integral stimulation 182, 260
 integral stimulation and DTTC 260,
 341, 358, 383–385
 integrity 295
 intelligibility, definition 118
 compared with comprehensibility
 238
 international adoption, children
 adopted internationally
 491–496
 International Classification of
 Functioning, Disability and
 Health – Children and Youth
 (ICF-CY) 17, 483–486
 activities and participation 77
 body function 16–17, 77, 154
 body structure 11, 17, 129
 environmental factors 16–18, 500
 participation in society 17–18, 77,
 150, 380, 550
 personal factors 15, 18, 76–77, 298
 International Classification of
 Impairment, Disabilities and
 Handicaps (ICIDH) 16–19
 International Expert Panel on
 Multilingual Children’s
 Speech (IEPMCS) 8, 29, 41,
 278–279, 479, 481–484
 Interpreters 47, 294, 479, 481, 483
 Intervention, definition 172
 agent 172
 approach 173
 continuity 172
 cumulative intensity, cumulative
 intervention intensity 172
 dose, dose form, dose frequency 173
 duration 173
 glossary, glossary of selected
 intervention related terms
 172–175
 intensity 172

 production trials in 172
 session duration 173
 session format 173
 setting 172
 Interventions, intervention
 approaches
 Articulation Therapy, Traditional
 Articulation Therapy 12, 30, 33,
 38–40, 176, 293, 312–313, 340
 Auditory Input Therapy 203,
 204–205
 Constraint-based nonlinear
 phonology 496–501
 Core Vocabulary Therapy 81–82, 85,
 242–249
 Dynamic Temporal and Tactile
 Cueing (DTTC) 182, 355,
 364, 384–386, 386–389
 Grunwell’s approach 33, 235–236,
 322
 Imagery Therapy 241–242
 Integral Stimulation 182, 383–384
 Integrated Phonological Awareness
 Intervention 256–259
 Melodic Intonation Therapy 340,
 341, 352, 354–355, 366, 384
 Metaphon 239–241
 Minimal pair approaches 172
 Conventional minimal pairs
 intervention: Meaningful 71,
 182, 197–199
 Conventional minimal pairs
 approaches: Perception-
 Production 71, 199–203
 Complexity Approaches 71
 Empty set (Unknown set) 171,
 205–208, 210, 267, 341, 354
 Maximal oppositions 71,
 205–207
 Multiple oppositions 71,
 208–215
 Vowel targeted intervention 71,
 218–224
 Minimal Pairs Intervention with
 added elements 215–218
 ‘Isla’ case example 215–218
 Naturalistic Recast Intervention
 238–239
 Nuffield Dyspraxia Programme
 (NDP3) 393–403
 Parents and Children Together
 (PACT) 259–276

- Interventions, intervention approaches
(*Continued*)
- Phonological Awareness
 - Intervention, Integrated 256–259
 - Phonotactic Therapy 339–341, 344–351, 464
 - Psycholinguistic Framework 249–255
 - Rapid Syllable Transition Treatment (ReST) 390–391
 - Speech Perception Training (Perceptual Intervention, SAILS) 190–192
 - ‘Kenny’ case example 191–192
 - Speech Systems Approach for Developmental Dysarthria 380–383
 - Stimulability Therapy/Intervention 184–189
 - Visual Biofeedback Interventions 524–527
 - Whole Language Intervention 242
- Jakobson, Roman 27, 32
- joining 129
- knowledge of performance (KP) 364–366, 397
- knowledge of results (KR) 364–366, 397
- knowledge types (phonological knowledge, productive knowledge) 439
- least knowledge 430, 434, 438–439
- most knowledge 431, 439
- LOTE 70, 487–488
- Lancaster, Gwen 236
- Landau-Kleffner syndrome 132, 328
- language, definition 67
- Language 116
 - group 38, 192, 475, 490, 500
 - variation 475–478
 - dialectal/speech difference 10, 476, 482
 - versus speech sound disorder 10
- languages of Southern Africa 472–474
- Levels of evidence 344
- Lexical stress 389
 - excessive and/or equal stress (EES) 323, 330, 331, 335, 371, 389, 410
 - in English 90, 371, 375, 381, 389–390
 - in French and Hebrew 323
 - Italian prosody 389–391
 - speech naturalness 380, 385, 410
- Linguistic sciences 34–37
 - theoretical backbone 3, 34
- Link shortener 4
- Long COVID 286
- loosing speech sounds 132, 328
- loosing words, ‘dropping words’ 132, 325, 328
- Locke Task (Locke’s Speech Perception Task) 260, 264, 455–456
- logical fallacy, informal logical fallacy 268, 434
 - appeal to common practice 288, 434
 - appeal to novelty 288
 - appeal to tradition 288, 551
- MSD (Motor Speech Disorder(s)) 120, 364–365
- manner of articulation 11, 125, 196, 343, 453
- map, mapping, mapping rules 13–16, 33, 53, 367, 269, 527, 536
- markedness 263, 427, 435–436, 437, 457–458, 497–498
- marking 182, 322, 426–427
- Mastodon 513–514
- medical model 38, 74, 76–77, 81, 154, 322
- melodic intonation therapy (MIT) 340, 341, 352, 354–355, 366, 384
- metalinguistic approaches/cues 40, 85, 176–180, 284, 341, 355
- Metaphon* 239–241
- Miccio, Adele W. 184
- Miccio character cards 186–189
- Milisen, Robert 184, 383
- Minimal contrast therapy/ Minimal pair interventions 172
- Conventional minimal pairs:
 - Meaningful 71, 182, 197–199
 - ‘Trevor’ case illustration 180–181, 187–199
- Conventional minimal pairs:
 - Perception-Production 71, 199–203
 - ‘Casey’ case example 199, 201–203
- Complexity Approaches 71
- Empty set (Unknown set) 171, 205–208, 210, 267, 341, 354
- ‘Vaughan’ case example 207–208
- Maximal oppositions 71, 205–207
- ‘Xing-Fu’ case example 206
- Multiple oppositions 71, 208–215
- ‘Adam’ case study 211–213
- Vowel targeted intervention 71, 218–224
- Minimal Pairs Intervention with added elements 215–218
- ‘Isla’ case example 215–218
- monogenic disorders, definition 75
- Morley, Muriel 4, 28
- Motivation in PML/intervention for CAS 183, 364, 365, 407, 411, 414
- Motor learning, definition 183
- Motor Speech Disorder(s) (MSD) 120, 364–365
- motor speech examination worksheet 330, 332–333
- motor theory of speech perception 449–450
- multilingual children with SSDs 472, 478–479, 479–483
- multilingual/multilingualism myth busting 487–490
- Multilingual children’s speech constraint-based nonlinear phonology across languages 496–501
- crosslinguistic knowledge about speech acquisition 483–486
- cultural humility definition 128
- does learning more than one language ‘confuse’ children? 480, 487
- does learning more than one language ‘predispose’ children to SSD? 487
- international expert panel (IEPMCS) 29, 41, 478–479
- intervention: bilingual approach 482–483
- intervention: cross-linguistic approach 482
- goal attack: vertical, horizontal, cyclical 482–483
- Language(s) other than English (LOTE) 70, 487–488

- recommendations 478–479
 typical speech development in
 multilinguals 480
 Multilingual Southern Africa 472–474
 multiple exemplar training 272–274,
 397
 multisyllabic non-words 390, 397, 403,
 464, 479, 498, 500, 526
 multisyllabic words: ‘syllableness’ 43,
 47,
 multisyllabic words 90, 101, 222–223,
 339, 345, 375, 382
 ‘long words’ 323, 330, 457, 458
 Debbie’s clinically useful words
 323, 330, 333
 worksheets 458
 Myklebust, Helmur 27, 32

 naming tests, prompts and cues
 102–105
 natural phonology model of
 phonological acquisition 28,
 33, 48, 52–53, 54, 56, 209,
 236
Natural Process Analysis 28, 32–33
 Naturalistic Recast Intervention
 238–239
 ‘Hamish’ case example 238–239
 near minimal pair 68, 197, 432,
 457–458, 462
 non-linear phonology, constraints-
 based 496–501
 non-maleficence 29
 non-speech oral motor exercises
 (NS-OME) 288–292, 412, 552
 non-speech oral motor treatments
 (NS-OMT), ‘oromotor work’
 288–292, 392, 400
 nonce words 452
 Nuffield Dyspraxia Programme
 (NDP3) 393–403

 observations of CAS 329–334
 oligogenic disorders, definition 75
 one piece of advice 326, 329
 online safety 511–512
 open access 514, 297
 oral motor therapy 31
 oral motor treatment 31
 oral-musculature examination (OME)
 91–92
 DDK, diadochokinesis 92, 374, 404

 oral resonance 147–148
 oral function 160
 oral structure, speech anatomy 118,
 160
 orofacial clefts 450
 oromotor exercises, ‘oromotor work’
 (OME) 31, 392
 Orton, Samuel T. 29
 Osgood, Charles 27, 32
 otitis media with effusion (OME),
 ‘glue ear’ 75, 79, 98, 131, 156
 overseas adoption, children adopted
 internationally (CAI) 491–496

 PACT (Parents and Children Together)
 259–276
 PCC and PCC-R (percentage
 consonants correct 93–94
 PMID, Pub Med Reference Number 4
 PML 363, 364–366, 379
 PPD (protracted phonological
 development) 73, 496, 498
 PROMPT 179, 316, 386
 PVM (place-voice-manner) 68–69, 437
 Paden, Elaine Pagel 28, 40, 54
 Parents and Children Together (PACT)
 259–276
 components of PACT 267–268
 homework 275–276
 metalinguistic training 269–270
 multiple exemplar training
 272–274
 parent education 268–269
 phonetic production training
 270–272
 dose frequency 266
 empirical support
 intervention 264–266
 ‘Emeline’ case example 264
 ‘Iain’ case example 265–266
 ‘Josie’ case example 259
 Quick Screener 127, 128, 260–264,
 323
 Quick Vowel Screener 127, 221,
 222–223, 323
 scheduling 266–267
 target selection 267
 participation model 77
 pause marker 79, 323–324, 372
 peer review 162, 173, 210, 291, 292,
 297, 313, 316, 343–344, 411,
 413, 518–519

 percentage consonants correct (PCC
 and PCC-R) 93–94
 imitative PCC (sentence repetition
 PCC) 94, 260, 261
 Proportion of Whole-word Proximity
 (PWP) 100
 personality, Van Riper’s definition 30
 phenotype, definition 74
 phone, ‘speech sound’, phones,
 ‘speech sounds’ 11, 116, 177,
 182
 phone- specific VPI 149
 phoneme 69–70
 ‘abstract concept of a sound’,
 ‘abstractions’ 70
 Phonetic form 10, 11, 12, 195
 Phonetic realizations (surface form),
 phones
 Phonetic symbols 69–70, 116, 458
 extIPA 446
 phonetic interventions 176, 182
 phoneme. 116
 Phonological Assessment of Child
 Speech (PACS) 28
 phonological awareness (PA) 256–259,
 323, 351, 364, 375, 405
 phonological/phonemic/linguistic
 function, function of
 phonemes 10, 11, 12
 ‘to make meaning’, ‘is making
 meaning’ 10, 13, 195, 196,
 197, 338
Phonological Disability in Children
 12, 28, 49, 98
 Phonological disorder, phonological
 impairment, definition 73
 Phonological disorder
 and marking 427–428
 ‘Owen’ case example 427–428
 ‘Uzzia’ case example 427
 and the puzzle phenomenon
 426–427
 ‘Andrew’ case example 427
 ‘Dane’ case example 427
 and relatively ready stimulability
 428
 and unusual errors 427
 ‘Sam’ case example 427
 Phonological principles) 192–193,
 195–196, 196, 338
 15 points to consider in
 intervention 338

- Phonological disorder (*Continued*)
 Treatment techniques (see more under 'T' Treatment Techniques)
 auditory input therapy 203, 204–205
 backward build-ups 340, 343, 358
 backward chaining 340, 343, 358
 conversational speech production drill 357
 CV syllable and word drills 339, 340, 344
 melodic intonation therapy 340, 341, 352, 354–355, 366, 384
 metalinguistic approaches/cues 40, 85, 176–180, 284, 341, 355
 phonotactic therapy 339–341, 344–351, 464
 prolongation of vowels (sustaining vowels) 341, 355, 384
 single word production drill 342, 352, 356
 thematic play 205, 236, 266, 268, 272, 341
Phonological Process Analysis 28
phonological processes, phonological patterns 51, 86
 ages of elimination 152
 examples 72
 not psychologically real 52–53
phonological processing difficulties and 'favourite sound' 96, 194, 216, 322
 systematic sound preference 194, 209, 215, 322
phonological representations (PRs) 8, 84, 104–105, 118, 119
phonological working memory (PWM), PMW deficit 83–86, 95, 103, 536
Phonotactic therapy 339–341, 344–351, 464
 cluster reduction (CR) 350
 final consonant deletion (FCD) 345
 increasing syllable production 348, 349
 initial consonant deletion (ICD) 345
 monosyllables 348
 mora syllable tree 346–347
 onset and rime syllable tree 345–346
 reduplication 347
 replacing a final VC with diphthong 347
 weak syllable deletion (unstressed syllable deletion) 348
 weight unit constraint 347
 pictures and words (worksheets)
 place of articulation 11, 68, 71, 97, 179, 343–344, 432
 place–voice–manner (PVM) chart 68–69, 437
 polygenic disorders, definition 75
 Poole, Irene 27, 37
 Powers, Margaret Hall 27, 31
 pragmatic stage of phonological acquisition 52
 prelinguistic vocalizations (indicators of SSD in infants) 366–369
 presentism 12, 26
 prevalence of SSDs 155–156, 336, 369
Principles
 ethical principles 4–8, 295–296
 intervention principles 338–339
 in articulation disorder 176
 in motor learning, principles of motor learning (PML) 363, 364–366, 379
 in CAS 338–339
 in Developmental dysarthria 380–383
 in DTTC 384–386, 389
 in NDP3 394
 in ReST 390
 in phonological awareness intervention 258
 in phonological disorder, phonological principles 33, 182, 192–196, 338
 in psycholinguistic intervention 249–255
 in target selection 316
 theoretical principles 55
Principles of Motor Learning (PML) 363, 364–366, 379
professional learning communities 530
 'Max' case example' 331
 progressive approximations (successive approximations) 193, 339, 340, 342, 352, 355–356
 'Simon' case example 355–356
prolongation of vowels (sustaining vowels) 341, 355, 384
Prompts for Restructuring Oral Muscular Phonetic Targets (PROMPT) 179, 316, 386
Proportion of Whole-word Proximity (PWP) 100
 PCC-PWP intersect 100
 phonological mean length of utterance (pMLU) 99–100
 Proportion of Whole-word Proximity (PWP) 100
prosodic model of phonological acquisition 53
protracted phonological development (PPD) 73, 496, 498
 as a more positive term than SSD 496
Psycholinguistic Framework 249–255
pure tone audiometry (PTA) 121–122

Q1 to Q51 3
Questions and answers 114
 Questions parents ask 114–115, 152–161, 413–414
Quick Screener, The 127, 128, 260–264, 323
Quick Vowel Screener, The 127, 221, 222–223, 323

R, /ɹ/, why is working on /ɹ/ difficult? 447–450
Reading 256–259, 532–534, 534–537
 and classroom practice 533–534
 and spelling 104–105, 116, 131, 256–259, 375
 and lifelong impact of CAS 403–406
 and multilingualism 487–490
 and word recognition 534, 535, 536
 as a form of language 67, 116
 as an intervention technique for SSD 351
 collaboration between teachers and SLPs/SLTs 534–537
 difficulties, disability, impairment 131, 153, 154, 156, 375, 534–537
 low or slow literacy/reading acquisition 105, 158
 Initial Teacher Education (ITE) 532
 Integrated Phonological Awareness Intervention 256–259

- Interface between oral language
difficulties and literacy
problems 535
linguistic knowledge 532–534
phonemic awareness 104, 146,
173–174, 341, 375, 532–534,
534–537
phonological processing 73
phonological working memory
83–86, 95, 103, 536
practice change 534
rapid automatized naming (RAN)
536
Science of 405–406, 531, 532
Simple view of 535
teachers responding to students’
errors 533–534
Red flags in speech development
129–133
Refusal to imitate 325, 328, 331
Rehabilitation of Speech, The 29
reinforcers, rewards, encouragement
151, 175, 411, 521
relational analysis 86–87, 89–90
repetitive practice, motor drill 31, 344,
365
Research, research literature 4–8, 551
research dissemination 316,
550–551, 554
research level, macro-, meso-, and
micro-level 292–294
research–practice gap, theory-
therapy gap 27, 31, 40, 293,
385, 537–541
residual rhotic errors 224
Resources
resources, CPD 68
resources, complexity resources
(search ‘Storkel’ or ‘Holly
Storkel’) 444
resources, equipment, and materials
175, 264
resources, intervention 456–464
resources, self-monitoring 456
resources, words and pictures 455,
456–458, 464
respect 295
respiratory function 374, 381
ReST program 390–391
rhotic and non-rhotic varieties of
English 14, 38, 68, 456, 458
risk factors for SSD 79, 114, 130–133,
161
proximal and distal risk factors for,
cause of SSD 74–75, 81,
154–155, 156
‘Shane’ case example 156–159
RNA, definition 75
Roulstone, Susan 127–128
SODA 31, 38, 86–87, 153, 182, 330,
335, 340, 429
SPACS 87, 211–212
SPE 32
SSD Umbrella, the 9–10, 117–118,
150–151
Screening 127–128
secondary phonological patterns 46
self-efficacy 538–539, 540
sensorineural hearing loss (SNHL)
124, 147, 155
sensory impairments 11
severity of SSD 92–95
imitative PCC 260–261
impressionistic rating 93
percentage consonants correct (PCC
and PCC-R) 93–94
Shriberg, Lawrence 28, 37, 78, 81
SSD classification system (SDCS)
77–81
silly sentences/silly dinners 217, 274
silly songs 348
singing 338, 340–341, 345, 348,
352–355, 366
karaoke 355
Time to Sing 355
single word (SW) sampling via
telepractice 519
single word production drill 342, 352,
356
social media and SLPs/SLTs 511–516
benefits of 515
digital surge 516–517
Facebook 3, 513, 161–162, 340, 516
Fediverse 512, 514
Lurkers, lurking 514
Mastodon 3, 513–514
Online safety 511–512
Social media discussion that ‘broke
the SLP internet’ 485
Third party tracking 512–513
Twitter 3, 287, 512, 513–516
sociolinguistic knowledge
475–478
Sociophonetics 475–478
SODA (substitution, omission,
distortion, and addition) 31,
38, 86–87, 153, 182, 330, 335,
340, 429
Sociophonetics 475–478
social factors in phonological
acquisition 76, 175, 475–478
sonority 430, 435–436,
437–438, 458
sonority hierarchy 437–438
Sound Contrasts in Phonology (SCIP)
software 209–210
Sound Patterns of English, The (SPE)
32, 209–210
special populations of children
114–170
children learning more than one
language, multilingual
children 479–483, 487–490
children with clefts, velopharyngeal
dysfunction 146–149,
450–454
co-occurring speech and language
disorders 144–146
developmental language disorder
(DLD) 13, 144, 154, 161, 220,
259, 511
specific language impairment
(SLI) 144, 187, 191
speech characteristics rating form
(SCRF) 232, 237, 270–275
*Speech Correction: Principles and
Methods* 27, 29–30
Speech Disorders Classification
System (SDCS) 77–81
speech sound disorders (SSD) 8–10,
11–13
as a cover term 73
speech sound system disorders
(SSSDs) 73
Stanford model of phonological
acquisition 48, 53
Stampe, David 28, 32–33, 48, 52–53,
235
stimulability assessment
Stimulability 44, 55, 88
limited stimulability 181–182
stimulability assessment 89

- Stimulability Therapy, Stimulability training 183–189
case example ('Fiona') 186–187
stimulability assessment 89, 182, 184–185
stimulus characters 186
'true stimulability' 176, 183
Stinchfield, Sara 27, 29
structural errors (syllable structure errors) 193
structuralist model of phonological acquisition 48–51
structured play 180–181
substitution errors (systemic errors) 193
substitution processes (systemic processes) 193
Syllable positions in words 193
syllable-final-within word (SFWW) 193
syllable-final-word-final (SFWF) 193
syllable-initial-within word (SIWW) 193
syllable-initial-word-initial (SIWI) 193
Syllable Repetition Task (SRT) 95–98
syllable structure processes (structural processes) 193
symptom, definition 75
systemic errors (substitution errors) 193
Systemic Phonological Analysis of Child Speech (SPACS) 87, 211–212
systemic stage of phonological acquisition 52
TalkTools, Oral Placement Therapy 291–292
Targeting Intelligible Speech 28, 54
Target Selection 430–441, 441–444
apply sonority sequencing principle (SSP) 430, 435–436, 437–438, 458
Gerry and Shaun case examples 4, 267, 431
high-frequency words 438–440, 442
lexical properties of therapy words 441–444
low neighbourhood density words 440–441
minimal feature contrasts in treatment 430, 432
non-developmental errors 433
prioritize least knowledge sounds 430, 438–439
socially important targets 209, 240, 431
Brett, Gerri, and Shaun case examples 431
systemic approach to rule analysis 437
targeting sounds most destructive of intelligibility 432
'Yoshi' case example 432–433
unfamiliar words as targets 432
use maximal feature contrasts 436
work in typical developmental sequence 431
work on inconsistently erred sounds 432
work on later developing sounds and structures first 434
work on marked consonants first 435
work on non-stimulable phonemes first 436
work on phonemes that are stimulable 431
working on word-final clusters 434–435
'Anna' and 'David' case examples 434–435
Teachers (educators) 39, 67, 73, 125, 127, 128, 249–255, 268, 411, 479, 532–534, 531–537
collaboration with, communicating with 531–537
Teaching assistants, SENCOs 6, 77, 128, 252, 284
Technology, Information and Communication Technology (ICT) 511–524
Facebook 3, 513, 161–162, 340, 516
Mastodon 513–514
online safety 511–512
'tech savvy' 511–512, 521–522
Twitter 3, 287, 512, 513–516
Technology and SLP/SLT 522–523
Technology assisted SLP/SLT (TASLP/TASLT) 522–523
Coviu 516–517, 520
Telepractice, telehealth 29, 297, 516–517, 517–522
and CPD, CEU, PD, PRO-D, training 521–522
compared to face-to-face 521–520
legal and ethical requirements 519
optimism 518
peer reviewed research re 519–520
practical advice 520–521
Temperament and personality 9, 17, 130, 132, 132–133, 154, 160
Australian Temperament Project (ATP) 133
Templin, Mildred 27, 434
Terminology for Speech Pathology 31
clinicians' usage 70
communicating with clients 105–106
easily confused terms, 'phon words' 67
misuse of terms 74
'phonological processing disorder' 74, 115, 120
terminology of SSD 56–57, 66–67
as a barrier 56–57
lack of consensus 10
synonyms 10
thematic play 205, 236, 266, 268, 272, 341
Toddler Phonology Test (TPT) 156
Traditional and newer target selection criteria compared 430
Treatment fidelity, intervention fidelity, treatment integrity, procedural reliability 311–316
and EBP 313–314
implementing a new approach 314–316
measurement 314
trochees 349–350, 430, 458
tonsils 147–148
Travis, Lee Edward 26–27, 184
Treatment, intervention, definition 172, 172–175
equipment, materials and resources 175, 264
goals 17–18, 55, 173, 264, 315, 387–388, 397, 400
IEP goals 428–410
principles, theoretical principles 55
ethical principles 295–296

- intervention principles 338–339
 in articulation disorder 176
 in motor learning, principles of
 motor learning (PML) 363,
 364–366, 379
 in CAS 338–339
 in Developmental dysarthria
 380–383
 in DTTC 384–386, 389
 in NDP3 394
 in ReST 390
 in phonological awareness
 intervention 258
 in phonological disorder,
 phonological principles 33,
 182, 192–196, 338
 in psycholinguistic intervention
 249–255
 in target selection 316
 Treatment techniques
 10 points to consider in phonological
 intervention 338
 10 tips for intervention for young
 children with severe CAS 411
 15 points to consider in CAS
 intervention 338–339
 alliterative stories and activities 179,
 185–188, 268, 272, 338, 341,
 353–354, 458–464
 auditory input therapy 203,
 204–205
 backward build-ups 340, 343, 358
 backward chaining 340, 343, 358
 choice: child selecting activities 180,
 338
 compensatory errors in children with
 cleft palate 148–149, 450–454
 CV syllable and word drills 339,
 340, 344
 drill (production drill) 12, 340, 342,
 356, 357, 392
 information for families 114–120,
 129–132, 150–154, 154–156,
 160–161
 melodic intonation therapy (MIT)
 340, 341, 352, 354–355, 366,
 384
 metalinguistic approaches/cues 40,
 85, 176–180, 284, 341, 352
 minimal contrast activities/therapy
 252, 274
 phonemic placement, shaping 272,
 343–344
 phonetic placement techniques 339,
 340, 343, 444–447
 phonotactic therapy 339–341,
 344–351, 464
 pre-practice 272, 339, 343,
 346, 366
 progressive approximations
 (successive approximations)
 193, 339, 340, 342, 352,
 355–356
 prolongation of vowels (sustaining
 vowels) 341, 355, 384
 reading 216–217, 242, 339, 341,
 351, 458
 responsibilities (adolescent, child,
 parents, SLP/SLT, young adult
 407–409
 self-monitoring 176, 182, 270, 338,
 340, 366
 resources 456
 self-monitoring techniques 242,
 356–357, 453–454
 shaping, phonemic placement 272,
 343–344, 444–447
 singing 355
 single word production drill 342,
 352, 356
 slowed rate of production 340, 342,
 352, 355
 stimulability training 184–189
 thematic play 205, 236, 266, 268,
 272, 341
 Treatment of compensatory errors in
 cleft palate population
 450–454
 Trochees, Trochaic sequences,
 non-trochaic sequences
 349–350, 430, 458
 UDHR, Universal Declaration of
 Human Rights 3, 16, 18–19
 URL, Universal Resource Locator,
 hyperlink 4
 Ultrasound tongue imaging 179, 511,
 524
 underlying representations
 Unknown Set (Empty Set) approach
 171, 205–208, 210, 267, 341,
 354
 Umbrella, The SSD 9–10, 117–118,
 150–151
 untested practices 311, 411, 552–553
 usage-based approaches to language
 learning 35–36
 VBF 523–527
 VML 336, 413
 Van Riper, Charles 12, 29–31, 176,
 312–313
 ‘Land of Hocus Pocus’ 31
 Legacy 29–30
 variationist sociolinguistics
 475–476
 velo-cardio-facial syndrome (VCFS) 9,
 80, 146–147, 155
 velopharyngeal dysfunction (VPD)
 148, 451–452
 associated syndromes 147
 cleft lip and palate 146–149, 156,
 413, 450–454, 492, 525, 526
 compensatory errors (treatment)
 148–149, 450–454
 acquisition 452
 Visual biofeedback (VBF) 523–525
 Visual Reinforcement Audiometry
 (VRA) 122
 vocabulary acquisition, development
 36, 88, 118
 losing words, dropping words 132,
 328
 mean length of utterance,
 MLU 88
 running record (of vocabulary
 acquisition) 328
 vocabulary learning 36
 voice onset time (VOT) 435, 490
 Vowel
 accuracy in DTTC 385
 accuracy in ReST research 391
 acquisition 488
 assessment 221–222
 transcription 221
 contrasts, vowel minimal pairs 11,
 67–70,
 errors 131, 182, 323, 329, 331, 334,
 433–434
 importance of 220–221
 harmony 71
 intrusion (anaptyxis, epenthesis),
 vowel insertion 183, 195, 392

- Vowel (*Continued*)
inventory 86, 90–91, 125
length (marking with vowel length)
 322, 427
 ‘Uzzia’ and ‘Owen’ case examples
 427–428
neutral vowel (schwa) in non-rhotic
 varieties of English 68
prolongation (sustaining vowels)
 341, 355, 384
screening 127
 PVC (percentage vowels correct)
 86, 89, 219–224, 261
Symbols for Australian English 458
usage 98–102
VC (vowel–consonant) combinations
 in canonical babbling 130,
 347
VTI (vowel targeted intervention)
 71, 218–224
 and ultrasound and visual acoustic
 biofeedback 224
Worksheets 457
Vowel Consonant Assessment Protocol
 (VCAP) 222
Vowels
 and ambisyllabic consonants 179
 and diminutisation 195
 and dysarthria 382
 and post-vocalic and prevocalic
 voicing, and vowelization 194
 and stimulability testing 183
 and syllable trees 346–347
 high front vowels 224, 347
 hypernasal 148
 mistaken ideas about 218
 myths about vowels in multilingual
 acquisition 487–490
 short 345–346
W-sitting 326
WHO 3, 11, 16–19, 76–77, 143, 298,
 481
waiting lists, wait times 18, 90, 237
weak syllable deletion, unstressed
 syllable deletion 72, 152, 195,
 196, 323, 330, 334, 335, 348
Websites 7, 516
 Apraxia-Kids 336
 Parent Portal 337
 ASHA Monographs 383
 Child Apraxia Treatment 386
 Child Speech Disorder Research
 Network (CSDRN) 287
 Crosslinguistic Project at UBC
 (Benhardt & Stemberger) 500
 *Developmental Phonological
 Disorders* (Rvachew &
 Brosseau-Lapr  ) 513
 DOI Link Shortener 4
 Edythe Strand’s CAS Videos 513
 Health Care Professionals Council
 Code of Practice 7
 Holly Storkel’s complexity resources
 in KU Scholarworks (search
 ‘Storkel’) 444
 Intelligibility in Context Scale (ICS)
 160
 IPA Full Chart and extIPA 69, 437
 Multilingual Children’s
 Speech 16
 Nuffield Centre Dyspraxia
 Programme (NDP3) 392
 Rapid Syllable Transition Treatment
 (ReST) 364
 speech-language-therapy dot com
 456, 513
 Universal Declaration of Human
 Rights 3
University of Strathclyde Archive
 and Special Collections 25
Waisman Phonology Project 79
Weiner, Frederick 28, 54
West, Robert 27, 29
Whole Language Intervention 242
whole word measures 91–102
 acquisition based upon word
 complexity 101
 intersect between PCC and PWP,
 PCC-PWP intersect 100
 phonological mean length of
 utterance (pMLU) 99–100
 Proportion of Whole-word Proximity
 (PWP) 100
 word complexity 99, 101
words and pictures (resources) 455,
 456–458, 464
World Health Organization (WHO) 3,
 11, 16–19, 76–77, 143, 298,
 481
X-versus a target word in SAILS
 intervention 190
‘XYZ therapy’ 6
Yahoo! Groups shutdown 516
Young, Edna Hill 30
young children with severe CAS 364,
 384, 411
young minimally verbal children 384,
 411
zero voice onset time 435
Zippy Zebra, ‘Fiona’ case example
 186–187
Zoom 391, 393, 512, 516,
 517, 520

