

CHAPTER AND TOPIC INDEX, VOLUMES 1–109

Many chapters contain brief discussions of reactions and comparisons of alternative synthetic methods related to the reaction that is the subject of the chapter. These related reactions and alternative methods are not usually listed in this index. In this index, the volume number is in **boldface**, the chapter number is in ordinary type.

Acetoacetic ester condensation, **1**, 9

Acetylenes:

cotrimerizations of, **68**, 1

oxidations by dioxirane, **69**, 1

reactions with Fischer carbene complexes, phenol and quinone formation, **70**, 2

synthesis of, **5**, 1; **23**, 3; **32**, 2

Achmatowicz reaction, **87**, 1

Acid halides:

reactions with esters, **1**, 9

reactions with organometallic compounds, **8**, 2

α -Acylamino acid mixed anhydrides, **12**, 4

α -Acylamino acids, azlactonization of, **3**, 5

Acylation:

enantioselective, **104**, 1

intramolecular, to form cyclic ketones, **2**, 4; **23**, 2

of esters with acid chlorides, **1**, 9

of ketones to form diketones, **8**, 3

Acyl fluorides, synthesis of, **21**, 1; **34**, 2; **35**, 3

Acyl hypohalites, reactions of, **9**, 5

Acyloins, **4**, 4; **15**, 1; **23**, 2

Alcohols:

conversion to fluorides, **21**, 1, 2; **34**, 2; **35**, 3

conversion to olefins, **12**, 2

deoxygenation of, **77**, 2

oxidation of, **6**, 5; **39**, 3; **53**, 1; **74**, 2

replacement of hydroxyl group by

nucleophiles, **29**, 1; **42**, 2

resolution of, **2**, 9

Alcohols, synthesis:

by allylstannane addition to aldehydes, **64**, 1

by aminooxygenation of alkenes, **108**, 2

by base-promoted isomerization of epoxides, **29**, 3

by hydroboration, **13**, 1

by hydroxylation of ethylenic compounds, **7**, 7

by organochromium reagents to carbonyl compounds, **64**, 3

by reduction, **6**, 10; **8**, 1; **71**, 1

from organoboranes, **33**, 1; **73**, 1

of propargylic alcohols, **100**, 4

Aldehydes, additions of allyl, allenyl, propargyl stannanes, **64**, 1

addition of allylic boron compounds, **73**, 1

addition of perfluoroalkyl reagents, **91**, 1

Aldehydes, catalyzed addition to double bonds, **40**, 4

Aldehydes, dimerization by alkoxides, **86**, 2

Aldehydes, synthesis of, **4**, 7; **5**, 10; **8**, 4, 5; **9**, 2; **33**, 1; **107**, 1

Aldimines, **99**, 1

- Aldol condensation, **16**, **1**; **67**, **1**
 catalytic, enantioselective, **67**, **1**
 directed, **28**, **3**
 with boron enolates, **51**, **1**
- Aldol reactions, **98**, **2**
- Aldol-Tishchenko reaction, **86**, **2**
- Aliphatic fluorides, **2**, **2**; **21**, **1**, **2**; **34**, **2**; **35**, **3**
- Alkaloids as catalysts for enantioselective Michael reactions, **90**, **1**
- Alkanes: by reduction of alkyl halides with organochromium reagents, **64**, **3**
 of carbonyl groups with organosilanes, **71**, **1**
 oxidation of, **69**, **1**
 via alcohol deoxygenation, **77**, **2**
- Alkenes:
 aminooxygenation of, **108**, **2**
 arylation, **11**, **3**; **24**, **3**; **27**, **2**
 asymmetric dihydroxylation of, **66**, **2**
 carbozincation of, **87**, **3**
 copper-boryl additions, **100**, **15**
 cross-metathesis of, **106**, **1**
 cyclopropanes from, **20**, **1**
 cyclization in intramolecular Heck reactions, **60**, **2**
 from carbonyl compounds with organochromium reagents, **64**, **3**
 dioxirane epoxidation of, **61**, **2**
 epoxidation and hydroxylation of, **7**, **7**
 epoxidation of electron-deficient, **74**, **3**
 free-radical additions to, **13**, **3**, **4**
 halofunctionalization of, **105**, **1**
 hydroamination of, **88**
 hydroboration of, **13**, **1**
 hydrocyanation of, **75**, **1**
 hydrogenation with homogeneous catalysts, **24**, **1**
 oxidation with palladium catalyst, **84**, **2**
 perfluoroalkylation of, **91**, **1**
 reactions with diazoacetic esters, **18**, **3**
 reactions with nitrones, **36**, **1**
 reduction by:
 alkoxyaluminum hydrides, **34**, **1**
 diimides, **40**, **2**
 organosilanes, **71**, **1**
 perfluoroalkylation of, **91**, **1**
- Alkenes, synthesis:
 by addition of sulfones to carbonyl compounds, **95**, **1**
 by Bamford-Stevens reaction, **23**, **3**
 by Claisen and Cope rearrangements, **22**, **1**
 by dehydrocyanation of nitriles, **31**
 by deoxygenation of vicinal diols, **30**, **2**
 by deoxygenative coupling of carbonyl compounds, **82**, **1**
 by Julia-Kocienski olefination, **95**, **1**
 by palladium-catalyzed vinylation, **27**, **2**
 by pyrolysis of xanthates, **12**, **2**
 by McMurray reaction, **82**, **1**
 by Wittig reaction, **14**, **3**
 from amines, **11**, **5**
 from aryl and vinyl halides, **27**, **2**
 from α -halosulfones, **25**, **1**; **62**, **2**
 from phosphoryl-stabilized anions, **25**, **2**
 from silicon-stabilized anions, **38**, **1**
 from tosylhydrazones, **23**, **3**; **39**, **1**
 from twofold extrusion reactions, **78**, **3**
- Alkenyl- and alkynylaluminum reagents, **32**, **2**
- Alkenyl-electrophiles, **83**, **1**
 lithium reagents, formation of, **39**, **1**
 silanes, **75**, **3**
 trifluoroborates, **79**, **1**
- Alkoxyaluminum hydride reductions, **34**, **1**; **36**, **3**
- Alkoxyphosphonium cations, nucleophilic displacements on, **29**, **1**
- Alkoxysilanes, **75**, **3**
- Alkylation:
 of allyl alcohol esters, **84**, **1**
 of allylic and benzylic carbanions, **27**, **1**
 with amines and ammonium salts, **7**, **3**
 of aromatic compounds, **3**, **1**
 of esters and nitriles, **9**, **4**
 γ -, of dianions of β -dicarbonyl compounds, **17**, **2**
 iridium-catalyzed allylic, **99**, **2**
 of metallic acetylides, **5**, **1**
 of nitrile-stabilized carbanions, **31**, **1**
 with organopalladium complexes, **27**, **2**
- Alkyl azides, use in Schmidt Reaction, **78**, **1**
- Alkylidenation by titanium-based reagents, **43**, **1**
- Alkylidenesuccinic acids, synthesis and reactions of, **6**, **1**
- Alkylidene triphenylphosphoranes, synthesis and reactions of, **14**, **3**

- Alkylidyne, **102**, 2
- Alkynes
- alkyne-metal complexes, **103**, 3
 - cycloisomerizations with alkenes and arenes, **92**, 1
 - hydroamination of, **88**, 1
 - hydroarylation of, **103**, 1
 - hydrocyanation of, **75**, 1
 - hydrozincation of, **87**, 3
 - metathesis, **102**, 2
 - perfluoroalkylation of, **91**, 1
- Alkynyl:
- silanes, **75**, 3
 - trifluoroborates, **79**, 1
- Allenes, hydroamination of, **88**, 1
- Allenyl esters, azide additions, **92**, 2
- Allenylsilanes, electrophilic substitution reactions of, **37**, 2
- Allylboration of carbonyl compounds, **73**, 1
- Allylic alcohols, synthesis:
- from epoxides, **29**, 3
 - by Wittig rearrangement, **46**, 2
- Allylic amines, **83**, 2
- Allylic and benzylic carbanions, heteroatom-substituted, **27**, 1
- Allylic hydroperoxides, in photooxygenations, **20**, 2
- Allylic rearrangements, transformation of glycols into 2,3-unsaturated glycosyl derivatives, **62**, 4
- Allylic rearrangements, trihaloacetimidate, **66**, 1
- π -Allylnickel complexes, **19**, 2
- Allylphenols, synthesis by Claisen rearrangement, **2**, 1; **22**, 1
- Allylsilanes, **75**, 3
- Allylsilanes, electrophilic substitution reactions of, **37**, 2
- Allyl transfer reactions, **73**, 1
- Aluminum alkoxides:
- in Meerwein-Ponndorf-Verley reduction, **2**, 5
 - in Oppenauer oxidation, **6**, 5
- Amides:
- arylation of, **85**, 1
 - cyclopropanation of, **77**, 1
 - formation by oxime rearrangement, **35**, 1
 - from ketones, **78**, 1
 - in hydroamination of alkenes, **88**, 1
 - synthesis, **97**, 2
- α -Amidoalkylations at carbon, **14**, 2
- Amination:
- electrophilic, of carbanions and enolates, **72**, 1
 - of alkenes, **88**, 1
 - of aryl halides, **100**, 14
 - of heterocyclic bases by alkali amides, **1**, 4
 - of hydroxy compounds by Bucherer reaction, **1**, 5
- Amine oxides:
- Polonovski reaction of, **39**, 2
 - pyrolysis of, **11**, 5
- Amines:
- N*-arylation of, **85**, 1
 - from allylstannane addition to imines, **64**, 1
 - from carbocations, **78**, 1
 - from carboxylic acids, **3**, 9; **78**, 1
 - from chiral *N*-sulfinyl imines, **99**, 1
 - oxidation of, **69**, 1
 - perfluoroalkylation of, **91**, 1
 - synthesis from organoboranes, **33**, 1
 - synthesis by hydroamination of alkenes, **88**, 1
 - synthesis by reductive alkylation, **4**, 3; **5**, 7
 - synthesis by Zinin reaction, **20**, 4
 - reactions with cyanogen bromide, **7**, 4
- α -Amino acid derivatives,
- from borono-Mannich reactions, **83**, 2
- α -Amino acid synthesis,
- by olefin ring-closing metathesis, **89**, 1
 - by the Strecker reaction, **70**, 1
- α -Aminoalkylation of activated olefins, **51**, 2
- α -Amino ketones,
- from borono-Mannich reactions, **83**, 2
 - from oxime derivatives, **78**, 2
- Amino-oxygenation of alkenes, **108**, 2
- Aminophenols from anilines, **35**, 2
- Anhydrides of aliphatic dibasic acids, Friedel-Crafts reaction with, **5**, 5
- Anion-assisted sigmatropic rearrangements, **43**, 2
- Annulation reactions, **107**, 2
- Anthracene homologs, synthesis of, **1**, 6
- Anti-Markownikoff hydration of alkenes, **13**, 1

- Arene synthesis, **109**, 1
 π -Arenechromium tricarbonyls, reaction
 with nitrile-stabilized carbanions, **31**, 1
 η^6 -(Arene)chromium complexes, **67**, 2
Arndt-Eistert reaction, **1**, 2
Aromatic aldehydes, synthesis of, **5**, 6; **28**, 1
Aromatic compounds:
 chloromethylation of, **1**, 3
 polycyclic, **107**, 2
Aromatic fluorides, synthesis of, **5**, 4
Aromatic hydrocarbons, synthesis of, **1**, 6;
 30, 1
Aromatic substitution by the $S_{RN}1$ reaction,
 54, 1
Arsinic acids, **2**, 10
Arsonic acids, **2**, 10
Arylacetic acids, synthesis of, **1**, 2; **22**, 4
 β -Arylacrylic acids, synthesis of, **1**, 8
Aryl amines, reactions of, **1**, 5; **85**, 1
Arylation:
 by aryl halides, **27**, 2
 by copper catalysis, **85**, 1
 by diazonium salts, **11**, 3; **24**, 3
 γ -, of dianions of β -dicarbonyl
 compounds, **17**, 2
 of alkenes, **11**, 3; **24**, 3; **27**, 2; **93**, 1
 of enolates, **76**, 2
 of ketones, **76**, 2
 of nitrile-stabilized carbanions, **31**, 1
Aryl diazoacetates, **75**, 2
Arylglyoxals, condensation with aromatic
 hydrocarbons, **4**, 5
Aryl halides,
 amination of, **100**, 14
 cross-coupling, **83**, 1
 homocoupling of, **63**, 3
 in hydroarylation of alkynes, **103**, 1
Arylsilanes, **75**, 3
Arylsulfonic acids, synthesis of, **3**, 4
Aryl thiocyanates, **3**, 6
Aryltrifluoroborates, **79**, 1
Asymmetric aldol reactions using boron
 enolates, **51**, 1
Asymmetric catalysis, **100**, 6
Asymmetric cyclopropanation, **57**, 1
Asymmetric deprotonation with chiral
 lithium amides, **79**, 2
Asymmetric dihydroxylation, **66**, 2
Asymmetric enyne cycloisomerizations,
 92, 1
Asymmetric epoxidation, **48**, 1; **61**, 2; **74**, 3
Asymmetric functionalization, **105**, 1
Asymmetric hydroamination of alkenes,
 88, 1
Asymmetric hydrocyanation, **75**, 1
Asymmetric hydrogenation of $C=N$, **74**, 1
Asymmetric induction, **105**, 2
Asymmetric Michael reactions, **90**, 1
Asymmetric reduction, **71**, 1
Asymmetric rhodium-catalyzed 1,4
 additions of organoboranes to
 electron-deficient alkenes, **93**, 1
Asymmetric Strecker reaction, **70**, 1
Atom transfer formation of radicals, **48**, 2
Aza-Achmatowicz reaction, **87**, 1
Aza-Cope/Mannich reaction, **75**, 4
Aza-Payne rearrangements, **60**, 1
Azaphenanthrenes, synthesis by
 photocyclization, **30**, 1
Azides, synthesis and rearrangement of, **3**, 9;
 92, 2
2*H*-Azirines, from Neber rearrangement of
 oxime derivatives, **78**, 2
 intermediates in vinyl azide cyclizations,
 92, 2
Azlactones, **3**, 5
Azomethine imines, **103**, 2

Baeyer-Villiger reaction, **9**, 3; **43**, 3
Bamford-Stevens reaction, **23**, 3
Barbier Reaction, **58**, 2
Bart reaction, **2**, 10
Barton fragmentation reaction, **48**, 2
Barton-McCombie reaction, **77**, 2
Béchamp reaction, **2**, 10
Beckmann rearrangement, **11**, 1; **35**, 1
Benzils, reduction of, **4**, 5
Benzoin condensation, **4**, 5
Benzoquinones:
 acetoxylation of, **19**, 3
 in Nenitzescu reaction, **20**, 3
 synthesis of, **4**, 6
Benzylic carbanions, **27**, 1; **67**, 2
Benzylic deprotonations, **79**, 2
Benzyl:
 silanes, **75**, 3
 trifluoroborates, **79**, 1
Biaryls, synthesis of, **2**, 6; **63**, 3; **79**, 1
Bicyclobutanes, from cyclopropenes, **18**, 3

- Biginelli dihydropyrimidine synthesis, **63**, 1
Birch reaction, **23**, 1; **42**, 1
Bischler-Napieralski reaction, **6**, 2
Bis(chloromethyl) ether, **1**, 3; **19**, *warning*
Borane reagents, for allylic transfer, **73**, 1
 rhodium-catalyzed 1,4-additions to
 electron-deficient alkenes, **93**, 1
Borohydride reduction, chiral, **52**, 2
 in reductive amination, **59**, 1
Boron-boron bonds:
 activation of, **105**, 2
Boron enolates, **51**, 1
Boron-containing heterocycles synthesis,
 by olefin ring-closing metathesis, **89**, 1
Boronic acid Mannich reaction, **83**, 2
 1,4-additions to electron-deficient
 alkenes, **93**, 1
Boronic ester, **105**, 3
Boyland-Sims oxidation, **35**, 2
Breslow intermediates, **106**, 2
Brook Rearrangement, **102**, 1
Bucherer reaction, **1**, 5; **85**, 1
Butenolides from furan oxidation, **87**, 1

Cannizzaro reaction, **2**, 3
Carbanion, electrophilic amination, **72**, 1
Carbazole synthesis by aryl azide
 cyclizations, **92**, 2
Carbenes, **13**, 2; **26**, 2; **28**, 1
Carbene complexes in phenol and quinone
 synthesis, **70**, 2
Carbenoids,
 in cyclopropanation, **57**, 1; **58**, 1; **77**, 1
 intermolecular C–H insertions of, **75**, 2
Carbocycles, synthesis by ring-closing
 metathesis, **89**, 1
Carbohydrates, deoxy, synthesis of, **30**, 2
Carbometalliccupration, **41**, 2
Carbon-carbon bond formation:
 by acetoacetic ester condensation, **1**, 9
 by acyloin condensation, **23**, 2
 by aldol condensation, **16**, 1; **28**, 3; **46**, 1;
 67, 1
 by alkylation of allyl alcohol esters, **84**, 1
 by alkylation with amines and
 ammonium salts, **7**, 3
 by γ -alkylation and arylation, **17**, 2
 by allylic and benzylic carbanions, **27**, 1
 by amidoalkylation, **14**, 2
 by Cannizzaro reaction, **2**, 3
 by C–H activation reactions, **100**, 11
 by C–H insertion reaction, **80**, 1
 by Claisen rearrangement, **2**, 1; **22**, 1
 by Cope rearrangement, **22**, 1
 by cross-coupling with
 organotrifluoroborate salts, **79**, 1
 by cyclopropanation reaction, **13**, 2; **20**, 1
 by Darzens condensation, **5**, 10
 by diazonium salt coupling, **10**, 1; **11**, 3;
 24, 3
 by Dieckmann condensation, **15**, 1
 by Diels-Alder reaction, **4**, 1, 2; **5**, 3; **32**, 1
 by free-radical additions to alkenes, **13**, 3
 by Friedel-Crafts reaction, **3**, 1; **5**, 5
 by Knoevenagel condensation, **15**, 2
 by Mannich reaction, **1**, 10; **7**, 3
 by metallaphotoredox catalysis, **100**, 8
 by Michael addition, **10**, 3; **90**, 1
 by nitrile-stabilized carbanions, **31**, 1
 by nitron [3 + 2] cycloadditions with
 alkenes; **94**, 1
 by organoboranes and organoborates,
 33, 1; **100**, 9
 by organocopper reagents, **19**, 1; **38**, 2;
 41, 2
 by organopalladium complexes, **27**, 2;
 100, 9
 by organozinc reagents, **20**, 1; **100**, 1
 by rearrangement of α -halo sulfones,
 25, 1; **62**, 2
 by Reformatsky reaction, **1**, 1; **28**, 3
 by rhodium-catalyzed 1,4-addition of
 organoboranes to electron-deficient
 alkenes, **93**, 1
 by trivalent manganese, **49**, 3
 by Vilsmeier reaction, **49**, 1; **56**, 2
 by vinylcyclopropane-cyclopentene
 rearrangement, **33**, 2
Carbon-fluorine bond formation, **21**, 1;
 34, 2; **35**, 3; **69**, 2; **100**, 12; **104**, 3
Carbon-halogen bond formation,
 by replacement of hydroxyl groups,
 29, 1
Carbon-heteroatom bond formation:
 by free-radical chain additions to
 carbon-carbon multiple bonds, **13**, 4
 by organoboranes and organoborates,
 33, 1

- Carbon-nitrogen bond formation,
 by copper-catalyzed arylation and
 vinylation, **85**, 1
 by hydroamination of alkenes, **88**, 1
 by reductive amination, **59**, 1
Carbon-phosphorus bond formation, **36**, 2
Carbonyl compounds, addition of
 organochromium reagents, **64**, 3
Carbonyl compounds, α,β -unsaturated:
 formation by Saegusa reaction, **98**, 1
 formation by selenoxide elimination,
 44, 1
 vicinal difunctionalization of, **38**, 2
Carbonyl compounds, from nitro
 compounds, **38**, 3
 in the Passerini Reaction, **65**, 1
 oxidation with hypervalent iodine
 reagents, **54**, 2
 reactions with allylic boron compounds,
 73, 1
 reductive amination of, **59**, 1
Carbonyl ylides from diazo carbonyl
 compounds, **80**, 2
Carbonylation as part of intramolecular
 Heck reaction, **60**, 2
Carboxylic acids
 synthesis from furan oxidation, **87**, 1
 synthesis from organoboranes, **33**, 1
 reaction with organolithium reagents,
 18, 1
Carboxylic acid derivatives,
 conversion to fluorides, **21**, 1, 2; **34**, 2;
 35, 3
 cyclopropanation of, **77**, 1
Carbozincation, **87**, 3
Cascade reactions, **104**, 2
Catalysis by manganese, iron, cobalt, **100**, 7
Catalytic asymmetric allylic alkylation, **84**, 1
Catalytic asymmetric hydrogenation of C=N
 functions, **74**, 1
Catalytic enantioselective aldol addition,
 67, 1
Catalytic enantioselective ketene
 cycloadditions, **82**, 2
Catalytic enantioselective Michael reaction,
 90, 1
Catalytic transfer hydrogenation, **100**, 6
C–H functionalization, **75**, 2; **80**, 1; **100**, 10;
 100, 11
C–H insertions,
 intramolecular with carbenoids, **80**, 1
 intermolecular with carbenoids, **75**, 2
Chapman rearrangement, **14**, 1; **18**, 2
Chelation assistance, **100**, 10
Chemical protein synthesis, **97**, 2
Chemoselective ligation, **97**, 2
Chiral lithium amides, **79**, 2
Chiral ligands:
 catalytic enantioselective Michael
 Reactions, **90**, 1; **93**, 1
 enantioselective hydroformylation of
 alkenes, **107**, 1
Chloromethylation of aromatic compounds,
 2, 3; **9**, *warning*
Cholanthrenes, synthesis of, **1**, 6
Chromium reagents, **64**, 3; **67**, 2
Chugaev reaction, **12**, 2; **77**, 2
Claisen condensation, **1**, 8
Claisen rearrangement, **2**, 1; **22**, 1
Cleavage:
 of benzyl-oxygen, benzyl-nitrogen, and
 benzyl-sulfur bonds, **7**, 5
 of carbon-carbon bonds by periodic acid,
 2, 8
 of esters via S_N2 -type dealkylation, **24**, 2
 of non-enolizable ketones with sodium
 amide, **9**, 1
 in sensitized photooxidation, **20**, 2
Clemmensen reduction, **1**, 7; **22**, 3
Collins reagent, **53**, 1
Condensation:
 acetoacetic ester, **1**, 9
 acyloin, **4**, 4; **23**, 2
 aldol, **16**, 1
 benzoin, **4**, 5
 Biginelli, **63**, 1
 Claisen, **1**, 8
 Darzens, **5**, 10; **31**
 Dieckmann, **1**, 9; **6**, 9; **15**, 1
 directed aldol, **28**, 3
 Knoevenagel, **1**, 8; **15**, 2
 Stobbe, **6**, 1
 Thorpe-Ziegler, **15**, 1; **31**
Conjugate additions:
 of hydrogen cyanide, **25**, 3; **75**, 1
 of organocopper reagents, **19**, 1; **41**, 2
 of organoboranes to electron-deficient
 alkenes by rhodium catalysis, **93**, 1

- Cope rearrangement, **22**, 1; **41**, 1; **43**, 2
- Copper-catalyzed arylation:
 of active methylenes, **76**, 2
 of nitrogen nucleophiles, **85**, 1
- Copper-catalyzed preparation of indoles by cyclization, **76**, 3
- Copper-Grignard complexes, conjugate additions of, **19**, 1; **41**, 2
- Corey-Winter reaction, **30**, 2
- Coumarins, synthesis of, **7**, 1; **20**, 3
- Cross-coupling reactions with:
 copper catalysis, **85**, 1
 iron catalysts, **83**, 1
 metallaphotoredox catalysis, **100**, 8
 organosilicon compounds, **75**, 3
 organostannanes, **50**, 1
 organotrifluoroborate salts, **79**, 1
 organozinc reagents, **100**, 1
 Suzuki-Miyaura reaction, **100**, 9
- Cross-metathesis reactions:
 alkenes, **106**, 1
- Cuprate reagents, **19**, 1; **38**, 2; **41**, 2
- Curtius rearrangement, **3**, 7, 9
- Cyanation, of *N*-heteroaromatic compounds, **70**, 1
 perfluoroalkyl carbanions, **91**, 1
- Cyanoborohydride, in reductive aminations, **59**, 1
- Cyanoethylation, **5**, 2
- Cyanogen bromide, reactions with tertiary amines, **7**, 4
- Cyclic amino acids and peptidomimetics, synthesis by olefin ring-closing metathesis, **89**, 1
- Cyclic ketones, formation by intramolecular acylation, **2**, 4; **23**, 2
- Cyclic nitrones, [3 + 2]cycloadditions with alkenes, **94**, 1
- Cyclization:
 of alkyl dihalides, **19**, 2
 of aryl-substituted aliphatic acids, acid chlorides, and anhydrides, **2**, 4; **23**, 2
 of α -carbonyl carbenes and carbenoids, **26**, 2
 cycloheptenones from α -bromo ketones, **29**, 2
 of diesters and dinitriles, **15**, 1
 Fischer indole, **10**, 2
 intramolecular by acylation, **2**, 4
 intramolecular by acyloin condensation, **4**, 4
 intramolecular by Diels-Alder reaction, **32**, 1
 intramolecular by Heck reaction, **60**, 2
 intramolecular by Michael reaction, **47**, 2
 Nazarov, **45**, 1
 of nitrogen-centered radicals, **108**, 1
 by radical reactions, **48**, 2; **108**, 1
 of stilbenes, **30**, 1
 tandem cyclization by Heck reaction, **60**, 2
 of unsaturated amines, **88**
- Cycloaddition reactions,
 [2 + 2], **82**, 2; **87**, 2; **95**, 2
 [2 + 2 + 2], **97**, 1
 [3 + 2], **61**, 1; **80**, 2; **94**, 1; **103**, 2
 [4 + 2], **4**, 1, 2; **32**, 1; **65**, 2; **82**, 2; **101**, 1
 [4 + 3], **51**, 3
 [6 + 4], **49**, 2
 of alkynes, **97**, 1
 of azomethine imines, **103**, 2
 of cyclenones and quinones, **5**, 3
 of cyclic nitrones with alkenes, **94**, 1
 of diazocarbonyl ylides, **80**, 2
 of oxadienes, **101**, 1
 cyclotrimerization of acetylenes, **68**, 1
 Diels-Alder, acetylenes and alkenes, **4**, 2
 Diels-Alder, imino dienophiles, **65**, 2
 Diels-Alder, intramolecular, **32**, 1
 Diels-Alder, maleic anhydride, **4**, 1
 of enones, **44**, 2
 of ketenes, **45**, 2; **82**, 2
 of nitrones and alkenes, **36**, 1
 Pauson-Khand, **40**, 1
 photochemical, **44**, 2
 retro-Diels-Alder reaction, **52**, 1; **53**, 2
- Cycloalkenes, synthesis
 by olefin ring-closing metathesis, **89**, 1
- Cyclobutanes, synthesis:
 by ketene cycloaddition, **87**, 2
 by thermal cycloaddition reactions, **12**, 1
 from nitrile-stabilized carbanions, **31**
 synthesis of, **44**, 2
- Cycloheptadienes, from
 divinylcyclopropanes, **41**, 1
 polyhalo ketones, **29**, 2
- Cyclooligomerization, **102**, 2
- π -Cyclopentadienyl transition metal carbonyls, **17**, 1

- Cyclopentenones:
annulation, **45**, 1
synthesis, **40**, 1; **45**, 1; **104**, 2
Cyclopropanation, **57**, 1; **77**, 1
Cyclopropane carboxylates, from
diazoacetic esters, **18**, 3
Cyclopropanes:
from α -diazo carbonyl compounds, **26**, 2;
57, 1
from carboxylic acid derivatives, **77**, 1
from metal-catalyzed decomposition of
diazo compounds, **57**, 1
from nitrile-stabilized carbanions, **31**, 1
from tosylhydrazones, **23**, 3
from unsaturated compounds, methylene
iodide and zinc-copper couple,
20, 1; **58**, 1; **58**, 2
Cyclopropanols, synthesis of, **77**, 1
Cyclopropenes, synthesis of, **18**, 3
Cyclopropylamines, **77**, 1

Darzens glycidic ester condensation, **5**, 10;
31, 1
DAST, **34**, 2; **35**, 3
Dealkoxycarbonylation of activated esters,
81, 1
Deamination of aromatic primary amines,
2, 7
Debenzylation, **7**, 5; **18**, 4
Decarboxylation:
of acids, **9**, 5; **19**, 4
of esters, **81**, 1
Dehalogenation of α -halo acyl halides, **3**, 3
Dehydrogenation:
in Saegusa reaction, **98**, 1
in synthesis of ketenes, **3**, 3
in synthesis of acetylenes, **5**, 1
Demjanov reaction, **11**, 2
Dendrimer synthesis, **109**, 1
Deoxygenation:
of alcohols, **77**, 2
of vicinal diols, **30**, 2; **77**, 2
Deprotonations by chiral lithium amides,
79, 2
Desoxybenzoins, conversion to benzoins,
4, 5
Dess-Martin oxidation, **53**, 1
Desulfonylation reactions, **72**, 2
Desulfurization:
of α -(alkylthio)nitriles, **31**
in alkene synthesis, **30**, 2
with Raney nickel, **12**, 5
Desymmetrization, **104**, 1
Diazo compounds, carbenoids derived from,
57, 1; **75**, 2
Diazoacetic esters, reactions with alkenes,
alkynes, heterocyclic and aromatic
compounds, **18**, 3; **26**, 2
 α -Diazo carbonyl compounds:
conversion to carbonyl ylides, **80**, 2
in cyclopropanation reactions, **57**, 1
insertion and addition reactions, **26**, 2;
80, 1
preparation of, **57**, 1; **80**, 1
Diazomethane:
in Arndt-Eistert reaction, **1**, 2
reactions with aldehydes and ketones,
8, 8
Diazonium fluoroborates, synthesis and
decomposition, **5**, 4
Diazonium salts:
coupling with aliphatic compounds,
10, 1, 2
in deamination of aromatic primary
amines, **2**, 7
in Meerwein arylation reaction, **11**, 3;
24, 3
in ring closure reactions, **9**, 7
in synthesis of biaryls and aryl quinones,
2, 6
Diboration:
application of, **105**, 2
geminal, **105**, 2
reagents, **105**, 2
vicinal, **105**, 2
1,4-Dicarbonyl compounds from furans,
87, 1
Dieckmann condensation, **1**, 9; **15**, 1
for synthesis of tetrahydrothiophenes,
6, 9
Diels-Alder reaction:
hetero-Diels-Alder reaction, **101**, 1
intramolecular, **32**, 1
retro-Diels-Alder reaction, **52**, 1; **53**, 2
with alkynyl and alkenyl dienophiles,
4, 2
with cyclenones and quinones, **5**, 3
with imines, **65**, 2
with maleic anhydride, **4**, 1
Dihydro diols, **63**, 2
Dihydropyrans, **101**, 1

- Dihydropyrimidine synthesis, **63**, 1
Dihydroxylation of alkenes
 asymmetric, **66**, 2
 hydrogen-bond-mediated, **76**, 1
Diimide, **40**, 2
Diketones:
 pyrolysis of diaryl, **1**, 6
 reduction by acid in organic solvents,
 22, 3
 synthesis by acylation of ketones, **8**, 3
 synthesis by alkylation of β -diketone
 dianions, **17**, 2
 synthesis by the Stetter Reaction, **106**, 2
Dimethyl sulfide, in oxidation reactions,
 39, 3
Dimethyl sulfoxide, in oxidation reactions,
 39, 3
Diols
 deoxygenation of, **30**, 2
 chiral, **105**, 3
 oxidation of, **2**, 8
1,3-Diol monoesters from β -hydroxy
 ketones, **86**, 2
Dioxetanes, **20**, 2
Dioxiranes, **61**, 2; **69**, 1
Dioxygenases, **63**, 2
1,3-Dipoles, **94**, 1
Dirhodium catalysts, **75**, 2
Divinyl-aziridines, -cyclopropanes,
 -oxiranes, and -thiiranes,
 rearrangements of, **41**, 1
Doebner reaction, **1**, 8

Eastwood reaction, **30**, 2
Elbs reaction, **1**, 6; **35**, 2
Electrocyclization, **104**, 2
Electrophile-nucleophile coupling, **103**, 3
Electrophilic:
 amination, **72**, 1
 fluorination, **69**, 2
Enamines, reaction with quinones, **20**, 3
 activation of catalytic enantioselective
 Michael reactions, **90**, 1
Enantioselective:
 aldol reactions, **67**, 1
 allylation and crotylation, **73**, 1
 boronic acid Mannich reactions, **83**, 2
 catalysis, **104**, 1
 deprotonation, **79**, 2
 Favorskii reaction, **100**, 4
 halofunctionalization of alkenes, **105**, 1
 hydroamination of alkenes, **88**, 1
 hydroformylation, **107**, 1
 hydrofunctionalization of alkenes, **100**, 3
 hydrogenation of heteroaromatics, **96**, 1
 Michael reactions, **90**, 1
 ring-closing olefin metathesis, **89**, 1
 perfluoroalkyl additions, **91**, 1
 rhodium-catalyzed 1,4-additions of
 organoboranes to electron-deficient
 alkenes, **93**, 1
Ene reaction, in photosensitized
 oxygenation, **20**, 2
Enolates:
 α -Arylation, **76**, 2
 Fluorination of, **69**, 2
 α -Hydroxylation of, **62**, 1
 in directed aldol reactions, **28**, 3; **46**, 1;
 51, 1
 rhodium intermediates in
 rhodium-catalyzed 1,4-additions
 addition to electron-deficient
 alkenes, **93**, 1
Enone cycloadditions, **44**, 2
1, n-Enyne cycloisomerizations, **92**, 1
Enzymatic reduction, **52**, 2
Enzymatic resolution, **37**, 1
Epoxidation:
 of alkenes, **61**, 2; **74**, 3
 of allylic alcohols, **48**, 1
 with organic peracids, **7**, 7
Epoxide isomerizations, **29**, 3
Epoxide
 carbonylation, **86**, 1
 formation, **48**, 1; **61**, 2; **74**, 3
 migration, **60**, 1
 ring expansion, **86**, 1
 trifluoroalkylation of, **91**, 1
Esters:
 acylation with acid chlorides, **1**, 9
 alkylation of, **9**, 4
 alkylidenation of, **43**, 1
 cleavage via S_N2 -type dealkylation,
 24, 2
 cyclopropanation of, **77**, 1
 dealkoxycarbonylation of, **81**, 1
 dimerization, **23**, 2
 glycidic, synthesis of, **5**, 10

Esters: (*Continued*)

- hydrolysis, catalyzed by pig liver esterase, **37**, 1
- β -hydroxy, synthesis of, **1**, 1; **22**, 4
- β -keto, synthesis of, **15**, 1
- reaction with organolithium reagents, **18**, 1
- reduction of, **8**, 1; **71**, 1
- synthesis from diazoacetic esters, **18**, 3
- synthesis by Mitsunobu reaction, **42**, 2

Ethers, synthesis by Mitsunobu reaction, **42**, 2

- Evans-Tishchenko reaction, **86**, 2
- Exhaustive methylation, Hofmann, **11**, 5
- Extrusion reactions, **78**, 3; **109**, 1

Favorskii rearrangement, **11**, 4Ferrocenes, **17**, 1Ferrocene-based catalysts for catalytic enantioselective Michael reactions, **90**, 1Fischer carbene complexes, **70**, 2Fischer indole cyclization, **10**, 2Fluorinating agents, electrophilic, **69**, 2Fluorination of aliphatic compounds, **2**, 2;

- 21**, 1, 2; **34**, 2; **35**, 3; **69**, 2

- of carbonyl compounds, **69**, 2

- of heterocycles, **69**, 2

Fluorination:

- by DAST, **35**, 3
- by N-F reagents, **69**, 2
- by sulfur tetrafluoride, **21**, 1; **34**, 2
- catalytic, enantioselective **100**, 12
- electrophilic, **104**, 3
- nucleophilic, **104**, 3

Formylation:

- by hydroformylation, **56**, 1
- of alkylphenols, **28**, 1
- of aromatic hydrocarbons, **5**, 6
- of aromatic compounds, **49**, 1
- of non-aromatic compounds, **56**, 2

Free radical

additions:

- to alkenes and alkynes to form carbon-heteroatom bonds, **13**, 4
- to alkenes to form carbon-carbon bonds, **13**, 3
- deoxygenations, **77**, 2

Freidel-Crafts catalysts, in nucleoside synthesis, **55**, 1Friedel-Crafts reaction, **2**, 4; **3**, 1; **5**, 5; **18**, 1Friedländer synthesis of quinolines, **28**, 2Fries reaction, **1**, 11Furans, oxidative cleavage, **87**, 1Gattermann aldehyde synthesis, **9**, 2Gattermann-Koch reaction, **5**, 6Germanes, addition to alkenes and alkynes, **13**, 4

Glycols,

- fluorination of, **69**, 2

- transformation into glycosyl derivatives, **62**, 4

Glycosides, synthesis of, **64**, 2Glycosylating agents, **68**, 2

Glycosylation,

- on polymer supports, **68**, 2

- with catalyst control, **100**, 13

- with sulfoxides and sulfonates, **64**, 2

Glycidic esters, synthesis and reactions of, **5**, 10Gold catalysis, **92**, 1Gold complexes with alkynes, alkenes, and arenes, **92**, 1.Goldberg arylation, **85**, 1Gomberg-Bachmann reaction, **2**, 6; **9**, 7Grundmann synthesis of aldehydes, **8**, 5Halides, displacement reactions of, **22**, 2; **27**, 2Halide-metal exchange, **58**, 2; **91**, 1

Halides, synthesis

- from alcohols, **34**, 2

- by chloromethylation, **1**, 3

- from organoboranes, **33**, 1

- from primary and secondary alcohols, **29**, 1

Haller-Bauer reaction, **9**, 1Halocarbenes, synthesis and reactions of, **13**, 2Halocyclopropanes, reactions of, **13**, 2Halogenation, **105**, 1Halogen-metal exchange, **100**, 2Halogen-metal interconversion reactions, **6**, 7 α -Halo ketones, rearrangement of, **11**, 4Halosilanes, **75**, 3

- α -Halo sulfones, synthesis and reactions of, **25**, 1; **62**, 2
- Hauser–Kraus annulations, **107**, 2
- Heck reaction, **27**, 2
- intramolecular, **60**, 2
- Helicenes, synthesis by photocyclization, **30**, 1
- Heteroarenes, **96**, 1
- Heteroaryl amines, **85**, 1
- Heteroaryl silanes, **75**, 3
- Heteroatom-substituted cyclopropanes, **77**, 1
- Heterocumulenes
- cycloadditions with, **97**, 1
- N*-Heterocycles
- by intramolecular hydroamination of amino alkenes, **88**, 1
- by olefin ring-closing metathesis, **89**, 1
- by vinyl and aryl azide cyclizations, **92**, 2
- carbenes (NHCs), **106**, 2
- from nitrogen-centered radicals, **108**, 1
- lithiation-substitution of, **100**, 5
- O*-Heterocycles, synthesis by olefin ring-closing metathesis, **89**, 1
- Heterocycles
- synthesis by cycloaddition, **97**, 1
- synthesis by extrusion, **109**, 1
- synthesis by olefin ring-closing metathesis, **89**, 1
- synthesis by enyne cyclo-isomerizations, **92**, 1
- Heterocyclic aromatic systems, lithiation of, **26**, 1
- Heterocyclic bases
- amination of, **1**, 4; **85**, 1
- in nucleosides, **55**, 1
- Heterodienophiles, **53**, 2
- Hilbert–Johnson method, **55**, 1
- Hoesch reaction, **5**, 9
- Hofmann elimination reaction, **11**, 5; **18**, 4
- Hofmann reaction of amides, **3**, 7, 9
- Homocouplings mediated by Cu, Ni, and Pd, **63**, 3
- Homogeneous hydrogenation catalysts, **24**, 1
- Homologation, **105**, 3
- Hunsdiecker reaction, **9**, 5; **19**, 4
- Hydration of alkenes, dienes, and alkynes, **13**, 1
- Hydrazoic acid, reactions and generation of, **3**, 8
- Hydroacylation, **96**, 2; **100**, 3
- Hydroalkylation, **100**, 3
- Hydroamination of alkenes, alkynes, dienes, and allenes, **88**
- Hydroarylation
- of alkynes, **103**, 1
- Hydroboration, **13**, 1
- Hydrocarbamoxylation, **96**, 2
- Hydrocyanation
- of alkenes and alkynes, **75**, 1
- of conjugated carbonyl compounds, **25**, 3
- Hydroesterification, **96**, 2
- Hydroformylation, **56**, 1; **107**, 1
- Hydrofunctionalization of alkenes
- by hydrogen-atom transfer, **100**, 7
- copper-catalyzed, **100**, 3
- Hydrogen cyanide, **25**, 3; **75**, 1
- Hydrogenation catalysts, homogeneous, **24**, 1
- Hydrogenation of C=N functions, **74**, 1
- Hydrogenation of esters, with copper chromite and Raney nickel, **8**, 1
- Hydrohalogenation, **13**, 4
- Hydrosilylation, **75**, 3
- Hydroxyaldehydes, aromatic, **28**, 1
- α -Hydroxyalkylation of activated olefins, **51**, 2
- Hydroxycyclopropanes, **77**, 1
- α -Hydroxy ketones:
- rearrangement, **62**, 3
- synthesis of, **23**, 2
- Hydroxylation:
- of enolates, **62**, 1
- of ethylenic compounds with organic peracids, **7**, 7
- Hypervalent iodine reagents, **54**, 2; **57**, 2
- Imidates, rearrangement of, **14**, 1
- Imines, additions of allyl, allenyl, propargyl stannanes, **64**, 1
- additions of cyanide, **70**, 1
- addition of perfluoroalkyl carbanions, **91**, 1
- as dienophiles, **65**, 2
- catalytic asymmetric hydrogenation, **74**, 1
- cycloadditions, **95**, 2
- formation by twofold extrusion reactions, **78**, 3
- synthesis, **70**, 1

- Imines, additions of allyl, allenyl, propargyl stannanes, (*Continued*)
 synthesis by hydroamination of allenes, **88**
- Iminium ions, **39**, **2**; **65**, **2**; **75**, **4**; **90**, **1**
 Addition of perfluoroalkyl carbanions, **91**, **1**
- Imino Diels-Alder reactions, **65**, **2**
- Indole synthesis:
 by catalyzed cyclization with alkenes, **76**, **3**
 by catalyzed cyclization with alkynes, **76**, **3**
 by Nenitzescu reaction, **20**, **3**
 by reaction with TosMIC, **57**, **3**
 by styrenyl azide cyclization, **92**, **2**
- Intramolecular C–H insertion, **80**, **1**
- Intramolecular cycloaddition of oxadienes, **101**, **1**
- Ionic hydrogenation, **71**, **1**
- Iridium alkylation, **99**, **2**
- Iron-catalyzed cross-coupling reactions, **83**, **1**
- Iron(III) acetylacetonate ($\text{Fe}(\text{acac})_3$), **83**, **1**
- Isocyanides, in the Passerini reaction, **65**, **1**
 sulfonylmethyl, reactions of, **57**, **3**
- Isoquinolines, synthesis of, **6**, **2**, **3**, **4**; **20**, **3**
- Isoxazolines, synthesis by [3 + 2]dipolar cycloadditions with alkenes, **94**, **1**
- Jacobsen reaction, **1**, **12**
- Japp-Klingemann reaction, **10**, **2**
- Julia-Kocienski reaction, **95**, **1**
- Katsuki-Sharpless epoxidation, **48**, **1**
- Ketene cycloadditions, **45**, **2**; **82**, **2**
- Ketenes and ketene dimers, synthesis of, **3**, **3**; **45**, **2**; **87**, **2**
 asymmetric cycloadditions, **82**, **2**
 cycloadditions, **45**, **2**; **95**, **2**
- Ketimines, **99**, **1**
- α -Ketol rearrangement, **62**, **3**
- α -Keto esters as donors in catalytic enantio-selective Michael reactions, **90**, **1**
- Ketones:
 acylation of, **8**, **3**
 alkylidenation of, **43**, **1**
- Baeyer-Villiger oxidation of, **9**, **3**; **43**, **3**
 cleavage of non-enolizable, **9**, **1**
 comparison of synthetic methods, **18**, **1**
 conversion to amides, **3**, **8**; **11**, **1**; **78**, **1**
 conversion to fluorides, **34**, **2**; **35**, **3**
 cyclic, synthesis of, **2**, **4**; **23**, **2**
 cyclization of divinyl ketones, **45**, **1**
 perfluoroalkylation of, **91**, **1**
 reaction with diazomethane, **8**, **8**
 reduction to aliphatic compounds, **4**, **8**
 reduction by:
 alkoxyaluminum hydrides, **34**, **1**
 organosilanes, **71**, **1**
 reduction in anhydrous organic solvents, **22**, **3**
 synthesis by oxidation of alcohols, **6**, **5**; **39**, **3**
 synthesis from acid chlorides and organo-metallic compounds, **8**, **2**; **18**, **1**
 synthesis from organoboranes, **33**, **1**
 synthesis from organolithium reagents and carboxylic acids, **18**, **1**
 synthesis from α,β -unsaturated carbonyl compounds and metals in liquid ammonia, **23**, **1**
- Kindler modification of Willgerodt reaction, **3**, **2**
- Kinetic resolution,
 of alcohols and amines, **104**, **1**
 of chiral aminoalkenes, **88**
- Knoevenagel condensation, **1**, **8**; **15**, **2**; **57**, **3**
- Koch-Haaf reaction, **17**, **3**
- Kornblum oxidation, **39**, **3**
- Kostaneki synthesis of chromanes, flavones, and isoflavones, **8**, **3**
- Krapcho dealkoxycarbonylation, **81**, **1**
- Kulinkovich cyclopropanation, **77**, **1**
- Lactams:
 by intramolecular C–H insertion, **80**, **1**
 from cyclic ketones, **78**, **1**
 by cycloaddition of vinylketene, **87**
 unsaturated, by olefin ring-closing metathesis, **89**, **1**
- β -Lactams, synthesis of, **9**, **6**; **26**, **2**; **82**, **1**, **2**; **87**, **2**; **95**, **2**
- Lactones,
 by intramolecular C–H insertion, **80**, **1**

- unsaturated, by olefin ring-closing metathesis, **89**, 1
- β -Lactones, by ketene cycloaddition, **82**, 2;
87, 2
 - by ring expansion of epoxides, **86**, 1
 - synthesis and reactions of, **8**, 7
- δ -Lactones by ring expansion of epoxides, **86**, 1
- γ -Lactones by ring expansion of epoxides, **86**, 1
- Leuckart reaction, **5**, 7
- Lithiation:
 - of allylic and benzylic systems, **27**, 1
 - by halogen-metal exchange, **6**, 7
 - heteroatom facilitated, **26**, 1; **47**, 1
 - of heterocyclic and olefinic compounds, **26**, 1
 - of *N*-heterocycles, **100**, 5
 - with chiral lithium amides, **79**, 2
- Lithioorganocuprates, **19**, 1; **22**, 2; **41**, 2
- Lithium aluminum hydride reductions, **6**, 2
 - chirally modified, **52**, 2
- Lithium dialkylamides, **79**, 2
- Lossen rearrangement, **3**, 7, 9
- Macrocycles synthesis,
 - by alkyne metathesis, **102**, 2
 - by olefin ring-closing metathesis, **89**, 1
- Mannich reaction, **1**, 10; **7**, 3; **75**, 4; **83**, 2
- Matteson reaction, **105**, 3
- McMurry coupling reaction, **82**, 1
- Meerwein arylation reaction, **11**, 3; **24**, 3
- Meerwein-Ponndorf-Verley reduction, **2**, 5
- Mercury hydride method to prepare radicals, **48**, 2
- Metal acetylides, **100**, 4
- Metal-catalyzed reactions,
 - hydroacylation, **96**, 2
 - hydroamination of alkenes, **88**, 1
 - hydrocyanation, **75**, 1
 - enantioselective Michael reactions, **90**, 1
 - vinyl azide cyclizations, **92**, 2
- Metalations with organolithium compounds, **8**, 6; **26**, 1; **27**, 1
- Metallaphotoredox catalysis, **100**, 8
- Metallocarbenes:
 - conversion to carbonyl ylides, **80**, 2
 - insertion in C–H bonds, **80**, 1
- Metathesis,
 - alkyne, **102**, 2
 - olefin ring-closing, **89**, 1
- Methylenation of carbonyl groups, **43**, 1
- Methylenecyclopropane,
 - hydroamination of, **88**, 1
 - in cycloaddition reactions, **61**, 1
- Methylene-transfer reactions, **18**, 3; **20**, 1;
58, 1
- Michael reaction, **10**, 3; **15**, 1, 2; **19**, 1;
20, 3; **46**, 1; **47**, 2; **90**, 1
- Microbiological oxygenations, **63**, 2
- Microwave irradiation in,
 - olefin ring-closing metathesis reactions, **89**, 1
 - enantioselective Michael reactions, **90**, 1
- Mitsunobu reaction, **42**, 2
- Moffatt oxidation, **39**, 3; **53**, 1
- Molybdenum-catalyzed allylic alkylation, **84**, 1
- Morita-Baylis-Hillman reaction, **51**, 2
- Mukaiyama aldol reaction, **98**, 2
- Nagata reaction, **25**, 3
- Natural product synthesis, **98**, 2; **102**, 1;
102, 2
- Nazarov cyclization, **45**, 1
- Neber rearrangement, **78**, 2
- Nef reaction, **38**, 3
- Negishi reaction, **100**, 1
- Nenitzescu reaction, **20**, 3
- Nicholas Reaction, **103**, 3
- Nitrenium ion intermediates in vinyl and aryl azide cyclizations, **92**, 2
- Nitriles:
 - cycloadditions with, **97**, 1
 - cyclopropanation of, **77**, 1
 - formation from:
 - aldehydes, **78**, 1
 - alkenes and alkynes, **75**, 1
 - α -cyano esters, **81**, 1
 - oximes, **35**, 2
 - organoboranes, **33**, 1
 - α,β -unsaturated:
 - by elimination of selenoxides, **44**, 1
 - perfluoroalkylation of, **91**, 1
- Nitrile-stabilized carbanions:
 - alkylation and arylation of, **31**, 1
- Nitroamines, **20**, 4

- Nitro alkenes, as acceptors and donors in catalytic enantioselective Michael reactions, **90**, 1
- Nitro compounds, conversion to carbonyl compounds, **38**, 3
- Nitro compounds, synthesis of, **12**, 3
- Nitrogen-centered radicals, **108**, 1
- Nitrone-olefin cycloadditions, **36**, 1; **94**, 1
- Nitrones, perfluoroalkylation of, **91**, 1
- Nitrosation, **2**, 6; **7**, 6
- Nitroxide-catalyzed oxidations, **74**, 2
- Norbornene, hydroamination of, **88**, 1
- Nucleosides, synthesis of, **55**, 1
- Olefin formation:
- by reductive elimination of β -hydroxy sulfones, **72**, 2
 - by twofold extrusion reactions, **78**, 3
 - by ring-closing metathesis, **89**, 1
- Olefins:
- hydroamination of, **88**, 1
 - hydrocyanation of, **75**, 1
 - hydroformylation of, **56**
 - metathesis of, **106**, 1
 - oxidation of, **84**, 2
 - perfluoroalkylation of, **91**, 1
- Oligomerization of 1,3-dienes, **19**, 2
- Oligosaccharide synthesis on polymer support, **68**, 2
- Oppenauer oxidation, **6**, 5
- Organoboranes:
- formation of carbon-carbon and carbon-heteroatom bonds from, **33**, 1
 - in allylation of carbonyl compounds, **73**, 1
 - in boronic acid Mannich reactions, **83**, 2
 - in cross-coupling reactions, **79**, 1
 - isomerization and oxidation of, **13**, 1
 - reaction with anions of α -chloro nitriles, **31**, 1
 - rhodium-catalyzed additions to electron-deficient alkenes, **93**, 1
- Organocatalysts, **96**, 1; **100**, 12; **100**, 13; **106**, 2
- Organochromium reagents:
- addition to carbonyl compounds, **64**, 3; **67**, 2
 - addition to imines, **67**, 2
- Organohypervalent iodine reagents, **54**, 2; **57**, 2
- Organometallic compounds:
- coupling reactions with electrophiles, **83**, 1
 - of aluminum, **25**, 3
 - of boron, **100**, 15
 - of chromium, **64**, 3; **67**, 2
 - of copper, **19**, 1; **22**, 2; **38**, 2; **41**, 2
 - of lithium, **6**, 7; **8**, 6; **18**, 1; **27**, 1
 - of magnesium and zinc, **100**, 2
 - of magnesium, zinc, and cadmium, **8**, 2
 - of palladium, **27**, 2
 - of silicon, **37**, 2
 - of tin, **50**, 1; **64**, 1
 - of zinc, **1**, 1; **20**, 1; **22**, 4; **58**, 2
- Organonitriles, **75**, 1
- Organosilane, **102**, 1
- Organosilanols, **75**, 3
- Organosilicon hydride reductions, **71**, 1
- Organotrifluoroborates, in cross-coupling reactions, **79**, 1
- Orthogonal reactivity, **97**, 2
- Osmium tetroxide dihydroxylation
- asymmetric, **66**, 2
 - hydrogen-bond directed, **76**, 1
- Overman rearrangement of allylic imidates, **66**, 1
- Oxadienes, **101**, 1
- Oxazaborolidine catalysts for enantioselective Michael reactions, **90**, 1
- 1,3-Oxazine-2,4-diones from epoxides, **86**, 1
- 1,3-Oxathiolan-2-ones from epoxides, **68**, 1
- Oxidation:
- by dioxiranes, **61**, 2; **69**, 1
 - by oxoammonium and nitroxide catalysts, **74**, 2
 - by photooxygenation, **20**, 2
 - in Saegusa reaction, **98**, 1
 - of alcohols and polyhydroxy compounds, **6**, 5; **39**, 3; **53**, 1
 - of aldehydes and ketones,
 - Baeyer-Villiger reaction, **9**, 3; **43**, 3
 - of amines, phenols, aminophenols, diamines, hydroquinones, and halophenols, **4**, 6; **35**, 2
 - of enolates and silyl enol ethers, **62**, 1
 - of furans, **87**, 1
 - of furfuryl alcohols, **87**, 1
 - of α -glycols, α -amino alcohols, and polyhydroxy compounds by periodic acid, **2**, 8
 - of organoboranes, **13**, 1

- of phenolic compounds, **57**, 2
- with hypervalent iodine reagents, **54**, 2
- with peracids, **7**, 7
- with selenium dioxide, **5**, 8; **24**, 4
- Oxidative decarboxylation, **19**, 4
- Oximes:
 - conversion to α -amino ketones, **78**, 2
 - conversion to *2H*-azirines, **78**, 2
 - formation by nitrosation, **7**, 6
- Oxoammonium-catalyzed oxidation, **74**, 2
- Oxochromium(VI)-amine complexes, **53**, 1
- Oxo process, **56**, 1
- Oxyamination, **108**, 2
- Oxygenation of arenes by dioxygenases, **63**, 2
- Palladium-catalyzed:
 - amination of aryl halides, **100**, 14
 - arylation of enolates, **76**, 2
 - cross-coupling of:
 - organostannanes, **50**, 1
 - organotrifluoroborates, **79**, 1
 - enantioselective Michael reactions, **90**, 1
 - indole synthesis by cyclization, **76**, 3
 - oxidation of alkenes, **84**, 2
 - vinyllic substitution, **27**, 2
- Palladium intermediates in Heck reactions, **60**, 2
- Passerini reaction, **65**, 1
- Pauson-Khand reaction to prepare cyclopentenones, **40**, 1
- Payne rearrangement, **60**, 1
- Pechmann reaction, **7**, 1
- Peptides, synthesis of, **3**, 5; **12**, 4; **97**, 2
- Peracids, epoxidation and hydroxylation with, **7**, 7
 - in Baeyer-Villiger oxidation, **9**, 3; **43**, 3
- Perfluoroalkyl organometallic reagents, **91**, 1
- Perfluoroalkylations, **91**, 1
- Periodic acid oxidation, **2**, 8
- Perkin reaction, **1**, 8
- Persulfate oxidation, **35**, 2
- Petasis borono-Mannich reaction, **83**, 2
- Peterson olefination, **38**, 1
- Phase-transfer catalysis,
 - of enantioselective Michael reactions, **90**, 1
- Phenanthrenes, synthesis by photocyclization, **30**, 1
- Phenols, dihydric from phenols, **35**, 2
 - oxidation of, **57**, 2
 - synthesis from Fischer carbene complexes, **70**, 2
- Phosphinic acids, synthesis of, **6**, 6
- Phosphonic acids, synthesis of, **6**, 6
- Phosphonium salts:
 - halide synthesis, use in, **29**, 1
 - synthesis and reactions of, **14**, 3
- Phosphorus compounds, addition to carbonyl group, **6**, 6; **14**, 3; **25**, 2; **36**, 2
 - addition reactions at imine carbon, **36**, 2
- Phosphorus-containing heterocycles synthesis,
 - by olefin ring-closing metathesis, **89**, 1
- Phosphoryl-stabilized anions, **25**, 2
- Photochemical cycloadditions, **44**, 2
- Photocyclization of stilbenes, **30**, 1
 - of styrenyl azides, **92**, 2
- Photooxygenation of olefins, **20**, 2
- Photoreduction, **77**, 2
- Photosensitizers, **20**, 2
- Piancatelli Reaction, **104**, 2
- Pictet-Spengler reaction, **6**, 3
- Pig liver esterase, **37**, 1
- Pinacols, by McMurry reaction, **82**, 1
- Polonovski reaction, **39**, 2
- Polyalkylbenzenes, in Jacobsen reaction, **1**, 12
- Polycyclic aromatic compounds, synthesis by photocyclization of stilbenes, **30**, 1
- Polyene synthesis, **109**, 1
- Polyhalo ketones, reductive dehalogenation of, **29**, 2
- Pomeranz-Fritsch reaction, **6**, 4
- Prévost reaction, **9**, 5
- Propargylium-cobalt complexes reductive coupling, **103**, 3
- Pschorr synthesis, **2**, 6; **9**, 7
- Pummerer reaction, **40**, 3
- Pyranones from furan oxidation, **87**, 1
- Pyrazolines, intermediates in diazoacetic ester reactions, **18**, 3
- Pyridinium chlorochromate, **53**, 1
- Pyrolysis:
 - of amine oxides, phosphates, and acyl derivatives, **11**, 5
 - of ketones and diketones, **1**, 6
 - for synthesis of ketenes, **3**, 3
 - of xanthates, **12**, 2

- Pyrrole synthesis by vinyl azide cyclizations, **92**, 2
- Pyrrolidines, by aza-Cope/Mannich reaction, **75**, 4
- Quaternary ammonium
 N-F reagents, **69**, 2
 salts, rearrangements of, **18**, 4
- Quinolines, synthesis of,
 by Friedländer synthesis, **28**, 2
 by Skraup synthesis, **7**, 2
- Quinones:
 acetoxylation of, **19**, 3
 diene additions to, **5**, 3
 synthesis from Fischer carbene complexes, **70**, 2
 synthesis of, **4**, 6
 synthesis of 5-hydroxyindoles, **20**, 3
- Radical formation and cyclization, **48**, 2;
 108, 1
- Radical-mediated alcohol deoxygenation, **77**, 2
- Ramberg-Bäcklund rearrangement, **25**, 1;
 62, 2
- Rearrangements:
 allylic trihaloacetamidate, **66**, 1
 anion-assisted sigmatropic, **43**, 2
 Beckmann, **11**, 1; **35**, 1
 Brook, **102**, 1
 Chapman, **14**, 1; **18**, 2
 Claisen, **2**, 1; **22**, 1
 Cope, **22**, 1; **41**, 1; **43**, 2
 Curtius, **3**, 7, 9
 divinylcyclopropane, **41**, 1
 Favorskii, **11**, 4
 Lossen, **3**, 7, 9
 Ramberg-Bäcklund, **25**, 1; **62**, 2
 Smiles, **18**, 2
 Sommelet-Hauser, **18**, 4
 Stevens, **18**, 4
 vinylcyclopropane-cyclopentene, **33**, 2
 [2,3] Wittig, **46**, 2
- Reduction:
 of acid chlorides to aldehydes, **4**, 7; **8**, 5
 of aromatic compounds, **42**, 1
 of benzils, **4**, 5
 of ketones, enantioselective, **52**, 2
 of *O*-thioacyl derivatives, **77**, 2
 Clemmensen, **1**, 7; **22**, 3
 desulfurization, **12**, 5
 with diimide, **40**, 2
 by dissolving metal, **42**, 1
 by homogeneous hydrogenation catalysts, **24**, 1
 by hydrogenation of esters with copper chromite and Raney nickel, **8**, 1
 hydrogenolysis of benzyl groups, **7**, 5
 by lithium aluminum hydride, **6**, 10
 by Meerwein-Ponndorf-Verley reaction, **2**, 5
 chiral, **52**, 2
 by metal alkoxylaluminum hydrides, **34**, 1; **36**, 3
 by organosilanes, **71**, 1
 of mono- and polynitroarenes, **20**, 4
 of olefins by diimide, **40**, 2
 of α,β -unsaturated carbonyl compounds, **23**, 1
 by samarium(II) iodide, **46**, 3
 by Wolff-Kishner reaction, **4**, 8
- Reductive alkylation, synthesis of amines, **4**, 3; **5**, 7
- Reductive amination of carbonyl compounds, **59**, 1; **71**, 1
- Reductive coupling of carbonyl compounds, **82**, 1
- Reductive cyanation, **57**, 3
- Reductive desulfonylation, **72**, 2
- Reductive desulfurization of thiol esters, **8**, 5
- Reformatsky reaction, **1**, 1; **22**, 4
- Regitz deformylation diazo transfer, **80**, 1
- Reimer-Tiemann reaction, **13**, 2; **28**, 1
- Reissert reaction, **70**, 1
- Resolution of alcohols, **2**, 9
- Retro-Diels-Alder reaction, **52**, 1; **53**, 2
- Rhodium-catalyzed:
 C–H insertion, **80**, 1
 carbonyl ylide formation, **80**, 2
 cyclopropanation, **57**, 1
 1,4-additions of organoboranes, **93**, 1
- Ring-closing metathesis, **89**, 1
- Ritter reaction, **17**, 3
- Rosenmund reaction for synthesis of arsonic acids, **2**, 10
- Rosenmund reduction, **4**, 7

- Saegusa reaction, **98**, 1
Samarium(II) iodide, **46**, 3
Sammes annulations, **107**, 2
Sandmeyer reaction, **2**, 7
Schiemann reaction, **5**, 4
Schmidt reaction, **3**, **8**, **9**; **78**, 1
Selenium dioxide oxidation, **5**, **8**; **24**, 4
Seleno-Pummerer reaction, **40**, 3
Selenoxide elimination, **44**, 1
Shapiro reaction, **23**, **3**; **39**, 1
Silanes:
 addition to olefins and acetylenes, **13**, 4
 electrophilic substitution reactions, **37**, 2
 oxidation of, **69**, 1
 reduction with, **71**, **1**; **77**, 2
Silanolate salts, **75**, 3
Sila-Pummerer reaction, **40**, 3
Siliconates, **75**, 3
Silicon-based cross-coupling, **75**, 3
Silicon-containing heterocycles synthesis,
 by ring-closing metathesis, **89**, 1
Silver salt catalysis, **92**, 1
Silyl carbanions, **38**, 1
Silyl compounds, cross-coupling of, **75**, 3
Silyl enol ethers, α -hydroxylation of, **62**, 1
 in catalytic, enantioselective Michael
 reactions, **90**, 1
Silyl migration, **102**, 1
Simmons-Smith reaction, **20**, **1**; **58**, 1
Simonini reaction, **9**, 5
Singlet oxygen, **20**, **2**; **87**, 1
Skraup synthesis, **7**, **2**; **28**, 2
Smiles rearrangement, **18**, **2**; **95**, 1
Solid-Phase synthesis:
 of cyclic alkenes by olefin ring-closing
 metathesis, **89**, 1
 of dihydropyrans **101**, 1
 of indoles, **76**, 3
Sommelet-Hauser rearrangement, **18**, 4
Sommelet reaction, **8**, 4
 $S_{RN}1$ reactions of aromatic systems, **54**, 1
Staudinger-Pfenniger reaction, **78**, 3
Staudinger synthesis of β -lactams, **82**, **2**;
 95, 2
Staunton-Weinreb annulations, **107**, 2
Stereoselectivity, **98**, **2**; **108**, 1
Stereospecific displacement, **105**, 3
Stetter reaction of aldehydes with olefins,
 40, **4**; **106**, 2
Stevens rearrangement, **18**, 4
Strecker reaction, catalytic asymmetric, **70**, 1
Stilbenes, photocyclization of, **30**, 1
 hydroamination of, **88**, 1
Stille reaction, **50**, 1
Stobbe condensation, **6**, 1
Styrenyl azide cyclizations, **92**, 2
Substitution
 allylic, **99**, 2
 of *N*-heterocycles, **100**, 5
 with organocopper reagents, **22**, **2**; **41**, 2
Succinic anhydrides from epoxides, **86**, 1
Sugars, synthesis by glycosylation with
 sulfoxides and sulfonates, **64**, 2
Sulfide reduction of nitroarenes, **20**, 4
Sulfonation of aromatic hydrocarbons and
 aryl halides, **3**, 4
Sulfur-containing heterocycles synthesis,
 by olefin ring-closing metathesis, **89**, 1
Supramolecular compounds synthesis,
 by olefin ring-closing metathesis, **89**, 1
Suzuki-Miyaura cross-coupling, **79**, **1**;
 100, 9
Swern oxidation, **39**, **3**; **53**, 1

Tamura annulations, **107**, 2
Tandem heterocycloaddition reactions,
 101, 1
Tandem olefin metathesis reactions, **89**, 1
Tetrahydroisoquinolines, synthesis of, **6**, 3
Tetrahydrothiophenes, synthesis of, **6**, 9
1,2,4-Thiadiazoles as extrusion
 intermediates, **78**, 3
Thia-Payne rearrangement, **60**, 1
Thiazoles, synthesis of, **6**, 8
Thiele-Winter acetoxylation of quinones,
 19, 3
Thioacylation of alcohols, **77**, 2
Thiocarbonates, synthesis of, **17**, **3**; **77**, 2
Thiocyanation of aromatic amines, phenols,
 and polynuclear hydrocarbons, **3**, 6
Thiophenes, synthesis of, **6**, 9
Thiourea catalysis of enantioselective
 Michael reactions, **90**, 1
Thorpe-Ziegler condensation, **15**, **1**; **31**
Tiemann reaction, **3**, 9
Tiffeneau-Demjanov reaction, **11**, 2
Tin(II) enolates, **46**, 1
Tin hydride method to prepare radicals, **48**, 2

- Tipson-Cohen reaction, **30**, **2**
Tishchenko reaction, **86**, **1**
Titanium, low valent species in coupling, **82**, **1**
Tosylhydrazones, **23**, **3**; **39**, **1**
Tosylmethyl isocyanide (TosMIC), **57**, **3**
Transfer hydrogenation, **100**, **6**
Transition metal complexes as catalysts for
 C–F bond formation, **104**, **3**
 C–H activation reactions, **100**, **11**
 C–H functionalization, **100**, **10**
 cross-metathesis of alkenes, **106**, **1**
 cycloadditions, **97**, **1**
 enantioselective hydrogenation, **96**, **1**
 enantioselective Michael reactions, **90**, **1**
 glycosylation, **100**, **13**
 hydroacylation, **96**, **2**
 hydroamination of alkenes, **88**, **1**
 hydroarylation of alkynes, **103**, **1**
Transmetallation reactions, **58**, **2**; **100**, **2**
Tributylstannane, in xanthate reduction, **77**, **2**
Tricarbonyl(η^6 -arene)chromium complexes, **67**, **2**
Trihaloacetimidate, allylic rearrangements, **66**, **1**
Trifluoroborates, in cross-coupling reactions, **79**, **1**
Trifluoromethylation, **91**, **1**
Trifluoromethyl carbanion, **91**, **1**
Trifluoromethyl lithium, **91**, **1**
Trimerization, co-, acetylenic compounds, **68**, **1**
Trimethylenemethane, [3 + 2] cycloaddition of, **61**, **1**
Trimethylsilyl cyanide, **75**, **1**

Ullmann reaction, **2**, **6**; **14**, **1**; **63**, **3**; **85**, **1**
Unsaturated compounds, synthesis
 with alkenyl- and alkynylaluminum reagents, **32**, **2**

Vilsmeier reaction, **49**, **1**; **56**, **2**
Vinylcyclopropanes, rearrangement to cyclopentenones, **33**, **2**
Vinyl diazoacetates, **75**, **2**
Vinyl lithium reagents, from sulfonylhydrazones, **39**, **1**
Vinylketenes
 preparation of, **87**, **2**
 electrocyclization of, **87**, **2**
Vinylogy, **98**, **2**
Vinylsilanes, electrophilic substitution reactions of, **37**, **2**
Vinyltrifluoroborates, **79**, **1**
Vinyl substitution, catalyzed by palladium complexes, **27**, **2**
von Braun cyanogen bromide reaction, **7**, **4**
Vorbrüggen reaction, **55**, **1**

Wacker oxidation, **84**, **2**
Willgerodt reaction, **3**, **2**
Wittig reaction, **14**, **3**; **31**, **1**
[2,3]-Wittig rearrangement, **46**, **2**
Wolff-Kishner reaction, **4**, **8**

Xanthates:
 in the Barton-McCombie reaction, **77**, **2**
 synthesis and reactions of, **12**, **2**; **77**, **2**

Ylides:
 in Stevens rearrangement, **18**, **4**
 in Wittig reaction, structure and properties, **14**, **3**

Zinc-copper couple, **20**, **1**; **58**, **1**, **2**
Zinin reduction of nitroarenes, **20**, **4**