

Subject Index

a

AASHTO LRFD Bridge Design Specifications 1001–1002
 AASHTO Specifications (2017) 791
 ABAQUS software 909, 915, 923, 928, 930, 933, 939, 945
 Aerated concrete 251
 Aggregate methods 1034
 Alaska earthquake, USA (1964) 770
 Al Faisaliah building 238–240
 Allowable stress design (ASD) 632–634, 637, 638, 640, 993, 994
 calibration to 994–995
 Allowed bearing capacity/code recommendations 177–178
 Allowed limits, of different settlements 190
 ALLPile 923
 Alpha method 509–510
 American Association of State Highway and Transportation
 Officials (AASHTO) 632, 635, 637, 638
 American Concrete Institute (ACI) 431, 861
 American Petroleum Institute (API) method 510–517, 923
 American Society of Civil Engineers (ASCE) 50
 Amir Abaad Port Tank Farm project 256–257
 Analytical–numerical method 519
 Angular distortion 190
 Anticlastic shells 433
 APILE 922
 Application strategy 502
 Applied pressure 50, 51, 181, 186, 326, 402, 494, 627, 676, 978
 Architectural features 1100
 Arithmetic average 556–557
 Artificial islands 13, 15
 Asaka, Y. 776
 ASDIP FOUNDATION 922
 ASTM D1194 standard 814
 ASTM D7949 standard 866
 ASTM 6760 Standard 859
 ASTM standards, for stone columns testing 845
 Attached single foundations 149
 Auger cast-in-place (ACIP) piles 479
 Auger piles 466, 635, 638

Auger pressure grout (APG) 479

AUT: Geo-CPT&Pile database 1020–1022, 1024, 1025

Axial bearing capacity of piles

 AASHTO LRFD Bridge Design Specifications 1001–1002

 in clayey soils, comparison 1026–1027

 components 999

 deep foundations 563

 Eurocode 7 999–1001

 methods for predicting 979–985

 model uncertainty for predictive 986–987

Axial cyclic loading 763–765

Axial loading 603

 bearing capacity under 681–687

 of concrete pile 904–908

 drilled shafts and auger piles 638

 prestressed concrete piles 638–639

Axial resistance, scour effects on 791–792

b

Backscatter 867

Band drains 272

Barron's method 273

Base failure 363, 409, 415

Base of the column 439

Base resistance 28, 163, 164–167, 279, 312, 313, 503, 504, 554, 574, 577, 683, 730, 770, 785, 835, 1000, 1001, 1002

Basic soil mechanics 80–85

Battered piles 607, 664, 675, 678, 689

“Beam on elastic foundation” analysis 215–222

Bearing capacity 9, 163–178, 293, 469, 504–510, 1042–1043

 under axial loads 681–687

 base resistance 164–167

 of bucket foundations 366–369

 of composite bucket foundations 386–389

 conditions affect 169–171

 CPT-based methods for 172

 cyclic lateral loading 928, 930

 determination 361

 equations of 167

- Bearing capacity (*contd.*)
 - foundation damages 1042–1043
 - of geosynthetic encased stone columns 319–321
 - nondimensional factors for 165
 - pile group simulation, using FEM 915–920
 - recommendations of codes and references 177–178
 - of rocks 176–177
 - semi-deep foundations under combined loading (VMH) 372–377
 - and settlements of soil–column composite 259–261
 - shaft resistance 506–510
 - shallow foundations, on unsaturated soils 946–948
 - side/circumferential resistance 167–169
 - in situ test application in 171–176
 - of skirted foundations 361–366
 - of spudcans foundations 369–372
 - in clay 369–371
 - with penetrometer tests 372
 - in sand 371–372
 - of square foundation 912–914
 - strip footing
 - close to excavation 926–929
 - under inclined load 910–912
 - on soil 925–927
 - toe capacity 505–506
 - two adjacent footings, on rock masses 924–925
 - of two piles, comparison 1024–1026
 - using static analysis 165–166
 - vertical, of helical piles 933–936
 - VMH failure 377–380
- Bearing capacity (toe & shaft) 505–510
- Bearing capacity analysis 369
- Bearing capacity control 416–420
- Bearing capacity determination 361, 505, 506
- Bearing capacity ratio (BCR) 311–312
- Bearing capacity under axial loads 681–686
- Bearing pressure distribution 214
- “Bed of springs” model 214, 216
- Bench-scale testing 811, 812–813
 - on reinforced soil 817–818
- Bending theory 444
- Beta method 507–509
- Bhuj earthquake, India (2001) 769
- Bidirectional load test 830–832
- Big indirect data (BID) 1022
- Binders 267. *See also* Chemical agents
- Bioengineering 269–270
- Biological concrete damages 1049
- Biological processes 270
- Bio-mediated ground modification technique 27, 270
- Bioremediation 27
- Blast densification 261–263
- Block-act (hybrid) foundations 29, 31–32, 1097
- Bolivian Experimental Site for Testing (B.E.S.T.) 870
- Bored deep foundations 464. *See also* Drilled shafts
- Bored piles 466
 - advantages and limitations of 474
 - construction methods 473–476
 - enlarged base (belled) drilled shafts 476–477
 - post-grouting 477–479
 - walls 412
- Borehole sampling 748
- Boring numbers & spacing 49
- Bottom driving 30, 464, 469–470, 496
- Bottom driving technique 469–470
- Bottom-feed vibro-replacement 257
- Bottom-up effect 776
- Boundary element method (BEM) 720, 921
- Boussinesq equation 179, 814
- Box foundations 8, 12, 23, 24, 28, 29, 31, 32, 399, 340, 401–403, 411, 425, 435, 607, 1102, 1106
- Bridge construction 1134–1139
- Bridge foundations 1107–1108
- Bridge scour
 - analysis and prediction of 789–791
 - axial resistance, effects on 791–792
 - components of 787–788
 - defined 787
 - design philosophy for 788–789
 - lateral behavior, of monopiles 793
 - laterally loaded pile behavior under 792–793
 - principles 789
- Brinch Hansen’s method 614–616
- Broms method 609
 - flexible piles 610–614
 - rigid piles 609–611
- Bucket foundations (Suction Caisson) 23, 32, 341–346, 359, 360
 - bearing capacity of 366–369
 - lateral 368–369
 - vertical load 366–368
- Budget 10, 201, 748, 999, 1101, 1114, 1150
- Building codes and regulations 1100, 1150
- Building reconstruction 1139–1142
- Buoyancy principle 250
- Buoyancy properties, of floating foundations 398
- Buoyant caisson raft 399–400
- Buoyant raft (mat) foundations 399
- Burj Khalifa 842, 843
- Burland’s method 1060–1062
- Butler-Hoy tangent method 1018
- Buoyant caisson raft 399–400

C

- Caisson foundations 343, 655, 1108, 1150
- Calibration
 - to ASD 994–995
 - FORM approach 996–997
 - FOSM approach 995–996
 - MCS method 997–998
 - modified FOSM approach 998
 - of resistance factor 1003–1006
- Caliche stiffened pile (CSP) foundation 22, 463, 489, 496, 498, 583, 953–958, 1080
- Cam-Clay model 889–890
- Canadian Engineering Manual (CFEM) 50
- Cantilevered distance 228
- Cantilever foundations 147
- Case histories 297–299
- Case Pile Wave Analysis Program (CAPWAP) analysis 825, 1018
- Case study
 - Adjacent Construction 151–153
 - Albany Telephone Building 420–421
 - Al Faisaliah building 34–35
 - Amir Abaad Port Tank Farm 71–73
 - application of marine mattresses 1122–1123
 - AUT: Geo-CPT&Pile database 1020–1022
 - axial-bearing capacity of piles comparison 1026–1027
 - Babolsar concrete pedestrian bridge retrofitting 1067–1068
 - bearing capacity of geosynthetic encased stone columns 319–321
 - Bolivian Experimental Site for Testing (B.E.S.T) 73–74
 - Bothkennar test site 126–127
 - bridge on Road 71N, Portage Diversion Channel 797–799
 - buildings performance, in Adapazari, Turkey 1083–1085
 - Cathedral of St. Theresa of Avila in Subotica 1071–1075
 - CDW-GECs 1129–1131
 - cone penetration test 644–648
 - crushed stone in stone columns by waste material on soil improvement 1125–1126
 - CSL integrity tests 861–865
 - cultural center 422–425
 - Dashtehgan landslide 753–755
 - Dogger Bank Wind Farm (DB) 343
 - dynamic load testing 836–837
 - Explosive Compaction Application for Liquefiable Sands 127–129
 - FCV-AUT 494–496
 - FHWA Source Manual for Drilled Shafts Performance 492–494
 - Field Study on Triangular Shells 451–452
 - full-scale load tests, on drilled shaft groups 707–709
 - Geotechnical Site Characterization 124–125
 - GRS structures for railways 317–319
 - gypsum dissolution 1050–1051
 - Horns Rev 1 Offshore Wind Farm 33–34
 - hybrid bucket foundation (HBF) 345–346
 - hybrid monopile foundation, for OWTs 844–845
 - Kobe earthquake (1995) 780
 - Kumakami River Bridge pier foundation repair 1086–1091
 - Large Foundations Performance on Strong Soils 151
 - large-scale pile group foundation 704–707
 - laterally loaded piles
 - evaluation of 648–651
 - flexural stiffness on soil reactions 651–654
 - lateral response evaluation, of single piles 644–648
 - lateral spread displacement and bridge foundation 654–659
 - leaning towers of Santos, Brazil 1057
 - Le Royal Hotel complex 153–154
 - Liberty Mutual Insurance 400
 - Mandalay Bay Hotel and Casino, micro-pile underpinning of 1079–1083
 - Meridien Hotel 402–403
 - Messe Turm Tower 734–736
 - micro-piles
 - hollow bar 851–853
 - testing on pile and 850–851
 - Milad Tower 35–36
 - Model Scale Study 448–449
 - Niigata earthquake (1964)
 - N.H.K. building during 781–782
 - Showa Bridge failure during 782–785
 - 10-story Hokuriku building during 779
 - Nonoalco Tower 456
 - numerical analysis
 - bearing capacity, of shallow foundations 946–948
 - caliche stiffened pile foundation 953–958
 - combination retaining structure 941–945
 - embankment, resting on end-bearing piles 938–940
 - finite element analysis, of tunnel-soil-pile interaction 945–946
 - piled raft foundation 949–952
 - Numerical Assessment of Inverted Shells 449–451
 - numerical modeling of suction bucket foundation 380–382
 - Oil Storage Tanks 38–39
 - oil tanks foundation, at Ostend-Belgium site 694–698
 - Osterberg testing
 - on instrumented pile 839–840
 - results, at Allegiant Stadium 853–857
 - Palm Jumeira Sewage Treatment 297–299
 - piled raft foundation
 - dynamic response of nonconnected 741–742
 - full-scale load tests on 736–738
 - lateral capacity-based envelopes of 738–741
 - Piled Raft of Torre Latino Americana 401

Case study (*contd.*)

- pile foundations 642–643
 - pile instability, during earthquake liquefaction 660–663
 - pile prediction symposium 536–541
 - piles testing procedure 702–704
 - Piling and Rigid Intrusions Combination 491–492
 - Pisa Tower, tilting due to problematic soil 1045
 - PIT testing
 - on installed piles 869–870
 - on 378 piles 868–869
 - predicting axial pile-bearing capacity 586–588
 - pullout testing 840–841
 - Raffles Complex 421–422
 - rail bridge foundations, in Columbus, Ohio 794–797
 - railway bridge, Spain 698–701
 - rapid load testing, in clays 837–838
 - relevelling, of seven-story concrete building 1066
 - reliability assessment 987–988
 - resistance factor
 - calibration of 1003–1006
 - for different piles 1007
 - reuse of flood damaged roadway debris 1126–1128
 - shallow foundations
 - bench-scale testing, on reinforced soil 817–818
 - plate-load testing, on homogeneous saprolitic soil 818–819
 - on tire-derived aggregate backfill 819–820
 - SLT, on open-ended pipe pile 835
 - special piles-drilled displacement piles 589–590
 - stone columns
 - oil tanks footing with 848–849
 - rigid footing with 847–848
 - water storage tanks on 849
 - strengthening building foundation, for story extension 1076–1079
 - St. Vincent's Chapel 352–353
 - sustainability and reduction of carbon emission 452–454
 - top-down construction method 413–415
 - Torre Latino Americana in Mexico City 36–37, 70–71
 - T.V. Tower 455–456
 - two piles bearing capacity comparison 1024–1026
 - uncertainties
 - affecting Babolsar bridge failure 976–979
 - axial pile-bearing capacity, methods for predicting 979–985
 - model uncertainty 986–987
 - Urmia Lake Causeway 584–586
 - utilization of crushed concrete in soil improvement beneath 1123–1125
 - Washington Park Station Slide 752–753
 - well foundations for transmission towers 337–338
- Casing method 475, 476
- Cast-in-place piles 466, 473
 - Cellular concrete 251
 - Centrifuge modeling 741–742
 - Challenging soils. *See* Problematic soils
 - Chemical additives 264
 - Chemical agents 267
 - Chemical and physical stabilization 263–264
 - Chemical effects, concrete damages 1049
 - Chimney drains 27
 - Circular beam 439
 - Circular spread footings 142
 - Circumferential/side resistance 167–169
 - Civil engineering
 - shell foundations in 433–434
 - structures in 6
 - Clay behavior 361–363, 625
 - Clay-rich soils 83
 - Clays, *p-y* curves for 625–626
 - Climate and weather conditions 1101
 - Closed-end pipe piles 471, 573
 - Close-spaced pile groups 682–683
 - Coarse-grained particles 87
 - Coarse-grained soils 90, 103
 - density classification 82
 - Coastal structures 1109, 1110
 - Code-based design methods (unified, API) 510–517
 - Code-based methods 510–522
 - API method 510–517
 - unified pile design method 510
 - Coefficient of soil modulus variation 606
 - Coefficient of variation (COV) 967
 - Cohesionless soils 364, 512–517
 - flexible piles 611–614
 - rigid piles 610, 611
 - Cohesive soils 511–512
 - flexible piles 610, 611
 - rigid piles 609–610
 - Collapsible soils 66–67, 1044
 - Column compression ratio (CCR) 305–306
 - Combination retaining structure (CRS) 941–945
 - Combined foundations 146–147, 207
 - Combined loading (VMH) 372–377, 638–641
 - Combined piled raft foundation (CPRF) 730, 738–740
 - Combined shell foundations 438
 - Community disruptions 1115
 - Community engagement 1114
 - Compaction 300
 - Compaction & densification 253–263
 - Compaction grouting 1064, 1065
 - Comparative case histories 33–39
 - Compatibility analysis 1133
 - Compensated foundations 340, 398

- Compensated piled raft 400–401, 1104
- Compensated raft 399–400, 425, 1104, 1106, 1150
- Compensation grouting 1063–1064
 - effectiveness 1064–1065
- Completely floating 250
- Composite bucket foundations 386–389
- Composite pipe piles 471
- Comprehensive foundation system 1104
- Compression index 114
- COM624 program 616
- Compton scattering 867
- Concrete damages 1048–1049
- Concrete-filled piles 473, 633, 635, 636
 - steel pipe 639–641
- Cone 435
- Cone penetration test (CPT) 64, 95–98, 105, 116, 117, 172–175, 263, 464, 519, 551–552, 629 644–651, 707, 708, 771, 772, 966, 967, 986–987, 1022–1023, 1027
 - application 187–189
 - comments on methods 574–584
 - databases 1016–1019, 1022–1023
 - influence zone 1031–1033
 - input variables 1028–1029
 - model assumptions 1029–1030
 - records 1024–1026
 - reliability-based criteria 1027–1028
 - soil behavior classification 1030–1031
- friction angles based on 108
- pile installation 552
 - data processing and averaging 556–557
 - diameter 557–558
 - embedment depth 553
 - influence zone 553–554
 - methods for axial-bearing capacity 567–574
 - nonhomogeneous condition 554–556
 - penetration rate and mechanism 558
 - for toe capacity 552–558
 - records for pile installation 561–562
- Cone resistance averaging methods 556, 574
- Cone shell 436, 1098
- Conical foundations 435
- Conical piles 464
- Conical shell 445–447
- Connection with superstructure 145–146
- Consistency test 88
- Consolidation differential equation 885
- Consolidation indexes 114–116
- Consolidation settlement 12, 85, 180, 185, 201, 204, 260, 314, 415, 443–443, 457, 723, 727, 730, 758, 815, 849, 1073
- Constitutive model, for soil 889–890
- Constrained modulus 111–113
- Constructability performance requirements 10
- Construction and demolition (C&D) materials 1119–1120
- Construction and demolition waste (CDW) 1121
 - for geosynthetic-encased stone columns 1129–1131
- Construction aspects 19–21
- Construction expertise (operators) 1100
- Construction methods 473–476
 - aspects 19–21
 - shell foundations 350–353
- Construction methods & embedment 143–144
- Construction practices 9
- Construction timeline 1101
- Contact pressure 158, 160–163, 440–441
 - under axial vertical loads 160
 - under eccentric or moment loads 160–161
 - under two-way eccentric or moment loads 161–163
- Contact pressure (axial, eccentric, two-way) 160–163
- Continuity & interaction 144–145
- Continuous flight auger (CFA) pile 479–480, 953–954
- Continuous foundations 147
- Continuous monitoring 1134
- Contraction scour 787
- Controlling variability 26
- Conventional design approaches 721–722, 965
- Conventional testing 827, 829
- Copeland method 1034, 1035
- Correlation length 967
- Cost-effectiveness 1101
- Cost reduction 57
- Cost savings 1132
- Council for Tall Buildings and the Urban Habitat (CTBUH) 1104
- CPT-based methods 567–574
- Cracking 1048
 - of slab 150
- Creep piling design 722
- Creep test, micro-piles 850
- Crib walls 283
- Critical depth 404–406, 558
- Critical excavation depth 404–406
- Critical pile length 608–609
- Crosshole sonic logging (CSL) test 859, 860, 861–865
 - data analysis 860–861
 - procedure 859–860
 - rating criteria 861
- Cross-hole testing 116
- Cross-sections 464–466
- Cultural center 422–425
- Cumulative distribution function (CDF) 982
- Cycle counting methods 761–762
- Cyclic loading, on deep foundations
 - axial, degradation under 763–765
 - cycle counting methods 761–762

Cyclic loading, on deep foundations (*contd.*)

- cyclic stability diagram 762
 - cyclic transversal loading 765–769
 - lateral, degradation under 765, 766
 - regular loading 761
 - static and variable loading 761
- Cyclic resistance ratio (CRR) 778
- Cyclic stability diagram 762
- Cyclic transversal loading
- parameters 765
 - P*-*y* curves 767–769
 - surface layers, critical role of 766–767
- Cylindrical failure mode 528–530

d

- Damage Potential Index (DPI) method 1060, 1061
- Dashtehgan landslide 753–755
- Data
- collection and literature review 48
 - feedback approach 19
- Data–design–construction integration 19, 20
- Data processing & averaging 556–557
- Data sources 53–57
- Databases
- AUT: Geo-CPT&Pile database 1020–1022
 - cone penetration test 1022–1023
 - influence zone 1031–1033
 - input variables 1028–1029
 - model assumptions 1029–1030
 - reliability-based criteria 1027–1028
 - soil behavior classification 1030–1031
 - in geotechnical engineering 1015–1016
 - MCDM models 1033–1035
 - for prediction 85
 - proposed procedure, implementations of 1024
 - in situ testing
 - deep foundations and 1017–1019
 - shallow foundation and 1016–1017
 - soil parameters and 1016
- Decision-making process 19
- Deep cement mixing (DCM) 780
- Deep dynamic compaction (DDC) method 26, 72, 253–255, 256, 257, 285, 286, 294, 1106
- Deep excavation 1051–1052
- Deep foundations 12, 19, 21, 167, 169, 333, 606, 607, 756, 1097
- application in 463–464, 502, 886–887, 914–920
 - strategy 502
 - axial bearing capacity 563
 - capacity during liquefaction 773–775
 - cyclic loading on
 - axial, degradation under 763–765

- cycle counting methods 761–762
 - cyclic stability diagram 762
 - cyclic transversal loading 765–769
 - lateral, degradation under 765, 766
 - regular loading 761
 - static and variable loading 761
- densification methods 25
- design 501–502
- FEM application in 914–920
- and ground modification 534–535
- resistance factors for 533, 1000
- and in situ testing databases 1017–1019
- for slope stability 747
- back analysis 749
 - landslides 748
 - prevention and remediation methods 749, 750
 - shear piles construction and performance 751–752
 - shear pile walls 749–751
- in soil improvement 759–760
- Deep foundation testing 811
- drilled piers/shafts testing
 - conventional testing 827, 829
 - Osterberg testing 828–831
 - hammer drop testing 834–835
 - pile testing 820
 - dynamic load testing 823–825
 - PDA test 825–827
 - rapid load testing 827–829
 - static load testing 821–823
 - Statnamic test 831–833
- Deep homogeneous soil 183
- Deep mixing & jet grouting 259, 267, 269
- Deep soil mixing (DSM) 267–268, 267–269, 535
- Deformation mechanism 304–306
- Densification methods 25–26, 292
- Departments of Transportation (DOTs) 789
- Depth of investigation 49–53
- Design approaches
- geotechnical 441–444
 - shell foundations 438–441
 - structural 444–448
- Design modification 57
- Determination vs. correlations 101–118
- DeWaal piles 482, 483
- Dewatering 271
- Diaphragm walls 411–412, 412
- Differential settlement
- control 722–723
 - and distortion 189–194
- Differential settlement & distortion 189–194
- Dilatancy test 88
- Dilatometer DMT / PMT tests 57, 61, 98–101

- Dilatometer penetration tests (DMT) 98–99
- Dimension-stone footings 142
- Direct CPT-based methods 171–176, 567–574, 580, 591
 - determination of soil modulus 186
 - enhanced UniCone method 574
 - German method 573–574
 - imperial college pile (ICP) method 573
 - Laboratoire Central des Ponts et ChauSees (LCPC) method 569
 - Meyerhof method 569–570
 - Schmertmann and Nottingham method 567–568
 - UniCone method 570–571
 - UWA method 571–572
- Discontinuities 176
- Discrete element method (DEM) 921
- Dispersive clays 65–66
- Dispersive soils 1044
- Displacement analyzer (DIANA) 923
- Displacement and replacement 257
- Displacement approach. *See* p-y curves
- Displacement boundary conditions 888
- Displacement-controlled model (DCM) 945
- Displacement piles 465
- Displacement relation 676
- Dissolution 1050
 - of gypsum 1050–1051
- Distortion 1048
- Disturbed sampling 54
- Documentation 502, 1134
- Dogger Bank Wind Farm (DB) 343
- Double cone folded shell raft foundation 438
- Doubly curved shells 433
- Downdrag forces
 - dragload, solutions to overcome 759–760
 - overview of 755–757
 - piles performance with 757–759
- Downdrag loads 756
- Down-hole testing 116
- Dragload 759–760
- Drainage systems 271–274
- Drains serve multiple purposes 27
- Drilled displacement piles (DDP) 480–484
 - with continuous flight augers 482
 - with screw-shaped piles 481–482
 - with simple cylindrical drilling tool 482
 - with soil displacement body 482
- Drilled displacement steel piles 482
- Drilled piers/shafts testing 811
 - conventional testing 827, 829
 - Osterberg testing 828–832
- Drilled shafts 464, 473–479, 548, 635, 638, 1101. *See also*
 - Bored piles
 - in caliche layers 489–490
 - construction 533
 - underpinning with 1070–1071
- Drilled shafts/bored piles 473–479
- Drilling 47, 49, 54, 466, 1070
- Driveability 469
- Driven piles 466, 509
- Drucker-Prager (DP) constitutive model 889
- Dry bottom feed method (displacement) approach 257, 258
- Dry method 473
- Dry strength test 87
- Dry well execution process 475
- Durability 1101
 - foundation 9
 - requirements 10
- Dynamic load testing 823–824, 841, 842
 - data acquisition and analysis 824–825
 - on hollow pile in layered soil 836–837
- e**
- Earth foundations 1102, 1150
- Earthquakes 1109
 - design method, steps of 785–787
 - loading and performance, of pile foundations 770
 - structures failure during 769–770
- Earthworks 24–25, 46, 200, 248–253, 286
 - cut and fill 248–250
 - lightweight materials in engineered fills 250–251
 - partially/fully compensated foundations 250
- Eccentric loading 630
- Economic and social factors 1114
- Economic requirements 9
- Edge effect 685
- Elastic continuum method 618–620, 666
- Elastic foundation 217
- Elasticity equation 885
- Elastic modulus
 - parameter of in situ tests 112
 - for soils using CPT records 112
- Electrical tests 54
- Elimination Et Choix Traduisant la REalite' (ELECTRE)
 - models 1033
- Elliptic paraboloid 437
- Ellpar shell 437
- e-log-p method 85
- El Sagrario Church 193–194
- Embedment depth 9, 19, 20, 22, 24, 52, 165, 167, 309, 312, 321, 325, 334, 348, 361, 371, 374, 375, 376, 377, 380, 391, 409, 417, 425, 501, 502, 505, 515, 523, 530, 534, 537, 545, 552, 553, 558, 566, 568, 579, 585, 591, 710, 730, 975, 977, 978, 1016, 1017, 1029, 1030, 1097
- Embedment depth (D/B concept) 375, 376, 377

Embodied carbon (EC) 452
 Emulsions 266
 End-bearing piles 770
 Enlarged base (belled) drilled shafts 476–477
 Environmental and circumferential conditions 10
 Environmental degradation 1115
 Environmental evaluation 48
 Environmental impact 469, 1101
 Environmental sustainability 1132
 Equilibrium depth 757
 Equivalent footing method 689
 Equivalent foundation approach 757
 Eurocode 7 999–1001
 Eurocode 8 - Part 5 (EC8 2000) 778
 European method 1019
 European regulation EN 12715 1063–1064
 “Evaluating Scour at Bridges” 788
 Evans and Duncan’s method 616–618
 Excavation support system 410–415
 Excavation issues 403–410
 Excessive conservatism 10
 Existing foundations, reuse of 1132–1142
 advantages of 1132–1133
 in bridge construction 1134–1139
 in building reconstruction 1139–1142
 process involved in 1133–1134
 risk assessment process for 1133
 Expanded Polystyrene (EPS) geofoam 250–251
 Expander body piles 486–487
 Expansive soils/clays 64–65, 1044
 Explicit method 899
 Explosive compaction (EC) 261–263, 262–263
 Explosive densification 261–263
 Extrusions 277

f

Factor of safety (FS) 994
 Factors affecting bearing capacity 169–171
 Failure modes of treated soil foundations 301–308
 Fajr Petrochemicals site 826, 827
 Fast Lagrangian Analysis of Continua (FLAC) 923
 Federal Highway Administration (FHWA) 535, 788
 Field vane shear tests (FVST) 64, 95
 Fill preloading 274–275
 Filter drains 272
 Filtering approach 556
 Final filling ratio (FFR) 572
 Final test, micro-piles 850
 Fine-grained mixture 182, 419
 Fine-grained saturated soils 83, 180
 Finite difference method (FDM)
 applications

 in geotechnical engineering 898–902
 in pile foundations 904–908
 in shallow foundations 901–904
 description of 897–898
 formulating and solving procedures in 898
 technique 219
 Finite element analysis (FEM) 1146
 Finite element limit analysis (FELA) 920–921
 Finite element method (FEM) 219–222, 242, 720, 933
 applications
 in deep foundations 914–920
 in geotechnical engineering 909, 910
 in shallow foundations 909–915
 defined 908
 formulation and solving procedure in 908–909
 in geotechnical engineering 908
 three-dimensional 933, 935, 937–938
 of tunnel-soil-pile interaction 945–946
 Finite element method (structural matrix) 219–222
 First order reliability method (FORM) 972–973
 calibration using 996–997, 1003–1005
 First-order second-moment method (FOSM) 970–972
 calibration using 995–996, 1003–1005
 modified FOSM 998
 FISH function 905, 908
 Fixed-head pile 604
 FLAC3D software 901, 904, 905
 Flexibility, internal foundations analysis 210–212
 Flexibility and rigidity 210–212
 Flexible foundations analysis 214–222
 simplified classic methods 214–222
 Flexible pile cap 680–681
 Flexible piles 604, 608
 cohesionless soils 611–614
 cohesive soils 610, 611
 Flexural design 226–230
 Flexural design & load transfer 226–227
 Flexural loads
 drilled shafts and auger piles 638
 prestressed concrete piles 639
 Floating (balanced) foundations 354
 buoyancy properties of 398
 case studies 420–425
 design 415–420
 bearing capacity control 416–420
 settlement control 415–416
 excavation for 398
 excavation issues and associated difficulties 403–410
 base failure 409
 critical depth of 404–406
 deflections and settlements 408–409
 foundation systems consideration 409–410

- groundwater lowering 403–404
- upward pressure caused by groundwater 406–408
- principles 398
- supporting systems 410–415
 - bored pile walls 412
 - diaphragm walls 411–412
 - sheet piling construction method 411
 - sloped or stepped excavation 410–411
 - top-down construction 412–415
- technique 12, 24, 339–341
- types of 398–403
 - box foundations 401–403
 - compensated piled raft 400–401
 - compensated raft 399–400
- Floating foundations 397–428
- Flood damaged roadway debris, reuse of 1126–1128
- Floods, on foundations 1056–1057
- Footing materials 142–143
- Footing plan & section forms 142
- Foam concrete 251
- Folded plate 31, 32, 351, 352, 433, 435–437, 437–438, 442
 - footing 437–438
- Forms and function 19–40
- Form-act structure systems 29
- Formed footings 143
- Foundation categorization 19–21
- Foundation damages
 - causes of 1042
 - complications
 - adjacent and circumferential construction 1053–1055
 - deep excavation 1051–1052
 - flooding effects 1056–1057
 - groundwater fluctuation defects 1054–1055
 - liquefaction and lateral spreading 1053
 - tunneling-induced settlement 1052–1053
- damage assessment
 - on adjacent building 1059–1062
 - building, framework for 1057, 1058
 - building stiffness 1061, 1062
 - risk assessment 1059
 - zone of influence 1058–1059
- durability and aging effects
 - concrete damages 1048–1049
 - dissolution 1050
 - distortion and cracks 1048
 - in masonry structures 1047
 - reinforcement damages 1049
 - soil erosion and scour 1049–1050
- factors 1042
- geotechnical aspects 1042
 - bearing capacity 1042–1043
 - settlement and distortion 1043
 - stability 1043–1045
- inland and onshore structures 1041
- restoration and retrofitting 1061, 1063
 - drilled shafts underpinning 1070–1071
 - helical underpinning systems 1068, 1069
 - micro-piles underpinning 1069–1070
 - relevelling 1063–1066
 - retrofitting and strengthening 1075–1076
- signs 1042
- structural design and construction errors 1046–1047
- Foundation design algorithm 966
- Foundation engineering 8–9, 1100
 - challenging conditions and role of 10–16
 - geotechnical site investigation for 49–53
 - numerical methods in
 - adjacent piles 924–925
 - bearing capacity 925–930
 - boundaries, effect of 930–933
 - boundary element method 921
 - discrete element method 921
 - finite difference method 897–908
 - finite element limit analysis 920–921
 - finite element method 908–920
 - finite element modeling procedure 930, 931
 - kinematic element method 921–922
 - material point method 921
 - software in 922–924
 - three-dimensional finite element analysis 933, 935, 937–938
 - vertical bearing capacity, of helical piles 933–936
- primary objectives of 9, 17
- process for 19
- realm of 9–10
- soil parameters mechanics for 80–85
- structural analysis and design 207–244
 - flexible foundations analysis 214–222
 - internal foundations analysis 208–214
 - of rigid square footings 223–241
 - structural foundation design 222–223
- sustainability applications in 1117–1121
- Foundation form characteristics 28–29
- Foundation resistance to lateral loads 606–608
- Foundation sectional enlargement 1076, 1077
- Foundation selection
 - construction and demolition waste (C&DW) 1121–1131
 - determinant factors for 1099–1102
 - holistic approach to 1112–1117
 - improper 1115–1116
 - multidisciplinary approach 1099
 - overview of 1097–1099
 - pile foundation 1146–1149
 - project-based 1102–1112

- Foundation selection (*contd.*)
 - reuse of existing foundations 1132–1142
 - sustainability applications in 1117–1121
 - value engineering and optimization 1142–1149
 - Foundation system 5–6, 7–14, 16, 17, 19–40, 48, 51, 52, 56, 58, 64, 68, 76, 79, 132, 144, 146, 148, 149, 150, 155, 181, 194, 201, 207, 208, 212, 240, 309, 338, 340, 344, 401, 402, 409–410, 418, 426, 427, 433, 435, 439, 456, 464, 489, 490, 501, 502, 534, 535, 607, 630, 647, 648, 681, 718–722, 730, 732, 734, 738, 755, 760, 780, 842, 843, 875, 876, 886, 887, 888, 914, 922, 953, 954, 1016, 1070, 1080, 1098, 1101, 1104, 1105, 1112–1117, 1143, 1146, 1149, 1150
 - categories 19–21
 - combined 146–147
 - deep 19–21
 - design, overall procedure for 32–33
 - dimensions 20
 - DSM applications for 269
 - features and functions 29–32
 - on form 1098
 - form aspects 28–29
 - ground modification 24–27
 - holistic approach to 1112–1117
 - intermediate types of 22
 - mat 147–148
 - offshore and onshore loads and 198–199
 - pile 21–22
 - semi-deep 21–24
 - shallow. *See* Shallow foundation
 - single spread (footings) 142–146
 - soil and
 - hybrid confinement of 22
 - rock parameters for. *See* Rock parameters; Soil
 - types and construction methods 141–150
 - Foundations 811
 - categories 334
 - construction and demolition waste (C&DW) in 1121
 - durability 9
 - general structural action of 351
 - geosystems and 7–8
 - primary function 5
 - report 58
 - reuse 1132
 - on stabilized soils. *See* Stabilized soils
 - testing 10
 - types of 333
 - Foundations on reinforced soils 308–323
 - Foundations on rigid Intrusions (stone columns) 299–308
 - Foundations on treated Soil 292–299
 - Fracture grouting 1064
 - Free-head pile 604
 - Frictional resistance 167
 - Friction piles 770
 - Frost protection & influence depth 144
 - Frozen soils 68
 - FRP test pile 652, 653
 - Full displacement pile (FDP) 870, 872
 - Full-scale field testing 811, 816
 - Full-scale pile-loading test 17, 999
 - Full-scale plate load tests 814
 - Full-scale testing 56–57
 - Fundex piles 482, 483
- g**
- Gabions 283
 - Gamma-gamma logging (GGL) 866, 867
 - Gamma Logging (GL) testing 866–867
 - General body of knowledge 85
 - General shear failure 164, 165
 - Geocells 283
 - Geohazard maps 53
 - Geohazards 17, 46, 48, 53, 57, 58, 411, 1101
 - Geological and environmental factors 1113
 - Geomaterial conditions 46–47
 - Geomechanics classification 118
 - Geometric average 556–557
 - Geometric shapes 434
 - Geometry 19–21
 - modification remediation method 750
 - Geometry of foundations 19–21, 892–893
 - Geophysical exploration 54
 - Geophysical investigation methods 55
 - Geophysical tests 54
 - Geopier method 257–258
 - Geostatic stress 83–84, 158, 200
 - GeoStudio 924
 - Geosynthetic reinforced infrastructures 1120
 - Geosynthetic reinforced soil foundations 279–281, 308–315
 - Geosynthetics 279–281, 292
 - Geosystems 7–8, 17, 29, 282–283, 292
 - Geotechnical Analysis of Raft with Piles (GARP) 720
 - Geotechnical Analysis of Strip with Piles (GASP) 719–720
 - Geotechnical data-based approach 53–57
 - Geotechnical design 157–205, 965
 - aspect 630
 - bearing capacity 163–178, 504–510
 - code-based methods 510–522
 - contact pressure 160–163
 - deep foundation design 501–502
 - helical piles capacity 526–530
 - load transfer mechanism 502–504
 - measurement errors in 966
 - post-installation capacity variations 533–536

- deep foundation and ground modification 534–535
 - ground and groundwater level 535–536
 - post-grouting 533–534
 - soil setup and relaxation 534
- pullout capacity 530–533
- random analysis techniques in 969
- report 58–62
- residual stress 523–526
- resistance distribution 523–526
- settlement 522–523
- settlement estimation 178–194
- shell foundations 441–444
- stability issues (external) 194–200
- stresses in soil 157–159
- uncertainty sources in 966–969
- Geotechnical engineering 9, 11, 45–47, 965
 - databases in 1015–1016
 - numerical methods in 884–885, 890–891
 - analysis planning 891
 - analysis stages 897
 - boundary conditions 893–894
 - failure criteria and material properties 895–896
 - FDM applications in 898–902
 - FEM in 908–910
 - geometry 892–894
 - initial conditions 896–897
 - loading 896
 - meshing 895, 896
 - outputs 897
 - structural elements 894–895
 - with other disciplines 46
- Geotechnical investigations 45–77, 169, 501, 551, 552, 637
- Geotechnical parameter values. *See* Soil engineering parameters
- Geotechnical parameters 101–118
- Geotechnical site investigation
 - applications 48
 - assessments of 47–48
 - case histories 70–74
 - characterization 63
 - design reports 58–62
 - extensions 47–48
 - for foundation engineering 49–53
 - boring numbers and spacing 49
 - depth of investigations 49–53
 - geophysical investigation methods 55
 - geotechnical engineering 45–47
 - laboratory and in situ testing 58
 - objectives 48
 - problematic soils 62–70
 - report 49, 63
 - in situ penetration tests 57–58
 - sources of data 53–57
 - drilling 54
 - full-scale tests 56–57
 - geophysical exploration 54
 - instrumentation, surveillance, and monitoring 57
 - laboratory tests 55–56, 62
 - maps and technical literature review 53
 - physical modeling/medium-scale testing 56
 - sampling 54–55
 - site visit 53
 - in situ penetration tests 56, 59–62
 - on situ testing 53–54
 - stages for 48–49
- Geothermally activated PRFs 733–734
- German method 573–574
- Gibson effect 183
- Grain size distribution 86
- Granular soils 104, 105
- Gravitational forces 207
- Gravity flow wells 271
- Grid foundations 20, 30, 147, 1106
- Grid spacing 898
- Grillage foundation analysis 149, 212–214, 243
- Ground and groundwater fluctuations 896, 1042, 1054–1055
- Ground-anchored foundations 145
- Ground freezing application 265
- Ground improvement methods 249–250, 478
- Ground modification integration 24–27
- Ground modification method 13, 16, 24–27, 248
 - applicability 25
 - bioremediation and plant engineering 27
 - categories of 24
 - deep foundation and 534–535
 - densification 25–26
 - earthworks 24–25
 - hydraulic control for 26–27
 - physical and chemical stabilization 26
 - reinforcement 27
 - and techniques 24
- Ground modification techniques 291
- Ground shaking 1109
- Ground–structure interaction 24–27
- Groundwater 26
 - fluctuation defects 1054–1055
 - level fluctuations 169
 - lowering 403–404
 - problems 885
 - pumping 1116
 - upward pressure caused by 406–408
- Groundwater lowering & upward pressure 403–404, 406–407
- GROUP 922
- Group method of data handling (GMDH) 1018

Grouting 265–267, 487
 Grouting efficiency 1064
 GRS structures for railways 317–319

h

Hammer driving equipment 464, 467–468
 Hammer drop testing 834–835
 Hansbo's method 273
 Heating soil in situ (heating, freezing) methods 264–265
 HEC-18 788, 790–791
 HEC-20 789
 Helical piles 484–486
 capacity 526–530
 individual failure mechanism 527
 vertical bearing capacity of 933–936
 Helical underpinning systems 1068, 1069
 High-rise building foundations 1105
 Holistic approach, to foundation system 1112–1117
 Hollow bar micro-piles 851–853
 Homogeneous saprolitic soil, plate-load testing on 818–819
 Homogeneous soil 554–556
 Hoop tension 446, 447, 457
 Horizontal planar foundations 28
 H-shaped steel piles 471
 Hybrid bucket foundation (HBF) model 345–346, 383–386
 Hybrid foundations 11, 29, 31–32, 36, 37, 38, 344, 373, 376, 385, 535, 718, 812, 841–845, 1097, 1106, 1112. *See also*
 Piled-raft foundation (PRF)
 systems 32, 36–39, 344
 testing 812, 841–845
 under VMH loading 376
 Hybrid soil improvement intrusions and pile PRF 732
 Hybrid structure systems 29
 Hybrid suction bucket foundations (HSBF) 11, 12, 343–346, 383
 Hydraulic control, for ground modification 26–27
 Hydraulic design flood 788, 789
 Hydraulic jacks, lifting foundation with 1065
 Hydraulic modification 271–277
 dewatering 271
 drainage systems 271–274
 preloading 274–277
 remediation method 750
 Hydraulic vibrators 468
 Hypar shell 437
 Hyperbolic-parabolic shell 435–437
 Hyperbolic paraboloid shell 442

i

Ignoring sustainable practices 1115
 Imperial college pile (ICP) method 573
 Implicit method 899–902

Improper foundation selection 1115–1116
 Inclined load 910–912
 Incremental filling ratio (IFR) 571
 Independent-leg jack-up platforms 346
 Index parameters 102
 Indirect approach 171, 591
 Induced/applied stresses 158–159
 Induced stress 144, 158–159, 201, 309
 Industrial and warehouse slabs 149–150
 Influence zone 36, 49, 167, 169, 170, 174, 181, 273, 294, 295, 309, 326, 419, 553–554, 556, 570, 591, 1030, 1031–1033, 1100
 Inland bridges foundations 1108
 In situ construction method 350
 In situ ground reinforcement 27
 In situ penetration testing 11, 56, 57–58, 1099
 application in 59, 171–176, 185–189, 551–599
 categories 58
 cone penetrometer test (CPT). *See* Cone penetrometer test (CPT)
 elastic modulus parameter of 112
 in geotechnical practice 57
 interpretation of 110
 laboratory and 58
 shaft capacity estimation 558–561
 soil improvement (SI) 284
 SPT
 pile axial-bearing capacity 562–566
 records for pile installation 561–562
 stress-strain-strength curves for 559
 testing procedures and records presentation 60–61
 In situ soil classification 94–101
 In situ test applications (CPT & pressuremeter) 172–175
 In situ test-based methods 504, 999
 In situ testing databases
 deep foundations and 1017–1019
 shallow foundation and 1016–1017
 soil parameters and 1016
 In situ tests, *p-y* curves for 627–629
 In situ tests for bearing capacity 171–176
 Intact rock 176
 unconfined compressive strength of 119
 Integrated multi-criteria decision making 1146–1149
 Integrity and soundness inspection 812, 857
 CSL test 859, 860
 data analysis 860–861
 procedure 859–860
 rating criteria 861
 GL testing 866–867
 health and integrity testing 857, 858
 parallel seismic testing 867–868

- PIT test 857–859
- TIP testing 866
- Interface element 894
- Interface roughness factor 367
- Intermediate foundation alternatives 21–27
- Internal foundations analysis 208–214
 - flexibility and rigidity 210–212
 - Grillage foundations 212–214
 - modulus of subgrade reaction 209–210
 - soil-foundation contact pressure 208
- Internal friction angle 59, 79, 102, 107, 121, 122, 129, 133, 165, 171, 200, 259, 262, 287, 293, 346, 406, 427, 506, 524, 529, 711, 819, 896, 1056
- International Building Code (IBC) 632, 637
- International Conference on Deep Foundations in Bolivia (C.F.P.B) 870
- Interquartile range (IQR) 1027
- Intrusion techniques 277–279
- Inverted arch foundation 434
- Inverted cone shell foundations 436
- Inverted dome 31, 32, 350, 351, 435, 438
- Investigation applications 48
- Investigation objectives 48
- Investigation stages 48–49
- Ishihara, K. 775–776
- j**
- Jacked piles 466, 495, 496, 575, 577, 1020
- Jack-up unit 346–347
- James Bay hydroelectric project 987–988
- Janbu's method 506
- Japanese Code of Practice (JRA 1996) 775, 776
- Japanese Highway Bridge Specification 776–778
- Japanese highway code of practice 770–771
- Jet grouting 259, 268–269, 1064
- k**
- Kansai International Airport 275–276
- Kinematic element method (KEM) 921–922
- Kobe earthquake (1995) 769, 776, 777
 - 14-story building during 780
- Kocaeli earthquake, Turkey (1999) 769
- Kulhawy's method 506
- l**
- Laboratoire Central des Ponts et ChauSees (LCPC) method 569, 1019, 1029
- Laboratory soil classification 89–93
- Laboratory tests 55–56, 58
- Landslides 748
 - Dashtehgan 753–755
 - shear pile wall section in 750, 751
- Lateral cyclic loading 765, 766
- Lateral load response 724
- Lateral load sources 603–667
- Lateral loading
 - auger piles 635, 638
 - categories of 603
 - concrete-filled steel pipe piles 639–641
 - of concrete pile 904–908
 - displacement approach. *See* p-y curves
 - drilled shafts 635, 638
 - foundation resistance against 606–608
 - geotechnical capacity under 724
 - horizontal subgrade reaction modulus 605–606
 - performance and boundary conditions 604–605
 - piles 648–651
 - piles analysis with
 - Brinch Hansen's method 614–616
 - Broms method 609–614
 - critical length 608–609
 - elastic continuum method 618–620
 - Evans and Duncan's method 616–618
 - nondimensional method 619–623
 - prestressed concrete piles 635–636, 638–639
 - resistance 607
 - shear piles 641–642
 - source of 604
 - steel piles 636–637
 - structural design 630
 - design criteria 632–635
 - geotechnical aspect 630
 - pile design 630–631
 - problems and protection 631–633
 - serviceability 630
- Lateral soil displacement 773
- Lateral spreading 775
 - failure 770
 - foundation damage 1053
- Lateral stresses 158, 167, 300, 448, 887
- Layered subsoil 169
- Legal and liability issues 1115
- Liberty Mutual Insurance 400
- Lightweight aggregate fill 251
- Lightweight Engineered Fills 250–253
- Lightweight Expanded Clay Aggregate (LECA) 251
- Lime and lime/cement columns 257
- Limit state design (LSD) 447–448
- Linear vs. cyclic design trend 20
- Linear elements 894
- Linear foundations 28
- Liquefaction 771
 - deep foundations capacity during 773–775
 - design method, steps of 785–787

Liquefaction (*contd.*)

Eurocode 8 - Part 5 (EC8 2000) 778
 foundation damage 1053
 Japanese Code of Practice 776
 Japanese Highway Bridge Specification 777–778
 NEHRP code of practice 778–779
 pile failure and design methods 770–771
 pile failure theories in 775–776
P-*y* curve 771–773
 risk 1116
 susceptibility 771, 772
 Liquefiable soils/Liquefaction 68–69
 Liquidity index (LI) 82, 83
 Liquid limit (LL) 82
 Load and resistance factor design (LRFD) 222, 632, 634–635, 638, 993, 994, 1007, 1023
 axial pile bearing capacity of piles
 AASHTO LRFD Bridge Design Specifications 1001–1002
 components 999
 Eurocode 7 999–1001
 calibration
 to ASD 994–995
 FORM approach 996–997
 FOSM approach 995–996
 MCS method 997–998
 modified FOSM approach 998
 factor of safety 994
 Load-bearing capacity 814, 816
 Load boundary conditions 888
 Load combination 13
 Load–displacement behavior 22
 of foundations 519–522
 Load–displacement behavior (*P*– Δ , *t*–*z*, CPT-based) 517–522
 Load–displacement curve: 164
 Load distribution, in pile group 677
 comments on 681
 flexible pile cap 680–681
 rigid pile cap 677, 679–680
 Load reduction 1063
 Load-tested piles 1141
 Load testing 502, 1133
 Load transfer mechanism 19, 355, 435, 439, 502–504, 505, 517, 522, 524, 527, 545, 635, 677, 678, 732, 770, 820, 837, 954, 1097
 Local shear failure 164
 Loma Prieta earthquake, California (1989) 769
 Longitudinal profiles 58
 Longitudinal reinforcements 146
 Long piles. *See* Flexible piles
 Long-term loading effects 364–365
 Long-term stability 1114

Long-term viability 1114
 Low displacement piles 465
 Lower carbon footprint 1132
 Low-rise buildings 1103
 LPILE 922

m

Magnetic approach 54
 Manual plasticity test 89
 Manual soil identification 85–89
 Maps & literature review 53
 Marine construction materials 364
 Marine mattresses, application of 1122–1123
 Masonry structures, damage to 1047
 Massive soil treatment 292–299
 Massive treatment 291, 292
 Mass wasting 748
 Material point method (MPM) 921
 Mat foundations 21, 34, 50, 70, 147–148, 162, 176, 181, 190, 214, 215, 344, 399, 418, 712, 922, 1066, 1080, 1082, 1084, 1085, 1106
 bearing pressure distribution under 215
 Matlock method 626
 Mat (raft) footings 218
 Measurement uncertainty 966–968
 Medium-scale testing 56
 Membrane shear stress resultant 444
 Membrane stresses & limit state design 445–448
 Membrane stresses, in conical shell 445–447
 Membrane theory 444
 Menard pressuremeter values 100
 Meridional compression 446
 Mesh size 895, 896, 898, 910, 914, 924, 930
 Messe Turm Tower 734–736
 Metallic reinforcements 309, 315
 Metastable pile head response 764
 Metropolitan Cathedral Church 193–194
 Meyerhof method 569–570, 911–912
 Microbially induced calcite precipitation (MICP) 27, 270
 Micro-pile construction 278–279
 Micro-pile testing 15–16, 487–489, 534, 812, 849–850
 hollow bar 851–853
 testing on pile and 850–851
 Micro-pile underpinning 1069–1070
 of Mandalay Bay Hotel and Casino 1079–1083
 Midas GTS NX 923
 Middle-rise buildings 1103
 “Million Dollar” bridge 770
 Mini- and micro-piles 487–488, 487–489
 Mini piles 487–489
 Model or full-scale testing 9
 Model uncertainty 965–966, 968–969

for predictive axial pile-bearing capacity 986–987
 Modified Cam-Clay (MCC) model 380, 890
 Modified equation, for settlement estimation 183–184
 Modified UniCone 1030
 Modulus improvement factor (MIF) 312
 Modulus of horizontal subgrade reaction 605–606
 Modulus of subgrade reaction 209–210, 213, 219, 243, 604, 605–606
 Mohr–Coulomb constitutive model 889, 895
 Mohr–Coulomb failure criterion 84
 Moisture content fluctuation 65
 Moment loading, geotechnical capacity under 724–725
 Monitoring actual performance 47
 Mono-caisson 343
 Monopile-footing composite foundation 11
 Monopiles, lateral behavior of 793
 Monte Carlo Simulation (MCS) 974–976
 calibration using 997–998
 Mud mat foundation 343–344
 Multi-caisson 343
 Multi-criteria decision-making (MCDM) models 1033–1035
 Multidisciplinary collaboration 1113
 Multilayered clay soils 389–391

n

National Earthquake Hazards Reduction Program (NEHRP) (2000) code 778–779
 Natural resources 1132
 Neat footing 143
 Negative pressure (suction) 342
 Negative skin friction 523, 756, 758, 760
 Neutral plane 689–694, 757–760
 Newman method 814
 Newton's third law 831
 Niigata earthquake (1964) 631, 776
 N.H.K. building during 781–782
 Showa Bridge failure during 782–785
 10-story Hokuriku building during 779
 Noise pollution 467
 Non-cohesive soils 87, 88, 278
 Nondestructive methods 49
 Nondestructive tests (NDT) 54
 Nondimensional method 619–623
 Non-displacement piles 465
 Non-engineered fills 69–70
 Nonhomogeneous soil conditions 554–556
 Non-horizontal planar foundations 28
 Nonrigid or flexible approaches 242
 Nonuniform settlements 179, 1063
 Normal and shear stresses 444
 Numerical analysis 17, 379, 380, 519, 629, 675, 704, 717, 732, 883, 890, 891, 895, 896, 897, 924, 938, 940, 941, 956, 1149
 Numerical modeling/methods 504, 1131
 analytical solutions vs. 885
 bearing capacity, of shallow foundations 946–948
 boundary conditions 888
 caliche stiffened pile foundation 953–958
 combination retaining structure 941–945
 constitutive model for soil 889–890
 deep foundations, application in 886–887
 defined 884
 embankment, resting on end-bearing piles 938–940
 finite element analysis, of tunnel-soil-pile interaction 945–946
 in foundation engineering
 adjacent piles 924–925
 bearing capacity 925–930
 benefits of 886
 boundaries, effect of 930–933
 boundary element method 921
 discrete element method 921
 finite difference method 897–908
 finite element limit analysis 920–921
 finite element method 908–920
 finite element modeling procedure 930, 931
 kinematic element method 921–922
 material point method 921
 software in 922–924
 three-dimensional finite element analysis 933, 935, 937–938
 vertical bearing capacity, of helical piles 933–936
 geometrical considerations, in foundation
 adjacent structures 888
 features and boundaries 887
 shape and size 887
 soil profile 887–888
 in geotechnical engineering 884–885, 890–891
 analysis planning 891
 analysis stages 897
 boundary conditions 893–894
 failure criteria and material properties 895–896
 geometry 892–894
 initial conditions 896–897
 loading 896
 meshing 895
 outputs 897
 structural elements 894–895
 geotechnical problem classification 885–886
 piled raft foundation 949–952
 shallow foundations, application in 886
 2D vs. 3D models 890

O

Observational method (OM) 33, 47
 Offshore environments 1109–1110
 Offshore foundation 198–199
 applications of 349
 Offshore wind turbines (OWTs) 11, 12, 345–346, 373, 844–845, 1110–1112
 One-dimensional (1D) consolidation theory 272
 One-dimensional/linear foundations 28
 One-dimensional unit cells 300
 One-way shear 225–226, 233, 238
 Onshore loads foundation 198–199
 On-site testing 53–54, 850
 On situ testing 53–54
 Open-end pipe piles 471, 573, 635, 640
 static load test on 835
 Operation procedure control 57
 Optimization 1142–1149
 Ordinary bucket foundations (OBF) model 383–386
 Organic materials 264
 Organic soils 67–68, 90
 Osterberg cell (O-cell) 828–832, 839–840, 853–857
 Osterberg testing 828–831
 on instrumented pile 839–840
 Over-consolidation 187
 Over-consolidation ratio (OCR) 113–114, 793
 Over excavation 25
 Overall design procedure 32–33
 Overturning resistance 197, 202

P

Parallel seismic testing 867–868
 Parkinson method 814
 Partial differential equations (PDEs) 899, 900
 Partial liquefaction 771
 Partially/fully compensated foundations 250
 Partially restrained-head pile 604
 Passive gamma logging 866
 PDA test 825–827
 Peat 67–68
 Penetration rate & mechanism 558
 Penetrometer correlations 372
 Performance & boundary conditions 604–605
 Performance-based design 19
 Performance of stabilized foundations 291–327
 Permeability 118
 Petronas Twin Towers 842
 Phase diagrams 80–83
 Phase diagrams relations 80–83
 Physical and chemical modification 263–270
 Physical and chemical stabilization 26, 263–264
 Physical concrete damages 1049

Physical modeling/medium-scale testing 56
 PIANC guidelines 770
 Piezocone penetration test (CPTu) 95, 96, 97, 107, 172, 567, 570, 574
 Pile axial load distribution 525
 PileAXL 922–923
 Pile cap 673
 flexible 680–681
 rigid 677, 679–680
 structural design of 686
 guidelines 688–689
 sectional method 686–688
 STM method 687–688
 Piled raft foundations (PRFs) 13, 17, 28, 949–952, 1112
 connected and nonconnected 730–732
 connection “cap” 717
 cushion application 732
 description of 718
 dynamic response of nonconnected 741–742
 full-scale load tests on 736–738
 geotechnical capacity under
 lateral loading 724
 moment loading 724–725
 vertical loading 724
 geothermally activated 733–734
 high-rise foundation systems 718, 719
 hybrid soil improvement intrusions and pile 732
 immediate and final settlements 727
 lateral capacity-based envelopes of 738–741
 load-settlement relationship 725–727
 pile loads, estimation of 727–728
 principles
 advantages 723
 analysis process 719–720
 design philosophies 721–723
 design requirements 721
 raft moments and shears estimation 728–730
 traditional design approach 718
 Pile Driving Analyzer[®] (PDA) system
 advantages and disadvantages of 825–827
 defined 825
 Pile driving analyzer (PDA) tests 504, 979
 Pile dynamic load test 504
 Pile dynamic tests (PDA) 534
 Pile foundations 1102, 1107
 degradation under
 axial cyclic loading 763–765
 lateral cyclic loading 765, 766
 earthquakes loading and performance of 770
 excellent performances of 779–780
 FDM application in 904–908

- poor performance of 781–785
- tunneling and 933, 935, 937–938
- Pile group under combined loading 676–677
- Pile groups 435
 - axial loads, bearing capacity under 681–687
 - under combined loading 676–678
 - factors 673–674
 - load distribution in 677
 - comments on 681
 - flexible pile cap 680–681
 - rigid pile cap 677, 679–680
 - pile spacing 675
 - pressure and displacement ratio 676, 677
 - settlement of
 - equivalent footing method 689
 - hydro-load testing 697–698
 - neutral plane 689–694
- Pile head response 764–765
- Pile installation methods 466–473
- Pile integrity testing (PIT) test 857–859
 - on installed piles 869–870
 - on 378 piles 868–869
- Pile load tests (PLT) 870–875, 1022
 - estimation of 727–728
- Pile materials & cross-sections 464–466
- Pile Prediction Symposium 757
- Pile raft foundations (PRFs) 1099
- Piles 21
 - advantages 470
 - applications of 21
 - axial load transfer 503
 - bearing capacity estimation 567
 - cone penetration test (CPT) and 552
 - data processing and averaging 556–557
 - diameter 557–558
 - embedment depth 553
 - influence zone 553–554
 - nonhomogeneous condition 554–556
 - penetration rate and mechanism 558
 - for toe capacity 552–558
 - drilled shafts (bored piles) 473–479
 - driving systems 467
 - engineering 501
 - foundations 1120
 - installation 466–473
 - bottom driving technique 469–470
 - CPT or SPT records for 561–562
 - hammer driving equipment 467–468
 - H-shaped steel piles 471
 - pipe steel piles 471
 - precast concrete piles 471–473
 - timber piles 470
 - vibratory driving 468–469
 - load-displacement behavior 522
 - load-displacement of 517–519
 - materials 464–466
 - and pile groups, unified design of 542–545
 - prediction symposium 536–541
 - pullout capacity 530–533
 - shaft capacity 558–561
 - shaft resistance 568
 - and sheet piles 468
 - in situ construction of 466
 - special 479–489
 - structural design of 502
 - unit shaft 506–507
 - unit shaft resistance 568
 - utilization 21
- Pile spacing 656, 666, 675, 681, 682, 686, 689, 708, 710, 730, 752, 887, 951
- Pile static load test 504, 517
- Pile testing 820
 - dynamic load testing 823–825
 - PDA test 825–827
 - rapid load testing 827–829
 - static load testing 821–823
- Pile under combined loading 676–677
- Pioneer soil profiling charts 96
- Pipe steel piles 471
- Plain shallow foundations 434
- Planar foundations 1097
- Plane strain problems 892
- Plant engineering/stabilization 27, 269–270
- Plasticity equation 885
- Plasticity index (PI) 83
- Plasticity test 88
- Plastic limit (PL) 82
- Plate load tests (PLT) 175–176, 209, 811, 813–816
 - on homogeneous saprolitic soil 818–819
- Plate-on-springs approach 720
- PLAXIS 923, 956
- Porewater pressure generation 772–773
- Portland Cement Concrete 144
- Post-grouting techniques 466, 477–479, 484, 487, 533–534
- Post-installation capacity variations 533–545
- PPI plastic test pile 652, 653
- Precast concrete piles 278, 466, 467, 471–473, 491, 495, 497, 535, 573, 666, 728, 751, 760, 922
- Precast prestressed concrete (PPC) piles 1018
- Pre-consolidation stress 85
- Prefabricated shell foundation 351
- Prefabricated vertical (PV) drains 272
- Prefabricated vertical drains (PVD) 273–274
- Preloading 274–277

Pre-mobilization mechanism 478
 Pressure distribution approach 778
 Pressure meter test (PMT) 99–101, 175, 551, 627–629
 Prestressed concrete (PSC) test pile 472, 635–636, 638–639, 652–653
 Primary differential equation 216
 Principle of superposition 620
 Problematic soils 62–70, 247, 755–756, 1044, 1045
 collapsible soils 66–67
 dispersive clays 65–66
 expansive soils 64–65
 frozen soils 68
 liquefiable soils 68–69
 non-engineered fills 69–70
 organic soils and peat 67–68
 Pisa Tower, tilting due to 1045
 sensitive clays 64
 soft clay (normally consolidated clays) 64
 Project-based foundation selection 1102–1112
 buildings 1102–1107
 coastal, onshore, and offshore structures 1107–1110
 storage tanks 1102
 towers 1112
 wind turbines and transmission utilities 1110–1112
 Project function 1101–1102
 Proof test 347
 micro-piles 850
 Pseudo-coupled method 215–216
 Pullout capacity 281, 530–533
 Pullout testing, of short piles 840–841
 Punching shear model 1046
 P-y curve/method 686, 687
 characteristic shapes of 624
 clays 624–626
 cyclic transversal loading 767–769
 defined 623
 ductile curves 624
 factors 623
 liquefaction 771–773
 sand 626–627
 from in situ tests 627–629
 P-y multipliers method 686, 687
 Python, FDM coding in 899–902

q

Quality assurance 47, 1134
 Quality control methods 283–284, 469, 849

r

Raft foundations 179, 339, 1107. *See also* Mat foundation
 Railway embankment 306–308
 Raker piles 607

Ramp boundary condition 905
 Random analysis, in geotechnical engineering 969
 Random noise error uncertainty 966, 968
 Rapid impact compaction (RIC) method 26, 255
 Rapid load testing 827–829
 in clays 837–838
 Real and pseudo stress resultants 445
 Rectangular hyperbolic–parabolic shell 437
 Regular cyclic loading 761
 Regulatory compliance 1133
 Reinforced concrete (RC) structures 1049
 Reinforced concrete slab foundation 1102
 Reinforced soils/Reinforcement 14–16, 27, 277–283, 308–323
 bench-scale testing on 817–818
 concrete sections 433
 extrusions 277
 foundation on 293
 geosynthetics 279–281, 308–315
 geosystem 282–283
 intrusions 277–279
 for soil slope stability 315–321
 techniques 292
 types of 309
 vertical structural elements 321–323
 Reinforcement design principles & requirements 310–315
 Reinforcement remediation method 750
 Reinforcing steel & design charts 227–230
 Relative construction contract 285
 Relative density 82
 Relatively floating 250
 Relevant databased approach 19
 Relevant data-based pile design algorithm 1023
 Reliability index
 James Bay hydroelectric project 987–988
 methods for determining 969–970
 FORM 972–973
 FOSM 970–972
 Monte Carlo method 974–976
 Remote sensing 47, 53
 Residual compression 524
 Residual stress 523–526
 Resistance 197
 Resistance distribution 523–526
 Resistance factor
 calibration of 1003–1006
 for different piles 1007
 Retaining structures remediation method 750
 Retaining wall drains 27
 Retrofitting 14–16
 Reuse load factors 1133
 Reusing foundations 1132–1134
 Rigid design 440

- Rigid & flexible piles 604
- Rigid frame mats 148
- Rigid intrusion methods 291, 292
- Rigid intrusions (stone columns) 299–308
- Rigid intrusion testing 812, 845, 846
 - small-scale physical modeling 846–847
 - stone columns testing, ASTM standards for 845
- Rigidity, internal foundations analysis 210–212
- Rigid pile cap 677–681
- Rigid piles 604
 - Brinch Hansen's method 614–616
 - cap 677, 679–680
 - cohesionless soils 610, 611
 - cohesive soils 609–610
- Rigid square footing design 223–241
 - contact pressure distribution 208
- Rio Bananito Railway Bridge 655–659
- Rio Estrella Highway Bridge 656–659
- Risk assessment process 1133, 1134
- Rock bearing capacity 176–177
- Rock mass rating system (RMR) 118, 119–123
- Rock properties classification 118–123
- Rock Quality Designation (RQR) 119
- Rocks
 - bearing capacity of 176–177
 - properties and classification 118–123
 - rock mass rating system 119–123
 - Rock Quality Designation (RQR) 119
 - uniaxial compressive strength of 119
 - and soils 178
- Rollers
 - shallow compaction by 253, 254
 - types of 254
- Roof slab 432
- Routine plate/roller compaction method 26

- S**
- SAFE 922
- Safety Factor of Bearing Capacity (SFBC) 1146
- Sampling 54–55
- Sand
 - drains 272
 - p*-*y* curves for 626–627
- Sand behavior 362, 363–364, 626
- Saturated soils 85
- Savu Tower 340–341
- Scale effect (pile, foundation, CPT) 552
- Schmertmann and Nottingham method 567–568, 577
- Scintillometer 867
- Scour. *See also* Bridge scour
 - foundation damages 1049–1050
- Scour potential 144
- Scouring 1109
- Screw piles 484–486
- Seawater 347
- Secant pile wall 413, 751, 752
- Section-act foundations system 29, 30–31
- Sectional method, for pile cap design 686–688, 710
- Sedimentation tests 86
- Seepage differential equation 885
- Seismic coefficient method 776, 777
- Seismic deformation method 776, 777
- Seismic restraint test 842
- Seismic tests 54
- Seismological factors 68
- Selection, of methods 283–284
- Self-expanded pile (SEP) 487
- Semi-deep foundations 16, 21–24, 31, 40, 167, 168, 333, 348, 355, 606, 607, 1099
 - advantages 334
 - bucket foundations 341–346
 - categories 335
 - under combined loading (VMH) 372–377
 - floating foundations 339–341
 - geotechnical background 334–335
 - shell foundations 348–353
 - skirted foundations 338–339
 - specifications 335
 - spudcan 346–348
 - types of 335, 359
 - well foundations 335–338
- Sensitive clays 64
- Sensitivity 80, 102, 116–118, 123, 124, 125, 474, 890, 969
- Serviceability 8, 9, 10, 16, 34, 48, 57, 145, 151, 185, 189, 190, 191, 201, 216, 229, 240, 243, 344, 401, 410, 447, 630, 677, 770, 787, 790, 994, 1043, 1052, 1059, 1061, 1062, 1099, 1104
- Serviceability limit state (SLS) 604
- Serviceability (settlement and torsion) 9, 630
- Settlement 522–523, 1043
 - control 415–416
 - geotechnical design 522–523
- Settlement estimation 178–194
 - differential settlement
 - and distortion 189–194
 - types 179–184
 - method 185
 - modified equation for 183–184
 - in situ tests application in 185–189
- Settlement & negative skin friction 522–523
- Shadowing effect 685
- Shaft capacity
 - pile of 558–561
 - scale effect in estimation of 558–561

- Shaft capacity estimation 558–561
- Shaft resistance 506–510, 515
- Shallow compaction, by rollers 253
- Shallow foundations 19, 20–21, 51, 141, 168, 333, 397, 606, 1097, 1099
 - application in 886
 - bearing capacity, on unsaturated soils 946–948
 - boundary conditions in 888
 - contact pressure beneath 160
 - densification methods 25
 - FDM application in 901–904
 - FEM application in 909–915
 - single spread foundations (footings) 142–146
 - and in situ testing databases 1016–1017
 - structural and construction 141
 - testing 811
 - bench-scale testing 812–813, 817–818
 - full-scale field testing 816
 - plate load testing 813–816, 818–819
 - on tire-derived aggregate backfill 819–820
 - uncommon 148–150
- Shallow pile caps 686
- Shallow stabilization 265
- Shanghai Tower 13, 14, 240–241
- Shard London Bridge 842
- Shear
 - design 229–230
 - failure modes 224–226, 301
 - one-way shear 225–226
 - two-way shear 224–225
 - modulus 116
- Shear keys 197, 202, 285, 359, 360, 361, 362, 363, 364, 365–366
- Shear piles 641–642
 - construction and performance 751–752
 - walls 749–751
- Shear strength 8, 27, 54, 56, 58, 60, 62, 64, 67, 70, 74, 80, 84, 93, 95, 102, 103, 108–111, 123, 166, 196, 247, 250, 253, 264, 270, 278, 293, 299, 325, 342, 369, 376, 507, 508, 509, 522, 524, 558, 573, 606, 749, 750, 761, 770, 816, 819, 889, 910, 914, 965, 968
- Shear strength improvement remediation method 750
- Shear strength of soils 84–85
- Shear wave velocity 48, 54, 74, 80, 116, 283, 771, 772, 1016, 1028
- Sheet piles 278, 468
- Sheet piling construction method 411
- Shell footings 452–454
- Shell foundations 23, 28, 348–353
 - bearing capacity and settlement of 443
 - case studies 448–456
 - categories of 435–438
 - combined 438
 - cone 435
 - elliptic paraboloid 437
 - folded plate 437–438
 - hyperbolic–parabolic shell 435–437
 - inverted dome 435
 - characteristics 435
 - in civil engineering 433–434
 - classification 434
 - components of 439
 - construction methods 350–353
 - design approaches 438–441
 - contact pressure 440–441
 - soil–structure interaction 440
 - economic benefits of 433
 - geotechnical design approach 441–444
 - limit state design (LSD) 447–448
 - and plain shallow foundations 434
 - structural design approach 444–448
- Shell foundation types 348–353, 435–438
- Shell strip footings 442
- Shell structure 431–432
- Ship collisions 1109
- Shock waves 261
- Short column formula 447
- Short piles. *See* Rigid piles
- Shrinkage limit (SL) 82
- Side/circumferential resistance 167–169
- Simple additive weighting (SAW) model 1033, 1034
- Simplified classic methods 214–222
- Single-curved shells 433
- Single foundations 230–231, 238
- Single-hole sonic logs (SSL) 860
- Single spread foundations (footings) 142–146
 - construction
 - considerations 144–146
 - methods and embedment 143–144
 - materials 142–143
 - in plan 142
 - in section 142
- Site investigation 10, 45–77
- Site-specific factors 68
- Site visit 48, 53, 501
- Site visit/field exploration 53
 - and nondestructive testing 48–49
- Skirted foundations 23, 32, 338–339, 354, 359, 360
 - bearing capacity of 361–366
 - homogenous clay for 377
 - by hybrid technique 383–386
 - skin friction in 368
 - under VMH loading 376
- Skirt factor 339

- Sliding resistance 197
- Sloped Concrete Walls 200
- Sloped or stepped excavation 410–411
- Slope stability
 - deep foundations for 747
 - back analysis 749
 - landslides 748
 - prevention and remediation methods 749, 750
 - shear piles construction and performance 751–752
 - shear pile walls 749–751
- Slow-maintained load test (SMLT) 737
- Small-scale physical modeling 846–847
- Soft clay (normally consolidated clays) 64
 - p-y curves for 625
- Soil
 - bearing capacity 163
 - behavior classification 94–101
 - on cone penetrometer test (CPT) 95–98
 - on dilatometer penetration tests (DMT) 98–99
 - on field vane shear test (FVST) records 95
 - on material index 98
 - on pressuremeter test (PMT) 99–101
 - on standard penetration test (SPT) 94
 - characteristics on experiences and practices 93
 - classification systems 85
 - on laboratory results 89–93
 - components 89, 90
 - deformations 302
 - factors affecting 80
 - geotechnical parameters 101–118
 - constrained modulus 102
 - in foundation engineering 101–116
 - index parameters 102
 - over-consolidation ratio (OCR) 113
 - permeability 118
 - sensitivity 116–118
 - shear wave velocity and shear modulus 116
 - stiffness 111
 - mechanics for foundation engineering 80–85
 - consolidation settlement 85
 - geostatic stresses 83–84
 - phase diagrams 80–83
 - shear strength of soils 84–85
 - physical and mechanical properties of 80
 - and properties 79
 - reinforcement. *See* Reinforced soils
 - setup and relaxation 534
 - strength and compressibility 82
 - stresses in 157–159
 - geostatic stress 158
 - induced/applied stresses 158–159
 - lateral stresses 158
 - type 98
 - visual and manual soil identification 85–89
- Soil-bearing capacity 21
- Soil behavior classification (SBC) 16, 1030–1031, 1033
- Soil cement 264
- Soil-column composite 259–261
- Soil conditions 607
- Soil consistency 87
- Soil decompression 487
- Soil displacement 248
- Soil engineering parameters 101–102
- Soil erosion, foundation damages 1049–1050
- Soil-foundation contact pressure 207, 208
- Soil heating & freezing 264–265
- Soil improvement 284
 - beneath, crushed concrete in 1123–1125
 - deep foundations in 759–760
 - on geotechnical performance 760
- Soil improvement techniques/methods 24, 27, 247–248, 247–288, 291
 - compaction and densification 253–263
 - bearing capacity and settlements of soil-column composite 259–261
 - blast densification 261–263
 - deep dynamic compaction 253–255
 - explosive compaction 261–263
 - rapid impact compaction 255–257
 - shallow compaction by rollers 253
 - stone columns stabilization and 257–259
 - earthworks 248–253
 - ground modification methods 248
 - hydraulic modification 271–277
 - physical and chemical modification 263–270
 - chemical and physical stabilization 263–264
 - deep soil mixing or deep mixing 267–268
 - grouting 265–267
 - jet grouting 268–269
 - methods of heating soil in situ (heating, freezing) 264–265
 - plant engineering and bioengineering 269–270
 - practices 13
 - quality control and selection of methods 283–284
 - reinforcement 277–283
 - soil improvement techniques/methods 247–248
 - soil modifications 248
- Soil mechanics problems 885
- Soil modulus 186
- Soil-pile interaction 914
- Soil reaction modulus 816
- Soil reinforcement 40, 277–283, 285, 292, 308–323, 730, 1061
- Soil setup and relaxation 534
- Soil shear strength 398, 816

- Soil slope stability with reinforcement 315–321
- Soil stability problems 885
- Soil stiffness 772
- Soil stratification 129
- Soil strength reduction 771
- Soil stresses 157–159
- Soil–structure interaction & contact pressure 440–441, 216, 440
- Soil types 54
- SOLCYP project 765
- Soul modifications 248
- Space constraints 607
- Spaced pile wall 751, 752
- Special deep foundations 464
- Specialized sensitive equipment 57
- Special piles 479–489
 - continuous flight auger piles (CFA) 479–480
 - drilled displacement piles (DDP) 480–484
 - expander body piles 486–487
 - helical or screw piles 484–486
 - mini- and micro-piles 487–489
- Spread footing 227, 242
- SPT records & methods 561–566
- Spudcan foundations 23, 346–348, 350, 359–394
 - bearing capacity of 369–372
 - in multilayered clay soils 389–391
- Spun piles 472
- Square-shaped footings 142
- Stability control 9, 10, 1043–1045
- Stability issues (external) 194–200
 - eccentricity 196–198
 - number of anchor piles 198
 - overturning 195–196
 - sliding 194–195
 - uplift capacity 196
- Stabilized soils
 - massive treated soil 292–299
 - reinforced soils 308–323
 - rigid intrusions (stone columns) 299–308
- Stable pile head response 764
- Staggered pile wall 751, 752
- Standard penetration test (SPT) 94, 132, 171–172, 551, 648–651, 771, 772, 872, 955, 986, 987, 1018
 - pile installation
 - methods for axial-bearing capacity 562–566
 - records for 561–562
- Standard shear tests 102
- Static analysis methods 504–511, 522, 999
- Static loading 761
- Static load testing 821–823, 841, 842
 - on open-ended pipe pile 835
- Statnamic pile test (SNPT) 831, 833
- Statnamic test 831–833
- Steel *I*-beams 212
- Steel piles 633, 636–637
- Steel piles (H-shaped, pipe, composite) 471
- Steel rebars, planting 1076
- Stiff clays, p-y curves for 625–626
- Stiffness analysis method 219
- Stone columns 257–259, 299–308, 845–846
- Stone column behavior chart (SCBC) chart 305
- Stone column group block punching ratio (BPR) 305
- Stone columns testing
 - ASTM standards for 845
 - implementation 847
 - oil tanks footing with 848–849
 - rigid footing with 847–848
 - water storage tanks on 849
- Stone column-supported foundation (SCSF) 304–306
- Strain incompatibilities 478
- Strain–stress relationship 85, 111
- “Stream Stability at Highway Structures” 789
- Stress concentration ratio 300
- Stress distribution beneath 178–179
- Stress distribution model 812
- Stress distribution in reinforced foundations 301–302
- Stress distribution & settlement Types 178–185
- Stresses in soil 157–159
- Stress history effect 792–793
- Stress–strain curve 85
- Stress–strain relationship 186
- Strip/continuous foundations 147
- Strip foundations 147
- Strip-on-springs approach 719–720
- Structural assessment 1133
- Structural considerations for piles & drilled shafts 635–637
- Structural design 9, 207–244
- Structural design approach 444–448
- Structural design criteria (ASD, LRFD) 632–635
- Structural design of pile cap 686–689
- Structural efficiency 607
- Structural foundation design 222–223
 - of rigid square footings 223–238
- Structural integrity 1132
- Structural matrix analysis method 219–222
- Structural reinforcement, of existing foundations 1063
- Structural stability 607
- Strut-and-tie (STM) method 686–688, 710
- St. Vincent’s Chapel 352–353
- Subgrade reaction modulus 210
- Subsoil characterization 10, 28
- Subsoil condition 10

- Substructure 7, 8, 10, 17, 23, 32, 49, 148, 155, 201, 333, 339, 340, 343, 353, 354, 391, 393, 398, 399, 401, 406, 407, 410, 435, 436, 797, 993, 1015, 1100, 1103, 1104, 1112, 1149, 1150
 - Subsurface profiles 58
 - Subsurface soil conditions 755
 - Suction bucket foundation 382
 - Suction caisson foundation (SCF) 342
 - Suction installation 344
 - Superstructure 10, 13, 145–146, 199, 212, 250, 339, 397, 398, 399, 407, 439, 501, 502, 677, 681, 756, 770, 777, 784, 948, 993, 1050, 1097, 1099, 1108
 - Supporting systems 410–415
 - Surface-act foundations system 29, 31, 32, 35, 435
 - Surface-act structure systems 29
 - Surveillance 33
 - Sustainability
 - applications in foundation engineering 1117–1121
 - development principles 11
 - foundation system 11, 1106
 - long-term stability and 1114
 - Sustainable development 7, 11, 14, 16, 17, 535, 759, 1117
 - Sydney Opera House 842
 - Synclastic shells 433
 - System features 29–32
- t**
- Tabular or graphical approach 230–238
 - Taipei 101, 843
 - Tall/high-rise buildings 1104
 - Tangent pile wall 751, 752
 - Tank foundations 259
 - Taper-haunch or sloped foundations 142
 - Taylor expansion theory 970
 - Technique for order preference by similarity to ideal solution (TOPSIS) model 1033, 1034
 - Technological advancements and innovation 1114
 - Telecommunication towers 436
 - Tensile strain method 1059
 - Tensile stresses 631
 - Terzaghi and Peck model 689
 - Terzaghi's equation 505, 913, 914
 - Theoretical pressure distribution 208
 - Theory of Elasticity 208
 - Thermal integrity profiling (TIP) testing 866
 - 3D finite element model (3D FEM) 720, 933, 956
 - Three-dimensional/volumetric (massive) foundations 28, 1097
 - Timber piles 466, 470, 497, 616, 633, 794, 797
 - Time-dependent process 85
 - Time-dependent settlement 180
 - Tip resistance 999
 - Tire-derived aggregate (TDA) materials 252–253, 819–820
 - Toe adjustment factor 570
 - Toe capacity 505–506
 - CPT and pile scale effect for 552–558
 - Janbu (1976) method 506
 - Kulhawy (1991) method 506
 - Meyerhof's method 505–506
 - Vesic (1977) method 506
 - Toe capacity estimation 591
 - Toe grouting 487
 - Toe resistance 514–515
 - Tokimatsu, K. 776
 - Top-down construction method 340, 412–415
 - Top-down effect 775–776
 - Torre Latino Americana 12–13, 401
 - Toughness test 88
 - Towers 1112
 - Traditional construction methods 1132
 - Traditional kentledge methods 827, 829
 - Transformation uncertainty 965–966, 968
 - Transitional elements or units 6
 - Transmission towers 337–338
 - Transverse loads 603
 - Trench effect 183
 - Truncated shear pile wall 752
 - Tsuchida, H. 771
 - Tunneling-induced settlement 1052–1053
 - Two-column combined foundations 146–147
 - 2D & 3D failure patterns 375–377
 - 2D/3D numerical model 890, 892
 - Two-column foundations 146–147
 - Two-dimensional/planar foundations 28
 - Two-directional strip foundations 20
 - Two-way shear 224–225, 232, 238
 - t*–*z* method 517–519
- u**
- Ultimate limit state (ULS) 604
 - Ultimate strength theory 444
 - Uncertainty 965–990
 - affecting Babolsar bridge failure 976–979
 - axial pile-bearing capacity, methods for predicting 979–985
 - classification of 965–966
 - in geotechnical design/engineering 966–969
 - Uncommon shallow foundations 148–150
 - attached single foundations 149
 - grillage foundations 149
 - industrial and warehouse slabs 149–150
 - Uncontrolled fill. *See* Non-engineered fill
 - Uncurved shell 433
 - Undisturbed sampling 54

Undrained shear strength 108–109, 166
 Uniaxial/unconfined compressive strength 119
 UniCone method 570–571, 983, 1019, 1029–1030
 enhanced 574
 Unified pile design method 510
 Unified soil classification system (USCS) 89, 91, 790
 Uniform settlements 1063
 Unit cell approach 300
 Unit cells & stress concentration 300
 Unit shaft resistance 568
 Unit weight 102
 University of British Columbia (UBC) pile 757
 Unloading Point model 832, 833
 Unstable pile head response 764
 Uplift loading mode 503
 Urban planning integration 1114
 Urmia Lake Causeway Project 757
 Utilizing biological processes 27
 Utilizing bored piles 473
 UWADatabas 1018
 UWA method 571–572

V

Vacuum preloading 275
 Value engineering 7, 1142–1149
 of driven H-piles for slope stability on the Missouri River 1143
 Vane shear test (VST) 133, 172, 551
 Variable loading 761
 Vector-act foundations system 29, 30, 33–34
 Vector-act structure systems 29
 Verification test, micro-piles 850
 Vertical bearing capacity 366–368
 Vertical drains 27
 Vertical load response 724
 Vertical loading, geotechnical capacity under 724

Vertical, moment, and horizontal (VMH) loading 949–952
 failure pattern under 377–391
 general function of 377, 378
 of offshore wind turbine 373
 semi-deep foundations under 372–377
 skirted/hybrid foundations under 376
 Vertical piles 607, 622
 Vertical structural elements 321–323
 Vesic's method 506
 Vibratory driving 468–469
 Vibro compaction method 26
 Vibro stone columns 257, 260–261
 Visual manual identification 85–89
 Visual soil identification 85–89
 Volume, of soil 81
 Volumetric/massive foundations 28–29

W

Washington Park Station Slide case study 752–753
 Wave equation 885
 Well foundations 23, 335–338, 353, 397, 307, 1107, 1110, 1111
 Wet method 475, 476
 Wet top feed method 257
 Wick drain design 272
 Wing pile (WP) 487
 Winkler method/foundation 214–215, 219
 Winkler's hypothesis 605
 Wood chips or mulch 251
 Working stress design (WSD) 1007

Y

Young's modulus 111, 185

Z

ZJU-ICL (2015) database 1019
 Zone of influence 1058–1059