

Subject Index

a

Acceleration 4, 47, 87, 97, 130, 180, 217, 275, 300, 329, 367, 386
 Accompanying truck 129, 176, 245, 267, 292
 Adjacent modal point 12, 381, 411
 Alternate direction method of multipliers (ADMM) 182
 Ambient vibration 22, 45, 175
 Amplification effect 129, 136, 141
 Amplifier 10, 149
 Amplifier frequency 151, 163, 165, 169
 Amplifier-vehicle-bridge interaction element 151, 159, 160
 Artificial neural network (ANN) 28
 Axle box acceleration (ABA) 34, 35

b

Back-calculation procedure 114, 140, 190, 258, 279, 396
 Bandpass filter (BPF) 4, 9, 21, 204, 222
 Baseline 27
 Boundary condition 15, 52, 255, 300, 328, 362
 Bridge 1
 cable-stayed 24, 82
 continuous 15, 21, 29, 31
 damping 1, 5, 12, 23, 177, 201, 209, 213, 245, 269, 325, 381
 frequency 1, 4, 8, 14, 45, 81, 103, 127, 149, 297, 357, 381
 mode shape 1, 4, 11, 20, 175, 201, 213, 245, 269, 297, 357, 381

 simply supported 3, 47, 105, 130, 152, 177, 271, 360, 381
 Bridge centerline 76, 372, 384, 397

c

Component response 4, 175, 181, 202, 213, 253, 269, 297, 325, 391
 Contact force 48, 82, 106, 131, 178, 217, 272, 301, 329, 362, 386, 416
 Contact formula 105, 339, 345
 Contact point (CP) 3, 4, 8, 14, 45, 81, 103, 127, 149, 175, 201, 213, 245, 297, 357, 381
 Contact response 4, 45, 81, 103, 127, 175, 201, 213, 245, 269, 297, 326, 357, 381
 Continuous wavelet transform (CWT) 22, 27, 283, 310
 Convolution 15, 181
 Convolutional adversarial autoencoders (CAAE) 29
 Convolutional neural network (CNN) 28, 33, 37
 Convolutional variational autoencoders (CVAE) 29
 Cross-sectional area 216, 242, 304, 333, 369, 396
 Curved beam or bridge 8, 297, 325

d

Damage detection 2
 Damping distortion effect 5, 245, 271, 393
 Damping formula 213, 325
 Deep autoencoder (DAE) 29
 Deep learning (DL) 28, 34, 41
 Degree-of-freedom (DOF) 3, 47, 81, 103, 130
 Denoising 41

Direct method 1, 45, 79, 103, 127, 149, 175, 201, 245, 325, 381
 Discrete Fourier transform (DFT) 38
 Disk model 6, 15
 Driving component 13
 Driving frequency 49, 107, 131, 153, 183, 203, 249, 303, 331, 364, 387
 Dual-function amplifiers 10, 149, 171
 Dual Kalman filter (DKF) 20, 30, 31, 37
 Dynamic amplification factor (DAF) 11, 127, 129, 135, 136, 141–145, 156–159
 Dynamic sensor network (DSN) 24

e

Eccentricity 301, 340, 360, 381
 Eigenvalue equation 225, 395, 428
 Empirical mode decomposition (EMD) 8, 19, 27, 35, 128, 150, 201, 214, 326, 358, 382
 Empirical wavelet transform (EWT) 17
 Ensemble empirical mode decomposition (EEMD) 19, 24, 35, 128, 214, 246
 Environmental noise 16, 47, 59, 92, 120, 146, 194
 Euclidean distance damage index (EDDI) 30
 Extended Kalman filter (EKF) 33
 Extreme-point symmetric mode decomposition (ESMD) 9, 93, 128

f

Fast Fourier transform (FFT) 4
 Field test 2, 65, 83
 Finite element 18
 damping matrix 225, 395, 416
 mass matrix 416, 423, 428
 stiffness matrix 15, 416, 423, 425, 428
 Finite element method (FEM) 55
 Flexural-torsional 8, 298, 300–303, 357
 Four-wheel vehicle 7, 389, 395
 Frequency domain decomposition (FDD) 23
 Frequency response function (FRF) 7, 16, 53, 70, 214
 Frequency shift 36, 207
 Frequency variation 18

g

Gabor transform 381
 Generalized Kalman filter under unknown input (GKF-UI) 27
 Generalized pattern search algorithm (GPSA) 18, 201, 214, 326
 Genetic algorithm (GA) 27
 Global filtering method (GFM) 25, 46
 Global modal response 5, 245, 271
 Global positioning system (GPS) 39

h

Hermitian interpolation function 55, 112, 160, 256, 420
 Hierarchical density-based spatial clustering of applications with noise (HDBSCAN) 29
 Hierarchical multitask unsupervised domain (HierMUD) 28
 Hilbert–Huang transform (HHT) 35, 36
 Hilbert transform (HT) 4, 150, 182, 210, 214, 275, 282

i

Indirect method 1, 46, 104, 127, 150, 175, 201, 214, 246, 270, 298, 358, 382
 In-plane vibration 299, 333
 Instantaneous amplitude 4, 183, 201, 213, 245, 269, 291, 325, 337
 Instantaneous amplitude squared (IAS) 13
 Instantaneous frequency (IF) 17, 309, 317
 Insulated rail joint (IRJ) 35
 Internet of Things (IoT) 2, 22, 39–41
 Intrinsic mode functions (IMF) 8, 27, 36, 104, 128, 150, 358
 ISO 8608 6, 62, 122, 146, 168, 185, 197, 237, 266, 291, 322, 355, 377

k

Kalman filtering (KF) 32

l

Laboratory test 19, 22, 46
 Least absolute residual (LAR) 345, 352, 355
 Long short-term memory (LSTM) 30, 34

m

Machine learning (ML) 25, 28, 29, 34, 40, 41
 Mel-frequency cepstral coefficient (MFCC) 25, 29, 38
 Message receiver 129
 Microelectromechanical system (MEMS) 34, 39
 Modal assurance criterion (MAC) 24, 188–191, 261–266, 282–288, 320–322
 Modal coordinate 178, 217, 301, 329
 Modal identification 2, 19, 128, 150, 358
 Modal properties or parameters 11, 46, 82, 104, 150, 175, 270, 322, 366, 381
 Modal superposition 106, 131, 152, 203, 273, 286, 301, 329, 362
 Mode shape correction method (MSCM) 12
 Mode shape squares (MOSS) 25, 26, 46
 Moving average filter (MAF) 62, 67, 122, 169
 Moving internal node element (MINE) 15
 Moving load 6, 62, 81, 152, 203, 211, 238, 266, 355, 409
 Moving mass 15, 18
 Moving reference 12, 276
 Moving reference influence function (MRIF) 30
 Moving speed 18
 Multiple signal classification (MUSIC) 38

n

Narrow band 366
 Newmark- β method 55, 112, 160, 185, 224, 256, 312, 368, 395, 417, 420, 428
 Normalized formula 12, 245

o

Observation point (OP) 162, 207, 226, 257, 313, 341
 Ongoing traffic or random traffic 45, 62–64, 76, 117, 170, 200, 238, 266, 291, 355, 406
 Operating deflection shape ratio (ODSR) 26, 28
 Operational modal analysis (OMA) 19
 Out-of-plane vibration 301, 329

p

Pavement roughness 3, 30, 62, 122, 146, 169, 197, 210, 240, 257, 322, 354, 378, 408
 Pitching 14, 104, 129, 177, 272, 384, 396

Point model 6, 106
 Polyurethane (PU) 10
 Power spectral density (PSD) 6, 210, 237
 Principal component analysis (PCA) 24, 25, 29
 Prominent peak identification (PPI) 20

r

Radial vibration 297
 Railway track 2, 32
 Random-decrement technique (RDT) 12, 24, 202, 215, 327, 382
 Random Sample Consensus (RANSAC) 213, 229, 236, 241, 244
 Rayleigh damping 216, 225, 395, 433
 Recursive Bayesian Kalman filtering (RBKF) 33
 Recursive formula 5, 269
 Regional mode shape curvature (RMSC) 26
 Residual response 9, 40, 62, 200
 Residual spectrum 9
 Resonance detection index (RDI) 34
 Robust empirical mode decomposition (REMD) 19
 Rocking motion 7, 81, 307, 328, 357
 Rotational angle 180, 203, 415, 420

s

Second-order blind identification (SOBI) 24, 151, 243
 Semi-supervised learning (SSL) 28
 Shaker 11, 127
 Shaker frequency 129, 140
 Shear center 362, 386
 Short-time Fourier transform (STFT) 4, 246, 270, 358, 382
 Short time–frequency domain decomposition (STFDD) 21, 25, 246, 326, 382
 Signal processing 20
 Single-axle vehicle 7, 51, 81, 104, 129, 180, 247, 307, 361
 Singular spectrum analysis (SSA) 9, 358
 Singular value decomposition (SVD) 10
 Spatial relationship 383, 390
 Speed parameter 6, 48, 107, 131, 153, 179, 204, 249, 331, 364, 431
 Spring-dashpot unit 3, 47, 160, 205, 360, 384, 419

Sprung mass 3, 13, 47, 84, 105, 160, 255, 415
 State-of-the-art review 1, 2
 State space 33
 Stationary vehicle 5, 245
 Stiffness loss 13, 27
 Stochastic subspace identification (SSI) 9, 150
 Straight beam element 311, 339, 423–428
 Structural health monitoring (SHM) 1, 24, 81, 127, 150, 175, 201, 213, 269, 357, 358, 381
 Successive variational mode decomposition (SVMD) 24
 Support vector machine (SVM) 29
 Suspension system 7, 69, 105, 111, 160, 215, 272, 328, 396
 Synchroextracting transform (SET) 17
 Synchrosqueezed wavelet transform (SWT) 11, 297, 325

t

Test vehicle 1
 Thin-walled girder 8, 298, 357, 381
 Three-dimensional (3D) 7
 Time-domain subtraction method (TSM) 34
 Time–frequency representation (TRF) 17, 36
 Tire 16, 19, 30, 112
 Torsional frequency 369, 392
 Track modulus 13, 40
 Tractor 10, 70, 128, 206
 Traffic speed deflectometer (TSD) 30
 Transmissibility 6, 45, 72, 171, 230, 288
 Truncated physical model (TPM) 24
 Tuned mass damper (TMD) 11, 149, 170
 Two-axle vehicle 7, 175, 201, 213, 271, 419–422
 Two connected vehicles 9, 151, 336–339

Two-dimensional (2D) 32
 Two-mass vehicle 7, 105

u

Unified formula 297
 Uniform translational response (UTR) 13
 Unit step function 178, 203, 217, 272, 329
 Unscented Kalman filter (UKF) 33

v

Variational mode decomposition (VMD) 9, 175, 297
 Vehicle-bridge interaction (VBI) 2, 54, 112, 137, 159, 184, 202, 224, 256, 279, 311, 339, 395
 Vehicle/bridge mass ratio 7, 41, 170, 224, 360, 399, 409
 Vehicle damping 6, 46, 126, 190, 264, 286, 346, 375
 Vehicle frequency 6, 45, 88, 105, 135, 151, 176, 233, 245
 Vehicle length 21, 381, 393
 Vehicle scanning method (VSM) 1, 45, 82, 104, 128, 150, 176, 201, 214, 246, 269, 298, 326, 358, 382
 Velocity 19
 Vibration sensor 1, 45, 66, 81, 179, 213, 246, 273, 325, 357

w

Wavelet packet transform (WPT) 19
 Wavelet transform (WT) 4, 150, 202, 214
 Wheel 5, 69, 103, 146, 168, 184, 202, 213, 359, 383
 Wheel sensor 81
 White noise 59
 Wigner-Ville distribution (WVD) 22

y

Young's modulus 55, 112, 138, 161, 186, 206, 225, 257, 280, 313, 340, 369, 396

