

Note: Page references followed by “f” indicate content in figures; page references followed by “t” indicate content in tables.

A

- ABC model of attitudes, 525
- abnormal brain structures, 647
- abnormal psychology, 609
 - see also psychological disorders
- Aboriginal Head Start, 116–117
- Aboriginal Head Start Association of British Columbia, 116
- Aboriginal Head Start in Urban and Northern Communities (AHSUNC), 116
- Aboriginal Head Start on Reserve (AHSOR), 116
- Aboriginal people. See Indigenous experiences
- absolute pitch, 184
- absolute refractory period, 91
- absolute threshold, 165, 166t
- academic psychology, 22, 23
- acceptance and commitment therapy, 687
- accommodation, 133
- accurate empathy, 688
- acetylcholine, 92t, 93, 94, 329
- acetylcholinesterase, 93
- the Ache, 131
- achievement, 453–456
- acquired brain injury, 97
- acquisition, 266f
- acrophobia, 639t
- ACTH. See adrenocorticotrophic hormone (ACTH)
- action potential, 83, 89–91, 89f, 90f, 169
- activation-synthesis, 226f
- activation-synthesis hypothesis, 224
- activation-synthesis model, 224
- active searching, 289
- actor–observer effect, 539–540, 539f
- acute pain, 180
- acute stress disorder, 612t, 641
- acute stressor, 570
- Adam, Allan (Chief), 560
- Adams, John Quincy, 611
- adaptation, 15–17
- adaptive, 10
- adaptive theory of sleep, 218
- addiction, 237, 240
- addictive disorders, 612t
- additive task, 552
- Adler, Alfred, 490
- adolescence, 148–156
 - emotional development, 153–156
 - growth spurt, 149, 149f
 - identity development, 155
 - moral development, 150–153
 - physical development, 148–149
 - social development, 153–156
- adolescent egocentrism, 150
- adrenal cortex, 581
- adrenal glands, 149
- adrenal medulla, 581
- adrenocorticotrophic hormone (ACTH), 581
- adulthood, 156–160
 - aging, 157, 158
 - cognitive decline, slowing, 331
 - cognitive development, 157–158
 - emotional development, 158–160
 - physical development, 157–158
 - social development, 158–160
- advanced sleep phase syndrome, 231
- advertising, 16
- aerial perspective, 198
- aerophobia, 639t
- aesthesia, 163
- affectional orientations, 446–448
- affect program, 473
- afferent neurons, 68
- affiliation, 453–456
- afterimage, 192, 192f
- agentic characteristics, 544
- age of the Earth, 104
- age of viability, 123
- ageusia, 172
- aggression, 40–41, 284–285, 486, 561
 - see also violence
- aging, 157–160, 331
- agoraphobia, 639, 639t
- agrammatism, 352
- agreeableness, 494, 501, 507
- AIDS, 125
- Ainsworth, Mary Salter, 26, 144–145
- Alberta Family Wellness Initiative, 127
- alcohol, 125–126, 238t, 239–242, 241t
- alcohol dehydrogenase, 242
- alcohol related neurodevelopmental disorder (ARND), 126
- alcohol use disorder, 612t
- Alcoholics Anonymous, 693
- alcoholism, 241, 242, 623
- alexithymia, 462–463
- algorithm, 366
- alleles, 122
- all-or-none principle, 91
- Allport, Gordon, 496
- alpha waves, 222
- altered states of consciousness, 209
 - coma, 217
 - hypnosis, 234–237
 - psychoactive drugs, 237–253
- alternate personalities, 651
- alternative hypothesis, 715
- alternative model of personality disorders (AMPD), 519
- altruism, 510–512, 557–558
- Alzheimer's disease, 334–338, 338f, 376, 408
- ambiguous stimuli, 167
- amblyopia, 201
- American Psychiatric Association, 518
- American Psychological Association, 11, 18, 22, 36
- American Sign Language (ASL), 188, 343, 352f
- American Society for Neuroscience, 22
- Ames room, 200f
- Ames, Elinor, 114
- amnesia, 650–651
- amnesic disorders, 333–334
- amotivation, 451–452
- amphetamines, 239t, 247–248
- amphibians, 105, 106, 106f
- amplitude, 182
- amputees, 80
- amusia, 184
- amygdala, 76, 224, 268, 462, 565, 636, 639, 641, 643
- analogies, 367
- analogous, 107
- anal personality, 621f
- anal stage, 486
- analyses of variance, 52
- analytical psychology, 491
- analytic (internal) components of intelligence, 384
- anger, 467
- angry outbursts, 591–592
- anhedonia, 452
- Animalia kingdom, 105–106
- animal research, 15, 19, 57
- animal studies, 63
- anorexia nervosa, 440, 613t
- anosmia, 173, 174
- ANS. See autonomic nervous system (ANS)
- antagonism, 521
- anterior cingulate, 636
- anterior cingulate cortex, 237
- anterograde amnesia, 333
- antianxiety drugs, 667, 672
- antidepressant drugs, 667, 669–671, 673–674
- antipsychotic drugs, 647, 667–669
- antisocial personality disorder, 518, 613t, 653–656
- anvil, 182
- anxiety, 467, 487–489, 637–638, 668t
- anxiety disorders, 612t, 633–644
 - generalized anxiety disorder (GAD), 634–636
 - obsessive-compulsive disorder (OCD), 376, 640–641, 649–650
 - panic disorder, 639–640
 - phobias. See phobias
 - posttraumatic stress disorder. See posttraumatic stress disorder (PTSD)
 - social anxiety disorder, 636–638, 639t
- anxiolytics, 667
- anxious-ambivalent attachment, 563
- anxious/ambivalent/resistant attachment, 144
- anxious/avoidant attachment, 144
- apathy, 646
- aphantasia, 360
- appeals to fear, 537
- appearance, 136, 136f
- applied psychology, 22, 23
- apprenticeship in thinking, 140
- approach–approach conflict, 572
- approach–avoidance conflict, 572
- approach motivation, 450
- arachnophobia, 269f, 639t
- Archea kingdom, 105
- archetypes, 491
- Aristotle, 7–8, 8f, 168
- Arnold, Magda, 26
- arousal theory, 428–429
- Asch studies, 546–547
- assimilation, 133
- association areas, 184
- association cortex, 77
- Associationism, 8
- associative learning, 257, 260
- astrocytic feet, 85
- astroglia, 84–85
- attachment, 142–145, 562–563
- attachment styles, 144–145
- attention deficit hyperactivity disorder (ADHD), 259, 408
- attention, 209, 288–289
- attitudes, 525
 - ABC model of attitudes, 525
 - and behaviour, 529
 - change in, 526–529
 - cognitive dissonance theory, 528
 - development, 526
 - implicit attitudes, 530–532
 - misrepresentation of, 529–532
 - persuasion, 535–538, 535f
 - prejudice, 532–535
 - self-perception theory, 529
 - social desirability factor, 530
 - stereotypes, 532–535
- attitude specificity, 529
- attitude strength, 529
- attraction, 562–564
- attributions, 538–542

- atypical development
 see also psychological disorders; *specific types of disorders*
 learned helplessness, 281
 teratogens, 125–126
- auditory hallucinations, 645
- auditory sense, 182–189
 see also hearing
- auras, 174
- Authentic Happiness* (Seligman), 36
- authoritarian parenting styles, 146t
- authoritative parenting styles, 146t
- autism spectrum disorder (ASD), 259, 292, 612t
- automatic behaviours, 215
- automatic processing, 304, 364–365
- automatic thoughts, 630
- autonomic nervous system (ANS), 68, 458, 460t, 641
- autonomic reactivity, 586
- autonomy *versus* shame and doubt, 143, 155t
- autopsy tissue, 62
- availability heuristic, 370
- aversion therapy, 681, 682f
- avoidance–avoidance conflict, 572
- avoidance motivation, 450
- avoidant attachment, 563
- avoidant personality disorder, 614
- avoidant/restrictive food intake disorder, 613t
- avolition, 646
- awake. *See* conscious awareness
- awareness, 288–289
- axon, 83, 83f
- axon terminal, 83
- B**
- babbling, 346
- Babinski reflex, 131f, 131t
- Bacon, Francis, 8, 34
- Bacopa monnieri*, 408
- Bacteria kingdom, 105
- balance theory of wisdom, 399
- Baldwin, James Mark, 11, 11f
- Bandura, Albert, 17
- basal ganglia, 76–77
- basic anxiety, 491
- basic emotions, 474–475
- basic needs, 431
- basilar membrane, 183
- BBB. *See* blood-brain barrier (BBB)
- Beck, Aaron, 620
- Beck's cognitive therapy, 685–686
- behaviour, 3, 37f
 and attitudes, 529
 and the brain. *See* the brain
 and stress, 600–601
- behavioural genetics, 19, 140
- behavioural inhibition, 141
- behavioural perspective, 619
- behavioural therapies, 666t, 680–684
 classical conditioning techniques, 681–682
 modelling techniques, 682–684
 operant conditioning techniques, 682
 in perspective, 684
- behaviourism, 15–17, 20t, 272
- behaviour modification, 280
- bell curve, 388, 709
- bell curve controversy, 403
- The Bell Curve* (Herrnstein & Murray), 403
- benzodiazepine, 672
- beta-amyloid protein, 337
- bias, 34
 confirmation bias, 368
 cultural bias, 394–396
 item bias, 396
 participant bias, 45
 in research, 44, 47
 researcher bias, 47
 sampling biases, 42
 self-serving bias, 542
 subject bias, 45, 47
- Big Data, 46
- Big Five model, 497, 521
- Binet, Alfred, 389, 406
- Binet-Simon intelligence test, 389
- binge drinking, 241
- binge-eating disorder, 441, 613t
- binocular cues, 197–199
- biochemical abnormalities, 647
- biochemistry of memory, 328–329
- bioecological model of intelligence, 385
- biological clock, 219
- biological constraints, 280
- biological motivations
 hunger, 433–441
 partner choice, 442–448
 sex, 442–448
 thirst, 433–441
- biological therapy, 661
- biological treatments, 666t, 667–677
 drug therapy, 667–674
 electroconvulsive therapy (ECT), 56, 675–676
 in perspective, 677
 psychosurgery, 676–677
- biopsychosocial perspective, 616
- bipolar disorders, 612t, 625, 632–633
- bipolar I disorder, 612t
- bipolar II disorder, 612t
- blastocyst, 123
- blindsight, 212
- blind spot, 191, 191f
- blood-brain barrier (BBB), 85, 97, 99
- blood sugars, 434
- BMI. *See* body mass index (BMI)
- body dysmorphic disorder, 612t
- body language, 345
- body mass index (BMI), 437
- body weight set point, 437
- Bogumill, Travis, 81f
- BOLD signal, 65
- borderline personality disorder, 518, 613t, 657, 680
- bottom-up processing, 167
- bounded rationality, 371
- Bowlby, John, 143
- Braille, 201
- the brain
 see also nervous system; neuroscience; *specific structures of the brain*
 during adolescence, 149
 in adulthood, 157–158
 and altruism, 511–512
 and behaviour, 66–67
 brain size, 414–417
 building better brains, 127
 cerebral cortex, 77–82, 77f
 during childhood, 131–132
 and conscious awareness, 209–213
 and emotions, 475–476
 evolution of, 109–110
 explicit memories, 312
 forebrain, 75–82
 functioning of the brain, 19
 growth of, in early years, 128–129, 128f
 and happiness, 462
 hemispheres, 102
 hindbrain, 73–74
 and hunger, 436–437
 and hypnosis, 236–237
 and intelligence, 414–417
 and language, 78f, 351–354
 and memory, 326–329
 midbrain, 74
 music therapy, 75
 neural systems, and personality, 508–509
 nootropics, 408–410
 and pain, 176–177
 and personality, 507–512
 and phobias, 269f
 plasticity, 96, 127
 processing speed, 415
 protective features, 98f
 and psychoactive drugs, 252–253
 psychology, and level of the brain, 4
 psychopathic brain, 655–656
 and schizophrenia, 646–647
 and sex, 446
 and sight, 193–195
 and sleep, 222–223, 233
 and smell, 170–171
 and social functioning, 564–565
 and speech, 78f
 and spinal cord, 70
 structures of the brain, 73–82
 and tactile senses, 175–177
 and taste, 170–171
 and touch, 175–177
 and trait theory, 511–512
- brain circuits, 646
- brain damage, 62–63
- brain entropy, 416
- brain games, 331
- brain-imaging studies, 21
- brain injury
 and anosmia, 173
 degenerative diseases/disorders, 99
 infections, 97–99
 main sources of acquired brain injury, 98f
 stroke, 99
 toxins, 99
 treatments, 100–104
 tumours, 99
 types of, 97–100
- brain lateralization, 101–103
- brainstem, 224
- brain tumours, 99
- brain waves, 415
- branches of psychology, 22–24
- brightness, 191
- Broca's aphasia, 352
- Broca's area, 78, 78f, 80, 102, 103, 351–352
- brontophobia, 639t
- bulimia nervosa, 441, 613t
- bullying, 154, 560
- Bullying Canada, 154
- burning your tongue, 204f
- buttons, 249
- bystander apathy, 558–561
- bystander effect, 558–561, 559f
- C**
- caffeine, 239t, 245–246, 245t, 408
- caffeine intoxication, 612t
- Calkins, Mary Whitton, 26
- Cameron, Donald, 56
- Canadian Arctic, 372–373
- Canadian Council on Animal Care, 57
- Canadian Institutes of Health Research (CIHR), 55
- Canadian Positive Psychology Association, 27, 45
- Canadian Psychological Association, 22, 28, 38, 49
- Canadian Safe School Network, 154
- Canadian Society for Brain, Behaviour and Cognitive Science, 22
- cannabis, 239t, 251–252, 326–327
- Cannon-Bard theory of emotion, 469–470
- Capilano Bridge study, 477–478, 478f
- capsaicin, 170
- carcinophobia, 639t
- caring, 563
- case study, 43
- castration anxiety, 487
- catatonia, 646
- catatonic posturing, 646
- catatonic rigidity, 646
- catatonic stupor, 646
- catharsis, 679
- Cattell, James McKeen, 11
- Cattell, Raymond, 496–497
- caudate nuclei, 641
- causality, 51, 52f
- causation, 51f
- cause and effect, 52–54
- CBTs. *See* cognitive-behavioural therapies (CBTs)
- Ceci's bioecological model of intelligence, 385, 385f
- cell assemblies, 95
- cell assembly, 19
- cell body, 83f
- cellular clock theory, 158

- central disorders of hypersomnolence, 230
 central executive, 301
 Central Intelligence Agency (CIA), 56
 central nervous system (CNS), 68, 70, 97, 176f, 469
 central nervous system (CNS) injuries.
 See brain injury
 central route to persuasion, 535–536
 central sleep apnea, 613t
 central tendency, measures of, 705–707
 Centre for Indigenous Sovereignty, 696
 cephalocaudal pattern, 127, 128f
 cerebellum, 74
 cerebral cortex, 75, 77–82, 77f, 212–213, 212f, 224
 cerebral hemisphere dominance, 508
 cerebrospinal fluid (CSF), 85
 Challenger, 556
 change, 575–577
 attitude change, 526–529
 life change, 575, 577
 social change, 622
 chemical senses, 168–174
 childcare, 146
 child-directed speech, 349
 childhood, 126–148
 body, growth of, 131–132
 cognitive development, 132–140
 corporal punishment, 277
 emotional development, 140–145
 fathers and, 145, 147
 physical development, 127–132
 positive discipline, 277
 social development, 140–145
 childhood experiences. *See* early experiences
 chordates, 105, 106
 chromosomes, 121–122, 121f
 chronic illnesses, 579
 chronic negative situations, 578–579
 chronic pain, 178–179
 chronic stressor, 570
 chronic traumatic encephalopathy (CTE), 64
 chronological age, 160
 chunking, 310
 cingulate cortex, 224, 641
 circadian rhythm, 219–220
 circadian rhythm sleep disorder, 220
 circadian rhythm sleep-wake disorders, 231
 circus performers, 202
 Cirque du Soleil, 202
 cirrhosis, 242
 clarity, 198
 classical conditioning, 261–271, 263f, 619, 638
 and drug dependency, 266–267
 and fears, 267–268
 how classical conditioning works, 262–264
 processes of, 264–266
 and taste aversions, 269–271
 techniques, 681–682
 classification of psychological disorders, 611–614
 classification system, 612
 claustrophobia, 639t
 cleaning compulsions, 640
 client-centred therapy, 17, 494, 688–689
 clinical and counselling psychology, 22, 24
 clinical practitioners, 661
 clinical psychologists, 24
 clinical researchers, 661
 clinicians, 661
 closure, 195, 196f
 CNS. *See* central nervous system (CNS)
 cocaine, 239t, 246–247
 cochlea, 183
 cocktail party effect, 185
 Code of Ethics of the Canadian Psychological Association (CPA), 55
 codeine, 243
 codominance, 122
 coefficient of determination, 711
 cognition, 18, 342
 and learning, 286–287
 social cognition. *See* social cognition
 cognitive behaviourism, 17
 cognitive-behavioural model, 618–620, 684–688
 depression, 629–631
 obsessive-compulsive disorder (OCD), 641
 cognitive-behavioural therapies (CBTs), 666t, 684–688
 cognitive therapy, 685
 in perspective, 688
 rational-emotive behavioural therapy, 685
 second-wave cognitive-behavioural therapies, 686–687
 third-wave cognitive-behavioural therapy, 687
 cognitive behaviours, 619
 cognitive control, 364
 cognitive development, 132
 adolescence, 149–150
 adulthood, 157–158
 childhood, 132–140
 infancy, 132–140
 information processing views of, 137–140
 Piaget's theory of cognitive development. *See*
 Piaget's theory of cognitive development
 socio-cultural theory, 140
 cognitive dissonance, 528
 cognitive dissonance theory, 528
 cognitive-mediational theory of emotion, 472
 cognitive neuroscience, 26–27
 cognitive perspective, 619–620
 cognitive psychology, 18, 20t
Cognitive Psychology (Neisser), 18
 cognitive reappraisal, 594
 cognitive responses to stress, 583–585
 cognitive restructuring, 685
 cognitive theory, and generalized anxiety disorder, 634–635
 cognitive therapy, 685–686
 cognitive triad, 630
 cohesive groups, 554
 cohort, 115
 cohort effects, 115, 117
 cohort-sequential design, 117, 117t
 collaterals, 83
 collective unconscious, 490
 collectivist, 25
 collectivist cultures, 145, 515
 colour, 191–193
 colour blindness, 192, 192f
 colour constancy, 199
 colour perception theories, 191–193
 colour vision deficiency (CVD), 192
 colour weakness, 192
 Columbia space shuttle, 556
 Columbine high school, 520
 coma, 217
 commitment, 563
 common ancestor, 104
 common cold, 599f
 communal characteristics, 544
 community, 155
 community mental health treatment, 694
 comorbidity, 614
 comprehensive community care, 695
 compulsions, 640
 computed tomographic scans (CT scans), 63–64
 concentration gradient, 88–89
 concentrative meditation, 601
 conception, 123
 concordant, 647
 concrete operational stage, 134t, 136
 concussions, 64, 97, 333
 conditioned response (CR), 262, 638
 conditioned stimulus (CS), 262, 638
 conditioned taste aversion, 269–271
 conditioning, 15, 261
 conditions of worth, 494
 conduct disorders, 613t
 conduction deafness, 187
 Cone, William, 66
 cones, 191
 confidentiality, 56
 confirmation bias, 368
 conflict, 571–572
 conformity, 546–548
 conjunctive task, 552
 connectionist model, 302
 conscience, 486
 conscientiousness, 501, 500
 conscious awareness, 209–214
 see also consciousness
 conscious mind, 485
 conscious motivations, 449–450
 consciousness, 10, 208
 altered states of consciousness, 209, 217, 234–253
 and the brain, 209–213
 and development, 214
 conscious awareness, 209–214
 contents of consciousness, 209
 divided consciousness, 235
 preconsciousness, 215
 states of consciousness, 209
 unconscious state, 215–218
 conservation, 136, 135f
 contents of consciousness, 209
 content validity, 388
 context, 316–317
 and learning, 288
 and retrieval, 316–317
 context effect, 288
 continuity, 195, 196f
 continuous reinforcement, 277
 contralateral side, 75, 77
 control, 4
 control group, 46
 controlled processing, 364–365
 convergence, 197
 convergent evolution, 107
 conversion disorder, 612t, 649
 cooing, 346
 coping, 589
 constructive strategies, 594–595
 emotion-focused coping, 594
 humour, 589–590
 lashing out, 591–592
 problem-focused coping, 594
 self-defence, 592–593
 self-indulgence, 594
 stress management methods, 593
 Coren, Stan, 39
 core story, 127
 coronary heart disease, 596–598
 coronary-prone personality, 597
 coronavirus. *See* COVID-19 pandemic
 corporal punishment, 277
 corpus callosum, 75, 102, 102f
 correlation, 50–52, 51f, 52f
 correlational research, 51
 correlation coefficient, 50, 51f
 correlation statistics, 51
 cortex, 170
 cortical maturation, 416–417
 cortisol, 581, 643
 Cotton, Ronald, 324
 counselling psychologists, 24
 couple therapy, 693–694
 COVID-19 pandemic
 anosmia, 174
 anxiety, 637
 hyposmia, 173
 physical distancing, 2
 and social media, 527
 sports, and home teams, 33
 and stress, 573
 videoconferencing, 524
 virtual social interaction, 342
 crack, 247
 crank, 247
 creative (external) components of intelligence, 384
 creativity, 399–400
 critical periods, 119–121, 348
 Crosby, Sidney, 64, 64f
 cross-cultural psychology, 18, 25
 cross-modal integration, 77
 cross-sectional design, 115, 116f, 117t
 crystallized intelligence, 394

crystal meth, 247
 crystal therapy, 39
 Csikszentmihalyi, Mihaly, 36, 494
 CT scans. *See* computed tomographic scans (CT scans)
 CTE. *See* chronic traumatic encephalopathy (CTE)
 cultural bias, 394–396
 cultural genocide, 151
 culturally diverse university students, 691
 cultural norms, and IQ testing, 406
 cultural practices, 131
 cultural psychology, 18, 25
 cultural strategic thinking, 372
 cultural universality, 20, 20f
 culture, 5
 and adolescence, 155
 and conformity, 547
 and development, 491
 elders as knowledge keepers and transmitters, 493
 intelligence, and cultural influences, 406–407
 and personality, 515–516
 and psychological abnormality, 623–624
 somatic symptom and related disorders, 650
 as treatment for Indigenous youth, 455
 culture-sensitive therapies, 697
 curse words, 591
 cutaneous senses, 174–182
 see also tactile senses
 cutting, 273
 CVD. *See* colour vision deficiency (CVD)
 cyberbullying, 154
 cyclothymic disorder, 612t, 625
 cystic fibrosis, 124
D
 daily hassles, 573–574
 Daily Hassles Scale, 574
 danger, and psychological dysfunction, 611
 Dark Ages, 8
 dark triad, 519
 Darwin, Charles, 9, 9f, 12, 19, 36, 107–108, 108f, 473, 474
 daydreams, 226–227
 deafness, 187–188
 debriefing, 57
 decay, 321
 decay theory, 321
 deception, 57
 decision making, 369–374
 and emotions, 372–374, 464
 information for, 369–370
 rational decision making, 370–372, 371t
 Decolonize Street Art Event, 401
 deductive reasoning, 33
 deep brain stimulation, 677
 deep sleep, 223
 defence mechanisms, 487–489, 487t, 592–593
 defensive coping, 593
 defensive pessimists, 586
 degenerative diseases/disorders, 99
 delayed gratification, 455–456
 delayed sleep phase syndrome, 231
 delirium, 612t
 delta sleep, 223
 delta waves, 223
 delusional disorder, 612t
 delusions, 377, 645
 delusions of grandeur, 645
 delusions of persecution, 645
 demand characteristic, 47
 dementias, 157f, 158, 333, 334–339, 408
 demyelination, 85
 dendrites, 83, 83f
 denial, 487, 487t
 deoxyribonucleic acid (DNA), 121, 123
 dependent variable, 41
 depersonalization/derealization disorder, 613t, 651
 depolarization, 93
 depressants, 238t, 239–243
 depression, 376, 625, 668t
 depression
 and the brain, 628–629
 characteristics of, 626–628
 cognitive-behavioural perspective, 629–631

DSM-5 diagnostic criteria, 626, 627t
 major depressive disorder, 613, 626–632
 major depressive episode, 627t
 socio-cultural model, 631–632
 depressive disorders, 612t
 derailment, 645
 Descartes, René, 8, 8f
 description, 3
 descriptive norms, 544
 descriptive research methods, 42, 43f
 descriptive statistics, 52, 703
 frequency distributions, 704–705, 709–710
 measures of association, 710–714
 measures of central tendency, 705–707
 measures of variability, 707–708
 desire, 445
 detachment, 521
 development
 adolescence, 148–153
 adulthood, 156–160
 attitudes, 526
 atypical development. *See* atypical development;
 specific types of disorders
 childhood, 126–148
 and consciousness, 214
 critical period, 348
 and culture, 491
 delayed gratification, 455–456
 developmental psychology, 114–118
 and memory, 328–329
 and stress, 578–579
 early experiences, 119–121
 Freud's psychosexual stages, 486, 486t
 habituation, 258–259
 hearing, 187
 heredity, 121–123
 infancy, 126–148
 intelligence, and the brain, 416–417
 of language, 345–351
 metacognition, 374–376
 nature and nurture, 118
 prenatal development, 123–126, 124f
 prenatal learning, 291
 prior to birth, 124–126
 qualitative *versus* quantitative shifts in, 119
 sensitive periods, 119–121
 sight, 200
 sleep patterns and, 227–228
 smell, 171
 tactile senses, 177
 taste, 171
 understanding how we develop, 118–121
 developmental psychologist, 23
 developmental psychology, 27, 114, 115–118
 developmental psychopathology, 624–625
 developmental Stages over the Lifespan, 114t
 deviance, 610
 diagnosis, 611–614
Diagnostic and Statistical Manual of Mental Disorders
 (DSM), 612, 616–618
Diagnostic and Statistical Manual of Mental Disorders
 (DSM-5), 126, 293, 518, 612–613t, 626, 627t
Diagnostic and Statistical Manual of Mental Disorders
 (DSM-IV-TR), 293
 dialectic behaviour therapy, 680
 diathesis-stress model, 616, 633
 Dickinson, Emily, 611
 difference threshold, 166
 difficult temperament, 141
 diffusion of responsibility, 560
 diffusion tensor imaging (DTI), 63, 64
 direct aggression, 561
 direct relationship, 711
 discontinuous development, 119
 discrete traits, 123
 dishabituation, 258
 disinhibition, 521
 disinhibition/constraint dimension, 509
 disjunctive task, 553
 disorder of written expression, 294
 disorganized/disoriented attachment, 145

disorganized thinking and speech, 645
 displacement, 494t
 dispositional attributions, 538–539
 disposition-situation consistency, 505
 disruptive disorders, 613t
 disruptive mood dysregulation disorder, 612t
 dissociation, 235
 dissociative amnesia, 613t, 650–651
 dissociative disorders, 613t, 650–652
 dissociative identity disorder, 613t, 651
 distorted memories, 323–326
 distress, 601, 610
 distributed practice, 305
 distributions, 388
 diversity, and psychology, 25–26
 diversity of life, 107–108
 divided consciousness, 235
 divisible tasks, 553
 dizygotic (fraternal) twin, 628
 DMT, 250
 DNA. *See* deoxyribonucleic acid (DNA)
 dog therapy, and exam stress, 584
 dominance, 499
 dominant trait, 122
 door-in-the-face technique, 537
 dopamine, 74, 92t, 94, 246, 252, 408
 dopamine hypothesis, 647
 double-blind procedure, 48, 672, 673f
 Down syndrome, 124, 419
 dream anxiety disorder, 226
 dream interpretation, 224, 678
 dreams, 224–226
 dream themes, 225t
 drive-reduction theory, 427–428, 427f
 driving on autopilot, 361
 drug dependency, 266–267
 drug therapy, 667–674
 DSM. *See* *Diagnostic and Statistical Manual of Mental Disorders* (DSM)
 DSM-5. *See* *Diagnostic and Statistical Manual of Mental Disorders* (DSM-5)
 DTI. *See* diffusion tensor imaging (DTI)
 dual-centre theory of motivation, 436
 dualism, 8
 Duchenne smile, 473
 dynamic, 485
 dynamic systems approach, 131
 dyscalculia, 293
 dysexecutive syndrome, 364
 dysfunction, 610
 dysfunctional assumptions, 634
 dysfunctional attitudes, 630
 dysgraphia, 294
 dyslexia, 293
E
 ear, 183f
 see also hearing
 early adult transition, 159
 early adulthood, 158–159
 early belief systems, 7
 early days of psychology, 9–13
 early deprivation, 120, 120f
 early experiences, 119–121, 604
 early intervention programs, 413
Early Years Study 3: Making Decisions and Taking Action
 (McCain, Mustard, & McCuaig), 127, 147
 Earth, age of, 104
 Eastern cultures, 26
 easy temperament, 140
 eating, 170
 eating disorders, 437–441, 613t
 eccentrics, 611
 echoic memory, 300
 École Polytechnique, 520
 ecstasy, 239t, 248
 ECT. *See* electroconvulsive therapy (ECT)
 educational psychology, 13
 EEG. *See* electroencephalograms (EEG);
 electroencephalograph (EEG)
 effect size, 54, 716
 efferent neurons, 68

- effortful processing, 304
 ego, 485
 egocentrism, 135, 135f
 egoistic helping behaviours, 558
 eidetic memories, 306
 Einstein, Albert, 382f, 493
 elaboration, 318
 elderly adults. *See* old age
 electrical brain activity, 63
 electroconvulsive therapy (ECT), 56, 675–676
 electroencephalograms (EEG), 63, 415
 electroencephalograph (EEG), 222
 electromagnetic spectrum, 189f
 electrostatic pressure, 88–89
Elements of Psychophysics (Fechner), 9
 elevation, 197
 Elliot (case), 464
 Ellis, Albert, 620
 Ellis's rational-emotive behavioural therapy, 685
 embarrassment, 467
 embryonic stage, 123, 124f
 emerging adulthood, 159
 emotion, 457, 463f
 autonomic nervous system (ANS), 460t
 behavioural component, 461–463
 behavioural displays, 465
 behavioural functions, 467
 and the brain, 475–476
 cognitive component, 460–461
 cognitive functions, 466–467
 components of, 457–463
 and decision making, 372–374, 464
 emotional behavioural component, 463
 functions of, 466–468
 goal activation, 464
 incidental emotions, 464
 integral emotions, 464
 and interpersonal decision making, 464
 measurement of emotions, 465–466
 physiological component, 458–460
 positive emotions, 27, 179, 476–480
 psychophysiological reactions, 465
 social functions, 467–468
 theories of emotion, 468–476
 emotion, theories of
 Cannon-Bard theory of emotion, 469–470
 cognitive-mediational theory of emotion, 472
 evolutionary theory, 474–475
 facial-feedback theory of emotion, 472–474
 James-Lange theory of emotion, 468–469
 Schachter and Singer's two-factor theory of emotion, 470–472
 emotional behavioural component of emotion, 463
 emotional development
 adolescence, 153–156
 adulthood, 158–159
 childhood, 140–145
 early adulthood, 158–159
 infancy, 140–145
 middle adulthood, 158–159
 old age, 159–160
 emotional discomfort, 528
 emotional intelligence, 398, 413
 emotional memory, 318
 emotional responses to stress, 583
 emotion-focused coping, 594
 emotion-focused treatments, 690
 empirical, 34
 empirically supported treatment movement, 698
 empiricism, 8
 encoding, 299, 304–309
 automatic processing, 304
 effortful processing, 304
 form of information, 306–307
 into long-term memory, 306
 and meaning, 307–308
 organization, 308–309
 into working memory, 304–305
 encoding specificity principle, 317
 endangered, feeling, 572
 endocrine system, 75
 endogenous opiates, 179
 endorphins, 178, 253, 430
 Englehart, Kevin, 80, 80f
 enkephalins, 178
 environmental influences on intelligence, 405–408
 environmental resources, 389f
 enzymatic degradation, 93
 ependymal cells, 85
 Epicurus, 426
 epigenetic, 118
 epilepsy, 66–67, 174
 episodic buffer, 301
 episodic learning, 288
 episodic memory, 312, 330
 equifinality, 624
 equilibrium, 133
 erectile disorder, 613t
 Erikson, Erik, 158–159
 Erikson's stages of psychosocial development, 143, 154, 155t, 160
 see also specific stages of psychosocial development
 erogenous zones, 486
 ERP. *See* event related potentials (ERP)
 errors in thinking, 630
 ethical research guidelines, 55–58
 ethyl alcohol, 240
 Eucharist kingdom, 105
 eugenics, 38
 eugenics movement, 390
 eustress, 601
 evidence-based treatment movement, 698
 evolution, 104–109
 of the brain, 109–110
 by natural selection, 107
 theory of evolution, 104–109
 timeline of, 105f
 evolution by natural selection, 107
 evolutionary history, 104
 evolutionary psychology, 20, 20t, 104–109
 evolutionary theory, 474–475
 exam stress, and dog therapy, 584
 excessive daytime sleepiness, 230
 excessive drinking. *See* alcoholism
 excessive remembering, 307
 excitatory action, 93
 excitement, 445, 507
 executive attention, 301
 executive function, 364
 exercise, 331, 593
 existential therapy, 666t, 690
 experience-driven periods, 120
 experiment, 42, 43f, 46–48
 experimental analyses, 52–54
 experimental design, 47f
 experimental group, 46
 experimental (practical) components of intelligence, 385
 experimental psychology, 9
 explanation, 4
 explanatory style, 586
 explicit memory, 215, 312
 explicit norms, 543
 exposure treatments, 681
The Expression of the Emotions in Man and Animals (Darwin), 474
 external attributions, 538–539
 external (creative) components of intelligence, 384
 extinction, 265, 266f
 extrinsic motivation, 429, 451–452
 extroceptive cues, 267
 extroversion, 497, 501
 extroverted, 499
 the eye, 191f
 see also sight
 eyewitness testimony, 324, 335–336
 Eysenck, Hans, 497, 498f
F
 FA. *See* factor analysis (FA)
 Facebook, 290
 facial efference, 473
 facial electromyography (EMG), 465–466
 facial EMG. *See* facial electromyography (EMG)
 facial expressions, 461, 473
 facial-feedback theory of emotion, 472–474
 factitious disorder, 612t, 649
 factor analysis (FA), 381, 496–497
 factors, 497
 FAE. *See* fetal alcohol effects (FAE)
 false beliefs, 139
 familial dysautonomia, 180
 familiar size, 198
 family, and intelligence, 403–405
 family studies, 403–405
 family systems theory, 624
 family therapy, 693
 farsightedness, 200
 FAS. *See* fetal alcohol syndrome (FAS)
 FASD. *See* fetal alcohol spectrum disorder (FASD)
 Fast Facts about Mental Illness, 663
 fast pathway, 176
 fathers, 145, 147
 fear-based learning, 280–281
 fear hierarchy, 681, 681f
 fear of missing out. *See* FOMO (fear of missing out)
 fears
 and classical conditioning, 267–268
 phobias. *See* phobias
 Fechner, Gustav, 9
 feedback system, 636
 feeding and eating disorders, 613t
 female sexual interest/arousal disorder, 613t
 feminist therapies, 698
 fetal alcohol spectrum disorder (FASD), 126
 fetal alcohol syndrome (FAS), 126
 fetal stage, 123, 124f
 fetus. *See* prenatal development
50 Great Myths of Popular Psychology: Shattering Widespread Misconceptions about Human Nature (Lilienfeld, Lynn, Ruscio, and Beyerstein), 3
 fight-or-flight response, 69, 460, 580–582
 figure ground, 195, 196f
 First Nations. *See* Indigenous experiences
 first words, 346
 fitness, 107
 five-factor model (FFM), 501
 fixated, 486
 fixations, 621
 fixed interval schedule, 278, 278t
 fixed mindset, 452–453
 fixed ratio schedule, 278, 278t
 flashbacks, 249
 flashbulb memories, 319–320
 flat affect, 645
 flavour, 169
 Flourishing Centre, 27
Flow (Csikszentmihalyi), 36
 Flowers, Marjorie, 151
 fluid intelligence, 394
 Flynn effect, 397, 397f
 fMRI. *See* functional magnetic resonance imaging (fMRI)
 FOMO (fear of missing out), 2, 6, 527
 food, enjoyment of, 203
 food swamps, 438
 foot-in-the-door technique, 537
 forebrain, 75–82
 forebrain region, 219
 forgetting curve, 321, 321f
 forgetting, 321–323
 formal operational stage, 134t, 137
 formats of therapy. *See* therapy
 formulas, 706
 Fortnite, 394
 fossilize, 104
 founding of psychology, 10–11
 fovea, 191
 Fox, Michael J., 94f, 99
 Fox, Terry, 449f
 Framework for Understanding Trauma and Healing
 Related to Residential School Abuse, 696
 Frameworks Institute, 127
 framing, 373

- Franklin, Benjamin, 611
 fraternal twins, 647
 free association, 678
 freebasing, 247
 free nerve endings, 175
 free-radical theory, 158
 free riding, 554
 frequency, 182, 184
 frequency distributions, 704, 709–710
 frequency polygons, 705
 frequency theory, 184
 Freud, Sigmund, 14–15, 24f, 220–221, 224, 426, 485–487, 489–491, 486t, 621
 Freudian dream theory, 224–226
 Freudian slip, 217
 frontal eye fields, 354
 frontal lobe, 78–79
 frotteuristic disorder, 613t
 frustration, 580
 frustration-aggression hypothesis, 561
 fugue, 651
 functional age, 160
 functional fixedness, 368
 functionalism, 12
 functional magnetic resonance imaging (fMRI), 63, 65, 466
 functional neurological symptom disorder, 649
 fundamental attribution error, 538, 539f, 542
- G**
 GABA (gamma aminobutyric acid), 92t, 93, 95, 240, 636
 GAD. *See* generalized anxiety disorder (GAD)
 Gage, Phineas, 80–81, 364
 Galton, Francis, 389–390
 gamma aminobutyric acid. *See* GABA (gamma aminobutyric acid)
 Garcia effect, 270
 Gardner's theory of multiple intelligences, 383–384, 384t
 GAS. *See* general adaptation syndrome (GAS)
 gate control theory of pain, 178
 gemmules, 109
 gender and gender differences
 see also men; women
 dementia, 338
 and language, 354–355, 355f
 personality, 513–515
 sex, 446
 gender dysphoria, 613t
 gender-sensitive therapies, 698
 general adaptation syndrome (GAS), 582–583, 582f
 generalized anxiety disorder (GAD), 612t, 634–636
 general paresis, 609
 generativity *versus* self-absorption, 155t
 generativity *versus* stagnation, 159
 genes, 121
 see also genetics
 genetic defects, 121f
 genetic research, 38
 genetics, 121–123, 615
 and intelligence, 403–405
 and personality, 506–507
 schizophrenia, 646–647
 and sleep, 220
 Genie, 350
 genital herpes, 125
 genital stage, 486
 genotype, 122, 122f
 Genovese, Kitty, 558
 genuineness, 688
 germinal stage, 123, 124f
 Gestalt principles, 195–196, 196f
 Gestalt psychology, 13
 Gestalt therapy, 689–690
g factor, 381–382, 386
 giftedness, 420–421
 Gilligan's theory of moral development, 153
Ginkgo biloba, 408
 glia, 82–85
 glial cells. *See* glia
 glucose, 434
 glutamate, 92t, 93, 95, 329
 goal activation, 464
 goalie psychology, 429
 Google Doodle, 66
 Goostman, Eugene, 207
 Government of Canada (Public Safety Canada)
 Bullying Prevention in Schools Program, 154
 graduate study, 28
 graffiti, 401
 grammar, 347
 grapheme-colour synesthesia, 164
 graphs and graphing
 correlations, 50f
 histogram, 705
 scatterplot, 710
 grasping reflex, 131t
 Greek philosophy, 7
 Green, Hetty, 611
 grit, 453
 group, 4–5, 552
 see also group dynamics
 group differences, and IQ scores, 408–412
 group dynamics, 552–557
 group polarization, 555
 group productivity, 552–553
 groupthink, 555–557
 group work to teamwork, 553
 social facilitation, 554
 social loafing, 554–555
 grouped frequency distribution, 704, 704t
 group polarization, 555
 group therapy, 692–693
 groupthink, 555–557
 growth mindset, 452–453
 gustatory sense, 168–174
 see also taste
 gyri, 62, 73
- H**
 habituation, 137, 138f, 258–259
 hair cells, 183
 Hall, G. Stanley, 11
 hallucinations, 235, 376, 645
 hallucinogens, 239t, 248–252
 hallucinosis, 248
 hammer, 182
 Hansen, Rick, 71–72, 72f, 449
 Hanson Robotics, 540
 happiness, 21f, 476–480
 action tendencies, 467
 cultural differences in definition, 515
 global happiness levels, 477–478t
 intelligence, effect of, 412
 interdependent happiness, 480
 and music, 431
 neuroscience of happiness, 462
 and optimism, 480
 and prosocial spending, 559
 psychological capital, 480
 and sleep, 220
 hardy personality, 587
 Hare, Robert, 653
 harm, protection from, 56
 Harper, Stephen, 488
 Hawthorne effect, 44
 head trauma. *See* brain injury
 health
 coronary heart disease, 596–598
 immune system, 598–601
 and stress, 595–602
 hearing, 129–130, 182–189
 development of, 187
 drowning out the noise, 185
 frequency, 182, 184
 hearing loss, 186, 187–189
 pitch, 182, 184
 from sound waves to sounds, 182–184
 space, sounds in, 186
 throat singing, 185
 hearing loss, 186–189
 heart attack, 596
 heart rate, 466
 Hebb, Donald, 18, 19, 19f, 95
 Hebbian synapses, 95
 hedonic principle, 450
 Heinz and the drug, 152
 Helmholtz, Herman von, 9
 helping behaviour, 557–561
 hemi-neglect, 194
 hemispheres, 102
 hemorrhagic stroke, 99
 heredity, 121–123
Heridium herinaceus, 408
 heritability, 404
 heritability coefficient, 404, 507
 heroin, 243, 267
 heterozygous, 122
 heuristics, 366
 hidden observer, 235
 hierarchical model of intelligence, 386
 hierarchy of needs, 431–432
 high, 243
 higher order conditioning, 265
 highly superior autobiographical memory (HSAM), 307
hikikomori, 452
 hindbrain, 73–74
 hippocampus, 76, 224, 327–328, 643
 Hippocrates, 7, 8f
 histogram, 705
 historic trauma theory, 696
 HMS Beagle, 107
 hoarding disorder, 612t
 Hollingsworth, Leta, 26
 Holocaust, 38
 home arena effect, 34
 home environment, 405
 homeostasis, 427
Homo sapiens species, 106, 109
 homologous, 107
 homozygous, 122
 hope, 179, 480
 hormones, 76, 509
 Horney, Karen, 491
 hospitalization, 665
 Hubel, David, 19
 hue, 191
 human development. *See* development
 humanistic perspective, 492–495
 humanistic psychology, 17–18, 20t
 humanistic therapies, 666t, 688–691
 humour, 589–590
 humourism, 7
 humours, 7
 humour training, 498
 hunger, 433–441
 biological factors, 434–437
 brain signals, 436–437
 chemical signals, 434–436
 and eating disorders, 437–441
 gastrointestinal signals, 434
 residential school system, 435
 social factors, 437
 Huntington's disease, 95, 124
 Hurricane Katrina, 532, 542
 Huta, Veronika, 45
 hyperalert hypnotic trance, 234
 hyperpolarization, 93
 hypersomnolence, 230
 hypersomnolence disorder, 613t
 hyperthymestic syndrome, 307
 hypnagogic hallucinations, 222
 hypnagogic state, 222
 hypnosis, 39, 234–237
 and the brain, 236–237
 effects of, 234–235
 and misinformation, 325
 procedures, 234–235
 theories, 235–236
 hypnotic hallucinations, 235
 hyposmia, 173
 hypothalamic-pituitary-adrenal (HPA), 651
 hypothalamus, 75, 211–212, 221, 436, 436f, 639
 hypothesis, 34, 40–41, 54
 hypothesis testing, 715–716

- hypothetico-deductive reasoning, 34
hysteria, 14
- I**
- IAT. See Implicit Association Test (IAT)
ICD. See International Classification of Diseases (ICD)
ice, 247
iconic memory, 300
id, 485
identification, 487t
identity, 154, 155
identity development, 155
identity *versus* role confusion, 155t
ill-defined problems, 366
illness, 577
illness anxiety disorder, 649
illogical thinking processes, 620
imaginary audience, 150
imagination, 323t, 325–326, 400
imaging technology
 brain-imaging studies, 21
 development of, 26–27
immune system, 598–601
Implicit Association Test (IAT), 449, 530–531
implicit attitudes, 530–532
implicit learning, 286
implicit memory, 215, 312
implicit norms, 544
impossible figures, 196f
imprinting, 120
impulse control disorders, 613t
inappropriate affect, 645
incentive salience, 430
incentives, 429
incentive theory, 429–431
incidental emotions, 464
incomplete disclosure, 57
incubation period, 367
incus, 182
independent variable, 40
Indian Act, 488
Indian Residential School Settlement Agreement (IRSSA), 5, 318
Indigenous experiences
 Aboriginal Head Start, 116–117
 alcohol, 242
 alcoholism rates, 623
 arrest of Chief Allan Adam, 560
 Canadian Arctic research partnership, 372–373
 chronic illness, 180
 culture as treatment for Indigenous youth, 455
 cultural genocide, 151
 cultural strategic thinking, 372
 colonization, 142
 creativity, 401
 dementia in Indigenous communities, 337
 denial, 487
 discrimination, 531
 elders, and mental health care, 662
 elders as knowledge keepers and transmitters, 493
 familial bonds, intentional breaking of, 142
 fear-based learning, 280–281
 graffiti and street art, 401
 healing journey, 696–697
 historical resistance, 548
 historic trauma theory, 696
 hunger, and residential school system, 435
 Indigenous languages, 151, 356
 Indigenous ways of understanding, 49
 intellectual disabilities, assessment of, 421
 intergenerational trauma, 643–644
 identity development, 155
 Indian Act, 488
 “killing the Indian in the child”, 151
 lateral violence, 280–281
 life changes, 575
 medicine wheel, 49f
 mental health care, 662
 multigenerational trauma, 643–644
 neurological conditions, and Indigenous women, 100
 numbers to identify children, 151
 opioid addiction, narratives regarding, 244
 oral history, 318–319
 pain, 180
 parent resistance, 548
 residential schools. See residential schools
 Sixties Scoop, 100, 533
 smudging as a spiritual act, 238
 social factors, and neurological conditions, 100
 stereotyping, 533
 substance abuse disorders, risk of, 117
 suicide, 156f, 623, 631, 455
 throat singing, 185
 Truth and Reconciliation Commission (TRC), 5, 49, 488, 662
 two-eyed seeing, 49
individual, 4
individual differences
 dementia, 338
 language acquisition, 354
 personality, 512–517
 smell, 171–172
 stress, responses to, 585–588
 tactile senses, 177–178
 taste, 171–172
 treatment, who seeks, 663–664
individual psychology, 490
individual therapy, 692
individualist cultures, 515
individualistic, 26
individualistic cultures, 145
inductive reasoning, 34
industrial/organizational psychology, 23, 48, 553
 see also Psychology@Work (videos)
industry *versus* inferiority, 155t
infancy, 126–148
 cognitive development, 132–140
 emotional development, 140–145
 physical development, 127–132
 reflexes, 131, 131t
 social development, 140–145
infections, and brain injury, 97–99
inferential statistics, 52, 703
 effect size, 716
 hypothesis testing, 715–716
 population, 714
 sample, 714
inferiority, 490
information processing, 18
information-processing model, 299
information-processing theory, 137–140, 224
informed consent, 56
in-group, 534
inhibitory action, 93
initiative *versus* guilt, 143, 155t
injunctive norms, 544
innate abilities, 385f
inner eye, 301
inoculation, 601
Inside Out, 36
insight, 367
insight learning, 287
insomnia, 229–230
insomnia disorder, 613t
Instagram, 290
instinctive drift, 280
instincts, 426
instinct theory, 426–427
instrumental conditioning, 271
 see also operant conditioning
insula, 171, 565
insulin, 436
integral emotions, 464
integrated brain, 103
integrity *versus* despair, 155t, 160
intellectual disability, 418–420, 421, 612t
intellectualization, 487t
intelligence, 380
 additional types of intelligence, 398–402
 bell curve controversy, 403
 biological *versus* environmental factors, 402–413
 and the brain, 414–417
 and brain activity, 415–416
 and brain size, 414–417
 and brain's processing speed, 415
 and cortical maturation, 416–417
 creativity, 399–400
 crystallized intelligence, 394
 cultural influences, 406–407
 emotional intelligence, 398
 and environmental enrichment, 412
 environmental influences, 405–408
 extremes in intelligence, 418–421
 family and home environment, 405
 fluid intelligence, 394
 general *versus* specific, 381–382
 genetic factors, 403–405
 giftedness, 420–421
 increase over time, 396–397
 intellectual disability, 418–420
 measurement of, 386–397
 multifactor theories of intelligence, 382–384
 neurons, number of, 414–415
 occupational influences, 407
 parents, and children's intelligence, 405
 participatory approach, 49
 personality characteristics, 401
 school influences, 407–408
 smart nations, and happiness, 412
 social intelligence, 398–399
 wisdom, 399
intelligence quotient (IQ), 390, 391
intelligence testing, 386–397
 accuracy of, 406
 construction and interpretation, 387–388
 cultural bias, 394–396
 and cultural norms, 406
 group differences, 408–412
 history of, 388–391
 performance, prediction of, 391
 stereotypes, 394–396
intelligence tests, 387
interaction effects, 46
interactionism, 505
interactionist perspective, 505–506
intercorrelations, 496
interdependent happiness, 480
interference, 321–322
interference theory, 321–322
intergenerational trauma, 643–644
intermittent explosive disorder, 613t
intermittent reinforcement, 277
intermittent reinforcement schedules, 278t
internal (analytic) components of intelligence, 384
internal attributions, 538–539
internal working model, 145
International Classification of Diseases (ICD), 612, 616–618
International Positive Psychology Association, 27
Internet
 cyberbullying, 154
 research methods, 46
 social media, 2, 44, 290, 527
interneurons, 68, 84
interpersonal attraction, 562–564
interpersonal circle, 499, 499f
interpersonal traits, 499
interposition, 197
interrelationships of traits, 499
interval schedule, 278
intimacy, 563
intimacy *versus* isolation, 155t, 158
intolerance of uncertainty theory, 635
intrinsic motivation, 400, 420, 429, 451–452
introspection, 11
Inuit. See Indigenous experiences
inverse relationship, 711
ion channels, 87
ions, 87, 88f
IQ. See intelligence quotient (IQ)
irreversibility, 135
ischemic stroke, 99
item bias, 396

J

James, William, 12, 12f, 15
 James-Lange theory of emotion, 468–469
Journal of Positive Psychology, 27
 Jung, Carl, 29, 490–491
 just noticeable difference, 166

K

Kahneman, Daniel, 28
 Kandel, Eric, 28
 Kant, Immanuel, 37
 Kanzi illusion, 13f
 Kaspar the robot, 292
 ketamine, 95, 250, 670
 kindness, 494
 kinesthetic sense, 202
 kingdoms, 105–106
 Kinsey, Alfred, 444
 the Kipsigis, 131, 227
 kleptomania, 613t
 Kohlberg's theory of moral development, 151–153, 152t
 Kolb, Bryan, 96

L

Lady Gaga, 611
 language, 343
 and the brain, 78f, 351–354
 critical period, 350
 development of, 345–351
 differences in language acquisition, 354–359
 gender differences, 354–355, 355f
 Indigenous languages, 151, 356
 learning more than one language, 356–357
 learning to read, 350
 language structure, 344–345
 linguistic relativity hypothesis, 361–362
 poverty, and language development, 347
 sensitive periods, 187
 theories of language development, 348–350
 and thought, 360–363
 language acquisition device, 348
 language comprehension, 343
 language disorder, 612t
 language production, 343
 “larks”, 220
 lashing out, 591–592
 Lashley, Karl, 19
 latency stage, 486
 latent content, 226
 latent learning, 286–287
 lateral geniculate nucleus (LGN), 75, 192
 lateral hypothalamus (LH), 436
 lateralization of function, 78
 lateral violence, 280–281
 laughter yoga, 599
 Laurier, Wilfrid, 611
 law of effect, 271, 273
 LCUs. *See* life-change units (LCUs)
 learned helplessness, 281, 629–630
 learning by teaching paradigm, 292
 Learning Disabilities Association of Canada, 292
 learning disability, 293
 learning to read, 350
 learning, 257
 associative learning, 257, 260
 attention, 288–289
 awareness, 288–289
 classical conditioning, 261–271
 and cognition, 286–287
 and context, 288
 factors that facilitate learning, 287–291
 fear-based learning, 280–281
 habituation, 258–259
 implicit learning, 286
 insight learning, 287
 latent learning, 286–287
 learning by teaching paradigm, 292
 meaning of, 257–261
 multi-tasking, 290
 non-associative learning, 257, 258
 observational learning, 282–285, 505
 operant conditioning, 271–282, 619
 postnatal learning, 291
 prenatal learning, 291
 second language, 356–359
 and self-harm, 273
 sensitization, 260
 and sleep, 290
 social networking, 290
 spatial navigation learning, 286–287, 294
 specific learning disorder, 292–294
 and timing, 288
 vicarious learning, 284, 526
 video games, learning to play, 294–295
 “left-brain” dominant thinking, 103
 leptin, 435
 lesioning, 63
 Levels of Processing model, 313
 Levi-Montalcini, Rita, 28
 lexical hypothesis, 496
 lexical meaning, 344
 LGN. *See* lateral geniculate nucleus (LGN)
 LH. *See* lateral hypothalamus (LH)
 libido, 485
 lies, detection of, 465–466
 life, organization of, 104–109
 life change, 575, 577
 life-change units (LCUs), 575–576
 lifespan development. *See* development
 lifespan development psychology, 114
 life-threatening situations, 572
 light, 198
 liking, 562
 limbic system, 76
 linear perspective, 198
 linguistic relativity hypothesis, 361–362
 lipids, 434
 Little Albert, 267–268
 Little Hans, 489
 living things, 362, 362f
 lobes, 77, 77f
 lobotomy, 676
 Locke, John, 9
 locus coeruleus, 74, 639
 Loewi, Otto, 94
 longitudinal design, 115–117, 116f, 117t
 long-term memory, 301, 306, 312f
 encoding, 306
 organization of, 312–313
 storage, 311–313
 types of memories stored in, 311–312
 long-term potentiation (LTP), 328
 loose associations, 645
 Lorenz, Konrad, 120f
 loss aversion, 451
 loud music, 186
 loudness, 182, 186
 loving, 562–564
 LSD (lysergic acid diethylamide), 239t, 248–249
 LTP. *See* long-term potentiation (LTP)
 LUCA (last universal common ancestor), 104
 lucid dreams, 226
 lying, 375
 lymphocytes, 598
 lysergic acid diethylamide. *See* LSD (lysergic acid diethylamide)

M

Macdonald, Linda, 56
 Machiavellianism, 519
 Mackenzie King, William Lyon, 611
 magic mushrooms, 249
 magnetic resonance imaging (MRI), 63
 magnification, 620
 major depressive disorder, 612t, 613, 626–632
 see also depression
 major depressive episode, 627t
 major structures of the brain, 73f
 maladaptive beliefs, 620
 male hypoactive sexual desire disorder, 613t
 maleus, 182
 malingering, 649
 mammals, 105, 106, 107f
 mammillary bodies, 333
 mania, 625, 632, 668t
 manifest content, 226, 687
 mantra, 590
 manufactured memories, 323–326
 MAO inhibitors, 670
 MAOIs. *See* Monoamine oxidase inhibitors (MAOIs)
 marathon, 458–459
 Marfan syndrome, 124
 marijuana, 125, 251, 252
 see also cannabis
 Markos, Diane, 607–608
 Maslow, Abraham, 17, 17f, 492–494
 Maslow's hierarchy of needs, 431, 432f
 massed learning trials, 288
 massed practice, 305
 mathematics disorder, 293
 maturation, 118
 McLachlin, Beverley, 151
 MDMA. *See* methylenedioxymethamphetamine (MDMA)
 mean, 52, 388, 705–706
 meaning, and encoding, 307–308
 measures of association, 710–714
 measures of central tendency, 705–707
 measures of variability, 707–708
 medial geniculate nucleus (MGN), 75
 median, 388, 706
 medical model approach, 610
 meditation, 375, 494, 593, 590–591, 687
 medulla, 74
 Meissner's corpuscles, 175
 melatonin, 221, 222f
 memory, 299
 see also specific types of memory
 anatomy of memory, 327–328
 biochemistry of memory, 328–329
 and the brain, 326–329
 and cannabis, 326–327
 connectionist model, 302
 encoding, 304–309
 forgetting, 322–323
 infancy, 328–329
 information-processing model, 299
 memory disorders, 332–339
 in the old, 329–332
 parallel distributed-processing model (PDP), 302
 retrieval, 313–320
 and sleep, 290
 storage of memories, 309–313
 three-stage memory model, 300f
 memory consolidation, 328
 memory disorders, 332–339
 memory span, 310
 memory stores, 302
 memory trace, 321
 men
 see also gender and gender differences
 and agentic characteristics, 544
 fathers, 145, 147
 meningitis, 97–98
 menopause, 157
 mental absorption, 236
 mental age, 389
 mental disorders, 609
 mental illness. *See* psychological disorders
 mental imagery, 360
 mental processes, 3, 4
 mental relaxation, 236
 mental set, 367
 mere categorization effect, 534
 Meredith, Henry Vincent, 66
 mere thought effect, 526
 Merkel's discs, 175
 mescaline, 249–250
 message, 535
 metacognition, 374–376
 metacognition, 381
 methamphetamine, 247
 methylenedioxymethamphetamine (MDMA), 239t, 248
 Metis. *See* Indigenous experiences
 MGN. *See* medial geniculate nucleus (MGN)

- Michelangelo, 611
 microglia, 84, 85
 micro-stressors, 573
 midbrain, 74
 middle adulthood, 159
 middle life transition, 159
 migraines, 174, 259
 mild traumatic brain injuries (mTBI), 64
 Milgram's obedience experiment, 549–550, 549f, 550f
 Miller, George A., 18
 Milner, Brenda, 26
 Milner, Peter, 19
 mindfulness based cognitive therapy, 687
 mindfulness meditation, 687
 mindfulness training, 375
 Minecraft, 394
 Minnesota Multiphasic Personality Inventory 2 (MMPI-2), 501
 Minnesota Study of Twins Reared Apart (MISTRA), 506–507
 minority groups
 and psychology, 25
 and stress, 579
 minor tranquilizers, 667
 mirror box therapy, 181
 mirror neurons, 284
 miscarriage, 123
 miscarriages of justice, 324
 misconceptions, 3
 misinformation, 324–325, 323t
 misrepresentation of psychology, 38–40
 missing link, 108f
 MISTRA. *See* Minnesota Study of Twins Reared Apart (MISTRA)
 MKULTRA, 56
 MMPI-2. *See* Minnesota Multiphasic Personality Inventory 2 (MMPI-2)
 mnemonic devices, 308
 mode, 388, 706
 modelling, 17, 284, 505, 619
 modelling therapy, 682–684
 models, 615
 models of abnormality
 cognitive-behavioural model, 618–620, 684–688
 developmental psychopathology model, 624–625
 psychodynamic model, 621–622
 Research Domain Criteria (RDoC) project, 617
 socio-cultural model, 622–624
 models of psychopathology, 614–625, 615t
 neuroscience model of abnormality, 615–616
 moderate intellectual disability, 419
 modern synthesis, 109
 modular model of mental functioning, 383
 modulation hypothesis, 318
 monoamine oxidase inhibitors (MAOIs), 670
 monochromatic, 192
 monocular cues, 197–199
 monozygotic (identical) twin, 628
 Montreal Neurological Institute and Hospital, 66
 The Montreal Procedure, 66
 mood, 317, 431
 mood disorders, 625–633
 see also depression
 bipolar disorder, 632–633
 major depressive disorder, 613, 626–632
 mood stabilizing drugs, 667, 671–672
 Mooney, Eliot, 121f
 moon illusion, 199f
 moral development, 150–153
 moral reasoning, 80, 152
 moral treatment, 610
 moro reflex, 131t
 morphemes, 344
 morphine, 243
 mother-child interaction, 12f
 mother-child relationship, 145
 motion parallax, 198
 motivated forgetting, 322–323, 323f
 motivation, 425
 achievement, 453–456
 affiliation, 454
 amotivation, 451–452
 and happiness, 480
 and psychological capital, 480
 approach motivation, 450
 avoidance motivation, 450
 biological motivations. *See* biological motivations
 conscious motivations, 449–450
 extrinsic motivation, 429, 451–452
 fixed versus growth mindset, 452–453
 hunger, 434–441
 intrinsic motivation, 400, 420, 429, 451–452
 marathon, 458–459
 psychological motivations. *See* psychological motivations
 sex, 442–448
 theories of motivation, 425–432, 426t
 unconscious motivations, 449–450
 unifying theory of motivation, 432
 motivation theories, 425–432, 426t
 arousal theory, 428–429
 drive-reduction theory, 427–428, 427f
 hierarchy of needs, 431
 incentive theory, 429–431
 instinct theory, 426–427
 motives, 425
 motor areas, 77
 motor development, 132t
 motor neurons, 84
 motor skills, 131
 movement, 131
 MRI. *See* magnetic resonance imaging (MRI)
 MSG, 169
 mTBI. *See* mild traumatic brain injuries (mTBI)
 Müller, Johannes, 9
 Müller-Lyer illusion, 199, 199f
 Multifactor Emotional Intelligence Scale, 398
 multifactor theories of intelligence, 382–384
 multifinality, 624
 multigenerational trauma, 643–644
 multilingual homes, 356
 multiple personality disorder, 651
 multiple sclerosis, 85
 multi-tasking, 210, 290
 mushrooms, 249
 music
 and mood, 431
 and motivation, 431
 music learning, 187
 music therapy, 75
 myelin, 85, 91
 myelinating glia, 84
 myelination, 129
 myelin sheath, 83, 83f
 Myers-Briggs Type Indicator (MBTI), 491, 501
 myocardial infarction, 596
 myoclonic jerk, 222
 mysophobia, 639t
 myths, 3, 6
N
 nail gun accidents, 81f
 narcissism, 519
 narcissistic personality disorder, 613t
 narcolepsy, 230–231, 613t
 National Centre for Truth and Reconciliation (NCTR), 5, 319
 National Circus School, 202
 National Scientific Council on the Developing Child (Harvard), 127
 natural laws, 33
 natural reflex, 261
 Natural Science and Engineering Research Council of Canada (NSERC), 55
 natural selection, 10, 107
 naturalistic observation, 43–44
 nature and nurture, 118
 Nazi Germany, 38
 NCV. *See* nerve conduction velocity (NCV)
 nearsightedness, 200
 necrophobia, 639t
 negative affectivity, 521
 negative afterimage effect, 192f
 negative correlation, 50
 negative emotionality, 509
 negative hallucinations, 235
 negative influences, 131
 negatively skewed distribution, 709, 710f
 negative punishment, 274, 275t
 negative reinforcement, 16, 273–274, 275t
 negative relationship, 711
 negative situations, 578–579
 negative symptoms, 646
 negative thinking, 630–631
 Neisser, Ulric, 18
 NEO, 497
 neo-Freudians, 490–491
 NEO PI-R. *See* Revised NEO Personality Inventory (NEO PI-R)
 nerve cell. *See* neurons
 nerve conduction velocity (NCV), 415
 nerve deafness, 187
 nerve dysfunctions, 180
 nervous system
 see also the brain
 autonomic nervous system (ANS), 68, 458, 460t, 651
 central nervous system (CNS), 68, 70, 176f, 469
 classical conditioning, and drug dependency, 266–267
 how the nervous system works, 82–85
 neurons. *See* neurons
 organization of, 68–72, 69f
 parasympathetic nervous system, 68, 460
 peripheral nervous system (PNS), 68–70
 somatic nervous system, 68, 70
 study of, 62–68
 sympathetic nervous system, 69–70, 460
 neural bypasses, 72
 neural circuits, 95
 neural efficiency hypothesis, 415
 neural machine interfacing, 80
 neural networks, 82, 95, 95f
 neural plasticity, 328
 neural pruning, 416
 neural systems, and personality, 508–509
 neurocognitive disorders, 612t
 neurodevelopmental disorders, 612t
 neurofibrillary tangles, 337
 neurogenesis, 76
 neuroglial cells. *See* glia
 neuroimaging, 63–65, 64f, 65
 neuron impulse, 89
 neurons, 61, 68, 82–85, 83f, 84f
 see also specific types of neurons
 basic structure, 82
 communication, 86
 communication across the synapse, 91–95
 connections among, during infancy, 128
 firing of neurons. *See* action potential
 how neurons work, 85–97
 and intelligence, 414–415
 kinds of, 84
 neural networks, 95, 95f
 neuroplasticity, 96
 neurotransmitters. *See* neurotransmitters
 production of new neurons, 76
 resting potential, 86–89
 shapes, 84f
 neuropathies, 180
 neuroplasticity, 96
 neuropsychiatric disorders, 259
 neuropsychologists, 62
 neuroscience, 18–21, 20t, 61
 see also the brain; nervous system
 depression, 628–629
 and *Diagnostic and Statistical Manual of Mental Disorders* (DSM), 616–618
 dissociative disorders, 651–652
 generalized anxiety disorder, 636
 happiness, 462
 and *International Classification of Diseases* (ICD), 616–618
 methods to study the brain, 62–63
 neuroimaging, 63–65, 64f

neuroscience (Con't.)

neuroscience model of abnormality, 615–616
 obsessive-compulsive disorder (OCD), 641
 Research Domain Criteria (RDoC) project, 617
 schizophrenia, 646–647
 neuroscience model of abnormality, 615–616
 neuroses, 487
 neuroticism, 497, 501
 neurotoxicity, 247–248
 neurotransmitter activity, 509
 neurotransmitter receptors, 92–93
 neurotransmitters, 83, 91–95, 92f, 92t, 328, 628
 see also specific neurotransmitters
 New Guinea, 461f
 new wave cognitive explanations, 635
New York Longitudinal Study, 140
 nicotine, 239t, 246
 nightmare disorder, 226–227, 232
 nightmares, 226
 night terrors, 232
 nine-dot problem, 368f
 N,N-dimethyltryptamine (DMT), 250
 Nobel Prize winners, 19, 28, 86, 102
 nod, 243
 nodes of Ranvier, 91, 91f
 non-associative learning, 257, 258
 non-REM sleep (NREM), 223
 non-verbal communication, 345
 non-verbal information, 306
 nootropics, 408–410
 noradrenaline, 94
 norepinephrine, 74, 92t, 94, 628, 639, 643
 normal curve, 388
 normal distribution, 388, 709
 normative sample, 392
 norms, 543–544
 not criminally responsible on account of mental disorder, 654
 Not Criminally Responsible Reform Act (Bill C-14), 654
 nucleus accumbens, 76–77, 430, 462
 null hypothesis, 715, 716
 nurturance, 499
 nurture. *See* nature and nurture

O

obedience, 548–551
 obesity, 437–440
 object permanence, 134, 138f
 object relations, 621
 object-relations theorists, 226
 observational learning, 282–285, 505
 observations, 34, 40
 obsessions, 376, 640
 obsessive-compulsive and related disorders, 612t
 obsessive-compulsive disorder (OCD), 376, 612t, 640–641
 occipital lobe, 77
 occupational influences on intelligence, 407
 OCEAN of personality, 501
 odorants, 169
 Oedipus complex, 487
 old age, 159–160
 brain games, 331
 and memory, 329–332
 slowing cognitive decline, 331
 Olds, James, 19
 olfactory adaptation, 167
 olfactory bulb, 170
 olfactory receptor neurons, 169
 olfactory sense, 168–174
 see also smell
 oligodendroglia
On the Origin of Species (Darwin), 9, 107
 online surveys, 46
 opening-up meditation approach, 590
 openness to experience, 501, 507
 operant conditioning, 271–282, 619
 how operant conditioning works, 272–278
 new behaviours, teaching, 279–282
 techniques, 682
 operationalize, 41
 operationalizing, 145

operations, 136–137
 opiates, 179, 430
 opioids, 238t, 243–244
 opioid use disorder, 612t
 opponent process theory, 192
 optic disc, 190
 optic nerve, 190
 optimism, 480
 optimistic brand of pessimism, 586
 optimistic explanatory styles, 586
 oral history, 318–319
 oral stage, 486
 orbitofrontal cortex, 565, 641
 organic memory disorders, 333–339
 organization, 308–309, 318
The Organization of Behavior (Hebb), 95
 organizational psychology, 23, 48
 orgasm, 445
 ossicles, 182
 Ottawa Self-Injury Inventory, 273
 out-groups, 534
 oval window, 182
 ovaries, 148
 overeating, 438
 overgeneralization, 620
 overregularization, 349
 overweight, 437
 “owls”, 220
 OxyContin, 243

P

PACFOLD. *See* “Putting a Canadian Face on Learning Disabilities” (PACFOLD)
 Pacinian corpuscles, 175
 pain, 174–182
 acute pain, 180
 and the brain, 176–177
 chronic pain, 178–179
 gate control theory of pain, 178
 Indigenous experiences, 180
 no pain, 180–181
 pain threshold, 178f
 phantom limb sensations, 181–182
 sensitivity to pain, 178
 pandemic. *See* COVID-19 pandemic
 panic attacks, 639
 panic disorder, 612t, 639–640
 papillae, 169
 paradigms, 615
 paradoxical sleep, 223
 parallel distributed-processing model (PDP), 302
 parallel processing, 78f
 paranoid personality disorder, 613t
 paraphilic disorders, 613t
 parasomnias, 231–232
 parasympathetic nervous system, 68, 70, 460
 parenting styles, 145–148
 parents, and children's intelligence, 405
 parietal lobe, 78
 Parkinson's disease, 74, 75, 94f, 99, 259
 Parks, Ken, 232
 partial fetal alcohol syndrome (p-FAS), 126
 partial reinforcement, 277
 participant bias, 45
 participants
 in research, 42
 voluntary participation, 56–57
 participatory research methods, 49
 partner choice, 442–448
 passion, 563
 Pavlov, Ivan Petrovich, 15, 261, 264, 265
 Pavlovian conditioning
 see also classical conditioning
 Pavlovian conditioning, 262
 PCL-R. *See* Psychopathy Checklist-Revised (PCL-R)
 PCP, 250–251
 PDP. *See* parallel distributed-processing model (PDP)
 peak experiences, 494
 Pearson product-moment correlation coefficient, 710–711
 peat bog preservation, 104f
 peer relationships, 154
 Penfield, Wilder, 66

perception, 164–168
 perceptual constancies, 199–200
 perceptual illusions, 199f
 perceptual judgment task, 546f
 perceptual set, 167
 perfect correlation, 51
 periodic limb movements of sleep (PLMS), 231
 peripheral nervous system (PNS), 68–70
 peripheral route to persuasion, 535–536
 permissive parenting styles, 146t
 perseverance, 453
 person, level of the, 4
 personal fable, 150
 personality, 485, 504, 643
 biological foundations of, 506–512
 and the brain, 507–512
 and culture, 515–516
 dark triad, 519
 differences in, 512–517
 Freud's psychosexual stages, 486, 486t
 gender differences, 513–515
 and genetics, 506–507
 humanistic perspective, 492–495
 intelligence, and personality characteristics, 401
 interactionist perspective, 505–506
 neural systems and, 508–509
 and posttraumatic stress disorder (PTSD), 604
 psychodynamic perspective, 484–495
 situationist perspective, 504–505
 socio-economic environment, 516–517
 and stress, 586–587, 600–601
 structure of personality, 485–486
 trait perspective, 495–500, 511–512
 personality assessment, 501–503
 personality inventories, 501–502
 projective tests, 503
 personality disorders, 517–521, 520t, 613t, 652–657
 see also specific personality disorders
 personality inventories, 501–502
 personality trait model, 496
 personality traits, 495–500, 496t
 personal responsibility, 560
 personal unconscious, 490
 personnel problems, 16
 perspective-taking skill, 135, 135f
 persuasion, 535–538, 535f
 pessimistic explanatory styles, 586
 PET. *See* positron emission tomography (PET)
 p-FAS. *See* partial fetal alcohol syndrome (p-FAS)
 phallic stage, 486
 phantom limb sensations, 181–182
 phenotype, 122, 122f
 phenylcyclidine (PCP), 250–251
 phenylketonuria (PKU), 124
 philosophy, 6–8
 phobias, 268, 269f, 638–639, 639t
 phonemes, 344
 phonological code, 306
 phonological loop, 301
 phonology, 344
 photographic memories, 306
 photons, 189
 photoreceptors, 190f, 191
 phrenology, 508
 phylogeny, 105
 physical attractiveness, 562
 physical development
 adolescence, 148–149
 adulthood, 157–158
 childhood, 127–132
 infancy, 127–132
 physiological responses to stress, 580–583, 581f
 physiology, 8–9
 Piaget's theory of cognitive development, 132–140, 134t
 concrete operational stage, 134t, 136
 evaluation of, 137–140
 formal operational stage, 134t, 137
 preoperational stage, 134t, 135–136
 sensorimotor stage, 133–135, 134t
Picking Cotton: Our Memoir of Injustice and Redemption
 (Thompson-Cannino and Cotton), 324

- pineal gland, 221
pitch, 182, 184
pituitary gland, 76, 149, 219
PKU. *See* phenylketonuria (PKU)
placebo, 672
place theory, 184
placenta, 123
plasticity, 96
plateau, 445
Plato, 7, 8f
pleasure pathway, 253
pleasure principle, 485
PNS. *See* peripheral nervous system (PNS)
polarized state, 86
polygenic trait, 123
polygraph machines, 465
pons, 74, 219
Ponzo illusion, 199, 199f
pop psychology, 39
pop-out effect, 289, 289f
Popper, Karl, 34
population, 714
positive correlation, 50
positive discipline, 277
Positive Education Schools Association, 36
positive emotionality, 509
positive emotions, 27, 179, 476–480
positive hallucinations, 235
positively skewed distribution, 709, 709f
positive psychology, 27–28, 476, 494
 Aboriginal Head Start, 116–117
 building better brains, 127
 chronic pain, and the value of hope, 179
 combatting FOMO (fear of missing out), 527
 contemporary circus performers, 202
 culturally diverse university students, and well-being, 691
 exam stress and dog therapy, 584
 impact on psychological research, 45
 interdependent happiness, 480
 Kaspar the robot, 292
 laughter yoga, 599
 mindfulness training, 375
 music therapy, 75
 neural machine interfacing, 80
 neuroscience of happiness, 462
 personality traits and humour training, 498
 Picking Cotton, 324
 posttraumatic growth, and Canadian refugees, 642
 prosocial spending and happiness, 559
 random acts of kindness, 494
 reading, and emotional intelligence, 413
 and science, 36
 second language learning, 357–358
 second wave of positive psychology (PP 2.0), 621–622
 service dogs and PTSD, 279
 sleep and happiness, 220
 slowing cognitive decline in older adults, 331
 smart nations, and happiness, 412
 third-wave cognitive-behavioural therapy, 687
positive psychotherapy, 28
positive punishment, 274, 275t
positive reinforcement, 16, 274, 275t
positive relationship, 711
positive symptoms, 645–646
positron emission tomography (PET), 63, 65
posthypnotic amnesia, 235
posthypnotic responses, 235
postnatal learning, 291
postpartum depression, 628
postpartum psychosis, 628
postsynaptic potentials, 93
posttraumatic growth, 601, 642
posttraumatic stress disorder (PTSD), 578, 603–605, 612t, 641–644
 biological factors, 603–604
 development of, 603–605
 early experiences, 604
 “fear circuit” disorder, 618
 and personality, 604
 service dogs, 279
 social support, 604–605
potentiation, 328
poverty, 347, 623
 see also socio-economic status (SES)
poverty of speech, 646
PP 2.0, 621–622
PQRST method, 309
practical (experimental) components of intelligence, 385
Prader-Willi syndrome, 436
pragmatics, 344, 346–347
preconscious, 485
preconsciousness, 215
prediction, 4
predictive validity, 388
prefrontal cortex, 149, 327, 430, 462, 564, 636
prefrontal lobe, 80
prefrontal lobotomy, 81
prejudice, 532–535
premenstrual dysphoric disorder, 612t
prenatal development, 123–126, 124f
prenatal learning, 291
prenatal period, 121
preoperational stage, 134t, 135–136
prescription privileges, 24
pressure, 174–182, 570–571
presynaptic terminal, 91
prevention, 694
prevocal learning, 345–346
primacy effect, 314
primary appraisal, 585
primary auditory cortex, 77
primary incentives, 430
primary mental abilities, 382
primary motor strip, 79
primary prevention, 694
primary punisher, 275
primary reinforcer, 275
primary sensory areas, 77
primary sensory neurons, 84
primary sex characteristics, 148, 149f
primary visual cortex, 77
priming, 315–316
Principles of Psychology (James), 12
proactive interference, 321, 322f
probability, 371
probability statistic, 53
problem-focused coping, 594
problem solving, 365–369
 defining our problems, 365–366
 problems in, 367–369
 strategies for, 366–367
profound intellectual disability, 420
Progressive Matrices Test, 396, 396f
Project Head Start, 412–413
The Project of Heart, 142
projection, 487t
projective tests, 503
proprioceptive feedback, 168
prosopagnosia, 194
prospective memory, 331
proximity, 195, 196f, 562
proximodistal pattern, 127
pseudopsychology, 39
psilocybin, 249
psychedelic drugs, 248
psychiatric social workers, 24
psychiatrists, 24
psychoactive drugs, 237–253, 238–239t
 see also specific types of psychoactive drugs
 depressants, 238t, 239–243
 hallucinogens, 239t, 248–252
 stimulants, 239t, 245–248
psychoanalysis, 14–15, 20t
psychoanalytic theory, 14
psychobiology, 18–21, 20t
psychodynamic, 485
psychodynamic model, 621–622, 651
psychodynamic perspective, 484–495
psychodynamic therapies, 666t, 678–679
 borderline personality disorder, 680
in perspective, 679
relational psychoanalytic therapy, 679
short-term psychodynamic therapies, 679
techniques of, 678–679
psychological abnormality. *See* psychological disorders
psychological capital, 480
psychological disorders, 609, 612–613t
 see also specific psychological disorders
 anxiety disorders, 612t, 633–644
 causes of mental illness, 609
 classification, 611–614
 defining Psychopathology, 610–611
 diagnosis, 611–614
 dissociative disorders, 613t, 650–652
 models of psychopathology, 614–625
 mood disorders, 625–633
 neuropsychiatric disorders, 259
 personality disorders, 652–657
 reform movements, 609
 somatic symptoms and related disorders, 612t, 648–650
 treatment. *See* treatment
psychological dysfunctioning, 609
psychological factors affecting other medical conditions, 649
psychological getaway, 592
psychological motivations
 achievement, 453–456
 affiliation, 453–456
 amotivation, 451–452
 approach *versus* avoidance motivation, 450–451
 extrinsic motivation, 451–452
 fixed *versus* growth mindset, 452–453
 individual factors, 448–453
 intrinsic motivation, 451–452
 unconscious *versus* conscious motivations, 449–450
psychology, 3, 699–700
 see also specific types of psychology
 academic psychology, 22, 23
 application of psychology, 38
 applied psychology, 22, 23
 areas of study, 22t
 branches of psychology, 22–24
 clinical and counselling psychology, 22, 24
 contextual, 25
 cross-cultural psychology, 18, 25
 cultural psychology, 18, 25
 current trends, 25–29
 defined, 2–6
 developmental psychology, 27, 114, 115–118
 early days of, 9–13
 educational psychology, 13
 empirical nature of, 24–25
 founding of, 10–11
 goals of, 3–4, 37–38
 graduates, 23t
 industrial/organizational psychology, 23, 48
 intellectual history of, 7
 levels of analysis, 4–5, 4t
 lifespan development psychology, 114
 major perspectives (table), 20t
 making psychology more popular, 39
 misrepresentation of psychology, 38–40
 multi-level nature of, 25
 notable women in psychology, 26
 philosophy, roots in, 6–8, 8–9
 positive psychology. *See* positive psychology
 psychophysics, roots in, 8–9
 and science, 35–40
 shared values, 24–25
 theory-driven, 24
 twentieth-century approaches, 14–21
 where psychologists work, 22t
psychology degree, 28
Psychology@Work (videos)
 Applied Sensation & Perception, 200
 Career Development, 154
 Consumer Psychology, 65
 Ethics of Taking Psychology to Work, 55

Psychology@Work (videos) (*Con't.*)

- Groups and Teams, 553
- Individual Differences, 501
- Job Analysis: Research and Statistics, 48
- Leadership and Management, 653
- Occupational Health and Safety, 600
- Training Program Design and Evaluation, 288
- Work Attitude, 529

- psychometric approach, 387
- psychoneuroimmunology, 598
- psychopathic brain, 655–656
- psychopathology, 609
- psychopaths, 653
- psychopathy, 519
- Psychopathy Checklist, 653
- Psychopathy Checklist-Revised (PCL-R), 653
- psychophysical performance, 389–390
- psychophysics, 8–9
- psychophysiological diseases, 595
- psychosexual stages, 486, 486t
- psychosis, 644, 668t
- psychosocial strength, 143
- psychosomatic diseases, 595
- psychosurgery, 676–677
- psychotherapy, 24, 661
- psychotic disorders, 667
- psychoticism, 497, 507
- psychotropic drugs, 667, 668t
- PTSD. *See* posttraumatic stress disorder (PTSD)
- puberty, 148
- public speaking, 596
- pulse generator, 675
- punishers, 275–277
- punishment, 16
- punishment, 274–275, 275t, 277
- “Putting a Canadian Face on Learning Disabilities” (PACFOLD), 293

Q

- Q-sort approach, 145
- Qu'Appelle Child and Family Services (QCFS), 696
- quadriplegic, 71
- qualitative change, 119
- quantitative change, 119
- Quebec Longitudinal Study of Child Development, 232
- Quebec Sign Language (Langue des signes québécoise (LSQ)), 188, 352f

R

- racial minority groups. *See* minority groups
- radical behaviourism, 19
- random acts of kindness, 494
- random assignment, 47
- random sample, 714
- random selection, 42
- range, 707
- rapid eye movement, 223
- rapid eye movement sleep (REM), 223, 232
- ratio schedule, 278
- rational decision making, 370–372, 371t
- rational-emotive behavioural therapy, 685
- rationalization, 487t
- reaction formation, 487t, 592
- reactive attachment disorder, 612t
- reading, 350, 413
- reading disorder, 293
- realistic conflict theory, 534
- reality, 136, 136f
- reality principle, 485
- reasoning, 34, 35f
- REB. *See* research ethics board (REB)
- recall tasks, 316
- receiver, 535
- recessive trait, 122
- reciprocal determinism, 505
- reciprocal socialization, 147
- recognition tasks, 316
- Red Cross Bullying and Harassment Prevention, 154
- reductionist perspectives, 616
- reflexes, 131, 131t, 143
- refractory period, 91
- refugees, 642
- regression, 487t

- rehearsal, 305, 318
- reinforcement, 16, 273–274, 275t, 292
- reinforcer, 273, 275, 505
- rejection level, 715
- relational aggression, 561
- relational psychoanalytic therapy, 679
- relationship counselling, 693
- relationships, measures of. *See* correlations
- relative height, 197
- relative refractory period, 91
- relative size, 198
- relaxation, 593
- relearning, 321
- reliability, 387
- religion, 624
- REM sleep behaviour disorder, 232
- REM sleep. *See* rapid eye movement sleep (REM)
- Renaissance, 8
- replication, 54
- representations, 134
- representativeness heuristic, 369–370
- repression, 323, 487, 487t, 651
- repressive coping style, 593
- reptiles, 105, 106, 107f
- research
 - correlational research, 51
 - correlations, 50–52
 - ethical research guidelines, 55–58
 - experimental analyses, 52–54
 - hypothesis, 40–41
 - making sense of research, 48–55
 - participants, 42
 - participatory research methods, 49
 - positive psychology, impact of, 45
 - research methods, 42–48
 - research process, 40–48
 - statistics, 54–55
- research bias, 44
- Research Domain Criteria (RDoC) project, 617
- Research Domain Criteria Matrix, 617–618t
- researcher bias, 47
- research ethics board (REB), 55
- research methods, 42–48
- resetting the clock, 222
- residential schools
 - denial, 487
 - fear-based learning, 280–281
 - Framework for Understanding Trauma and Healing
 - Related to Residential School Abuse, 696
 - history of, in Canada, 5
 - hunger, 435
 - impact of, 631
 - and Indigenous languages, 151
 - intentionally breaking familial bonds, 142
 - “killing the Indian in the child”, 151
 - lateral violence, 280–281
 - life changes, 575
 - long-term success, effects on, 285
 - parent resistance, 548
 - suicidal behaviour, 631
- resilience, 28, 480, 601, 625
- resistance, 678
- resolution, 445
- responses, 15
- response tendencies, 504
- rest and digest system, 70
- resting potential, 86–89, 87f, 90
- restless legs syndrome (RLS), 231
- restorative theory of sleep, 219
- reticular formation, 74, 211–212, 219
- retina, 190
- retinal disparity, 197, 197f
- retrieval, 299, 313–320
 - and context, 316–317
 - elaboration, 318
 - emotional memory, 318
 - flashbulb memories, 319–320
 - organization, 318
 - primacy effect, 314
 - priming, 315–316
 - rehearsal, 318

- serial position effect, 314, 314f
- specific retrieval cues, 317–320
- retrieval cues, 316
- retrieval failure, 315
- retroactive interference, 321, 322f
- retrograde amnesia, 333
- retrospective memory, 331
- ReTro, 38f
- reuptake, 93
- Revised NEO Personality Inventory (NEO PI-R), 501
- reward centre, 19
- reward-deficiency syndrome, 253
- reward learning pathways, 253, 458
- “right-brain” dominant thinking, 103
- risk factors, 624
- rituals, 6, 7f
- robotics
 - Kaspar the robot, 292
 - robot-human interactions, 540–541
 - social robotics, 292
 - Sophia (robot), 540
 - uncanny valley, 540–541
- rods, 191
- Rogers, Carl, 17, 17f, 494–495
- Rogers's client-centred therapy, 688–689
- role confusion, 154
- role playing, 689
- roles, and situational demands, 545–546
- Romanian orphans, 114, 148
- Roosevelt, Eleanor, 493
- rooting reflex, 131, 131t
- Rorschach Inkblot Test, 503
- Rouge test, 214
- rubella, 125
- Ruffini's end-organs, 175
- rules, 689
- runner's high, 430
- rush, 243
- Rush, Benjamin, 610f

S

- s factor, 381
- sadism, 519
- sadness, 21f, 467
- saltatory conduction, 91
- same-sex marriage, 448
- sample, 42, 714
- sampling, 42f
- sampling biases, 42
- sampling distribution, 715
- saturation, 191
- scaffolding, 140
- scatterplot, 710
- Schachter and Singer's two-factor theory of emotion, 470–472
- schedules of reinforcement, 277–278
- schemas, 308, 514
- schemes, 133
- schizoaffective disorder, 612t
- schizophrenia, 94, 376–377, 612t, 615, 644–647
 - abnormal brain structures, 647
 - biochemical abnormalities, 647
 - cognitive symptoms, 646
 - diagnosis, 645
 - genetic factors, 646–647
 - negative symptoms, 646
 - neuroscience, 646–647
 - positive symptoms, 645–646
 - schizophrenia, 259
- schizophrenia-spectrum and other psychotic disorders, 612t
- Schmidt, Heather, 49
- school influences on intelligence, 407–408
- schools, bullying in, 154
- school shootings, 520
- Schwann cells, 72, 84, 85
- science
 - meaning of, 33–35
 - and psychology, 35–40
- scientific method, 33–35, 35f
- scientific principles, 33
- scientific journal articles, 54

- scientific method, 33–35, 35f
 scientific principles, 33
 scientific revolution, 8
 SCN. *See* suprachiasmatic nucleus (SCN)
 second language, 356–359
 second language acquisition (SLA), 358
 second wave of positive psychology (PP 2.0), 621–622
 secondary appraisal, 585
 secondary incentives, 430
 secondary prevention, 694
 secondary punisher, 275
 secondary reinforcer, 275
 secondary sex characteristics, 149, 149f
 secondary social sharing, 462
 second-wave cognitive-behavioural therapies, 686–687
 secure attachment, 144, 563
 sedative-hypnotic drugs, 238t, 242–243
 selective perception, 620
 selective serotonin reuptake inhibitors (SSRIs), 670, 673
 self, 491
 self-actualization, 17, 492, 492f
 self-concept, 494
 self-defence, 592–593
 self-determination, 454
 self-disclosure, 562, 593
 self-efficacy, 480, 505
 self-harm, 273
 self-help groups, 693
 self-indulgence, 594
 self-perception theory, 529
 self-ratings, 465
 self-reflection, 374
 self-schema, 514
 self-serving bias, 542
 Seligman, Martin, 36
 semantic codes, 307
 semantic learning, 288
 semantic memory, 312
 semantics, 344
 semi-permeable membrane, 87
 senile plaques, 337
 sensation, 164–168
 see also senses
 sense of self, 214
 senses, 129–131, 168
 auditory sense, 182–189
 chemical senses, 168–174
 cutaneous senses, 174–182
 food, enjoyment of, 203
 kinesthetic sense, 202
 limits of the senses, 165–166
 processing sensory information, 167
 sensory adaptation, 166–167
 smell, 168–174
 tactile senses, 174–182
 taste, 168–174
 thresholds, 165–166
 vestibular sense, 202
 visual sense, 189–204
 sensitive periods, 119–121, 187, 348
 sensitization, 260
 sensorimotor stage, 133–135, 134t
 sensory adaptation, 166–167
 sensory memory, 299, 302, 305
 sensory neurons, 84
 sensory receptor cells, 165
 sensory transduction, 165, 165t
 serial position effect, 314, 314f
 serotonin, 92t, 94, 95, 628, 641
 service dogs, 279
 SES. *See* socio-economic status (SES)
 setting the clock, 222
 severe intellectual disability, 420
 severely deficient autobiographical memory (SDAM), 307
 sex, 442–448
 gender differences in sexuality, 446
 neurological factors, 446
 physiological factors, 444–448
 psychological factors, 443–444
 social factors, 443–444
 sexual dysfunctions, 613t
 sexuality, 486
 sexual orientation, 446–448
 sexual sadism disorder, 613t
 shadow, 198
 shape constancy, 200
 shaping, 279–280
 short-term memory, 80, 301–302
 short-term psychodynamic therapies, 679
 shrooms, 249
 sickle-cell anemia, 124
 sight, 189–204
 binocular cues, 197–199
 and the brain, 193–195
 colour, 191–193
 development of, 200
 Gestalt principles, 195–196
 light, 190–191
 monocular cues, 197–199
 perceptual constancies, 199–200
 visual loss, 200–201
 visual perceptual organization, 195–200
 signal detection theory, 166, 166f
 significance level, 715
 similarity, 195, 196f, 562
 Simon, Herbert, 28
 situational attributions, 538–539
 situational demands, 545–546
 situational factors, 562
 situationism, 505
 situationist perspective, 504–505
 16 Personality Factors Inventory (16PF), 497
 Sixties Scoop, 100, 533
 size constancy, 199
 skillful frustration, 689
 skin conductance, 466
 Skinner, B. F., 16, 16f, 37, 272, 504–505
 Skinner box, 16f, 272f
 sleep, 218–234
 adaptive theory of sleep, 218
 and the brain, 222–223, 233
 controlling the clock, 221–222
 daydreams, 226–227
 dreams, 224–226
 function of sleep, 218–219
 and happiness, 220
 “larks”, 220
 and learning, 290
 lucid dreams, 226–227
 and memory, 290
 nightmares, 226
 “owls”, 220
 patterns of sleep, 222–223, 227–228
 restorative theory of sleep, 219
 rhythms of sleep, 219–220
 sleep deprivation, 228–229, 290
 sleep disorders, 229–233
 sleep needs of various animals, 219f
 stages of sleep, 222–223, 222f, 232
 when we sleep, 221–223
 sleep apnea, 230
 sleep deprivation, 228–229, 290
 sleep disorders, 229–233
 sleep-related breathing disorders, 230
 sleep-related movement disorders, 231
 sleep spindles, 222
 sleep-wake disorders, 613t
 sleepwalking, 232
 slow-to-warm-up temperament, 141
 slow-wave sleep, 233
 smart drugs, 408
 smart phones, 44
 smell, 129, 168–174
 and the brain, 170–171
 development of, 171
 how smell works, 169–170
 individual differences, 171–172
 regeneration in the smell system, 172
 smell disorders, 172–174
 smell route, 170f
 smoking, 125, 125f
 smudging, 238
 Snapchat, 290
 SNRIs. *See* selective serotonin reuptake inhibitors (SSRIs)
 social anxiety disorder, 612t, 636–638, 639t, 634
 social categorization, 535
 social change, 622
 social cognition, 524
 attributions, 538–542
 attitudes, 525–538
 social-cognitive theory, 505
 social comparison, 535
 social desirability factor, 530
 social development
 adolescence, 153–156
 adulthood, 158–159
 childhood, 140–145
 early adulthood, 158–159
 infancy, 140–145
 middle adulthood, 158–159
 old age, 159–160
 social facilitation, 554
 social forces, 542–551
 conformity, 546–548
 norms, 543–544
 obedience, 548–551
 social roles, 543–546
 social functioning, 564–565
 social identity, 535
 social identity theory, 535
 social intelligence, 398–399
 social learning, 282–285
 see also observational learning
 social loafing, 554–555
 socially desirable responding, 502
 social media, 2, 44, 290, 527
 social networking, 290
 social networks, 624
 social neuroscience, 27
 social observation, 17
 social phobia, 636, 639t
 social psychology, 524
 social cognition. *See* social cognition
 social forces, 542–551
 social functioning, 564–565
 social relations, 552–564
 Social Readjustment Rating Scale (SRRS), 576–577, 576t
 social relations, 552–564
 aggression, 561
 group dynamics, 552–557
 helping behaviour, 557–561
 interpersonal attraction, 562–564
 social robotics, 292
 social role theory, 514
 social roles, 543–546
 Social Sciences and Humanities Research Council of Canada (SSHRC), 55
 social skills training, 683
 social support, 643
 lashing out, effect of, 591–592
 and mental health, 624
 and posttraumatic stress disorder (PTSD), 604–605
 and stress, 587–588, 593, 600–601
 Society for the Psychology of Women Heritage, 26
 sociobiologists, 19
 Sociobiology: The New Synthesis (Wilson), 20
 socio-cultural conditions, 579
 socio-cultural model, 622–624
 depression, 631–632
 somatic symptom and related disorders, 650
 socio-cultural perspective, 20t
 socio-cultural theory, 140
 socio-economic status (SES), 347, 622–623
 see also poverty
 sociopaths, 653
 sodium-potassium pumps, 89
 somatic nervous system, 68, 70
 somatic symptom disorder, 612t, 648–649

- somatic symptoms and related disorders, 612t, 648–650
- somatization, 650
- somatosensory cortex, 176, 181, 204f
- somatosensory strip, 78
- Sophia (robot), 540
- sound waves, 182
- source misattributions, 323–324, 323t
- source, 535
- space, sounds in, 186
- space disasters, 556
- spaced learning trials, 288
- spaced practice effect, 305
- spatial navigation, 360–361
- spatial navigation learning, 286–287, 294
- Spearman, Charles, 381
- specific factor, 381
- specific learning disorder, 292–294, 612t
- specific phobia, 612t, 638
- speech, 78f, 187–188, 343
- Spencer, Herbert, 108
- Sperry, Roger, 19, 28, 102
- spike, 89
- spinal cord, 70, 71f
- spinal cord injuries, 71–72
- split-brain research, 19, 101–103, 102f
- split-half reliability, 391
- spontaneous abortion, 123
- spontaneous recovery, 266, 266f
- sports, and pressure, 571
- sports psychologists, 23
- squid axons, 86
- SRRS. *See* Social Readjustment Rating Scale (SRRS)
- stage, 119
- stage 1 sleep, 222
- stage 2 sleep, 222–223
- stage 3 sleep, 223
- stage 4 sleep, 223
- standard deviation, 52, 52f, 708, 712
- standardization, 388
- Stanford Prison Experiment, 545–546
- Stanford-Binet Intelligence Test, 390
- stapes, 182
- state-dependent memory, 317
- states of consciousness, 209
- statistical significance, 53, 53f
- statistics, 48
- correlation statistics, 51
 - descriptive statistics, 52, 703–714
 - to evaluate and plan research, 54–55
 - importance of, 716–717
 - inferential statistics, 52, 714–716
 - probability statistic, 53
- stereotypes, 394–396, 532–535
- stereotype vulnerability or threat, 396
- Sternberg's triarchic theory of intelligence, 388–389
- stimulants, 239t, 245–248
- stimulant use disorder, 612t
- stimuli, 15
- stimulus discrimination, 265
- stimulus generalization, 264, 267
- stirrup, 182
- storage, 299
- long-term memory, 311–313
 - working memory, 310–311
- stovetop laboratories, 247
- strabismus, 201
- Strange Situation, 144, 144f, 145
- Straschnitzki, Ryan, 72, 72f
- street art, 401
- stress, 570
- autonomic reactivity, 586
 - and behaviour, 600–601
 - benefits of, 601–602
 - biochemical activity, 599–600
 - cognitive responses to stress, 583–585
 - and COVID-19 pandemic, 573
 - emotional responses to stress, 583
 - explanatory style, 586
 - coping. *See* coping
 - exam stress and dog therapy, 584
 - and health, 595–602
 - immune system, 598–601
 - individual responses to stress, 585–588
 - and performance, 602
 - and personality, 586–587, 600–601
 - physiological responses to stress, 580–583
 - responses to stress, 580–588
 - physiological responses to stress, 581f
 - posttraumatic stress disorder (PTSD). *See* posttraumatic stress disorder (PTSD)
 - and social support, 587–588, 593, 600–601
 - stress management methods, 593
 - stressors, 570
 - see also specific types of stressors*
 - ways of experiencing stress, 570–572
- stress disorders, 641–644
- stressor-related disorders, 612t
- stressors, 570
- see also specific types of stressors*
- stress-resistant personality, 587
- striatum's caudate nucleus, 641
- string problem, 369f
- stroke, 99
- Stroop Effect, 288f, 289
- structuralism, 11
- structures of the brain, 73–82
- see also specific structures of the brain*
- subgoals, 367
- subject bias, 45, 47
- sublimated sexual energy, 562
- sublimation, 487t
- subpersonalities, 651
- substance-related and addictive disorders, 612t
- substantia nigra, 74
- success, 515
- successive approximations, 279
- suicidal behaviour, 631
- suicide, 156f, 455, 611, 623, 631
- SUIT process, 553
- sulci, 62, 73
- super kingdoms, 105–106
- superego, 486
- superfactors, 497, 498f
- superior colliculus, 193
- suprachiasmatic nucleus (SCN), 221, 221f, 223f
- surveys, 44–46
- “survival of the fittest”, 108
- sympathetic nervous system, 69–70, 460
- synapses, 83–84, 91, 128–129, 295f
- synaptic cleft, 91
- synaptic plasticity, 96
- synaptic pruning, 95, 129, 132
- synaptic vesicles, 91
- synesthesia, 163
- syntax, 344, 349
- syphilis, 125
- systematic desensitization, 268, 681
- T**
- tabula rasa*, 9, 20
- tactile senses, 174–182
- and the brain, 175–177
 - development of, 177
 - disorders of, 178–179
- tails, 442
- “talking cure”, 15
- see also* psychoanalysis
- taste, 129, 168–174
- and the brain, 170–171
 - development of, 171
 - individual differences, 171–172
 - regeneration in the taste system, 172
 - taste aversions, and classical conditioning, 269–271
 - taste disorders, 172–174
 - types of tastes, 169
- taste aversion, 269–271
- taste buds, 169
- taste disorders, 172–174
- TAT. *See* Thematic Apperception Test (TAT)
- teamwork, 553
- technological advances, 26–27
- telegraphic speech, 346
- Teleogryllus oceanicus* crickets, 108
- television, violence on, 32
- telomeres, 158
- temperament, 140–141
- temporal lobes, 77–78, 333
- teratogens, 125–126
- Terman, Lewis, 390
- terminal buttons, 83f
- tertiary prevention, 694
- testes, 149
- test-retest reliability, 391
- tetrahydrocannabinol (THC), 239t, 251, 326
- see also* cannabis
- texture gradient, 197
- thalamus, 75, 170, 193, 212, 641
- THC. *See* tetrahydrocannabinol (THC)
- Thematic Apperception Task (TAT), 449, 503
- theories, 34, 35, 54
- theory of evolution, 104–109
- theory of mind, 138, 139f, 374
- theory of multiple intelligences, 383–384, 384t
- theory of psychophysical performance, 389
- therapist interpretation, 678
- therapists, 661
- therapy, 661
- see also* treatment; *specific treatments and therapies*
 - community mental health treatment, 694
 - couple therapy, 693–694
 - culture-sensitive therapies, 697
 - effectiveness of, 695–699
 - empirically supported treatment movement, 698
 - evidence-based treatment movement, 698
 - family therapy, 693
 - feminist therapies, 698
 - finding and choosing a therapist, 698
 - formats of therapy, 691–695
 - gender-sensitive therapies, 698
 - group therapy, 692–693
- therapy outcome studies, 695–699
- theta waves, 223
- third-wave cognitive-behavioural therapy, 687
- third wave cognitive explanations, 635
- thirst, 433–441
- Thomas, Mercy, 151
- Thompson-Cannino, Jennifer, 324
- Thorndike, Edward, 16
- Thorndike's puzzle box, 271, 272f
- thought, 37f, 363–377
- automatic processing, 364–365
 - controlled processing, 364–365
 - decision making, 369–374
 - and language, 360–363
 - linguistic relativity hypothesis, 361–362
 - metacognition, 374–376
 - problem solving, 365–369
 - problems with thought processes, 376–377
 - thinking about our own thinking, 375
- three-day measles, 125
- three-stage memory model, 300f
- threshold, 89, 165–166
- throat singing, 185
- Thurstone's seven factors of intelligence, 382t
- timing, and learning, 288
- tinnitus, 189
- tip-of-the-tongue phenomenon, 315
- Titchener, Edward, 11
- TMS. *See* transcranial magnetic stimulation (TMS)
- token economy, 682
- tolerance, 237, 266
- tonal languages, 184
- tone deafness, 184
- tonotopic map, 182–183
- top-down processing, 167, 185, 195
- Toronto Rehabilitation Institute, 97
- total focus, 236
- touch, 129, 174–182
- Tourette's syndrome, 259
- toxins, and brain injury, 99
- trait perspective, 495–500, 511–512
- transcranial magnetic stimulation (TMS), 63, 353, 676
- transduction, 190

transference, 678
 transition, 159
 trauma, 643
 trauma and stressor-related disorders, 612t
 traumatic brain injury, 97, 612t
 traumatic events, 578
 TRC. *See* Truth and Reconciliation Commission (TRC)
 treatment, 661
 see also therapy; *specific treatments and therapies*
 behavioural therapies, 666t, 680–684
 biological treatments, 666t, 667–677
 clients, characteristics of, 663
 cognitive-behavioural therapies, 666t, 684–688
 comparison of treatments, 666t
 conducting treatment, 664–666
 entering and receiving treatment, 664
 formats of therapy, 691–695
 humanistic and existential therapies, 666t, 688–691
 psychodynamic therapies, 666t, 678–679
 in today's world, 663–666
 tree of life, 105f
 trends in psychology, 25–29
 trephining, 676
 triangular theory of love, 563, 563f
 triarchic theory of intelligence, 384
 trichromatic theory, 192
 tricyclics, 670
 Trisomy 18, 121f
 trust *versus* mistrust, 143, 155t
 Truth and Reconciliation Commission (TRC), 5, 49, 488, 662
t-tests, 52
 tumours, 99
 Turing Test, 207
 twentieth-century approaches to psychology, 14–21
 two-factor theory of emotion, 476–478
 two-factor view of intelligence, 381
 tympanic membrane, 182
 Type A, 587, 597, 598f
 Type B, 587
 Type C, 587
 Type D, 587

U
 Uganda, 447
 umami, 169
 unanimity, 547
 uncanny valley, 540–541
 unconditional positive regard, 494, 688
 unconditioned response (UR), 262, 638
 unconditioned stimulus (US), 262, 638
 unconscious, 14, 485
 unconscious motivations, 449–450
 unconscious state, 215–216
 cognitive views, 216–218
 Freud's views, 217–218
 undergraduate degree in psychology, 28
 Undergraduate Stress Questionnaire, 574, 574t
 ungrouped frequency distribution, 704, 704t

uninvolved parenting styles, 146t
 unique temperament, 141
 United Auto Workers, 664
 United Nations Committee on the Rights of the Child, 277
 universal tree of life, 105f
 utility, 371

V
 vagus nerve stimulation, 675–676
 validity, 387–388
 validity coefficient, 388
 validity items, 502
 values
 and the application of psychology, 38
 shared values, 24–25
 variability, 52f
 variable, 40
 variable interval schedule, 278, 278t
 variable ratio schedule, 278, 278t
 variance analysis, 52
 variance, 707
 vasomotor centre, 469
 ventromedial prefrontal cortex, 565
 ventromedial region of the hypothalamus (VMH), 436
 verbal information, 306
 vertebrates, 105, 106, 106f
 vesicles, 83
 vestibular sense, 202
 vibration, 174–182
 vicarious learning, 284, 526
 video games, 32, 47, 51, 294–295, 394, 520
 violation-of-expectation, 138
 violence
 see also aggression
 lateral violence, 280–281
 television violence, 32
 and video games, 32, 47, 51
 viral infections, 615
 Virchow, Rudolf, 84
 visceral organs, 469
 visible light, 189f
 visible minority groups, 155
 vision, 131
 visual agnosia, 194
 visual code, 306
 visual impairment, 201
 visual loss, 200–201
 visual perceptual organization, 195–200
 visual sense, 189–204
 see also sight
 visuospatial sketchpad, 302
 VMH. *See* ventromedial region of the hypothalamus (VMH)
 vocalizations, 343
 voluntarism, 11
 voluntary participation, 56–57
 voyeuristic disorder, 613t
 Vygotsky, Lev, 140

W
 Wallace, Arthur, 107
 warmth, 507
 water jar problem, 368f, 377f
 Watson, John, 16–17
 wear-and-tear theory, 158
 Wechsler, David, 390–391
 Wechsler Adult Intelligence Scale (WAIS), 390–391, 392–393f
 Wechsler-Bellevue Intelligence Scale, 391
 Wechsler Intelligence Scale for Children (WISC), 391
 well-defined problems, 366
 Wernicke's aphasia, 353
 Wernicke's area, 78, 78f, 102, 352–353
 Wertheimer, Max, 13
 Western cultures, 25
 “what” pathways, 194, 194f
 “where” pathways, 194, 194f
 Wiesel, Torsten, 19
 Wiggins interpersonal circle of traits, 499, 499f
 will, 11
 Wilson, Edward O., 20
 wisdom, 399, 493
 withdrawal, 646
 withdrawal symptoms, 237
 women
 see also gender and gender differences
 and anxiety disorders, 623
 and communal characteristics, 544
 and depressive disorders, 623
 menopause, 157
 notable women in psychology, 26
 and psychology, 25
 working backwards, 367
 working memory, 80, 301, 302, 305
 duration of, 310
 enhancement of, 310
 storage, 310–311
 storage limits, 310–311
 workplace bullying, 154
 work through, 679
 World Congress on Positive Psychology, 36
 worrying, 635, 635f
 Wright, Mary, 26
 Wundt, Wilhelm, 10–11, 10f, 23

Y
 Yates, Andrea, 628
 yawning, 543
 Yerkes-Dodson law, 428, 428f, 571
 yoga (laughter yoga), 599
 Young-Helmholtz trichromatic theory, 192
 “You Think You Know Ghetto?” test, 395, 395t

Z
 Zika virus, 125
 zone of proximal development, 140
 Zoom, 524
 zygote, 123

