

# Subject Index

---

Note: page numbers in italics denote figures, tables or illustrations

- acrotelm peat 30, 32–3, 43–4
- aeolian processes 15, 24, 138, 143–4, 146
  - see also* wind erosion
- aerial photography 77–8
- alpine mires 64
- Alport Moor 81, 82
- altitude factors 11, 160, 161–2
- America, North 15, 32
  - see also* Canada
- ammonia deposition 205
- anthropogenic effects: *see* human pressure
- archaeology 2
- Arctic 132
- Argentina 104
- atmospheric deposition 205
- Australia 15, 104
- Axel Heiberg Island 173
  
- badland systems 21, 60, 96
- Baldersdale 107
- basal slip conditions 108, 110
- basin mires 7
- Beinn nam Bad Mhor 106
- Bilsdale Moor 105
- biodiversity 3
  
- blanket bog 7, 12, 13, 32, 37
- blanket mires 7, 11–14, 18, 38, 171
- blanket peat 7, 9
  - contaminant release 208–9
  - depth 49
  - erosion 14, 60
  - geomorphological perspective 1
  - gully erosion 76–87, 208–9
  - Holocene 172–4
  - landscape 162–5, 169
  - maritime location 64
  - oceanic climate 41–2, 76
  - quantitative observations 24–5
  - sediment systems 99–100, 190
  - type 11–12
- Bleaklow Plateau 16, 41, 79, 176, 177, 181, 184
- block organic carbon (BOC) 200
- bog bursts 104–8
  - peat failures 123–5, 134, 135, 216
  - peat stratigraphy 120–1, 122
  - surface rupturing 112, 127–8
  - volume 120
- bog slides 106
- bogs 7, 15, 33
  - see also* ombrotrophic mires

- Bowen ratio measurements 48  
 Brishie Bog 39  
 British Columbia 49  
 BSNE samplers 149  
 bunds 210  
 buoyancy effect 124, 127, 133  
 Burbage Moor 20  
  
*Calluna vulgaris* 106, 111, 174,  
 210–11  
 Canada 104, 174, 178  
   *see also specific sites*  
 Cape Race 33  
 carbon budgets 199–205  
 carbon pathways 3, 26, 199, 200  
   *see also block organic carbon;*  
   dissolved organic carbon  
 catena 157, 162–5  
 catotelm peat 30, 32–3, 37, 47, 50  
 channel blocks 184  
 Channerwick, Shetland Islands 16,  
 104, 105, 106, 114, 115  
 Cheviot 158, 159, 160, 161  
 Cheviot Hills 80, 177, 182, 188  
 clasts 95  
 climatic factors  
   blanket mire 11  
   hydraulic conductivity 35  
   hydrology 192  
   impacts 3, 191–5  
   Little Ice Age 19  
   oceanic 41–2, 76  
   ombrotrophic mires 191–2, 198  
   re-vegetation 178–81  
   sediment trap data 65, 66, 67  
 clump growth 182, 183  
 compression features 30, 118–20  
 compression ridge 114, 115, 119  
 cottongrass 43, 177  
 Cow Green 16  
 cracking 114, 119–20, 128, 166  
   *see also tension cracks*  
 creep 108  
   hillslopes 111, 112, 133, 216  
   wet and dry conditions 143  
 Crow Hill 23  
  
 crowberry 43  
 crusts 146, 153, 164  
  
 Darcy's Law 34–5, 37  
 decomposition rates 51, 152  
 deflation surfaces 138, 142, 153,  
 216  
 dendritic channel network 77, 163  
 Derrybrien bog failure 104, 106  
*Deschampsia flexuosa* 211  
 desiccation 3  
   cracking 64, 128, 150, 166  
   drought 192–3  
   hydrophobicity 52  
   ice 64  
   microtopography 164  
   sediment yield 65, 74  
 diplotelmic mire hypothesis 30–4  
 dissolved organic carbon (DOC)  
   97–9, 199–201, 204–5, 207,  
   208–209  
 Donegal 19  
 Dooncarton 16, 104, 105, 106, 107,  
 134  
 drainage  
   blocking of 210, 211  
   dendritic 77, 163  
   gully erosion 26, 207  
   hillslope 163  
   peat flats 157  
   pre-peat 50, 173  
   runoff 42–3  
 drought 150, 153, 192–3, 206  
 dry conditions 146, 150, 153, 216–17  
   *see also drought*  
  
 Early Medieval Warm Period 18  
 East Anglian Fens 138  
 ecohydrological factors 158, 167–9  
 ecological perspective 2, 101  
 ecosystem 171, 213  
 Ellergower Moss 33  
 England and Wales surveys 3, 6,  
 170  
 environmental changes 2, 107, 132  
 environmental management 25–6

- Eriophorum* spp.  
*angustifolium* 175, 176, 181, 182, 183, 184, 185, 186, 187  
infiltration capacity 40  
re-vegetation 185, 186, 187  
*spissum* 185  
*vaginatum* 93, 182, 183, 185, 186, 187
- erosion 2–3  
altitude 160, 161–2  
annual rates 139  
blanket peat 14, 60, 208–9  
causes 21–2, 171–2  
classes of 158  
descriptions 23–4  
features of 195  
hillslopes 74, 95, 96, 189  
management of blanket mires 171  
national survey of England and Wales 170  
physical process 6  
rates 139  
re-vegetation 187–8  
reversible 216  
sediment budget 195–7  
sediment yield 100–2  
stages 18–20  
stratigraphic evidence 188–90  
*see also* fluvial erosion; gully erosion; water erosion; wind erosion
- erosion experiments 69–73  
erosion pins 54–6, 57, 139  
photo-resistive 67, 68, 69  
evaporation 11, 37–8, 40  
evapotranspiration 11, 38
- Falkland Islands 7, 23  
fens 7  
Finland 15, 64, 71, 140  
fire damage 15, 19, 20–1, 138, 210  
floating peat 127  
flooding 39, 89–91  
floodplain mires 7, 93, 95  
flotation of sediment 93–5  
flow duration curves 42
- flows (peat bogs) 131  
flume experiments 69, 71  
flush zones 128  
fluvial erosion  
Bower classification 215  
compared with wind 24  
hillslope gullies 81–4  
mapping 24  
peat blocks 87–92  
sediment flux 54, 102–3  
and wind 216  
flux gauges, horizontal 147  
flux samplers 147, 148  
fog 38  
fossil fuel burning 205  
frost 62, 64, 67, 74, 194  
frost-fluff 164, 166–7
- Galloway 188  
gas bubbles 37  
Geevagh 134  
geomorphological factors 1, 22–6, 155, 156, 157  
ecohydrological 26, 28, 167–9  
eroded peatlands 15–16, 17  
hydrology 28, 49–53  
macroscale 157, 158, 160–2  
mesoscale 157, 158, 162–5  
microscale 157, 158, 165–7  
sediment budget 215–17  
small-scale forms 165, 166  
geotechnical approach 129–31  
Gerlach trough 56, 59, 60  
Germany 104  
Glendun 127–8  
gouges 115  
gravel deposition 88–9  
grazing 15, 19, 137–40, 179  
groundwater flow 33–7, 42, 51  
*see also* runoff; streams  
growing season changes 194  
gullies 10, 26  
contaminants 208–209  
drought 192–3  
headwater 103  
hillslopes 76, 78, 81–7

- initiation mechanisms 80–1, 135  
 linear 155  
 morphology and topology 77–81  
 Pennines, Southern 83  
 re-vegetation 189  
 runoff 163  
 sediment 86–7  
 vegetation 18  
 walls 73–4, 183, 187  
 widening of 182, 184, 187  
 wind erosion 153  
 gully blockage 181–2, 187, 211,  
 213–14  
 gully erosion 52  
   blanket mires 16  
   blanket peat 17, 76–87  
   drainage 207  
   initiation 18, 78  
   observations 24  
   rates 203  
   sediment yields 24, 83  
   significance 138  
   vertical 78–9  
   water-table 18  
 hags 10, 16, 144, 157, 167  
 Hard Hill 16  
 Hart Hope Beck 117  
 Harthope peat slide 118, 134  
 headwater gullies 103  
 heavy metals 205  
 Hebrides 174  
 hillslope gullies 76, 78, 81–4, 85–7  
 hillslopes  
   catchment sediments 203  
   creep 111, 112  
   drainage 128, 163  
   erosion 74, 95, 96, 189  
   hydrology 52  
   peat instability 110  
   sediment 54, 75, 85–7  
   stability 108–11  
 Histosols 3  
 hollows 10, 51, 78, 157  
 Holme Moss 22  
 Holocene 172–4  
 Howgill Fells 196  
 human pressure 19, 171, 179–80  
 humification 29  
 hummocks 10, 26, 27, 51, 78  
 hydraulic conductivity 28–30, 31,  
 33–4  
   acrotelm 32–3  
   catotelm 37, 47, 50  
   climate 35  
   hillslopes 52  
   ombrotrophic mires 34  
   stability 155  
 hydraulic mining effect 123  
 hydrographs of storms 40, 41  
 hydrological factors 2, 49–53, 215  
   climate changes 192  
   geomorphological perspective 28  
   hillslopes 52  
   peat failures 108, 125–9, 216  
   Sweden 97  
   upland mire complex 155  
 hydrometeorological effects 148–9  
 hydrophobicity 52  
 hyper-oceanic climates 76  
 hypsometric curves 161  
 hysteresis, positive 61, 62, 73, 84  
 Iceland, rofabards 140, 141  
 infiltration capacities 40  
 Ireland 6  
   blanket bogs 11, 12  
   lake sediments 19  
   peat erosion 15–16  
   re-vegetation 174, 176, 188  
   *see also specific sites*  
 Iron Crag 196  
*Juncus* spp. 111  
   *effusus* 106  
   *squarrosus* 93  
 Kinder Scout 16, 79, 175, 177, 181  
 Labrador 15  
 Ladybower reservoir 191  
 lagg fen 39

- lake sediments 19
- landscape development 52, 131, 162–5
- landscape management 209
- landslides 106–7, 193, 216
- landslips 104, 106
- land-use pressure 2–3
- Lapland 64
- lead levels 205, 206, 207, 208
- Lesotho 64
- LiDAR (Light Detection and Ranging) 25, 81
- liquefaction 124, 127, 133
- lithologies, resistant 7
- Little Ice Age 19
- livestock 205
  - see also* grazing; trampling
- lysimeter measurements 48
  
- Macquarie Island 74, 128, 139
- macropore flow 37, 45, 47, 51–2, 127
- macroscale 157, 158, 160–2
- macrotope 9, 10, 49, 51, 169
- Malawi 104
- marginal rupture 124, 133
- Medieval Climatic Optimum 78
- Mer de Bleu bog 33, 48
- mesoscale 157, 158, 162–5, 168
- mesotope 9, 10, 49, 51, 162, 168, 169
- meteorological data 69
- microforms 10, 165–6, 168
- microscale 157, 158, 165–7
- microtope 9, 51, 168, 169, 171, 181, 185
- microtopography 164
- milled peatlands 15
- mineral sediment 173–4, 188–9
- mineral soils 137
- mineralization 29
- minerotrophic mires 7
- Minnesota 35
- mires
  - classification 7, 8, 9
  - landforms 9, 10
  - upland complexes 10, 155
  - see also* blanket mires; ombrotrophic mires
- moisture content changes 127–8
- Moor House 156, 159, 160, 161
  - carbon budget 203, 204
  - hypsothetic curve 161
  - peat flats 157
  - sediment budget 202
  - uneroded peat 158
  - wind erosion 146, 147, 148
  - see also* Moss Flats
- Moor House Automatic Weather Station 67
- Moor House Nature reserve 48, 56
- Moorland Restoration Report 210, 213
- Moss Flats 139, 144, 145, 150, 153, 156, 157
- mounds 10, 144, 157
  
- Nardus* 111
- needle ice 63, 64, 69
- Nein Head 113
- New Zealand 38
- Newfoundland 7, 15, 33, 37, 38, 49
- Niederlausitz 173
- nitrate levels 190, 205
- nitrogen 180
- Noon Hill 109, 110–11
- Norfolk 138
- Nottinghamshire 138
  
- oceanic climate 41–2
- ombrotrophic mires 7
  - atmospheric depositions 205
  - climate 191–2, 198
  - ecohydrology 158
  - evaporation 40
  - hydraulic conductivity 34
  - microforms 168
  - Sphagnum* 185, 187
  - water balance 47–9, 179
  - water-table 46
- Ontario 98
- over-grazing 137–40

- overland flow 45, 69  
   *see also* runoff  
 oxidation 52, 60, 61, 215
- palaeoecological evidence 78, 132  
 paludification 167  
 paraglacial environment 172–3  
 particulate carbon load 93, 98–9  
 particulate organic carbon  
   (POC) 199–201, 203–5  
 Peak District 21–2, 24, 180, 190, 210  
 peat  
   definitions 3, 6  
   fibrous 74–5  
   properties 4–5  
   saturated 136  
   wet/dry bulk 137  
 peat blocks 87–93, 115, 116  
 peat failures 24, 123–5  
   dynamics of 118  
   hydrology 108  
   mechanism 123–5, 133  
   speed 125, 126  
   storms 3, 131, 193  
   surface hydrology 125–9  
   *see also* bog bursts; peat slides  
 peat flats 138, 146, 157, 182, 184, 210  
 peat mass movements 107, 114,  
   131–5, 132  
   *see also* bog bursts; peat slides  
 peat mining sites 175, 178, 210–11  
 peat slides 104–8, 135, 216  
   Channerwick 114, 115  
   Falkland Islands 23  
   Nein Head 113  
   scar 16  
   stratigraphy 120–1, 122  
   surface tears 112  
   volume 120  
 peatlands 155, 157  
   classifications 6–11, 12  
   geomorphology 22–6, 155, 156,  
   157  
   marginal 197–8  
   model 217–18  
   restoration 210–11  
   *see also* upland peatlands  
 Penman calculations 48  
 Pennines 2, 16, 24, 97  
 Pennines, North  
   Harthope peat slide 118  
   Moss Flats 139, 144, 145, 150  
   peat slide 117  
   re-vegetation 188  
   rofabard 141  
   sediment yield 24  
   stream profile 89  
   water-table 41  
   *see also* specific sites  
 Pennines, Southern  
   aeolian processes 24  
   altitude 11  
   erosion 171–2, 213  
   erosion pins 56  
   fire 20  
   gullies 83  
   infiltration capacities 40  
   initiation of erosion 18  
   pollution 180  
   re-vegetation 174, 176  
   trigger factors 22  
   water-tables in dipwells 53  
   *see also* specific sites  
 permafrost 132  
 pH levels 207  
 pioneer species 175, 185, 186, 187  
 pipe systems 26, 45, 47, 80, 188–9  
 Plynlimon 84  
 pollutants 205, 208  
 pollution 19, 179–80, 190–1  
*Polytrichum alpestre* 185  
 pool hummock 78  
 pools 10, 26, 51, 155, 157  
 pore-water pressures 127  
 Port Stanley 23  
 precipitation 11  
 Pteridium 111
- quaking peat 127
- rafted peat 113, 114, 115, 116,  
   119

- rainfall  
  frequency 11–12  
  intensity 193  
  mass movements of peat 123  
  peat failures 128  
  sediment 67  
  simulation 41, 64–5  
  wind-driven 140, 148, 166, 216
- rainsplash 64, 69, 72, 74, 144
- raised bog 32, 35, 167, 175
- raised mires 7, 50
- recreational activities 137
- reptation 143
- restoration 209–14
- restoration ecology 209, 212
- re-vegetation 169–70  
  artificial 174–5, 180  
  climate 178–81  
  controls and mechanisms 178–88  
  *Eriophorum* spp. 185, 186, 187  
  erosion patterns 187–8  
  growing season changes 194  
  gully systems 183, 189  
  management of 185  
  natural 175–88, 213–14  
  restoration 210  
  Rough Sike 197  
  stratigraphic evidence 188–90
- ridge-crest cracking 114
- ridging 10, 144
- rill network 73–4
- rill-deepening 71
- rofabards 140, 141, 142
- Rookhope 111
- Rough Sike 99  
  carbon budget 201–5  
  peat block 91  
  photo-resistive erosion pins 67, 68, 69  
  re-vegetation 87, 197, 211  
  sediment budget 101, 196, 203  
  sediment flux 82–3  
  sediment trap data 59–60, 65, 66
- runoff  
  drainage 42–3  
  erosion 71  
  flashy 39, 40, 193  
  generation 38–45, 46, 47  
  gullies 77, 163  
  macropores 127  
  saturation 43, 44
- runout track 114, 115, 116–18
- rupture tension cracks 114, 115
- Russia 30
- saddle mires 9
- saltation 143
- sand horizons 188
- saturation, runoff 43, 44
- Scandinavia 174, 178
- Scotland 6, 23, 138  
  *see also specific sites*
- sediment 93–5, 169–70  
  blanket peat 99–100, 190  
  erosion pins 54–6  
  gullies 86–7  
  hillslopes 54, 75, 85–7  
  mineral 173–4, 188–9  
  organic 86  
  pollutants 208  
  rainfall 67, 144  
  storms 71, 73  
  stream discharge 85–7  
  timescales 73–4  
  transport 151  
  water discharge 70
- sediment budget 169–70  
  and carbon flux 201–5  
  erosional fluxes 163, 165, 170  
  geomorphology 215–16  
  landsystems model 211–14  
  organic 85, 86  
  peat erosion 195–7  
  peat slides 132  
  Rough Sike 203
- sediment flux  
  carbon cycle 26  
  catchment 61–5  
  cumulative curves 83–4

- drought 193  
 fluvial processes 54  
 Rough Sike 82–3  
 storms 101–2  
 sediment trap data 56, 58, 59–60, 73–4  
   climatic factors 65, 66, 67  
 sediment yield  
   bedload 95  
   Holocene variability 172  
   mineral and organic 93, 196  
   paraglacial environment 172–3  
   quantitative observation 24  
   rates 96–7, 100–3  
   suspended 94, 95–7  
 seepage pressures 129  
 shear plane 133  
 shear stresses 124  
   hydrostatic loads 123  
   strength 130  
   wind 140, 146  
 sheep grazing 19, 55, 174  
 sheet erosion 16  
 Shetland Islands 7, 11, 16, 74, 144, 153  
   *see also* Channerwick  
 slickensides 115  
 slope drainage: *see* hillslopes  
 sloping bogs 49  
 slumped peat 108  
 slurry trail 115, 117, 118  
 soil loss 140  
 soil pipes: *see* pipe systems  
 Soil Survey of England and Wales 3, 6  
 soligenous mires 7, 9  
 solute flux 97  
 source zone 114, 115–16  
 Spain 60  
*Sphagnum*  
   acrotelm 32  
   bogs 15  
   as buffer 38–9  
   establishment controls 176  
   ombrotrophic mires 185, 187  
   peat cores 180  
   water-table 175, 181  
 springlines, valley-side 7, 9  
 spur mires 9  
 stability 108–11, 129–31, 155  
 storage of dry peat 72  
 stormflow 43–5  
 storms  
   hydrographs 40, 41  
   peat failures 3, 131, 193  
   rill network 73–4  
   sediment 71, 73  
   sediment flux 101–2  
 stratigraphy 120–1, 122, 188–90  
 streams  
   discharge 84, 85–7  
   erosion and transport 87–95  
   flashy 82–3, 193  
   peat block 91–3  
   Pennines, North 89  
 sub-Antarctic Islands 104, 139  
 sulphate levels 190, 205  
 sulphur toxicity 180  
 summit mires 9  
 surface change 67, 68, 69  
   rupture 112, 124, 127–8, 133  
 surface wash 64, 144  
 suspended sediment 93–5, 143, 145–6  
 Sweden 15, 48, 49, 97  
 Switzerland 104  
  
 Tasmania 7, 38  
 tearing 108  
 Tees, River 201  
 temperatures 11  
 tension cracks 114, 115, 118–20  
 terracing 138, 142  
 topographical factors 56, 108–12, 158  
 trampling 179, 180  
 Trout Beck 44, 89–91  
 turf exfoliation 140  
  
 undercutting 87–8, 95  
 United Kingdom 2–3  
   erosion survey 170  
   landslides 106–7

- United Kingdom (*cont'd*)  
  mass movements of peat  
    104–8  
  needle ice 64  
  peat coverage 136–7  
  peat erosion 15–16, 17  
  Soil Survey 3, 6  
  *see also specific sites*
- upland peatlands 1–2, 7  
  erosion 2–3, 195, 199–205  
  future of 216–17  
  geomorphology 49–53, 215–16  
  groundwater flow 34–7  
  hydraulic conductivity 33–4  
  hydrological systems 214  
  landsystem 27  
  restoration 209–14  
  wind erosion 137–40
- Upper North Grain 85–6, 87, 99,  
  101, 208
- USDA Soil Taxonomy 3
- UVB exposure 207
- valley mires 7
- valley side mires 9
- vegetation 33, 93, 96, 163  
  *see also re-vegetation; specific plants*
- vehicle emissions 205
- Wales 41, 69, 84, 173
- water balance 11, 47–9, 179
- water erosion 15, 60
- water flow 36, 53, 70  
  *see also groundwater flow; runoff*
- water quality 3
- water storage 41, 48–9
- waterlogging 7
- watershed mires 9
- water-tables  
  drought 192–3  
  fluctuations 30, 31  
  ombrotrophic mires 46  
  reduced 194, 207  
  *Sphagnum* 175, 181  
  wetlands 51
- Weardale, Upper 111, 112
- weathering 64, 84, 103
- Weichselian 173
- Wessenden Head Moss 159, 160,  
  161  
  cottongrass 177  
  hypsometric curve 161  
  re-vegetation 176–7
- wetlands 2, 51
- Wicklow 19, 173, 176
- wind  
  and rain 140, 148, 166, 216  
  sediment transport 151  
  shear pressures 140, 146  
  velocity profiles 140, 149, 152
- wind erosion 60, 136–7  
  direct measurements 146–50  
  dry conditions 150, 153  
  gullies 153  
  milled peatlands 15  
  upland peatlands 137–40
- wind ripples 142
- wind-hagg fields 142
- wind-splash 144, 150, 153
- Wisconsin 97
- York, Vale of 138
- York Moors, North 20, 138
- Yukon 47















