

Index

* There are more than 100 occurrences of this index entry. Only the first instance (page number) from each chapter or the page reference that defines the term is listed

a

- abnormal operations 21
- absolute risk model 694, 695, 741
- absorbed dose 4, 38, 156, 191, 261, 354, 481, 504, 680, 689, 717, 727, 733, 739*
- ²²⁵Ac 266, 294, 295, 301, 308
- ²²⁷Ac 164, 294
- accelerator
 - destruction of actinides 89–91
 - driven system 89, 98
- accident phases 151–152, 159, 177, 211–212, 214, 215, 220, 232, 455, 457
- actinide(s)
 - recycle 46, 51, 52, 54–56, 66
 - transmutation 6, 88, 90, 92
 - waste 28, 98
- activation
 - air 195, 199
 - cross-section 337, 673
 - product 24, 43, 44, 46, 48, 50, 51, 54, 55, 57–59, 64, 66, 67, 69, 72–74, 93, 94, 123, 162, 195, 199, 206, 226, 441, 582, 603–605, 627, 631
 - reaction 69, 94, 338, 408, 673, 674
 - soil 195, 199
 - water 195, 199
- active safety system 17, 40, 114, 127
- activity median aerodynamic diameter (AMAD) 98, 99, 516–518, 705
- advanced boiling water reactor (ABWR) 40–42
- Advanced Canadian Deuterium reactor (ACR) 40, 41, 43, 100
- advanced centrifuge enrichment technology 32–39, 76
- advanced fuel cycle 17, 18, 88, 89
- advanced nuclear reactors 92
- Advanced Passive Pressurized Water Reactor (AP) 40
- Advanced Pressurized Water Reactor (APR or APWR) 40, 41, 171, 481, 482
- air
 - burst 193–195, 199
 - ejector 72, 119, 381
 - travel 357, 358, 405
- airport scanner 345, 365–367
- ²⁸Al 48
- ²⁹Al 48
- ALARA measures 74–75, 148, 563, 593, 600
- alarm set point 97, 218, 514
- Alert 143–145, 147, 177, 179, 214, 218, 256, 394, 404, 555, 624, 625
- alpha 19, 24, 28, 37, 80, 188, 192, 206–208, 213, 238, 239, 245, 251, 252, 267, 270, 271, 277, 282–284, 290, 292, 294, 295, 299–303, 308, 310, 320, 336–338, 348, 349, 358, 441, 488, 522, 523, 541, 557, 575, 593, 595, 597, 598, 600, 633, 663, 692, 700, 701, 703, 744, 746
- aluminum 23, 351, 354, 405, 629
- ²⁴¹Am 26–28, 153, 164, 175, 176, 206, 207, 217, 231, 239, 251, 266, 270, 271, 275, 358, 360, 364, 499, 503, 530, 540, 541, 546, 567, 573, 575, 667
- ^{242m}Am 26
- ²⁴³Am 26
- americium 9, 25, 30, 86, 169, 231, 541
- annihilation 267, 282, 283, 289, 293, 294, 325, 506, 595, 646
- annual limit on intake (ALI) 96, 176, 510, 511, 546, 547, 698–700
- anthropogenic radionuclides 347

- antimatter 1, 6, 277, 293, 308–310, 505, 595
 antimatter therapy 293–294
 antimony 232
 antinuclei 294
 antiprotons 4, 282, 283, 293, 310, 336, 595
 AP-1000 41, 120, 122, 129, 130
⁴¹Ar 30, 74, 665
 as low as reasonably achievable (ALARA) 39, 59, 74, 135, 148, 162, 216, 219, 221, 222, 337, 367, 456, 462, 481, 482, 507, 539, 543, 550, 561–563, 568, 581, 587, 591, 595, 600, 602, 636, 638, 640, 749
²¹¹At 294, 301
²¹⁷At 295
 atmospheric nuclear weapons testing 200, 242, 347
 atomic bomb survivors 458, 460, 461, 511, 695, 696, 748
 Atomic Energy Commission (AEC) 418–422, 428
 atomic vapor laser isotope separation (AVLIS) 34–39, 100, 521
 attenuation coefficient 91, 97, 102, 278, 288, 320, 403, 405, 514, 528, 584, 588–590, 596, 618, 619, 623, 628, 682, 730
¹⁹⁷Au 287, 288, 292, 309
¹⁹⁸Au 264, 266, 269–271, 364
 auxiliary building 58, 112, 113, 116, 118, 120, 132, 133, 135, 136, 440, 482, 553
 averted dose 151, 454, 455
- b**
- ¹⁰B 73, 197, 198, 268, 272, 282, 296, 603, 664
¹¹B 23, 282
^{137m}Ba 73, 204, 242, 407, 574, 575, 631
 basal cell layer 73, 645, 651
⁷Be 195, 347, 664
⁸Be 735
⁹Be 48
¹⁰Be 48, 735
 BEIR III 511, 693–695, 738, 742–745
 BEIR V 510, 511, 694, 695, 738, 741–743
 BEIR VII 367, 460, 653, 694–696, 701, 738, 739, 742–745
 beta 19, 173, 188, 264, 347, 484, 505, 663, 691, 723, 746*
 beyond design basis event 53, 114, 125, 415, 429, 435, 467, 475
 BF₃ detector 603
²¹⁰Bi 50, 266
^{210m}Bi 50
²¹²Bi 294, 301, 308
²¹³Bi 266, 294, 295, 308
²¹⁴Bi 30, 400, 666
 bioaccumulation 83, 229, 235, 658
 bioassay 98, 101, 160, 174, 176, 211, 229, 230, 233–236, 239, 251, 252, 400, 483, 524, 537, 539, 543, 545, 558, 575, 576, 609, 641, 643, 717
 biodosimetry 157, 159
 biokinetic model 233, 511, 512, 705, 708
 biological half-life 489, 656, 657, 672
 biomagnification 83
 bismuth 46, 50, 52, 62, 347
 blast effects 191, 193, 203, 221
 blood forming organs 353, 354, 509
 blowdown 171, 172, 530, 534
 blowdown radiation monitor 171
 Boiling Water Reactor (BWR) 24, 40–45, 55, 56, 58, 64, 69, 70, 74, 111, 112, 119, 135, 140, 177, 179, 389, 424, 428, 429, 479, 556, 627, 719
 boosted fission weapon 189
 boreholes 81–82
 boron enhanced neutron capture therapy (BENCT) 272
 boron neutron capture therapy (BNCT) 268, 272, 296, 330
⁸¹Br 49, 51
⁸²Br 49, 51
 brachytherapy 205, 208, 261, 262, 265–273, 277, 279, 283, 306, 318–319, 334, 359, 363, 369
 brachytherapy radionuclides 262, 265, 269–271
 Bragg peak 283, 284, 286–290, 292, 293, 310, 548, 595, 728
 bremsstrahlung 102, 239, 267, 270, 271, 298, 299, 332, 369, 507, 597, 605, 652, 717
 Brown's Ferry fire 420–421
 buildup factor 91, 103, 320, 403, 528, 529, 584, 588, 618, 619, 623, 624, 679
- c**
- ¹¹C 195, 263, 267, 282, 291, 664, 735
¹²C 12, 281, 282, 284, 287–289, 291, 295, 310, 320–324, 333, 336, 505, 506, 664
¹³C 48, 664
¹⁴C 48, 57, 73, 74, 93, 94, 200, 239, 347, 664
⁴⁰Ca 287, 288, 291, 320, 321, 323, 324, 731
⁴⁵Ca 49
⁴⁶Ca 49
⁴⁷Ca 49, 263
 Canadian deuterium (CANDU) reactor 40, 43, 70, 73, 74, 100
 cancer 4, 96, 160, 209, 261, 352, 458, 505, 694, 715, 727, 733, 738*

- cancer therapy 4, 12, 273, 293, 305, 331, 337, 505, 506, 573, 715, 727, 733
- CAP88 code 713
- carbon dioxide laser 77
- cardiovascular disease 276
- Carrington flare 11, 348, 349, 354, 355, 630
- category 1 source 275, 363, 364
- category 2 source 275, 363
- ¹⁰⁹Cd 364
- ¹⁴¹Ce 73
- ¹⁴⁴Ce 73
- centrifugal force 22, 23, 686
- centrifuge 4, 18–20, 22, 23, 31–37, 39, 75–77, 100–102, 188, 190, 521, 525, 526
- centrifuge enrichment 32, 37, 77, 188
- cerium 232
- CERN 293
- cesium 29, 67, 74, 82, 95, 117, 132, 204, 217, 231, 242–244, 441, 627
- ²⁵²Cf 207, 270–272, 275, 336, 364, 573, 597, 667
- chelation therapy 176, 546, 547
- chemical
 - conversion 18, 20, 36
 - separation 26, 294
 - toxicity 19, 21
- chemotherapy 261, 269, 273, 281, 297, 304–306, 327
- Cherenkov luminescence imaging 307, 326
- Chernobyl accident 134, 200, 242, 347, 375, 376, 424, 444
- CHUCK code 715, 717
- ³⁵Cl 48, 74, 94, 502, 665
- ³⁶Cl 93, 94
- ³⁷Cl 48, 51
- ³⁸Cl 48, 51
- climate change 15, 84, 435, 467–471, 478
- closed fuel cycle 46, 51, 52, 55, 58, 86
- ²⁴⁰Cm 301, 302
- ²⁴³Cm 26
- ²⁴⁴Cm 26, 91, 275, 364, 667
- ²⁴⁵Cm 26
- ²⁴⁶Cm 26
- CO₂ 36, 57, 74, 467
- ⁵⁷Co 364
- ⁵⁸Co 30, 51, 57, 59, 64, 69, 73, 441, 627, 665
- ⁵⁹Co 73, 408, 502, 634, 665, 674
- ⁶⁰Co 9, 30, 173, 204, 265, 360, 441, 501, 665, 674*
- cobalt 59, 74, 232, 408, 639
- Code of Federal Regulations
 - 10CFR20 160, 354, 370, 456, 464, 482, 483, 486, 522, 569, 639, 641, 644, 651, 693, 698
 - 10CFR37 204, 275
 - 10CFR50 464, 500, 719
 - 10CFR52 385
 - 10CFR72 123
 - 10CFR835 354, 456, 644, 693, 698
 - 40CFR61 714
 - 40CFR190 719
 - 40CFR300 160
 - 42CFR81 745
 - 42CFR82 745
 - 42CFR83 745
- CO₂ gas cooled reactors 74
- cold zone 213, 561, 562
- collective dose 346, 355, 357, 367, 370, 636, 701, 746, 747
- commercial space travel 259
- committed dose equivalent 96, 215, 483, 510, 644, 690, 696, 697
- committed effective dose 98, 101, 147, 245, 452, 483, 485, 510, 516, 523, 524, 535, 540, 558, 568, 644, 650, 696, 698, 699, 703, 704, 720
- committed effective dose equivalent 96, 101, 483, 510, 523, 524, 535, 644, 696, 698
- COMPASS code 714, 723
- compensation programs 156, 231, 232, 745–746, 749
- COMPLY code 714
- computed tomography 239, 261, 262, 266–267, 273, 274, 282, 293, 324, 325, 355, 356, 370, 401
- condenser 44, 45, 72, 119, 121, 125, 126, 381, 553
- condenser air ejector 72, 119
- constraint 100, 318, 467, 522, 523, 671, 703
- containment building 24, 54, 70, 113, 116, 118, 119, 136, 418, 422, 426, 436, 440, 533, 534, 551, 553, 627
- containment building fission product barrier 24, 54
- contaminated consumer products 362, 397
- control rod 42, 65, 72, 119, 133, 137, 139, 427
- core damage 8, 9, 42–44, 53, 111, 114, 115, 118, 122, 127–130, 134, 137, 139, 145, 177, 390, 392, 421, 422, 428, 433, 434, 444, 447, 449, 472, 473, 475, 548
- core damage frequency 115, 130, 433, 475
- cosmic rays 348, 664, 716, 729
- cosmogenic radionuclides 347
- ⁵¹Cr 30, 263
- critical decision guide 227, 231, 246
- criticality 21, 22, 27, 37–39, 53, 65, 66, 70, 92, 93, 95–97, 117, 123, 134, 178, 506–509, 512–514, 525, 528, 530, 531, 550, 551, 718, 719, 721

- criticality safety 92, 94, 97, 123, 514, 718, 719, 721
- critical mass 93, 188, 507
- cross section
- macroscopic 288–290, 316, 317, 584, 596, 601, 730, 733, 734
 - microscopic 69, 288, 290, 316, 584, 596, 601, 673, 674, 682, 730, 731, 734
- ¹³¹Cs 270, 271
- ¹³⁴Cs 141, 153, 172, 217, 242, 441, 447, 448, 503, 551, 567, 627
- ¹³⁵Cs 27, 93, 95, 242
- ¹³⁷Cs 8, 27, 113, 195, 265, 360, 441, 499, 503, 666*
- ⁶⁰Cu 291
- ⁶¹Cu 291
- ⁶²Cu 291
- ⁶³Cu 287, 288, 291, 502, 665
- ⁶⁴Cu 263, 308
- ⁶⁷Cu 265, 308
- cumulated activity 333, 585, 690, 692
- cumulative effective dose 586, 641, 654, 655, 700
- curium 25, 30, 231
- d**
- dangerous radiation zone 213, 222
- Davis–Besse reactor vessel head erosion 427–428, 474, 475
- DCAL code 714–715
- decay heat 25, 27, 29, 42, 63, 72, 82–85, 88, 123, 124, 127, 140, 530, 533, 555
- decision dose 228
- decommissioning 3, 55, 139, 161, 365, 382, 437, 469, 474, 485, 714, 719, 723
- decontamination
- and decommissioning 139, 382, 714, 719, 723
 - factor 178, 179, 552, 553
- decorporation therapy 227, 229, 230, 232, 253, 579
- deep dose 95, 509
- deep dose equivalent 486, 651, 700
- deep injection 82
- defense-in-depth system 114, 115, 128, 131, 421
- delayed radiation 196, 199
- demineralizer 54, 60, 67, 69, 70, 141, 481, 482, 636–640, 671, 673–675
- Department of Energy 57, 82, 160, 162, 169, 225, 365, 381, 420, 625, 626, 693, 698, 740
- Department of Homeland Security 187, 246, 251, 453, 563
- derived air concentration (DAC) 101, 524, 698
- design basis accident 1, 54, 59, 115, 117–129, 165–167, 171, 378, 433–435, 473, 531
- design basis event 5, 53, 114, 121, 125, 415, 429, 433, 435, 467, 473, 475
- design feature 63, 64, 179
- deterministic effects 229, 230, 353, 364, 454, 569, 579, 614, 630, 640, 697, 698
- diagnostic
- radionuclides 262–266
 - techniques 261, 324, 328
- disc source 70, 228, 515, 635, 638, 717
- dispersion factor 172, 178, 489, 656, 682
- disposal
- in ice sheets 83–84
 - at sea 83
 - in space 84
- D₂O 73
- dose and dose rate effectiveness factor 459, 695, 742, 749
- dose coefficients 485, 577, 648, 652, 703–705, 707, 708
- dose conversion factor 97, 101, 103, 174, 178, 245, 248, 252, 300, 301, 347, 399, 405, 406, 483, 512, 516, 524, 529, 541, 553, 558, 565, 579, 608, 612, 628, 644, 655
- dose equivalent 96, 101, 122, 160, 161, 176, 200, 215, 333, 362, 370, 404, 483, 486, 509, 510, 523, 524, 535, 568, 581, 586, 587, 644, 651, 653, 690, 696–698, 703, 714
- dose limits 214, 216, 228, 232, 350, 352–355, 370, 380, 392, 393, 395, 396, 436, 451–459, 461, 462, 464, 469, 482, 486, 542, 568, 569, 571, 641, 644, 645, 654, 693, 698, 703, 746–749
- dose profiles 224, 274, 277, 278, 282, 284, 288, 293, 311, 313, 315, 320–323, 506, 585
- dose projections 143, 144, 147, 149, 150, 177, 219, 249, 404, 533, 628, 630, 721
- dose recommendations 335, 350, 369, 370, 396, 452, 487, 488, 527, 641, 652, 697, 698, 700, 705, 708
- dose reconstruction 156, 157, 159, 160, 231
- dose response model 461, 640, 694–696, 737, 738, 740, 741
- dosimeter 194, 220, 440, 487, 653
- dosimetric model 233, 524, 704, 706, 717
- dosimetry 5, 19, 69, 157–159, 250, 278, 295, 367, 392, 396, 461, 490, 509, 518, 543–545, 568, 569, 576, 612, 625, 679, 683, 684, 687, 689–710, 716–718, 729, 730, 737, 739–744, 2353

- Dosimetry System
 - DS02 695
 - DS86 695
 - T65D 695
- doubling dose 743
- DTPA 96, 229–232, 511, 546, 547, 579
- DWUCK Code 290, 715, 717, 729–731, 734
- e**
- early phase 146, 152, 159, 212, 224, 374, 448, 540, 550, 643
- early side effects 276
- earthquake 6, 7, 9, 42, 85, 114, 117, 122, 123, 127, 136, 137, 142, 149, 151, 153, 155, 167, 223, 376, 379, 391, 395, 397, 398, 421, 428–430, 432–435, 438, 445, 448, 450, 451, 473, 474, 531, 555
- Economic and Simplified Boiling Water Reactor (ESBWR) 40, 41, 56
- EDTA 232, 547, 579
- effective dose 11, 19, 122, 215, 279, 345, 440, 508, 680, 694, 714, 727, 744*
- effective dose equivalent 96, 101, 122, 160, 161, 176, 215, 362, 370, 483, 510, 523, 524, 535, 581, 586, 587, 644, 696–698, 714
- effective removal rate 594, 635, 655, 690
- effluent(s) 29, 30, 63, 67, 73, 74, 169, 377, 554, 719
- effluent releases 67, 74
- electron 36, 37, 50, 80, 91, 102, 160, 194, 267–270, 273, 279, 280, 282, 284–286, 289, 290, 292, 293, 295, 296, 308, 309, 316, 326, 332, 336, 337, 348, 350, 351, 358, 363, 369, 582, 595, 601, 603, 605, 646, 663, 667, 668, 700, 703, 715, 718, 727–729
- electron accelerator 102, 309, 316
- electron capture 50, 282, 363, 663, 667, 668
- Electron Gamma Shower (EGS) code 715
- emergency
 - action level 143, 179, 394, 554, 555
 - classification 116, 143–146, 148, 149, 173, 179, 214, 249, 392, 394, 449, 555, 624, 626
 - dose limits 392, 393, 396, 453, 456, 542
 - medical response 391–392
 - operations 129, 148, 171, 249, 375, 395, 457–458, 544, 572, 625, 637
 - plan 176, 179, 213, 237, 238, 380, 535, 553, 554, 572
 - planning zones 150, 211–213, 390, 391, 628
 - response actions 135, 143, 187, 210–213, 218–223, 240, 247, 378, 391, 448–450
- emergency core cooling system (ECCS) 121, 126, 133, 134, 136, 137, 418, 419, 555
- ENDF library 715
- energy
 - level 34, 35, 647, 668, 681, 683
 - loss 285, 286, 332, 582, 584
- Energy Employees Occupational Illness Compensation Program Act (EEOICPA) 745–746
- engineered safety system 174
- enrichment 4, 18, 115, 188, 475, 501*
- enrichment cascade 76
- environmental
 - dose 5, 85, 159, 160, 462, 708, 716
 - protection 5, 144, 386–388
 - releases 6, 73–74, 118, 129, 134, 174, 218, 227, 243, 464
 - restoration 381, 382
- Environmental Protection Agency (EPA) 144, 162, 211, 457, 463, 715, 716
- epidemiology 203, 230, 739–740, 745
- equivalent dose 144, 146, 148, 172, 177, 179, 216, 249, 250, 369, 389, 390, 404, 452, 454, 455, 482, 486–488, 534, 535, 549, 555, 567, 569, 627, 641, 651–654, 680, 696, 697, 699, 700, 702, 703
- ²⁵³Es 301, 302
- ¹⁵¹Eu 50, 51
- ¹⁵²Eu 50, 51
- ¹⁵⁴Eu 164
- European Pressurized Water Reactor (EPR) 40, 41
- eutectic mixture 54, 66–68, 112, 551
- evacuation 22, 113, 212, 259, 275, 375, 430, 535*
- Evaluated Nuclear Data File (ENDF) library 715
- exceptional case 700
- excess relative risk 740
- exclusion area boundary (EAB) 120, 122
- explosion 7, 8, 11, 21, 43, 59, 117, 122, 124, 132, 136, 137, 139–142, 144, 169, 174, 177, 191–194, 201, 207, 210, 221, 227, 237, 239, 248, 249, 252, 364, 369, 374, 390, 421, 447, 449, 472, 473, 484, 531, 548, 549, 555, 568, 716, 721
- exposure
 - pathways 64, 95, 146–148, 150, 157, 164, 214, 217, 226, 400, 507, 554, 608, 716, 718
 - time 158, 174, 211, 228, 515, 516, 519, 523, 524, 538, 541, 589, 614, 615, 618, 651
- external
 - contamination 203, 207, 210, 217, 219, 227, 228, 230, 237–239, 573, 576, 607, 642

- external (*contd.*)
- dose 64, 69, 157, 158, 175, 226–228, 347, 505, 526, 531, 542, 545, 563, 568, 576, 586, 588, 600, 723
 - hazard 19, 57, 473
 - external beam therapy 261, 262, 268, 273, 282, 290, 309, 316, 330
 - extragalactic cosmic radiation 348
 - eye dose 486, 487, 641, 650–653, 698
 - eye dose equivalent 697
 - eye dose limit 641, 652
- f**
- ¹⁸F 48, 263, 267, 664
 - ¹⁹F 19, 48, 664
 - ²⁰F 48
 - fallout 11, 156, 191, 193, 195, 196, 198–202, 221–223, 228, 231, 241, 244, 250, 347, 444, 503, 504, 559, 570, 571, 679
 - fast
 - fission 24, 31, 69
 - neutron 24, 46, 51, 52, 54, 55, 73, 88, 89, 198, 199, 272, 296, 331, 408, 488, 509, 523, 583, 603, 605
 - neutron therapy 296
 - reactor 29, 46, 47, 51, 52, 55, 56, 62, 87–89, 92, 93, 95, 97, 173, 174, 176
 - ⁵⁴Fe 73, 665
 - ⁵⁵Fe 74, 337, 364, 605, 665
 - ⁵⁶Fe 336, 337, 595, 665, 668
 - ⁵⁸Fe 73, 338, 604
 - ⁵⁹Fe 30, 51, 73, 337, 338, 603–605
 - fertile material 24, 25
 - filter 67–69, 173, 174, 245, 419, 427, 516, 532, 536–538, 557, 671–674
 - fire 7, 117, 141, 167, 169, 174, 177, 244, 245, 249, 364, 380, 383, 392, 420–422, 533, 560, 618, 624, 626, 716, 722
 - fissile material 24, 27–29, 31, 46, 79, 93, 115, 171, 189, 192, 515, 530
 - fission 6, 24, 112, 188, 270, 390, 417, 499, 663, 700, 715*
 - fission chamber 205, 206
 - fission gas 58, 67, 68, 70, 118–120, 134, 139, 302
 - fission neutron 31, 72, 207, 271, 509
 - fission product
 - inventory 115, 116
 - release 53, 113, 116, 132–133, 140, 394, 418, 720
 - fission product barrier 11, 24, 42, 44, 45, 52–54, 57, 58, 63, 66, 68, 70–73, 75, 112–114, 116–120, 122–124, 126, 127, 129, 133, 135–138, 140, 143, 152, 172, 178, 208, 249, 404, 418, 424, 426, 429, 434, 443, 462, 463, 473, 475, 501, 503, 533, 534, 551, 555, 567, 627, 628, 1452
 - fission weapon 188–192, 197–199
 - FLEX strategy 431, 475
 - flood 8, 9, 44, 45, 114, 117, 137, 144, 148, 237, 378, 429, 433, 434, 438, 474, 478, 479, 531
 - fluence rate 69, 91, 102, 311, 338, 349, 408, 601, 602, 605, 674
 - FLUKA code 716, 728, 729
 - fluoroscopy 261, 262, 264, 280, 355, 356, 370, 401, 402, 612–618
 - flux 69, 92, 103, 196, 198, 278, 338, 400, 408, 528, 529, 601, 603, 673, 674, 680
 - ²²¹Fr 295
 - fuel
 - coating 44, 48–50, 70
 - cycle facilities 51, 109, 148, 461, 473, 721
 - damage 43, 44, 67, 68, 70–71, 111, 117, 118, 127, 128, 138–140, 142, 424, 472, 482, 548, 549, 553
 - element 118
 - element cladding 533, 534
 - fission product barrier 44, 52, 53, 58, 66, 68, 70, 72, 73, 112, 118–120, 123, 124, 126, 404, 503, 551, 627
 - neutron production parameter 92
 - repository 4, 27, 380, 432, 479
 - reprocessing 11, 18, 24–29, 51, 54–56, 75, 78–81, 86–89, 93, 95, 96, 162, 170, 174, 176, 241, 242, 247, 381, 439, 465, 466, 499, 563
 - fuel cycle 4, 17, 148, 349, 461, 716, 730*
 - Fukushima Daiichi accident 4, 40, 109, 113, 203, 259, 281, 347, 418, 503*
 - full actinide recycling 46, 55
 - full recycle fuel cycle 29, 86
 - fusion 93, 188–190, 192, 197–199, 480, 481, 573, 717–719
 - fusion weapon 188, 189, 197–199
- g**
- ⁶⁷Ga 263, 308
 - galactic cosmic radiation 346, 348
 - gamma
 - camera 239, 266, 267, 272
 - constant 97, 204–206, 405, 407, 408, 481, 515, 618, 621, 624, 638, 681, 683
 - knife 205, 363
 - gamma-ray 38, 53, 91, 96, 102, 103, 191, 192, 196, 198, 199, 251, 261, 263, 264, 271–274, 293, 331–333, 347, 369, 484, 527, 528, 574, 583, 584, 586, 595, 618, 621, 622, 631, 648, 649, 669, 717, 722

- gamma-ray free electron laser 91, 102
 gap activity 70, 112, 116
 gas centrifuge 18–20, 22, 23, 32–37, 39,
 75–77, 188
 Gas-Cooled Fast Reactors (GFR) 46, 47,
 50–52, 71
 gas-cooled reactor 27, 31, 60, 73, 74
 gaseous diffusion 4, 18–23, 32–37, 39, 75,
 76, 188
 Gaussian Plume model 714, 718
¹⁵³Gd 275, 364
⁶⁸Ge 364
 Geiger-Muller detector 173, 237, 509
 General Emergency 116, 143–149, 174, 177,
 179, 214, 394, 404, 449, 453, 535, 555, 567,
 624, 626, 627
 Generation I Reactor 17
 Generation II Reactor 40, 51, 68, 69, 431,
 475
 Generation III Reactor 17, 31, 32, 40–42, 44,
 73, 120, 130
 Generation IV Industrial Forum 50
 Generation IV Reactor 1, 2, 17, 18, 29, 40,
 45–47, 51, 58, 59, 64, 67, 71–74, 77, 81, 86,
 88–90, 127, 465, 466, 477, 480
 GENII-LIN code 716
 geologic repository 9, 27, 85, 86, 90, 93, 169,
 170, 428
 global climate change 84, 467, 468, 478
 Goiania accident 242
 graphite 46–51, 54, 57, 74, 133, 134, 424
 gray equivalent 229, 353, 354, 579
 greenhouse
 – emissions 469
 – gases 467–469
 ground
 – deposition 150, 156, 174, 175, 508, 541,
 559, 566, 673
 – zero 11, 191, 192, 196, 199, 201, 221, 504,
 505
 gun-type device 188
- h**
²H 43, 73, 192, 296, 664, 734
³H 30, 43, 48, 51, 57, 73, 74, 188, 195, 200,
 231, 239, 296, 336, 347, 441, 545, 573, 596,
 597, 627, 664, 674, 734
 hadron therapy 293
 half-life 25–27, 31, 48–50, 94–96, 99, 102,
 120, 173, 174, 204–206, 242, 245, 248, 263,
 265, 266, 270, 273, 291, 292, 299, 301–303,
 330, 333, 337, 338, 400, 408, 441, 447, 481,
 485, 489, 502, 519, 529, 535, 536, 545, 546,
 557, 562, 573, 575, 578, 580, 585, 596–599,
 605, 610, 637, 649, 656–658, 663–667, 672,
 680
 Hanford Site 88, 162, 163, 241, 244, 499,
 530
 Hanford Tank Farms 11, 163, 165, 499
 hard core concept 128, 475–477
⁴He 48, 73, 74, 188, 287, 288, 291, 292, 296,
 320, 321, 324
 health effects 135, 191, 207, 209, 219, 221,
 223, 250, 352, 353, 363, 401, 461, 462, 500,
 508, 569, 611, 614, 718, 720, 739, 740,
 746–748
 health physics hazards 21, 23, 37, 64, 65, 67,
 92, 93, 111
 heavy
 – ion therapy 4, 262, 277, 284–290, 506
 – water reactor 40, 66, 73
 heavy ion 4, 6, 261, 262, 267, 268, 272,
 275, 277, 279, 281–284, 287–293, 308,
 309, 319, 321, 350, 405, 406, 506, 595,
 596, 628, 703, 715, 718, 722, 727–731,
 733–735
 helium 40, 51, 74
 helium cooled reactor 51, 56, 74
 hereditary effects 209, 460, 697, 746
¹⁹⁷Hg 264
²⁰³Hg 264
 high-altitude burst 193–194
 high-dose rate brachytherapy 363
 high-level waste 9, 18, 28, 30, 46, 51,
 58, 79, 81, 82, 84–86, 88, 89, 91–93,
 109, 110, 122, 169, 170, 378, 380, 382, 384,
 420, 422, 428, 432, 465, 466, 473, 479, 530,
 729
 high-level waste accidents 110
 high-level waste disposal facility 420
 highly enriched uranium 32, 96
 High Temperature Gas Cooled Reactor
 (HTGR) 27, 31, 40, 42, 44, 56, 57
 Hiroshima weapon 188
 hormesis 5, 459–461, 696, 743, 749
 hot particle 64, 66, 67, 70, 72, 73, 230, 484,
 485, 645–647, 649, 680, 683
 hot particle dose 680
 HOTSPOT code 196, 203, 716
 hot zone 213, 228
 HTO 57, 101, 231, 485, 523, 524, 545, 590,
 648, 650
 human alimentary tract model (HATM) 235,
 701, 706–710, 745
 human respiratory tract model (HRTM) 96,
 235, 701, 704–706, 717, 745
 hybrid medical imaging 307, 324–326

- hydrogen 19, 36, 41–44, 46, 47, 51–54, 56, 58–59, 61, 113, 122, 124, 132, 136–142, 168, 249, 288, 325, 374, 390, 440, 447, 449, 472, 473, 531, 548, 549, 555, 584, 603
- hydrogen explosion 43, 59, 122, 132, 136, 137, 139–142, 249, 374, 390, 447, 472, 473, 548, 549
- hydrogen production 44, 46, 47, 52, 53, 58–59, 61
- i*
- ¹²³I 264, 308, 333
- ¹²⁵I 239, 264, 265, 269–271, 303, 308, 336, 597, 666
- ¹²⁹I 27, 28, 30, 86, 89, 93, 95, 441, 627, 666
- ¹³¹I 11, 30, 116, 264, 441, 501, 666*
- IDD-SAM code 716–717, 728
- ^{113m}In 264
- Image-guided Radiation Therapy (IGRT) 262, 273, 274, 280
- Image-modulated Radiation Therapy (IMRT) 262, 273, 274
- imaging 75, 261, 262, 264, 266, 273, 274, 278, 280, 293, 304, 307, 324–329, 333, 356, 366, 401, 410, 461, 573, 591, 595, 691, 713, 740
- IMBA code 717
- implosion 189, 190
- improvised nuclear device (IND) 1, 6, 10, 191–192, 345, 392, 453
- infrared laser 36
- ingestion 72, 144, 150, 207, 211, 212, 215–217, 226, 230, 231, 234, 238, 239, 243, 246, 399, 502, 504, 508, 538, 554, 570, 608, 609, 704, 706, 707, 714, 716, 720, 721, 745
- ingestion pathway 144, 150, 212, 216, 554, 570, 716
- inhalation 37, 72, 95, 96, 149, 152, 163–165, 174, 176, 207, 211, 212, 226, 230, 231, 234, 238, 239, 243, 245, 248, 252, 346, 457, 483, 485, 502, 504, 508, 512, 517, 538, 541, 542, 546, 558, 564, 565, 608, 609, 648, 650, 673, 703, 704, 710, 720, 721
- Institute for Nuclear Power Operations (INPO) 423, 473, 476, 477
- intake 20, 148, 212, 294, 398, 454, 500, 673, 675, 689, 692, 714, 745*
- intake retention fraction 252, 483, 518, 577, 609, 641, 642
- intermediate phase 152, 175, 212, 539, 540, 550
- internal
- contamination 210, 211, 217, 226, 227, 230, 238–240, 544, 576, 642
 - conversion 663, 668
 - dosimetry 19, 69, 235, 518, 679, 684, 687, 689–710, 716, 717, 739, 742
 - hazard 207, 502
 - intake 20, 38, 57, 159, 229, 230, 234, 253, 294, 500, 508, 539, 563, 593
- internal dose 21, 27, 64, 71, 157, 158, 176, 226, 228–234, 241, 347, 390, 489, 508, 539, 545, 546, 562, 576, 690, 697–699, 720, 728, 745
- internal dose assessment 233, 390, 720, 728, 745
- internal dose equivalent 698
- internal radiation-generating device 1, 4, 283, 292, 302, 304, 307–313, 315–323, 329, 335, 356, 596
- International Atomic Energy Agency (IAEA) 31, 59, 359, 423
- International Commission on Radiological Protection (ICRP)
- ICRP 2 436, 689, 693
 - ICRP 10 689, 693
 - ICRP 10A 689, 693
 - ICRP 23 511, 642, 704, 705, 708
 - ICRP 26 96, 101, 436, 456, 483, 509, 511, 535, 641, 642, 644, 652, 689, 693, 696–699, 702, 705, 708, 738, 739
 - ICRP 30 21, 37, 96, 511, 512, 650, 701, 704–709, 745
 - ICRP 56 745
 - ICRP 60 369, 436, 452, 454–456, 488, 510, 511, 641, 689, 693, 694, 697–702, 738, 739, 742
 - ICRP 63 454, 455
 - ICRP 66 96, 235, 511, 512, 558, 689, 701, 704–706, 717, 745
 - ICRP 67 512, 745
 - ICRP 68 715, 745
 - ICRP 71 163
 - ICRP 72 163, 715, 716
 - ICRP 89 511, 703–705, 707, 708
 - ICRP 96 454
 - ICRP 100 235, 689, 701, 706–709, 745
 - ICRP 103 102, 146, 229, 369, 370, 380, 396, 436, 452, 454–458, 467, 482, 486–488, 527, 579, 595, 641, 645, 652–655, 689, 693, 696–698, 701–705, 708, 709, 738, 739
 - ICRP 122 466, 467
- International Nuclear and Radiological Event Scale (INES) 112, 130, 131, 162, 177, 439, 445, 450, 549
- in vitro* bioassay 576, 641, 642
- in vivo* bioassay 230, 576, 609, 641–643
- iodine 43, 113, 215, 266, 390, 441, 504*
- ion chamber tritium-in-air monitor 525

- ionization 268, 358, 360, 575
ionization chamber 101, 245, 246, 402, 484,
486, 645, 646, 649, 650, 682, 683
¹⁹²Ir 204, 208, 239, 266, 269–271, 275, 334,
364, 573–575, 589–592
isomer 196
ISO-PC code 302, 303, 717, 729
- j**
- Japanese Evaluated Nuclear Data Library
(JENDL) 717
- k**
- ⁴⁰K 346, 347, 665
⁴²K 263, 337, 338, 603–605
⁴³K 263
kaon 331, 332
KI administration 146, 535, 549, 567, 569,
627, 628
^{81m}Kr 263
⁸⁵Kr 30, 51, 73, 116, 120, 121, 441, 627, 645,
665
⁸⁷Kr 30, 73
⁸⁸Kr 73, 441, 627
⁸⁹Kr 30
krypton 70, 134, 567
Kyshtym accident 242
- l**
- lapel air sampler 97, 98, 516, 559
laser
– infrared 35, 36
– ultraviolet 35
laser enrichment 18, 20, 32, 35–39, 75–77,
188, 501
laser isotope separation 4, 33–35, 39, 76, 77
late phase 152, 154, 211, 212, 218, 219, 224,
225, 453
late side effects 276
Lead-Bismuth-Cooled Fast Reactor (LBFR)
46, 50, 52, 62
lead coolant 50, 52, 53, 71, 97
Lead-Cooled Fast Reactor (LFR) 46, 47,
50–53, 57, 58, 60, 64, 67, 71–73, 97
lens of the eye 452, 486, 488, 650, 651, 653,
698
letdown 70, 119, 171, 534
leukemia 265, 266, 272, 276, 294, 295, 458,
460, 693–695, 741, 744, 748
⁶Li 48, 73, 74, 664, 735
lifesaving actions 152
lifetime 17, 52, 56, 62, 63, 79, 127, 151, 160,
161, 229, 331, 352, 353, 360, 400, 434, 456,
457, 460, 462, 463, 488, 579, 654, 659, 681,
695, 697, 721, 741, 747–749
light damage zone 213, 220
light water reactor 18, 25, 41, 56, 112, 190,
478
linear accelerator (LINAC) 273, 274, 337,
360, 603, 715
linear energy transfer 296, 350, 744
linear model 393, 695
linear-non-threshold hypothesis 5, 393, 394,
452, 458–462, 467, 654, 696, 701, 737, 742,
743, 746–748
linear quadratic model 740, 742
line source 70, 621, 622, 635, 681–683, 717
Liquid Metal Fast Breeder Reactor 52, 62
liquid scintillation counting 239, 545, 648
liquid sodium 48, 55, 58, 67, 68, 72
LISE++ code 718
litigation 156, 232, 385, 386, 428, 437, 438,
458, 478
Lorentz factor 682
loss of coolant accident 42, 44, 56, 111, 118,
122, 421, 555
loss of power event 75, 126–128
low-coherence interferometry (LCI) 307, 327
low-dose rate brachytherapy 363
low-earth orbit 6, 349–350, 405, 727, 729
low-earth orbit tourism 6
low-level radioactive waste 81, 83, 90, 720
low population zone 120
¹⁷⁷Lu 265, 271, 308
Lyons High-Level Waste Disposal facility
419–420
- m**
- MACCS2 code 718
magnetic resonance imaging 27, 261
main steamline break event 122
maintenance operations 38
manganese 232
MARS Code 718
MARSSIM code 162, 723
mean dose per unit cumulated activity 690
mean lifetime 331
medical devices 262
Medical Internal Radiation Dose (MIRD)
585, 689–693
medical therapy 294, 573, 696, 737, 748
medium-dose rate brachytherapy 363
MERCURY Code 290, 715, 717, 729–731,
734
meteorology 223, 248, 559, 608, 718
²⁴Mg 48, 665

- ²⁵Mg 48
²⁶Mg 48
²⁷Mg 48
MICROSHIELD® Code 719, 729
MICROSKYSHINE® Code 719, 729
MIDAS code 144, 719
millimeter wave technology 366
milling 20, 30
Millstone safety allegations 425–426
mining 17, 18, 20, 30, 357, 358, 469
minor actinide burning 88
minor actinides 28, 29, 31, 51, 54, 55, 78,
86–93, 102, 178, 465, 727–729
mixed fission products 163, 176, 232, 246,
547
mixed oxide fuel 174
⁵⁴Mn 51, 73
moderate damage zone 213, 220
molecular laser isotope separation (MLIS)
34–36, 100, 521
molten salt coolant 58
Molten Salt Epithermal Reactor (MSR) 46,
47, 50, 51, 53, 54, 58, 60, 64, 66–68, 71–73,
95, 125, 178, 551, 553
Monte Carlo N-Particle (MCNP) code 718,
719, 724, 728, 729
Monte Carlo N-Particle Extended (MCNPX)
code 719, 728, 729
MORSE code 722
MULTIBIDOSE code 720
multi-modal therapy 277, 281, 305
muon 136, 277, 283, 290–293, 295, 309, 310,
312, 332, 336, 348, 506, 582, 595, 700, 718,
722
n
¹³N 195, 263, 267, 664, 734
¹⁴N 48, 73, 94, 664, 735
¹⁶N 44, 48, 51, 57, 64, 74, 664, 674
¹⁷N 48, 57
²²Na 48, 195, 337, 347, 605, 664
²³Na 48, 337, 338, 509, 601–604, 664, 665
²⁴Na 48, 57, 337, 338, 509, 601–605, 665,
674
²⁵Na 48
Nagasaki weapon 189
nanotechnology 4, 277, 283, 304–329, 335,
336
National Council on Radiation Protection and
Measurements (NCRP)
– NCRP 93 200, 345, 355, 367
– NCRP 116 370, 456, 488, 654
– NCRP 130 72, 73, 645, 647
– NCRP 132 350, 352–354
– NCRP 136 747
– NCRP 138 208, 214, 216–218, 220, 226,
455, 563
– NCRP 142 351
– NCRP 146 160
– NCRP 151 591, 592
– NCRP 155 270, 370
– NCRP 160 276, 345–347, 355, 357, 358,
365, 367, 368, 370, 371
– NCRP 161 228–232, 547, 548, 573, 574,
579, 580
– NCRP 163 156–159
– NCRP 165 191, 213, 228, 561, 562
– NCRP 166 206
– NCRP 170 276
National Incident Management System
(NIMS) 187
National Response Framework 187
natural uranium 19–21, 23, 76, 80, 399, 519,
521, 714
⁹²Nb 49
^{92m}Nb 49
⁹³Nb 49, 665
^{93m}Nb 49
⁹⁴Nb 49
^{94m}Nb 49
²⁰Ne 287, 288, 291, 310, 320–324
²³Ne 48, 57
neptunium 21, 25, 30, 89
neutrino 282, 292, 332, 663, 668, 669
neutron
– capture 73, 77, 93, 94, 196, 198, 268, 296,
603, 631, 667
– therapy 277, 295–297
neutron fluence rate (flux) 69, 92, 103, 196,
198, 278, 338, 400, 408, 528, 529, 601, 603,
605, 610, 673, 674, 680
⁵⁸Ni 73, 665
⁵⁹Ni 74
⁶³Ni 74, 364
nickel 59, 74
nitrogen 74, 94, 139, 196, 197, 243, 288, 331,
349, 522, 648
noble gas 57, 58, 64, 66, 67, 70, 72, 73, 113,
116, 117, 119, 121, 125, 126, 129, 132,
133, 139, 178, 381, 440–443, 447, 449, 507,
508, 524, 525, 551, 553, 567, 627, 645, 648,
649
non-linear interferometric vibrational imaging
307, 327–328
non-stochastic ALI 96, 698
non-stochastic effects 697, 698, 737
normal operations 21, 71, 127, 380, 395, 452,
456, 531

- nuclear
 - accidents 6–9, 111–179, 375, 392, 396, 398, 430, 439, 450, 471, 479
 - detonation 191–200, 213, 220, 228, 458, 572, 716
 - forensics 77, 80–81
 - fuel 4, 18, 24–26, 30, 81, 85, 118, 119, 122, 170, 177, 206, 208, 721
 - fuel cycle 4, 6, 17–103, 468, 469
 - medicine 4, 208, 261–338, 345, 355, 356, 365, 370, 613, 691, 719
 - non-proliferation treaty 75
 - proliferation 4, 17, 26, 28, 32, 46, 58, 75–81, 89, 477
 - reactor 3, 7, 8, 17, 29, 40, 46, 59, 61, 63, 70, 80, 111, 121, 205, 206, 214, 242, 326, 347, 437, 439, 477, 480, 481
 - regulations 3, 379, 393, 417, 418, 420, 422, 423, 465, 468, 473, 476
 - safety 17, 170, 417, 432, 436–439, 457
 - security 78, 363, 364, 383
 - terrorism 5, 7, 8, 129, 210, 211, 213, 221, 224, 241, 383
 - waste 17, 206, 384, 428, 431, 432, 451, 479, 480
 - weapons 3–5, 11, 23, 24, 31, 75–78, 80, 89, 101, 188–191, 194, 198, 200, 203, 205, 206, 214, 231, 242, 250, 347, 369, 384, 439, 713
 - yield 11, 189, 191, 208, 504, 505
- Nuclear Energy Institute (NEI) 424, 431
- nuclear power 3, 17, 109, 111, 208, 347, 417, 499, 720*
- nuclear reactions
 - (γ , p) 48
 - (n, 2n) 19, 48–50, 664, 665
 - (n, α) 48, 49, 272, 296, 603
 - (n, d) 48, 73
 - (n, γ) 48–51
 - (n, n') 49, 50
 - (n, p) 48–50, 73, 74, 94, 502, 664, 665, 674
 - photofission 91, 102, 103
 - photospallation 91
- Nuclear Regulatory Commission (NRC) 162, 214, 359, 417, 482, 486, 489
- o**
 - ¹⁵O 48, 57, 195, 263, 267, 289, 291, 664, 735
 - ¹⁶O 48, 287–289, 291, 294, 310, 331, 333, 469–471, 583, 595, 664, 674, 734, 735
 - ¹⁷O 48, 73, 469, 471, 664, 734
 - ¹⁸O 48, 470, 471, 664, 734
 - ¹⁹O 48, 57
- occupational dose 42, 43, 52, 159, 367, 369, 457, 569, 645, 654, 701, 703–704, 708
- OLINDA/EXM code 720, 728
- open fuel cycle 46, 56, 58
- operational
 - events 111, 165, 417, 421, 425, 475
- opportunistic dosimetry 157–159
- optical coherence tomography (OCT) 307, 328, 329
- optical imaging 326
- orphan sources 8, 359–361
- outage 24, 42, 53, 63–66, 115, 136, 137, 247, 348, 425, 427, 501, 641, 654
- oxygen 52, 58, 100, 288, 296, 297, 304, 327, 349, 374, 463, 468–471, 522, 582, 584
- p**
 - ³²P 11, 231, 239, 246, 265, 267, 271, 297, 303, 336, 357, 501, 502, 546, 562, 563, 573, 597, 598, 665
 - ²³¹Pa 164
 - ²³³Pa 26, 31, 295
 - ²³⁴Pa 30
 - ^{234m}Pa 19
 - pair production 646
 - partial recycle fuel cycle 28
 - particulates 36, 38, 43, 67, 72, 100, 113, 114, 117, 121, 125, 126, 129, 132, 133, 149, 169, 173, 174, 192, 348, 440, 441, 469, 508, 526, 532, 535, 537, 559, 567, 721
 - partitioning and transmutation 88–91, 94, 728
 - passive safety system 17, 40–42, 44, 55, 56, 63, 75, 120, 123, 125, 126, 128, 130, 475
 - ²⁰³Pb 50
 - ²⁰⁴Pb 50
 - ^{204m}Pb 50
 - ²⁰⁵Pb 50
 - ²⁰⁶Pb 301
 - ²⁰⁸Pb 50
 - ²⁰⁹Pb 50
 - ²¹⁰Pb 30, 50, 52, 266, 358
 - ²¹²Pb 308
 - ²¹⁴Pb 30, 400, 666
 - ¹⁰³Pd 265, 270, 271, 303, 364
- Pebble Bed Modular Reactor (PBMR) 27, 40, 62
- permanent resettlement 150, 151
- personal dose equivalent [Hp(10)] 703
- personal genomics 329
- PET/CT 274, 280, 325
- PET/MRI 325
- photodisintegration 35, 91
- photodynamic therapy 307, 327
- photon 19, 123, 188, 262, 348, 488, 506, 668, 691, 715, 728*

- pion 277, 283, 290–295, 309, 310, 332,
 333, 336, 351, 506, 582, 584, 595, 701, 703,
 722
 planned special exposure 456, 457, 654
 plume 152, 156, 164, 174, 175, 178, 217, 223,
 224, 226, 248, 376, 377, 443, 450, 503, 508,
 539, 551, 554, 559, 565, 567, 671, 673, 675,
 679, 682, 714, 716, 718, 721
 plume exposure pathway 146–148, 150, 554
 plutonium
 – oxide 24, 55
 – recycling 88, 89
 Plutonium/Uranium Extraction (PUREX)
 process 78, 79
¹⁴⁷Pm 275, 364
²¹⁰Po 50, 207, 252, 253, 358, 364, 576–580
²¹⁴Po 30, 400, 666
²¹⁸Po 30, 400, 666
 point source 70, 73, 103, 337, 403, 512, 514,
 529, 586, 589, 618–620, 622, 631, 633–635,
 638–640, 646, 683, 717, 719
 point source approximation 70, 253, 586,
 589, 618, 620, 622, 631, 633–635, 638,
 639
 polonium 347
 positron 267, 280, 282, 289–292, 646, 663,
 668, 669, 691, 728
 positron emission tomography (PET) 266,
 267, 273, 274, 280, 282, 289, 290, 309, 311,
 324–326, 363, 728
 potassium 146, 148, 170, 215, 231, 232,
 242–244, 376, 504, 546, 551, 567
 power
 – output 77, 136
 – reactor 3, 17, 111, 204, 302, 345, 417, 503,
 713, 740*
 Pressurized Water Reactor (PWR) 24,
 40–44, 58, 62, 64, 69, 70, 73, 74, 111, 112,
 119, 120, 130, 132, 135–137, 171, 374, 389,
 404, 421, 424, 427, 481, 482, 553
 PRESTO code 720
 primary 18, 112, 188, 268, 370, 422, 499, 729,
 748*
 primary containment vessel 45, 177, 548
 primary coolant 24, 45, 54, 57, 59, 63, 67,
 69–71, 73, 74, 112, 113, 118–121, 125–128,
 422, 481, 553
 primary coolant system fission product barrier
 45, 57
 primary to secondary leakage 72, 119, 534
 primordial radionuclide 347
 probabilistic risk assessment 129–130,
 425
 probability of causation 232, 743–745
 production equations 68, 69, 518, 519, 526,
 564, 565, 606, 610, 634, 635, 655–657,
 671–677, 679, 687
 production-to-absorption ratio 91
 projected dose 144, 146, 147, 151, 179, 211,
 215, 229, 393, 453–455, 533, 540, 567,
 630
 prompt radiation 191, 196, 199, 332, 375
 prophylactic drugs 147, 215
 proportional counter 338, 522, 523, 575, 603
 protective action(s) 11, 113, 117, 143–150,
 152, 153, 172, 173, 175–177, 211–217, 222,
 223, 228, 241, 249, 375, 376, 388, 393–395,
 405, 445, 452–455, 504, 533, 535, 539, 545,
 549, 563, 567, 568, 625–628
 – guide 117, 144–149, 175, 214, 215, 394,
 453, 540, 563, 567, 568, 627, 628
 – recommendations 143–145, 147–150,
 172, 211, 213–217, 249, 404, 452, 533,
 540, 627
 proton 4, 89, 261, 348, 582, 663, 703, 722,
 727, 733*
 proton accelerator 89
 proton generating device 312, 313, 315
 proton therapy 277, 283–284
 Prussian blue 229, 231, 244, 546, 547
 psychological effects 151, 207
²³⁸Pu 26, 153, 164, 175, 188, 206, 207, 217,
 275, 364, 503, 540, 567, 573
²³⁹Pu 11, 24, 153, 188, 275, 364, 499, 667*
²⁴⁰Pu 25, 26, 101, 164, 175, 188, 200, 217,
 503, 525, 526, 540, 667
²⁴¹Pu 24–26, 69, 93, 164, 188, 667
²⁴²Pu 25, 26, 28, 175, 188, 217, 503, 540
 public dose limits 216, 353, 370–371, 395,
 451–452
 public doses 6, 159, 216, 232, 345, 353, 357,
 365, 370, 393, 395, 440, 451–455, 465, 467,
 500, 540
 public radiation exposure 6, 345–408
 pulsed-dose rate brachytherapy 269
 PuO₂ 24

q
 quality factor 509, 510

r
²²³Ra 266, 294, 301, 308
²²⁴Ra 294, 301, 511, 744
²²⁵Ra 295
²²⁶Ra 30, 205, 207, 231, 239, 270, 271, 275,
 294, 358, 573–575, 667, 714
²²⁷Ra 294
²²⁸Ra 358

- radiation
 - countermeasures 131, 154
 - damage 39, 168, 276, 459
 - effects 21, 191, 192, 195, 203, 204, 222, 227, 348, 375, 387, 462, 510, 701–702
 - risk 222, 224, 240, 367, 372, 373, 376, 389, 390, 396, 398, 737–739, 741, 748
 - safety system 54
 - therapy 6, 204, 232, 261, 262, 267, 272–281, 304, 305, 319, 327, 573
- radiation exposure device (RED) 191, 209
- radiation types
 - alpha 19, 24, 28, 37, 80, 188, 192, 206–208, 213, 238, 239, 245, 251, 252, 267, 270, 271, 277, 282–284, 290, 292, 294, 295, 299–303, 308, 310, 320, 336–338, 348, 349, 358, 441, 488, 522, 523, 541, 557, 575, 593, 595, 597, 598, 600, 633, 663, 692, 700, 701, 703, 744, 746
 - antimatter 6, 277, 293–294, 308–310, 505, 595
 - beta 19, 173, 188, 264, 347, 484, 505, 663, 691, 723, 746*
 - gamma-ray 38, 53, 69, 91, 96, 102, 103, 191, 192, 196, 198, 199, 251, 261, 263, 264, 271–274, 293, 331–333, 347, 369, 484, 527, 528, 574, 583, 584, 586, 595, 618, 621, 622, 631, 648, 649, 669, 717, 722
 - heavy ion 4, 6, 261, 262, 267, 268, 272, 275, 277, 279, 281–284, 287–293, 308, 309, 319, 321, 350, 405, 406, 506, 595, 596, 628, 703, 715, 718, 722, 727–731, 733–735
 - kaon 331, 332
 - muon 136, 277, 283, 290–293, 295, 309, 310, 332, 336, 337, 348, 506, 582, 595, 700, 703, 718, 722
 - neutrino 282, 292, 332, 663, 668, 669
 - neutron 19, 123, 188, 261, 348, 462, 506, 663, 673, 700, 715, 729, 746*
 - positron 266, 267, 273, 280, 282, 289–292, 325, 363, 582, 646, 663, 668, 669, 691, 728
 - proton 4, 90, 261, 348, 582, 663, 700, 722, 727, 733*
 - x-ray 35, 37, 191, 219, 239, 261–264, 273, 274, 279, 324–326, 334, 347, 348, 356, 363, 365, 366, 401, 402, 545, 588–591, 609, 612–616, 717, 723, 739, 746
- radiation weighting factor 406, 510, 595, 629, 651, 699–703, 730
- radiation worker 354, 368, 369, 392, 393, 408, 455, 456, 458, 488, 592, 654
- radioactive
 - gas 57, 442, 525
 - waste 18, 27, 29, 30, 55, 60, 66, 71, 81–83, 90, 98, 169, 207, 305, 397, 419, 466, 469, 640, 719, 720, 727
 - waste management 66
- radioactive material 4, 37, 111, 187, 261, 345, 418, 499, 671, 689, 716, 740*
- radiography 70, 205, 208, 261, 262, 280, 350, 355, 356, 359, 363, 370, 573, 718
- radioimmunoconjugates 329
- radioimmunotherapy 262, 272, 280
- radioiodine 113, 114, 116–120, 132–134, 148, 149, 230, 266, 333, 390, 441, 489, 507, 508, 546, 547, 553, 567, 568, 574, 627, 645, 655, 658
- radiological dispersal device (RDD) 8, 191, 204–207, 244, 247, 251, 275, 369, 453, 501
- radiological terrorism 190, 210, 240, 573
- radiopharmaceuticals 148, 261, 266, 267, 270, 271, 277, 282, 294, 369, 581, 586, 691, 693, 720, 728
- radioprotective chemical 453, 504, 509, 543, 576
- radiotoxicity 19, 27, 37, 39, 88, 520
- radium 347
- radon 173, 245, 346–347, 370, 400, 401, 455, 464, 522, 523, 535, 536, 558, 610–612, 642, 721, 746
- RADTRAN code 720
- range 5, 33, 123, 190, 267, 347, 469, 510, 679, 692, 715, 727, 745*
- RASCAL code 144, 721
- ⁸⁷Rb 347
- RBMK reactor 133
- ¹⁸⁶Re 265, 271, 308
- ¹⁸⁸Re 265, 271
- reactor 3, 17, 111, 190, 294, 345, 417, 500, 673, 713, 740*
 - building 58, 112, 116, 119, 122, 132, 134–137, 139–141, 177, 178, 248, 249, 422, 441, 447, 472, 473, 548, 550
 - building spray 116
 - coolant system leakage 67
 - pressure vessel 44, 112, 136, 177, 424, 427, 463, 548, 554, 555
 - vessel 24, 44, 45, 54, 63, 112, 113, 119, 121, 125, 130, 134, 139, 177, 178, 374, 408, 418, 427–428, 440, 442, 463, 474, 475, 503, 551
- reactor coolant
 - leakage 57
 - system 45, 67, 70–72, 112, 130, 171, 374, 405, 422, 463, 482, 533, 534, 554, 555, 627, 720
- Reactor Safety Study (WASH-1400) 420, 421
- recovery actions 152, 214, 221

- recycle fuel cycle 28–29, 86
- reentry
 - criteria 150–151, 155, 241, 500, 563
- Reference Animals and Plants 387, 388
- Reference Female 702, 703
- reference level 388, 395, 396, 453–455
- Reference Male 702, 703
- Reference Man 333, 511, 512, 585, 642, 704, 705, 708
- regulations 5, 120, 275, 354, 417, 636, 693, 719, 737*
- relative biological effectiveness (RBE) 229, 279, 281, 288, 289, 293, 295, 296, 579, 701, 730
- relative risk 421, 461, 694, 695, 740–742, 744
- relative risk model 694, 695, 741, 742, 744
- remainder 112, 147, 174, 196, 486, 652, 699–703, 708, 710, 739
- remediation of contaminated areas 160–162
- remote handling equipment 58
- reprocessing waste 11, 25, 79, 81, 82, 89, 162, 247, 465, 466, 499, 563
- reprocessing waste tanks 82, 110, 162–167
- RESRAD code 721
- ¹⁰³Rh 73
- ¹⁰⁶Rh 73
- risk
 - analysis 161, 242, 433
 - assessment 85, 129–130, 242, 425, 433–435, 465, 714, 748
 - coefficient 389, 396, 510, 511, 694, 737–739, 742, 746
 - communications 111, 371–377
 - estimates 231, 276, 352, 353, 400, 401, 612, 694–696, 738, 739, 742, 746, 748, 749
 - model 352, 401, 461, 510, 694–696, 737, 738, 741–746, 749
 - population 149, 212
- risk-informed regulatory management 472
- ²²⁰Rn 346, 667
- ²²²Rn 30, 245, 270, 271, 301, 302, 346, 400, 556, 610, 611, 667, 673
- rock melting 82
- ¹⁰³Ru 73, 153, 217, 503, 567
- ¹⁰⁶Ru 73, 153, 217, 364, 503, 567
- s**
 - ³⁴S 48, 74, 665
 - ³⁵S 48, 74, 176, 239, 263, 303, 545, 547, 573, 665
- sabotage 6, 8, 9, 17, 84, 145, 187, 210, 455, 531, 555, 645
- safety
 - analysis report 383, 636
 - system 17, 40–42, 44, 45, 54–56, 63, 75, 111, 114, 115, 117, 120, 123, 125–128, 130, 131, 134, 135, 137, 144, 152, 169, 174, 177, 415, 419, 421, 424, 429, 431, 433, 437, 475, 503, 548
- Salem ATWS 423, 475
- saturation activity 601, 602, 675
- Savannah River Site 241, 381
- ⁴⁵Sc 49, 51
- ⁴⁶Sc 49, 51
- ⁴⁷Sc 49, 303
- ⁴⁸Sc 49
- SCALE5 code 721–722
- scrap metal 4, 206, 259, 358, 359, 361–362
- scrap metal recycling 259, 358, 359
- ⁷⁵Se 263, 275, 364
- ⁷⁹Se 93, 94
- secondary 45, 63, 71, 72, 118, 119, 126–128, 132, 135, 171, 189, 276, 282, 309, 350, 351, 357, 374, 425, 534, 553, 615, 616, 722, 730
- secondary cancer 276
- secondary coolant 71, 118, 119, 126, 128
- separation factor 33, 34, 38, 76
- separation of isotopes by laser excitation (SILEX) 36, 76, 77, 100, 521
- separative work 33, 76
- separative work unit (SWU) 23, 33, 34, 76
- September 11, 2001 terrorist attacks 426
- severe damage zone 213, 220–221
- sex averaging 702–703
- shallow land burial 81, 84–85
- sheltering 113, 146–150, 214–217, 221–223, 227, 228, 241, 404, 405, 445, 453–455, 504, 535, 549, 550, 625–627, 630
- shielding, 37, 123, 193, 332, 349, 440, 507, 716, 728*
- shielding materials 53, 359
- shock effects 192, 197
- ²⁸Si 48
- ²⁹Si 48
- ³⁰Si 48
- ³¹Si 48
- side effects 148, 240, 269, 272, 274–277, 281, 282, 296, 319, 547
- Simplified Boiling Water Reactor (SBWR) 40, 41, 56
- single pass fuel cycle 27–28, 55
- single-photon emission computed tomography (SPECT) 266
- Site Area Emergency 143–145, 148, 179, 214, 394, 404, 555, 624–627
- skin absorption 230, 234, 239, 485, 508, 650

- skin dose
 - equivalent 697
 - limit 641
 - skyshine 722
 - SKYSHINE-KSU Code System 722, 729
 - ¹⁴⁵Sm 265, 271
 - ¹⁵¹Sm 164
 - ¹⁵³Sm 265, 271
 - small modular reactors 31, 61–64
 - smoke detectors 357, 358, 360, 573
 - smoking 357, 358, 373, 398, 612, 745, 746
 - ¹²⁶Sn 93, 94
 - sodium coolant 48, 67, 68
 - Sodium-Cooled Fast Reactors (SFR) 46, 47, 50, 51, 55, 57–60, 64, 67, 71, 73, 174
 - Solar flares 8, 176, 345, 348–350, 353, 368
 - Solar particle event
 - August 1972 event 350, 352
 - Carrington Flare 1859, 349
 - dose 349
 - September 29, 1989 event, 354
 - solid tumors 9, 266, 294, 297, 305, 510, 693–695
 - source
 - categories 362
 - security 275, 362
 - space radiation 346, 348, 349, 719
 - space tourism 5, 7, 259, 349, 353, 354, 727, 729, 730
 - spallation 89, 90, 331, 664
 - special nuclear material 79, 80, 187, 191, 383, 384
 - specific effective energy (SEE) 690, 691, 698
 - spent fuel 4, 18, 25, 27–29, 32, 45, 51, 63–65, 68, 70, 75, 77, 78, 84–86, 89, 93, 101, 118, 119, 121–124, 136, 139–142, 176, 177, 204, 249, 326, 378, 380, 383, 425, 428, 430, 432, 465, 466, 473, 474, 548, 553, 721, 722
 - pool 45, 64, 65, 70, 85, 112, 121, 122, 136, 139–140, 142, 176, 177, 249, 326, 378, 425, 430, 473, 548, 553
 - reprocessing 29, 51, 75, 78
 - spent fuel pool accident 121, 473
 - spontaneous fission 206, 207, 270–272, 597, 598, 663, 668–669
 - ⁸⁵Sr 263
 - ^{87m}Sr 263
 - ⁸⁹Sr 49, 153, 217, 271, 441, 503, 547, 567, 627, 665
 - ⁹⁰Sr 27, 29, 51, 73, 88–90, 93, 97, 98, 113, 153, 164, 195, 200, 205, 207, 215, 217, 231, 239, 247, 265, 271, 275, 364, 441, 442, 465, 485, 486, 499, 503, 505, 516, 529, 547, 550, 551, 563, 567, 573, 627, 665
 - stability class 171, 248, 505, 534
 - stakeholders 3, 79, 147, 212, 366, 415, 417, 502*
 - Standardized Computer Analyses for Licensing Evaluation (SCALE) Code 721
 - standard mortality ratio 740
 - State-of-the-Art Consequence Analysis (SOARCA) 472–473
 - station blackout 127, 130, 137, 177, 249, 429, 501, 503, 555
 - steam generator
 - tube 65, 71, 75, 118, 119, 534
 - tube rupture 114, 119, 122, 130
 - stereotactic body radiotherapy 262, 273–275
 - stereotactic radiosurgery 205, 262, 274–275
 - stochastic ALI 698, 700
 - stochastic effects 228, 229, 452, 579, 640, 697, 698
 - stopping power 278, 284–289, 293, 312, 314, 584, 596, 717, 718, 722, 727–730, 732, 733
 - Stopping Powers and Ranges (SPAR) code 287, 722, 728, 729
 - straggling
 - angle 286
 - energy 286
 - range 286, 332
 - strontium 29, 67, 82, 117, 232, 441, 443, 627
 - submersion dose 57
 - sub-seabed disposal 83
 - Supercritical Water-Cooled Reactors (SCWR) 46–48, 50, 51, 55, 56, 65, 71
 - supra-linearity 653, 696
 - surface burst 193, 195, 196, 199, 201, 202, 251
 - surface storage 84–85
- t**
- T₂ 485, 560, 648, 649
 - TAOrMINA 330
 - target 4, 69, 168, 190, 261, 347, 485, 503, 672, 689, 719, 734*
 - ¹⁴⁹Tb 294, 301, 308
 - ⁹⁹Tc 28, 86, 89, 93, 94
 - ^{99m}Tc 263, 294, 303, 574, 575, 666
 - technetium 90, 232
 - terahertz scanners 367
 - terrestrial gamma-ray flash 369
 - terrestrial radiation 346
 - terrorism 5–8, 17, 129, 190, 191, 210, 211, 213, 221, 224, 240, 241, 251, 383, 426, 455, 573
 - ²²⁷Th 294, 301
 - ²²⁸Th 358
 - ²³⁰Th 30, 714

- ²³²Th 24, 31, 46, 69, 346, 347, 358, 663, 667, 714
²³³Th 31, 295
²³⁴Th 26, 30
thallium 231
therapeutic radionuclides 262, 267, 307, 308
therapy techniques 4, 12, 261, 269, 272, 274, 305, 307, 329, 330, 505
thermal
– effects 191, 306, 572
– fission 24, 31, 69
– injury 39
– neutron 24, 28, 46, 55, 56, 73, 272, 336–338, 408, 488, 595, 601, 603, 605, 634, 674
– reactor 46, 47, 87–89, 717
thermoluminescent dosimeter 440
thick disk source 683
thorium 17, 18, 24, 27, 31, 40, 43, 54, 60, 347, 357, 358
thorium fuel cycle 18, 31
thoron 245, 346, 347, 370, 464
Three Mile Island accident 3, 7, 371
threshold (dose) 462, 549, 698, 748–749
threshold limit value (TLV) 482, 640
thyroid 96, 144, 207, 263, 390, 442, 510, 695, 744*
thyroid blocking 212, 453, 533, 643
thyroid counting 483, 545, 641, 643
⁴⁵Ti 49
⁴⁶Ti 49
⁴⁷Ti 49
⁴⁸Ti 49
⁵⁰Ti 49
⁵¹Ti 49
tissue 96, 147, 215, 261, 355, 484, 506, 691, 714, 728, 733, 738*
tissue weighting factor 96, 535, 698, 701, 702, 708, 738, 739, 746
²⁰¹Tl 204, 205, 264, 336, 574, 575, 597, 666
²⁰⁴Tl 364
¹⁷⁰Tm 275, 364
tomography 136, 239, 261, 262, 266–267, 273, 274, 282, 293, 307, 324, 325, 328, 355, 356, 363, 401, 728
tornado 114, 117, 148, 378, 421, 531
Toshiba Model 4S Small Modular Reactor 63
total effective dose equivalent (TEDE) 122, 160, 176, 215, 362, 370, 581, 586, 587, 641
total removal rate 518, 610, 672, 674–676
Towers Perrin Report 424–425
TRACE code 722–723
transmission factor 198, 199
transmutation 6, 81, 88–90, 92–95, 102, 103, 527, 528, 727–729
transuranic elements 169, 230
transuranic waste 169
tritium 43, 44, 65, 66, 73, 74, 100, 101, 176, 189, 232, 451, 463–465, 485, 508, 523–525, 545, 546, 596, 648–650, 716
tritium bioassay 101
tritium bubbler 525
tsunami 6, 9, 111, 114, 117, 122, 123, 127, 131, 136, 137, 142, 148, 149, 151, 153, 155, 223, 376, 379, 391, 395, 397, 398, 428–430, 432–435, 445, 448, 450, 451, 473, 531
tumor 4, 96, 261, 356, 505, 693, 727, 733, 744*
tumor treatment 294
tumor vascular disruption 273, 277, 283, 297, 301, 320, 336, 598
Tunguska event 7, 11, 499
- U**
²³⁰U 301
²³²U 31
²³³U 24, 31, 40, 46, 54, 69, 93, 188, 192, 294, 295, 515
²³⁴U 19, 20, 26, 35, 39, 99, 100, 188, 239, 519–521
²³⁵U 11, 18, 188, 347, 504, 663*
²³⁶U 25, 26, 80
²³⁸U 19, 24–26, 30, 37, 46, 69, 77, 99, 100, 188, 239, 287, 288, 292, 346, 347, 399, 400, 519–521, 526, 606–608, 631, 663, 666, 667
ubiquitous background radiation 346
UF₄ 19
UF₅ 38
UF₆ 11, 18–22, 35–37, 76, 501
ultrasound 261, 273, 324, 328
ultraviolet laser 35
uncertainties 115, 144, 157, 161, 167, 219, 222, 223, 231–235, 319, 350, 352, 353, 419, 433, 467, 612, 702, 740–742, 745, 748
underground burst 193
underwater burst 193, 195
Union of Concerned Scientists 419
unit liter dose 163–165
unlikely events 455
UNSCEAR 88, 738
Unusual Event 143–145, 179, 214, 394
UO₂ 18, 19, 24, 37, 70, 113, 133, 138
U₃O₈ 19, 36, 37
uptake 94, 149, 233, 243, 244, 307, 330, 333, 400, 511, 546, 548, 568, 569, 580, 585, 586, 607, 608, 642, 693, 705, 708, 709

- uranium 4, 17, 138, 190, 302, 347, 473, 501, 714*
- uranium enrichment 4, 6, 11, 18, 20, 22, 31–37, 75, 76, 78, 101, 102, 190, 501, 525, 526
- uranium fuel cycle 19, 20, 29, 31
- uranium ore 18, 19, 611, 714
- uranium oxide 28
- urinalysis 545, 558, 609, 643
- urine 98, 99, 101, 160, 174, 239, 252, 253, 483, 485, 512, 518, 524, 525, 537, 543, 545, 546, 575, 577, 642, 643, 649
- urine sampling 239, 252, 485, 643
- US Department of Energy (DOE) 57, 82, 147, 169, 170, 225, 241, 365, 367–369, 381, 420, 428, 436, 540, 626, 627, 693, 698, 740, 745
- US Environmental Protection Agency (EPA) 457, 715, 716
- US Nuclear Regulatory Commission (NRC) 36, 59, 96, 129, 500, 521, 693, 698, 714
- US Occupational Safety and Health Administration 436, 693
- v**
- value function 33
- VARSKIN code 73, 723
- vascular disruption 273, 277, 283, 297, 300–302, 304, 319–323, 336, 356, 597, 598
- Very-High Temperature Helium-Cooled Thermal Reactors (VHTR) 46–51, 56–58, 70, 71, 73
- VSM code 723
- VSP code 714, 723
- w**
- waste gas decay tank 67–69, 118, 120, 381, 482, 484, 645
- waste gas decay tank rupture (WGDTR) 114, 118, 120, 121
- waste gas system 73, 113, 116, 132, 440, 553
- Waste Isolation Pilot Plant (WIPP) 9, 86, 169–179
- weapons grade plutonium 170, 188
- weapons grade uranium 4, 76, 188, 190
- weapons production complex 148
- weapon's yield 101, 194, 196–199, 202, 203, 572
- whole body counting 102, 194, 211, 237, 239, 250, 483, 537, 538, 545, 569, 574–576, 579, 643
- whole body dose 440, 508, 569, 696
- width 201, 202, 286, 287, 290, 292, 561, 603, 617, 680, 681
- World Association of Nuclear Operators (WANO) 423, 473, 476, 477
- World Health Organization (WHO) 448
- World Nuclear Association (WNA) 437–439
- wound intake 230
- x**
- ¹²⁷Xe 264
- ¹³³Xe 30, 51, 73, 172, 178, 264, 441, 552, 627, 666
- ¹³⁵Xe 30, 51, 73, 172, 441, 627
- ¹³⁷Xe 73, 666
- ¹³⁸Xe 30
- xenon 70, 134, 567
- X-ray 35, 37, 191, 219, 239, 261–264, 273, 274, 279, 324–326, 334, 347, 348, 356, 363, 365, 366, 401, 402, 545, 588–591, 609, 612–616, 717, 723, 739, 746
- X-ray backscatter technology 366
- X-ray tube 615
- X-ray/MRI 325, 326
- y**
- ⁸⁸Y 49
- ⁸⁹Y 49, 665
- ^{89m}Y 49
- ⁹⁰Y 49, 51, 73, 90, 113, 164, 231, 239, 265, 267, 271, 272, 295, 297–304, 308, 320, 340, 357, 465, 486, 499, 505, 529, 598, 665
- ^{90m}Y 49
- ¹⁶⁹Yb 264, 270, 271, 273, 275
- yield 10, 31, 115, 189, 270, 348, 455, 504, 677, 693, 715, 738*
- Yucca Mountain High-Level Waste Repository 382, 728
- z**
- zinc 232
- zirconium 53, 55, 70, 94, 113, 138, 139, 170, 232, 548
- zirconium alloy fuel cladding 548
- ⁶⁵Zn 665
- ⁸⁹Zr 49
- ⁹⁰Zr 49, 665
- ⁹²Zr 49
- ⁹³Zr 27, 49, 93, 94
- ⁹⁴Zr 49, 73
- ⁹⁵Zr 49, 51, 73
- ⁹⁶Zr 50
- ⁹⁷Zr 50

