

Index

This index covers the text but neither the Appendix (Tables of Simple Cinnolines and Simple Phthalazines) nor the Glance Indices (appended to Chapters 1 and 8).

The page number(s) following each primary entry refer to synthesis or general information. Although each number indicates that the subject is treated on that page (and possibly also on subsequent pages), the actual words of the primary entry may appear only in an abbreviated form in the text.

Some unusual terms have been employed extensively as succinct secondary entries. For example, the term *alkanealysis* has been used to indicate the direct replacement of an appropriate leaving group by an alkyl substituent, thus mimicking conventional terms such as *aminolysis*, *alcoholysis*, and the like.

- 4-Acetamido-3-benzoyl-6,8-dimethylcinnoline, 90
cyclization, 93
- 6-Acetamido-7-chloro-5,8-phthalazinequinone,
cyclocondensation, 234
- 5-Acetamido-1-acetoxypthalazine, 246
- 1-[*N'*-(*m*-Acetamidobenzyl)hydrazino]-4-
phenylphthalazine, 314
- 4-*p*-Acetamidophenyl-*N*-butyl-6,7-dichloro-1-
methyl-1,2-dihydro-2-phthalazinecarbox-
amide, deacylation, 297
- 2-(3-Acetamidopropyl)-3-acetyl-1,4(2*H*,3*H*)-
phthalazinedione, 165
- 1-Acetyl-2-acetyl-1,2-dihydrophthalazine, 184
- 4-Acetylcinnoline, 104
- 1-Acetyl-1,2-dihydro-2-phthalazinecarbal-
dehyde, 184
- 2-(1-Acetylolethylideneamino)-1,4(2*H*,3*H*)-
phthalazinedione, 302, 309
cyclization, 309
- 3-Acetylidene-methyl-4-(5-methylfuran-2-
yl)cinnoline, 24
- 1-Acetyl-2-propionyl-1,2-dihydrophthalazine,
184
- 7-Acetoxy-4-acetoxymethyl-1(2*H*)-phthalazinone,
260
- 1-Acetoxy-4-benzylidene-3-phenyl-3,4-
dihydrophthalazine, ozonolysis, 193
- 1-Acetoxy-4-(biphenyl-4-yl)phthalazine, 247
- 1-Acetoxy-4-[(1-carboxyethyl)amino]phthalazine,
246
- 4-Acetoxy-3-cinnolinecarbonitrile, 66
- 4-Acetoxy-3(2*H*)-cinnolinone, 69
- 2-(1-Acetoxy-1,2-dimethylallyl)-1,4(2*H*,3*H*)-
phthalazinedione, 138
- 2-(2-Acetoxyethyl)-4-(pyridin-3-yl)-1(2*H*)-
phthalazinone, hydrolysis, 1794
- 2-Acetoxy-14-isopropenyl-3-methyl-1,4,6,11-
tetrahydro-1,4-ethanopyridazino[1,2-*b*]-
phthalazine-6,11-dione, 266
- 3-Acetoxy-methylthio-4(1*H*)-cinnolinone, 81
- 4a-*m*-Acetoxyphenyl-1-acetyl-2-phenyldeca-
hydrocinnoline, 70
- 4-Acetoxy-2-phenyl-1(2*H*)-phthalazinone, 193
- 6-Acetoxy-5,7,8-trimethyl-3-phenylcinnoline,
66
- 4-(1-Acetylacetyl)-3-cinnolinecarbonitrile,
cyclization, 104
- 4-*p*-Acetylanilino-2-phenyl-1(2*H*)-phthalazinone,
214
to a semicarbazone, 345
- 1-Acetyl-4a-*m*-benzyloxyphenyl-2-
cyclopropylmethyldecahydrocinnoline,
reductive debenzoylation, 70
- 2-Acetyl-4-(biphenyl-4-yl)-1(2*H*)-phthalazinone,
247
- 3-Acetyl-6-bromo-4(1*H*)-cinnolinone, 46
- 2-Acetyl-4-[(1-carboxyethyl)amino]-1(2*H*)-
phthalazinone, 246
- 2-Acetyl-1-carboxymethyl-1,2-
dihydrophthalazine, 183
- 2-(5-Acetyl-4-*p*-chlorophenyl-6-oxo-3-phenyl-
1,6-dihydropyridin-2-yl)-4-(3,4-
dichlorophenyl)-1(2*H*)-phthalazinone, 342
- 3-Acetyl-4(1*H*)-cinnolinone, 8
azo coupling, 89
bromination, 46
cyclocondensation, 106
to thiosemicarbazone and cyclization, 106

- 1-Acetyl-2-cyclopropylmethyl-4a-*m*-hydroxyphenyldecahydrocinnoline, 70
- 2-Acetyl-4-(2,4-dichlorophenyl)-1(2*H*)-phthalazinone, 125
- 2-Acetyl-1-(diethyloxycarbonylmethyl)-1,2-dihydrophthalazine, 183
- 4-Acetyl-5,8-dihydroxy-2-methyl-1(2*H*)-phthalazinone, 129
- 2-Acetyl-4,4-diphenyl-1,4-dihydro-3(2*H*)-cinnolinone, 24
- 1-(*N'*-Acetylhydrazino)-4-benzylphthalazine, 312
cyclization, 312
- 1-[*N*-Acetyl-*N'*-(*p*-hydroxybenzylidene)hydrazino]-4-phenylphthalazine, 314
- 4-Acetyl-8-hydroxy-2-methyl-1,5(2*H*,3*H*)-phthalazinedione, 129
oxidation, 248
- 1-Acetyl-4a-*m*-hydroxyphenyl-2-phenyldecahydrocinnoline, *O*-acylation, 70
- 2-Acetyl-4-*p*-methoxybenzyl-3-methyl-1,2,3,4,5,6,7,8-octahydrophthalazine, with ethyl chloroformate, 329
- 1-Acetyl-3-methyl-4-oxo-3,4-dihydro-5,8-phthalazinequinone, 248
- 1-Acetyl-2-methylpyrido[3,4-*c*]cinnolin-4(3*H*)-one, 104
- 3-Acetyl-6-(*p*-nitrophenylsulfonyl)-4(1*H*)-cinnolinone, 82
- 3-Acetyl-6-(*p*-nitrophenylthio)-4(1*H*)-cinnolinone, oxidation, 82
- 2-Acetyl-4-oxo-1,4-dihydro-6-cinnolinesulfonamide, cyclocondensation, 68
to the 1-phenylazo derivative, 68
- 3-Acetyl-4-oxo-1-phenylazo-1,4-dihydro-5-cinnolinesulfonamide, 68
- 3-Acetyl-1-phenylazo-4(1*H*)-cinnolinone, 89
- 3-Acetyl-1-phenyl-4(1*H*)-cinnolinone, 2
- 2-Acetyl-1,2,3,4-tetrahydrophthalazine, 174
- 1-Acetyl-1,2,3,10b-tetrahydropyrrolo[2,1-*α*]-phthalazine-2,3-dicarbonitrile, 200
- Acylcinnolines, *see* Cinnoline ketones
- N*-Acylcinnolinones, from cinnolinones (tautomeric), 66
- Acyloxycinnolines, from cinnolinones (tautomeric), 66
- Acyloxyphthalazines, from halogenophthalazines, 225
hydrolysis, 255
from phthalazinones (tautomeric), 246
- Acylphthalazines, *see* Phthalazinecarbaldehydes or Phthalazine ketones
- 1-(Adamant-1-yl)phthalazine, 177
- Alkoxy-cinnolines, 71
alkaneolysis, 39
aminolysis, 71
from cinnolinones (tautomeric), 64
dealkoxylation, 72
from halogenocinnolines, 54
hydrolysis, 61
preparation, 71
reactions, 71
- Alkoxyphthalazines, 267
alkaneolysis, 188
from alkylsulfonylphthalazines, 267
aminolysis, 269
from ammoniophthalazines, 268
cyclizations, 270
from halogenophthalazines, 222
from hydrazinophthalazines, 268
hydrolysis, 237, 255
from hydroxyphthalazines, 259
from phthalazinecarbaldehydes, 268
from phthalazinones, 239
preparation, 267
reactions, 269
rearrangement, 269
reduction, 255
from trimethylsilyloxyphthalazines, 267
- Alkylcinnolines, 33, 36
from acylcinnolines, 40
from alkoxy-cinnolines, 39
by alkylation, 37, 40
from cinnolinecarbonitriles, 39
from cinnoline ketones, 40
cyclizations, 43
halogenation, 42
from halogenocinnolines, 38
nitration, 42
from other alkylcinnolines, 41
oxidation, 42
preparation, 37
by quaternization, 41
reactions, 42
ring contraction, 44
- N*-Alkylcinnoliniumolates, 63
- Alkylcinnolinium salts, 36
- Alkylidenehydrazinophthalazines, 313
preparation and reactions, 314
tautomerism, 313
- Alkylphthalazines, 173, 184
from alkoxyphthalazines, 188
by *C*-alkylation, 176, 185
cyclocondensation, 194
dimerization, 190
halogenation, 190

- from halogenophthalazines, 188
- by miscellaneous procedures, 189
- oxidation, 191
- preparation, 184
- reactions, 190
- rearrangement, 193
- to Schiff bases, 194
- by transalkylation etc., 188
- N*-Alkylphthalazinium salts, betaines, or ylides, 196
 - C*-alkylation, 197
 - N*-alkylation, 198
 - to biphthalazines, 198
 - covalent adducts, 199
 - cyclocondensation, 199
 - dequaternization, 201
 - preparation, 196
 - reactions, 197
 - ring fission, 201
 - self-condensation, 202
- Alkylsulfanylcinnoles, 82
 - from alkylthiocinnoles, 81
 - to alkylthiocinnoles, 81
 - preparation, 82
 - reactions, 82
- Alkylsulfanylphthalazines, 287
 - from alkylthiophthalazines, 285
 - preparation, 287
 - reactions, 287
- Alkylsulfonylcinnoles, 82
 - from alkylthiocinnoles, 81
 - cyanolysis, 82
 - from halogenocinnoles, 52, 56
 - preparation, 82
 - reactions, 82
- Alkylsulfonylphthalazines, 287
 - adduct formation, 287
 - alcoholysis, 267
 - from alkylthiophthalazines, 285
 - cyanolysis, 287
 - desulfonation, 288
 - from halogenophthalazines, 226
 - hydrolysis, 238
 - preparation, 287
 - reactions, 287
- Alkylthiocinnoles, 81
 - from alkylsulfanylcinnoles, 81
 - from cinnolinethiones, 79
 - from halogenocinnoles, 55
 - oxidation, 81
 - preparation, 81
 - reactions, 81
- Alkylthiophthalazines, 284
 - adduct formation, 286
 - aminolysis, 286
 - chelation, 286
 - from halogenophthalazines, 226
 - oxidation, 285
 - by passenger introduction, 284
 - from phthalazinethiones, 282
 - preparation, 284
 - reactions, 285
- 4-Allylthio-3-bromo-6,7-dimethoxycinnoline, 79
- 2-(1-Amino-2-anthraquinonecarbonyl)-1,4(2*H*,3*H*)-phthalazinedione, 143
- 1-Amino-4-benzyl-2-(3-ethoxycarbonylpropyl)-phthalazin-2-ium bromide, 304
- 4-Amino-1-benzyl-2-(3-ethoxycarbonylpropyl)-phthalazin-2-ium bromide, 304
- 2-*p*-Aminobenzyl-1(2*H*)-phthalazinone, 293
- 4-Amino-7-chloro-6-fluoro-3-cinnolinecarboxamide, alkylidenation, 90
- hydrolysis, 97
- 4-Amino-7-chloro-6-fluoro-3-cinnolinecarboxylic acid, 97
- metal complexation, 90
- 6-Amino-7-chloro-2-methyl-1(2*H*)-phthalazinone, 152
- 8-Amino-2-*m*-chlorophenyl-7-cyano-3-oxo-6-phenyl-2,3-dihydro-4-cinnolinecarboxylic acid, 98
- 8-Amino-2-*m*-chlorophenyl-3-oxo-6-phenyl-2,3-dihydro-4,7-cinnolinedicarbonitrile, 22
- hydrolysis, 98
- 6-Amino-7-chloro-5,8-phthalazinequinone, 298
- 6-Amino-7-chloro-1(2*H*)-phthalazinone, 152
- to the 6-chlorosulfonyl analog, 288
- 4-Amino-3-cinnolinecarbonitrile, 88, 103
- cyclocondensation, 93
- thiolysis, 102
- 4-Amino-3-cinnolinecarbothioamide, 102
- 4-Amino-3-cinnolinecarboxamide, 10, 80, 101
- cyclocondensation, 92
- dehydration, 103
- 4-Amino-3-cinnolinecarboxylic acid, metal complexation, 90
- X-ray analysis, 87
- 3-Amino-4-cinnolinecarboxylic acid 1-oxide, 29
- cyclocondensation, 92
- decarboxylation, 99
- deoxygenation, 99
- Aminocinnoles, 87
- acylation, 90, 94
- from alkoxycinnoles, 71

- Aminocinnolines (*Continued*)
- alkylidenation, 90
 - by amination, 88
 - azo coupling, 89
 - from cinnolinecarbonitriles, 88
 - from cinnolinethiones, 80
 - from cinnolinones, 65
 - complexation, 90
 - cyanolysis (indirect), 92
 - cyclization, 92
 - deamination, 90
 - from halogenocinnolines, 50
 - hydrolysis, 60
 - from nitrocinnolines, 85
 - preparation, 87
 - reactions, 90
 - to thioureido analogs, 94
 - transamination, 94
- 2-Amino-3(2*H*)-cinnolinone, 88
- deamination, 90
- 4-Amino-3(2*H*)-cinnolinone, hydrolysis (indirect), 60
- 5-Amino-6-cyano-1-ethoxycarbonyl-2-phenylphthalazin-2-ium-4-olate, 134
- 5-Amino-6-cyano-4-oxo-3,7-diphenyl-3,4-dihydro-1-cinnolinecarboxylic acid, 320
- 5-Amino-6-cyano-4-oxo-7-phenyl-3-*p*-tolyl-3,4-dihydro-1-phthalazinecarbohydrazide, 332
- 3-Amino-8-dicyanomethylene-2,8-dihydro-4-cinnolinecarbonitrile, 20
- 4-Amino-5,7-dimethyl-3-cinnolinecarbonitrile, to a carboxamidine, 104
- 4-Amino-6,8-dimethyl-3-cinnolinecarbonitrile, 10
- 1-(2-Amino-4,6-dimethylpyrimidin-5-yl)-4-phenylphthalazine, 42
- 7-Amino-3,4-dimethylpyrimido[2.1-*a*]phthalazin-5-ium perchlorate, 308
- 2-Amino-5,5-dimethyl-4,9,10-triphenyl-5,6-dihydro-4*H*-pyrano[2,3-*f*]cinnoline-3-carbonitrile, 68
- 4-(2-Aminoethyl)aminocinnoline, transamination, 94
- 2-(2-Aminoethyl)-1(2*H*)-phthalazinone, *N*-arylation, 298
- 2-(2-Aminoethyl)-4-(pyridin-3-yl)-1(2*H*)-phthalazinone, 297
- arenesulfonylation, 301
- 8-Amino-1-hydroxymethyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 292
- 1-Amino-2-indolinone, 69
- 4-Amino-*N*-isopropyl-5,7-dimethyl-3-cinnolinecarboxamidine, 104
- 4-Amino-7-methoxy-3-cinnolinecarboxamide, hydrolysis, 97
- 4-Amino-7-methoxy-3-cinnolinecarboxylic acid, 97
- 1-Amino-2-(3-methoxysulfonylpropyl)-4-*p*-tolylphthalazin-2-ium chloride, 290
- 4-Amino-2-(3-methoxysulfonylpropyl)-1-*p*-tolylphthalazin-2-ium chloride, 290
- o*-Aminomethyl- α -benzyl- α -phenyltoluene, 201
- 1-Amino-2-methylphthalazin-2-ium iodide, 304
- 4-Amino-2-methylphthalazin-2-ium iodide, 304
- 4-Aminomethyl-1(2*H*)-phthalazinone, 336
- to the 4-guanidinomethyl analog, 302
- 4-Amino-2-methyl-1(2*H*)-phthalazinone, 129, 212, 272
- acylation, 300
- 6-Amino-7-nitro-1,4(2*H*,3*H*)-phthalazinedione, 127
- 1-Amino[1,2,3]oxadiazolo[4,3-*a*]phthalazin-4-ium chloride, 328
- 1-Aminooxazolo[4,3-*a*]phthalazin-4-ium (+ anion), 339
- 8-Amino-3-oxo-2,6-diphenyl-4,7-cinnolinedicarbonitrile, 23
- 2-Aminoperhydro-1-isoidolinone, 251
- 4-Amino-2-phenacylphthalazin-2-ium bromide, 345
- 4-[*p*-(*p*-Aminophenoxy)phenyl]-2-*p*-aminophenyl-1(2*H*)-phthalazinone, 294
- 4-*p*-Aminophenyl-*N*-butyl-6,7-dichloro-1-methyl-1,2-dihydro-2-phthalazinecarboxamide, 297
- 1-Amino-3-phenylcinnolin-1-ium mesitylenesulfonate, 88
- acylation, 91
- 1-*p*-Aminophenyl-6,7-dichlorophthalazine, 294
- 4-*p*-Aminophenyl-6,7-dichloro-*N*-propyl-1,2-dihydro-2-phthalazinecarboxamide, 332
- 2-Amino-4-phenylphthalazin-2-ium mesitylenesulfonate, 296
- cyclocondensation, 307
- 7-Amino-2-phenyl-1(2*H*)-phthalazinone, 299
- methylation, 298
- 2-Amino-1,4(2*H*,3*H*)-phthalazinedione, alkylidenation, 302
- cyclocondensation, 309
- 5-Amino-1,4(2*H*,3*H*)-phthalazinedione (luminol), 294
- to 5-alkylazo analogs, 303
 - oxidation, 235
- Aminophthalazines, 291. *See also*
- Hydrazinophthalazines
 - from acylaminophthalazines, 296
 - acylation, 299

- alkane- or arenesulfonylation, 301
 alkoxycarbonylation, 301
 from alkoxyphthalazines, 269
N-alkylation, 304
 alkylidenation, 302
 from alkylthiophthalazines, 286
 by amination, 296
 to arylazophthalazines, 303
 to chlorosulfonyl analogs, 288
 by covalent addition, 298
 by the Curtius reaction, 299
 cyclization reactions, 306
 from epoxyphthalazines, 257
 to guanidino or ureido derivatives, 302
 from halogenophthalazines, 212
 to halogenophthalazines, 207
 to hydroxyphthalazines, 257
 metal complexation, 305
 from nitrophthalazines, 292
 to phthalazinequinones, 263
 from phthalazinethiones, 283
 to phthalazinones, 237
 preparation, 295
 reactions, 299
 rearrangement, 268
 transamination, 297, 302
- 2-Aminophthalazin-2-ium mesitylenesulfonate, 296
 acylation, 300
- 4-Amino-1(2*H*)-phthalazinone, 154, 237, 298
 to the 4-phenylureido analog, 302
- 5-Amino-1(2*H*)-phthalazinone, acylation, 246
- 2-Amino-4-(pyridin-4-yl)methyl-1(2*H*)-phthalazinone, acylation, 299
- 2-*p*-(Aminosulfamoyl)phenyl-4-chloro-2(1*H*)-phthalazinone, 289
- 2-Amino-5,6,7,8-tetrabromo-4-*p*-tolyl-1(2*H*)-phthalazinone, 140
 passenger carbamoylation, 336
 to the 2-phenylthioureido analog, 303
- 3-Aminothieno[3,2-*c*]cinnoline-2-carboxylate, 56
- 4-Anilino-3-bromocinnoline, 71
- 6-Anilino-7-chloro-5,8-phthalazinequinone, 215
- 1-Anilino-2,3-dimethylindoline, 44
- 1-Anilino-2-phenyl-1*H*-pyrrolo[3,2-*c*]cinnoline, 44
- 3-(2-Anilinovinyl)-2-methylcinnolinium iodide, 41
- Arndt-Eistert reaction, 322
- Arylazocinnolines, 89. *See also* Aminocinnolines.
- Arylcinnolines, *see* Alkylcinnolines
- Aryloxycinnolines, *see* Alkoxycinnolines
- Arylphthalazines, *see* Alkylphthalazines
- 6-Azabicyclo[3.1.0]hexanes, to phthalazines, 138
- Azelastin, 271
- 6-Azido-7-chloro-5,8-phthalazinequinone, 220
 to 6-amino analog, 298
- 4-Azidocinnoline, 52
N-oxidation, 75
- 4-Azidocinnoline 1-oxide, 75, 87
 photolysis, 89
- 4-Azidocinnoline 2-oxide, 75
- Azidocinnolines, to azocinnolines, 89
 from halogenocinnolines, 52
 from nitrocinnolines, 85
 oxidation, 75
- 1-Azido-4-methylphthalazine, 311
- 1-Azidophthalazine, 283
- Azidophthalazines, from halogenophthalazines, 220
 from hydrazinophthalazines, 311
 from phthalazinethiones, 283
- 4-(Aziridin-1-yl)cinnoline, 51
- 4,4'-Azocinnoline 1,1'-dioxide, 89
- Azocinnolines, 89
- Azophthalazines, 303
 from hydrazinophthalazines, 311
- Barbier reaction, 38
- 4-(α -Benzamido- α -carboxymethyl)-1(2*H*)-phthalazinone, 321
- 4-(α -Benzamido- α -hydrazinocarbonylmethyl)-1(2*H*)-phthalazinone, hydrolysis, 321
 hydrolysis and decarboxylation, 336
- 4-Benzamido-2-methyl-1(2*H*)-phthalazinone, 300
- 2-Benzamido-4-phenyl-1(2*H*)-phthalazinone, 271
- 1-Benzazocines, to cinnolines, 25
- 2-(2-Benzenesulfonamidoethyl)-4-(pyridin-3-yl)-1(2*H*)-phthalazinone, 301
- 2-Benzenesulfonyl-4-(2,4-dichlorophenyl)-1(2*H*)-phthalazinone, 125
- 1-(*N'*-Benzenesulfonylhydrazino)-4-phenylphthalazine, 325
- 2-Benzenesulfonyl-1,4(2*H*,3*H*)-phthalazinedione, 288
- 2-{4-[4-(1,2-Benzisothiazol-3-yl)piperazin-1-yl]butyl}-4-methyl-1(2*H*)-phthalazinone, 216
- Benzo[*c*]cinnoline, 4
- Benzo[*c*]cinnoline 5-oxide, 4
- Benzo[1,2-*c* : 4,5-*c'*]difurans, to phthalazines, 159
- Benzofurans, to cinnolines, 25
- [1]Benzopyrano[2,3-*c*]cinnolines, to cinnolines, 28
- 2-Benzopyrans, to phthalazines, 138
- 3,2,4-Benzothiadiazepines, to phthalazines, 139
- 1,2,3-Benzotriazines, to cinnolines, 26
- 3-(Benzotriazol-1-yl)-4-methylcinnoline, 11

- 2,3-Benzoxazines, to phthalazines, 140
- 3-Benzoyl-4-cinnolinamine, to oxime and cyclization, 107
with phenyl isothiocyanate, 94
- 3-Benzoylcinnoline, 11
pyrolysis, 107
- 4-Benzoylcinnoline, 53, 104
- 2-Benzoyl-1,2-dihydro-1-phthalazinecarbonitrile, 182
with aldehydes, 340
C-alkylation, 185
cyclocondensation, 344
fine structure, 339
salts: fine structure, 339
- 2-Benzoyl-1,2-dihydro-1-phthalazinol, 182
- 2-Benzoyl-1-(3,4-dimethoxybenzyl)-6,7-dimethoxy-1,2-dihydro-1-phthalazinecarbonitrile, 185
- 2-Benzoyl-6,7-dimethoxy-1,2-dihydro-1-phthalazinecarbonitrile, C-alkylation, 185
- 2-Benzoyl-1-dimethoxyphosphinyl-1,2-dihydrophthalazine, 183
- 3-Benzoyl-6,8-dimethyl-4-cinnolinamine, acylation, 90
- 2-Benzoyl-1-ethoxy-1,2-dihydrophthalazine, 182
- 1-(*N'*-Benzoylhydrazino)-4-*p*-tolylphthalazine, 219
- 1-(α -Benzoyloxybenzyl)phthalazine, 340
hydrolysis, 255
- 1-Benzoyl-4-phenylphthalazine, 230
- 3-Benzoyl-4-[*N'*-phenyl(thioureido)]cinnoline, 94
- 1-Benzoylphthalazine, 341
C-hydroxylation, 238
- 4-Benzoyl-1(2*H*)-phthalazinone, 192, 238
- 3-Benzoylpyrrolo[2,1-*a*]phthalazine-1-carbonitrile, 199
- 2-Benzoyl-1,2,3,10b-tetrahydropyrrolo[2,1-*a*]phthalazine-1-carbonitrile, 199
oxidation, 199
- 1-Benzylamino-4-[(1-carboxyethyl)amino]-phthalazine, 213
- 4-Benzylamino-3-cinnolinecarbonitrile, 88
- 4-Benzyl-2-(4-anilinomethyl-5-yhiexo-4,5-dihydro-1,3,4-oxadiazol-2-yl)-1(2*H*)-phthalazinone, 282
- 4-Benzyl-6-bromo-1(2*H*)-phthalazinone, 147
- 2-Benzyl-4-*tert*-butoxycarbonylmethyl-1(2*H*)-phthalazinone, 146
- Benzyl 3-carbamoyl-1,2,3,4-tetrahydro-2-phthalazinecarboxylate, hydrogenolysis and decarboxylation, 331
- 4-Benzyl-2-[*p*-(carboxymethyl)anilinomethyl]-1(2*H*)-phthalazinone, 243
- 2-Benzyl-7-chloro-1-oxo-1,2-dihydro-6-phthalazinesulfonamide, 289
- 2-Benzyl-7-chloro-1-oxo-1,2-dihydro-6-phthalazinesulfonyl chloride, 288
aminolysis, 289
- 1-Benzyl-4-chlorophthalazine, hydrazinolysis, 218
- 4-Benzyl-8-chloro-1(2*H*)-phthalazinethione, 249
- 4-Benzyl-8-chloro-1(2*H*)-phthalazinone, thiation, 249
- 2-Benzyl-3(2*H*)-cinnolinone, 27
- 2-Benzyl-dibenzo[*f,h*]phthalazin-1(2*H*)-one, 62
- 4-Benzyl-3,4-dihydro-1-phthalazinecarbonitrile, 342
- 4-Benzyl-5,8-diiodo-2-phenyl-1(2*H*)-phthalazinone, 148
- 2-Benzyl-4-(3,4-dimethoxyphenyl)-1(2*H*)-phthalazinone, 244
- 2-Benzyl-4-(3,4-dimethoxyphenyl)-5,6,7,8-tetrahydro-1(2*H*)-phthalazinone, 244
- 1-Benzyl-4-dimethylaminophthalazine, 149
- 1-Benzyl-1,4-diphenyl-1,2-dihydrophthalazine, 186
- 2-Benzyl-1,4-diphenyl-1,2-dihydrophthalazine, 186
- 4-Benzyl-2-ethoxycarbonylmethyl-1(2*H*)-phthalazinone, 242
- 2-Benzyl-1-ethylthio-1,2-dihydrophthalazine, 199
- 4-Benzyl-2-(hydrazinocarbonylmethyl)-1(2*H*)-phthalazinone, to semicarbazidomethyl-carbonyl analogs, 338
- 1-Benzyl-4-hydrizinophthalazine, 218
acylation, 312
- 4-Benzylideneamino-7-chloro-6-fluoro-3-cinnolinecarboxamide, 90
- 1-Benzylidenehydrazino-4-chlorophthalazine, 315
cyclization, 315
- 1-Benzylidenehydrazino-4-phenylphthalazine, 314
oxidative cyclization, 314
- 1-Benzylidenehydrazinophthalazine, with benzenediazonium chloride, 316
- 1-Benzyl-4-methoxyphthalazine, 239
- N*-(1-Benzyl-4-methylperhydro-1,4-diazepin-6-yl)-4-cinnolinecarboxamide, 100
- 4-Benzyl-2-methyl-1(2*H*)-phthalazinone, 149
- 3-Benzyl-1-methyl-1*H*-pyrazolo[4,3-*c*]cinnoline, 43
- 4-Benzyl-2-(5-methylthio-1,3,4-oxadiazol-2-yl)-1(2*H*)-phthalazinone, 282
- 6-Benzyl-3-methyl-1,2,4-triazolo[3,4-*a*]phthalazine, 312

- 7-(Benzyloxycarbonylamino)-2-phenyl-1(2*H*)-phthalazinone, 299
reduction, 299
- 2-Benzyloxycarbonyl-1,2,3,4-tetrahydrophthalazine, 175
- 4*a-m*-Benzyloxyphenyl-1-cyclopropanecarbonyl-2-methyldecahydrocinnoline, 91
- 4*a-m*-Benzyloxyphenyl-2-cyclopropylmethyl-decahydrocinnoline, 74
- 4*a-m*-Benzyloxyphenyl-1-cyclopropylmethyl-4,4*a*,5,6,7,8-hexahydro-3(2*H*)-cinnolinone, 17
reductive deoxygenation, 74
- 4*a-m*-Benzyloxyphenyl-1-cyclopropylmethyl-2-methyldecahydrocinnoline, reductive debenzoylation, 69
- 4*a-m*-Benzyloxyphenyl-2-cyclopropylmethyl-1-phenethyldecahydrocinnoline, 50
- 4*a-m*-Benzyloxyphenyl-2-cyclopropylmethyl-1-phenylacetyldecahydrocinnoline, reduction, 40
- 4*a-m*-Benzyloxyphenyl-2-methyldecahydrocinnoline, acylation, 91
- 4-Benzyloxy-1(2*H*)-phthalazinone, as catalyst for trimethylsilylation, 236
- 4-Benzyl-3-phenyl-1,4-dihydrocinnoline, 37
- 1-Benzyl-2-phenyl-4-phenylhydrazono-1,2-dihydrophthalazine, 149
- 1-Benzyl-4-phenylphthalazine, 261
- 2-Benzyl-1-phenylphthalazinium chloride, 117
ring fission, 201
- 1-Benzyl-2-phenylphthalazin-2-ium-4-olate, 155
- 4-Benzyl-2-[(4-phenylsemicarbazido)carbonylmethyl]-1(2*H*)-phthalazinone, 338
- 4-Benzyl-2-[[4-phenyl(thiosemicarbazido)]-carbonylmethyl]-1(2*H*)-phthalazinone, 338
- 4-Benzyl-1-phthalazinamine, quaternization, 304
- 1-Benzylphthalazine, 342
- 4-Benzyl-1-phthalazinecarbonitrile, 342
- 4-Benzyl-1(2*H*)-phthalazinone, 156
alkylation, 239, 242, 243
oxidation, 192
- 4-Benzyl-3-(phthalazin-1-yl)-3,4-dihydro-1-phthalazinecarbonitrile, 342
- 4-Benzyl-2-(5-thioxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)-1(2*H*)-phthalazinone, alkylation, 282
- 3,3'-Bicinnoline, 50
- 4,4'-Bicinnoline, 35, 36
- 4,4'-Bicinnoline-3,3'-dicarbonitrile, 50
- Bicinnolines, from halogenocinnolines, 49
- 4-(Biphenyl-4-yl)-1(2*H*)-phthalazinone, acylation, 247
- 2,2'-Biphtalazine-1,1',4,4'(2*H*,2'*H*,3*H*,3'*H*)-tetrone, 210, 264
- 2,3-Bis(*m*-acetoxymethyl)phenyl]-1,4(2*H*,3*H*)-phthalazinedione, 127
- 1,2-Bis(4-azidophthalazin-1-yl)ethane, 220
- 1,4-Bis(benzylamino)phthalazine, 250
- N,N'*-Bis(4-benzylphthalazin-1-yl)hydrazine, 218
- 1,2-Bis(2-bromoacetyl)-2,3-dihydro-4(1*H*)-cinnolinone, cyclocondensation, 57
- 2,3-Bis(bromoacetyl)-1,2,3,4-tetrahydrophthalazine, 300
- 1,3-Bis[*m*-(bromomethyl)phenyl]-1,4(2*H*,3*H*)-phthalazinedione, 209
cyclocondensation, 233
- 2,3-Bis(α -bromopropionyl)-1,2,3,4-tetrahydrophthalazine, cyclocondensation, 233
- 1,2-Bis(chloroacetyl)-6,7-dimethyl-2,3-dihydro-4(1*H*)-cinnolinone, 67
- 2,3-Bis(chloroacetyl)-1,2,3,4-tetrahydrophthalazine, 300
- 1,4-Bis-*p*-chlorophenyl-6,7-dimethoxyphthalazine, 119
- 1,3-Bis(4-chlorophthalazin-1-yl)-2,4-diphenylcyclobutane, 190
- 1,2-Bis(4-chlorophthalazin-1-yl)ethane, 205
azidolysis, 220
- 1,4-Bis(3,4-dimethoxyphenyl)-6,7-dimethoxyphthalazine, 119
- 4,4-Bis(*p*-dimethylaminophenyl)-1,4-dihydro-1-phthalazinone, 249, 276
isomerization etc., 276
- 4,4-Bis(*p*-dimethylaminophenyl)-3,4-dihydro-1(2*H*)-phthalazinone, 147
oxidation, 249, 276
- 1,2-Bis(*p*-dimethylaminophenyl)phthalazin-2-ium-4-olate, 276
- 1,4-Bis(3,5-dimethylpyrazol-1-yl)phthalazine, 317
- 1,4-Bis(4,6-dimethylpyridin-2-ylamino)phthalazine, metal complexation, 305
- Bis[*p*-(1,4-dioxo-1,2,3,4-tetrahydrophthalazin-2-yl)phenyl] sulfone, 287
- 1,4-Bis[di(6-phenylpyridin-2-yl)methyl]phthalazine, metal complexation, 306
- 1,4-Bis[di(pyridin-2-yl)methyl]phthalazine, 188
metal complexation, 306
- 2,3-Bis[*m*-(hydroxymethyl)phenyl]-1,4(2*H*,3*H*)-phthalazinedione, halogenolysis, 209

- 6,7-Bis(hydroxymethyl)phthalazine, 253
- 4,6-Bis(hydroxymethyl)-1(2*H*)-phthalazinone, 252
- N,N'*-Bis(2-methyl-1,2-dihydrophthalazin-1-ylidene)hydrazine, 220
- 1,4-Bis[(3,4-methylenedioxybenzyl)amino]-6-phthalazinecarbonitrile, 213
- 1,4-Bis(1-methylimidazol-2-yl)phthalazine, 188
metal complexation, 305
- 1,2-Bis(3-methyl-4-oxo-3,4-dihydrophthalazin-1-yloxy)ethane, 223
- N,N'*-Bis(4-methylphthalazin-1-yl)hydrazine, 218
- 1,4-Bis(3-, 5-, or 6-methylpyridin-2-ylamino)phthalazine, 154
metal complexation, 305
- 1,4-Bis[4-methyl(thiosemicarbazido)]phthalazine, 313
- 1,4-Bis(*o*-nitrobenzyloxy)phthalazine, 240
- 2,2'-Bis(*p*-nitrophenyl)-1,1'-bi(1,2-dihydrophthalazinylidene), 198
- 1,2-Bis(4-oxo-3,4-dihydrophthalazin-1-yl)ethane, halogenolysis, 205
- 1,4-Bis(perfluorohexyl)-1,2,3,4-tetrahydrophthalazine, 177
- 1,4-Bis(pyridin-2-ylamino)phthalazine, metal complexation, 305
- 1,4-Bis(pyridin-2-ylthio)phthalazine, 228
Cu chelate, 286
- 1,4-Bis(salicylidenehydrazino)phthalazine, 316
Mo chelate, 316
- 1,4-Bis(thiosemicarbazido)phthalazine, 221
- 1,4-Bis(trifluoromethyl)-2,4a,5,6,7,8-hexahydrophthalazine, 136
- 1,4-Bis(trifluoromethyl)phthalazine, 119, 162
- 1,4-Bis(trifluoromethyl)-2,4a,5,8-tetrahydrophthalazine, 136
- 1,4-Bis(trifluoromethyl)-5,6,7,8-tetrahydrophthalazine, 136
- 3-Bromoacetyl-4(1*H*)-cinnolinone, 47
- 4-(*p*-Bromobenzylamino)cinnoline, 50
- 2-[(*p*-Bromobenzylidenehydrazinocarbonyl)methyl]-4-phenyl-1(2*H*)-phthalazinone, 337
- 2-[*N*-(2-Bromo-3,5-bistrifluoromethylphenyl)-carbamoylmethyl]-4-ethoxycarbonylmethyl-1(2*H*)-phthalazinone, thiation, 336
- 2-[*N*-(2-Bromo-3,5-bistrifluoromethylphenyl)thiocarbamoylmethyl]-4-ethoxycarbonylmethyl-1(2*H*)-phthalazinone, 336
- 2-(4-Bromobutyl)-4-(3,4-dimethoxyphenyl)-4a,5,8,8a-tetrahydro-1(2*H*)-phthalazinone, phenolysis, 225
- 2-(4-Bromobutyl)-4-(2-hydroxyethylamino)-1(2*H*)-phthalazinone, 209
- 2-(4-Bromobutyl)-4-methyl-1(2*H*)-phthalazinone, 242
aminolysis, 216
- 3-Bromo-4-chlorocinnoline, alkanelysis and aminolysis, 39
cyanolysis, 52
- 3-Bromo-4-chloro-6,7-dimethoxycinnoline, cyclocondensation, 57
thiolysis, 55
- 3-Bromocinnoline, alkanelysis, 39
to 3,3'-biccinnoline, 50
- 3-Bromo-4(1*H*)-cinnolinone, cyanolysis, 52
- 8-Bromo-3-cyclohexyl-6,7-dimethoxy-4(1*H*)-cinnolinone, 46
- 3-Bromo-6,7-dimethoxy-4(1*H*)-cinnolinone, 55
N-alkylation, 80
S-alkylation, 79
- 3-Bromo-6,7-dimethoxy-1-methyl-4(1*H*)-cinnolinethione, 80
- 3-Bromo-6,7-dimethoxy-4-methylthiocinnoline, 80
- 6-Bromo-2-ethylcinnolin-2-ium-4-olate, 64
- 6-Bromo-1-ethyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, 64
- 3-Bromo-1-ethyl-7-(pyridin-4-yl)-4(1*H*)-cinnolinone, 46, 63
- 4-(3-Bromo-6-hydroxybenzoyl)-6,7-dimethoxy-3(2*H*)-cinnolinone, 28
- 7-Bromo-4-hydroxymethyl-1(2*H*)-phthalazinone, cyanolysis, 229
- 6-Bromo-2-methylcinnolin-2-ium-4-olate, 64
- 2-Bromomethyl-8-dibromomethyl-1(2*H*)-phthalazinone, 191
hydrolysis etc., 344
- 2-Bromomethyl-4-ethoxycarbonylmethyl-1(2*H*)-phthalazinone, 208
cyanolysis, 229
- 6-Bromo-1-methyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, 64
- 6-Bromo-2-methyl-4-oxo-1,4-dihydrocinnolin-2-ium-3-carboxylate, 64
decarboxylation, 64
- 1-(4-Bromo-3-methylphenyl)-4-chlorophthalazine, aminolysis, 212
- 4-(4-Bromo-3-methylphenyl)-1-phthalazinamine, 212
- 1-Bromomethyl-4-phenylphthalazine, 119
- 6-Bromo-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, *N*-alkylation, 64

- 6-Bromo-4-oxo-1-propyl-1,4-dihydro-3-cinnolinecarboxylic acid, decarboxylation, 98
- 3-Bromo-4-phenoxy-cinnoline, aminolysis, 71
- 4-Bromo-3-phenylcinnoline, 15
- 7-Bromo-2-phenyl-1(2*H*)-phthalazinone, cyanolysis, 229
- 3-Bromo-1-phenyl-7-(pyridin-4-yl)-4(1*H*)-cinnolinone, cyanolysis, 52
- 6-Bromo-1-propyl-4(1*H*)-cinnolinone, 98
- 3-Bromo-7-(pyridin-4-yl)-4(1*H*)-cinnolinone, *N*-alkylation, 63
- 1-(4-*tert*-Butoxycarbonylpiperidino)-4-[(3-chloro-4-methoxybenzyl)amino]-6-phthalazine-carbonitrile, hydrolysis, 320
- 1-Butoxy-4-phenylphthalazine, 217
- rearrangement, 269
- tert*-Butyl 3-acetyl-1,2,3,4-tetrahydro-2-phthalazinecarboxylate, 114
- 6-Butylamino-1,4(2*H*,3*H*)-phthalazinedione, 151
- 3-Butyl-4-cinnolinecarbonitrile, mass spectrum, 103
- 1-(*N'*-Butylguanidino)phthalazine, 341
- tert*-Butyl 3-[(1-methoxycarbonyl-3-methylbutyl)carbamoyl]-1,2,3,4-tetrahydro-2-phthalazinecarboxylate, 335
- X-ray analysis, 335
- tert*-Butyl 3-methylcarbamoyl-1,2,3,4-tetrahydro-2-phthalazinecarboxylate, 332
- tert*-Butyl *p*-nitrophenyl 1,2,3,4-tetrahydro-2,3-phthalazinedicarboxylate, 330
- aminolysis, 332
- 2-*tert*-Butyl-4-phenyl-1,2-dihydrophthalazine, 190
- 2-Butyl-4-phenyl-1(2*H*)-phthalazinone, 269
- 2-*tert*-Butyl-4-phenyl-1(2*H*)-phthalazinone, 121
- reduction, 190
- 2-Butylphthalazinium bromide, 180
- 4-*p*-[1-(4-Butylsemicarbazono)ethyl]anilino-2-phenyl-1(2*H*)-phthalazinone, 345
- 4-*tert*-Butylsulfanyl-cinnoline, 82
- 1-*tert*-Butylsulfanyl-4-methoxyphthalazine, 285
- 4-*tert*-Butylsulfonyl-cinnoline, 82
- tert*-Butyl 1,2,3,4-tetrahydro-2-phthalazinecarboxylate, alkoxycarbonylation, 330
- carbamoylation, 335
- 4-*tert*-Butylthiocinnoline, 55
- oxidation, 82
- 1-*tert*-Butylthio-4-methoxyphthalazine, 240
- oxidation, 285
- 2-(2-Carbamoylethyl)phthalazinium chloride, 181
- 2-Carbamoylethyl-4-methyl-1(2*H*)-phthalazinone, 331
- 2-Carbamoylethylphthalazinium iodide, NMR spectrum, 196
- 2-*o*-Carboxybenzyl-7-chloro-1(2*H*)-phthalazinone, 164
- 2-*o*-Carboxybenzyl-1(2*H*)-phthalazinone, 163
- cyclization, 326
- 1-(α -Carboxybenzylthio)phthalazine, 282
- 1-(2-Carboxy-4-chlorobenzyl)-1(2*H*)-phthalazinone, 164
- 1-(1-Carboxyethylamino)-4-chlorophthalazine, 205
- aminolysis, 213
- hydrazinolysis, 219
- 1-(1-Carboxyethylamino)-4-hydrazinophthalazine, 219
- 4-(1-Carboxyethylamino)-1(2*H*)-phthalazinone, 152
- acylation, 246
- halogenolysis, 205
- 3-(2-Carboxyethyl)-4(1*H*)-cinnolinone, 25
- 3-(2-Carboxyethyl)-6-ethyl-4(1*H*)-cinnolinone, esterification, 100
- 2-(2-Carboxyethyl)phthalazinium chloride, 181
- 2-(2-Carboxyethyl)-1(2*H*)-phthalazinone, 164
- 1-[1-Carboxy-2-(*p*-methylbenzoyl)ethyl]thio-5,6,7,8-tetrachloro-4-(3,4-dimethylphenyl)-phthalazine, cyclization, 326
- 2-[α -(Carboxymethyl)benzyl]-1(2*H*)-phthalazinone, 164
- 4-(1-Carboxy-1-methylethyl)amino-1(2*H*)-phthalazinone, 162
- 2-Carboxymethyl-4-methyl-1(2*H*)-phthalazinone, 320
- 2-*o*-(Carboxymethyl)phenyl-1,4(2*H*,3*H*)-phthalazinedione, 320
- 4-Carboxymethyl-1(2*H*)-phthalazinone, to an amide, 325
- esterification, 325
- 1-Carboxymethylthio-4-phenylphthalazine, 226
- 4-Carboxymethyl-2-(5-trifluoromethylbenzoxazol-2-yl)methyl-1(2*H*)-phthalazinone, 321
- 4-Carboxymethyl-3,6,7-trimethyl-5-cinnolinamine, 30
- 2-*p*-Carboxyphenyl-4-(3,4-diethoxyphenyl)-4a,5,8,8a-tetrahydro-2(1*H*)-phthalazinone, 123
- 3-(*o*-Carboxyphenyl)-1,2,4-triazolo[3,4-*a*]-phthalazine, 318
- 1-Carboxy-2-(2-phthalazinio)ethanesulfonate, 181

- 2-(3-Carboxypropyl)-4-(pyridin-3-yl)-1(2*H*)-phthalazinone, to the acyl chloride, 323
- R. N. Castle, ix
- 2-(Cephalosporinpropenyl)-7-hydroxy-6(2*H*)-phthalazinones, 245
- Chemiluminescence, 235, 265
- review, 236
- 2-Chloroacetyl-6,7-dimethyl-2,3-dihydro-4(1*H*)-cinnolinone, 66
- acylation, 66
- 4-[*N'*-(Chloroacetyl)hydrazino]-2-phenyl-1(2*H*)-phthalazinone, 312
- 4-(*o*-Chloroanilino)-3-methoxycinnoline 1-oxide, 18
- 1-*p*-Chloroanilino-4-(pyridin-4-ylmethyl)-phthalazine, 250
- 4-(*p*-Chlorobenzyl)-2-(1-methylhexahydro-1*H*-azepin-4-yl)-1(2*H*)-phthalazinone hydrochloride (Azelastin), bronchodilatory effect, 271
- 1-*o*-Chlorobenzylphthalazine, 185
- 4-(4-Chlorobutyl)-3,4-diphenyl-1,4-dihydrocinnoline, 37
- 8-Chloro-2-chloroacetyl-2,3-dihydro-4(1*H*)-cinnolinone, X-ray analysis, 60
- 4-Chloro-3-chloromethylthiocinnoline, 81
- 7-Chloro-5-*o*-chlorophenyl-2-[*N'*-(4-cinnolinecarbonyl)hydrazino]-1*H*-1,4-benzodiazepine, 103
- 6-Chloro-2-*p*-chlorophenyl-8-(*trans*-1,2-diphenylvinyl)-3,4-diphenyl-2,3-dihydrocinnoline, X-ray analysis, 36
- 4-Chloro-2-*p*-chlorosulfonylphenyl-2(1*H*)-phthalazinone, aminolysis, 289
- 3-Chlorocinnoline, 49
- alcoholysis, 54
- 4-Chlorocinnoline, acylolysis, 53
- alkanelysis, 38
- alkanethiolysis, 55
- alkylation, 37
- aminolysis, 50, 51
- arylsulfinolysis, 56
- azidolysis, 52
- carbonation, 95
- iodination, 47
- 6-Chlorocinnoline, 6, 26
- 4-Chloro-3-cinnolinecarbonitrile, 48
- arenesulfinolysis, 56
- to a bicinnoline, 50
- cyclocondensation, 56
- hydrolysis, 53, 98
- thiolysis, 374
- 4-Chloro-3-cinnolinecarboxylic acid, 96
- 4-Chloro-3(2*H*)-cinnolinone, 46
- 6-Chloro-4(1*H*)-cinnolinone, *N*-alkylation, 63
- X-ray analysis, 60
- 4-Chloro-3-cyclohexyl-6,7-dimethoxycinnoline, 48
- 1-Chloro-5-cyclopentyloxy-6-methoxyphthalazine, aminolysis, 214
- 8-Chloro-2,3-dihydro-4(1*H*)-cinnolinone, X-ray analysis, 60
- 4-Chloro-3,8-diiodocinnoline, 47
- 6-Chloro-1,4-dimethoxy-7-methylphthalazine, 185
- 6-Chloro-1,4-dimethoxyphthalazine, *C*-alkylation, 185
- halogenation, 207
- 1-Chloro-4-(*p*-dimethylaminobenzylidenehydrazino) phthalazine, oxidative cyclization, 315
- 1-Chloro-4-*p*-dimethylaminophenyl-4-phenyl-3,4-dihydrophthalazine, 204
- oxidation, 204
- 6-Chloro-3-*p*-dimethylaminophenyl-1,2,4-triazolo[3,4-*a*]phthalazine, 315
- 1-Chloro-4-dimethylaminophthalazine, X-ray analysis, 210
- 4-(2-Chloroethoxy)-2-methyl-1(2*H*)-phthalazinone, 223, 239
- alcoholysis, 223
- rearrangement etc., 270
- 1-Chloroethyl 4-allyl-1,4-dihydro-1-cinnolinecarboxylate, 35
- 1-Chloro-4-(*N'*-ethylidene-*N*-methylhydrazino)phthalazine, 316
- 2-(2-Chloroethyl)-3-methyl-1,4(2*H*,3*H*)-phthalazinedione, 223, 270
- alcoholysis, 223
- hydrolysis, 270
- 2-(2-Chloroethyl)-8-methyl-1,4(2*H*,3*H*)-phthalazinedione, 208
- 7-Chloro-1-ethyl-3-methylsulfonyl-4(1*H*)-cinnolinone, cyanolysis, 82
- 7-Chloro-6-fluoro-1-*p*-fluorophenyl-4-oxo-1,4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, 96
- aminolysis, 52
- 7-Chloro-6-fluoro-1-methyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, aminolysis, 51
- 1-Chloro-4-*p*-fluorophenylphthalazine, 203
- 1-Chloro-4-fluorophthalazine, 207
- 2-[3-(Chloroformyl)propyl]-4-(pyridin-3-yl)-1(2*H*)-phthalazinone, 323
- 1-Chloro-4-hydrazinophthalazine, 219
- alcoholysis, 268
- alkyldienation, 315

- fine structure, 310
 hydrogenolysis, 210
 1-Chloro-4-hydrazino-5,6,7,8-tetrahydrophthalazine, cyclocondensation, 317
 4-Chloro-3-(α -hydroxybenzyl)cinnoline, 37
 6-Chloro-7- α -hydroxybenzyl-1,4-dimethoxyphthalazine, 185
 4-Chloro-3-(1-hydroxyethyl)cinnoline, 37
 6-Chloro-7-(1-hydroxyethyl)-1,4-dimethoxyphthalazine, 185
 4-(4-Chloro-2-hydroxyphenyl)-2-phenyl-1(2*H*)-phthalazinone, 122
 1-Chloro-4-(imidazol-1-yl)phthalazine, 216
 hydrolysis, 216
 4-Chloro-3-iodocinnoline, 47
 dechlorination, 50
 hydrazinolysis, 50
 6-Chloro-7-iodo-1,4-dimethoxyphthalazine, 207
 1-Chloro-4-(*N'*-isopropylidene-*N*-methylhydrazino)phthalazine, 316
 4-(3-Chloro-4-methoxybenzylamino)-1-(4-hydroxypiperidino)-*N,N*-dimethyl-6-phthalazinecarboxamide, 325
 4-(3-Chloro-4-methoxybenzylamino)-1-(4-hydroxypiperidino)-6-phthalazinecarboxamide, hydrolysis, 335
 4-(3-Chloro-4-methoxybenzylamino)-1-(4-hydroxypiperidino)-6-phthalazinecarboxamide, 335
 4-(3-Chloro-4-methoxybenzylamino)-1-(4-hydroxypiperidino)-6-phthalazinecarboxylic acid, to the carboxamide, 325
 4-Chloro-3-methoxycinnoline 1-oxide, aminolysis, 51
 4-Chloro-6-methoxy-7-(2-methoxyethoxy)cinnoline, 49
 4-Chloro-6-methoxy-8-nitrocinnoline, 48
 hydrogenolysis, 49, 86
 reduction, 49, 86
 4-Chloro-1-*o*-methoxyphenyl-5,7-dimethyl-6-phthalazinecarboxylate, 204
 1-Chloro-6-methoxy-5-(5-phenylpent-1-ynyl)phthalazine, alkaneolysis, 210
 1-Chloro-4-methoxyphthalazine, 268
 alkanethiolysis, 227
 1-Chloro-7-methoxyphthalazine, arenesulfinolysis, 228
 1-Chloro-4-(*N*-methylanilino)phthalazine, 215
 4-Chloro-3-methylcinnoline, 37
 6-Chloro-2-methylcinnolin-2-ium-4-olate, 63
 cyclocondensation, 74
 7-Chloro-10-methyl-2,3-diphenyl-4,5-dihydro-1,4-imino-1*H*-1-benzazepin-5-one, 74
 1-Chloro-4-[(3,4-methylenedioxybenzyl)amino]-6-phthalazinecarbonitrile, 213
 4-Chloro-1-[(3,4-methylenedioxybenzyl)amino]-6-phthalazinecarbonitrile, 213
 1-Chloro-4-(*N*-methylhydrazino)phthalazine, alcoholysis, 223
 alkylidenation, 316
N'-arylation, 313
 hydrogenolysis, 211
 4-Chloromethyl-3-methylcinnoline, 42
 1-Chloro-4-(*N*-methyl-*N'*-methylenehydrazino)phthalazine, 316
 1-Chloro-3-methyl-4-methylimino-3,4-dihydrophthalazine, 218
 6-Chloro-2-methyl-4-oxo-1,4-dihydrocinnolinium *p*-toluenesulfonate, 63
 to the zwitterion, 63
 7-Chloro-2-methyl-1-oxo-1,2-dihydro-6-phthalazinesulfonamide, 289
 7-Chloro-2-methyl-1-oxo-1,2-dihydro-6-phthalazinesulfonyl chloride, 288
 aminolysis, 289
 6-Chloro-3-methyl-4-phenylcinnoline, 14
 7-Chloro-10-methyl-2-phenyl-4,5-dihydro-1,4-imino-1*H*-1-benzazepin-5-one, 75
 1-Chloro-4-(*N'*-methyl-*N'*-phenylhydrazino)phthalazine, 219
 1-Chloro-3-methyl-4-phenylimino-3,4-dihydrophthalazine, 218
 4-(4-Chloro-3-methylphenyl)-1-oxo-1,2-dihydro-2-phthalazinecarboxamide, 124
 7-Chloromethyl-2-phenyl-1(2*H*)-phthalazinone, 208
 aminolysis, 212
 1-Chloro-4-methylphthalazine, arenethiolysis, 227
 cyclocondensation, 232
 hydrazinolysis, 218
 thiolysis, 226
 4-Chloro-2-methyl-1(2*H*)-phthalazinimine, 218
 1-Chloro-2-methylphthalazinium chloride, hydrazinolysis, 220
 4-Chloro-2-methyl-1(2*H*)-phthalazinone, 204
 aminolysis, 212
 1-Chloro-4-(*N*-methyl-*N'*-picrylhydrazino)phthalazine, 313
 1-Chloro-4-(4-methylpiperazin-1-yl)phthalazine, 215
 alkaneolysis, 188
 1-Chloro-4-morpholinophthalazine, 215
 2-(3-Chloro-6-nitrophenyl)-4-methyl-1(2*H*)-phthalazinone, aminolysis, 216

- 7-Chloro-1-oxo-1,2-dihydro-6-phthalazinesulfonamide, 289
- 7-Chloro-4-oxo-3,4-dihydro-6-phthalazinesulfonamide, arenethiolysis, 227
- 7-Chloro-1-oxo-1,2-dihydro-6-phthalazinesulfonyl chloride, 288
aminolysis, 289
- 1-(*p*-Chlorophenoxy)-4-(pyridin-4-ylmethyl)phthalazine, 224
- 4-Chloro-3-phenylcinnoline, 15
- 6-Chloro-4-phenylcinnoline, *N*-oxidation, 75
- 6-Chloro-4-phenylcinnoline 1-oxide, 75
- 6-Chloro-4-phenylcinnoline 2-oxide, 7, 75
- 2-(4-*p*-Chlorophenyl-5-cyano-6-oxo-3-phenyl-1,6-dihydropyridin-2-yl)-4-(3,4-dichlorophenyl)-1(2*H*)-phthalazinone, with a Grignard, 342
- 1-*p*-Chlorophenyl-5-dimethylamino-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, 51
- 2-(5-*p*-Chlorophenyl-1,4-diphenyl-2-pyrazolin-3-yl)-4-(3,4-dichlorophenyl)-1(2*H*)-phthalazinone, 195
- 4-Chloro-3-phenylethynylcinnoline, 39
cyclocondensation, 43
- 1-*p*-Chlorophenyl-5-fluoro-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, 96
alcoholysis, 54
aminolysis, 51
- 6-Chloro-2-phenylimidazo[2,1-*a*]phthalazine, 306
- 6-Chloro-2-phenylimidazo[2,1-*a*]phthalazin-3(5*H*)-one, 306
- 3-*p*-Chlorophenyl-4-oxo-3,4-dihydro-1-phthalazinecarbonyl chloride, 323
aminolysis, 328
- 3-*p*-Chlorophenyl-4-oxo-3,4-dihydro-1-phthalazinecarboxamide, 139
- 3-*p*-Chlorophenyl-4-oxo-3,4-dihydro-1-phthalazinecarboxanilide, 328
- 3-*p*-Chlorophenyl-4-oxo-3,4-dihydro-1-phthalazinecarboxylic acid, 139
to the carbonyl chloride, 323
- 2-(6-*p*-Chlorophenyl-2-oxo-5-phenyl-1,2,5,6-tetrahydropyrimidin-4-yl)-4-(3,4-dichlorophenyl)-1(2*H*)-phthalazinone, 195
- 1-*p*-Chlorophenyl-4-oxo-5-propoxy-1,4-dihydro-3-cinnolinecarboxylic acid, 54
- 2-(3-*p*-Chlorophenyl-2-phenylacryloyl)-4-(3,4-dichlorophenyl)-1(2*H*)-phthalazinone, cyclocondensation, 195
halogenation, 191
oxidation, 191
- 2-(3-*p*-Chlorophenyl-2-phenyl-2,3-epoxypropionyl)-4-(3,4-dichlorophenyl)-1(2*H*)-phthalazinone, 191
- 2-(5-*p*-Chlorophenyl-4-phenyl-2-pyrazolin-3-yl)-4-(3,4-dichlorophenyl)-1(2*H*)-phthalazinone, 195
- 4-Chloro-2-phenyl-6-[*p*-[(1-phenylpyrazol-2-yl)sulfamoyl]phenylsulfamoyl]-1(2*H*)-phthalazinone, aminolysis, 221
- 2-(6-*p*-Chlorophenyl-5-phenyl-2-thioxo-1,2,5,6-tetrahydropyrimidin-4-yl)-4-(3,4-dichlorophenyl)-1(2*H*)-phthalazinone, 195
- 1-Chloro-4-phenylphthalazine, 204, 278
acyl-displacement, 230
alcoholysis, 217, 222
alkanelysis, 188, 258
alkanethiolysis, 226
aminolysis, 213, 216, 217, 221
arenesulfinolysis, 228
cyanolysis, 230
phenolysis, 225
- 4-Chloro-2-phenyl-1(2*H*)-phthalazinone, aminolysis, 214
- 7-Chloro-2-phenyl-1(2*H*)-phthalazinone, alkanethiolysis, 227
- 4-Chloro-3-phenyl-1,5,6,7-tetrahydrocinnoline, 22
- 5-Chloro-10-phenyl-8*H*-thieno[2',3':4,5]pyrimido[2,1-*a*]phthalazin-8-one, 232
- 1-*p*-Chlorophenylthio-4-(pyridin-4-ylmethyl)phthalazine, 229
- 6-Chloro-3-phenyl-1,2,4-triazolo[3,4-*a*]phthalazine, 315
- 4-Chloro-1-phthalazinamine, 212
cyclocondensation, 306
- 1-Chlorophthalazine, 203
alkanethiolysis, 226
aminolysis, 213, 214, 216, 220
fine structure, 210
ring fission, 231
- 6-Chloro-1,4(2*H*,3*H*)-phthalazinedione, hydrogenolysis, 206
- 4-Chloro-1(2*H*)-phthalazinone, aminolysis rates, 215
hydrogenolysis, 210
- 1-Chloro-4-(pyridin-4-ylmethyl)phthalazine, 205
arenethiolysis, 227
phenolysis, 224
- 1-Chloro-4-(pyrimidin-4-ylmethyl)phthalazine, 205
- 10-Chloroquinoxalino[2,3-*c*]cinnoline, 47
- 1-Chloro-4-styrylphthalazine, 188
photodimerization, 190

- 2-*p*-Chlorosulfonylphenyl-1,4(2*H*,3*H*)-
phthalazinedione, 289
aminolysis, 289
- 3-Chloro-5,6,7,8-tetrahydrocinnoline, 49
aminolysis, 50
- 6-Chloro-7,8,9,10-tetrahydro-1,2,4-triazolo[3,4-
a]phthalazine, 317
- 1-Chloro-4-*p*-tolylphthalazine, hydrazinolysis,
219
phenolysis, 224
- 1-Chloro-4-(2,4,6-trimethoxyphenyl)phthalazine,
hydrolysis, 222
- 3-Cinnolinamine, 99
- 4-Cinnolinamine, 50, 94
acylation, 91
- 5-Cinnolinamine, 86
to 5-cinnolinecarbonitrile, 92
- 8-Cinnolinamine, 86
- Cinnoline, 4, 6, 33
aromaticity, 34
complexation, 34
deuteration, 35
energy calculations, 34
ESR study, 34
nitration, 36
NMR spectra, 35
oxidation, 36
photolysis, 36
preparation, 33
properties, 34
reactions, 35
Reissert additions, 35
UV spectra, 35
- 3-Cinnolinecarbaldehyde, dimerization, 69
- 4-Cinnolinecarbaldehyde, reversible hydration,
106
- Cinnolinecarbaldehydes, 105
from alkylcinnolines, 42
from dihalogenomethylphthalazines, 53
dimerization, 69
by formylation, 105
preparation, 105
reactions, 106
reduction, 70
- 4-Cinnolinecarbohydrazide, 102
N'-heteroarylation, 103
- Cinnolinecarbohydrazides, *see*
Cinnolinecarboxamides
- 4-Cinnolinecarbonitrile, alkaneolysis, 40,
104
with a Grignard, 72
mass spectrum, 103
- 5-Cinnolinecarbonitrile, 92
- Cinnolinecarbonitriles, 103
alkaneolysis, 39, 104
from alkylsulfonylcinnolines, 82
from aminocinnolines, 92
aminolysis, 88
from cinnolinecarboxamides, 103
to cinnolinecarboxamidines, 104
cyclizations, 104
decyanation, 104
from halogenocinnolines, 52
hydrolysis, 97, 102
mass spectra, 103
preparation, 103
reactions, 104
thiolysis, 102
- Cinnolinecarbonyl halides, to
cinnolinecarboxamides, 100
from cinnolinecarboxylic acids, 99, 100
to cinnolinecarboxylic esters, 99
- Cinnolinecarboxamides, 102
N-arylation, 103
from cinnolinecarbonitriles, 102
to cinnolinecarbonitriles, 103
from cinnolinecarboxylic acids, 100
hydrolysis, 97
preparation, 102
reactions, 103
- 4-Cinnolinecarboxylic acid, 54
to an amide, 100
- 4-Cinnolinecarboxylic acid 1-oxide, 29
- Cinnolinecarboxylic acids, 95
by carbonation, 95
from cinnolinecarbonitriles, 97
from cinnolinecarboxamides, 97
to cinnolinecarboxamides, 100
from cinnolinecarboxylic esters, 96
decarboxylation, 98
esterification, 99
preparation, 95
reactions, 98
from trihalogeromethylcinnolines, 53
- Cinnolinecarboxylic esters, 101
to cinnolinecarboxamides, 101
from cinnolinecarboxylic acids, 99
hydrolysis, 96
preparation, 101
reactions, 101
- 3,4-Cinnolinediamine, 86
cyclocondensation, 92
- 3,4-Cinnolinedicarbaldehyde, reduction, 70
- 3,4-Cinnolinedicarbonitrile, 52
aminolysis, 88
hydrolysis, 97, 102

- 3,4-Cinnolinedicarboxamide, 102
 3,4-Cinnolinedicarboxylic acid, 97
 3,4(1*H*,2*H*)-Cinnolinedione, 60
 Cinnoline ketones, 105
 cyclocondensation, 106
 to oximes, 107
 preparation, 105
 pyrolysis, 107
 reactions, 106
 reduction, 40
 by reductive acylation, 106
 to thiosemicartazones, 106
 Cinnoline 1-oxide, resistance to photolysis, 76
 Cinnoline 2-oxide, deoxidative amination, 77
 Cinnoline *N*-oxides, 75
 deoxidative amination, 77
 NMR spectra, 76
 photolysis, 76
 preparation, 75
 reactions, 76
 Cinnolinequinones, 71
 Cinnolines, from carbocyclic substrates, 1, 12
 glance index to products from primary
 synthesis, 30
 from heterobicyclic substrates, 25
 from heteromonocyclic substrates, 24
 from heteropolycyclic substrates, 28
 nomenclature, ix
 to phthalazines, 141
 primary syntheses, 1
 from pyridazines, 22
 simple (list), 351
 Cinnoline sulfones, *see* Alkylsulfonycinnolines
 Cinnolinesulfonic acids, 83
 derivatives, 83
 Cinnoline sulfoxides, *see* Alkylsulfynylcinnolines,
 Cinnolinethiones, 79
 alkylation, 79
 aminolysis, 80
 from cinnolinones, 65, 73
 desulfurization, 79
 from halogenocinnolines, 54
 preparation, 79
 reactions, 79
 Cinnoliniumolates, 72
 cyclocondensation, 74
 preparation, 72
 reactions, 73
 rearrangement, 75
 structure, 73
 3(2*H*)-Cinnolinone, 90
 C-acyloxylation, 69
 N-alkylation, 62
 amination, 88
 C-arylation, 40
 chlorination, 46
 halogenolysis, 49
 reduction, 67
 4(1*H*)-Cinnolinone, 13–15, 61
 iodination, 45
 reduction, 67
 X-ray analysis, 60
 Cinnolinones (nontautomeric), 72
 from cinnolinecarbonitriles, 72
 from cinnolinethiones, 73
 from cinnolinones (tautomeric), 62
 to cinnolinones (tautomeric), 61
 oxidation, 73
 oxylation, 72
 preparation, 72
 reactions, 73
 reduction, 74
 ring contraction, 74
 structure, 73
 thiation, 73
 Cinnolinones (tautomeric), 60
 C-acetoxylation, 69
 N/O-acylation, 66
 from alkoxycinnolines, 61
 alkylation, 62
 aminolysis (indirect), 65
 azo coupling, 68
 from cinnolinamines, 60
 from cinnolinones (nontautomeric), 61
 cyclocondensation, 68
 from halogenocinnolines, 53
 halogenolysis, 48
 hydrazinolysis, 68
 oxidation, 67
 preparation, 60
 reactions, 62
 rearrangement, 69
 reduction, 67
 tautomerism, 60
 thiation, 65
 X-ray analyses, 60
 1-Cyanoaminophthalazine, 220
 with amines, 341
 cyclocondensation, 343
 4-(α -Cyanobenzyl)cinnoline, 40
 decyanation, 104
 1-(α -Cyanobenzyl)phthalazine, 188
 oxidation, 340
 1-Cyano-*N,N*-diethyl-1,2-dihydro-2-
 phthalazinecarboxamide, with benzaldehyde,
 258

- 1-Cyano-1,2-dihydro-2-phthalazincarbonyl chloride, 182
nitrosation and cyclization, 328
- 4-(α -Cyano- α -ethoxycarbonylmethyl)cinnoline, 40
- 1-(α -Cyano- α -ethoxycarbonylmethyl)-4-phenylphthalazine, 188
cyclocondensation, 333
- 4-(α -Cyano- α -ethoxycarbonylmethyl)-1-phthalazincarbonitrile, 340
- Cyano ethoxycarbonyl (phthalazin-2-io)methanide, cyclization, 333
- 2-(2-Cyanoethyl)-4-(*p,p'*-dibromobenzhydryl)-1(2*H*)-phthalazine, 242
X-ray analysis, 242
- 2-(2-Cyanoethyl)-4-phenyl-1(2*H*)-phthalazinone, 242
thiolysis, 335
- 4-(6-Cyano-3-hydroxy-2,2-dimethyl-3,4-dihydro-2*H*-[1]benzopyran-4-yloxy)-2-methyl-1(2*H*)-phthalazinone, 240
- 2-Cyanomethyl-4-ethoxycarbonylmethyl-1(2*H*)-phthalazinone, 229, 242
cyclocondensation, 343
- 2-(*o*-Cyanophenyl)-4,6-bis(diethylamino)-3,5-dimethylpyridine, 231
- 2-(*o*-Cyanophenyl)-4,6-bis(diethylamino)-3,5-dimethylpyridine, 231
- 2-Cycloheptyl-4-(3-cyclopentyloxy-4-methoxyphenyl)-4a,5,8,8a-tetrahydro-1(2*H*)-phthalazinone, hydrolysis, 256
- 2-Cycloheptyl-4-(3-hydroxy-4-methoxybenzyl)-4a,5,8,8a-tetrahydro-1(2*H*)-phthalazinone, *O*-alkylation, 259
- 2-Cycloheptyl-4-(3-hydroxy-4-methoxyphenyl)-4a,5,8,8a-tetrahydro-1(2*H*)-phthalazinone, 256
- 2-Cycloheptyl-4-[4-methoxy-3-(5-phenylpentyloxy)benzyl]-4a,5,8,8a-tetrahydro-1(2*H*)-phthalazinone, 259
- 2-(Cyclohex-1-enyl)-1,4(2*H*,3*H*)-phthalazinedione, 165
- 3-Cyclohexyl-6,7-dimethoxy-4(1*H*)-cinnolinone, 13
bromination, 46
halogenolysis, 48
- 5-Cyclopentyloxy-1-(3,5-dichloropyridin-4-ylamino)-6-methoxyphthalazine, 214
N-oxidation, 277
- 5-Cyclopentyloxy-1-(3,5-dichloropyridin-4-ylmethyl)-3-methanesulfonyl-6-methoxy-3,4-dihydrophthalazine, 302
- 5-Cyclopentyloxy-1-(3,5-dichloropyridin-4-ylmethyl)-6-methoxy-3,4-dihydrophthalazine, alkylsulfonylation, 302
- 5-Cyclopentyloxy-1-(3,5-dichloropyridin-4-ylmethyl)-6-methoxyphthalazine *N*-oxide, 277
- Cyclopropa[*c*]cinnolines, to cinnolines, 28
- 1-Cyclopropylmethyl-4a-*m*-hydroxyphenyl-2-methyldecahydrocinnoline, 69
- 1,2,3,4,4a,5,7,12,14,14a-Decahydrophthalazino-[2,3-*b*]phthalazine-5,12-dione, 251
- 5-(Diacetylmethylazo)-1,4(2*H*,3*H*)-phthalazinedione, 303
- 1,2-Diacetyl-4-methyl-1,2-dihydrocinnoline, 106
- 1-Diacetylmethyl-4-phenylphthalazine, 188
cyclocondensation, 346
- 2,3-Diacetyl-7-nitro-3,4-dihydro-1(2*H*)-phthalazinone, 115
deacylation, 115
- 2,3-Diacetyl-1,2,3,4-tetrahydrophthalazine, 114
- 1,4-Diamino-2-(3-ethoxycarbonylpropyl)phthalazin-2-ium bromide, 305
to the nontautomeric phthalazinimine, 305
- 1-(2,4-Diamino-6-oxo-1,6-dihydropyrimidin-5-yl)-4-phenylphthalazine, 333
- 6,7-Diamino-1,4(2*H*,3*H*)-phthalazinedione, cyclocondensation, 308
- 1,2-Diazetes, to cinnolines, 24
- Diazirino[1,2-*b*]phthalazines, to phthalazines, 160
- Diazoacetylphthalazines, 328
- 1,4-Dibenzamidophthalazine, 300
- 2,3-Dibenzenesulfonyl-1,4(2*H*,3*H*)-phthalazinedione, desulfonylation, 288
- 4-Dibenzoylamino-2-methyl-1(2*H*)-phthalazinone, monodeacylation, 300
- 8,16-Dibenzoyl-5,13-bis(dimethylamino)-8,8a,16,16a-tetrahydropyrazino[2,1-*a*:5,4-*a'*]diphthalazine, 202
- 1,2-Dibenzoyl-1,2-dihydro-4-cinnolinecarbonitrile, 35
to 4,4'-bicinnoline, 35
- 6,7-Dibenzoyl-1,4-diphenylphthalazine, 161
cyclization, 346
- Dibenzoyl (2-phthalazinio) methanide, ionization, 196
- 6,7-Dibenzyl-1,4-diphenylphthalazine, cyclocondensation, 194
- 2,3-Dibenzoyloxycarbonyl-1,2,3,4-tetrahydrophthalazine, 176
- 1,4-Dibenzyl-3-phenyl-1,4-dihydrocinnoline, 37
- 2,3-Dibenzyl-1,4(2*H*,3*H*)-phthalazinedione, 127

- 4-(*p,p'*-Dibromobenzhydryl)-1(2*H*)-phthalazinone, alkylation, 242
- 1-(2,3-Dibromo-3-*p*-chlorophenyl-2-phenylpropionyl)-4-(3,4-dichlorophenyl)-1(2*H*)-phthalazine, 191
- 4-Dibromomethyl-3-methylcinnoline, 42
- trans*-2,2'-Di-*p*-bromophenyl-1,1'-bi(1,2-dihydrophthalazin-1-ylidene), 116
- X-ray analysis, 116
- 6,7-Dibromo-1,4(2*H*,3*H*)-phthalazinedione, 142
- 6,7-Dibromo-5,8-phthalazinequinone, 206
- 5-(α,β -Dibromostyryl)phthalazine, 191
- cyclocondensation, 234
- Di-*tert*-butyl 7-benzyloxy-3,6-dimethoxy-1,2,3,4-tetrahydro-1,2-cinnolinedicarboxylate, 4
- Di-*tert*-butyl 7-benzyloxy-6-methoxy-1,2-dihydro-1,2-cinnolinedicarboxylate, 4
- reductive debenylation, 61
- Di-*tert*-butyl 6,7-bis(bromomethyl)-5,8-dimethoxy-1,2,3,4-tetrahydro-2,3-phthalazinedicarboxylate, 114
- Di-*tert*-butyl 6,7-bis(bromomethyl)-1,2,3,4-tetrahydro-2,3-phthalazinedicarboxylate, 114
- cyclocondensation, 233
- Di-*tert*-butyl 3,6-dimethoxy-7-oxo-1,2,3,4,4a,7-hexahydro-1,2-cinnolinedicarboxylate, dealkoxylation, 72
- Di-*tert*-butyl 6-methoxy-7-oxo-1,2,3,7-tetrahydro-1,2-cinnolinedicarboxylate, 61, 72
- 5,7-Di-*tert*-butyl-2-phenyl-1,2-dihydro-3-cinnolinol, 19
- 1,1-Dibutyl-4-phenyl-1,2-dihydrophthalazine, 189
- Di-*tert*-butyl 1,2,3,4-tetrahydro-2,3-phthalazinedicarboxylate, decarboxylation, 174
- 1,4-Dicarboxy-5,8-phthalazinequinone, 248
- 4-Dichloromethyl-3-methylcinnoline, 54
- hydrolysis, 54
- 1,4-Dichloro-2-methylphthalazinium methosulfate, aminolysis, 218
- 6,7-Dichloro-4-*p*-nitrophenyl-1,2-dihydrophthalazine, alkoxyacylation, 301
- 6,7-Dichloro-1-*p*-nitrophenylphthalazine, 117
- reduction, 294
- 4-(3,4-Dichlorophenyl)-2-(2,3-diphenylacryloyl)-1(2*H*)-phthalazinone, 189
- 4-(3,4-Dichlorophenyl)-2-phenylacetyl-1(2*H*)-phthalazinone, alkylation, 189
- 1,4-Dichloro-6-phenylphthalazine, aminolysis, 215
- 6,7-Dichloro-2-phenylphthalazin-2-ium-4-olate, 155
- 1,4-Dichlorophthalazine, 205, 206
- alkenolysis, 188
- aminolysis, 212, 215, 216
- arenethiolysis, 228
- cyclocondensation, 231, 232
- degradation, 230
- hydrazinolysis, 219, 221
- reduction, 174
- thiolysis, 226
- transhalogenation, 207
- 1,4-Dichloro-6-phthalazinecarbonitrile, 337
- aminolysis, 213
- 6,7-Dichloro-5,8-phthalazinequinone, 206, 263
- aminolysis, 215, 217
- azidolysis, 220
- cyclocondensation, 234
- 1-[(3,5-Dichloropyridin-4-yl)methyl]-6-methoxy-5-(5-phenylpent-1-ynyl)-phthalazine, 210
- 1,4-Dichloro-5,6,7,8-tetrahydrophthalazine, hydrogenolysis, 211
- 1,2-Di(cinnolin-3-yl)-1,2-ethylenediol, 69
- oxidation, 70
- Di(cinnolin-3-yl)glyoxal, 70
- Dicyano (1,4-diphenyl-5,6,7,8-tetrahydrophthalazin-2-*io*) methanide, 197
- 4-(Dicyanomethyl)cinnoline, 40
- Dicyano (2-phthalazinio) methanide, 181
- cyclocondensation, 200
- 6,6-Diethoxy-5,6-dihydropyrido[1',2':1,2]-imidazo(4,5-*f*)phthalazin-5-one, 234
- 4-(3-Diethylamino-2-hydroxypropoxy)-1(2*H*)-phthalazinone, 257
- 2-Diethylamino-7-methoxy-3-methyl-1-*p*-tolylsulfonylnaphthalene, 288
- 3-Diethylamino-2-methyl-5,10-dihydro-1*H*-pyrazolo[1,2-*b*]phthalazine-1,5-dione, 307
- 6-Diethylamino-8-methyl-1,4(2*H*,3*H*)-phthalazinedione, 142
- 4-Diethylamino-3-phenylethynylcinnoline, 39
- Diethyl 4-(*N,N'*-diethoxycarbonylhydrazino)-1,2,3,4-tetrahydro-1,2-cinnolinedicarboxylate, 18
- Diethyl 5,7-dimethyl-4-oxo-3-phenyl-3,4-dihydro-1,6-phthalazinedicarboxylate, reduction, 253
- Diethyl 5,8-dioxo-2,3,5,8-tetrahydro-6,7-phthalazinedicarboxylate, 133
- Diethyl 1-hydroxy-1-phenyl-1,2,3,4-tetrahydro-2,3-phthalazinedicarboxylate, 115
- Diethyl 7-methyl-5-nitro-4-oxo-3,4-dihydro-1,6-phthalazinedicarboxylate, 291

- 3,4-Diethyl-6-methyl-2-*p*-tolylcinnolin-2-ium tetrafluoroborate, 21
- Diethyl 4-oxo-3,4-dihydro-1,7-phthalazinedicarboxylate, 324
reduction, 252
- Diethyl 6,7-phthalazinedicarboxylate, reduction, 253
- 2,3-Diethyl-1,2,3,4-tetrahydrophthalazine, 177
- 1,4-Difluorophthalazine, 207
effect of fluoro substituents on reduction, 210
- 1,4-Dihydrazinophthalazine, 129
alkylidenation, 316
cyclocondensation, 317
fine structure, 310
with methyl isothiocyanate, 313
oxidation, 173
- 1,4-Dihydro-2,3-benzothiiin 3-oxide, 179
- 1,3-Dihydrobenzo[*c*]thiophene 2,2-dioxide, 179
- 1,4-Dihydro-5-cinnolinamine, 86
- 1,4-Dihydrocinnoline, 4
oxidation, 33
- 1,4-Dihydro-3(2*H*)-cinnolinone, 67
rearrangement, 69
- 2,3-Dihydro-4(1*H*)-cinnolinone, 67
acylation and cyclization, 67
- 5,21-Dihydro-12*H*,14*H*-7,11:15,19-dimetheno [2,8,9]thiadiazacyclopentadecino[8,9-*b*]phthalazine-5,21-dione, 233
- 6,11-Dihydro-13*H*-indazolo[1,2-*b*]phthalazin-13-one, 232
- 1,2-Dihydrophthalazine, 174
- 1,4-Dihydrophthalazine, 175
- 3,4-Dihydro-1(2*H*)-phthalazinone, 247
cyclocondensation, 307
nitrosation, 295
- 3,4-Dihydro-2*H*-pyrimido[2,1-*a*]phthalazin-7(6*H*)-one, 262
- 1,10*b*-Dihydro-3*H*-thiazolo[4,3-*a*]phthalazine, 179
- 3,4-Dihydro-2*H*-[1,2,4]triazino[3,4-*a*]phthalazin-3-one, 338
- 4-(2,3-Dihydroxypropyl)-2-phenyl-1(2*H*)-phthalazinone, 256
- 5,8-Dihydroxy-5,6,7,8-tetrahydro-1,4-phthalazinedicarboxylic acid, oxidation, 248
- 6,7-Diiodo-2-phenylphthalazin-2-ium-4-olate, 155
- 1-(3,4-Dimethoxybenzoyl)phthalazine, 259
reduction, 254
- 1-(4,4-Dimethoxybut-1-enyl)-2-methyl-4-phenylphthalazin-2-ium perchlorate, 189
- 3,4-Dimethoxycarbonyl-2-phenylcinnolin-2-ium tetrafluoroborate, 21
- 1,4-Dimethoxycarbonyl-5,8-phthalazinequinone, 160
- 1,2-Dimethoxycarbonyl-2-phthalazinoethanolate, 280
- 2-[4-(6,7-Dimethoxy-2,3-dimethoxycarbonylnaphthalen-1-yl)pyridin-2-yl]-4-(pyridin-3-yl)-1(2*H*)-phthalazinone, 245
- 5,8-Dimethoxy-2,3-dimethyl-1,4(2*H*,3*H*)-phthalazinedione, 241
- 4,7-Dimethoxy-1,3-isoindolinedione, 252
- 6,7-Dimethoxy-4-*p*-methoxyphenylcinnoline, iodination, 48
- 7,8-Dimethoxy-2-methyl-1(2*H*)-phthalazinone, 145
- 4-(3,4-Dimethoxyphenyl)-{4-[*p*-(4-methyl-6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)phenyl]butyl}-1(2*H*)-phthalazinone, 225
- 6,7-Dimethoxy-1-phenylphthalazine, 111
- 4-(3,4-Dimethoxyphenyl)-1(2*H*)-phthalazinone, alkylation, 244
- 1-Dimethoxyphosphinyl-*N,N*-diphenyl-1,2-dihydro-2-phthalazinecarboxamide, 183
- 1-Dimethoxyphosphinyl-2-methanesulfonyl-1,2-dihydrophthalazine, X-ray analysis, 183
- 1,4-Dimethoxyphthalazine, aminolysis, 269
- 6,7-Dimethoxyphthalazine, 116, 140
- 5,8-Dimethoxy-1,4(2*H*,3*H*)-phthalazinedione, alkylation, 241
ring contraction, 240
- 6,7-Dimethoxy-1,4(2*H*,3*H*)-phthalazinedione, 142
- 7,8-Dimethoxythiazolo[4,5-*c*]cinnolin-2-amine, 57
- 4-[(3-Dimethylaminoacryloyl)methoxy]-1(2*H*)-phthalazinone, cyclocondensation, 347
- 7-Dimethylamino-4,4-bis(*p*-dimethylaminophenyl)-3,4-dihydro-1(2*H*)-phthalazinone, ring fission, 251
- 4-(4-Dimethylaminobutyl)-1(2*H*)-phthalazinone, reduction, 255
- 3-Dimethylamino-4-cinnolinecarbonitrile, 88
- 8-Dimethylamino-2,3-dimethyl-1,4,6,11-tetrahydropyridazino[1,2-*b*]phthalazine-6,11-dione, 266
- 4-(2-Dimethylaminoethylamino)cinnoline, acylation, 94
- 1-[(2-Dimethylaminoethyl)amino]-4-phenylphthalazine, 213
- N*-(2-Dimethylaminoethyl)-1-hydroxymethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxamide, 331
- 2-Dimethylaminoethyl 1-hydroxymethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 329

- 4-[*N*-(2-Dimethylaminoethyl)-*o*-iodobenzamido]cinnoline, 94
cyclization, 57
- 11-(2-Dimethylaminoethyl)isoquino[4,3-*c*]cinnolin-12(11*H*)-one, 57
- 4-(4-Dimethylamino-1-hydroxybutyryl)-1(2*H*)-phthalazinone, 255
- 1-Dimethylamino-4-isopropylphthalazine, 149
- 4-Dimethylamino-2-methylphthalazin-2-ium iodide, 304
- 4-Dimethylamino-2-phenacylphthalazinium bromide, cyclocondensation, 347
self-condensation, 202
- 4-(*p*-Dimethylaminophenyl)-3(2*H*)-cinnolinone, 40
- 7-Dimethylamino-3-phenyl-1,11*b*-dihydro-4*H*-[1,2,4]triazino[3,4-*a*]phthalazine, 347
- 1-[(*p*-Dimethylaminophenylimino)methyl]-2,4-diphenylphthalazin-2-ium perchlorate, 194
- 1-[(*p*-Dimethylaminophenylimino)methyl]-2-methyl-4-phenylphthalazin-2-ium perchlorate, 194
- 4-*p*-Dimethylaminophenyl-4-phenyl-3,4-dihydro-2(1*H*)-phthalazinone, halogenolysis, 204
- 7-Dimethylamino-2-phenyl-1(2*H*)-phthalazinone, 298
N-oxidation, 277
- 7-Dimethylamino-2-phenyl-1(2*H*)-phthalazinone ω -*N*-oxide, 277
- 1-Dimethylaminophthalazine, to the methylamino analog, 297
quaternization, 304
- 6-Dimethylamino-1,4(2*H*,3*H*)-phthalazinedione, oxidation, 248
- 6-Dimethylamino-1,4-phthalazinequinone, 248
to a stable adduct, 248, 266
- 4-Dimethylamino-2-propylphthalazin-2-ium iodide, 304
- 2-(α,α -Dimethylbenzyl)-1,4(2*H*,3*H*)-phthalazinedione, 154
- Dimethyl 6-bromo-3,4-cinnolinedicarboxylate, 7
- 4-[1-(Dimethylcarbamoyl)-1-methylethyl]amino-1(2*H*)-phthalazinone, 161
cyclization, 307
reduction, 253
- Dimethyl 7-chloro-10-methyl-5-oxo-4,5-dihydro-1,4-imino-1*H*-1-benzazepine-2,3-dicarboxylate, 74
- 3,4-Dimethylcinnoline, halogenation, 42, 54
oxidation, 42
- 5,7-Dimethyl-3,4(1*H*,2*H*)-cinnolinedione, 27
- 2,3-Dimethylcinnolinium iodide, 41
alkylidenation, 41
- 1,4-Dimethyldecahydrophthalazine, cation radical, 184
- 3,3-Dimethyl-3,4-dihydrocinnoline, 4
- 6,7-Dimethyl-2,3-dihydro-4(1*H*)-cinnolinone, acylation, 66
- Dimethyl 1,2-dihydro-1,2-epoxynaphthalene-2,3-dicarboxylate, 280
- 2,2-Dimethyl-2,3-dihydroimidazo[2,1-*a*]phthalazine-3,6(5*H*)-dione, 307
- 1,2-Dimethyl-1,2-dihydrophthalazine, 197
oxidation, 197
- 2,2-Dimethyl-1,2-dihydrophthalazinium iodide, 198
- 2,4-Dimethyl-6,11-dihydro[1,2,3]triazino[1,2-*b*]phthalazine-6,11-dione, 310
- 2,3-Dimethyl-7-(1,3-dioxan-2-yl)-3,4-dihydrocinnoline 1/3-oxide, 18
- Dimethyl 6,8-dioxo-2,3,5,6,7,8-hexahydro-1,4-phthalazinedicarboxylate, 160
oxidation, 160
- 4-[(2,2-Dimethyl-1,3-dioxolan-4-yl)methyl]-2-phenyl-1(2*H*)-phthalazinone, hydrolysis, 256
- 2,3-Dimethyl-1,4-dioxo-1,2,3,4-tetrahydro-6-phthalazinecarboxylic acid, 143
- 7,7-Dimethyl-3,4-diphenyl-6,7-dihydro-5(1*H*)-cinnolinone, 22
cyclocondensation, 68
hydrazinolysis, 68
- Dimethyl 1,4-diphenyl-1,2-dihydro-1,2-phthalazinedicarboxylate, 330
- 7,7-Dimethyl-1,3-diphenyl-4,6,7,8-tetrahydro-5(1*H*)-cinnolinone, 16
- Dimethyl 3-ethoxycarbonylpyrrolo[2,1-*a*]phthalazine-1,2-dicarboxylate, 201, 333
- 1,2-Dimethyl-1*H*-imidazo[4,5-*g*]phthalazine-4,9-quinone, 234
- 3-Dimethylimino-2,2-dimethyl-2,3-dihydroimidazo[2,1-*a*]phthalazin-6-olate, 250
- 6,8-Dimethyl-3-(*p*-methylbenzoyl)-4-cinnolinamine, 10
- 1,2-Dimethyl-4-methylene-1,4,5,6,7,8-hexahydro-3,5(2*H*)-cinnolinedione, 21
- 2,4-Dimethyl-3-(2-morpholinoethyl)-2,3,4,5,7,12-hexahydro-1*H*-[1,2,5]triazepino[1,2-*b*]phthalazine-1,5-dione, 233
- 1,1-Dimethyl-6-nitro-1,4-dihydrocinnolin-1-ium-3-olate, 3
- 1,2-Dimethyl-6-nitro-1,4-dihydro-3(2*H*)-cinnolinone, 64
- 2,3-Dimethyl-4-oxo-3,4-dihydrophthalazin-2-ium *p*-toluenesulfonate, 270

- Dimethyl 1-oxo-2-phenyl-1,2-dihydro-2,3-benzodiazocine-4,5-dicarboxylate, 274
thermolysis, 274
- Dimethyl 1-oxo-10-phenyl-1,5-dihydro-2,5-imino-2*H*-benzazepine-3,4-dicarboxylate, 274
thermolysis, 274
- N,N*-Dimethyl-4-oxo-3-phenyl-3,4-dihydro-6-phthalazinedicarboxamide, 327
- Dimethyl 4-oxo-1,3a,4,8b-tetrahydroindeno[1,2-*b*]pyrazole-3,3a-dicarboxylate, 274
- 6,7-Dimethyl-3-phenyl-5-cinnolinamine, 65, 66
- 1,4-Dimethyl-3-phenyl-1,4-dihydrocinnoline, 37
- 3,4-Dimethyl-2-phenyl-2,3-dihydrocinnoline, ring contraction, 44
- 1-(2,4-Dimethylphenyl)-5,7-dimethylphthalazine, 110
- 1,2-Dimethyl-4-phenylphthalazin-2-ium perchlorate, alkylidenation, 189
to a Schiff base, 194
- Dimethyl 6-phenylpyrazolo[5,1-*a*]phthalazine-1,2-dicarboxylate, 307
- 7,9-Dimethyl-4-phenylpyrido[3,2-*c*]cinnolin-2(1*H*)-one, 93
- Dimethyl 3-phenylpyrrolo[2,1-*a*]phthalazine-1,2-dicarboxylate, 344
- 6,6-Dimethyl-2-phenyl-5,6,7,8-tetrahydro-3,8(2*H*)-cinnolinedione, 19
- 7,7-Dimethyl-3-phenyl-4,6,7,8-tetrahydro-5(1*H*)-cinnolinone, oxidation, 66
to the 5-oxime, 65
X-ray analysis, 60
- 7,7-Dimethyl-3-phenyl-5,6,7,8-tetrahydro-5-cinnolinone, 66
dehydration and rearrangement, 66
- Dimethyl 2-phenyl-1,2,3,4-tetrahydro-1,4-phthalazinedicarboxylate, 115
- 1,4-Dimethylphthalazine, cyclocondensation, 195
- 5,7-Dimethylphthalazine, 110
- Dimethyl 1,4-phthalazinedicarboxylate, 136
- 2,3-Dimethyl-1,4(2*H*,3*H*)-phthalazinedione, 128, 156
- 6,7-Dimethyl-1,4(2*H*,3*H*)-phthalazinedione, 142
- 1,2-Dimethylphthalazinium iodide, 197
C-alkylation, 197
- 2,4-Dimethyl-1(2*H*)-phthalazinone, 132
- 2,8-Dimethyl-1(2*H*)-phthalazinone, 241
halogenation, 191
- 1-(3,5-Dimethylpyrazol-4-yl)-4-phenylphthalazine, 346
- 1-(3,5-Dimethylpyrazol-1-yl)phthalazine, 317
- 1-[(2,5-Dimethylpyrrol-1-yl)amino]phthalazine, 317
- 3,5-Dimethyl-5,6,7,8-tetrahydrocinnoline, 17
- 2,3-Dimethyl-5,6,7,8-tetrahydrocinnolin-2-ium-4-olate, 25
- 1,3-Dimethyl-5,6,7,8-tetrahydro-4(1*H*)-cinnolinone, 25
- 2,3-Dimethyl-1,2,3,4-tetrahydrophthalazine, 177
- Dimethyl 1,2,3,4-tetrahydro-2,3-phthalazinedicarboxylate, 111
- 1,1-Dimethyl-1,2,3,4-tetrahydro-6-phthalazinol, 110
- 1,4-Dimorpholino-6-phenylphthalazine, 215
- Dimroth rearrangement, 343
- 1-(2,4-Dinitrophenylazo)phthalazine, 311
reduction, 311
- 1-[*N'*-(2,4-Dinitrophenyl)hydrazino]phthalazine, oxidation, 311
- 1-(2,4-Dinitrophenylhydrazono)-2,4-diphenyl-1,2-dihydrophthalazine, 286
- 2-(2,4-Dinitrophenyl)-4-phenyl-1(2*H*)-phthalazinone, 112
- 5,10-Dioxo-5,10-dihydro-1*H*-pyrazolo[1,2-*b*]phthalazine-1-carboxylic acid, 266
- 9,11-Dioxo-8a,9,10,11,11a,11b-hexahydro-8*H*-pyrrolo[3,4':3,4]-pyrrolo[2,1-*a*]phthalazine-8,8-dicarbonitrile, 200
- 1,4-Dioxo-1,2,3,4-tetrahydro-2-phthalazinecarbothioamide, 144
- 1,4-Dioxo-1,2,3,4-tetrahydro-2-phthalazinecarboxamide, 144
dehydration, 337
- 1,4-Dioxo-1,2,3,4-tetrahydro-6-phthalazinecarboxamide, 150
- 1,4-Dioxo-1,2,3,4-tetrahydro-6,7-phthalazinedicarboxylic acid, 159
X-ray analysis, 160
-]-{2-[*p*-(2,4-Dioxothiazolidin-5-ylidene)phenoxy]ethyl}-1(2*H*)-phthalazinone, 190
- 2,2'-Diphenyl-1,1'-bi(1,2-dihydrophthalazinylidene), 116, 198
- 3,4-Diphenylcinnoline, alkylation, 37
- 1,3-Diphenyl-3,4-dihydrophthalazine, oxidation, 192
- 2,4-Diphenyl-1,2-dihydrophthalazine, 190
- 2,4-Diphenyl-1,2-dihydro-1-phthalazinol, 192
oxidation, 272
- 4,7-Diphenyl-4a,5,6,7,8,8a-hexahydro-1(2*H*)-phthalazinone, 120
- 1,3-Diphenylisobenzofuran, 279
- 4-Diphenylmethyl-1(2*H*)-phthalazinone, 131
- 1,4-Diphenylphthalazine, 113, 118
alkoxycarbonylation, 330
alkylation, 186
N-oxidation, 276

- 2,3-Diphenyl-1,4(*2H,3H*)-phthalazinedione, 130, 156
thiation, 272
- 2,3-Diphenyl-1,4(*2H,3H*)-phthalazinedithione, 273
- 1,4-Diphenylphthalazine 2-oxide, 276
photolysis, 279
- 1,4-Diphenyl-5(*3H*)-phthalazinone, 160
- 2,4-Diphenyl-1(*2H*)-phthalazinone, 126, 140, 272
C-alkylation, 187
quaternization, 275
- 1,3-Diphenyl-5-(phthalazin-1-yl)formazan, 316
- 1,4-Diphenyl-4a-(pyrrolidin-1-yl)-4a,5,6,7,8,8a-hexahydrophthalazine, to a betaine, 197
- 1,2-Diphenylpyrrolo[2,1-*a*]phthalazine-3-carbonitrile, 200
- 2',4'-Diphenylspiro{3*H*-naphth[2,1-*b*][1,4]oxazine-3,1'(2'*H*)phthalazine}, 194
- 2,2'-Diphenyl-1,1',2,2'-tetrahydro-1,1'-bipthalazinylidene, 273
thiation, 273
- 1,4-Diphenyl-5,6,7,8-tetrahydrophthalazine, 137
- 2,3-Diphenyl-1,2,3,4-tetrahydrophthalazine, cation radical, 184
- 2,3-Diphenyl-4-thioxo-3,4-dihydro-1(*2H*)-phthalazinone, 272
- 3,6-Diphenyl-1,2,4-triazolo[3,4-*a*]phthalazine, 314
- 8-(*trans*-1,2-Diphenylvinyl)-5,7-difluoro-2,3,4-triphenylcinnoline, X-ray analysis, 45
- 8-(1,2-Diphenylvinyl)-2,3,4-triphenyl-2,3-dihydrocinnoline, 21
- N,N'*-Di(phthalazin-1-yl)hydrazine, X-ray analysis, 310
- 2,3-Dipropyl-1,2,3,4-tetrahydrophthalazine, 178
- 5,8-Epidioxypthalazines, to phthalazines, 160
- 5,8-Epoxyphthalazines, to phthalazines, 160
- 4-(2,3-Epoxypropoxy)-1(*2H*)-phthalazinone, aminolytic fission, 257
- 3-Ethoxalyl-5,6,7,8-tetrahydro-1-*p*-methoxyphenyl-4(*1H*)-cinnolinone, 2
- 3-Ethoxycarbonyl-6,7-difluoro-2-methylcinnolin-2-ium-4-olate, 64
- 6-Ethoxycarbonyl-5,7-dimethyl-8-nitro-4-oxo-3,4-dihydro-1-phthalazinecarboxylic acid, reductive cyclization, 309
- 6-Ethoxycarbonyl-5,7-dimethyl-4-oxo-3,4-dihydro-1-phthalazinecarboxylic acid, 147
decarboxylation, 322
- 2-[(*N'*-Ethoxycarbonylhydrazinocarbonyl)methyl]-4-phenyl-1(*2H*)-phthalazinone, 338
- 1-[α -Ethoxycarbonyl- α -(hydroxyamino)methyl]-4-phenylphthalazine, cyclocondensation, 323
- 2-(3-Ethoxycarbonyl-2-imino-5-methyltetrahydrofuran-3-yl)-1,4(*2H,3H*)-phthalazinedione, 265
hydrolysis etc., 331, 345
- 6-Ethoxycarbonyl-4-methoxy-5,7-dimethyl-1-phthalazinecarboxylic acid, 321
- 2-Ethoxycarbonylmethylcinnolin-2-ium-4-olate, X-ray analysis, 73
- 1-Ethoxycarbonylmethyl-4(*1H*)-cinnolinone, X-ray analysis etc., 73
- 2-Ethoxycarbonylmethyl-2,3-dihydro-4(*1H*)-cinnolinone, X-ray analysis, 60
- 4-Ethoxycarbonylmethyl-2-(6-fluorobenzothiazol-2-ylmethyl)-1(*2H*)-phthalazinone, 343
- 4-Ethoxycarbonylmethyl-2-hydroxymethyl-1(*2H*)-phthalazinone, 243
halogenolysis, 208
- 2-Ethoxycarbonylmethyl-4-methyl-1(*2H*)-phthalazinone, aminolysis, 331
hydrazinolysis, 332
hydrolysis, 320
- 2-(3-Ethoxycarbonyl-5-methyl-2-oxotetrahydrofuran-3-yl)-1,4(*2H,3H*)-phthalazinedione, 345
- 2-Ethoxycarbonylmethyl-7-phenyl-5,6-dihydro-3(*2H*)-cinnolinone, 62
- 2-Ethoxycarbonylmethyl-6-phenylimidazo[2,1-*a*]phthalazine, 307
- 2-Ethoxycarbonylmethyl-4-phenyl-1(*2H*)-phthalazinone, 242
- 2-Ethoxycarbonylmethylphthalazinium bromide, cyclocondensation, 199, 201
- 4-Ethoxycarbonylmethyl-1(*2H*)-phthalazinone, alkylation, 242, 243
- 4-[(5-Ethoxycarbonyl-6-methylpyridin-2-yl)methoxy]-1(*2H*)-phthalazinone, 347
- 1-(Ethoxycarbonylmethylthio)-4-methylphthalazine, hydrazinolysis, 286
- 3-(3-Ethoxycarbonylpropyl)-4-imino-3,4-dihydro-1-phthalazinamine, 305
- 1-Ethoxy-2,4-diphenyl-1,2-dihydrophthalazine, 192
- 1-[1-Ethoxy-2-(2-ethoxyethylthio)ethyl]phthalazine, 283
- 1-Ethoxy-4-(*N*-methylhydrazino)phthalazine, 223
- 2-Ethoxy-4-methyl-1-*p*-nitrophenyl-4*H*-pyrrolo[2,3-*c*]cinnoline, 43
- 2-Ethoxy-4-methyl-3-*p*-nitrophenyl-4*H*-pyrrolo[3,2-*c*]cinnoline, 43
- 1-Ethoxy-2-methyl-4-phenylphthalazin-2-ium tetrafluoroborate, 275
- Ethyl 3-*p*-acetamidophenyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 300

- Ethyl 1-(acetoxyacetyl)-5,7-dimethyl-4-oxo-3-phenyl-3,4-dihydro-6-phthalazinecarboxylate, 328
- Ethyl 5-acetoxymethyl-1-*o*-methoxyphenyl-7-methyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 225
- Ethyl 4-allyl-1,4-dihydro-1-cinnolinecarboxylate, 35
- Ethyl 5-amino-7-benzoyl-4-oxo-3-*p*-tolyl-3,4-dihydro-1-phthalazinecarboxylate, 158
- Ethyl 5-amino-6-cyano-7-hydroxy-4-oxo-3-phenyl-3,4-dihydro-1-phthalazinecarboxylate, 133
- Ethyl 5-amino-6-cyano-7-*p*-methoxyphenyl-4-oxo-3-phenyl-3,4-dihydro-1-phthalazinecarboxylate, 132
- Ethyl 5-amino-6-cyano-4-oxo-3,7-diphenyl-3,4-dihydro-1-phthalazinecarboxylate, 133
hydrolysis, 320
- Ethyl 5-amino-6-cyano-4-oxo-3-phenyl-7-(thien-3-yl)-3,4-dihydro-1-phthalazinecarboxylate, 133
- Ethyl 5-amino-6-cyano-4-oxo-3-phenyl-8-thioxo-2,3,4,8-tetrahydro-1-phthalazinecarboxylate, 158
- Ethyl 5-amino-6-cyano-4-oxo-7-phenyl-3-*p*-tolyl-3,4-dihydro-1-phthalazinecarboxylate, hydrazinolysis, 332
- Ethyl 1-(2-aminoethyl)-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, to the hydroxyethyl analog, 257
- Ethyl 8-amino-1-hydroxymethyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, to the 8-halogeno analog, 207
- Ethyl 5-amino-7-*p*-methoxyphenyl-6-nitro-4-oxo-3-*p*-tolyl-3,4-dihydro-1-phthalazinecarboxylate, 158
- Ethyl 1-aminomethyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 296
- Ethyl 8-amino-4-oxo-3,4-dihydro-1-phthalazinecarboxylate, 293
- Ethyl 3-*p*-aminophenyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 293
acylation, 300
to the 3-*p*-hydroxyphenyl analog, 258
- 4-Ethylamino-3-phenylethylcinnoline, 71
- Ethyl 4-benzylidene-3,7-dioxo-5-phenyl-1,2,3,4,4a,5,6,7-octahydro-6-cinnolinecarboxylate, 23
- Ethyl 1-*o*-benzyloxyphenyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, reductive cleavage, 257
- Ethyl 4-bromo-3-cinnolinecarboxylate, 46
- Ethyl 5-bromomethyl-1-(3-bromo-6-methylphenyl)-7-methyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 191
- Ethyl 5-bromomethyl-1-*o*-methoxyphenyl-7-methyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 191
to the 5-acetoxymethyl analog, 225
cyclization, 333
- Ethyl 1-carbamoyl-5,7-dimethyl-4-oxo-3-phenyl-3,4-dihydro-6-phthalazinecarboxylate, 328
- 2-[*o*-(Ethylcarbamoyl)phenyl]-1-methyldiaziridine, 275
- Ethyl 1-carboxymethyl-5,7-dimethyl-4-oxo-3-phenyl-3,4-dihydro-6-phthalazinecarboxylate, 322
- Ethyl 1-chloro-5,8-dimethyl-6-phthalazinecarboxylate, 204
- Ethyl 4-chloro-5,7-dimethyl-6-phthalazinecarboxylate, alcoholysis, 223
- Ethyl 7-chloro-6-fluoro-1-*p*-fluorophenyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylate, 2
hydrolysis, 96
- Ethyl 7-chloro-6-fluoro-1-methyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylate, 2
- Ethyl 1-chloroformyl-5,7-dimethyl-4-oxo-3-phenyl-3,4-dihydro-6-phthalazinecarboxylate, aminolysis, 328
to the 1-diazoacetyl analog, 328
- Ethyl 4-chloro-1-*o*-methoxyphenyl-5,7-dimethyl-6-phthalazinecarboxylate, hydrogenolysis, 211
- Ethyl 1-chloromethyl-5,7-dimethyl-8-nitro-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 208
- Ethyl 4-chloro-3-phenyl-1,5,6,7-tetrahydro-1-cinnolinecarboxylate, 22
- 4-Ethylcinnoline, 104
- 3-Ethyl-4-cinnolinecarbonitrile, mass spectrum, 103
- Ethyl 3-cinnolinecarboxylate, 28
- Ethyl 4-cinnolinecarboxylate, to the hydrazide, 102
- Ethyl 1-cyano-1,2-dihydro-2-phthalazinecarboxylate, 182
- Ethyl 4-cyano-6-ethoxycarbonylmethyl-8-hydroxy-2-*o*-methoxyphenyl-2,3-dihydro-7-cinnolinecarboxylate, 23
- Ethyl 1-cyano-4-methoxy-5,7-dimethyl-6-phthalazinecarboxylate, hydrolysis (selective), 321
- Ethyl 1-cyanomethyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, alcoholysis, 340
cyclocondensation, 342

- Ethyl 1-diazoacetyl-5,7-dimethyl-4-oxo-3-phenyl-3,4-dihydro-6-phthalazinecarboxylate, 328
to the 1-acetoxyacetyl analog, 328
to the 1-carboxymethyl analog, 322
to the 1-hydroxyacetyl analog, 328
- Ethyl 6,7-dichloro-4-*p*-nitrophenyl-1,2-dihydro-2-phthalazinecarboxylate, 301
- Ethyl 6,7-difluoro-1-methyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylate, 64
- Ethyl 6,7-difluoro-4-oxo-1,4-dihydro-3-cinnolinecarboxylate, 1, 3
N-alkylation, 64
- Ethyl 1,4-dihydro-3-cinnolinecarboxylate, 79
bromination, 55
- 2-Ethyl 3-*p*-dimethylaminostyrylcinnolinium iodide, 41
- Ethyl 4,6-dimethyl-3,8-dioxo-2,3,7,8-tetrahydropyrrolo[4,3,2-*de*]phthalazine-5-carboxylate, 309
- Ethyl 5,7-dimethyl-3-nitro-1-nitroxymethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 260
- Ethyl 1,7-dimethyl-8-nitro-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 291
- Ethyl 5,7-dimethyl-3-*p*-nitrophenyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 292
reduction, 293
- Ethyl 5,7-dimethyl-1-nitroxymethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 260
- Ethyl 4,6-dimethyl-3-oxo-2,3-dihydro-8*H*-furo[4,3,2-*de*]phthalazine-5-carboxylate, 207
- Ethyl 5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 118, 147, 322
- Ethyl 5,8-dimethyl-1-oxo-1,2-dihydro-6-phthalazinecarboxylate, halogenolysis, 204
- Ethyl 5,7-dimethyl-4-oxo-3-phenyl-3,4-dihydro-6-phthalazinecarboxylate, nitration, 292
- Ethyl 5,7-dimethyl-4-oxo-1-phthalimidomethyl-3,4-dihydro-6-phthalazinecarboxylate, deacylation, 296
- Ethyl 5,7-dimethyl-4-oxo-1-(tetrazol-5-ylmethyl)-3,4-dihydro-6-phthalazinecarboxylate, 342
- Ethyl 3-(2,4-dinitrophenyl)-5,7-dimethyl-8-nitro-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 292
- Ethyl 1-epoxyethyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 268
- Ethyl 3-(2,3-epoxypropyl)-1,5,7-trimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, aminolytic fission, 257
- Ethyl 4-(α -ethoxycarbonylbenzyl)-1,4-dihydro-3-cinnolinecarboxylate, 28
- Ethyl 1-(2-ethoxycarbonyl-2-diazo-1-hydroxyethyl)-6,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 254
- Ethyl 1-ethyl-7-methoxy-4-oxo-1,4-dihydro-3-cinnolinecarboxylate, hydrolysis, 96
- Ethyl 1-(5-ethylthien-2-yl)-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 324
- Ethyl 1-ethynyl-1,2-dihydro-2-phthalazinecarboxylate, 184
- Ethyl 3-*p*-fluorobenzoylpyrrolo[2,1-*a*]phthalazine-1-carboxylate, 347
- Ethyl 8-fluoro-1-hydroxymethyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 207
cyclization, 207
- Ethyl 1-(6-*p*-fluorophenyl-2,3-dihydroimidazo[2,1-*b*]thiazol-5-yl)-1,2-dihydro-2-phthalazinecarboxylate, 184
- Ethyl 1-formyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 259
to the 1-epoxyethyl analog, 268
with ethyl diazoacetate, 254
with a Grignard, 254
- Ethyl 1-hydroxyacetyl-5,7-dimethyl-4-oxo-3-phenyl-3,4-dihydro-6-phthalazinecarboxylate, 328
- Ethyl 1-(1-hydroxyethyl)-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 254, 257
- Ethyl 3-(2-hydroxy-3-isopropylaminopropyl)-1,5,7-trimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 257
- Ethyl 1-hydroxymethyl-5,7-dimethyl-8-nitro-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, halogenolysis, 208
reduction, 292
- Ethyl 1-hydroxymethyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 138
alkylation, 260
to the 1-nitroxymethyl analog, 260
oxidation, 259
- Ethyl 1-hydroxymethyl-5,7-dimethyl-4-oxo-3-phenyl-3,4-dihydro-6-phthalazinecarboxylate, 139, 253
- Ethyl 1-hydroxymethyl-7-methyl-8-nitro-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 291
- Ethyl 1-hydroxymethyl-7-methyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, nitration, 291
- Ethyl 1-hydroxymethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, aminolysis, 331
transesterification, 329
- Ethyl 4-hydroxymethyl-1-oxo-1,2-dihydro-6-phthalazinecarboxylate, 252

- Ethyl 1-hydroxymethyl-3,5,7-trimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 260
- Ethyl 1-*o*-hydroxyphenyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 257
- Ethyl 3-*p*-hydroxyphenyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 258
- Ethyl 1-(2-imino-2-methoxyethyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 340
- Ethyl 4-isopropenyl-4-phenyl-1,4-dihydro-3-cinnolinecarboxylate, 28
- Ethyl 4-*p*-methoxybenzyl-3-methyl-1,2,3,4,5,6,7,8-octahydro-2-phthalazinecarboxylate, 329
reduction, 190
- 6-Ethyl-3-(2-methoxycarbonyl-ethyl)-4(1*H*)-cinnolinone, 100
- 3-Ethyl-4-methoxycinnoline, 38
- Ethyl 7-methoxy-3-cinnolinecarboxylate, 11
- Ethyl 4-methoxy-5,7-dimethyl-6-phthalazinecarboxylate, 223
- Ethyl 7-methoxy-4-methyl-3-cinnolinecarboxylate, 20
- Ethyl 2-methoxymethyl-1-oxo-4-phenyl-1,2-dihydro-6-phthalazinecarboxylate, 134
X-ray analysis, 134
- Ethyl 1-methoxymethyl-3,5,7-trimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 260
- Ethyl 7-methoxy-4-oxo-1,4-dihydro-3-cinnolinecarboxylate, 6
N-alkylation, 62
- 1-Ethyl-7-methoxy-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, 96
- Ethyl 1-*o*-methoxyphenyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 146
halogenation, 191
halogenolysis, 204
- Ethyl 1-*o*-methoxyphenyl-5,7-dimethyl-6-phthalazinecarboxylate, 211
- 2-Ethyl-3-methylcinnolinium iodide, alkylidenation, 41
- Ethyl 1-methyl-1,4-dihydro-3-cinnolinecarboxylate, 79
- Ethyl 1-methyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylate, thiation, 73
- 6-Ethyl-7-methyl-4-phenyl-1(2*H*)-phthalazinone, 157
- 7-Ethyl-6-methyl-4-phenyl-1(2*H*)-phthalazinone, 157
- 1-Ethyl-3-methylsulfonyl-4(1*H*)-cinnolinone, cyanolysis, 82
- 3-Ethyl-5-methyl-5,6,7,8-tetrahydrocinnoline, 17
- Ethyl 4-methylthio-3-cinnolinecarboxylate, 79
- Ethyl 1-methyl-4-thio-1,4-dihydro-3-cinnolinecarboxylate, 73
aminolysis, 80
desulfurization, 79
to the 3-oxo analog, 73
- Ethyl 8-nitro-4-oxo-3,4-dihydro-1-phthalazinecarboxylate, reduction, 293
- Ethyl 1-nitropyrrrolo[2,1-*a*]phthalazine-3-carboxylate, 199
- 1-Ethyl-4-oxo-1,4-dihydro-3-cinnolinecarbonitrile, 82
hydrolysis, 97
- Ethyl 4-oxo-1,4-dihydro-3-cinnolinecarboxylate, 8, 99
thiation, 65
- 1-Ethyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, 97
- 6-Ethyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, 9
- 1-Ethyl-4-oxo-1,4-dihydro-3,7-cinnolinedicarbonitrile, 82
hydrolysis, 97
- 1-Ethyl-4-oxo-1,4-dihydro-3,7-cinnolinedicarboxylic acid, 97
- Ethyl 4-oxo-3,4-dihydro-1-phthalazinecarboxylate, 327
with a Grignard, 254
- 2-Ethyl-4-oxo-1,3-diphenyl-3,4-dihydrophthalazin-2-ium tetrafluoroborate, 275
- Ethyl 4-oxo-3-phenyl-6-phthalazinecarboxylate, reduction, 253
- 2-(1-Ethylprop-1-enyl)-1,4(2*H*,3*H*)-phthalazinedione, 160
- 4a-Ethyl-2-(*o*-propylphenylhydrazono)-4,4a,5,6,7,8-hexahydro-3(2*H*)-cinnolinone, 5
- 1-Ethyl-7-(pyridin-4-yl)-4(1*H*)-cinnolinone, bromination, 46
- 2-Ethyl-4-(pyridin-3-yl)-1(2*H*)-phthalazinone, bronchodilatory activity, 271
- 4-(6-Ethylpyridin-3-yl)-1(2*H*)-phthalazinone, 121
- Ethyl pyrrolo[2,1-*a*]phthalazine-3-carboxylate, 199
- 1-Ethylsulfonyl-4-methylphthalazine, 285
alcoholysis, 267
- Ethyl 5,6,7,8-tetrachloro-4-(2,4-dimethylphenyl)-1-oxo-1,2-dihydro-2-phthalazinecarboxylate, 124
- 1-(5-Ethylthien-2-yl)-4-oxo-3,4-dihydro-6-phthalazinecarboxylic acid, esterification, 201
- 4-(5-Ethylthien-2-yl)-5,6,7,8-tetrahydro-1(2*H*)-phthalazinone, 121

- 1-Ethylthio-2,4-diphenylphthalazin-2-ium tetrafluoroborate, aminolysis, 286
- 1-Ethylthio-4-methylphthalazine, 282
oxidation, 285
- 7-Ethylthio-2-phenyl-1(2*H*)-phthalazinone, 227
- 1-Ethylthio-2-phenyl-4-*p*-tolylphthalazin-2-ium tetrafluoroborate, 282
- Ethyl 4-thioxo-1,4-dihydro-3-cinnolinecarboxylate, 65
S-alkylation, 79
aminolysis, 80, 101
desulfurization, 79
- Ethyl 6,7,8-trifluoro-1-methyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylate, 100
- Ethyl 4,7,7-trimethyl-5-oxo-1-*p*-tolyl-1,5,6,7-tetrahydro-3-cinnolinecarboxylate, 22
- 3-Ethynyl-4(1*H*)-cinnolinone, 61
- 3-Ethynyl-4-phenoxy-cinnoline, 41
hydrolysis, 61
- 2-(*o*-Fluorobenzoyl)-1,4(2*H*,3*H*)-phthalazinedione, 127
- 2-(*o*-Fluorobenzoyl)-1,2,3,4-tetrahydrophthalazine, 301
cyclization, 232
- 6-Fluoro-1-*p*-fluorophenyl-4-oxo-7-(piperazin-1-yl)-1,4-dihydro-3-cinnolinecarboxylic acid, 52
- 6-Fluoro-1-methyl-4-oxo-7-(piperazin-1-yl)-1,4-dihydro-3-cinnolinecarboxylic acid, 51
- 6-Fluoro-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, X-ray analysis, 60
- 2-*p*-Fluorophenacylphthalazinium bromide, 180
cyclocondensation, 347
- 4-*p*-Fluorophenyl-1(2*H*)-phthalazinone, hydrogenolysis, 203
- 2-[2-(*p*-Formylphenoxy)ethyl]-4-methyl-1(2*H*)-phthalazinone, 244
- 2-[2-(*p*-Formylphenoxy)ethyl]-1(2*H*)-phthalazinone, with a methylene reagent, 190
- Furans, to cinnolines, 24
- Furo[3,4-*g*]phthalazines, to phthalazines, 161
- 1-Guanidinoamino-4-phenylphthalazine, 221
- 4-Guanidinomethyl-1(2*H*)-phthalazinone, 302
- 1-Guanidinophthalazine, 221
- Halogenocinnolines, 42, 45
to acylcinnolines, 53
alcoholysis, 54
alkanelysis, 38
alkanethiolysis, 55
aminolysis, 50
arenesulfinolysis, 52, 56
azidolysis, 52
to bicinnolines, 49
from cinnolinones, 48
cyanolysis, 52
cyclizations, 56
by halogenation, 45, 47
hydrogenolysis, 49
hydrolysis, 53
phenolysis, 54
preparation, 45
pyrolysis, 56
reactions, 49
reactivity, 45
thiolysis, 54
- Halogenophthalazines, 203
to acyloxypthalazines, 225
alcoholysis, 222
alkanelysis, 188
alkanethiolysis, 226
aminolysis, 212
arenesulfinolysis, 226
aroyl-displacement, 229
azidolysis, 220
cyanolysis, 229
cyclizations, 230
by halogenation, 190, 206
hydrazinolysis, 218
to hydrazonephthalazines, 220
hydrogenolysis, 210
hydrolysis, 222, 344
from hydroxyphthalazines, 208
by passenger introduction, 209
from phthalazinediazonium salts, 207
to phthalazinimines, 218
from phthalazinones, 203
preparation (extranuclear), 208
preparation (nuclear), 203
reactions, 210
ring fission, 230
thiolysis, 226
transhalogenation, 207
to ureidophthalazines, 220
- Hexachlorocinnoline, pyrolysis, 56
- Hexachlorophenylacetylene, 56
- Hexachlorophthalazine, thermolysis, 231
- 4,4a,5,6,7,8-Hexahydrocinnoline, 33
- 4,4a,5,6,7,8-Hexahydro-3(2*H*)-cinnolinone, 16, 33
oxidation, 16
- 2,3,7,8,9,10-Hexahydro[1,3]oxazino[2,3-*d*]pyrimido[1,2-*c*]phthalazine-5,8-dium bisperchlorate, 262
- 1,4,5,6,7,8-Hexaphenylphthalazine, 159
rearrangement, 193
- 2,4,5,6,7,8-Hexaphenylquinazoline, 193

- 1-[2-(Hydrazinocarbonyl)ethyl]-4(1*H*)-cinnolinone, X-ray analysis, 73
- 2-Hydrazinocarbonylmethyl-4-methyl-1(2*H*)-phthalazinone, 332
- 2-Hydrazinocarbonylmethyl-4-phenyl-1(2*H*)-phthalazinone, alkoxy-carbonylation, 338
alkylidenation, 337
cyclization, 338
- 4-Hydrazino-3-cinnolinecarbohydrazide, 80
- Hydrazinocinnolines, *see* Aminocinnolines
- 1-Hydrazino-4-methylphthalazine, 286
alkylidenation, 315
N'-arylation, 218
to the azido analog, 311
- 1-Hydrazino-4-phenylphthalazine, alkylidenation *etc.*, 314
benzenesulfonylation, 312
- 4-Hydrazino-2-phenyl-1(2*H*)-phthalazinone, acylation, 312
- 1-Hydrazinophthalazine, 210, 302
cyclocondensation, 317, 318
in fluorescence assay for nitrogen dioxide, 311
to 1-phthalazinamine, 297
- Hydrazinophthalazines, 310. *See also*
Aminophthalazines
N'-acylation *etc.*, 311
alcoholysis, 268
alkylidenation, 313
N'-arylation, 313
to arylazophthalazines, 311
to azidophthalazines, 311
bioactivities, 310
cyclization, 316
from halogenophthalazines, 218
preparation, 310
reactions, 311
to semicarbazidophthalazines, 313
- 4-Hydrazino-1(2*H*)-phthalazinone, with methyl isocyanate, 313
- 3-Hydrazino-5,6,7,8-tetrahydrocinnoline, 50, 80
alkylidenation, 90
cyclocondensation, 93
- 1-Hydrazino-4-*p*-tolylphthalazine, 219
- 4-[β-(2-Hyrazonocyclohexyl)phenethyl]-1(2*H*)-phthalazinone, hydrolysis, 345
- 5-Hydrazono-7,7-dimethyl-3,4-diphenyl-1,5,6,7-tetrahydrocinnoline, 68
- 1-Hydrazono-2-methyl-1,2-dihydrophthalazine, 220
- 8-Hydrazonomethyl-1(2*H*)-phthalazinone, 146
reduction, 146
- Hydrocinnolines, 33. *See also* Cinnolines
- Hydrophthalazines, 174. *See also* Phthalazines
- 1-*o*-Hydroxyanilino-4-phenylphthalazine, cyclization, 262
- 1-(*o*-Hydroxyanilino)phthalazine, 214
- 1-*p*-Hydroxybenzylidenehydrazino-4-phenylphthalazine, acylation, 314
- 4-(α -Hydroxybenzyl)-3-methoxycinnoline, 38
- 1-(α -Hydroxybenzyl)phthalazine, 186, 255, 258
- 1-*p*-Hydroxybenzylphthalazine, 256
- 2-(4-Hydroxybutyl)-4-(2-hydroxyethylamino)-1(2*H*)-phthalazinone, halogenolysis, 209
- Hydroxycinnolines (extranuclear), 69
acylation, 70
from benzyloxy-cinnolines, 69
from cinnolinecarbaldehydes, 69
preparation, 69
oxidation, 70
reactions, 70
- 1-(α -Hydroxy-3,4-dimethoxybenzyl)phthalazine, 254
oxidation, 259
- 4-[(2-Hydroxy-1,1-dimethylethyl)amino]-1(2*H*)-phthalazinone, 162, 253
to the 4-amino analog, 298
-]-(2-Hydroxy-1,2-dimethylethyl)-1,4(2*H*,3*H*)-phthalazinedione, 150
- 4-Hydroxy-2,3-dimethyl-4-phenyl-3,4-dihydro-1(2*H*)-phthalazinone, 144
oxidation, 145
- 4-(2-Hydroxyethoxy)-2-methyl-1(2*H*)-phthalazinone, 239
- 1-(2-Hydroxyethylamino)-4-phenylphthalazine, 213, 258
- 2-(2-Hydroxyethyl)-3-methyl-1,4(2*H*,3*H*)-phthalazinedione, 142, 270
halogenolysis, 208
- 2-(2-Hydroxyethyl)-4-methyl-1(2*H*)-phthalazinone, 123
- 2-(2-Hydroxyethyl)-1,4(2*H*,3*H*)-phthalazinedione, 142
- 2-(2-Hydroxyethyl)-4-(pyridin-3-yl)-1(2*H*)-phthalazinone, 255
- 3-[(Hydroxyimino)benzyl]-4-cinnolinamine, 107
cyclization, 107
- 5-Hydroxyimino-7,7-dimethyl-3-phenyl-5,6,7,8-tetrahydrocinnoline, 65
dehydration and rearrangement, 65
- 5-Hydroxyimino-3-methyl-5,6,7,8-tetrahydrocinnoline, 27
- 4-(4-Hydroxy-3-isopropylphenyl)-1(2*H*)-phthalazinone, 120
- 2-[(3-Hydroxyisoxazol-5-yl)methyl]-4-phenyl-1(2*H*)-phthalazinimine, 256

- 1-(α -Hydroxy- α -*p*-methoxyphenylphenethyl)-4-phenylphthalazine, retro-benzoin reaction, 261
- 5-Hydroxy-8-methoxy-1,4(*2H,3H*)-phthalazinedione, 128
- 2-[*o*-Hydroxy- α -methylbenzylidenehydrazinocarbonyl methyl]-4-phenyl-1(*2H*)-phthalazinone, 337
- 3-(3-Hydroxy-3-methylbut-1-ynyl)cinnoline, 39
- 3-(3-Hydroxy-3-methylbut-1-ynyl)-4-phenoxy-cinnoline, to the 3-ethynyl analog, 41
- 4-Hydroxymethyl-3-cinnolinecarbaldehyde, 70
- 1-Hydroxymethyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylic acid, esterification, 324
- 4-(1-Hydroxy-1-methylethyl)-1(*2H*)-phthalazinone, 254
- 4-Hydroxymethyl-7-methoxy-1(*2H*)-phthalazinone, hydrolysis, 238
- 1-Hydroxymethyl-4-oxo-3,4-dihydro-6-phthalazinecarbonitrile, 229
- 7-Hydroxymethyl-2-phenyl-1(*2H*)-phthalazinone, 253
halogenolysis, 208
- 4-Hydroxymethyl-1,7(*2H,3H*)-phthalazinedione, 238
acylation, 260
- 4-Hydroxy-2-methylphthalazin-2-ium tosylate, 246
to the betaine, 246
- 5-(2-Hydroxynaphthalen-1-ylazo)-1,4(*2H,3H*)-phthalazinedione, 303
- 4-(1-Hydroxy-2-naphthoyl)-6,7-dimethoxy-3(*2H*)-cinnolinone, 29
- 6-Hydroxy-7-nitro-1,4(*2H,3H*)-phthalazinedione, 151
- 4-*p*-Hydroxyphenyl-1(*2H*)-phthalazinone, X-ray analysis, 236
- Hydroxyphthalazines (extranuclear), 252
O-acylation, 260
from acyloxyphthalazines, 255
from alkoxy- or epoxyphthalazines, 255
alkylation, 259
from aminophthalazines, 257
cyclization, 262
halogenolysis, 208
from halogenophthalazines, 232
to nitroxyalkyl analogs, 260
oxidation, 259
by passenger introduction, 258
from phthalazinecarbaldehydes, 254
from phthalazinecarboxylic esters or amides, 252, 254
from phthalazine ketones, 254
preparation, 252
retro-benzoin reaction, 261
from Reissert derivatives, 258
- 7-Hydroxy-6(*2H*)-phthalazinone, alkylation, 245
- 4-(3-Hydroxypropylamino)-1(*2H*)-phthalazinone, cyclization, 262
- 2-(3-Hydroxypropyl)-4-(3-hydroxypropylamino)-1(*2H*)-phthalazinone, cyclization, 262
- 1-(3-Hydroxypyridinio)-4-phenylphthalazine chloride, rearrangement, 268
- Imidazo[1,2-*b*]isoquinolines, to phthalazines, 161
- 2-[2-(Imidazol-1-yl)ethyl]-4-phenyl-1(*2H*)-phthalazinone, 244
- 2-(Imidazol-2-yl)-2-methyl-1(*2H*)-phthalazinone, 161
- 4-(Imidazol-1-yl)-1(*2H*)-phthalazinone, 216
- 4-(Imidazol-2-yl)-1(*2H*)-phthalazinone, 161
- Imidazo[2,1-*a*]phthalazines, to phthalazines, 161
- 4-Imino-1-methyl-1,4-dihydro-3-cinnolinecarboxamide, 80
X-ray analysis, 87
- 4-Imino-3-methyl-3,4-dihydro-1-phthalazinamine, hydrolysis, 272
- Indazoles, to cinnolines, 26
- Indoles, to cinnolines, 26
- 2-Indolinone, 74
- 3-Iodocinnoline, 50
alkaneolysis, 38
- 3-Iodo-4(*1H*)-cinnolinone, 45
alkaneolysis, 39
cyclocondensation, 56
- 8-Iodo-6,7-dimethoxy-4-*p*-methoxyphenylcinnoline, 48
- 3-Iodo-4-methoxycinnoline, 47
- 4-Iodo-3-methoxycinnoline, 47
alkaneolysis, 38
arenethiolysis, 55
- 3-Iodo-4(*N'*-tosylhydrazino)cinnoline, 50
dehydrazination, 50
- Isobenzofurans, to phthalazines, 141
- 2-Isobutryryl-1,2-dihydro-1-phthalazinecarbonitrile, 182
- Isoindoles, to phthalazines, 150
- 1,3-Isoindolinedione, 279
- 2-Isopropenyl-1,4(*2H,3H*)-phthalazinedione, 160
- 3-Isopropyl-4-cinnolinecarbonitrile, mass spectrum, 103
- Isopropyl 1-hydroxymethyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 324

- 3-Isopropylidenehydrazino-5,6,7,8-tetrahydrocinnoline, 90
- 1-Isopropylphthalazine, 283
- Isoquinolines, to phthalazines, 157
- 8*H*-Isoquino[3,2-*a*]phthalazin-5,8(6*H*)-dione, 326
- Isoxazol[3,4-*c*]cinnolines, to cinnolines, 29
- Lawesson's reagent, 249
- Luminol, *see* 5-Amino-1,4(2*H*,3*H*)-phthalazinedione
- 1-(2-Mercapto-1,1,2-trimethylpropyl)phthalazine, 283
- thermolysis, 283
- 4a,8a-Methanophthalazines, to phthalazines, 162
- 3-*p*-Methoxybenzoylcinnoline, 11
- p*-Methoxybenzoyl (4-methylphthalazin-2-yl)methanide, 197
- 1-*p*-Methoxybenzyl-2,3-dimethyl-1,2,3,4,5,6,7,8-octahydrophthalazine, 190
- 4-*p*-Methoxybenzyloxycarbonylmethyl-1(2*H*)-phthalazinone, 325
- 4-(*p*-Methoxybenzyloxycarbonylmethyl)-2-(5-trifluoromethylbenzoxazol-2-yl)methyl-1(2*H*)-phthalazinone, to the 4-carboxymethyl analog, 321
- 1-*p*-Methoxybenzylphthalazine, hydrolysis, 256
- 6-Methoxy-1,4-bis(trifluoromethyl)phthalazine, 135
- 1-(*o*-Methoxycarbonylbenzoyl)-1,4-dihydro-3(2*H*)-cinnolinone, isomerization to a phthalazine, 141
- 1-[*N'*-(1-Methoxycarbonylethylidene)hydrazino]phthalazine, fine structure, 313
- X-ray analysis, 313
- 2-(*o*-Methoxycarbonylmethyl)phenyl-1,4(2*H*,3*H*)-phthalazinedione, 141, 163
- hydrolysis, 320
- 2-(*o*-Methoxycarbonylphenyl)-1-methyldiaziridine, 274
- 1-Methoxycarbonyl-2-(2-phthalazinio)ethanesulfonate, 181
- 7-Methoxy-8-cinnolinamine, 49, 86
- 3-Methoxycinnoline, 54
- iodination, 47
- 4-Methoxycinnoline, alkanalysis, 40
- alkylation, 38
- C*-formylation, 105
- iodination, 47
- 4-Methoxy-3-cinnolinecarbaldehyde, 105
- 4-Methoxy-1,2-diphenyl-1,2,3,4-tetrahydrocinnoline, 20
- 1-(*N'*-Methoxyguanidino)phthalazine, 341
- 2-[(3-Methoxyisoxazol-5-yl)methyl]-4-phenyl-1(2*H*)-phthalazinimine, hydrolysis, 256
- 6-Methoxy-7-(2-methoxyethoxy)-4(1*H*)-cinnolinone, halogenolysis, 49
- 6-Methoxy-4-*p*-methoxyphenyl-1-*p*-nitrophenyl-1,2-dihydrocinnoline, 3
- 4-Methoxy-3-methylcinnoline, 38
- 3-Methoxy-1-methyl-6-nitro-1,4-dihydrocinnoline, 64
- 4-Methoxy-2-(5-methyl-2-oxotetrahydrofuran-3-yl)-1(2*H*)-phthalazinone, 239
- 3-Methoxy-3-methyl-2-phenyl-2,3-dihydro-4(1*H*)-cinnolinone, 5
- 1-Methoxy-4-methylphthalazine, 267
- 4-Methoxy-2-methylphthalazin-2-ium *p*-toluenesulfonate, rearrangement, 270
- 4-(2-Methoxynaphthalen-1-yl)-1(2*H*)-phthalazinone, 125
- alkylation, 241
- 4-(2-Methoxynaphthalen-1-yl)-2-propyl-1(2*H*)-phthalazinone, 241
- 3-Methoxy-4-(*o*-nitroanilino)cinnoline, 76
- 3-Methoxy-4-(*o*-nitroanilino)cinnoline 1-oxide, deoxygenation, 76
- 6-Methoxy-8-nitro-4(1*H*)-cinnolinone, 98
- halogenolysis, 48
- 6-Methoxy-8-nitro-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, 9
- decarboxylation, 98
- 2-(*p*-Methoxyphenacyl)-4-methylphthalazin-2-ium bromide, 197
- to a betaine, 197
- 2-*p*-Methoxyphenyl-3(2*H*)-cinnolinone, 5
- 4-*o*-Methoxyphenyl-6-methyl-7,9-dihydrofuro[3,4-*f*]phthalazine-1,7(2*H*)-dione, 333
- 4-*o*-Methoxyphenyl-6-methyl-7,9-dihydro-8*H*-pyrrolo[3,4-*f*]phthalazine-1,7(2*H*)-dione, 333
- 1-Methoxy-4-phenylphthalazine, 222
- aminolysis, 269
- reductive alkanalysis, 189
- 3-Methoxy-4-phenylthiocinnoline, 55
- 4-Methoxy-1-phthalazinamine, 269
- 1-Methoxyphthalazine, alkanalysis, 188
- 6-Methoxyphthalazine, 116
- 1-Methoxyphthalazine 3-oxide, photolysis, 279
- ring fission, 278
- 3-(2-Methoxypropyl)-4(1*H*)-cinnolinone, 13
- 3-Methoxy-4-*p*-toluidinocinnoline 1-oxide, 51
- 6-Methoxy-4-(*p*-tolylsulfonyl)phthalazine, 228
- adduct formation etc., 288
- Methyl 2-allyloxycarbonyl-3-benzyl-1,2,3,4-tetrahydro-1-phthalazinecarboxylate, 111

- 1-[*o*-(2-Methylallyl)phenoxy]-4-phenylphthalazine, 225
cyclization, 270
- 4-Methylaminocinnoline, 26
- 3-Methylamino-4-cinnolinecarboxylic acid 1-oxide, 29
- 1-Methylamino-2-indolinone, 74
- 4-Methylamino-3-phenylethynylcinnoline, 71
- 1-Methylaminophthalazine, 213, 297
- 3-Methylamino-1,2,4-triazolo[3,4-*a*]phthalazine, 343
- 4-Methyl-2,1-benzisoxazole, 76
- 3-(*p*-Methylbenzoyl)-4-cinnolinamine, 10
- 2-*o*-Methylbenzyl-1(2*H*)-phthalazinone, 243
- 6-Methyl-1,4-bis(trifluoromethyl)-5,8-dihydrophthalazine, 193
- 6-Methyl-1,4-bis(trifluoromethyl)phthalazine, 193
- 6-Methyl-1,4-bis(trifluoromethyl)-3,5,8,8a-tetrahydrophthalazine, oxidation, 193
- Methyl 7-chloro-6-fluoro-1-*p*-fluorophenyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylate, hydrolysis, 96
- Methyl 1-*p*-chlorophenyl-5-fluoro-4-oxo-1,4-dihydro-3-cinnolinecarboxylate, hydrolysis, 96
- Methyl 3-*p*-chlorophenyl-4-oxo-3,4-dihydro-1-phthalazinecarboxylate, 139
- 3-Methylcinnoline, 3, 26
quaternization, 41
- 3/4-Methylcinnoline, natural occurrence, 36
- 4-Methylcinnoline, 76
halogenation, 42
nitration, 42
reductive acylation, 106
X-ray analysis, 36
- 3-Methyl-4-cinnolinecarbaldehyde, 42, 54
- 3-Methyl-4-cinnolinecarbonitrile, mass spectrum, 103
- 4-Methylcinnoline 1-oxide, photolysis, 76
- 4-Methylcinnoline 2-oxide, photolysis, 76
- 2-Methylcinnolinium iodide, cyclocondensation, 43
- 2-Methylcinnolin-2-ium-4-olate, rearrangement, 75
X-ray analysis etc., 73
- 1-Methyl-4(1*H*)-cinnolinone, 63, 72
X-ray analysis, 73
- 2-Methyl-3(2*H*)-cinnolinone, 62, 73
reduction, 73
ring contraction, 74
X-ray analysis, 73
- Methyl 1-cyano-1,2-dihydro-2-phthalazine-carboxylate, thiocarbamylation, 335
- Methyl 1-cyano-1-[*N*-phenyl(thiocarbamoyl)]-1,2-dihydro-2-phthalazinecarboxylate, 335
- Methyl 3,3-dicyano-3,10b-dihydropyrrolo[2,1-*a*]phthalazine-1-carboxylate, 200
- 3-Methyl-1,4-dihydrocinnoline, 26
- 2-Methyl-1,4-dihydro-3(2*H*)-cinnolinone, 74
oxidation, 73
ring contraction, 74
- 4-Methyl-1,3-dihydronaphtho[2,3-*c*]furan-1,3-dione, 279
- 2-Methyl-1,2-dihydro-1-phthalazinamine, 199
- 2-Methyl-1,2-dihydrophthalazine, 198
N-alkylation, 198
- 2-Methyl-3*H*-2,9-dihydrophthalazino[3,4,5-*de*]phthalazin-3-one, 273
- 1-(3-Methyl-1,4-dioxo-1,2,3,4-tetrahydrophthalazin-2-yl)-2-(3-methyl-4-oxo-3,4-dihydrophthalazin-1-yl)oxyethane, 223
- 10-Methyl-3,4-diphenyl-1,5-dihydro-2,5-imino-2*H*-2-benzazepin-1-one, 274
- 1-Methyl-2,4-diphenylphthalazine-2-ium perchlorate, 187
to a Schiff base, 194
- 1-Methyl-4,4-diphenyl-1,2,3,4-tetrahydrocinnoline, mass spectral fragmentation, 36
- Methyl 3-ethoxycarbonyl-1,2-dihydro-6-cinnolinecarboxylate, 12
- 1-(*N*-Methylhydrazino)phthalazine, 211
- Methyl 1-hydroxymethyl-5,7-dimethyl-4-oxo-3,4-dihydro-6-phthalazinecarboxylate, 324
- 3-Methylimino-1*H*,3*H*-[1,3,4]thiadiazolo[3,4-*b*]phthalazine-1-thione, 339
- 3-Methyl-1*H*-indazole, 76
- 4-Methyl-2-(2-methylallyl)-1(2*H*)-phthalazinone, 122
- Methyl 3-methyl-4-oxo-3,4-dihydro-5-phthalazinecarboxylate, 241
cyclization, 273
- 1-Methyl-3-methylsulfonyl-4(1*H*)-cinnolinone, 63
- 1-Methyl-4-methylsulfonylphthalazine, 285
hydrolysis, 238
- 1-Methyl-4-methylthiophthalazine, 282
oxidation, 285
- Methyl 2-[*N*-(*p*-nitrobenzenesulfonyl)carbamoyl]-3,4-dihydro-1-phthalazinecarboxylate, 131
oxidation, 131
- Methyl 2-[*N*-(*p*-nitrobenzenesulfonyl)carbamoyl]-1-phthalazinecarboxylate, 131
X-ray analysis, 131
- 1-Methyl-6-nitro-3,4(1*H*,2*H*)-cinnolinedione, 72

- 1-Methyl-6-nitro-1,4-dihydro-3(2*H*)-cinnolinone, alkylation, 64
C-oxylation, 72
- 6-Methyl-3-*p*-nitrophenyl-1,2,4-triazolo[3,4-*a*]phthalazine, 315
- 1-Methyl-5-nitrophthalazine, 111
- 4-Methyl-2-[2-nitro-5-(pyrrolidin-1-yl)phenyl]-1(2*H*)-phthalazinone, 216
reduction and cyclization, 295
- 3-Methyl-1*H*-[1,3]oxazino[4,5-*c*]cinnolin-1-one, 92
- 2-Methyl-4-(2-oxocyclohexyloxy)-1(2*H*)-phthalazinone, hydrolysis, 237
- 8-Methyl-4-oxo-1,4-dihydro-3-cinnolinecarbonitrile, 8
- 1-Methyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, esterification, 99
- 7-Methyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, X-ray analysis, 60
- 1-Methyl-4-(3-oxo-1,3-dihydroisobenzofuran-1-yl)-1(2*H*)-phthalazinone, 148
- Methyl 4-oxo-3,4-dihydro-5-phthalazinecarboxylate, 324, 327
alkylation, 241, 244
- 4-Methyl-2-oxo-1,2-dihydropyrido[3,2-*c*]cinnoline-3-carbonitrile, 106
- Methyl 4-oxo-3-(3-phenylpropyl)-3,4-dihydro-5-phthalazinecarboxylate, hydrolysis, 319
- 4-Methyl-2-oxo-2*H*-pyrano[3,2-*c*]cinnoline-3-carbonitrile, 106
- Methyl 4-oxo-3-(pyridin-2-ylmethyl)-3,4-dihydro-5-phthalazinecarboxylate, 244
- 2-(5-Methyl-2-oxotetrahydrofuran-3-yl)-1,4(2*H*,3*H*)-phthalazinedione, 331
alkylation, 239
- 3-[1-(5-Methyl-4-oxothiazolidin-2-ylidenehydrazono)ethyl]-4(1*H*)-cinnolinone, 107
- 1-Methyl-3-phenethyl-4(1*H*)-cinnolinone, 41
- 1-Methyl-4-phenoxyphthalazine, aminolysis, 269
- 4-Methyl-2-(phenylcarbonyl)methyl-1(2*H*)-phthalazinone, 331
- 6a-Methyl-5-phenyl-6a,12a-dihydrobenzo[*c*]xanthene, 270
- 1-Methyl-4-phenyl-1,4-dihydrocinnoline, 20
- 1-Methyl-4-phenyl-1,2-dihydrophthalazine, 187
oxidation, 187
- 1-Methyl-3-phenylethynyl-4(1*H*)-cinnolinone, reduction, 41
- 4-Methyl-2-phenylimidazo[2,1-*a*]phthalazin-3(5*H*)-one, 280
- 1-Methyl-4-phenylphthalazine, 176, 187
- 2-Methyl-4-phenyl-1(2*H*)-phthalazinone, 121, 145
O-alkylation, 275
- 3-Methyl-4-(phenylselenomethyl)cinnoline, 43
- 2-Methyl-3-(α -phenylstyryl)-1,4(2*H*,3*H*)-phthalazinedione, 126
- 2-Methyl-4-phenyl-1-styrylphthalazin-2-ium perchlorate, 189
- 1-Methyl-4-phenyl-1,2,3,4-tetrahydrocinnoline, 20
oxidation, 20
- 2-Methyl-7-phenyl-4,4a,5,6-tetrahydro-3(2*H*)-cinnolinone, 17
- 1-Methyl-4-phenylthiophthalazine, 227
- 4-Methyl-1-phthalazinamine, 269
- 4-Methyl-1-phthalazinamine 2-oxide, cyclocondensation, 280
- 1-Methylphthalazine, 176
quaternization, 197
- 4-Methyl-1-phthalazinecarbonitrile, 278
hydrolysis, 334
- 4-Methyl-1-phthalazinecarboxamide, 334
- 2-Methyl-1,4(2*H*,3*H*)-phthalazinedione, 128, 237
alkylation, 223, 239, 240
halogenolysis, 204
- 1-Methylphthalazine 3-oxide, Reissert-Henze reaction, 278
- 4-Methyl-1(2*H*)-phthalazinethione, 226, 249
alkylation, 282
- 2-Methylphthalazinium iodide, 180
C-alkylation, 197
N-alkylation, 198
to phthalazine, 173, 201
reduction, 198
- 2-Methylphthalazin-2-ium-4-olate, 246
cyclocondensation, 274
to 2-methyl-1(2*H*)-phthalazinone, 271
photolysis, 274
- 2-Methylphthalazinium perchlorate, interionic association, 196
- 1-Methyl-1(2*H*)-phthalazinone, 118, 271, 275
- 4-Methyl-1(2*H*)-phthalazinone, 125, 132, 153, 238
alkylation, 242, 244
thiation, 249
- 5-Methyl-1(2*H*)-phthalazinone, 153
- 8-Methyl-1(2*H*)-phthalazinone, 146
alkylation, 241
- 5-Methylphthalazino[2',1':1,5]pyrrolo[2,3-*b*]quinoxaline, 195
- 5-Methyl-8*H*-phthalazino[1,2-*b*]quinazolin-8-one, 232
- 1-(4-Methylpiperazin-1-yl)-4-phenylphthalazine, 188, 193

- 1-(4-Methylpiperazin-1-yl)phthalazine, 216
 1-(1-Methylpiperidin-4-ylthio)phthalazine, 226
 5-Methyl-3-propyl-5,6,7,8-tetrahydrocinnoline, 17
 1-Methyl-1*H*-pyrazolo[4,3-*c*]cinnolin-3-amine, 56
 3-Methyl-1*H*-pyrazolo[4,3-*c*]cinnoline-8-sulfonamide, 68
 5-Methyl-9-(pyrrolidin-1-yl)benzimidazo[2,1-*a*]phthalazine, 295
 4-(1-Methylpyrrolidin-2-yl)-1(2*H*)-phthalazinone, 148
 3-Methyl-4(3*H*)-quinazolinone, 75
 4-Methyl-2-(quinolin-8-yl)-(2*H*)-phthalazinone, 123
 X-ray analysis, 123
 4-(4-Methylsemicarbazido)-1(2*H*)-phthalazinone, 313
 3-Methylsulfinyl-4(1*H*)-cinnolinone, to the 3-acetoxymethylthio analog, 81
 to the 3-chloromethylthio analog, 81
 2-(2-Methylsulfinylethyl)-1,4(2*H*,3*H*)-phthalazinedione, 285
 3-Methylsulfinyl-4(1*H*)-cinnolinone, *N*-alkylation, 63
 2-(2-Methylsulfonylethyl)-1,4-(2*H*,3*H*)-phthalazinedione, 285
 1-Methylsulfonyl-3-phenylnaphthalene, 287
 1-Methylsulfonylphthalazine, adduct formation etc., 287
 3-Methyl-5,6,7,8-tetrahydro-4(1*H*)-cinnolinone, 25
N-Methyl-1,2,3,4-tetrahydro-2-phthalazinecarbothioamide, cyclocondensation, 339
 4-Methyl-3,4,6,11-tetrahydro[1,2,3]triazino[1,2-*b*]phthalazine-6,11-dione, 309
 6-Methylthio-1,4-bis(trifluoromethyl)phthalazine, 135
 4-Methylthio-2,3-dihydro-1*H*-benzo[*f*]indene, 286
 2-(2-Methylthioethyl)-1,4(2*H*,3*H*)-phthalazinedione, 284
 oxidation, 285
 1-Methylthiophthalazine, adduct formation, 286
 4-Methyl-2-(6-*p*-tolylpyridazin-3-yl)-1(2*H*)-phthalazinone, 123
 Methyl 2,6,7-trimethyl-1-oxo-1,2,4a,5,8,8a-hexahydro-4a-phthalazinecarboxylate, 134
 1-Methyl-3-triphenylphosphonio-4(1*H*)-cinnolinone, iodide, to 1-methyl-4(1*H*)-phthalazinone, 63
 4a-Morpholino-1,4-diphenyl-4a,5,6,7,8,8a-hexahydrophthalazine, 137
 4-Morpholinoformyl-2-*p*-nitrophenyl-1(2*H*)-phthalazinone, 138
 3-Morpholino-5,6,7,8-tetrahydro-8,8-cinnolinedicarbonitrile, 24
 Naphtho[2',1':5,6]pyrano[2,3-*c*]cinnolines, to cinnolines, 29
 1-(2-*p*-Nitroanilino-3-oxoisindolin-1-yl)-2-*p*-nitrophenyl-1,2-dihydrophthalazine, 112
 X-ray analysis, 112
 1-(*p*-Nitrobenzylidenehydrazino)-4-methylphthalazine, 315
 oxidative cyclization, 315
 1-*m*-Nitrobenzylidenehydrazino-4-phenylphthalazine, reductive acetylation, 314
 4-(*o*-Nitrobenzyloxy)-1(2*H*)-phthalazinone, 240
 alkylation, 240
 2-*o*-Nitrobenzyl-1,4(2*H*,3*H*)-phthalazinedione, 142
 4-*p*-Nitrobenzyl-1(2*H*)-phthalazinethione, 249
 2-*p*-Nitrobenzyl-1(2*H*)-phthalazinone, reduction, 293
 4-*p*-Nitrobenzyl-1(2*H*)-phthalazinone, thiation, 249
 3-Nitro-4-cinnolinamine, 88
 reduction, 86
 3-Nitrocinnoline, 7
 amination, 88
 5-Nitrocinnoline, 36
 oxidation, 87
 reduction, 86
 ring contraction, 87
 8-Nitrocinnoline, 36
 N-oxidation, 87
 reduction, 86
 ring contraction, 87
 4-Nitrocinnoline 1-oxide, azidolysis, 87
 5-Nitrocinnoline 1-oxide, 87
 5-Nitrocinnoline 2-oxide, 87
 8-Nitrocinnoline 2-oxide, 87
 Nitrocinnolines, 42, 85
 azidolysis, 85
 oxidation, 87
 preparation, 85
 reactions, 85
 reduction, 85
 ring contraction, 85
 6-Nitro-4(1*H*)-cinnolinone, 9
 8-Nitro-4(1*H*)-cinnolinone, 9
 7-Nitro-3,4-dihydro-1(2*H*)-phthalazinone, 115
 4-Nitroindazole, 87
 7-Nitroindazole, 87
 4-(Nitromethyl)cinnoline, 42
 fine structure, 42
 6-Nitro-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, 85

- 4-[*p*-(*p*-Nitrophenoxy)phenyl]-2-*p*-nitrophenyl-1(2*H*)-phthalazinone, reduction, 294
- 6-Nitro-3-phenyl-1,2-dihydrocinnoline, 19
- 2-*p*-Nitrophenyl-1(2*H*)-phthalazinone, 112, 138
- 7-Nitro-2-phenyl-1(2*H*)-phthalazinone, 145
- 2-*p*-Nitrophenyl-4-*p*-tolyl-1(2*H*)-phthalazinone, 123
- 8-Nitro-5-phthalazinamine, 296
reduction, 293
- 5-Nitrophthalazine, 180
amination, 296
- 5-Nitro-1,4(2*H*,3*H*)-phthalazinedione, 126
reduction, 294
- Nitrophthalazines, 291
preparation, 291
reactions, 292
reduction, 292
- 3-Nitroso-3,4-dihydro-1(2*H*)-phthalazinone, 295
oxidative denitrosation, 295
- Nitrosophthalazines, 291, 295
denitrosation, 295
- 2,3,4,4a,5,6,7,8-Octahydrocinnoline, 33
- 3,4,4a,5,6,7,8-Octahydro-1(2*H*)-phthalazinone, 247
cyclocondensation, 251
ring contraction, 251
- Oxazolo[2,3-*a*]isoindoles, to phthalazines, 162
- Oxazolo[2,3-*a*]phthalazin-4-iums, to phthalazines, 163
- 1-[*N*-(Oxidonaphthalen-1-yl)iminomethyl]-2,4-diphenylphthalazin-2-ium, 194
- 3-(*N*-Oxidopyridin-2-yl)-4(1*H*)-cinnolinone, 13
- 4-(2-Oxocyclohexyloxy)-1(2*H*)-phthalazine, 166
hydrolysis, 237
- 4-[β-(2-Oxocyclohexyl)phenethyl]-1(2*H*)-phthalazinone, 345
- 4-Oxo-1,4-dihydro-3-cinnolinecarbonitrile, 52
O-acylation, 66
halogenolysis, 48
- 4-Oxo-1,4-dihydro-3-cinnolinecarbonyl chloride, 99
alcoholysis, 99
- 4-Oxo-1,4-dihydro-3-cinnolinecarboxylic acid, 53, 98
to the carbonyl chloride, 99
esterification (indirect), 99
nitration, 85
- 4-Oxo-1,4-dihydro-3-cinnolinesulfonanilide, 13
- 4-Oxo-1,4-dihydro-3-cinnolinesulfonic acid, 13
- 2-(3-Oxo-1,3-dihydroisobenzofuran-1-yl)-1(2*H*)-phthalazinone, 117
to 1(2*H*)-phthalazinone, 117
- 4-(3-Oxo-1,3-dihydroisobenzofuran-1-yl)-1(2*H*)-phthalazinone, 148
- 4-Oxo-3,4-dihydro-5-phthalazinecarbaldehyde, 344
- 4-Oxo-3,4-dihydro-1-phthalazinecarbohydrazide, 157
- 4-Oxo-3,4-dihydro-5-phthalazinecarbonitrile, 118
- 4-Oxo-3,4-dihydro-5-phthalazinecarbonyl chloride, 323
alcoholysis, 327
- 4-Oxo-3,4-dihydro-5-phthalazinecarboxylic acid, to the carbonyl chloride, 323
cyclocondensation, 326
esterification, 324
- 4-Oxo-3,4-dihydro-1,7-phthalazinedicarboxylic acid, esterification, 324
- 3-Oxo-1-methyl-3,7a-dihydro-1*H*-diazirino[3,1-*a*]isoindol-3-one, 275
degradation, 275
- 4-Oxo-3-phenyl-3,4-dihydro-6-phthalazinecarbonitrile, 229
hydrolysis, 321
- 4-Oxo-3-phenyl-3,4-dihydro-6-phthalazinecarbonyl azide, Curtius reaction, 299
- 4-Oxo-3-phenyl-3,4-dihydro-6-phthalazinecarbonyl chloride, aminolysis, 327
- 4-Oxo-3-phenyl-3,4-dihydro-6-phthalazinecarboxamide, 327
- 4-Oxo-3-phenyl-3,4-dihydro-5-phthalazinecarboxylic acid, 146
- 4-Oxo-3-phenyl-3,4-dihydro-6-phthalazinecarboxylic acid, 321
- 3-Oxo-2-phenyl-2,3,5,6,7,8-hexahydro-4-cinnolinecarbonitrile, 5
- 4-Oxo-3-(3-phenylpropyl)-3,4-dihydro-5-phthalazinecarboxylic acid, 319
- 4-Oxo-1-phenyl-7-(pyridin-4-yl)-1,4-dihydro-3-cinnolinecarbonitrile, 52
hydrolysis, 52
- 4-Oxo-1-phenyl-7-(pyridin-4-yl)-1,4-dihydro-3-cinnolinecarboxylic acid, 52
- 4-Oxo-7-phenylthio-3,4-dihydro-6-phthalazinesulfonamide, 227
- 2-(5-Oxo-2-pyrazolin-4-yl)-4-phenyl-1(2*H*)-phthalazinone, 338
- 2-(3-Oxo-5-thioxopyrazolin-4-yl)-4-phenyl-1(2*H*)-phthalazinone, 338
- 1-(5-Oxo-1,2,3-triazolidin-4-yl)-4-phenylphthalazine, 310
- Oxycinnolines, 59
- Oxyphthalazines, 235

- N. R. Patel, ix, 109, 173
- 1-Perfluorohexyl-1,2-dihydrophthalazine, 177
- 4-Phenacylcinnoline, 104
- 2-Phenacylphthalazinium bromide, 180
cyclocondensation, 199, 201
- 4-Phenoxyethyl-1(2*H*)-phthalazinone, 111
- 4-Phenoxy-3-phenylethynylcinnoline, aminolysis, 71
- 1-Phenoxy-4-*p*-tolylphthalazine, 224
- Phenyl 4-*p*-aminophenyl-1,2-dihydro-2-phthalazinecarboxylate, aminolysis, 332
- 3-Phenylazo-4(1*H*)-phthalazinone, 89
- 5-Phenylbenzimidazo[2,1-*a*]phthalazine, 262
- 3-Phenyl-4-cinnolinamine, 7, 9, 12
- 3-Phenylcinnoline, 4
alkylation, 37
amination, 88
oxidative ring fission, 43
- 4-Phenylcinnoline, reductive acylation, 106
- 3-Phenyl-4-cinnolinecarbonitrile, 12
- 3-Phenylcinnoline 1-oxide, 4
- 3-Phenylcinnoline-1-ium-1-benzamidate, 91
- 1-Phenyl-4(1*H*)-cinnolinone, 72
- 3-Phenyl-4(1*H*)-cinnolinone, 15
- Phenyl 1-cyano-1,2-dihydro-2-phthalazinecarboxylate, alkoxyacylation, 330
- Phenyl 1-cyano-1-methylthio(thiocarbonyl)-1,2-dihydro-2-phthalazinecarboxylate, 330
- Phenyl 6,7-dichloro-4-*p*-nitrophenyl-1,2-dihydro-2-phthalazinecarboxylate, 301
- 7-Phenyl-5,6-dihydro-3(2*H*)-cinnolinone, *N*-alkylation, 62
- 1-Phenyl-1,2-dihydro-1-phthalazine, 176
oxidation, 176
- 2-Phenyl-1,2-dihydro-1-phthalazinol, 116
to a bi(dihydrophthalazinylidene), 116
with perchloric acid, 196
thiation etc., 273
- 3-Phenylethynylcinnoline, 38
- 3-Phenylethynyl-4(1*H*)-cinnolinone, 61
- 5-Phenylethynylphthalazine, halogenation, 191
- 3-Phenylethynyl-4-piperidinocinnoline, 39
- 3-Phenylfuro[3,2-*c*]cinnoline, 56
- 4-Phenyl-4a,5,6,7,8,8a-hexahydro-1(2*H*)-phthalazinone, 120
oxidation, 247
- 3-Phenyl-2,3,4,5,7,8-hexahydro-1*H*-[1,2,5]triazepino [1,2-*g*]cinnoline-1,5,8-trione, 57
- 2-Phenylimidazo[2,1-*a*]phthalazine, 201
- 3-Phenylisoxazolo[4,5-*c*]cinnoline, 108
- 2-Phenyl-6- $\{p\}$ -[(2-phenylpyrazol-3-yl)sulfamoyl]phenylsulfamoyl
-4-(*N'*-phenylureido)-1(2*H*)-phthalazinone, 221
- 2-Phenyl-4-*p*-{1-[4-phenyl(thiosemicarbazono)]ethyl}anilino-1(2*H*)-phthalazinone, 345
- 4-Phenyl-1-phthalazinamine, 269
cyclocondensation, 307
N-oxidation, 277
- 4-Phenyl-1-phthalazinamine 2-oxide, 277
- 1-Phenylphthalazine, 176, 261
C-alkylation, 176, 187
N-amination, 296
N-oxidation, 277
oxidative degradation, 192
- 4-Phenyl-1-phthalazinecarbonitrile, 230, 278, 287, 339
- 2-Phenyl-1,4(2*H*,3*H*)-phthalazinedione, 128
chlorosulfonation, 289
to a sulfone, 287
- 1-Phenylphthalazine 2-oxide, 277
- 1-Phenylphthalazine 3-oxide, 277
to 1-chloro-4-phenylphthalazine, 278
to the isomeric phthalazinone, 238
Reissert-Henze reaction, 278
- 2-Phenyl-1(2*H*)-phthalazinethione, 273
- 4-Phenylphthalazin-2-ium benzimidate, cyanation, 339
to a phthalazinone, 271
- 2-Phenylphthalazin-2-ium-4-olate, 155
cyclocondensation, 237, 238
- 2-Phenylphthalazinium perchlorate, 196
to a biphthalazine derivative, 198
- 2-Phenyl-1(2*H*)-phthalazinone, 245
- 4-Phenyl-1(2*H*)-phthalazinone, 120, 126, 140, 155, 156, 162, 187, 238
alkylation, 242, 244
halogenolysis, 204
- 2-(4-Phenylpiperazin-1-ylcarbonylmethyl)-1(2*H*)-phthalazinone, 326
- 3-Phenyl-4,5-pyridazinedicarboxylic acid, 192
- 6-Phenyl-3,4-pyridazinedicarboxylic acid, from 3-phenylcinnoline, 43
- 2-(6-Phenylpyridazin-3-yl)-1,4(2*H*,3*H*)-phthalazinedione, 143
- 1-Phenyl-4-pyridiniophthalazine chloride, 217
- 1-Phenyl-4-(pyridin-3-yloxy)phthalazine, 268
- 1-Phenylpyrrolo[2,1-*a*]phthalazine-3-carbonitrile, 200
- 3-Phenylpyrrolo[2,1-*a*]phthalazine-2-carboxamide, 344
- 3-Phenylsulfonyl-4(1*H*)-cinnolinone, 13

- 3-Phenyl-4,6,7,8-tetrahydro-5(1*H*)-cinnolinone, 16
 oxidation, 16
- 3-Phenyl-5,6,7,8-tetrahydro-5-cinnolinone, 16
- 7-Phenyl-4,4a,5,6-tetrahydro-3(2*H*)-cinnolinone, 17
- 4-Phenyl-5,6,7,8-tetrahydro-1(2*H*)-phthalazinone, 247
 conformation, 236
- 2-Phenylthiazolo[2,3-*a*]phthalazin-4-ium-3-olate, 284
- 5-Phenylthiino[2,3,4-*de*]phthalazine, 234
- 4-Phenyl-2-(2-thiocarbamoyl)ethyl-1(2*H*)-phthalazinone, 335
- 3-Phenylthiocinnoline, 11
- 1-Phenyl-4-thiosemicarbazidophthalazine, 221
- 2-Phenyl-4-*p*-tolyl-4a,5,6,7,8,8a-hexahydro-1(2*H*)-phthalazinone, 122
- 2-Phenyl-4-*p*-tolyl-1(2*H*)-phthalazinethione, 282
 alkylation, 282
 cyclocondensation, 284
- 1-Phenyl-4-(*p*-tolylsulfonyl)phthalazine, 228
 cyanolysis, 287
- 4-Phenyl-2-tosyl-1(2*H*)-phthalazinone, 113
- 3-Phenyl-4*H*-[1,2,4]pyrazino[3,4-*a*]phthalazin-4-one, 318
- 4-(*N'*-Phenylureido)-1(2*H*)-phthalazinone, 302
- 1-Phthalazinamine, 297
 alkylation, 345
 hydrazinolysis, 302
 quaternization, 304
- 5-Phthalazinamine, oxidative hydrolysis, 263
 oxidative hydrolysis and chlorination, 263
- Phthalazinamines, *See* Aminophthalazines
- Phthalazine, 113, 116, 173, 201
 C-alkylation, 176, 177
 amination, 296
 complex formation, 177
 cyclic adduct formation, 178
 degradation, 179
 deuteration, 180
 energy determinations, 175
 ESR studies, 175
 C-hydroxylation, 180
 Kjeldahl analysis, 179
 nitration, 180
 NMR studies, 175
 preparation, 173
 properties, 175
 quaternization etc., 180
 reactions, 175
 reduction, 174
 reductive acylation, 175
 reductive alkylation, 177
 Reissert-like reactions, 183
 Reissert reactions, 182
- Phthalazinecarbaldehydes, 344
 from dihalogenomethylphthalazines, 344
 to (epoxyalkyl)phthalazines, 268
 with ethyl diazoacetate, 253
 with a Grignard, 253
 from hydroxymethylphthalazines, 259
 preparation, 344
 reactions, 345
- Phthalazinecarbohydrazides, *see*
 Phthalazinecarboxamides,
- 1-Phthalazinecarbonitrile, cyanoalkylation, 340
 with a Grignard, 342
 hydrolysis, 334
- Phthalazinecarbonitriles, 339. *See also* Reissert reaction
 alcoholysis, 340
 with aldehydes, 340
 from alkylsulfonylphthalazines, 287
 by cyanation, 339
 cyclization, 342
 with Grignards, 341
 from halogenophthalazines, 229
 hydrolysis, 321, 334
 oxidation, 340
 by passenger introduction, 340
 from phthalazinecarboxamides, 337
 to phthalazinecarboxamidines, 341
 to phthalazine ketones, 340, 341
 preparation, 339
 reactions, 340
 thiolysis, 334
- Phthalazinecarbonyl halides, 313
 alcoholysis, 327
 aminolysis, 327
 cyclization, 328
 to diazoacetyl analogs, 328
 from phthalazinecarboxylic acids, 323
 preparation, 327
 reactions, 327
- 1-Phthalazinecarboxamide, 334
- Phthalazinecarboxamides, 334
 by carbamoylation, 335
 to cyclic derivatives, 338
 hydrolysis, 321
 to linear derivatives (from carbohydrazides), 337
 by passenger introduction, 336
 from phthalazinecarbonitriles, 334
 to phthalazinecarbonitriles, 337
 from phthalazinecarbonyl halides, 327

- Phthalazinecarboxamides (*Continued*)
 from phthalazinecarboxylic acids, 325
 from phthalazinecarboxylic esters, 331
 preparation, 334
 reactions, 336
 removal of amidic group, 336
 reduction, 252
 thiation, 336
- Phthalazinecarboxamidines, 341
- Phthalazinecarboximidic esters, 340
- Phthalazinecarboxylic acids, 319
 anhydride formation, 323
 cyclization, 326
 decarboxylation, 322
 from diazoacylphthalazines, 322
 esterification, 324
 by oxidation, 319
 from phthalazinecarbonitriles, 321
 to phthalazinecarbonyl halides, 323
 from phthalazinecarboxamides, 321
 to phthalazinecarboxamides, 325
 from phthalazinecarboxylic esters, 319
 preparation, 319
 reactions, 322
- Phthalazinecarboxylic esters, 329
 from acylphthalazines, 329
 by alkoxycarbonylation, 329
 aminolysis, 331
 cyclization, 333
 with a Grignard, 254
 hydrazinolysis, 332
 hydrolysis, 319
 from phthalazinecarbonyl halides, 327
 from phthalazinecarboxylic acids, 324
 preparation, 329
 reactions, 330
 reduction, 252
 removal of ester group, 331
 transesterification, 329
- 1,4-Phthalazinediamine, 153
 acylation, 300
 cyclization, 308
 hydrolysis, 237
 quaternization, 305
- 5,8-Phthalazinediamine, 23
 oxidative hydrolysis with chlorination, 263
- 6,7-Phthalazinedicarboxylic acid, to the
 anhydride, 323
- 6,7-Phthalazinedicarboxylic anhydride, 323
- 1,4(2*H*,3*H*)-Phthalazinedione, 141, 155, 166, 237,
 264
 alkylation, 240, 284
 aminolysis (indirect), 250
 cyclocondensation, 250, 308
 halogenolysis, 205, 206
 ionization, 236
 oxidation, 248, 265
 tautomerism, 236
- 1,4(2*H*,3*H*)-Phthalazinedithione, 226
- Phthalazine ketones, 344
 cyclocondensation, 346
 from halogenophthalazines, 229
 from their hydrazones, 345
 from hydroxyalkylphthalazines, 259
 from imino analogs, 345
 by passenger introduction, 345
 from phthalazinecarbonitriles, 340,
 341
 preparation, 344
 reactions, 345
 reduction, 254
 to semicarbazones, 345
- Phthalazine 2-oxide, with dimethyl
 acetylenedicarboxylate, 280
- Phthalazine *N*-oxides, 276
 with acetylenedicarboxylates, 280
 NMR studies, 277
 to phthalazinones, 238
 preparation, 276
 reactions, 277
- 1,4-Phthalazinequinone, 263
 adduct formation, 265, 266
 decomposition in aqueous media, 264
- 5,8-Phthalazinequinone, 263
 acylation and acyloxylation, 264
 halogenation, 206
- Phthalazinequinones, 263
 acylation, 264
 adduct formation, 265
 aggregation and degradation, 264
 from phthalazinamines, 263
 from phthalazinones, 247, 263
 preparation, 263
 reactions, 264
 stabilization as adducts, 248
- Phthalazines, from carbocyclic substrates, 109,
 130
 glance index to products of primary syntheses,
 166
 from heterobicyclic substrates, 138
 from heteropolycyclic substrates, 159
 nomenclature, ix
 primary syntheses, 109
 from pyridazines, 132
 reviews, 173
 simple derivatives (list), 374

- from spiroheterocyclic substrates, 165
- from 1,2,4,5-tetrazines, 135
- Phthalazinesulfonic acid derivatives, 288
 - aminolysis, 289
 - by chlorosulfonation, 289
 - by passenger introduction, 290
 - from phthalazinamines, 288
- Phthalazinethiols (extranuclear), *see*
 - Phthalazinethiones
- 1(2*H*)-Phthalazinethione, with alkenes, 283
 - alkylation, 282
 - azidolysis, 283
 - cyclocondensation, 284
- Phthalazinethiones, 281
 - with alkenes, 283
 - alkylation, 282
 - aminolysis, 283
 - cyclization, 284
 - from halogenophthalazines, 226
 - from phthalazinones, 249
 - preparation, 281
 - reactions, 281
 - tautomerism, 281
- Phthalazinimines(nontautomeric), from aminophthalazines, 304
 - from halogenophthalazines, 218
- 3-(2-Phthalazinio)propionate, 181
- Phthalazin-2-ium-2-benzamidate, 300
- Phthalaziniumolates, cyclization, 273
 - from phthalazinones (tautomeric), 246
 - preparation, 271
 - reactions, 272
- Phthalazino[2,3-*a*]cinnolines, to phthalazines, 163
- 1(2*H*)-Phthalazinone, 117, 162, 180, 210, 295
 - alkylation, 243, 246
 - arylation, 245
 - halogenolysis, 203
 - reduction, 247
 - tautomerism, 236
 - trimethylsilylation, 241
- Phthalazinones (nontautomeric), 271
 - from alkoxypthalazines, 269
 - bioactivities, 271
 - cyclization, 273
 - from phthalazinimines, 272
 - from phthalazinones (tautomeric), 241, 243, 245
 - preparation, 271
 - reactions, 272
 - reductive deoxygenation, 272
 - thiation, 272
- Phthalazinones (tautomeric), 236
 - acylation, 246
 - from alkoxypthalazines, 237
 - alkylation, 239
 - from alkylsulfonylphthalazines, 238
 - aminolysis, 250
 - cyclocondensation, 250
 - halogenolysis, 203
 - from halogenophthalazines, 222
 - hypolipidemic activity, 236
 - by *C*-hydroxylation, 180, 238
 - ionization, 236
 - MS patterns, 236
 - NMR spectra, 236
 - oxidation and reduction, 248
 - from phthalazinamines, 237
 - from phthalazine *N*-oxides, 238
 - to phthalazinequinones, 247
 - preparation, 236
 - reactions, 238
 - ring contraction, 251
 - ring fission, 251
 - tautomerism, 236
 - thiation, 249
- Phthalazino[2,3-*b*]phthalazines, to phthalazines, 163
- Phthalic anhydrides, *see* Isobenzofurans
- Phthalides, *see* Isoindoles
- Phthalimides, *see* Isoindoles
- 2-(2-Phthalimidoethyl)-4-(pyridin-3-yl)-1(2*H*)-phthalazinone, deacylation, 297
- 3-(2-Piperidinoethyl)-1(2*H*)-phthalazinone, 163
- 1-(Piperidin-4-ylthio)phthalazine, 226
- 4-Pivalamidocinnoline, 91
- 1-Pivaloyl-4-pivaloylimino-1,4-dihydrocinnoline, 91
- 3-Propylaminocinnoline, 77
- 1-Propylaminophthalazine, 213
- 3-Propyl-4-cinnolinecarbonitrile, mass spectrum, 103
- 3-Propylpyridazino[4,5-*g*]quinoxaline-2,6,9(1*H*,7*H*,8*H*)-trione, 308
- Pummerer reaction, 81
- 2-[2-(Purin-6-ylamino)ethyl]-1(2*H*)-phthalazinone, 298
- Pyrazino[2,3-*c*]cinnoline, 92
- Pyrazolo[3,4-*c*]cinnolines, to cinnolines, 29
- Pyrazolo[1,2-*b*]phthalazines, to phthalazines, 164
- Pyridazines, to cinnolines, 22
- Pyridazino[3,4,5-*de*]phthalazin-3(2*H*)-one, 326
- Pyridazino[4,5-*d*]pyridazines, to phthalazines, 157
- 7-Pyridinio-5,8-phthalazinequinon-6-olate, 217

- 7-(Pyridin-4-yl)-4(1*H*)-cinnolinone, 13
- 4-(Pyridin-4-ylmethyl)-1(2*H*)-phthalazinone, 131
aminolysis, 250
halogenolysis, 205
- 4-(Pyridin-4-yl)methyl-7-trifluoroacetamido-1(2*H*)-phthalazinone, 299
- 4-(Pyridin-3-yl)-1(2*H*)-phthalazinone, 153
arylation, 245
- Pyrido[4,3,2-*de*]cinnoline, to cinnolines, 29
- 4-(Pyrimidin-4-ylmethyl)-1(2*H*)-phthalazinone, halogenolysis, 205
- Pyrimido[5,4-*c*]cinnoline-2,4(1*H*,3*H*)-dione, 92
- Pyrimido[5,4-*c*]cinnoline-2,4(1*H*,3*H*)-dithione, 93
- Pyrimido[5,4-*c*]cinnolin-4(3*H*)-one, 92
- Pyrimido[2,1-*a*]phthalazines, to phthalazines, 164
- 1-{2-[(Pyrrolidin-1-yl)carbonyl]ethyl}-4(1*H*)-cinnolinone, X-ray analysis, 73
- 3-(Pyrrolidin-1-yl)cinnoline, 77
- Quinoxalino[2,3-*c*]cinnoline, chlorination, 47
- Radziszewski reaction, 104
- Reissert-Henze reaction, 278
- Reissert reaction, 182
fine structure of salts, 339
- Sandmeyer reaction, 92
- Schmidt rearrangement, 66
- J. C. E. Simpson, ix, 1, 109, 173
- G. M. Singerman, ix, 1
- B. Stanovnik, 173
- 3-Styryl-4(1*H*)-cinnolinone, 39
- 2-*p*-Sulfamoylphenyl-1,4(2*H*,3*H*)-phthalazinedione, 289
- 1-(2,3,4,6-Tetra-*O*-acetyl-β-D-galactopyranosyloxy)phthalazine, 267
- 5,6,7,8-Tetrabromo-2-[(*N*-phenylcarbamoylemethyl)amino]-4-tolyl-1(2*H*)-phthalazinone, 336
- 5,6,7,8-Tetrabromo-2-[*N'*-phenyl(thioureido)]-4-tolyl-1(2*H*)-phthalazinone, 303
- 5,6,7,8-Tetrachloro-1-(3,4-dimethylphenyl)-4-(3-oxo-6-*p*-tolyl-2,3,4,5-tetrahydropyridazin-4-ylthio)phthalazine, 326
- 5,6,7,8-Tetrachloro-2-phenyl-1(2*H*)-phthalazinone, 130
- 5,6,7,8-Tetrachloro-1(2*H*)-phthalazinone, 130
- 1,1',2,2'-Tetrahydro-1,1'-bipthalazine, 174
- 5,6,7,8-Tetrahydrocinnoline, 33, 34
- 5,6,7,8-Tetrahydro-3(2*H*)-cinnolinethione, 65
aminolysis, 80
reduction, 34
- 5,6,7,8-Tetrahydro-3(2*H*)-cinnolinone, 16, 26
halogenolysis, 49
reduction, 33
thiation, 65
- 1,2,3,4-Tetrahydrophthalazine, 174
acylation, 300
oxidation, 175, 179
- 5,6,7,8-Tetrahydrophthalazine, 174, 211
- 1,2,3,4-Tetrahydro-2-phthalazinecarboxamide, 331
- 5,6,7,8-Tetrahydro-1(2*H*)-phthalazinone, 247
- 5,7,12,14-Tetrahydrophthalazino[2,3-*b*]phthalazine-5,7,12,14-tetrone, 144, 264
- 2,3,5,6-Tetrahydro-1*H*-pyrazolo[1,2-*a*]cinnoline-3,6-dione, 67
- 1,4,6,11-Tetrahydropyridazino[1,2-*b*]phthalazine-6,11-dione, 308
- 6,7,8,9-Tetrahydro-1,2,4-triazolo[4,3-*b*]cinnoline, 93
- 5,6,7,8-Tetramethyl-1,4(2*H*, 3*H*)-phthalazinedione, 152
- 4,7,14,17-Tetraphenyl[2,2](5,8)phthalazinophane, 120
- 1,4,6,8-Tetraphenylthieno[3,4-*g*]phthalazine, 194, 346
- 1,2,4,5-Tetrazines, to cinnolines, 24
- Thiele-Winter reaction, 264
- Thieno[3,4-*g*]phthalazines, to phthalazines, 161
- Thieno[3,4-*d*]pyridazines, to phthalazines, 158
- Thiocinnoline, 79
- Thiophthalazines, 281
as Cu-corrosion inhibitors, 281
- 3-(1-Thiosemicarbazonoethyl)-4(1*H*)-cinnolinone, 106
cyclocondensation, 106
- 4-Thioxo-1,4-dihydro-3-cinnolinecarbonitrile, 55, 65
- 4-Thioxo-1,4-dihydro-3-cinnolinecarbonyl chloride, 101
to the amide, 101
- 4-Thioxo-1,4-dihydro-3-cinnolinecarboxamide, 101
- 4-Thioxo-1,4-dihydro-3-cinnolinecarboxylic acid, to the carbonyl chloride, 101
- 2-Thioxo-1,2-dihydropyrimido[5,4-*c*]cinnolin-4(3*H*)-one, 92
- 4-*p*-Tolyl-1-phthalazinamine, alkylation, 290
- 4-*p*-Tolylsulfonylecinnoline, 56
- 4-*p*-Tolylsulfonyl-3-cinnolinecarbonitrile, 52, 56
cyanolysis, 52
- 5,6,8-Triacetoxypthalazine, 264
- 1,2,3-Triazolo[4,5-*d*]pyridazines, to phthalazines, 159
- 4-Trichloromethylcinnoline, 42
hydrolysis, 54
- 1,4,6-Trichlorophthalazine, 206
- 6,7,8-Trifluoro-1-methyl-4-oxo-1,4-dihydro-3-cinnolinecarboxylic acid, esterification, 100

- 4-*[p*-(Trifluoromethyl)phenyl]cinnoline, 38
4-(2,4,6-Trimethoxyphenyl)-1(2*H*)-phthalazinone, 222
1,1,2-Trimethyl-1,2-dihydrophthalazine, 198
5,7,8-Trimethyl-3-phenyl-6(2*H*)-cinnolinone, 15
 O-acylation, 66
2,6,7-Trimethyl-4*a*-phenylsulfonyl-4*a*,5,8,8*a*-tetrahydro-1(2*H*)-phthalazinone, 134
Trimethyl pyrrolo[2,1-*a*]phthalazine-1,2,3-tricarboxylate, 280
1-(Trimethylsiloxy)phthalazine, 241
 alcoholysis, 267
2-[(Trimethylsilylmethylthio)methyl]phthalazine, 179
 cyclization, 179
3,4,10-Triphenyl-1,5-dihydro-2,5-imino-2*H*-2-benzazepin-1-one, 274
1,2,4-Triphenyl-1,2-dihydrophthalazine, oxidative quaternization, 196
1,2,4-Triphenyl-1,2-dihydro-1-phthalazinol, 187
 oxidation, 187
3-Triphenylphosphoranylidene-3,4-dihydro-4-cinnolinone, 14
 alcoholysis, 14
 N-alkylation, 63
 3-desubstitution, 61
1,2,4-Triphenylphthalazin-2-ium perchlorate, 187, 196
1,2,4-Triphenylphthalazin-2-ium tetrachloroferrate, 196
2,3',5'-Triphenyl-4-*p*-tolylspiro{phthalazine-1(2*H*),2'(3'*H*)-[1,3,4] thiadiazole}, 284
Ullmann-Goldberg alkylations, 245
Ureidophthalazines, from halogenophthalazines, 220
Vilsmeier reagent, 206, 209

