

Index

a

- absorbance 1410
- absorbance, excited-state 450, 453, 471
- absorbance, transient 465
- absorption, excited state (ESA) 354, 356f.
- absorption spectroscopy 245, 256f., 386f., 388, 435, 463, 466, 530, 1408, 1432
- absorption, transient (TA) 509, 532, 540, 544, 547, 555
 - time-resolved 352ff., 468, 1434
- absorption of H₂ 753
- acceleration 1063, 1072, 1109
- acceleration factor 1045ff.
- acetaldehyde 519, 957, 1037, 1430f.
 - hemiacetal 980
- acetate anion 957, 980
- acetic acid 173, 210f., 450, 519, 529, 967f., 1001
 - methanol complex 932f.
- acetic anhydride 980f.
- acetone 952f., 955, 967
- acetonitrile 172, 199, 400, 516ff., 529, 543, 887, 962, 1278
- acetophenone 1004
- acetyl group 225ff.
- acetylene 519
- N-acetylmethionineethyl ester 1030
- acids 1502
- acids, mineral 387, 392, 394, 398
- acid-base
 - catalysis 975ff., 1079ff., 1162, 1241, 1361
 - mechanism 977, 980
 - equilibrium 370, 410
 - neutralization 445, 448f.
 - pairs 108f., 377f., 434, 1069, 1178
 - reactions 110
 - systems 303, 309, 400, 406f., 444
- Acinetobacter calcoaceticus* 1070
- Aquifex pyrophilus* 1161
- acridinium 1051, 1066
- activation energy 748
 - of diffusion 753, 763
- additives, electronegative and electropositive 773
- adenine 934
- adenosine triphosphate (ATP) 552, 1152, 1154ff., 1378, 1499
- S-adenosylhomocysteine 1062
- adiabatic longitudinal transport after dissociation engenders net alignment (ALTADENA) 657, 662ff.
- adiabatic regime 303, 307, 309ff., 315, 320ff., 327
 - excited state 597
 - ground state 588, 597
 - ground state potential 837, 840f., 846f., 851
 - PES 368
 - surface 1185
 - theory of reactions 834, 840, 845
- adsorption 688ff., 698, 773ff.
 - activated H 756f.
 - activation barrier 757
 - energetic heterogeneity 759
 - energy 758, 771, 773
 - kinetics 773
- advanced materials 245
- Aequorea victoria* 435
- Aeromonas caviae* 1151
- agostic interaction 611
- alanine (Ala) 1026, 1081, 1092, 1102, 1129, 1139ff., 1147, 1161, 1161, 1218, 1397, 1430, 1447
- Albery-Kreevoy-Lee approach 1054
- alcohols 228f., 427ff., 775, 992f., 1037, 1048
 - aromatic 400ff.
 - tertiary 993
- aldehyde 1048, 1107

- aldimine 1141, 1143f., 1150
- aldol-keto isomerization 1120
- Alexander-Binsch formalism 622, 670
- alkali metals 773
- alkaline fuel cells (AFCs) 709ff., 718
- alkane 957
 - aggregates, physical state 116ff.
 - as proton acceptors 105ff., 115ff., 126ff.
 - σ -basicity 110f.
 - crystallisation 126, 128ff.
 - halogenated (Cl, Br) 112ff.
 - systems 991
- alkene 1001
- alkyne 1001
- allostery 1381ff., 1422, 1452
- alloys 771ff., 787, 804ff.
- AlO₄ tetrahedron 685, 700
- aluminium 779, 782, 809, 812
- aluminophosphates (AlPOs) 686
- aluminosilicates *see* zeolites
- Alzheimer's disease 1029, 1379
- amides 1017
- amidines 196
- amidines, diaryl- 203
- amidines, N-N'-di-(p-F-phenyl) 193ff.
- amidines, fluoro 172
- amines 205, 591, 1006, 1017ff.
- amines, chloro 1017
- amines, tertiary 399
- amino acid 232, 729, 1013, 1017, 1110, 1439, 1475
 - activation 1459ff.
 - ester 967
 - radical generation 548ff.
- aminopyrenes 398, 400, 445
- 1-aminopyrene (1-AP) 228ff., 382
- 8-aminopyrene-1,3,6-trisulfonate (APTS) 382, 400
- 2-amino-pyridine 446
- aminopyrimidine 1427
- 1-amino-8-trifluoroacetylaminonaphthalene 979
- ammonia 431f., 446, 593, 641, 688ff., 697
- ammonium ions 688ff., 954, 1001
- amphiphilic helices 1081
- 4-androstene-3,17-dione 1109, 1125
- 5-androstene-3,17-dione 1109, 1125
- angular momentum 59
- anion propagation 214
- anisotropy, elastic 789
- anisotropy experiments 226, 234, 238, 256ff., 262ff.
 - time-resolved 262
- ansa-bridging 628
- anthracene 517ff.
- antibiotics, peptide-based 1154
- antioxidants 1014
- anvil cell, diamond 740, 742ff.
- anvil cell, sapphire 819
- apomyoglobin 1503
- approximate instanton method (AIM) 896, 904f., 914, 923, 927, 938f.
- aqueous solution 377f., 410, 428ff., 443f., 542, 714ff., 724, 867, 949, 992, 1014, 1052, 1098, 1116, 1186, 1507
 - of KOH 711, 714
 - NaOH 714
- arginine (Arg) 528, 1084, 1099, 1145, 1407, 1485, 1519
- Arrhenius behavior 333ff., 489, 577, 823
- Arrhenius curves 135ff., 174, 176, 178ff., 188ff., 197ff., 205ff., 212ff., 264, 326, 337ff., 429f., 536f., 677, 765, 798, 877ff., 884ff., 891f., 917f., 923f., 927ff., 1255, 1289f., 1327, 1384f.
 - for single and multiple H transfer 146, 150f., 157, 160f., 163f., 167f., 181, 185ff.
- Arrhenius expression 1245
- Arrhenius factor
 - pre-exponential factor 9, 135, 150, 167f., 185, 206ff., 213, 217, 719, 762, 798f., 877, 879, 884f., 891f., 1245
- Arrhenius law 148, 162, 164, 167, 655, 797f., 812
- Arrhenius prefactor 1254ff., 1268, 1274, 1276ff., 1326f., 1342
- Arrhenius relation 762, 1060, 1172
- Arrhenius rate 655f.
- arsenic 761
- artificial light-harvesting 245
- aryl groups 203f.
- asparagine (Asn) 1108, 1397
- aspartate (Asp) 528, 1108, 1113, 1126f., 1131, 1145, 1154, 1161, 1398, 1440
- atmospheric reactions 834
- attractive forces 759
- autoionisation 443f.
- autoprotolysis 216
 - constant 214
 - enthalpy 214
 - mechanism 214
- 7-azaindole 925, 935f.
- azenes, diaryltri- 203
- azenes, tri- 205f.
- azimuthal polarization mode 266
- azophenine 155, 172, 176, 197ff.

b

- Bacillus stearothermophilus* 212f., 1143f., 1151, 1217, 1268, 1325, 1329, 1384, 1425
- backbone, aromatic 445
- backbone structure 377, 435
- backdonation (BD) 604, 629
- bacterial cell walls 1161
- bacteriochlorin 175, 184
- bacteriorhodopsin 1500f., 1506, 1516ff.
- Baker Campbell Hausdorf Theorem 1212
- band mode 787
- band model 767f.
- band structure, atomic 766f.
- barrier 141, 143, 147, 150ff., 157, 160f., 189, 193ff., 199, 203, 251ff., 265, 275, 278, 282f., 291f., 584ff., 596, 645, 652, 687, 834, 840ff., 855, 928ff., 1007, 1110f., 1190f., 1196, 1232, 1481ff.
- above/over-the-barrier 84, 100, 199, 304, 309, 632, 810, 858, 869, 875, 904, 915, 936
- fluctuations 824, 1260ff., 1363
- oscillations 880
- quadruple-barrier 161, 163f.
- through-the-barrier 84f., 100, 136, 307, 364, 904, 914
- two- /double- 162, 164
- barrier, Eckart 879
- barrier, Gaussian 879
- barrier, reaction 315ff., 322ff., 328ff., 338f., 510, 513, 522, 1179
- barrier, single 164, 211, 218
- barrier, transition 34ff., 39, 44
- barrier, triple 159ff.
- barrier, truncated parabolic 879
- basal plane of crystals 809
- base, scavenging 448ff.
- BaZrO₃, Y-doped 732
- barrel domain 1134
- BBO 352
- Becke-Lee-Yang-Parr (BLYP) 288ff., 697ff.
- B3LYP 249, 265, 571, 919f., 927f., 939, 1480ff.
- BDE 511, 516ff.
- Bell tunneling model 136f., 144f., 146ff., 251, 584, 623, 641, 653ff., 656, 674, 676, 844, 847, 1250ff., 1257
- dependence on hydrogen isotope 1250
- tunnel correction 1258, 1270, 1293, 1341f., 1350
- BDE, one-dimensional 1293
- BDE, truncated 1288, 1294, 1303
- Bell-Evans-Polanyi (BEP) principle 585, 590
- Bell-Limbach model 135, 137f., 146ff., 153, 155, 174, 177, 189, 191f., 198f., 208, 216
- parameters 169ff.
- Bema Hapothle 584
- benzaldehyde 1247, 1247
- benzaldehyde acetals 983, 992, 998
- benzene 517, 519, 689, 877
- benzenesulfonate 239
- benzimidazole 721, 727
- benzisoxazole 989, 1006
- benzoic acid 135, 171, 188, 296, 529
- crystalline 923, 1214ff., 1234
- dimer 278ff., 284, 919, 922
- methyl ester 568
- p-benzoquinone 525f.
- S-benzoylglutathione 1099f.
- 1-benzoyl-3-phenyl-1,2,4-triazole 983
- benzyl alcohol 1266
- benzylamine 1162
- 1-benzyl-1,4-dihydronicotinamide 1049
- benzylsulfonium cation 984f.
- bifurcation point 910, 920
- Bigeleisen limits 1291ff.
- Bigeleisen theory 140f., 148
- Bigeleisen-Wolfsberg formalism 1287, 1291
- bilayer 737ff., 747, 749, 780 (of water molecules)
- bimetallic systems 771, 773
- biological reactions 436
- biological systems 232, 433ff., 537, 548ff., 729, 733, 778, 932, 1241
- biomedical application 498
- biomolecular processes 834
- biomolecule 213, 224, 445
- [2,2 bipyridyl]-3,3'-diol (BP(OH)₂) 370f.
- 2,5-bis(2'-benzoxazolyl)-hydroquinone (BBXHQ) 353, 358, 361, 365
- 1,3-bis(4-fluorophenyl)[1,3]-N₂triazene 203, 205
- bleach 450, 464
- Bloch orbitals 768f.
- Bloch states 812
- body centered cubic cell (bcc) 737, 740, 789, 797ff., 814, 817, 825
- Bloembergen, Purcell and Pound model (BPP) 791
- Boltzmann constant 148
- Boltzmann distribution 149, 655f.
- Boltzmann law 147
- Boltzmann probability 1196f.
- Bombyx mori* 1152
- bond *see also* hydrogen bond
- angle H–O–H 718, 737

- bond, C–H 515f.
 - activation 1405
 - order 1055
- bond, C=N 1395ff., 1400
 - activation 1398
- bond, C=O 1395ff.
 - C–S 1432
 - Co–C 1476ff., 1487
 - dissociation energy 109f., 1018, 1023, 1027
 - formation/breaking 1083, 1097, 1163, 1229, 1351, 1487
- bond, C–C 1430
- bond, σ - 107f., 111
 - rotation, C–C 1097
 - rotation, C–N 1108
 - stretch 1245f., 1250
- bond, O–H 515
 - three-centre three-electron bond 111
- bond, ribosidic 1233
- bond, S–S 1432
 - valences 141ff.
- bond energy – bond order model (BEBO) 325, 394ff.
- Born-Oppenheimer 276, 461, 480, 837f., 1175
- bottleneck 838ff., 1303, 1479f.
- brain-derived neurotrophic factor (BDNF) 1370f.
 - receptor (trkB) 1370f.
- Bravais sublattice 801
- bridges, carbon 525
- bridges, salt 494, 527ff., 554, 1081, 1386
- Brillouin zone 766f.
- brome mosaic virus (BMV) particle 1378
- bromocresol green 1508f.
- 4-bromopyrazole (4BrP) 193ff.
- Brønsted acidity 397, 962
- Brønsted acids 377, 409f., 443, 585, 719, 954, 965f., 969f.
- Brønsted bases 377, 443, 585, 965f., 970, 1049
- Brønsted coefficient 313, 317ff., 334f., 583ff., 599, 954, 1049, 1054ff., 1095, 1116f.
- Brønsted correlation 589f., 591ff., 1000f.
- Brønsted equation 977, 1001, 1093
- Brønsted relation 585, 997
- Brønsted site 685ff., 693ff., 700f.
- Brønsted-type plot 427, 510
- Brownian dynamics (BD) simulation 1193
- buffers 954, 969, 976
- Bruice's proximity effect 1044
- n-butylamine 691
- c**
 - Ca²⁺ 597, 1152, 1374, 1378f.
 - cage 223, 229
 - Calcium 808
 - calix[4]arene 173, 213ff., 223, 939f.
 - p-tert-butyl- 215, 939
 - CAMEL-SPIN 174
 - canonical ensemble 833
 - canonical mean shape (CMS) 862f.
 - canonical variational theory (CVT) 836, 842, 867, 1486
 - carbanions 949ff., 958ff.
 - aromatic 566
 - α -carbonyl carbon 957, 963ff., 968f.
 - carbanions, α -cyanomethyl 955
 - enamine 1419, 1429, 1434
 - intermediates 565, 573ff., 581f., 1001, 1158
 - carbanions, vinyl 1001
 - carbenes 429
 - /ylide 963
 - carbenium ions 106, 110, 116, 123f., 129f., 686ff., 703ff.
 - tert-butyl cation 704
 - of xylene 704
 - 2-carboxycyclopentanone 1293
 - carbon acid 949ff., 960, 964, 966f., 1107, 1110
 - carbocations 106, 1300
 - carbocations, oxo- 994
 - carbocations, 1-phenylethyl 983
 - carbohydrates 1023f.
 - carbonium ions 106, 111, 116, 123f., 127
 - carbonyl groups 225, 230ff., 957, 963, 1002ff.
 - carbonyl/carboxylate acceptor 1114ff.
 - carboxylamide orientation 1403
 - carboxylate anions 1107
 - carboxylic acids 462, 466, 523, 1107
 - dimeric 896
 - carboxylic bases 395, 426
 - Car-Parrinello
 - molecular dynamics (CPMD) 286ff., 293, 692ff., 696ff., 721f.
 - path 1185
 - catalytic cleavage 1375
 - catalytic cracking 686
 - catalytic mechanism
 - of cages 223
 - of enzyme reaction (KSI) 1126, 1133, 1435
 - one-base mechanism 1141, 1157
 - two-base mechanism 1141, 1158
 - catalytic proficiency 1046f.
 - catalytic triad 1460
 - cation propagation 214

- cavity 1100
- CD 223ff., 230
- porphyrins 245, 248ff., 254, 267f.
- zeolites 686, 691
- CCl_4 172, 208f.
- CCl_3F 208f.
- CCSD(T) 705
- CDCl_3 185
- CD_2Cl_2 172, 198
- $\text{C}_2\text{D}_2\text{Cl}_4$ 198
- CDFCl_2 185
- CDF_2Cl 185
- cephalosporin 1156
- 3-center 2-electron bonding 604
- centroid path integral approach 1183
- cesium perfluorooctane 233
- m/p- $\text{CF}_3\text{C}_6\text{H}_4\text{CHClCH}_2\text{Cl}$ 578
- $\text{CF}_2=\text{CCl}_6\text{H}_5$ 575
- $\text{CF}_2=\text{Cl}_2$ 573
- CF_3COOH 613
- charge carriers 714ff.
- charge interactions 1079f., 1096, 1098
- charge relay system 1460
- charge separation 506
- charge transfer 417
- intramolecular 420, 445
- metal-to-ligand 530f.
- CHARMM program 1219, 1291
- /MOPAC 1227
- Chaudret 630
- $\text{C}_6\text{H}_5\text{CHBrCH}_2\text{Br}$ 580
- $\text{C}_6\text{H}_5\text{CHBrCH}_2\text{Cl}$ 580
- $\text{C}_6\text{H}_5\text{CHBrCH}_2\text{F}$ 580
- $\text{C}_6\text{H}_5\text{CH}(\text{CF}_3)_2$ 571
- $\text{C}_6\text{H}_5\text{C}(\text{CF}_3)=\text{CF}_2$ 573
- $\text{C}_6\text{H}_5\text{CH}(\text{CF}_3)\text{CF}_2\text{OCH}_3$ 573
- $\text{C}_6\text{H}_5\text{CH}(\text{CH}_3)\text{CH}_2\text{Br}$ 577
- $\text{C}_6\text{H}_5\text{CHClCF}_3$ 571
- $\text{C}_6\text{H}_5\text{CHClCF}_2\text{Cl}$ 577
- $\text{C}_6\text{H}_5\text{CHClCH}_2\text{Cl}$ 579
- CH_2Cl_2 523, 533
- CHCl_2CF_3 573, 580
- chelate interaction 958f.
- chemical step 1316
- chemical reactions 833f., 869, 875ff., 1175, 1227, 1447
- addition 1001, 1107
- bimolecular 834, 836, 843ff., 887f.
- Claisen-type 952
- carbocation-nucleophile addition 958
- catalysis 965ff., 980ff., 988ff.
- catalysis, acidic 967, 982f., 993ff., 998ff., 1089, 1094
- catalysis, base 966, 983ff., 999ff., 1004ff., 1089
- cyclization 985, 1001, 1007
- dehydration 1107, 1188
- elimination 952, 1107
- E2 1006
- fragmentation 1018
- α - β - 1014
- 1,2-H-shift 1014ff., 1031, 1107, 1477
- 1,5-H-shift 1017f.
- 1,1-proton transfer 1108, 1139, 1157
- hydration 1107
- hydride transfer 1107, 1187, 1230
- hydrolysis 976, 882ff., 976ff., 988ff., 993ff., 1002, 1005ff., 1086ff., 1101ff.
- inversion 883ff.
- intramolecular 987ff., 993ff., 998ff., 1002ff.
- cyclisation 987
- mechanisms 835, 981ff., 1006
- acetal cleavage mechanism 991
- nucleophilic 958, 984f., 993ff., 998ff., 1089
- $\text{S}_{\text{N}}1$ 994
- $\text{S}_{\text{N}}2$ 984f., 994, 1008, 1187
- S_{Ni} 985
- oxidation 1013, 1328, 1353
- sterically hindered 876f.
- transesterification 1086
- unimolecular 1242f.
- chemisorption 754ff., 766
- chirality 433, 448, 939
- chlorine 175, 184, 849ff., 853ff.
- chloroacetate 1293
- p-chlorobenzyl alcohol 1267
- 4-chlorobutanol 985
- chlorodecanes 126, 130
- 1-chloro-2,4-dinitrobenzene 1383
- chloroethene 860
- 1-chlorohexane 126
- 1-chloropentane 126, 129
- chloroplasts 1499
- 2-chloropyridine 546
- cholesterol 1476
- $\text{CH}_3\text{OCF}_2\text{CHCl}_2$ 573
- CH_3OH_2^+ 692
- chromophore 260, 266, 367, 378, 435, 448, 455, 528, 991, 1512
- chromium 771, 798ff., 805ff.
- chromous acid 278
- Chudley-Elliott model 801ff.
- circular dichroism (CD) 1085, 1142f., 1149ff., 1163
- magnetic 245
- classical mechanics 639

- m-ClC₆H₄CHBrCH₂Br 578
- m-ClC₆H₄CHClCH₂Cl 578
- m/p-ClC₆H₄CHClCH₂F 578
- CLIO 69f.
- Clostridium stricklandii* 1157
- clusters 689
 - of metals 774
- cluster and slab approaches 758
- CO 773, 777f.
- CO₂ 431, 777, 936, 1188
- Co¹⁺, Co²⁺, Co³⁺ 1473, 1476
- Co²⁺ 1140, 1152
- co-adsorbed molecules 771
- coalescence 623
- cobalt 771, 810
- coenzymes 1064ff.
 - B₁₂ (AdoCbl) 1473ff.
 - 4-chlorobenzoyl-CoA 1131
 - 4-(N,N-dimethylamino)cinnamoyl-CoA 1128
 - enoyl CoA 1128f.
 - flavin adenine dinucleotide (FAD/FADH₂) 1039f., 1065, 1107, 1426, 1432ff.
 - flavin adenosine mononucleotide (FMN/FMMH₂) 1039f., 1064, 1113, 1350, 1354
 - 4-fluorobenzoyl-CoA 1131
 - N⁵,N¹⁰-methylene-5,6,7,8-tetrahydrofolate 1322
 - methylcobalamin (MeCbl) 1473
 - nicotinamide 1048ff., 1060ff., 1071
 - adenosine dinucleotide (NAD⁺/NADH) 212, 1038f., 1055, 1065, 1157f., 1165, 1217ff., 1265, 1325, 1393ff., 1425
 - adenosine dinucleotide phosphate (NAPD⁺/NADPH) 1038f., 1297, 1301, 1322, 1348f., 1393ff., 1439ff.
 - 4-nitrobenzoyl-CoA 1131
 - pyridoxal 5' phosphate (PLP) 1139ff., 1151f.
 - quinone 1039, 1041, 1068
 - cysteine tryptophyl (CTQ) 1041
 - lysine tyrosyl-(LTQ) 1041
 - pyrroloquinoline (PQQ) 1041, 1069
 - 2,4,5-trihydroxyphenylalanine (TPQ) 1041, 1273
 - tryptophan tryptophyl (TTQ) 1041
 - thiamine diphosphate (ThDP) 1419ff.
 - Mg²⁺-, Apo- 1426
- complex 432, 444, 451ff.
 - amidinium-carboxylate interfaces 492, 494, 527ff., 554
 - DNA-acrylamide 492, 496
 - complex, encounter 960
 - complex, electron and proton donor 1075
 - guanidinium-carboxylate 528
 - dihydrogen 603ff., 640
 - elongated 409
 - complex, macromolecular 1378f.
 - complex, metal 480, 1064
 - complex, Michaelis 1154, 1354f., 1399ff., 1406, 1429, 1448f., 1463
 - complex, oxygen evolving 551
 - phenol:py 544
 - complex, precursor 509
 - stoichiometry 225ff.
 - complex, thymine-acrylamide 496
 - of cyclodextrin 225ff., 230ff.
 - complex, transition 513ff., 519, 603ff.
 - coordination sphere 603ff., 633
 - (μ-η²: η²-peroxo)dycopper(II) 514
 - bis(μ-oxo)-dycopper(III) 514
 - Cr 615
 - Fe 613, 621, 627
 - Fe^{IV}=O 515ff., 549f.
 - Fe^{III}-OH 550f.
 - Fe^{III}=O 550
 - iron bi-imidazoline (Fe^{III}Hbim) 492f., 513f.
 - [Fe(H₂)H(dppe)₂]⁺ 623, 632
 - [Fe(H)₂(H₂)(PEtPh₂)₃] 625
 - [FeH₂(H₂)(PEtPh₂)₂] 632
 - cis-[FeH(H₂)(L)₄]⁺ 624
 - PFe^{III}=O, P = porphyrin 550
 - [(N₄Py)Fe^{IV}=O]²⁺ 514ff.
 - Ir 613, 619
 - IrClH₂(H₂)(PⁱPrR₃)₂ 622, 632
 - [Ir(H₂)H(bq)(PPh₃)₂]⁺ 623
 - IrH₂X(PⁱBu₂Ph)₂ 626
 - IrXH₂(H₂)(PR₃)₂ 627ff.
 - [TpIrH(H₂)(PR₃)₂]⁺ 624
 - [Mn(CO)(dppe)₂(H₂)]⁺ 620
 - Mo 606, 615, 617, 624f.
 - MoH₂(CO)(Et₂OCH₄PEt₂)₂ 619
 - [Cp*MoH₄(H₂)(PR₃)₂]⁺ 624
 - [Cp₂MoH₃]⁺ 628
 - Me₂X(C₅R₄)₂Mo(H₂)⁺ 628ff.
 - Nb 615, 619, 629
 - Os 627
 - [Os(H₂)(ethylenediamine)₂(acetate)]⁺ 605
 - trans-[OsCl(H₂)dppe)₂]⁺ 609
 - OsH₃X(PⁱPR₃)₂ 626
 - polyhydrides 619
 - [ReH₉]²⁻
 - [ReH₈(PR₃)₂]⁻ 606
 - [ReH₄(CO)(H₂)(PR₃)₃]⁺ 624

- [Re(H₂)(H)(PMe₂Ph)₃(CO)]⁺ 625
- [ReH₄(CO)L₃]⁺ 628f.
- [Rh(cod)(dppb)]⁺ 664
- [(bpy₂)(py)Ru^{IV}O]²⁺ 514, 517
- MeC(O)O–[Ru]–Y 540ff.
- CpRuH(PP), PP = diphosphine 613
- [Cp*Ru(η⁴-CH₃CH=CHCH=CHCOOH)]
[CF₃SO₃] 662f.
- [CpRu(H₂)(dppm)]⁺ 619
- Tp*RuH(H₂)₂ 631
- Cp*RuH₃(PCy₃), Cp* = C₅Me₅ 622f.
- RuH₂(H₂)₂(PCy₃)₂ 632f.
- (L₂)(H₂)Ru(μ-H)(μ-Cl)₂RuH(PPh₃)₂ 671f.
- trans-[Ru(D₂)Cl(dpp)₂]PF₆ 671ff.
- Ru 619ff., 627
- [RuH(H₂)(dppe)₂]⁺ 621
- [RuH(H₂)(CO)₂(PR₃)₂]⁺ 624f.
- [RuH(H₂(PR₃))]⁺ 628
- [RuH₂(H₂)₂(PCy₃)₂] 630
- ruthenium polypyridyl 492ff., 524, 530f.
- Cp*₂Zr(H₂), deuterated 625
- SISHA interactions 632
- Ta 615, 629
- tris-bipyridine 497, 538 [Ru(bpy)₃]²⁺
529ff.
- W 606, 615, 617, 625
- W(CO)₃(PR₃)₂(H₂) 618, R=Cy, iPr 603ff.,
609f., 621ff., 674ff.
- Zn^{II} porphyrin 523ff., 528ff.
- Zn^{II} tetraphenylporphyrin 533f.
- compression variable 1058ff.
- comproportionation reaction 495
- computer simulations 1171ff., 1193
- condensed phase 597ff., 864, 867ff., 1241ff.
- Condon field emission 653
- configuration 72, 372, 858
- boat-shaped 15 (tropolon)
- configuration interaction singles methodology
(CIS) 21
- confined geometry 223ff.
- conformation 228, 1371ff., 1394, 1447
- base-on, base-off 1474
- β-barrel 435f.
- in alkane radical cations, alkanes 107f.,
119f., 122, 128ff.
- bowl-shape 1462
- helical 1027ff., 1080ff., 1097, 1102, 1112,
1370f.
- wheel 1082
- helix-loop-helix 1080, 1086, 1089, 1096,
1378ff.
- conformation, β-sheet 1027, 1029, 1100,
1349, 1386, 1444
- conformational
- changes 1361, 1367, 1378
- dependence 213
- during H transfer reactions 197ff., 203ff.
- E- and Z-isomers of vinyl ethers 575
- conformational flexibility of glycopyranoside
units 231
- conformers 1362f.
- continuum theory 499, 539
- copper 757, 759, 764, 772ff., 707, 800, 812,
1017, 1028f.
- corrin 1473, 1480
- corner cutting 1209, 1215ff., 1485
- corrphycene 245ff.
- Coulomb cage 1511ff., 1519
- Coulomb cage, intra- 1510ff.
- Coulomb energy 163
- Coulomb field 124f.
- Coulomb interaction 445
- coumarins 230ff., 448
- CPMD *see* Car-Parrinello molecular dynamics
- Cram boxes 223
- criss-cross mechanism 1123
- cryogenic matrices
- chlorofluorocarbons 107f.
- CCl₃F 105, 115ff., 129
- CCl₂FCF₂Cl 122
- electron acceptors
- chloroalkane 123ff.
- CO₂ 123ff.
- SF₆ 122
- zeolites 122f.
- crystal structure
- of enzyme complex 1153
- orthorhombic 289
- crystal structure, single 794
- CRYSTAL 286f.
- CsHSO₄ 732, 749
- Cu²⁺ 1279
- phenoxyl radical 1278
- cubic force constants 470
- Cumene 517f.
- cyanoalkanes 962
- 3-cyanomethyl-4-methylthiazolium cation
961ff.
- cyclic dimers 204, 462, 466ff., 523ff.
- cyclodextrin (CD) 223ff., 228ff.
- structure 224
- 1,3-cyclohexadiene 359, 519
- cyclohexane 350, 354f., 370, 519
- cyclohexene 518
- 2-cyclohexenone 1348ff.
- N-cyclohexylformamide (CXF) 1397

- cyclopentene 689
- cyclopentadiene 519
- cyclopropane 876f., 882
- cysteamine 1025f.
- cysteine (Cys) 1023, 1027, 1086, 1145, 1159, 1161f.
- cytochrome 1342f.
- cytochrome c 1372
- cytochrome oxidase 528, 1499, 1516ff.
- cytochrome P450 549f.
- cytoplasm 1515
- cytosine 525, 542, 548, 934

- d**
- de Broglie 1256
 - wavelength 765
- Debye-length 727
- Debye-Smoluchovski equation (DSE) 391, 422f., 448ff., 1499, 1510f.
- cis-decalin-d₁₈ 112ff.
- decane 129
- decarboxylation 1018f., 1048, 1085f., 1130, 1301, 1419, 1425ff.
- decarboxylation, oxidative 1432
- DeDp-ApAe systems 513, 524, 527, 531ff.
- De-[H⁺]-Ae systems 528
- deformation 932
- degenerate four-wave mixing (DFWM) 5, 14
- degree of freedom (DOF) 80f., 84, 88, 223f., 275, 643, 837, 841, 864, 1008, 1079, 1213f., 1232, 1245f.
- dehydrohalogenation 576ff.
 - alkoxide promoted 579
- π -delocalization 566, 580
- denaturing 1373, 1421
- dendrimers 240
- density functional theory (DFT) 8, 13, 41ff., 205, 245, 262, 286f., 296, 360, 493ff., 571, 627ff., 689, 692, 696ff., 704f., 758, 777, 930, 1174, 1291
- density matrix 648, 661, 666f., 668
 - evolution 1196
 - theory 649ff.
- density operator 648, 659, 666
- deoxyadenosine 542, 1477
- 5'-deoxy-5'-adenosylcobalamin 1023
- deoxyuridine 542, 1020f.
- 2'-deoxyuridine-5'-monophosphate, cyclic (cUMP) 1322
- depolarization 259ff.
- deprotonation 229, 496, 949ff., 960, 965ff., 1032, 1158, 1421, 1427
 - energy 687
 - rate 1422ff.
- designed catalyst 1085ff., 1100
- desorption 782
 - kinetics 773
 - spectroscopy (TDS) 755, 776f., 780
- desorption, thermal 775
- deuterium 764f., 767
- Dewar-Chatt-Duncanson model 604
- DFT *see* density functional theory
- DFWM *see* degenerate four-wave mixing
- DHAQ 365
- diabatic
 - curves 588
 - electronically 314, 327, 330f.
 - states 1173ff.
- diamond structure 737
- diarylformamidines 204
- dibenzo-tetraaza[14]annulene (DTAA) 171, 185f.
- Dieckmann condensation 1130
- dielectric boundary 1501
- dielectric constant 232, 377, 511, 529, 723
 - electronic 480
 - inertial 480
- dielectric continuum 480
- of the environment 486ff., 936
- dielectric environment 505f.
- dielectric relaxation 283
- 1,1-difluoroalkenes 573ff.
- β - β -difluorostyrenes 575
- diffusion 717, 787ff.
 - barrier 764f.
 - control 976f., 1014
 - coefficients 720, 739, 745, 748f., 765, 790, 795ff., 810, 1503
 - equation 741
 - energy 758, 764, 773
 - long range 789, 817
 - mechanism 770, 788, 801ff.
 - path 792
 - tracer 792
- diffusion, anomalous 811
- diffusion, self- 727, 793
- dihydroanthracene (DHA) 513ff.
- 7,8-dihydrofolate 1322, 1398, 1439f., 1440
- dihydrogen (H₂) 615ff.
 - bridging (η) 607, 609, 615ff., 623ff., 632, 640
 - cis-interaction 612
 - cleavage 608, 610ff.
 - deuterated 639
 - dynamic behavior 603ff., 633
 - exchange 623ff., 627ff., 675
 - pK_a 612
 - physisorbed 604

- dihydroxyacetone phosphate (DHAP) 955,
 967, 1088, 1101, 1109, 1118, 1157
 diketopiperazines 1024f.
 diiron cofactor 549
 diiron metalloprotein 1087
 dimethylamine 205
 p-(dimethylamino)benzaldehyde (DABA) 1397
 8-dimethylamino-1-naphthol derivatives 992,
 995f., 1004
 N,N-dimethyl-1-aminopyrene (DMAP) 382
 5,6-dimethylbenzimidazole 1474
 dimethylbutane 517
 1,3-dimethylcyclopentadiene 689
 3,6-dimethylene-cyclohexa-1,4-diene 689
 N-N'-di-(p-F-phenyl)amidine (DFFA) 194,
 201
 1,3-dimethyl-2-phenylbenzimidazoline
 derivative 1061
 3,5-dimethylpyrazole (DMP) 172, 190f.,
 193ff.
 3,4-dinitrobenzoic acid 523f., 529ff.
 2,4-dinitrophenyl triester 984
 dioxane 173, 208f., 237f., 992
 dipeptides 1014
 diphenylamine 888
 3,5-diphenyl-4-bromopyrazole (DPBrP) 190,
 193ff.
 3,5-diphenyl-4-pyrazole (DPP) 172, 191, 193f.
 dipicolylamine ligands 545
 dipole 266f., 527, 898, 1178
 – moment 59, 63, 287, 1082
 – relaxation 620, *see* relaxation
 dipole-dipole interactions 462, 791
 Dirac exchange interaction 644f.
 direct methanol fuel cells (DMFCs) 709,
 777f.
 discrete molten globule states 1373f.
 dispersed polaron 1181
 dissolution 753
 distance
 – d_{HH} 630
 – continuum 605f.
 – donor-acceptor 366ff., 484, 493, 499, 548,
 1198, 1225, 1230, 1326, 1332f.
 – off-pathway 548
 – in crystals 810
 – equilibrium 277f., 289, 291
 – N–N in porphyrins 245, 249ff., 255
 – Om-H in zeolites 692
 – O–H in water clusters in zeol 696ff.
 – O–O 919f., 940, 1512
 – shrinkage 231
 – reduction 362ff.
 – transfer 511, 754
 – distant residues 1452
 – pattern 787f.
 1,4-dithiothreitol 1020ff., 1025
 di-tertbutyl-2-hydroxyphenoxyl radical 173
 distortion 816
 DMSO 386f., 399, 407ff., 431f., 542, 544,
 950f., 1116
 DNA 232, 240, 541, 752, 1374, 1377ff.
 – damage 1028
 – repair 934
 dividing surface 833, 843, 869, 905
 docking motif 1375f.
 docking program (DOT) 1377
 DOIT program 908, 923, 927, 938
 doublet separation (DS) 4ff., 15, 17, 25, 27
 DPBrP crystal 171
 drugs 236
 – metabolism 1020
 dyads 536, 1131, 1430
 dyes 225, 228ff., 1509ff.
 – aromatic 410
 – Dansyl 234
 – organic 378
- e**
Escherichia coli 553, 1023, 1161, 1398,
 1425ff., 1443f., 1450
 echo attenuation 731
 – spin- 790
 Eckart barriers, one-dimensional 1293
 effect of excitation 1315
 effective molarity 987ff., 1001ff., 1008
 Ehrenfest's theorem 358
 Eigen cation *see* $H_9O_4^+$ ion
 eigenfunction 61, 64, 639ff.
 – nodes through C–C bonds 385
 – symmetric (gerade) and anti-symmetric
 (ungerade) linear combinations 642
 Eigen's scheme of H-transfer 165, 174
 Eigen solvation core 454
 Eigen-type mechanism 962
 eigenstates 24, 89, 98, 359, 644f., 768f.
 eigenvalues 61f., 768f., 802
 eigenvectors 802, 1174
 Eigen-Weller model 444, 451f.
 elastic after-effect *see* Gorsky effect
 elastic incoherent structure factor (EISF) 806
 elbow plot 757
 electrocatalysts 711
 electrode 710ff., 771
 electrolytes 709ff., 718, 732, 749, 771
 electron
 – lone-pairs 110
 – π -systems 110

- electron attachment 124
- electron
 - acceptor (Ae) 503, 507, 523
 - bonding 480
 - donor (De) 503, 507, 523
 - relay 548, 552
 - transfer (ET) 480, 503ff.
 - stepwise 511
- electron capture 887
- electron diffraction 42f.
- electron-energy loss spectroscopy 776
- electron paramagnetic resonance (EPR)
 - spectroscopy 105, 107, 115ff., 124, 127f., 876, 883ff., 1030, 1384, 1477
 - powder spectra 112ff.
 - spin trapping 1017
 - time resolved 265, 527
- electron spin echo spectroscopy 265
- electron-stimulated desorption ion angular distribution 780
- electron transfer 378, 1048ff., 1178
- electronic dipole transitions 371
- electronic polarization 1233
- electronic states
 - ground state 4, 19, 38, 48f., 100, 225ff., 398ff., 417, 463, 922ff.
 - of porphycenes 247ff., 253ff., 268
 - excited state 4, 15, 38ff., 48f., 225ff., 369, 377ff., 396, 401, 420, 446, 544, 922ff.
 - of porphycenes 253ff., 258ff., 268
 - models 445ff.
 - transitions 385ff., 399, 404ff., 447ff.
- electronic switching 363
- electroosmosis 725
- electroosmotic drag 711, 726f.
- electrostatic interaction 1395
- electrostatic potential 1504
- electrostatic stabilization 966, 997
- emission decay 229
- emission spectroscopy 225, 228, 230, 357, 425, 780, 1408
 - time-resolved 534ff.
- enamine 1000
- energy
 - binding 688
 - deprotonation 687, 690
 - electrical 709
- energy hopping 224
- energy of activation 156, 214, 394, 836, 866, 869, 1255
- enol 237f., 1000
 - ethers 1002ff.
- enolate 953f., 957, 966, 970, 1000, 1004, 1110ff., 1134
- enolization 1002ff.
- Enterobacter cloacae* 1461
- enthalpy 1316
- entrance channel 757
- entropic activation 1404
- entropy 213, 428, 978, 987, 1007, 1079, 1316, 1382
 - contribution in water, protein 234
- enzymatic system 135, 835, 1296
- enzyme 212f., 224, 232, 523, 548ff., 598, 975ff., 1006, 1009, 1175, 1186f., 1196, 1209, 1393, 1473ff.
 - acetohydroxyacid synthase 1430
 - acetylcholinesterase 1456, 1460ff.
 - aconitase 1107
 - actinomycin synthetase II (ACMSII) 1140, 1156
 - acylaminoacid racemase 1140, 1145
 - acyl-CoA dehydrogenase 1107, 1114
 - acyl CoA desaturase 1255, 1329
 - acylphosphatase 1456
 - adenosine deaminase 1456
 - S-adenosylhomocysteine hydrolase 1062
 - alanine racemase 1113, 1139ff., 1166
 - alcohol dehydrogenase (ADH) 135, 212ff., 1037, 1069, 1209f., 1217ff., 1230ff., 1247f., 1251, 1255, 1291, 1304f., 1325f., 1334, 1370, 1384f.
 - horse liver (HLADH) 1218ff., 1265ff., 1341
 - thermophile (ht-ADH) 1266ff.
 - yeast (YADH) 1244f., 1264ff., 1341
- amino acid racemases 1107, 1140, 1151
- amino acid transaminases 1107
- amino dehydrogenase 1231f.
- δ -L-(α -aminodipoyl)-L-cysteinyl-D-valine (ACV) 1140, 1156
- aspartate racemase 1140, 1145, 1159
- bovine serum amine oxidase (BSAO) 1262ff., 1273ff., 1329, 1341
- carbohydrate epimerases 1165
- carbonic anhydrase 597, 1334
 - II 936ff.
 - III, human 1188ff.
- carboxypeptidase A 1456
- catalytic efficiency 1458
- catalytic power 1045, 1071ff., 1312f., 1341
- chymotrypsin 1456, 1460ff.
- citrate synthase 1107
- creatinase 1456
- diaminopimelate epimerase (DAP) 1140, 1145, 1159, 1162
- dihydrofolate reductase (DHFR) 528, 868, 1244, 1255, 1322, 1329f., 1334, 1398, 1403, 1405, 1439ff.

- diol dehydratase 1475, 1478ff.
- dopamine β -monooxygenase (D β M) 1251, 1279f.
- dTDP-L-rhamnose synthase 1140, 1165
- enolase 1107ff., 1131ff.
- enoyl-CoA hydratase (ECH) 1109, 1116f., 1127ff., 1134
- ethanolamine ammonia lyase 1475, 1478f.
- fumarase 1107
- galactose oxidase 549, 1329
- β -galactosidase 1456, 1464
- α -glucuronidase 1456
- glucose dehydrogenase 1070
- glucose 6-phosphate isomerase 967, 1107
- glucose oxidase 1270ff.
- glutamate dehydrogenase 1297f., 1303
- glutamate mutase 1474ff., 1487
- glutamate racemase 1140, 1145, 1159ff.
- glutathione transferase (GSTM1) 1383
- glycerol-3-phosphate dehydrogenase (G3PDH) 1403ff.
- glycosidases 993
- haloalkane dehalogenase 1456, 1464
- hydrogenase 679
- hydrolases 1455ff.
 - classification 1455f.
- inorganic pyrophosphatase 1456
- 3-isopropylmalate dehydrogenase 1217
- α -ketoacid decarboxylase 1048, 1432
- keto-L-gulonate 6-phosphate decarboxylase 969
- ketosteroid enolase 956
- ketosteroid isomerase (KSI) 956, 1109ff., 1125ff., 1134
- kinetic control 1223ff.
- Lac-permease 1518
- β -lactamase 1456, 1461
- lactate dehydrogenase (LDH) 1062, 1209, 1223ff., 1394ff., 1405
- leucyl aminopeptidase 1456
- leukocyte elastase 1460, 1462
- lipoxygenase 492, 498f., 549, 1198, 1231, 1251
 - soybean (SLO) 1244f., 1255, 1263, 1271f., 1276ff., 1329ff., 1334, 1345
- lysine 5,6 aminomutase 1474f.
- lysozyme 988, 993, 998, 1179
- malate dehydrogenase
 - cytoplasmatic 1403
 - mitochondrial 1403
- malate synthase 1367
- mandelate dehydrogenase 1113
- mandelate racemase 956, 1004, 1108ff., 1116, 1131ff., 1140, 1145, 1152ff.
- mannose 6-phosphate isomerase 967
- methane monooxygenase 1278, 1329
- methanol dehydrogenase 1070
- methylamine dehydrogenase 1251, 1255, 1329, 1334
- methylene glutarate mutase 1475
- methylmalonyl-CoA epimerase (MMCE) 1140, 1152, 1156f.
- methylmalonyl-CoA mutase 1329, 1474ff., 1488f.
- methylmalonyl-CoA racemase 1145
- microperoxidases 549
- mitogen activated protein kinases (MAPKs) 1375f.
 - kinase (MKK1) 1383
- monoamine oxidase B 1275f., 1329, 1352
- monooxygenases 1080
- morphinone reductase (MR) 1343, 1347ff.
- nitric oxide synthase 528
- pancreatic ribonuclease 1456
- papain 1456, 1461ff.
- pentaerythritol tetranitrate (PETN) reductase 1343, 1347ff., 1349
- pepsin 1456
- peptidylglycine- α -hydroxylating monooxygenase (PHM) 1244, 1251, 1255, 1279f., 1322, 1329
- phenylalanine racemase 1140, 1154f.
- proline oxidase 1157
- proline racemase 1109, 1112, 1139, 1145, 1157ff., 1302
- prostaglandin H synthase 1016
- protein-tyrosine-phosphatase 1456, 1461ff.
- purine nucleoside phosphorylase 1233
- pyruvate decarboxylase 1419ff.
 - multienzyme complex 1425
- pyruvate oxidase 1419, 1425f., 1432ff.
 - holo 1426
- D-ribulose 5-phosphate 3-epimerase 1140, 1145, 1157
- ribonuclease 985ff., 1458, 1463f.
- ribonucleotide reductase 549, 553, 1028, 1475, 1478
 - benzylsuccinate synthase 1020, 1022
 - class I (RNR1) 1016, 1024
 - class II (RNR1) 1023
 - class III (RNR), pyruvate formate lyase 1020, 1022
- ribonucleoside triphosphate reductase 1487
- sarcosine dehydrogenase 1255, 1329
 - heterotetrameric (TSOX) 1343, 1348, 1350f.
- serine proteases 1452, 1459, 1463

- serine racemase 1140, 1152
 - serum albumens 1006
 - succinate dehydrogenase 1107
 - sugar epimerases 1157f., 1165
 - superoxide dismutase 1504
 - thermolysin 1456
 - thymidylate synthase 1322, 1329f.
 - transhydrogenase 1518
 - transketolase 1424ff.
 - trimethylamine dehydrogenase (TMADH) 1255, 1329, 1343, 1348, 1350ff.
 - triosephosphate-isomerase (TIM) 956, 967, 1080, 1101, 1107ff., 1115ff., 1134, 1291, 1334
 - tyrosyl-tRNA synthetase 1114
 - UDP-N-acetylglucosamine-2-epimerase (UDP-GlcNAc) 1140, 1163
 - UDP-galactose-4-epimerase 1140, 1157, 1406
 - vicinal oxygen chelate (VOC) superfamily 1152
 - xylose isomerase 868
 - enzyme catalysts 34, 53, 860, 949ff., 955ff., 970, 988, 1079ff., 1195, 1316, 1341ff., 1428, 1439ff.
 - enzyme motion 1447ff.
 - enzyme-substrate complex 3, 28, 987, 1114ff., 1242f., 1265, 1352ff., 1393ff., 1439
 - enzyme reactions 137, 498ff., 834f., 1110, 1139ff., 1172, 1241ff., 1311ff., 1440
 - mechanism 1045ff., 1052ff., 1351, 1421, 1426ff., 1456ff., 1475ff.
 - double displacement 1457ff., 1462ff.
 - merge 1054
 - ping-pong 1271, 1458
 - single displacement 1457
 - equations of motion 910
 - equilibrium constants 378, 388, 964, 1056f.
 - pK_a 565, 949ff., 957ff., 967, 977, 981, 1002, 1085ff., 1090ff., 1101, 1107ff., 1127f., 1190, 1194, 1352ff., 1440
 - equilibrium overshoot 1142f., 1159, 1162ff.
 - equilibrium perturbation 1146ff.
 - washout 1148f., 1160
 - ESI (electron spray ionization) 1369, 1378, 1387
 - ESIPT *see* excited-state intramolecular proton-transfer
 - esters 976, 1086, 1089ff., 1097ff.
 - acetate 980
 - cationic 963
 - ethanol 235, 385, 427, 519, 983, 1217ff., 1305
 - ethanolic sodium ethoxide 573ff.
 - ethyl acetate 954f.
 - ethylbenzene 516ff.
 - ethylene glycol 1024
 - ethylene oxide 729f.
 - Euclidian action 904
 - eukaryotic cells 1515
 - Evans window 462
 - Evans-Polanyi relation 318, 510, 515, 517, 519, 588
 - excimer/excimer formation 224
 - exit channel 757
 - excitation-emission cycle scenarios 387
 - excited-state intramolecular proton-transfer (ESIPT) 225, 228, 349ff., 357ff., 362, 366ff., 372f.
 - multidimensional model 363ff.
 - Eyring equation 676ff.
 - Eyring's transition state theory 140, 217, 1245
- f**
- face centered cubic center (fcc) 755, 797ff., 810
 - facile intramolecular site exchange 623
 - fatty acids 1475
 - hydroperoxides 1276
 - polyunsaturated fatty acids 1014, 1025, 1028
 - arachidonate 1015
 - linoleate, linolenate 1015
 - linoleic acid 498, 1276f., 1328f.
 - FDMR *see* fluorescence detected magnetic resonance
 - Fe^{2+} 1140, 1152, 1381
 - Fe^{3+} -OH 1276, 1328
 - Feit and Fleck approximate propagator 1212
 - FEL *see* free electron laser
 - FELIX (free electron laser for infrared experiments) 56ff., 66ff., 75
 - femtochemistry 223ff.
 - femtosecond studies 230ff., 471
 - Fe–N bonds 493
 - Fe(III)–OH cofactor/Fe(III) center 498
 - fermentative pathways 1475
 - Fermi resonance 64f., 460, 462f., 469
 - Fermi symmetrization rules 639, 678
 - ferricinium ion 1049
 - ferricyanide 1049ff.
 - ferrierite (FER) 704
 - Feynman's path integral formulation 1184
 - fibrin 1382
 - fibrinogen 1382
 - Fick's diffusion coefficient 793
 - Fick's first law 762

- Fick's second law 741, 793, 796
 field emission fluctuation method 763
 flash spectroscopy 443
 fluctuation dissipation theorem 1210
 fluctuations 791, 803, 1333, 1342, 1447
 – of the environment 1177ff.
 fluorescein 1509ff.
 fluorene 516, 518
 fluoroethanols 591
 fluorescence 226f., 239, 258f., 378, 383, 408, 434ff., 449, 523ff., 534
 – decay 256, 262, 391, 935
 – detected magnetic resonance (FDMR) 107
 – detection 266
 – dip IR spectra (FDIRS) 20, 41
 – enhancement 224f.
 – excitation spectroscopy 14ff., 253ff., 259, 924
 – lifetime 230, 236, 259, 264, 389ff., 431
 – polarization 259
 – quantum yields 392
 – spectroscopy 256f., 350, 387f., 397, 400
 – time resolved 1411
 – titration 387ff., 422
 fluorine bond 426
 flux 870
 – correlation function formalism 1212
 – equilibrium one-way 833, 862
 – net reactive 833
 fluxional behavior 606, 610, 631
 fly and perch propagation 1501
 Fokker-Planck theory 86
 folding 1363
 – unfolding 1363, 1372
 – foldons 1373
 formaldehyde 519
 formamide 386
 – dimer 921
 formamidine dimer 921
 formamidine-formamide dimer 921
 formic acid
 – dimer 897ff., 913, 918ff.
 – formic acid derivatives 983
 – formic acid-formamidine dimer 921
 Förster acidities 421
 Förster calculation 422
 Förster cycle 378f., 383ff., 389ff., 397f., 405f., 410
 – energy gaps (FEG) 379, 383f., 406
 Förster equation 417
 Fourier transforms/transformation 355, 359, 370, 464, 467f., 471, 793f.
 fractal network 810
 fractional negative charge 965
 Franck-Condon 527, 907
 Franck-Condon factors 461, 473f., 481, 1179
 Franck-Condon overlap 485, 1332, 1345f.
 Franck-Condon region 349, 360, 363, 366f., 372
 free electron laser (FEL) 56f., 66, 69, 75
 free energy 310ff., 328, 949ff., 1072f., 1110, 1114, 1149, 1175, 1343ff., 1365, 1372, 1398
 – activation 303, 310ff., 329, 339, 394, 512f., 1054, 1190
 – bare 310f., 315
 – contour plot 311
 – correlation 393ff., 510f.
 – equilibrium 1008
 – excited state 383f.
 – ground state 303, 307, 383
 – perturbation (FEP) 1175, 1181f., 1185f., 1195
 – perturbation-umbrella sampling 1176, 1185f.
 – relation (FER) 313, 315ff., 320ff., 332, 335, 597, 1187, 1193
 – models 584ff., 590ff.
 – relation, linear (LFER) 583ff., 594, 1171ff., 1185ff., 1199
 – reaction 303, 307, 342, 496, 503, 1054, 1186
 – relaxed 383ff.
 – surface
 – ET diabatic 481ff.
 – reactant and product 486f., 510
 – total 310, 394
 Frenkel defects 804
 freon 891
 – mixture 185, 633
 FTIR *see* infrared spectroscopy
 fuel cells 709ff., 732, 752, 771
 fullerene (C₆₀) 544ff.
 FWHM (full-width half-maximum) 632
- g**
 gallium 761
 Gamow model 653
 gas phase 383, 594, 679, 835
 – clusters 431f., 446
 – ionization 115
 – reactions 834, 843, 863f., 870
 – bimolecular 843ff.
 – unimolecular 857ff.
 – studies 580
 gas phase spectroscopy 35, 41, 45, 53ff., 61ff., 256, 431f.
 gas phase ionization 115
 gas voltaic battery 710

- Gaussian model 810
- Gaussian cross correlation 357
- Gaussian98 program package 360
- geminate recombination 445, 448f.
- generalized gradient approximations (GGA) 758
- Gerlt-Gassman/Cleland-Kreevoy proposal 1114ff., 1126
- giant planets 740
- glass transition 188
- glasses 256ff., 265f.
 - organic 887ff.
 - sol-gel 235, 240
- D-glucanpyranose 224
- glucosamines 1018f.
- α -glucosyl fluoride 983
- glutamate (Glu) 1102, 1117ff., 1127ff., 1131, 1145, 1156, 1161, 1179, 1423f., 1430f., 1474ff., 1519
- glutamine (Gln) 1092, 1354f., 1397
- glutathione (GSH) 1014, 1028
- glyceraldehyde 3-phosphate (G3P) 1088, 1102, 1109, 1118
- glycine (Gly) 1017ff., 1026f., 1029f., 1349
- glycolytic pathway 1107
- glycosides 993f.
- glyoxylate 1367
- germanium 757, 761
- gold 757, 772f.
- Golden Rule calculations 931
- Gorsky effect 789f., 795, 798ff., 802
- gramacidin S 1154
- green solvent 419
- GROMACS program 1511
- Grote-Hynes theory 313
- Grotthus-type hopping proton 452f.
- Grotthuss mechanism 399, 418f., 443f., 454, 717, 1192, 1503
- ground state destabilization 1316
- group theory 639
- Grove 710
- guanine 525, 541f., 548, 932ff.
- guanidinium chloride (GdmCl) 1372f.
- guanidinium group 998
- guest-host 224ff., 230, 236, 240
- Guoy-Chapman theory 723
- Guoy-Chapman-Stern theory 1504f.
- h**
- hafnium 800, 805ff.
- Hagen-Poisseeuille 726
- Hamiltonian 12f., 45, 59f., 81f., 84, 87ff., 489, 645ff., 657ff., 670, 813, 904ff., 1173, 1176ff., 1210ff., 1231, 1234
 - model, 2D 275ff.
 - pure spin 644
 - Zwanzig 1210
- Hammes-Schiffer and coworkers' model 541
- Hammett
 - equation 401ff.
 - plot 568
 - value 1095
- Hammond *see* Bema Hapothle
- Hammond postulate 318, 590, 1054, 1269
- Hangman porphyrin models 550
- harmonic approximation 834, 844, 1287
- harmonic frequency 854
 - calculation 287, 288ff.
- harmonic twofold potential 643
- Hartree
 - time-dependent Hartree approximation 82
- Hartree-Fock theory 689, 1481
 - methodology, restricted (RHF) 21ff.
- Haven ratios 722, 731, 790
- heart 1223ff.
- Heaviside step function 839
- Hessian matrix 838f.
- hexamethylphosphoramide 1062
- H-bonded crystals 273ff.
 - N–H–N fragments 277
 - containing quasi-symmetric O H O fragments 277ff., 288ff.
- H-chelate ring 361, 363, 366, 371
- HCl 309ff., 394
- HClO₄ 392, 425
- HClO₄·2H₂O 288ff.
- heat of solution 753
- helix, coaxial 435
- hemiporphycene 245ff.
- hemoglobin (Hb) 1381
- heptane 126ff., 173
- hexagonal close-packed (hcp) 770
- hexafluoro-2-propanol (HFIPA) 546
- hexamethylbenzene 689
- hexane 386
- hexan-6-ol-1-al 1314
- 3-hexyne-1-ol 662f.
- HF 308ff., 394, 593ff., 983
- HgCdTe 749
- high-resolution electron-energy loss spectroscopy (HREELS) 768, 776, 779ff.
- Hilbert space 643ff., 659, 670
- histidine (His) 936, 1026, 1029, 1083f., 1087, 1090ff., 1097ff., 1108, 1113ff., 1120, 1131, 1145, 1155, 1188, 1193, 1228, 1352ff., 1394, 1430, 1474
- H₃O₂⁺(H₂O)₂ 699
- H₃O⁺ 1500

- H_5O_2^+ ion 286, 288ff., 454, 696ff., 714ff., 1500, 1504
 – structures in crystal and in gas phase 289
 H_7O_3^+ ion 697
 H_9O_4^+ ion 454, 694, 715ff.
 Hoffmann-Löffler-Freytag reaction 1018
 hole refilling 763
 hole-burning experiments 256
 homogeneous media 714ff.
 HOMO *see* molecular orbital, highest occupied
 homocysteine 1063
 host 226, 230, 239
 Hove correlation function 793
 Hoz, Yang and Wolfe (HYW) 592, 595
 HPLC 1369, 1378, 1381
 Hückel aromaticity 184
 human genome 1013
 humidification 711
 Hund 641f.
 Huppert-Agmon model 428
 Hwang Aqvist Warshel (HAW) 1186ff.
 hydration 231ff., 655ff., 723ff.
 – shell 717
 hydride 771, 804ff.
 – dynamic behavior 603ff.
 – transfer 136, 835, 1393ff., 1450
 – 1,1- 1157
 – alternate routes 1055, 1301, 1391
 – formal 1037, 1048ff., 1052, 1071
 – mechanism 1050, 1069f.
 – model studies 1037ff., 1045, 1048ff., 1061ff.
 – rate 1445
 hydrocarbons 685, 704ff., 771
 – ligands 516ff.
 – saturated 106
 – unsaturated 658
 hydrodynamic theory under stick conditions 227
 hydrogen
 – dissociation 753, 775
 – homolytic 747
 – probability 771, 782
 – spontaneous 761
 – freezing point 755
 – quantum delocalization 770
 hydrogen atom abstraction 512ff., 522, 553, 887ff., 1023, 1322, 1351
 hydrogen atom transfer (HAT) 136, 223f., 503ff., 509ff., 555, 843, 1013ff., 1473ff.
 – geometry 504ff.
 – mechanism 504ff.
 – synchronous 505f., 513, 522
 hydrogen bond 426, 463ff.
 – bihalide anions 60ff., 91ff.
 – bihalide neutrals 95
 – breaking 90ff., 511, 539, 565ff., 588, 878, 975, 981, 1000, 1362
 – CHC 207
 – compression 141, 144, 159, 196f., 200
 – crystalline environment 274
 – energy 715
 – formation 775, 960f., 975, 981, 1007
 – C–H 957
 – geometric hydrogen bond correlation 142f.
 – geometry 141, 143, 193ff.
 – length 193ff., 248
 – low barrier (LBHB) 1195, 1459
 – OHN 207
 – OHO 207
 – pre-equilibria 203ff.
 – quasi-linear 274
 – strength 53, 75f., 185, 188, 245, 274f., 280ff., 288ff.
 – halides (Br, I) 59
 hydrogen bonded chain 776, 783
 hydrogen bonding 459ff., 717, 730, 997
 – polarized 527ff.
 – symmetric 523ff.
 hydrogen-bonding wire 423
 hydrogen bromide 849ff.
 hydrogen cyanide 960
 hydrogen diffusion 754
 hydrogen halides 454
 hydrogen jump 787ff., 801ff., 812ff., 823ff., 881ff.
 – in binary-hydrogen systems 802
 – long-range 793
 – low-temperature hopping 821ff.
 hydrogen migration 753
 hydrogen subway 84
 hydrogen motion 787ff., 807, 875
 – quantum 812
 hydrogen storage 825
 hydrogen transfer (HT)
 – between carbon and oxygen 565ff.
 – in complex systems 212ff., 1318
 – dynamics
 – ground state 368
 – fast 224ff.
 – ultrafast 79ff., 224, 230ff., 236ff.
 – enzymatic 1209ff., 1241ff., 1316ff., 1419ff.
 – exchange 641, 1361ff.
 – intramolecular 670
 – rates 1361ff., 1371
 – excited state (ESHT) 410, 446
 – from carbon 1311ff.

- four-state diagram 503, 510, 537
 - heavy atom motions 174ff., 197ff.
 - environmental influence 187f.
 - HH 153ff., 160, 162, 170, 177f., 196ff., 210f.
 - free energy diagram, free energy correlation 155ff.
 - HHH 159ff., 210f.
 - HHHH 161ff., 196, 215
 - in condensed phases 135ff.
 - application 168ff.
 - in liquids 136, 188
 - in solids 136, 835
 - intermolecular 137, 188ff.
 - intramolecular 83ff., 166, 185ff.
 - excited state 443f.
 - multiple 136, 1139ff.
 - concerted 151f.
 - stepwise 152ff., 159f., 161ff., 182, 185ff.
 - nonclassical 1245
 - on metals 751, 754, 756, 761ff., 775ff.
 - photoinduced 460, 523f.
 - probability 1262
 - single 136ff.
 - reactions 833
 - with pre-equilibria 165ff.
 - hydrogenation 658, 664, 771
 - single/two-step 666ff.
 - hydrogenolysis 771
 - hydrolytic cleavage 1455
 - hydronium ion 953ff., 967
 - hydroperoxides 1014
 - hydrophilic domain 723
 - hydrophilic pore 235
 - hydrophobic
 - core 1098
 - interaction 239
 - pocket 1376
 - pore 235f.
 - residues 1082, 1091
 - hydrophobic/hydrophilic nano-separation 711
 - hydroxide 961f., 964, 967, 1188ff.
 - hydroxy dimers 467ff.
 - deuterated 469ff.
 - hydroxy groups 754
 - hydroxyacetone 968f.
 - 1-hydroxy-2-acetonaphthone 350, 353ff., 361, 366
 - 1'-hydroxy-2'-acetophenone (HAN) 225ff., 364
 - hydroxyarenes 420f.
 - o-hydroxybenzaldehyde (OHBA) 350f., 353, 356f., 369
 - 10-hydroxybenzo[h]quinoline (10-HBQ) 353, 360ff., 369
 - p-hydroxybenzylidenediazalone 435
 - 3-hydroxybutyryl CoA 1109
 - 3-hydroxybutyrylpanthetheine 1128
 - 10-hydroxycamptothecin (10HCT) 434, 448
 - 2-(2'-hydroxy-4'-methylphenyl)benzoxazole (MeBO) 206f.
 - 2-(2'-hydroxy-5'-methylphenyl)benzotriazole (TINUVIN P) 353, 362, 366, 369, 473
 - 9-hydroxyphenalenone derivatives 279
 - 2-hydroxyphenoxylradical 173
 - 2-(2'-hydroxyphenyl)benzoxazole (HBO) 350f., 353ff., 360ff., 366
 - 2-(2'-hydroxyphenyl)benzothiazole (HBT) 350f., 353ff., 360ff., 366ff., 463ff., 471ff.
 - 1-(2'-hydroxyphenyl)-4-methyloxazole (HMPO) 236ff.
 - 2-(2'-hydroxyphenyl)-5-phenyloxazole 362
 - 2-(2'-hydroxyphenyl)-triazole 369
 - 2-hydroxypropyl phosphate 997
 - 1-hydroxypyrene (1HP) 382, 394ff., 396, 403, 405
 - 8-hydroxypyrene-1,3,6-dimethylsulfamide (HPTA) 382, 401ff.
 - 8-hydroxypyrene-1,3,6-trisdimethylsulfonamide 426
 - 8-hydroxypyrene-1,3,6-trisulfonate (HPTS) 382, 289ff., 396, 401ff., 419, 446ff., 1502, 1509, 1515
 - fingerprint spectrum 447
 - photoexcited 1509
 - hydroxyquinoline 434
 - 6-hydroxyquinoline (6HQ) 423, 434
 - 6-hydroxyquinoline-N-oxide (6HQNO) 424f., 434
 - 7-hydroxyquinoline (7HQ) 423
 - 3-hydroxystilbene 420
 - 4-hydroxystilbene 420
 - Hynes model 429
 - hyper-coordination 718
- i**
- Ibach's and Lehwald's structure model 779f.
 - ice 737ff., 747, 749, 781
 - crystal structure 737ff.
 - deuterated 745
 - high pressure phases 742ff.
 - VII 737f., 740, 746ff.
 - VIII 737f., 740
 - hot 740
 - ICR *see* photodissociation, – ion cyclotron resonance
 - image charge model 1501

- imidazole 714, 720ff., 729f., 987, 1002, 1115
 - imidazolium cation 963
 - improved canonical variational theory (ICVT) 837, 847, 852f.
 - impurities 1066
 - IN6 spectrometer 820
 - Indene 516, 517
 - indigodiimin 170f.
 - inelastic electron tunneling spectroscopy (IETS) 770
 - inelastic neutron scattering (INS) 273, 283, 285ff., 291, 607, 616, 622, 627, 632f., 640f., 671, 675ff., 771f., 813ff., 817ff.
 - inertial polarization potential 481
 - inflammatory conditions 1017
 - infrared array detectors 749
 - infrared reflection 742ff.
 - absorption spectroscopy (IRAS) 776f., 779
 - infrared spectroscopy (IR) 6ff., 16f., 20, 23, 25, 37, 63ff., 72ff., 79f., 248ff., 273, 278, 285ff., 609, 679, 688f., 694ff., 740ff., 1395ff.
 - 2D 555
 - FTIR (fourier transform IR) 19, 26, 45ff., 1369ff.
 - attenuated total reflection 1371
 - mid-IR 389, 471
 - ultrafast 554
 - Ingold radical 173
 - INS *see* inelastic neutron scattering
 - instanton 910f.
 - action 908, 913ff.
 - interconversion 258, 266, 1088, 1162, 1223, 1365
 - cis-trans 260, 263, 267
 - trans-trans 259f., 263, 266f.
 - intermediates 982ff., 1069, 1294, 1462
 - quinoid 1145
 - zwitterionic 159, 161f., 184, 199, 206, 921f.
 - intermetallic compounds 788, 804ff.
 - internal conversion 368f., 410
 - internal friction 789
 - internal return 1142
 - mechanism 566, 572, 575
 - interstitial sites 787, 797f., 804ff., 818
 - intersystem crossing 535
 - intramolecular hypervalent interactions (IHI) 632
 - inverse electrolysis 710
 - ionization potential 517ff.
 - ionizing radiation *see* radiation chemistry
 - IR-PD *see* photodissociation, – infrared
 - iridium 776, 779, 782
 - isobacteriochlorin 175, 184
 - isobestic point 535f.
 - isobutene 687ff., 704
 - isoinertial coordinates 836ff.
 - isoleucine (Ile) 1029, 1278, 1444, 1451
 - isomerization 876ff.
 - isopentane 877, 882
 - isoporphycene 245f., 932f.
 - isooctane 882
 - isotope effects 45, 797, 1093, 1115, *see also* kinetic isotope effects
 - H and D 3, 7, 20f., 25f., 34, 65ff., 196f., 253ff., 277ff., 645, 678, 745f., 822, 896, 983, 1003, 1009, 1049, 1183, 1266ff.
 - isotope effects, equilibrium (EIE) 618, 1315ff., 1321
 - isotope effects, heavy atom 576ff., 746, 1165
 - carbon 1301
 - oxygen 19, 25f.
 - metal 678
 - isotope effects, inverse 764
 - on isotope effects 1297f., 1301
 - isotope effects, solvent 1349, 1463
 - isotopic exchange 1299
 - isotopic fractionation 154f., 157f., 161ff., 176
 - isotopic labeling 1253, 1365f., 1371, 1427
 - ¹⁴C 1248, 1305
 - ¹H 1248
 - ¹⁸O 1396
 - spin, site-directed 1384
 - isotopic labeling, mixed 1323f.
 - isotopic labeling, stereospecific 1297
 - isotopic scrambling 755, 779, 783
 - isotopologs 193, 530
 - isotopomer 530, 639, 679, 920, 923
 - iron 759, 810, 1017
- j**
- Jacobian 848
 - jellyfish 435
 - Jencks 584
 - anchor principle 1042
 - libido rule 981, 989, 1002
 - JN 1092
 - JNII 1092, 1094
 - JNIOR 1096
 - Johnston and Parr 585
- k**
- Kamlet-Taft analysis 409, 426, 445
 - Karplus calculations 1124
 - Kemp elimination 1006, 1007
 - dTDP-4-keto-6-deoxy-D-Glucose
 - ketone (keto-type, keto-bonds) 225ff., 357, 363, 958, 962, 967, 1107
 - mono-keto isomer, di-keto-form 370

- $K_3H(SO_4)_2$ 291
 - kinematic coupling 275
 - kinetic acidity 566
 - kinetic analysis 1443
 - kinetic energy 838
 - kinetic experiments 509ff., 521f., 675
 - kinetic isotope effects 135f., 493, 513, 517, 522, 536, 539f., 835, 867
 - H/D (hydrogen/deuterium) 140, 144, 148f., 151ff., 157f., 160ff., 169ff., 174, 176, 179, 189ff., 198ff., 205f., 210ff., 251, 303ff., 315ff., 323ff., 333ff., 429, 497, 511f., 544f., 573ff., 622, 843f., 878, 884ff., 914ff., 931, 938ff., 1142ff., 1162, 1241, 1271, 1285, 1313ff., 1342ff., 1478ff., 1512f.
 - competitive 1248f., 1273, 1305
 - intrinsic 1320ff., 1442
 - magnitude 1249
 - masking 1215f., 1317
 - measurement 1247
 - model 1245
 - kinetic isotope effects, multiple 1146ff., 1286ff., 1304ff.
 - non-competitive 1247f.
 - kinetic isotope effects, primary 154, 157, 162, 565ff., 574, 577, 858, 868, 1158ff., 1218f., 1246, 1251f., 1260, 1268ff., 1273, 1287, 1291, 1298, 1315
 - kinetic isotope effects, secondary 154f., 157, 1052, 1060, 1247, 1252f., 1268ff., 1287, 1315, 1480
 - kinetic isotope effects, temperature dependence of 1326
 - kinetics 975ff., 1045ff., 1108ff., 1164, 1242
 - kinetics, exchange 1421
 - equivalence 979
 - kinetics, first order 876, 881f., 1046
 - kinetics, saturation 1087
 - kinetics, second order 571, 876, 1046
 - Kondo parameter 86, 816
 - KO-42 1087ff.
 - Kreevoy model 1054
- I**
- α -lactalbumin 1374
 - lactate 1223
 - Lactobacillus fermenti* 1161
 - Lactobacillus leichmannii* 1478
 - Lactobacillus plantarum* 1425f., 1432f.
 - Langevin equation 1210
 - Langevin dynamics (LD) simulations 1193
 - large-curvature tunneling (LCT) 842f., 850ff., 862f., 1486
 - Larmor frequencies 665
 - laser methods 509 (PCET)
 - laser-pulse 83ff., 362
 - control 92
 - infrared 83, 85, 91ff.
 - UV 90ff.
 - laser-pulse, Ti:sapphire 352
 - laser spectroscopy 33, 39, 46, 75, 79ff., 423
 - lattice 816ff.
 - cubic (C15-type) 798ff., 805ff.
 - cubic (A15-type) 809
 - hexagonal (C14-type) 805ff.
 - hexagonal (C36-type) 805
 - lattice expansion 787
 - lattice-hydrogen interactions 764
 - Laves phases 798, 805, 823
 - least-action tunneling (LAT) 852f.
 - least motion 1009
 - Leffler 590 *see* Bema Hapothle
 - Lennard-Jones potential, H on metals 756
 - leucine (Leu) 1278, 1349, 1444ff.
 - leuco crystal violet 1292
 - level inversion 404
 - Lewis studies 420
 - ligand exchange 606
 - linear dichroism 248, 262, 1371
 - linear response approximation 1181
 - Liouville-von-Neumann equation 670
 - Liouville space 648ff., 659f., 670
 - Liouville super operator 648ff., 670
 - Liu-Siegbahn-Truhlar-Horowitz (LSTH) potential energy surface 843
 - lipid breakdown 1156
 - lipid vesicles 240
 - liquid chromatography (LC) 1369, 1378, 1387
 - liquids 459, 463, 732, 835, 860
 - liquid crystals 240
 - liquid films 752
 - London-Eyring-Polanyi-Sato 585
 - Lorentzian term 793ff., 801ff., 821
 - low-energy electron diffraction (LEED) 761, 765, 768, 772, 780
 - Löwenstein rule 685
 - luminescence 509
 - LUMO *see* molecular orbital, lowest unoccupied
 - lutetium 821
 - 2,6-lutidine 984
 - lyonium/lyate species 975
 - lyoxide ion 955
 - lysine (Lys) 1006, 1083, 1085, 1092, 1099, 1120, 1133, 1143, 1154, 1188f., 1474f., 1519
- m**
- magic-angle
 - configuration 354
 - emission decay 227

- magnesium 810
- in enzymes 969
- maleamic acids 988
- mammalian brain tissue 1152
- malonaldehyde (MA) 3ff., 14, 369
- mandelamide 1001
- mandelate 1109, 1131, 1152f.
- mandelic acid 956
- manganese 788, 805f., 817ff.
- Mannich derivative 434
- mapping potential 1175f.
- Marcus
 - barrier 489, 583f., 594f., 598
 - intrinsic 958ff., 969, 1110
- Marcus charge-transfer theory (MCT) 394ff.
- Marcus-Coltrin method 834, 842, 848
- Marcus equation 394ff., 592, 600, 958ff., 1188ff.
- Marcus formalism 1110
- Marcus-like model 1329ff.
- Marcus parabolas 1176, 1198
- Marcus relation 305, 310, 597f.
- Marcus theory 417f., 493, 510, 522, 538ff., 587, 714, 962, 1049, 1054ff., 1185, 1214, 1261, 1332
- MARI neutron spectrometer 819
- Markov approximation 86
- Markov process 793
- mass-skew skew 849
- mass spectrometry (MS) 432, 1277, 1367ff., 1375, 1378
 - accurate mass tag analysis 1367
 - C-terminal carboxypeptidase Y digestion 1367
 - Fourier transform ion cyclotron resonance (FT-ICR) 1369
 - MALDI- 1375ff.
 - MALDI-SUPREX (stability of unpurified proteins from rates of hydrogen exchange) 1380, 1387
 - MALDI-TOF 1367f.
 - /MS 1367, 1386f.
 - post-source decay 1367
 - radio frequency (RF) 57
 - tandem MS 57
- master equation 801f.
- matrix element 282, 642
- Matthieu type differential equation 643
- MCSCF calculations 918
- mean-square-displacement of H 287
- Me-BO 173
- medical applications (porphyrins) 245
- Meisenheimer complex 1131
- membrane 240, 443, 552, 711, 724, 733, 752, 1330
 - bilayers 1241, 1514
 - transporter proteins 1371
- membrane, biological 1499ff., 1504ff.
- 2-mercaptoethanol 1020
- metal-hydrogen binding energy 758f.
- metal-hydrogen potential 765
- metals 787ff.
 - amorphous 795, 810ff.
- metal surfaces 751ff., 766ff.
 - heterogenous 754
- metallic fluid 740
- metallic glass 812
- metamorphosis 1152
- methane 853ff., 1278
- methanol 173, 210ff., 232, 350, 399, 402, 406, 425, 427ff., 565ff., 689, 691f., 711, 726, 775ff., 867, 887ff.
 - deuterated 567
 - dimer 689, 691f.
- methanolic sodium methoxide 565
- methionin (Met) 1026, 1029ff., 1448
- methotrexate 1439
- methoxide 214, 776ff.
- methoxonium ion 214, 693f.
- p-methoxybenzylamine 1275
- methoxymethyl acetal 993, 993f.
- 1-methyl-1,10-dihydroacridan 1049
- N-methylacridinium ion (MA(H)⁺) 1053
- N-methyl-1-aminopyrene (MAP) 382
- N-methyl-hydroxyquinolinium species 423
- 4-methylimidazole 1087, 1093, 1096, 1101
- methylchlorocarbene 860, 864
- methylcyclohexane 172, 199
- methylethylether 203, 205
- 2-methyl-6-hydroxyquinoline-N-oxide (MeHQNO) 424f.
- 3-methylindene 689
- methylisocyanide 887
- methylmalonyl-CoA 1156
- 3-methylpentane 237
- 3-methylphenyl-(2,4-dimethylphenyl)-methane 689
- methyl salicylate 351
- 2-methyltetrahydrofuran 537
- methyl viologen acceptor 497
- Mg²⁺ 597, 1112, 1131ff., 1140, 1152, 1426
- Mg-Mg breathing 868
- micelle 229, 232ff., 240, 448, 752, 1509
- Michael addition 1102
- Michaelis mimics 1403f.
- microcanonical emsemble 833
- microcanonical optimized curvature tunneling (μ OMT) 856, 862, 867
- microcanonical variational theory 837ff.
- microscopic reversibility 1049

- microwave spectroscopy 13, 37
 - Miller-index 759
 - minimum energy for tunneling 135, 145, 150, 188f., 202, 213
 - minimum energy path (MEP) 835ff., 846ff., 854f., 863ff., 910ff., 1485f.
 - Mitchell hypothesis 1500
 - mitochondria 1499f., 1505, 1515
 - mixed isotopic exponents *see* Saunders exponents
 - MN 1092
 - Mn²⁺ 1140, 1152, 1426
 - MNDO study 591, 1401
 - MO *see* molecular orbital
 - molecular diffusion 746ff.
 - molecular dynamics (MD) 230f., 287, 490ff., 692, 696, 1449, 1518
 - classical 287f.
 - with quantum transition (MDQT) 1196
 - molecular hydrodynamic theory 231
 - mobile loop 1407
 - molecular mechanics (MM) 1171ff., 1193, 1228, 1233, 1291, 1334, 1342, 1349, 1440, 1480
 - molecular mechanics calculation 230
 - molecular memories 245
 - molecular orbital (MO) 583, 594f., 757, 1172
 - computations 16, 20, 22f., 590ff.
 - highest occupied (HOMO) 107, 513
 - of 2-naphtholate 420
 - lowest unoccupied (LUMO) 245, 1022
 - of 2-naphtholate 420f.
 - semi-occupied (SOMO) 107, 115, 1022
 - molecular pocket 223ff.
 - molecular structures, derivatives of 2- and 4-membered aromatic rings 380ff.
 - Møller-Plesset perturbation theory (MP2, MP3, MP4) 21ff., 42ff., 71, 249, 596, 689, 695ff., 705, 1481
 - molybdenum 807
 - moment of inertia 40, 1288, 1315
 - (a-type, b-type) 40, 47
 - monensin 1514f.
 - monolayer 779, 774, 779
 - mono-p-nitrophenyl fumarate 1089, 1091ff.
 - Monte Carlo calculations 761, 791, 939
 - diffusion (DMC) 60, 71ff.
 - More O'Ferrall 584
 - More O'Ferrall-Jencks diagram 592
 - Morse potential 1175
 - motion 1341
 - motion, coherent low-frequency 459ff.
 - motion, coupled 1313, 1449ff.
 - motion, gating 1345, 1350f.
 - motion, low-frequency 471ff.
 - motion, primary-secondary coupled 1323
 - mouse brain enzyme 1152
 - Mulliken charge transfer picture 308f.
 - multilamellar vesicles 1502f.
 - multimode (MM) methodology 59f., 69, 71, 75
 - multiphoton process 55f., 66ff., 76
 - multishell continuum model 231
 - muonium 843ff.
 - Murdoch 584
 - muscle 1223ff.
 - mutagenesis 1217ff., 1375f., 1446ff.
 - mutants 1029, 1099, 1102, 1108, 1132, 1145, 1154, 1161, 1189ff., 1263, 1267f., 1278, 1325, 1332, 1352ff., 1516
 - mutation 1383, 1430
 - multiple 1445, 1452
 - point 934
- n**
- Na⁺ 597, 1514f.
 - Nafion® 711, 724ff., 732
 - nanoscopic pools 232
 - nanostucture 228, 713
 - nanotubes 225, 240
 - NaOH 425
 - naphthalene 386, 420, 446
 - naphthalenediimide (NI) carboxylate 534ff.
 - naphthazarin 896, 899, 913, 926, 942
 - naphthols 445, 448
 - 1-naphthol (1-NP) 228ff., 380, 386f., 398f., 401ff., 420ff., 428, 431f., 446
 - 2-naphthol (2-NP) 380f., 385f., 389, 398f., 401ff., 420ff., 428
 - 1-naphthol-3,6-disulfonate (1N3,6diS) 380, 401ff.
 - 1-naphthol-4-chlorate (1N2Cl) 380, 403
 - 1-naphthol-2-sulfonate (1N2S) 380, 403
 - 1-naphthol-3-sulfonate (1N3S) 380, 403
 - 1-naphthol-4-sulfonate (1N4S) 380
 - 1-naphthol-5-sulfonate (1N5S) 380, 402
 - 2-naphthol-6-sulfonate 449
 - 5-cyano-1-naphthol (1N5CN/DCN1) 380, 401, 422, 449
 - 5-tButyl-1-naphthol (1NtBu) 380, 402ff., 421
 - 5-cyano-2-naphthol (2N5CN/5CN2) 380f., 401, 421ff., 428, 431f.
 - 6-cyano-2-naphthol (6CN2) 422f.
 - 7-cyano-2-naphthol (7CN2) 422f.
 - 8-cyano-2-naphthol (2N8CN) 380f., 401, 421
 - 5,8-dicyano-2-naphthol (DCN2) 401, 421ff., 428ff.

- 2-naphthol-6,8-disulfonate (2N6,8diS) 380f., 401f.
 - 5-methanesulfonyl-1-naphthol 448
 - 5-methanesulfonyl-2-naphthol (5MSN2) 422
 - 6-methyl-2-naphthol (2N6Me) 380f.
 - 5,8-dicyano-2-naphthol (2N5,8diCN) 380f.
 - 2-naphthol-3,6-disulfonate (2N3,6diS) 380f., 1508
 - 3,5,8-tricyano-2-naphthol 421
 - naphthoquinone 547
 - narcissistic type of reaction 260
 - native chemical ligation 1086
 - near attack conformations (NAC) 1044, 1404
 - neopentane 877
 - Nernst-Einstein relation 719
 - Neurospora crassa* 1380
 - neurotoxic effects 1029
 - neutralization 214
 - neutron diffraction crystallography 142f., 273, 277, 605, 695
 - Newtonian dynamics 1210
 - Newtonian principle of parsimony 1042
 - Ni²⁺ 1140, 1152
 - nickel 755, 758f., 764ff., 771f., 776, 779, 781, 800, 809f.
 - Nile Blue a 235
 - niobium 753, 762, 787f., 798f., 801f., 809, 814ff., 821f.
 - NIR 352
 - nitrogen monoxide 1020
 - nitrogen dioxide 1020
 - 2-nitropropane 1285, 1290
 - p-nitrophenyl acetate 1087
 - 4-nitropyrrole 192
 - p-nitrophenyl esters 987
 - NMR lineshapes 655ff., 677, 1293
 - NMR, natural abundance techniques 1248
 - NMR pulse sequence 174
 - NMR relaxation 188
 - NMR relaxometry 923, 939
 - NMR spectroscopy 15, 38, 136, 142f., 187, 197, 201ff., 238, 248ff., 265, 534, 610f., 615ff., 629f., 639ff., 666f., 787, 791, 927, 1080, 1084, 1098, 1364, 1375, 1451
 - ¹³C 615, 628, 1300, 1406, 1421
 - CLEANEX (clean chemical exchange) 1366
 - phase modulated (CLEANEX-PM) 1366f., 1386
 - coupling constant 619, 662, 671
 - downfield shift 693
 - ¹H 671, 700ff., 951, 1092, 1115, 1428f.
 - pulsed field gradient (PFG) 716, 719ff., 731, 792, 798
 - ²H 623, 671ff., 677
 - HSQC (heteronuclear single quantum coherence) 1366, 1374
 - FHSQC (2D-fast) 1266f.
 - liquid 615, 628, 251, 640, 646, 671
 - NOE (heteronuclear Overhauser effects) 1365, 1427, 1448
 - ¹⁷O-PFG 716
 - ³¹P 628
 - PFG 719f.
 - solid state 251f., 604f., 621ff., 627, 671ff.
 - TROSY 1367, 1386
 - NMR studies 283, 630ff.
 - ¹⁵N CPMAS NMR 251f.
 - magnetic field-cycling 283
 - m/p-NO₂C₆H₄CH=CF₂ 575
 - nonadiabatic coupling 483ff.
 - nonaqueous solution 428ff.
 - non-enzymic systems 1037
 - nonlinear vibrational spectroscopy 463
 - noncollinearly phase matched optical parametric amplifiers (NOPAs) 352f.
 - norbornene 547
 - NovoTim 1.2.4 1088
 - nuclear motion 349ff.
 - nuclear spin 140
 - nucleoside
 - diphosphates 553
 - nucleoside, deoxy- 553
 - nucleoside, pyrene-modified 542
- o**
- octane 126ff.
 - 2,3,6,7,11,12,17,18-octaethylcorrphycene 247
 - 2,3,6,7,11,12,16,17-octaethylhemiporphyrine 247
 - 2,3,6,7,11,12,16,17-octaethylporphyrine 247
 - olefin coordination 604
 - oligosaccharides 224
 - one-frequency models 1287, 1291
 - optical density 532
 - optical spectroscopy 38, 389, 927, 1147, 1219ff., 1407
 - optical trigger
 - ultrafast 445ff.
 - trigger pulse 443
 - optimized curvature tunneling (OCT) 842f.
 - optimized multidimensional tunneling (OMT) 856f.
 - Orange II 239f.
 - organelles 1499
 - organic ethers 614
 - organic solution 528ff.
 - organic solvent 399
 - organic solvent, aprotic 542

- organometallic chemistry 640
- orthoesters 982
- ortho hydrogen 656
- oscillator 461ff., 469ff., 642
- oscillator, harmonic 81f., 84, 87f., 1211, 1258
 - approximation 254, 258
 - approximation, quantum mechanical 654ff.
 - undamped 491
- oscillator, one-dimensional symmetric double 138f.
- overlayer-underlayer transitions 762
- oxalamidines 155, 172, 177, 197ff.
 - OA5 200f.
 - OA6 200f.
 - OA7 198f., 200f.
- oxidative damage 541
- oxidative cleavage 1322
- oxidative stress 1014, 1020
- oxidic support materials 771
- oxo-acids 727, 732
- oxolacetate 1085f.
- oxygen
 - carboxylic 1179, 1214
 - glycosidic 1179
- p**
- palladium 753, 755, 759, 762, 771ff., 776f., 779ff., 787, 796ff., 801, 810ff.
 - film 796
- PAM 1140
- (PAMA⁺H₃PO₄[−])nH₃PO₄ 727f.
- para-hydrogen 655ff., 665, 669
- para-hydrogen induced polarization (PHIP) 640, 657ff., 662ff., 668f., 679
 - ¹H PHIP 662ff.
 - ¹³C PHIP NMR 664f.
 - lineshapes 665ff.
- para hydrogen and synthesis allow dramatically enhanced nuclear alignment (PASADENA) 656ff., 662, 667ff.
- partition functions 140, 834, 844, 914f.
- partition functions, reactant 836f.
- path integral quantum TST (PI-QTST) 869
- pathological processes 1013
- Pauli exclusion principle 640, 670
- Pauli matrices 660
- Pauli repulsion 757
- P branch 7, 14
- PDL/S-LRA approach 1189
- PEF *see* potential energy function
- penicillin 1156
- 1,3-pentadiene 858
- pentafluorobenzene (PFB) 565ff., 576, 580
 - tritiated 565
- 2,3,4,5,6-pentafluorobenzyl alcohol 1219
- pentane 129
- pepsin 1367
- peptide 435, 1013, 1017, 1027f., 1079ff., 1134, 1322, 1363
 - backbone 1081, 1361ff., 1370, 1446ff.
 - EF hand 1380
 - scaffolds 1079f., 1085, 1095ff., 1345
- peptide, β -amyloid-(β -AP) 1029f.
- peptide, unstructured 1361
- Perdew-Burke-Ernzerhofer (PBE) 697f.
- Perdew-Wang91 (PW91) 697f.
- perfluorocarbons
 - as cryogenic matrix 107
- perfluorohexanesulfonyl-2-naphthol (6pFSN2) 425
- permanganate, tetrabutylammonium (Bu₄NMnO₄) 514ff.
- permeation methods 795f.
- permutation operator 645ff.
- peroxynitrite 1020
- perturbation treatment 1174
- PES *see* potential energy surface
- pH 975, 990f., 999, 1062, 1087, 1090ff., 1101f., 1128, 1150, 1361ff., 1371f., 1400
 - dependence 496, 538ff., 1352, 1362, 1423
 - of a solution 397
 - jump 378, 419, 445
- phase diagram
 - H-on-Ru(0001) 760
 - of ice 737f.
 - solid-solution 787
- phase transition, 2D–3D 754
- phenols 446, 519ff., 548
 - fluorinated 426
 - oxidation potential 520ff.
 - oxidation rate constants 522
- phenolate 981
- phenol-ammonia clusters 410
- phenylalanine (Phe) 1026, 1154f., 1218ff., 1376, 1435, 1444
- 1-phenylcyclopropanolate 1000
- phenylethylbromide 1305
- 9-phenylfluorene 419, 570, 572, 580
 - deuterated 572
 - tritiated [9-PhFl-9-t] 565ff.
- phenyl glycidyl ether 426
- phonon-vibron coupling 764
- phosphate 1001
 - monoesters 995
- phosphatidyl choline 1504, 1508f.
- phosphatidyl inositol 1504
- phosphatidyl inositol 4,5-diphosphate 1594

- phosphatidyl serine 1508f., 1515
- phosphatidyl acid 1508f.
- phosphazene 169
- 2-phosphoglycerate 956, 1109, 1131ff.
- phosphoglycolohydroxamate 1123
- phospholipid 1501ff.
 - bilayer (membrane) 1503
 - black lipid membrane 1514
 - head group 1502, 1504
- phosphonic acid 714, 720, 729ff., 732
- 4'-phosphopantethein (PAN) 1155
- phosphorane dianion 986
- phosphorescence enhancement 224
- phosphoric acid 711f., 714, 719ff., 732
- phosphoric acid fuel cells (PACFs) 709ff.
- phosphorolysis 1223
- photoacidity 379ff., 389ff., 410
 - determination 387
 - effects of substituents 400ff.
 - solvent assisted 377ff.
 - 1L_a 1L_b paradigm 404ff.
 - solvent effects 398ff.
- photoacids 377ff., 383ff., 389ff., 397ff., 410, 417ff., 422ff., 433ff., 445ff., 1502
 - biological 436
 - in the gas phase 431
 - pK_a values 401f., 408, 419, 421ff., 445
 - reactivity 393
- photoacids, cationic 398
- photoacids, neutral 398
- photoacids, super 417, 422ff., 426ff.
- photoactivation 1370
- photobases 377ff., 383ff., 390ff., 411, 429
- photochemistry 224ff.
- photochemistry, radical organic 507
- photocleavage 224
- photodeoxygenation 424
- photodetachment
 - of electrons 91ff.
- photodissociation 427ff., 782
 - infrared (IR-PD) 55ff., 61ff., 65ff., 75, 91, 100
 - ion cyclotron resonance (ICR) 106
 - rate, protolytic 434
- photodynamics 228
- photoexcitation 57, 225, 266, 432, 435, 496
- photohydrolysis 426
- photoinitiation 509
- photoisomerization 224f.
- photolysis 876, 882
- photolysis, laser flash 1016
- photon echo techniques 460
- photons 55f.
 - absorption 387
 - emission 387
- photophysics 224ff., 436
- photosynthetic systems 245, 418
 - bacterial 552
- photosynthesis 1499
- Photosystem II 538
- phototherapy 236, 245
- photovoltaic systems 245
- phthalocyanine 169, 176
- physisorption 753ff.
- pigments of life 245
- platinum 710ff., 763f., 771ff., 776ff., 779ff., 800
- Platt's notation 385
- PMP 194
- Poisson-Boltzmann equation 723, 1505
- Polanyi *see* Bema Hapothle, Evans-Polanyi
- polar headgroup 229
- polarity 232
- polarity, solvent 325, 529
- polarity reversal catalysis (PRC) 1021
- polyacrylamide hydrogel 235
- polybenzimidazole (PBI) 713, 727ff.
- polymer electrolyte membrane or proton exchange membrane fuel cells (PEM) 709ff., 725, 731f.
- polymeric fibrils 1378
- polymers 240, 256, 685, 713, 727, 749
 - films/sheets 256ff., 262ff.
- polymers, hydrated acidic 723ff.
- polymethylmethacrylate 267
- polypeptide chains 523
- polyphosphate 728
- polystyrene 187
- polyvinyl butyral 256, 258, 263f.
- population dynamics 85ff., 390f.
- porphine 928f.
- porphycenes 171, 185f., 193ff., 245ff., 896, 929f., 842
 - crystalline 252f., 255, 265
 - nonsymmetric 256
- porphyrinoids 267
- porphyrins 135, 155, 169f., 184f., 193ff., 206, 245ff., 266, 523ff., 529ff., 896, 913, 1293
 - analogs of p. 174ff.
 - constitutional isomers (reshuffled) 245f.
 - hydroporphyrins 184ff.
 - inverted (N-confused) 245
 - metal complexes 245f., 528ff.
 - symmetric 174ff.
 - unsymmetrically substituted 181ff.
- porphyrins, free base 547
- positive hole density 105, 107, 109

- positive hole transfer 125
- potassium acetate 395
- potassium bicarbonate
- potassium bromide 743
- potassium formate 395
- potential energy 760
- potential energy curves 238
 - enthalpy changes 591
- potential energy diagram 753, 856
- potential energy function (PEF) 3ff., 15f., 24, 180, 233, 1174
 - double-well 4, 27, 40, 54, 79, 138, 143ff., 174, 275, 812
 - inter-well transition 282
 - intra-well transition 282
 - single-well 53f.
- potential energy surface (PES) 3, 5, 8ff., 14, 21, 23, 27f., 36, 39f., 58, 61f., 68, 75, 79ff., 87, 90ff., 223, 358, 350, 365, 372, 461, 583, 589ff., 694, 835, 849, 870, 880, 885, 901ff., 910f., 961, 1174ff., 1190ff., 1227, 1245
 - LEPS 1293
 - multidimensional 843
 - SPES 854
 - topology 366ff.
 - two-dimensional 273ff., 280ff., 291ff.
- potential energy well 756ff.
- potential function *see* potential energy function
- potential of mean force (PMF) 863, 863
- potential surface *see* potential energy surface
- power law potential 676
- PQR rotational envelopes 6f.
- praseodymium 810
- primary metabolic steps 548
- probability density 88, 768
- probability distribution function, phase-space 833
- probability flux correlation function 490ff.
- proline 1157ff.
- propane 882
- propanol 430
- propene 689
- propinquity catalysis *see* Bruice's proximity effect
- Propionibacterium shermanii* 1156
- propionyl-CoA 1156
- N-propylisonicotinamidine 533f.
- protein 232, 236, 240, 435, 490, 523, 598, 733, 1013ff., 1028, 1171ff., 1195ff., 1343, 1361ff.
 - design 1080ff., 1100
 - dynamics 1209ff., 1313f., 1333, 1356, 1371ff., 1382ff., 1406, 1439ff.
 - environment 1261
 - protein, flavo 1275, 1341ff.
 - protein, globular 1518
 - protein, green fluorescent (GFP) 435f., 455
 - human serum albumin (HSA) 236ff.
 - interactions 1374ff., 1379ff., 1452
 - interactions, interloop 1446f.
 - protein-ligand recognition 236
 - mobility 1361, 1382, 1385
 - Monellin 234
 - protein, native 1363
 - protein, photosensor 443
 - Sublitsin Carlsberg (SC) 234
 - structure 1112, 1373, 1443ff.
 - tertiary 549
 - water interface 1499
- proteolysis 1367
- proteome 1013
- protic solvent 448
- protodetritiation rate 565ff.
- proton
 - abstraction 1108f., 1118ff., 1351, 1455, 1459ff.
 - acceptor (Ap) 377, 444, 503, 507, 527, 1052
 - donation 1455
 - donor (Dp) 503, 507, 527
 - flux 1507
 - proton affinity 689, 697ff., 704, 1110
 - proton, bridging 273, 278, 1458, 1462
 - energy diagram for neutral alkyl radicals 109
 - proton-collecting antenna 1501, 1516ff.
 - proton-conducting channel 1519
 - proton conduction 709ff., 715ff., 728, 731f.
 - confinement and interfacial effects 723
 - mechanism 718
 - proton-coupled electron transfer (PCET) 479ff., 483ff., 503ff., 526ff., 552, 1015, 1017
 - across interfaces 523ff.
 - asynchronous 505f., 510f., 513, 519, 522
 - bidirectional 508, 537ff., 549, 553
 - bimolecular 531ff.
 - concerted 503ff.
 - in protein 498f.
 - temperature dependence 499, 537
 - in solution 492ff.
 - non-specific 3-point 538
 - redox state 508, 523, 525, 537
 - site differentiated 523ff.
 - solvent dependence 511
 - study methods 509ff., 514
 - temperature dependence 512
 - theoretical formulation 480ff.
 - dynamical effects 485

- types 507, 512, 523, 537f., 541, 543, 549ff.
 - non-specific 3-point 538ff.
 - site-specified 3-point 543ff.
 - symmetric *see* H bond
 - polarized *see* H bond
 - unidirectional 508, 512ff., 553
 - unimolecular 533
 - proton, defect 718
 - proton diffusion 737ff., 953, 960
 - at high pressure 740
 - spectral analysis 745ff.
 - proton-dissociation 388, 392, 395, 398ff., 404, 1502f.
 - lifetimes 400
 - proton donor 377, 444
 - proton donor-acceptor 714, 932, 960
 - motion 483, 492, 498
 - proton dynamics 273ff.
 - proton, free 110
 - proton, geminate 377, 389
 - proton jump 700ff., 739f., 749, 1004
 - proton mobility 724, 727
 - proton polarizability 1503ff.
 - proton-proton coupling/correlation 895ff., 908ff., 918ff., 927, 941
 - proton pump 771, 1499
 - proton recombination 388ff., 448f.
 - proton repellent 1501
 - proton solvents
 - covalently bound 728
 - proton sponge 245
 - proton transfer 105ff., 112ff., 122ff., 136, 213ff., 223ff., 236, 370, 424, 481, 686ff., 1048, 1114, 1171ff., 1230, 1455, 1499
 - asymmetric 110, 123ff.
 - proton-donor site selectivity 124f.
 - proton-acceptor site selectivity 125f.
 - at carbon 958ff., 965ff., 1107ff.
 - bimolecular 443ff.
 - by low-frequency mode excitation 279
 - carbon acid to methoxide 565ff.
 - concerted 418, 895ff., 910, 940ff.
 - conduits 932ff.
 - coordinate 274, 279, 283
 - excited state (ESPT) 420ff., 427ff., 433ff., 443f.
 - in a box 435ff.
 - intramolecular (ESIPT) 443f.
 - geometry 1505f.
 - *in vivo* 433
 - intramolecular 926ff.
 - mechanism 1069
 - methanol to carbanion 573
 - methoxide promoted 576
 - multiple 136, 370f., 895ff., 908ff., 919ff., 932f., 939ff.
 - photoinduced 226, 430
 - rate 398
 - rate constant 229, 394, 909, 918, 932
 - reaction 228, 377f., 1185ff., 1428ff., 1499
 - activation energy 394
 - stepwise 418, 511, 895ff., 910, 921, 928, 941
 - symmetric 110, 115ff.
 - proton-acceptor site selectivity 120f.
 - proton-donor site selectivity 119f.
 - thermoneutral 960ff.
 - theoretical aspects in polar environment 303ff.
 - theoretical simulations 583ff., 1171ff.
 - to and from carbon 949ff., 960, 970, 1000
 - ultrafast 349ff., 424, 453
 - proton translocation (PTR) 1171, 1193, 1199
 - proton transport, long range 714ff., 732
 - Pseudomonas putida* 1151
 - Pseudomonas qetrolens* 1151
 - pseudorotation 986
 - pulse radiolysis 1014, 1018, 1025
 - pump-control scheme 91
 - pump-dump scheme 83, 90ff.
 - pump-probe experiments 352, 360f., 447ff., 459, 463f., 466ff., 1407
 - purine 1439
 - purpurin 528ff.
 - pyranine *see* 8-hydroxypyrene-1,3,6-trisulfonate
 - pyrazoles 135, 189ff., 721
 - pyrenols 445
 - pyridine (py) 545, 593, 689, 984
 - substituted 1285
 - pyridinium 1062
 - pyridone group 434
 - 2-pyridone-2-hydroxypyridine dimer 924f.
 - pyrimidine
 - biosynthesis 1439
 - nucleobases 542
 - pyrrole rings 245, 267
 - pyruvate 955, 1223ff., 1367, 1395ff., 1407f.
 - PZD2 1087, 1101
- q**
- Q bands 245, 261f., 528
 - Q branch 14f.
 - spikes 7, 19
 - Q frequencies 312
 - quadrupolar Pake pattern 672
 - quantum average 317, 324f.
 - quantum classical path (QCP) 1184f., 1196f.

- quantum coherent vibrational dynamics 459
 - quantum correction factor 840
 - quantum dynamics 1209
 - quantum Kramers model 1209ff., 1231ff., 1342
 - quantum Kramers flux autocorrelation 1213
 - quantum mechanical activation barrier 1184
 - quantum mechanical exchange coupling (QEC) 619f., 629
 - quantum mechanical integrated reaction probability 148
 - quantum mechanical rotor, one-dimensional free 652
 - quantum mechanical studies 135, 143, 175, 217
 - quantum mechanics (QM) 639ff., 665, 1171ff., 1193, 1228, 1233, 1291, 1316, 1334, 1342, 1349, 1440, 1480
 - quantum mechanics, nuclear (NQM) 1177ff., 1195ff.
 - quasiclassical hybrid 837
 - quasi-elastic neutron scattering (QNS/QENS) 283, 632f., 787, 792ff., 801ff., 807ff., 821f.
 - quasiparticles 1184
 - quenching 225ff., 390ff., 523ff., 534, 544, 818, 1421
 - quinone 552
 - quinuclidines 943, 967
 - QSID (quadratic configuration interaction including single and double substitutions) 211, 596
 - r**
 - racemization 1142ff.
 - radiation chemistry 106, 107, 1020
 - γ -irradiation 106, 112ff., 119ff., 126f.
 - radiolytic process, mechanism 115ff., 123ff.
 - radicals 512f., 519, 542f., 544, 546, 553, 876ff., 1013ff.
 - acridine 1052
 - alkoxyl 1014
 - alkyl
 - cations 105ff., 115ff., 123ff.
 - electronic absorption 106
 - neutrals 112ff., 123
 - paramagnetic properties 107f., 117
 - α -(alkylthio)alkyl 1029f.
 - bi- 542
 - benzyloxyl 1015
 - bis(trifluoromethyl)nitroxide 880ff.
 - bromine 513
 - carbon centered 1019f.
 - chlorine 512f.
 - cumylperoxide 521f.
 - cyclohexadienyl 1025
 - cyclopropyl 883f.
 - cysteinyl 1016, 1023f.
 - deoxyuridin-1-yl 1020
 - 2,3-dimethyloxiranyl 885
 - N-(6,6-diphenyl-5-hexenyl)acetamidyl 1018
 - dioxolanyl 886
 - 3,5-di-tert-butylneophyl 207ff.
 - free 867ff.
 - 2-hydroxyphenoxy 208f.
 - 3,6-di-tert-butyl-2-hydroxyphenoxy 208f.
 - hydroxyl 1013, 1052
 - iodine 512
 - isobutyl 883
 - methyl 887ff.
 - 1-methylcyclopropyl 883f.
 - nitrogen centered 1017
 - amidyl 1017ff.
 - aminyl 1017ff.
 - in biological samples 1017
 - octamethyloctahydroanthracen-9-yl 881
 - oxiranyl 884f.
 - oxygen centered 1013
 - phenoxy 1020
 - sulfur centered 1019ff.
 - cations, sulfide 1019, 1029ff.
 - sulfonyl 1027
 - thiyl 553f., 1019ff., 1027
 - tetramethylgermacene 882
 - trapping 888f.
 - 2,4,6-tri(1'-adamantyl)phenyl 881
 - tri-n-butyltin 882
 - trifluoromethyl 883
 - trimethyltin 876
 - trimethylsilicon 876
 - 2,4,6-tri-tert-butylphenyl 207ff., 876ff.
 - 2,4,6-tri-tert-butylneophyl 876
 - tyrosyl 538, 553, 1015f., 1023
- radiolytic processes 106
- Raman spectroscopy 45, 285, 288, 361, 464f., 468ff., 1131, 1395ff., 1398, 1476
- third-order (TOR) 555
- Raman studies 473f.
- rate constants 184, 188, 191, 197f., 210, 303, 337, 431, 837, 840, 867, 951ff., 958ff., 961, 964, 967, 1052, 1056, 1068, 1092, 1171, 1196, 1430
- first order 888ff., 987, 1046, 1463
- intrinsic 1361
- predictions 833
- pre-steady-state 1489
- pseudo-first order 166, 201, 544

- second order 949ff., 957, 967, 987, 1046, 1057, 1071, 1095
- third order 967
- rate equilibrium
- correlations 961
- studies 1058
- rate law
- second order 211
- rate limiting step 1316
- Rb₃H(SO₄)₂ 291
- R branch 7, 14
- reaction asymmetry 333, 341
- reaction coordinate 505, 585, 587ff., 840ff., 908ff., 935, 841, 1316
- intrinsic 589
- reaction dynamics 449ff.
- reaction mechanism
- biochemical 419
- OA/RE type 633
- reaction path 366, 373, 505
- reaction progress
- coordinate 1058
- variable 1058ff.
- reaction rates 388, 512, 869
- reaction scheme 371, 484ff.
- rearrangement 204, 225, 411, 1027, 1031, 1300, 1473
- 1,2- 1477
- electronic 385
- heavy atom 1457f.
- intramolecular, of H₂ 623ff.
- of water molecules 452
- sigmatropic 858f.
- recoverin 1379f.
- redox reaction 515ff., 1057, 1062, 1067
- reduced mass 274f., 838, 1325
- reductive methylation 1322
- refractive index 287f.
- regio-selectivity 668
- regio-specificity 666
- Rehm-Weller equation 417, 585
- relaxation 235, 648
- anelastic 787ff., 825
- dynamics 223
- molecular 223
- rate 82f., 651, 790
- reorientation 789
- spin-lattice 282ff., 623, 673ff., 790, 821ff., 1448
- spin-spin 1448
- solvent 138, 140, 427ff., 446
- time 79, 186, 253, 618
- vibrational 138
- reorganization 499
- inner-sphere 493
- outer-sphere 482f.
- repair reaction 1020
- repulsive forces 758ff.
- resonance effects (of substituents) 961ff.
- resonance frequency 791
- resonance structure 1175
- respiration 1223ff.
- anaerobic 1224
- reversible oxidation 1325
- dTDP-L-rhamnose 1165
- rhodium 759, 764, 767, 776, 779ff.
- Rhodobacter sphaeroides* 1516
- rhodopsin 1370, 1379
- riboflavin tetraacetate 1067
- ribonucleotide 1476
- in TTUTT 987
- ribosome 1518
- ribozyme 1241
- ring opening 1006
- RMS fitting error 72f.
- RNA 985ff., 1028, 1087
- ROESY 174
- rotamer 1091
- keto 225ff.
- rotation 225ff., 604, 609, 739
- dihydrogen 615ff., 627, 657
- rotational constants 42f.
- rotational diffusion 262
- rotational states 7, 13f.
- rotational transitions 19, 69
- rotational-vibrational
- state 39, 43, 46f.
- lines 66
- RRKM
- system 1314
- theory 857
- rubredoxin, mesophilic 1384
- rule of geometric mean (RGM) 157, 160, 190, 210, 1252f., 1266, 1285f., 1297ff., 1304ff., 1324
- breakdown 1298ff.
- RS (RGM and Swain-Schaad) exponents 1252, 1267
- ruthenium 759f., 764, 770ff., 776f., 779ff.
- Ru^{IV}O²⁺ 1051
- s**
- S-824 1087
- SA-42 1090
- Saccharomyces cerevisiae* 1421ff., 1427
- saddle-point (SP) 4, 12, 21, 589, 687, 757, 833f., 844, 850ff., 858
- first order 895ff., 909, 913, 926
- second order 249, 899ff., 909, 913, 930

- salicylic acid derivatives 988ff., 995, 998, 1002
- salicylaldimine 88ff.
- sapphyrin 267
- sarcosine 1348
- Saunders exponents 1304, 1306
- scandium 788ff.
- scanning tunneling microscope (STM) 752, 770, 772, 781
- scattering law 287
- SCF *see* self-consistent field methodology
- Schiff base 554, 1069, 1401
- Schönbein 710
- Schrödinger equation 5, 21, 276f., 280, 327, 643f., 670
- SCSAG method 849
- SD *see* spectral doublets
- self-consistent field methodology (SCF) 21, 926
- semi classical method 8f., 21, 23, 36, 58, 136f., 938, 1179f., 1219, 1245, 1256, 1318, 1324, 1442, 1486
- semi empirical method 837, 841, 1227, 1401, 1481
- semiconductors 757, 761, 771ff.
- semiquinone 546
- serine (Ser) 1026f., 1152, 1376
- syn-sesquinorbornene disulfone 931
- SHAKE algorithm 1220
- shift
 - blue 227f., 230, 472
 - red 232, 432, 460, 463
- Sievert's law 810
- Silicon 757, 761, 810f.
- silicon-aluminiumphosphates (SAPOs)
 - (H-SAPO-34) 686, 695ff.
- siloxane backbone 732
- silver 757, 772ff., 781
- single crystal 759, 764, 802
- single molecule spectroscopy 266
- single photon counting detection 449
- SiO₄ tetrahedron 685, 700
- skew angle 849, 857
- small-curvature tunneling (SCT) 842f., 848ff., 855f., 862, 867, 1486
- Snoek effect 788f.
- sodium bifluoride 285
- sodium hydrogen bis
 - (4-nitrophenoxide)dihydride 278
- solid acids 749
- solute-solvent
 - interaction 1174
 - system 491
 - terms 1192
- solution 1171, 1176
- solvation 305, 398, 417, 490, 1501
 - dynamics 230f., 447
 - ultrafast 231
- layer 1503
- shells 451ff.
- solvatochromism 426, 445
- solvent chaperoned 418
- solvent configuration 310
- solvent fluctuation 1196
- solvent mixtures 427ff.
- solvent reaction coordinate 310, 330
- solvent reorganization 955, 1197, 1513
 - energy 1181ff., 1186, 1198
- solvent-solvent terms 1192
- SOMO *see* molecular orbital, – semi-occupied
- Soret bands 245, 261f., 528
- sorption energy 753
- SP *see* saddle-point
- spacer 532f., 713, 732
- spectral doublets (SD) 13, 27
- spectroscopic signatures 1404
- spill-over effect 754, 773f.
- spin 1/2 645f., 670, 790
- spin 1 646f., 670
- spin >1 790
- spin –1/2 660
- spin boson *see* dispersed polaron
- spin-lattice correlation rates 923
- spin system, 2 state 1232
- staphylococcal nuclease 1367
- Stark effect 13
- static-secondary-zone result 866
- steady-state 1243, 1294
 - studies 230, 389ff., 432
 - velocity 1242
- Stern-Volmer quenching analysis 449, 531
- stereochemistry 433, 940
- stereoinversion 1152ff., 1158f., 1165f.
- stereoselective reactions 662f.
- stereoselectivity 433, 1020
- stereospecific reduction 1322
- stereospecificity 433
- Stokes-Einstein relation 719
- Stokes radius 1378
- Stokes shift 236, 378, 408
- stopped-flow methods 1351, 1355, 1434
 - FRET 1322
- strain 821
 - tensor 788
- stress 1224
- structure activity relationships 996, 999
- structure diffusion 716f.

- structure reactivity studies 1059
- Stuchebrukhov's model 1506ff.
- styrene 1305
- substituent effects 957, 958ff.
- substrate activation 1395
- substrate binding 1242
- substrate transport 1241ff.
- subsurface-site population 754
- succinyl-CoA 1156
- sugars 992, 1158, 1165, 1271, 1419
- ketol transfer 1424
- surface coverage 768ff., 778
- surface diffusion 761ff., 762, 773ff.
- sulfonic acid groups 723
- sulfuric acid 710
- superacids 110, 686
- $\text{SFO}_3\text{H-SbF}_5\text{-SO}_2$ 692
- supercritical fluids 419, 431
- superionic fluid 740
- supersonic jet studies 253
- support materials (metals) 774
- supramolecular chemistry 224
- supramolecule 523, 528f.
- surface hopping method 1196
- surface orientation 759, 764
- surface reconstruction 753f.
- Swain-Schaad exponent 1259, 1275, 1280, 1285ff., 1290ff., 1304ff., 1318ff.
- kinetic complexity 1319
- mechanistic complexity 1294
- primary 1320
- Swain-Schaad relation 320, 322ff., 333, 340ff., 565ff., 577, 914ff., 920, 928f., 1252f., 1266, 1318ff.
- primary 1320ff.
- secondary 1323ff.
- swinging door 1142, 1157
- symmetry
- effects (on NMR lineshapes) 655, 670
- in dihydrogen transfer 639ff.
- symmetry groups
- C_2 19, 65f., 462
- C_{2h} 36, 46, 49, 260, 897, 921
- C_{2v} 5, 21ff., 260, 627, 897, 921f.
- C_4 939
- C_{4v} 767
- $\text{C}_{\infty h}$ 61
- C_s 262
- D_{2h} 36, 46, 248, 261, 920f.
- $\text{D}_{\infty h}$ 61
- E-type 767
- inversion operations 4
- G_4 4f.
- symmetry related quantum effects 640
- π -System 420, 1000, 1007
- Szabo-Collins-Kimball model (SCK) 451
- Szymanski and Scheurer 649
- t**
- tantalum 753, 762, 788, 794, 798f., 801, 805ff., 814, 821ff.
- tautomer 4, 23ff., 184, 188, 202, 610, 618, 926, 996
- amidine-carboxylic acid 529
- phototautomer 225ff., 266, 425
- tautomerism 135, 154f., 174ff., 181, 189f., 198ff., 207ff.
- tautomerization 15f., 19, 23, 27, 623ff., 934ff., 1124, 1427, 1461
- keto-enol 226ff., 237f., 366f., 372, 463, 471ff., 926, 976, 1439ff.
- kinetics 259f.
- in metal complexes 619
- in porphycenes 245ff., 251ff., 258ff.
- in quinolines 424
- rates 262ff.
- temperature jump relaxation spectroscopy 1407ff.
- tensor 647ff.
- tetrachloroethylene 351
- 1,2,4,5-tetracyanobenzene (TCB) 545f.
- tetrahedral jump mechanism 606
- tetrahydrofuran 428
- 5,6,7,8-tetrahydrofolate 1439, 1447
- 1,5,6,6-tetramethyl-3-methylene-cyclohexa-1,4-diene 689
- tetraphenylchlorin (TPC) 170, 183ff.
- tetraphenylbacteriochlorin (TPBC) 184f.
- tetraphenylisobacteriochlorin (TpiBC) 170, 183ff.
- tetraphenoxalamidine (TPOA) 198ff.
- 2,7,12,17-tetra-n-propyl-9-acetoxyporphyrane 256ff.
- tetratolylporphyrin (TPP) 174, 176ff., 185
- TFXA spectrometer 818
- thermal annealing 744ff.
- thermal equilibrium *see* canonical ensemble
- thermodynamic acidity 580
- thermodynamic cycle 379
- thermodynamic miscibility 773
- thermodynamic parameters 569f., 1056
- thermodynamically symmetric reaction 317
- thermodynamics (of PCET) 503f., 513ff., 521ff., 1231ff.
- pK_a value/ E_{red} value 504, 508, 523, 527, 537, 554
- coupling 548
- Thermotoga maritima* 1374

- Thermus thermophilus* 1217
 THF 172f., 203, 210, 225ff., 529
 – d_8 672, 933
 thiamine 958
 thioacetylone 85ff.
 thioester 1107, 1156
 thiol 984, 1020
 thiophenol 1017
 thioredoxin 1087, 1101
 thorium 810
 Thornton *see* Bema Hapothle
 threonine (Thr) 1026f., 1222
 thrombin 1382
 thrombomodulin 1382
 through-atom axis (1L_a state) 445f.
 through-bond axis (1L_b state) 445f.
 thymine (T) 542, 934, 1028
 tight-binding 758
 time correlation function 490
 TIP3P potential 1219
 titanium 753, 761, 805, 810
 titration 528 *see* fluorescence titration
 – Mataga's titration treatment 544
 α -tocopherol 1017
 toluene 463, 516ff., 689, 877, 891
 topoisomerase I inhibitors 434
 topotecan 434
 transition metals 772ff.
 – reductive cleavage 1014
 transition moment 258ff.
 – directions 260ff.
 transition path sampling 1209
 transition state 513, 590ff., 909, 924, 938, 958,
 1008, 1098, 1110, 1245f., 1394, 1442, 1483
 – descriptors 1056
 – inhibitors 1209ff.
 – inhibitors, multiple 1073
 – stabilization 1047, 1052, 1072, 1087, 1108,
 1115, 1194, 1316, 1458
 – structure 589ff., 919ff., 981ff., 994ff., 1251,
 1268, 1280
 – theory (TST) 309ff., 904, 918, 1056, 1074,
 1186, 1195, 1241, 1287ff., 1299ff., 1326ff.,
 1513
 – zero-curvature tunneling (TST/ZCT)
 1483ff.
 transmission change 355f., 370
 transmission coefficient 840f., 870
 transmission factor 1196f.
 trapping of hydrogen 817
 – rate 795, 803
 trifluoroacetic acid (TFA) 546
 trifluoroethanol (TFE) 546
 trifluoroethanolysis 983f.
 6-tri-fluoromethanesulfonyl-2-naphthol 425
 trihydrogen 617
 – in complexes 624
 trimethoprim 1439
 trimethylamine 205, 691, 1348, 1353f.
 N,N,N-trimethylammonium glycine methyl
 ester 954
 triphenylmethane 516f.
 tripodal phosphine 628
 TRIS 1001
 tritium 764f., 767
 TRN *see* tropolone
 trolox C 1014
 tropolone (TRN) 3ff., 8, 13ff., 79
 – diethyl acetale 982
 – derivatives 3, 26f., 82
 Trouillier-Martins pseudo-potentials 288ff.
 tryptophan (W, Trp) 232, 540ff., 554, 1218ff.,
 1352ff., 1448
 TSTH model 25
 TTAA 171, 193ff.
 tungsten 763f.
 tunneling 136, 258, 303ff., 326ff., 333, 336,
 340f., 364, 483, 499, 641, 783, 788, 812ff.,
 1007, 1187, 1195, 1217ff., 1241ff., 1255ff.,
 1279, 1285ff., 1475f.
 – coenzymatic reactions 1060ff., 1068
 – coherent 3ff., 13ff., 35ff., 138ff., 183, 642ff.,
 649ff., 675, 817ff., 1314
 – at higher temperatures 647
 – hydrogen 817ff., 1285ff., 1341ff., 1347ff.,
 1439ff.
 – DNA 33f.
 – Eigenstates 21
 – electron-proton 505
 – fast 675
 – frequency 147, 642, 645
 – ground-state nuclear 1313
 – hot bands 19
 – phonon assisted 714, 797ff., 816
 – intermediate (speed) 671ff.
 – masses 145f., 149ff., 189, 205
 – modes 906f.
 – models 135ff., 251, 897ff.
 – one-dimensional 143ff.
 – two-dimensional 143ff., 505
 – nonadiabatic 303, 307, 333ff., 429
 – pathway 84f., 145, 156
 – quantum mechanical (QMT) considerations
 33f., 39, 48, 623, 678, 875ff., 884ff., 1341
 – parameters 182, 188
 – properties for carboxylic acids 35ff.
 – aromatic dimers 37
 – benzoic acid dimer 35ff., 48f.

- cyclic carboxylic dimers 37
- N,N-dimethyl carbamic acid dimer 36f.
- formic acid dimers (FAD) 36f., 42ff.
- properties of malonaldehyde 5ff., 27f., 138, 279
- properties of tropolon 13ff., 138
- tunneling, correction 148
- tunneling, enhanced 1314
- tunneling, environmentally coupled 1314
- tunneling, incoherent 138ff., 649ff., 675
- tunneling, multidimensional (MT) 834f., 842, 869, 1293f., 1342ff.
- tunneling, nonthermally activated quantum 770
- tunneling, proton 3ff.
 - dynamics 904ff., 908ff.
 - fundamental, overtone, combination, hot band vibrational transitions 5
- rotation-tunneling transitions 14, 617, 634
- slow 671f.
- splitting 9f., 15ff., 21, 23ff., 27f., 35, 37, 44, 48f., 254, 264, 267, 279, 283, 327, 652, 679, 813ff., 909, 914, 920, 926f.
- damping 15ff., 21
- multidimensional tunneling splitting 9
- zero-point (ZP) 5, 12ff., 19, 21, 24, 27f., 48, 79
- tunneling, vibrationally enhanced (VET) 1195
- TURBOMOLE 288ff.
- turkey ovalbumin third domain protein 1364
- turn-over rates 1243
- two-mode linear model 274
- two-dimension lattice gas behavior 761
- two-state model 795
- tyrosine (Tyr, Y) 538ff., 553f., 1015, 1118, 1126f., 1143ff., 1151, 1352ff.
- oxidation 492, 496, 543
- TZ2P calculation 249

u

- Ubbelohde effect 277f.
- ultrafast optical Kerr effects spectroscopy 235
- ultrafast transient lens measurements (UTL) 239f.
- ultrasonic loss 789
- unpaired electrons 107, 109
- α,β -, β,γ -unsaturated 3-oxo-steroids 1125
- uridine 3'-2,2,2-trichloroethylphosphate 1087
- uridyl esters 986
- UV photoemission (UPS) 776ff.
- UV pulse 354
- UV spectroscopy 14f., 38f., (80)
- UV/vis 443, 447ff., 689, 1112

v

- valence bond (VB) 308f., 343, 583, 587, 595
 - empirical (MS-EVB) 724, 1177, 1264
 - model, four-state 480ff.
- valence bond, empirical (EVB) 1171ff., 1185ff., 1195
- valence bond, multistate 1264
- valine (Val) 1026, 1029, 1156, 1218, 1222
- vanadium 761, 788, 794, 798f., 800ff., 805ff., 805ff., 814, 821ff.
- van-der-Waals forces 751, 778
- van-der-Waals potential function 1175
- van-der-Waals radii 1520
- VASP *see* Vienna ab initio simulation program
- variational transition state theory (VTST) 833ff., 858, 869, 1303, 1342ff.
- ensemble-averaged VTST with static secondary zone (EA-VTST-SSZ) 861, 865ff.
- ensemble-averaged VTST with equilibrium static secondary zone (EA-VTST-ESZ) 861
- equilibrium solvation path (ESP-VTST) 861, 864f., 867f.
- nonequilibrium solvation path (NESP-VTST) 861, 864, 867f.
- VCI *see* virtual configuration interaction
- vehicle mechanism 717, 726
- vehicular diffusion 718
- ventricular myocyte cells 1508
- vibration 8, 137, 554
 - aromatic ring 41
 - bending 21, 64, 71, 140f., 289ff., 371f., 688, 845, 878, 1370
 - SiOH 695
 - cyclic 281
 - C=O 1370, 1407ff.
 - coherently excited 359, 371
 - coupling 1216, 1232
 - stretch-stretch 1289
- vibration, H atom 787
 - in-plane 8, 364, 372, 609
 - librational 233, 514, 616, 620
 - out-of-plane 8, 19, 21, 24, 27, 469, 609
- vibration, promoting 1209, 1213ff., 1217ff., 1230ff., 1347, 1209, 1213ff., 1217ff., 1230ff., 1314
- rotation-contortion-vibration electronic states 4
- skeletal 17, 24ff., 362, 472
- stretching 61ff., 66ff., 94, 98, 140f., 144ff., 156, 460, 610, 849f., 878, 1246
- antisymmetric 1409
 - COO[−] 1409

- asymmetric 277, 284, 289f., 609, 917
 - 3-atom N-H O 536
 - C–C 367
 - C=C 1403
 - CD 565, 1257
 - CH 12f., 19f., 565, 854f., 859, 888, 918, 1180
 - C–N 1370
 - C=O 45ff., 284, 363f., 450, 453, 462, 471ff., 555, 918, 1395, 1403
 - H–H 755, 845f.
 - H–Cl 854
 - M–H 608
 - NH 248, 254, 258, 267, 471, 555, 720, 1355, 1370
 - OD 453, 463ff., 466ff., 475
 - OH 8, 12f., 17, 19f., 23ff., 27f., 41, 45f., 56, 71f., 74, 79, 88, 280ff., 289f., 364, 367, 459ff., 466ff., 474f., 539, 555, 688, 695, 743ff., 777f., 919f., 926
 - O H O 284ff., 289f.
 - O O 12, 21, 23, 27, 70, 74, 280ff.
 - strong coupling 275ff., 296
 - torsion 19
 - twisting 16, 226
 - wagging 16, 469
 - vibrational calculation 59f.
 - vibrational frequencies 13, 16, 19, 42, 45f., 61ff., 98, 329
 - vibrational loss spectroscopy 768
 - vibrational marker 449
 - vibrational modes 55f., 74, 360, 447ff., 460, 476, 812, 837, 844, 848, 854ff., 1195
 - vibrational polarization 464
 - vibrational relaxation 39, 223, 459, 475
 - vibrational-rotational energy 839
 - vibrational-rotational transitions 35, 37
 - vibrational self-consistent field (VSCF) 7f., 71f.
 - vibrational spectroscopy 12, 41, 45, 53ff., 61ff., 75, 287, 812, 1397, 1407
 - vibrational splitting 8
 - vibrational states 768
 - anharmonicity 5, 7f., 10f., 20, 55, 68, 70, 460
 - harmonicity 10f., 70f., 75
 - quasiharmonicity 24f.
 - specific doublets 14, 17
 - vibrational structures 3
 - vibrational transitions 447
 - vibrationally adiabatic zero-curvature approximation 841
 - vibronic
 - absorption spectrum 14
 - state 1179f.
 - surface 490
 - transitions 253ff.
 - Vienna ab initio simulation program 286f.
 - viral capsids 1378
 - virtual configuration interaction (VCI) 69, 71ff.
 - vitamin B₁ 1419
 - vitamin B₁₂ 1473
 - vitamin E 1014
 - volatile hydrides 761
 - VSCF *see* vibrational self-consistent field
 - VTST, potential-of-mean-force (PMF-VTST) 861f., 864f.
 - based on a single-reaction-coordinate (SRC-PMF-VTST) 861
 - VTST, quantum mechanical effects 835ff., 840ff.
 - VTST, separable equilibrium solvation (SES-VTST) 861f., 864f., 867f.
 - VTZ 72, 288ff.
- W**
- Wasserstoff-Brücken-Bindung 751
 - water 226ff., 230ff., 237, 311, 314ff., 377, 386, 395, 399f., 406f., 427ff., 443f., 446, 689ff., 723ff., 955ff., 967, 1116ff., 1192, 1502ff.
 - absorption 711
 - activation 1459ff.
 - and DNA bases 932f.
 - autodissociation 597
 - biological 233, 240, 435, 1219
 - bridges 453ff., 598
 - channel, hard wired 550
 - clusters 694ff., 718
 - coordination 718
 - cyclic hexamer 780
 - diffusion 724
 - dimer 689
 - immobilization 1503
 - interactions with proteins 232
 - dynamic equilibrium 233
 - magnetization transfer experiments 1365f.
 - migration 739
 - Mn-bound 551
 - nucleophile 977f., 993f.
 - on metal 775, 778ff.
 - ordering 1501
 - ortho-/para 679
 - solvent 962

- tetramer 689
- trimer 689, 697ff., 939f.
- Watson-Crick base pairs 525ff.
- wave function 36, 83ff., 92ff., 307, 309, 317, 329, 481ff., 639ff., 656, 679, 812f., 1174, 1257ff., 1313
- harmonic 275f.
- overlap 1261, 1263
- vibrational 493, 499, 1442
- wave packet 223, 238, 240, 349
- dynamics 370
 - low-frequency 463, 474
- motion
 - ballistic 357ff., 363
 - coherent 371, 468f.
- oscillating 359
- wave particle duality of matter 1256
- well 139, 408, 813
- frequency 316
- Wenzel, Kramers, Brillouin (WKB)
 - approximation 34, 146, 653, 837, 845ff., 1486
- Westheimer-effect 146
- Westheimer and Melander (W-M) 304, 323f., 326, 565
- Wigner tunneling correction 833, 844ff., 853

x

- Xanthene 516ff.
- Xanthobacter autotrophicus* 1464
- X-ray crystallography 202, 969, 1325, 1387, 1398, 1424, 1435, 1439, 1443, 1447
- X-ray diffraction 65, 142, 273, 280, 288f., 435, 605
- X-ray photoelectron spectroscopy (XPS) 776, 782
- X-ray structure 236, 239, 248, 252, 598, 628, 730, 937, 1120, 1127, 1192, 1279, 1374, 1381ff.
- m-xylene 689
- D-xylulose 5-phosphate 1165

y

- YC₆H₄CH=CF₂ 571
- yttrium 805ff., 821

z

- Zassenhaus expansion 1212
- zeolites 223f., 240, 685ff., 691ff., 700ff.
 - acidic catalysts 685ff.
 - chabasite H-CHA, CHA 686, 690ff., 696ff.
 - FER 692ff.
 - H-FAU, FAU 686, 690f., 700ff.
 - H-MFI (H-ZSM-5), MFI 685f., 692, 701ff.
 - H-SSZ-13 697ff.
 - MOR 690f., 704
 - quantum mechanical studies 690
 - sodalite (SOD) 691ff.
 - TON 692
 - Z-ZSM-5 692, 695, 599
- unit cell 692
- zero-curvature tunneling (ZCT) 842f.
- zero-point 60, 71
 - energies 136, 143ff., 258, 305f., 309ff., 315ff., 321ff., 340, 511, 536f., 565, 599, 842, 845f., 878, 896, 907, 918, 1060, 1187, 1245ff., 1274, 1291, 1296, 1315, 1325 (ZPE)
 - excited state 1318
 - ground state 1318
 - splitting 918, 939
 - vibration 275
 - vibrational (EXC) 1288
- zinc 810, 936ff., 1067
 - in enzymes 968
 - Zn²⁺ 597, 968, 1188, 1217, 1341, 1397
- ZP *see* zero-point
- zirconium 761, 798ff., 805ff., 810f.
- Zundel ion *see* H₅O₂⁺ ion
- Zundel mechanism 1506
- Zwanzig approach 1210, 1213
- Zymomonas mobilis* 1422, 1428ff.

