

SUBJECT INDEX

- Acetalization:
 (2-hydroxy-5-methoxyphenyl)-diphenyl-
 methanol, 248
 indium(III) triflate, 258
- Acetals, 197
- Acetic anhydride, 1
- Acetylacetonato(1,5-cyclooctadiene)rhodium(I),
 1
- Acetylacetonato(dicarbonyl)rhodium(I), 1–2
- Acetyl chloride, 2
- Acyl bromides, 205
- Acylation:
 Friedel–Crafts, 6, 81
 molybdenum hexacarbonyl, 290
 pentafluoroanilinium triflate, 351
 zinc oxide, 484
- C-Acylation:
 magnesium bromide etherate, 283
 samarium(III) chloride, 403
- Acyloin condensation, 8–9
- α -Acyloxylation, 369–370
- Addition reactions:
 anti-Markovnikov, 191–192, 312
 1,1'-binaphthalene-2,2'-diol and
 analogues, 19
 1,1'-binaphthalene-2,2'-diol – titanium
 complexes, 20–21
 1,1'-binaphthalene-2,2'-diyl phosphates and
 3,3'-diaryl analogues, 30–31
 bis(1,5-cyclooctadiene)rhodium(I) salts, 58
 bis[(1,5-cyclooctadiene)hydroxyrhodium],
 49–50
 bis[chloro(1,5-cyclooctadiene)iridium(I)],
 40–41
 bis[chloro(1,5-cyclooctadiene)rhodium(I)], 43
 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl
 and analogues – copper complexes, 66
 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl
 and analogues – rhodium complexes,
 68–69
 bis(η^3 -allyl)dichloropalladium, 37
 bis(naphtho[2,1-c]azepines, 76–77
 bismuth(III) triflate, 74
 boron trifluoride etherate, 80
 butyllithium, 89
 cerium(IV) ammonium nitrate, 98
 chromium(II) chloride, 169
 cichona alkaloid derivatives, 171–172
 copper(I) chloride, 180
 copper(I) complexes, 25
 copper(I) iodide, 186
 copper(I) triflate, 188–189
 copper(II) triflate, 190–191
 dilauroyl peroxide, 201
 gold(I) chloride-1,3-bis(2,6-diisopropylphenyl)
 imidazol-2-ylidene/silver salts, 212
 indium(III) bromide, 255
 Grignard reagents, 228–230
 Grignard reagents/chromium(II) salts, 232
 Grignard reagents/copper salts, 233–234
 Grignard reagents/iron salts, 235
 hydrosilanes, 247
 indium, 252–253
 iridium complexes, 264–265
 iron(III) chloride, 269
 nickel(II) acetylacetonate, 294
 organoaluminum reagents, 299
 organocopper reagents, 301–302
 organolithium reagents, 305
 organozinc reagents, 308
 oxygen, 312
 palladium(II) acetate – tertiary phosphine, 337
 phenyliodine(III) bis(trifluoroacetate),
 352–353
 platinum and complexes, 359
 platinum(II) acetylacetonate, 360
 platinum(II) chloride, 360–361
 platinum(II) chloride – silver salts, 365
 (S)-proline derivatives, 378
 samarium(II) iodide, 403

- Addition reactions (*Continued*)
 tetrakis(triphenylphosphine)platinum(0), 434
 trifluoromethanesulfonic anhydride, 450
 tris(dibenzylideneacetone)dipalladium, 466
 zirconocene dichloride, 488–489
- Additive aldol reaction, 283–284
- Alcoholysis:
 mandelic acid, 285
 samarium(II) iodide, 403
- Aldehydes, 22–23
- Aldol reactions:
 aminocarbenes, 8
 barium alkoxides, 13
 1,1'-binaphthalene-2,2'-diamine
 derivatives, 14–15
 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl
 and analogues – platinum
 complexes, 68
 bis(naphtho[2,1-c])azepines, 75
 cobalt(II) acetylacetonate, 174
 1,8-diazabicyclo[5.4.0]undec-7-ene, 193
 hydrosilanes, 247
 potassium *t*-butoxide, 367–368
 (*S*)-proline, 370–372
 (*S*)-proline amides, 373–374
 (*S*)-proline derivatives, 375–376
 (*S*)-(2-pyrrolidinyl)methylamines, 381
 titanocene dichloride–manganese, 441
 trifluoromethanesulfonic imide, 452
- Alkenylation:
 Friedel–Crafts, 207, 254
 indium(III) triflate, 258–259
 lithium hexamethyldisilazide, 279
 palladium(II) acetate – tertiary phosphine,
 333–334
 tris(dibenzylideneacetone)dipalladium,
 463–464
- Alkenylsilanes:
 organolithium reagents, 303
 tris(trimethylsilyl)silane, 469
- Alkenylzinc reagents, 307–308
- Alkylaluminum chlorides, 3
- Alkylation:
 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl
 and analogues – palladium
 complexes, 67
 Friedel–Crafts, 256, 268
 indium(III) bromide, 254
 palladium(II) chloride, 342
 phase-transfer catalysts, 352
 ruthenium(III) chloride, 401
 tetrabutylammonium fluoride, 422
 trifluoromethanesulfonic acid, 450
- Alkyl azides, 442
- Alkylidenation, 284
- S*-Alkylisothiuronium salts, 3
- Alkyne metathesis, 470
- Alkynylation:
 acetalacetato(dicarbonyl)rhodium(I), 1
 silver fluoride, 411
- Allenylidenecyclopropanes, 276
- Allylation:
 η^3 -allyl(1,5-cyclooctadiene)palladium
 tetrafluoroborate, 3–4
 1,1'-binaphthalene-2,2'-diol – iridium
 complexes, 20
 indium(III) bromide, 254
 indium(I) iodide, 257–258
 indium(III) triflate, 258–259
 iron(III) tosylate, 270
 palladacycles, 315–316
 palladium complexes, 28
 platinum and complexes, 359
 triruthenium dodecacarbonyl, 460
 tris(dibenzylideneacetone)dipalladium,
 465–466
 ytterbium(III) triflate, 477
 zirconyl chloride, 490
- η^3 -Allyl(1,5-cyclooctadiene)palladium
 tetrafluoroborate, 3–4
- η^3 -Allyl(cyclopentadienyl)palladium, 4
- η^3 -Allyldichloro(triphenylphosphine)-
 palladium, 5
- Allylic amination, 324–325
- Allylic oxidation, 310
- Allylic substitutions:
 chiral auxiliaries and catalysts, 108–112
 iridium complexes, 25–26
 organozinc reagents, 308
 palladium(II) acetate – tertiary phosphine,
 335–336
 tetrabutylammonium tricarboxyl(nitroso)-
 ferrate, 423
 titanocene dichloride–zinc, 441
 tris(dibenzylideneacetone)dipalladium–
 chloroform, 467
- Allystannanes, 5–6
- Aluminum bromide, 6
- Aluminum chloride, 6–7
- Aluminum dimethylamide, 7

- Aluminum iminoxides, 299
 Aluminum iodide, 7
 Aluminum triflate, 8
 Aluminum tris(2,6-diphenylphenoxide), 7–8
 Amidation, 79
 Amide formation:
 arylboronic acids, 11
 benzensulfonic anhydride, 13
 fluorous reagents and ligands, 207
 lithium aluminum hydride – selenium, 274
 rhodium hydroxide/alumina, 390
 tetrabenzyl pyrophosphate, 421
 Amides:
 potassium monoperoxysulfate, 368
 titanium(IV) chloride–magnesium, 438–439
 p-toluenesulfonyl isocyanate, 442
 Amide synthesis:
 borane sulfides, 79
 3-pyridinecarboxylic anhydride, 380
 3-pyridinesulfonyl chloride, 380
 Amidine synthesis, 185
 Amido carbenoids, 482
 β-Amido ketones, 483
 Amination, 85, 264
 Amines:
 alcohols, butyllithium – (–)-sparteine, 89–90
 oxidation of, 357
 β-Amino alcohols:
 erbium(III) triflate, 205
 indium(III) triflate, 258
 I-Amino-2-alkanols, methanesulfonic acid, 288
 Aminoalkylation:
 barium alkoxides, 13
 tantalum(V) diethylamide, 421
 Aminocarbenes, 8–10
 Aminocarbonylation:
 nickel(II) acetate, 293
 tetrakis(triphenylphosphine)palladium(0), 433
 Amino group protection, 203
 Aminohydroxylation:
 1,1'-binaphthalene-2,2'-diyl phosphites, 33
 potassium osmate, 369
 I-Aminoindolizines, 418–419
 Aminolysis:
 1,1'-binaphthalene-2,2'-diol – niobium
 complexes, 20
 lithium triflimide, 281
 Annulation:
 bis[(1,5-cyclooctadiene)hydroxyiridium],
 48–49
 bis[dichloro(pentamethylcyclopentadienyl)-
 iridium(II)], 65
 bis[dichloro(pentamethylcyclopentadienyl)-
 rhodium(II)], 66
 Antimony(V) chloride, 10
 Aromatization:
 aluminum chloride, 7
 tin(IV) chloride, 436
 Arylation:
 bis(η⁶-arene)dichlororuthenium(II), 39
 bis[chloro(1,5-cyclooctadiene)rhodium(I)], 45
 bis(dibenzylideneacetone)palladium(0), 60
 iron(III) chloride, 267
 palladium(II) acetate – tertiary phosphine,
 333–334
 palladium(II) chloride – tertiary phosphine,
 346–347
 tris(dibenzylideneacetone)dipalladium, 463–464
 Arylboronic acids, 11
 2-Arylethanols, 303
 Aryl ketones and esters, 322
 Aryl sulfides, 176
 Aryl tetraflates, 425
 Aryltrialkoxysilanes, 1
 Aryne generation, 100–101
 Asymmetric hydrogenation, 71–72
 Asymmetric Michael reactions, 371
 Aza-Baylis-Hillman reaction, chiral auxiliaries
 and catalysts, 129
 Aza-Claisen rearrangement, gold(I) triflimide-
 triarylphosphine complex, 227
 Aza-Henry reaction, cinchona alkaloid
 derivatives, 170
 Aza-Nazarov coupling, trifluoromethanesulfonic
 acid (triflic acid), 449
 Aza-transfer, 84
 Aza-Wittig reaction triphenylphosphine, 458
 Azides:
 bis(2-methoxyethyl)aminosulfur trifluoride,
 Deoxo-Fluor, 73–74
 trimethylsilyl azide, 452–453
 Aziridination:
 difluoro(4-trifluoromethylphenyl)bromane, 199
 S,S-diphenyl-*N*-(*o*-nitrobenzenesulfonyl)-
 N'-tosylsulfodiimide, 204
 hydroxylamine diphenylphosphinate, 247
 Azobisisobutyronitrile, 11
 Baeyer–Villiger oxidation, 183
 Barbier reaction, 251–252

- Barium alkoxides, 13
 Barium hydride, 13
 Bayliss–Hillman reaction:
 aluminum iodide, 7
 aminocarbenes, 8
 1,1'-binaphthalene-2-amine-2'-phosphines, 14
 bismuth(III) triflate, 74
 cerium(IV) ammonium nitrate, 98
 Grignard reagents/copper salts, 233
 palladium(II) acetate-phase-transfer catalyst, 327
 titanocene dichloride-zinc, 441
 Beckmann rearrangement:
 triposphazene, 460
 zinc chloride, 483
 Benzenesulfonic anhydride, 14
 1-Benzhydrylamino-2-alkenes, 32
 Benzhydryl ethers:
 diphenyldiazomethane, 203
 palladium(II) chloride, 342
 Benzothiazoles, 74
 O-Benzylation, 13
 Benzyl *N*-phenyl-2,2,2-trifluoroacetimidate, 13
 Benzyne generation, 424
 Biaryls:
 cobalt(II) bromide, 175
 tetrachloroauric acid, 425
 Bicyclization, 388
 Biginelli reactions, (*S*)-proline amides, 374
 BINAMINE, 15–17
 BINAP:
 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – gold complexes, 66
 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – iridium complexes, 67
 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – rhodium complexes, 68–69
 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – ruthenium complexes, 71
 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – silver complexes, 72
 bis(naphtho[1,2-*c*])azepine, 76
 1,1'-Binaphthalene-2-amine-2'-phosphines, 13
 1,1'-Binaphthalene-2-diarylphosphines, 34
 1,1'-Binaphthalene-2,2'-bis(*p*-toluene sulfoxide), 14
 1,1'-Binaphthalene-2,2'-diamine derivatives, 14–15
 1,1'-Binaphthalene-2,2'-dicarboxylic acids, 18
 1,1'-Binaphthalene-2,2'-diol complexes:
 copper, 19
 iridium, 20
 magnesium, 20
 niobium, 20
 titanium, 20–21
 vanadium, 20–21
 1,1'-Binaphthalene-2,2'-diol ethers, 23
 1,1'-Binaphthalene-2,2'-diol (modified) complexes:
 hafnium, 19
 zirconium, 23
 zinc, 22–23
 1,1'-Binaphthalene-2,2'-diyl
 N-alkylaminophosphites, 24
 1,1'-Binaphthalene-2,2'-diyl phosphates and 3,3'-diaryl analogues, 29–32
 1,1'-Binaphthalene-2,2'-diyl phosphites, 33
 BINOL, 18–22, 27–30, 33, 132
 Bis(acetonitrile)dichloropalladium(II), 34–36
 Bis(η^3 -allyl)dichloropalladium, 37–38
 Bis(η^6 -arene)dichlororuthenium(II), 39
 Bis(benzonitrile)dichloropalladium(II), 39–40
 Bis[bromotricarbonyl(tetrahydrofuran)rhenium], 40
 Bis[chloro(1,5-cyclooctadiene)iridium(I)], 40–42
 Bis[chloro(1,5-cyclooctadiene)rhodium(I)], 43–45
 Bis[chloro(dicyclooctene)rhodium(I)], 46–47
 Bis[chloro(diethene)rhodium(I)], 47
 Bis[chloro(norbornadiene)rhodium(I)], 47–48
 Bis[chloro(pentamethylcyclopentadienyl)-methylthioruthenium] triflate, 48
 Bis[(1,5-cyclooctadiene)hydroxyiridium], 48–49
 Bis[(1,5-cyclooctadiene)hydroxyrhodium], 49–50
 Bis[(1,5-cyclooctadiene)methoxyiridium(I)], 51
 Bis(1,5-cyclooctadiene)nickel(0), 51–57
 Bis(1,5-cyclooctadiene)rhodium(I) salts, 57–59
 Bis(dibenzylideneacetone)palladium(0), 60–61
 Bis(dicarbonylchlororhodium(I)), 61–64
 Bis(dicarbonyl(cyclopentadienyl)iron), 64

- Bis[dichloro(1,5-cyclooctadiene)hydridoiridium(II)], 64
 Bis[dichloro(*p*-cymene)ruthenium(II)], 64
 Bis[dichloro(pentamethylcyclopentadienyl)-iridium(II)], 64–65
 Bis[dichloro(pentamethylcyclopentadienyl)-rhodium(II)], 66
 [Bis(*o*-diphenylphosphinobenzylidene)-ethanediamine]dichlororuthenium(II), 72–73
 2,2'-Bis(diphenylphosphino)-1,1'-binaphthyl and analogues:
 copper complexes, 66
 gold complexes, 66–67
 iridium complexes, 67
 palladium complexes, 67–68
 platinum complexes, 68
 rhodium complexes, 68–70
 ruthenium complexes, 71–72
 silver complexes, 72
 Bis(ethene)trispyrazolylboratoruthenium, 73
 Bis(iodozincio)methane, 73
 Bis(2-methoxyethyl)aminosulfur trifluoride, 73–74
 Bis(4-methoxyphenyl)-1,3-dithia-2,4-diphosphetane-2,4-disulfide, 74
 Bismuth(III) sulfate, 74
 Bismuth(III) triflate, 74–75
 Bis(naphtho[2,1-*c*])azepines, 75–77
 Bis(naphtho[2,1-*c*])phosphepins, 77
 Bis(pentafluorophenyl)[43-dimesitylphosphino-2,3,5,6-tetrafluorophenyl]borane, 78
 1,1':3,3'-Bispropanediyl-2,2'-diimidazolyldiene, 78
 Bis(trialkylphosphine)palladium, 78–79
 Bond insertion, rhodium(II) carboxylates, 386–388
 Borane sulfides, 79
 Boric acid, 79
 Boron tribromide, 79
 Boron trifluoride etherate, 80–83
 Borylation:
 η^3 -allyldichloro(triphenylphosphine)-palladium, 5
 bis[chloro(1,5-cyclooctadiene)iridium(I)], 41–42
 bis[(1,5-cyclooctadiene) methoxyiridium(I)], 51
 BOX ligands, 119–120, 127, 131, 140, 154, 156, 159
N-bromosuccinimide, NBS, 85
 Bromination, 485
 Bromine, 84
 Bromodesilylation, 85
 Bromopentacarbonylmanganese, 84
 Brook rearrangement, 89, 275, 278, 305, 456
 Burgess reagent, 205
t-Butanesulfinamide, 85
t-Butyl carbamates, 419
t-Butyl hydroperoxide, 86
t-Butyl hydroperoxide – metal salts, 86–87
 Butyllithium, 88–89
 Butyllithium – (–)-sparteine, 89–90
s-Butyllithium, 90–91
t-Butyllithium, 91–92
 Calcium bis(hexamethyldisilazide), 95
 Carbamates:
 di-*t*-butyl dicarbonate, 194
 potassium fluoride, 368
 Carbamoylation:
 cobalt–rhodium, 174
 trialkylboranes, 443
 Carbamoyl azides, 204
 Carbenoid insertion, 39
 Carbimination, 7
 Carboboration, 4
 Carbocyclization, 254–255
 Carbodiimide formation, 64
 Carbon=carbon bond:
 cleavage, 262
 reduction, 146–149
 Carbon=hydrogen bond:
 functionalization, phenyliodine(III) diacetate–copper salts, 356–357
 insertion, 358
 Carbon=nitrogen bond:
 addition, 123–129
 bond reduction, 153
 Carbon=oxygen bond:
 addition, 112–123, 256
 bis(1,5-cyclooctadiene)nickel(0), 51–52
 cleavage, 429–430
 reduction, 150–152
 Carbonylation:
 bis[chloro(1,5-cyclooctadiene)rhodium(I)], 44–45
 palladium(II) acetate – tertiary phosphine – carbon monoxide, 338–339
 tetrachloroauric acid, 425

Carbonylation (*Continued*)

- meso*-tetrakis(4-chlorophenylporphyrinato)-aluminum tetracarbonylcobaltate, 425–426
- tributyltin hydride-2,2'-azobis(isobutyronitrile), 446
- triphenylsilyl tetracarbonylcobaltate, 460
- tris(dibenzylideneacetone)dipalladium, 466
- Carbonylative coupling, 418
- Carbonyl(chloro)hydridobis(tricyclohexylphosphine) ruthenium, 95
- Carbonyl(chloro)hydridotris(triphenylphosphine) rhodium, 95–96
- Carbonyldihydridotris(triphenylphosphine) ruthenium, 96
- Carboxamides:
 - t*-butyl hydroperoxide, 86
 - lanthanum tris(hexamethyldisilazide), 271
- Carboxylation, 339
- Carboxyl protection, 297
- Catalysis, 120
- Cerium(III) chloride, 99
- Cerium(IV) ammonium nitrate, 96–99
- Cesium fluoride, 99–101
- Chiral auxiliaries and catalysts:
 - allylic substitutions, 108–112
 - C=C bond reduction, 146–149
 - C=N bond addition, 123–129
 - C=N bond reduction, 153
 - C=O bond addition, 112–123
 - C=O bond reduction, 150–152
 - conjugate additions, 130–134
 - coupling reactions, 157–160
 - cycloadditions, 135–143
 - desymmetrization, 102–105, 154
 - electrophilic substitution, 105–108
 - epoxidation, 144–146
 - hydrogenation, 146–153
 - insertion reactions, 155–157
 - isomerization, 154–155
 - kinetic resolution, 101–102
 - oxidation reactions, 144–146
 - rearrangements, 154–155
- o*-Chloranil, 160–161
- Chlorination, 163
- (*Z*)-Chloroalkenes, 407–408
- 1-Chlorobenzotriazole, 161
- Chloro(1,5-cyclooctadiene)-penta-methylcyclopentadienylruthenium(I), 161–162

- Chloro(cyclopentadienyl)bis-(triphenylphosphine)ruthenium(I), 162
- β -Chlorohydrins, 163
- 1-Chloromethyl-4-fluoro-1,4-diazoniabicyclo[2.2.2]octane bis(tetrafluoroborate), 162
- m*-Chloroperoxybenzoic acid, 163
- Chlorotris(triphenylphosphine)cobalt(I), 163
- Chlorotris(triphenylphosphine)rhodium(I), 164–166
- Chromium – carbene complexes, 166–169
- Chromium(II) chloride, 169
- Cichona alkaloid derivatives, 169–173
- Claisen condensation, 120
- Claisen rearrangement:
 - bis(1,5-cyclooctadiene)rhodium(I) salts, 59
 - boron trifluoride etherate, 81
 - chiral auxiliaries and catalysts, 154–155
 - tin(IV) chloride, 435
- Cleavage:
 - alkenes, 313–314
 - multiple CC bonds, *t*-butyl hydroperoxide – metal salts, 86
 - tetrakis(triphenylphosphine)palladium(0), 429–430
 - 2,2,2-trichloroethyl esters, indium, 253
- Click reactions, 381
- Cobalt, 174
- Cobalt(II) acetylacetonate, 174
- Cobalt(II) bromide, 175
- Cobalt(II) chloride, 175–176
- Cobalt(II) iodide/phosphine – zinc, 176
- Cobalt–rhodium, 174
- Condensation:
 - 1,1'-binaphthalene-2,2'-diyl phosphates and 3,3'-diaryl analogues, 31–32
 - bis[(1,5-cyclooctadiene)-methoxyiridium(I)], 51
 - hexabutylidit, 241
 - lithium diisopropylamide, 275–276
 - organogallium reagents, 302–303
 - piperidine, 358–359
 - (*S*)-proline, 371–372
 - (*S*)-proline amides, 374
 - redox, 156
 - trimethylsilyl chloride, 453
 - ytterbium(III) triflate, 477, 479
 - zeolites, 481
- Conjugate additions:
 - 1,1'-binaphthalene-2,2'-diamine derivatives, 15

- chiral auxiliaries and catalysts, 130–134
 trifluoromethanesulfonic anhydride, 450
- Copper, 176–177
- Copper(I) bromide, 178–179
- Copper(I) chloride, 180
- Copper(I) cyanide, 181
- Copper(I) iodide, 183–186
- Copper(I) oxide, 187
- Copper(I) 2-thienylcarboxynate, 188
- Copper(I) triflate, 188–189
- Copper(II) acetate, 177–178
- Copper(II) bis(hexafluoroacetylacetonate), 178
- Copper(II) bromide, 179
- Copper(II) chloride, 181
- Copper(II) 2-ethylhexanoate, 182
- Copper(II) hexafluoroacetylacetonate, 182
- Copper(II) nitrate, 187
- Copper(II) oxide, 187
- Copper(II) triflate, 189–191
- Copper(II) trifluoroacetate, 191
- Corey–Chaykovsky reaction, diphenyliodonium trifluoroacetate, 202–203
- Coumarin synthesis, 350
- Coupling reactions:
- acetalacetato(dicarbonyl)rhodium(I), 1–2
 - bis(acetonitrile)dichloropalladium(II), 34–35
 - bis(η^3 -allyl)dichloropalladium, 38
 - bis(benzonitrile)dichloropalladium(II), 39
 - bis[chloro(dicyclooctene)rhodium(I)], 46
 - bis[chloro(diethene)rhodium(I)], 47
 - bis[chloro(norbornadiene)rhodium(I)], 47
 - bis(1,5-cyclooctadiene)nickel(0), 54–56
 - bis(1,5-cyclooctadiene)rhodium(I) salts, 59
 - bis(dibenzylideneacetone)palladium(0), 60–61
 - bis[dicarbonylchlororhodium(I)], 61
 - 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – iridium complexes, 67
 - 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – rhodium complexes, 68–70
 - bis(trialkylphosphine)palladium, 78–79
 - bromopentacarbonylmanganese, 84
 - carbonyldihydridotris(triphenylphosphine)-ruthenium, 96
 - chlorotris(triphenylphosphine)cobalt(I), 163
 - cobalt, 174
 - copper, 176–177
 - copper(I) chloride, 180
 - copper(I) iodide, 183–185
 - copper(I) 2-thienylcarboxynate, 188
 - copper(II) acetate, 177
 - N,N*-diisopropylaminoborane, 200
 - Grignard reagents/cobalt(II) salts, 232
 - Grignard reagents/copper salts, 234
 - Grignard reagents/iron salts, 234–235
 - Grignard reagents/manganese salts, 236
 - Grignard reagents/palladium complexes, 237
 - Grignard reagents/silver salts, 238
 - nickel chloride, 295–296
 - nickel iodide, 296
 - nickel(II) acetylacetonate, 294
 - palladacycles, 315
 - palladium, 316–317
 - palladium carbene complexes, 342
 - palladium/carbon, 318
 - palladium(II) acetate, 318–320
 - palladium(II) acetate – copper salts, 323–324
 - palladium(II) acetate – imidazol-2-ylidene, 322
 - palladium(II) acetate – phase-transfer catalyst, 327
 - palladium(II) acetate – silver salts, 328
 - palladium(II) acetate – tertiary phosphine, 328–333
 - palladium(II) acetylacetonate, 339
 - palladium(II) bis(trifluoroacetate), 340–341
 - palladium(II) chloride, 342–343
 - palladium(II) chloride – metal salts, 344–345
 - palladium(II) chloride – tertiary phosphine, 347–348
 - palladium(II) iodide, 350
 - ruthenium(III) chloride, 401
 - samarium, 403
 - tetrakis(triphenylphosphine)nickel(0), 426
 - tetrakis(triphenylphosphine)palladium(0), 426–428
 - tris(dibenzylideneacetone)dipalladium, 464
 - tris(dibenzylideneacetone)dipalladium – chloroform, 468
 - via C(sp³)-H activation, 334–335
- C-radicals, 195, 447
- Cross-coupling:
- cobalt(II) chloride, 175–176
 - (1,3,5-cyclooctatriene)bis(dimethyl fumarate)ruthenium, 192
- Cross-metathesis reactions, 395–397
- Cupration, 302
- Curtius rearrangement, 319
- Cyanation reactions, 454
- Cyanomethylation, 452

Cyanosilylation, 453

Cyclizations:

- 1,1'-binaphthalene-2,2'-diyl phosphates and 3,3'-diaryl analogues, 30–31
- bis(1,5-cyclooctadiene)rhodium(I) salts, 59
- bis[dichloro(*p*-cymene)ruthenium(II)], 64
- bismuth(III) triflate, 74–75
- boron trifluoride etherate, 81
- copper(II) 2-ethylhexanoate, 182
- copper(II) hexafluoroacetylacetonate, 182
- dichloro(pyridin-2-yl-carboxylato) gold(III), 197
- fluorosulfuric acid – antimony(V) fluoride, 207
- gold(I) chloride – tertiary phosphine/silver hexafluoroantimonate-acetonitrile complex, 222
- gold(III) chloride, 223
- gold(III) chloride – silver triflate, 224–225
- hydrogen fluoride – antimony(V) fluoride, 243
- hydroxy(tosyloxy)iodobenzene, 248
- indium(III) triflimide, 260
- iron(III) chloride, 268
- lanthanum tris(hexamethyldisilazide), 272
- methanesulfonic acid, 288
- nickel(II) acetylacetonate–diorganozinc, 294
- gold(I) chloride – tertiary phosphine/silver salts, 213–220
- organoindium reagents, 303
- palladium(II) acetate, 321
- palladium(II) acetate – copper salts, 322
- platinum(II) chloride, 361–363
- silver(I) oxide, 413–414
- tetrakis(triphenylphosphine)palladium(0), 430–433
- tin(IV) chloride, 436
- titanium(IV) chloride, 437–438
- titanium(IV) chloride–zinc, 439
- titanocene dichloride–zinc, 441
- tributyltin hydride-2,2'-azobis(isobutyronitrile), 445–446
- tricarbonyl(cyclopentadienyl)-hydridochromium, 447
- trifluoromethanesulfonic acid, 449–450
- triphenylphosphine, 457–458
- tris(acetonitrile)cyclopentadienylruthenium(I) hexafluorophosphate, 461
- tungsten hexacarbonyl, 470–471
- zinc iodide, 484

[2+2+2]Cycloaddition, 390

Cycloadditions:

- η^3 -allyl(cyclopentadienyl)palladium, 4
- 1,1'-binaphthalene-2,2'-diol – titanium complexes, 21
- 1,1'-binaphthalene-2,2'-diyl *N*-alkylamino-phosphites, 24
- bis[bromotricarbonyl(tetrahydrofuran)-rhenium], 40
- bis[chloro(norbornadiene)rhodium(I)], 48
- bis(1,5-cyclooctadiene)nickel(0), 56–57
- bis(1,5-cyclooctadiene)rhodium(I) salts, 59
- bis[dicarbonylchlororhodium(I)], 62–63
- 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – rhodium complexes, 69
- bromopentacarbonylmanganese, 84
- chiral auxiliaries and catalysts, 135–143
- chloro(1,5-cyclooctadiene) pentamethylcyclopentadienyl-ruthenium(I), 161–162
- chloro(cyclopentadienyl)bis-(triphenylphosphine)ruthenium(I), 162
- chlorotris(triphenylphosphine) rhodium(I), 165
- chromium – carbene complexes, 166–169
- cichona alkaloid derivatives, 172–173
- cobalt–rhodium, 174
- cobalt(II) iodide/phosphine – zinc, 176
- copper(I) chloride, 180
- copper(I) cyanide, 181
- copper(I) triflate, 188–189
- copper(II) triflate, 190–191
- copper(II) trifluoroacetate, 191
- dichloro(diethene)rhodium, 196
- dichloro(norbornadiene)bis(triphenylphosphine) ruthenium(II), 197
- gold(I) chloride-1,3-bis(2,6-diisopropylphenyl) imidazol-2-ylidene/silver salts, 212
- gold(I) triflimide – azolocarbene, 226
- iron(III) chloride, 269
- nickel bromide–zinc, 295
- nickel perchlorate, 296–297
- organoaluminum reagents, 300
- palladium complexes, 27
- platinum(II) chloride, 364
- (*S*)-proline derivatives, 378
- rhodium(II) carboxamides, 385
- scandium(III) triflate, 409

- tetrakis[chloro(pentamethylcyclopentadienyl) ruthenium(I)], 425
- tetrakis(triphenylphosphine)palladium(0), 433
- trialkylphosphines, 444
- trifluoromethanesulfonic anhydride, 450–451
- triphenylphosphine, 457–458
- triphenylphosphine–dialkyl azodicarboxylate, 459
- tris(dibenzylideneacetone)dipalladium, 466
- Cyclocarbonylation:
- Dicobalt octacarbonyl, 198
 - tetracarbonylhydridocobalt, 424–425
 - silver acetate, 411
- Cyclocondensation, 456
- Cyclodehydration, 287
- Cycloelimination, 211
- Cycloisomerization:
- aluminum triflate, 8
 - bis[chloro(1,5-cyclooctadiene)rhodium(I)], 43–44
 - bis[chloro(dicyclooctene)rhodium(I)], 46
 - bis[dicarbonylchlororhodium(I)], 63
 - 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – gold complexes, 66
 - gold(I) chloride – tertiary phosphine, 211
 - gold(III) oxide, 225
 - indium(III) triflate, 259
 - lithium diisopropylamide, 276–277
 - scandium(III) triflate, 410
- (1,3,5-Cyclooctatriene)bis(dimethyl fumarate)-ruthenium, 192
- (1,5-Cyclooctadiene)bismethallylruthenium, 191–192
- (1,5-Cyclooctadiene)platinum(II) triflate, 192
- Cyclopentadienyl(η^6 -naphthalene)ruthenium hexafluorophosphate, 192
- Cyclopentadienylttrium dihydride, 478
- Cyclopentenones, 343
- Cyclopropanation:
- chromium(II) chloride, 169
 - cobalt(II) chloride, 175–176
 - lanthanum, 271
 - lithium hexamethyldisilazide, 280
 - samarium, 403
 - silver hexafluoroantimonate, 412
- Cycloreversion, 81
- Cyclotrimerization, 175
- (*p*-Cymene)(*N*-tosyl-1,2-diphenylethylene-diamine) ruthenium, 192
- Deacetalization:
- sodium tetrakis[3,5-bis(trifluoromethylphenyl)]borate, 319
 - water, 475
- Deacetylation, 267
- Deallylation, 11
- De-*N*-allylation, 390
- Debenzylation, 85
- Decarbonylation, 44–45
- Decarboxylation:
- copper(I) oxide, 187
 - palladium(II) bis(trifluoroacetate), 339
- Decarboxylative coupling, 462
- Deformylation, 368
- Dehydration:
- acetic anhydride, 1
 - trifluoroacetic acid, 448
 - triphenylphosphine–dialkyl azodicarboxylate, 459
- Dehydrochlorination, 351
- Dehydrogenation:
- N*-(*t*-butyl)phenylsulfinimidoyl chloride, 92–93
 - copper(II) bromide, 179
 - oxygen, 310
 - palladium(II) bis(trifluoroacetate), 340
 - platinum and complexes, 359
- De-*N*-methylation, 262
- Deoximation, 195
- Deoxygenation:
- copper(I) iodide, 183
 - magnesium, 283
- Deprotonation:
- butyllithium, 88
 - lithium diisopropylamide, 277–278
 - organomagnesium reagents, 306
- Derbium(III) triflate, 205
- Desilylation, 193
- Dess-Martin periodinane, 193
- De-*N*-tosylation, 439
- 2,6-Diacetylpyridine bis-*N*-(2,6-diisopropylphenyl) imine complex, 266
- Dialkyl fluorophosphates, 368
- 1,4-Diazabicyclo[2.2.2]octane, 193
- 1,8-Diazabicyclo[5.4.0]undec-7-ene, 193–194
- Diazo group transfer, 251
- 3,4-Dibromotetrahydropyrans, 254
- Di-*t*-butyl dicarbonate, 194
- Dibutylodotin hydride, 195

- Dicarbonylhydrido- η^5 -[1,3-bis(trimethylsilyl)-2-hydroxy-4,5,6,7-tetrahydroindenyl]-iron, 195
- Dichloramine T., 195
- Dichlorobis(*p*-cymene)(triphenylphosphine)-ruthenium (II), 196
- 2,3-Dichloro-5,6-dicyano-1,4-benzoquinone, 195–196
- Dichloro(diethene)rhodium, 196
- Dichloro(norbornadiene)bis-(triphenylphosphine)ruthenium(II), 197
- Dichloro(pyridine-2-carboxylato) gold(III), 197
- Dichlorotris(triphenylphosphine)ruthenium(II), 197
- Dicobalt octacarbonyl, 198
- Dicyclohexylboron chloride, 198
- Diels–Alder reactions:
- aluminum chloride, 6
 - arylboronic acids, 11
 - chiral auxiliaries and catalysts, 140–141
 - copper(I) 2-thienylcarboxynate, 188
 - dichlorob(norbornadiene)bis(triphenylphosphine)ruthenium(III), 197
 - fluorous reagents and ligands, 208
 - gallium(III) chloride, 209
 - organoaluminum reagents, 300
 - (*S*)-proline, 372
 - (*S*)-prolinol derivatives, 378
 - ruthenium-carbene complexes, 396
 - scandium(III) triflate, 409
 - tetrabutylammonium fluoride, 422
 - trifluoromethanesulfonic imide, 452
- Di(ethene)trispyrazolylboratoruthenium, 197
- Difluoro(4-trifluoromethylphenyl)bromane, 199
- Dihydroisoquinolines, 415
- Dihydrooxazines, 447
- Dihydropyran formation, 470
- Diiodine pentoxide, 199
- (*Z*)-2,4-Diiodo-2-butenol, 453
- 1,3-Diiodo-5,5-dimethylhydantoin, 199
- Diisobutylaluminum hydride, 199–200
- N,N*-Diisopropylaminoborane, 200
- β -Diketone reactions, 179
- Dilauroyl peroxide, 200–201
- Dimanganese decacarbonyl, 201
- 4-Dimethylaminopyridine, 201
- Dimethyldioxirane, 202
- Dimethylsulfide – halogen, 202
- Dimethylsulfoxonium methyliide, 202–203
- 1,1-Dioxonaphtho[1,2-*b*]thiophene-2-methoxycarbonyl chloride, 203
- Diphenyldiazomethane, 203
- Diphenyliodonium trifluoroacetate, 203
- S,S*-Diphenyl-*N*-(*o*-nitrobenzenesulfonyl)-*N'*-tosylsulfodiimide, 204
- Diphenylphosphonyl azide, 204
- Dipyridyliodonium tetrafluoroborate, 204
- 2,3-Disubstituted succinic esters, 307
- Dithoacetal cleavage, 310
- N,N'*-Ditosylhydrazine, 204
- 1,4-Diynes, 300
- Dötz reaction, chromium-carbene complex, 167
- Double Michael addition, 284
- DuPHOS, 127
- Elimination:
- η^3 -allyl(cyclopentadienyl)palladium, 4
 - bis[chloro(1,5-cyclooctadiene)rhodium(I)], 44
 - butyllithium, 89
 - Grignard reagents/iron salts, 235
 - potassium *t*-butoxide, 367
 - samarium(II) iodide, 403–404
 - sodium borohydride–dimethyl ditelluride, 416
 - tetrabutylammonium fluoride, 422
 - trifluoromethanesulfonic anhydride, 451
- Ene reaction, 122, 461
- Enolsilylation, 447
- Enyne synthesis, 48
- Epoxidation
- 1,1'-binaphthalene-2,2'-diyl phosphates and 3,3'-diaryl analogues, 32
 - t*-butyl hydroperoxide – metal salts, 86–87
 - chiral auxiliaries and catalysts, 144–146
 - dimethyldioxirane, 202
 - hydrogen peroxide, 244
 - hydrogen peroxide – metal catalysts, 245
 - iodosylbenzene, 262
 - manganese(II) triflate, 287
 - potassium monoperoxysulfate, 368
 - (*S*)-proline amides, 375
- Epoxides:
- degradation, sodium periodate, 417
 - triphenylphosphine–dialkyl azodicarboxylate, 458–459
- Esterification:
- 4-dimethylaminopyridine, 201
 - 1-(*p*-toluenesulfonyl)imidazole, 442

- Ether cleavage:
 2,3-dichloro-5,6-dicyano-1,4-benzoquinone, 196
 titanium tetraisopropoxide–magnesium, 440
 Ethyl(carboxysulfamoyl)triethylammonium hydroxide, 205
 Ethyl tribomoacetate, 205
- Ferrier rearrangement, iron(III) sulfate, 270
 Fesulphos ligands, 139
 Fluoroboric acid, 207
 Fluorohydroxylation, 162
 Fluorosulfuric acid – antimony(V) fluoride, 207
 Fluorous reagents and ligands, 207–208
 Formaldehyde, 208
 Formic acid, 208
 Fragmentation:
 hydrogen fluoride, 243
 tributyltin hydride-2,2'-azobis-(isobutyronitrile), 446
 Fragmentative elimination, 451
 Friedel–Crafts acylation:
 aluminum chloride, 6
 indium(III) chloride, 255–256
 Friedel–Crafts alkylation:
 hafnium(IV) chloride, 241
 trifluoromethanesulfonic acid, 450
 zirconium(IV) chloride, 486
 Friedel–Crafts benzylation, 289
 Friedel–Crafts reactions:
 bismuth(III) sulfate, 74
 cerium(IV) ammonium nitrate, 98
 iodine, 260–261
 iron(III) chloride, 267–268
 samarium(III) triflate, 407
 silica gel, 411
 Friedländer reaction, 371
 Furans:
 carbonyldihydridotris(triphenylphosphine)-ruthenium, 96
 zinc chloride, 483
- Gallium(III) chloride, 209
Gem-bishydroperoxides, 99
 Glaser coupling:
 copper, 177
 copper(II) acetate, 177
 Glycosylation:
 gold(III) bromide, 210
 phenylselenium triflate, 358
- Glycosyl fluorides, 204
 Gold, 209–210
 Gold(I) chloride:
 1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene/silver salts, 212–213
 gold(I) chloride – tertiary phosphine, 211
 gold(I) chloride – tertiary phosphine/silver hexafluoroantimonate-acetonitrile complex, 222
 gold(I) chloride – tertiary phosphine/silver salts, 213–221
 Gold(I) cyanide, 225
 Gold(I) triflimide – azolecarbene, 225–226
 Gold(I) triflimide – triarylphosphine complex, 227
 Gold(III) bromide, 210
 Gold(III) chloride, 223–224
 Gold(III) chloride – silver triflate, 224–225
 Gold(III) oxide, 225
 Graphite, 227
 Grignard reagents:
 addition reactions, 20
 cerium(III) chloride, 231
 chromium(II) salts, 232
 cobalt(II) salts, 232
 copper salts, 232–234
 iron salts, 234–235
 manganese salts, 236
 nickel complexes, 236–237
 palladium complexes, 237
 silver salts, 238
 titanium(IV) compounds, 238–239
 zirconium compounds, 240
- Hafnium(IV) chloride, 241
 Halogenation:
 palladium(II) acetate, 321
 tetrabutylammonium iodide, 423
 Halogen/lithium exchange, 280
 α -Haloketones, titanocene dichloride–manganese, 441
 Heck coupling, 317, 319
 Heck reaction:
o-alkenoylaryl triflates, 157
 2,2'-Bis(diphenylphosphino)-1,1'-binaphthyl and analogues – palladium complexes, 67–68
 bis(η^3 -allyl)dichlorodipalladium, 38
 bis(benzonitrile)dichloropalladium(II), 39
 bis(dibenzylideneacetone)palladium(0), 60

Heck reaction (*Continued*)

- cobalt, 174
- 2,3-dihydrofuran, 157
- palladacycles, 315
- palladium(II) acetate, 318–320
- palladium(II) acetate – imidazol-2-ylidene, 322
- palladium(II) acetate – oxidants, 325
- palladium(II) acetate – tertiary phosphine, 329–330, 332
- palladium(II) chloride, 343
- palladium(II) chloride - tertiary phosphine, 347
- ruthenium–carbene complexes, 399
- silica gel, 411
- tetrakis(triphenylphosphine)palladium(0), 428, 432
- tris(dibenzylideneacetone)dipalladium, 464–465

Henry reaction:

- asymmetric, 121
- copper(II) triflate, 190
- palladium(II) hydroxide/carbon, 349
- sodium iodide, 417
- triphenylphosphine, 458

Heter-Diels-Alder reaction:

- 1,1'-binaphthalene-2,2'-diol – magnesium complexes, 20
- tin(IV) chloride, 436

Hetero-Diels-Alder reaction:

- 1,1-binaphthalene-2,2'-diol-titanium complexes, 21
- chiral auxiliaries and catalysts, 140–142
- cinchona alkaloid derivatives, 173

Heterocycle synthesis:

- bis(acetonitrile)dichloropalladium(II), 35–36
- tetrakis(triphenylphosphine)palladium(0), 428–429
- zinc triflate, 485

Heterocyclization, 447–448

Hetero-Ullmann coupling, 183

Hexabutyltin, 241

Hexafluoroacetone, 242

Hexakis[hydrido(triphenylphosphine)copper], 242

Hexamethylenetetramine, 242

Hiyama coupling:

- nickel bromide-zinc, 295
- tris(trimethylsilyl)silane, 469

Hofmann-Löffler-Freytag reaction, 449

Hofmann rearrangement, 368

Homologation:

- dicobalt octacarbonyl, 198
- organozinc reagents, 308–309

Homopropargylic alcohols:

- carbonyl(chloro)hydridotris(triphenylphosphine) rhodium, 95
- titanocene bis(triethyl phosphite), 441
- zirconocene dichloride, 488

Hydration:

- bis[(1,5-cyclooctadiene)methoxyiridium(I)], 51
- cyclopentadienyl(η^6 -naphthalene)ruthenium hexafluorophosphate, 192
- elimination, 287

Hydrazine hydrate, 242

Hydroalkylation, 200

Hydroamination:

- 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – gold complexes, 67
- bis(ethene)trispyrazolylboratoruthenium, 73
- (1,5-cyclooctadiene)bismethallylruthenium, 191–192
- (1,5-cyclooctadiene)platinum (II) triflate, 192
- di(ethene)trispyrazolylboratoruthenium, 197
- silver nitrate, 413
- titanium tetrakis(diethylamide), 440
- zirconium tetrakis(dimethylamide), 486

Hydroarylation, 344

Hydroboration:

- borane sulfides, 79
- rhodium complexes, 29

Hydrochlorination, 242

Hydrodefluorination, 274

Hydrodehalogenation:

- iridium complexes, 265
- palladium(II) chloride – tertiary phosphine, 346

Hydroformylation, 1–2

Hydrogenation:

- 1,1'-binaphthalene-2,2'-diyl phosphites, 33
- bis(1,5-cyclooctadiene)rhodium(I) salts, 57
- 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – iridium complexes, 67
- bis[chloro(1,5-cyclooctadiene)rhodium(I)], 43
- bis(naphtho[2,1-*c*])phosphepins, 77
- bis(pentafluorophenyl)[43-dimesitylphosphino-2,3,5,6-tetrafluorophenyl]-borane, 78
- chiral auxiliaries and catalysts, 146–153

- dicarbonylhydrido- η^5 -[1,3-bis(trimethylsilyl)-2-hydroxy-4,5,6,7-tetrahydroindenyl]-iron, 195
- gold, 209–210
- palladium, 316
- palladium carbene complexes, 342
- palladium/carbon, 317–338
- palladium(II) hydroxide/carbon, 349
- platinum and complexes, 359
- rhodium/alumina, 385
- rhodium complexes, 28
- ruthenium(III) chloride, 401
- Hydrogen fluoride, 243
- Hydrogen fluoride – antimony(V) fluoride, 243
- Hydrogen peroxide:
- acidic, 244
- metal catalysts, 244–245
- Hydrogen transfer:
- 1,1'-binaphthalene-2,2'-diyl phosphates and 3,3'-diaryl analogues, 29–30
- pentamethylcyclopentadienylbis(vinyltrimethylsilane) cobalt, 351
- Hydroiodination, 367
- Hydrosilanes, 245–247
- Hydrosilylation:
- hydrosilanes, 247
- iron(II) acetate, 266
- palladium complexes, 26–27
- Hydrostannylation:
- trialkylboranes, 443
- tributyltin hydride, 445
- Hydrovinylation, 26
- Hydroxyalkylation:
- 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – silver complexes, 72
- dicyclohexylboron chloride, 198
- α -Hydroxyalkyl- γ -lactams, 409
- Hydroxylamine diphenylphosphinate, 247
- o*-Hydroxybenzyl ketones, 434
- β -Hydroxycarboxamides, 242
- (2-Hydroxy-5-methoxyphenyl)diphenylmethanol, 248
- Hydroxymethylation:
- iron(III) nitrate, 269–270
- scandium(III) fluoride, 407
- Hydroxy(tosyloxy)iodobenzene, 248
- Hydrozirconation, 489–490
- Hypervalent iodine reagents, 163
- Hypofluorous acid – acetonitrile, 248–249
- Imidazole-1-sulfonyl azide hydrochloride, 251
- Imido transfer, 11
- Imines:
- 1,1'-binaphthalene-2,2'-dicarboxylic acids, 18
- cichona alkaloid derivatives, 170–171
- Indanones, 10
- 1-Indenols, palladium(II) triflate, 350
- Indium:
- 1,1'-binaphthalene-2,2'-diol and analogues, 18–19
- Indium(I) iodide, 257–258
- Indium(III) acetate – phenylsilane, 253
- Indium(III) bromide, 254
- Indium(III) chloride, 255–257
- Indium(III) chloride – aluminum, 257
- Indium(III) triflate, 258–259
- Indium(III) triflimide, 260
- Indoles:
- indium, 251
- synthesis, 283
- Indolizines, 366
- Insertion:
- chiral auxiliaries and catalysts, 155–157
- by nitrene, gold(III) chloride, 223
- pinacoloboryl azide, 358
- silver perchlorate, 414
- Iodination:
- hydrogen peroxide, acidic, 244
- iodosuccinimide, 261–262
- tetrabutylammonium dichloroiodate, 421
- Iodine, 260–261
- Iodosuccinimide, 261–262
- Iodosylbenzene, 262
- o*-Iodoxybenzoic acid, 262–263
- Ionic liquids, 264
- Ireland–Claisen rearrangement, 307, 415
- Iridium complexes:
- 1,1'-binaphthalene-2,2'-diyl *N*-alkylamino-phosphites, 25–26
- Iron(II) acetate, 266
- Iron(II) bromide, 266
- Iron(II) chloride, 267
- Iron(II) triflate, 270
- Iron(III) chloride, 267–269
- Iron(III) nitrate, 269–270
- Iron(III) perchlorate, 270
- Iron(III) sulfate, 270
- Iron(III) tosylate, 270
- Isoflavanones, 225

Isomerization:

- bis(benzonitrile)dichloropalladium(II), 39–40
- 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – rhodium complexes, 68
- chiral auxiliaries and catalysts, 154–155
- copper(II) bis(hexafluoroacetylacetonate), 178
- copper(II) triflate, 189–190
- gold(I) chloride, 210–211
- Grignard reagents/iron salts, 234
- magnesium iodide, 284
- methanesulfonic acid, 288
- phase-transfer catalysts, 352
- platinum(II) chloride, 364–365
- rhodium(I) tetrafluoroborate, 391
- rhodium(II) carboxylates, 389
- ruthenium–carbene complexes, 400
- silica gel, 410
- silver mesylate, 412–413
- tris(acetonitrile)cyclopentadienylruthenium(I) hexafluorophosphate, 461

Isothiocyanates:

- esters, di-*t*-butyl dicarbonate, 194
- p*-toluenesulfonyl chloride, 442
- Isoxazolidines, 438

 β -Keto esters, 289 γ -Keto esters, 425

Ketones:

- Grignard reagents/zirconium compounds, 240
- strontium, 419
- synthesis, organolithium reagents, 304–305
- titanium(IV) chloride–magnesium, 438–439
- α -tosyxylation, 442
- trifluoroacetic anhydride, 448

Kinetic resolution:

- 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl and analogues – rhodium complexes, 68
- chiral auxiliaries and catalysts, 101–102

Kulinkovich reaction:

- cerium(IV) ammonium nitrate, 98
- Grignard reagents/titanium(IV) compounds, 238
- yttrium(III) chloride, 478

Kumada coupling, 236–237

 β -Lactones, 380

Lanthanum:

- chloride, 271

triflate, 272

tris(hexamethyldisilazide), 271–272

Lithiation:

- s*-butyllithium, 90
- t*-butyllithium, 91–92

Lithium aluminum hydride:

- niobium(IV) chloride, 274
- selenium, 274

Lithium borohydride, 274

Lithium chloride, 274

Lithium complexes, 273

Lithium diisopropylamide, 275–278

Lithium di-*t*-butylbiphenylide, 275

Lithium hexamethyldisilazide, 278–280

Lithium – liquid ammonia, 273

Lithium naphthalenide, 280

Lithium 2,2,6,6-tetramethylpiperide, 280–281

Lithium triethylborohydride, 281

Lithium triflimide, 281

Macrolide synthesis, 7–8

Magnesiation, 284–285

Magnesium bromide etherate, 283–284

Magnesium iodide, 284

Magnesium perchloride, 284

Magnesium 2,2,6,6-tetramethylpiperide, 284–285

Mandelic acid, 285

Manganese, 285

Manganese(II) triflate, 287

Manganese(III) acetate, 286–287

Mannich reactions:

- 1,1'-binaphthalene-2,2'-diyl phosphates and 3,3'-diaryl analogues, 30–31

- 1,1'-binaphthalene-2,2'-diol (modified) – hafnium complexes, 19

- bis[dichloro(1,5-cyclooctadiene)hydridoiridium(II)], 64

- chiral auxiliaries and catalysts, 126

- lithium chloride, 274

- (*S*)-proline, 371

- (*S*)-proline amides, 374

- (*S*)-proline derivatives, 378

- (*S*)-(2-pyrrolidinyl)azoles, 383

- scandium(III) triflate, 408

- titanium(IV) chloride, 437

- zirconia, 485

McMurry coupling:

- Grignard reagents/iron salts, 235

- o*-iodoxybenzoic acid, 263
- titanium(IV) chloride–zinc, 439
- Mercury(II) triflate, 287–288
- Mesityltriphenylbismuthonium tetrafluoroborate, 288
- Metathesis:
 - alkynes, 470
 - ring closure, 397–399
- Methanesulfonic acid, 288
- β -Methoxyamino esters, 437
- Methylaluminum bis(2,6-di-*t*-butyl-4-methylphenoxide), 289
- Methylenation:
 - dimethylsulfoxonium methylide, 202
 - trimethylsilyldiazomethane, 455
 - Wittig reagents, 475
- Methylene insertion, 203
- α -Methylene- γ -lactones, indium(III) triflate, 258
- Michael addition:
 - boron trifluoride etherate, 81
 - zinc triflate, 484
- Michael–aldol reaction, (*S*)-prolinol
 - derivatives, 376
- Michael–Baylis–Hillman tandem reaction, (*S*)-prolinol derivatives, 376
- Michael–Michael–aldol reaction, (*S*)-prolinol derivatives, 376
- Michael reactions:
 - asymmetric, 372
 - barium alkoxides, 13
 - barium hydride, 13
 - 1,1'-binaphthalene-2,2'-bis(p-toluene sulfoxide), 14
 - 1,1'-binaphthalene-2,2'-diol (modified) – zirconium complexes, 23
 - bis(1,5-cyclooctadiene)nickel(0), 53
 - bis(1,5-cyclooctadiene)rhodium(I) salts, 58
 - bis(naphth[2,1-*c*])azepines, 76
 - chiral auxiliaries and catalysts, 133
 - cinchona alkaloid derivatives, 171–172
 - 1,8-diazabicyclo[5.4.0]undec-7-ene, 193–194
 - fluoroboric acid, 207
 - hafnium(IV) chloride, 241
 - ionic liquids, 264
 - lithium diisopropylamide, 278
 - (*S*)-(2-pyrrolidinyl)azoles, 383
 - (*S*)-(2-pyrrolidinyl)methylamines, 381–382
 - (*S'*)-proline, 372
 - (*S*)-proline amides, 374
 - (*S*)-proline derivatives, 377–378
 - scandium(III) triflate, 408–409
 - sodium tetramethoxyborate, 419
 - 1,1,3,3-tetrakis(trifluoromethanesulfonyl)-propane, 426
 - tributyltin hydride-2,2N-azobis(isobutyronitrile), 445
 - triphenylphosphine, 457
 - tris(dibenzylideneacetone)dipalladium, 464
 - zinc triflate, 484
- Mitsunobu reactions:
 - o*-(prenyloxymethyl)benzoic acid, 370
 - triphenylphosphine, 457
 - triphenylphosphine-dialkyl azodicarboxylate, 458–459
- Mitsunobu reagent, 208
- Modified Claisen condensation, 300
- Molybdenum hexacarbonyl, 290–291
- Molybdenum(VI) dichloride dioxide, 289
- Mukaiyama aldol reaction, 8, 68, 119–120, 418, 452
- Multiple bonds, 15–17, 53–54, 86
- Nafion resin, 293
- N*-Alkenylation, 385
- N*-Alkoxy carbonylazoles, 2–3
- N*-Alkylation:
 - bis[dichloro(*p*-cymene)ruthenium(II)], 64
 - triphenylphosphine–dialkyl azodicarboxylate, 459
- N*-Allylation, 368
- N*-Arylation:
 - 1,1'-binaphthalene-2,2'-diol – copper complexes, 19
 - copper(II) oxide, 187
 - nickel(II) acetylacetonate, 294
 - (*S*)-(2-pyrrolidinyl)methylamines, 382
- N*-Arylsulfinylimines, 11
- Nazarov cyclization, 31, 82, 143, 189, 266
- Nazarov–Friedel–Crafts reaction tandem, 414
- N*-Bromosuccinimide, 85
- N*-(*t*-Butyl)phenylsulfonimidoyl chloride, 92–93
- N*-Chlorosuccinimide, 163
- Negishi coupling:
 - bis(benzonitrile)dichloropalladium II, 39
 - butyllithium, 89
 - nickel bromide–zinc, 295–296
 - organozinc reagents, 309
- N*-Heteroarylation, 443
- Nickel, 293
- Nickel bromide, 294–295

- Nickel bromide–zinc, 295
 Nickel chloride, 295–296
 Nickel iodide, 296
 Nickel perchlorate, 296–297
 Nickel(II) acetate, 293
 Nickel(II) acetylacetonate, 294
 Nickel(II) acetylacetonate–diorganozinc, 294
N-Methyl-2-benzoyloxypyridinium triflate, 289
 Nitration, 473
 Nitriles:
 bis(2-methoxyethyl)aminosulfur trifluoride,
 Deoxo-Fluor, 73–74
 t-butanesulfonamide, 85
 1,3-diiodo-5,5-dimethylhydantoin, 199
 synthesis, sodium dichloriodate, 417
 Nitroaldol reaction, 177–178
 α -Nitrocinnamate esters, 99
 2-Nitrophenyl isocyanide, 297
 2-Nitro-5-piperidinylbenzyl alcohol, 297
N-Nitrosation, 460

 Oppenauer oxidation, 449
 Organoaluminum reagents, 299–300
 Organocerium reagents, 300–301
 Organocopper reagents, 301–302
 Organogallium reagents, 302–303
 Organoindium reagents, 303
 Organolanthanum reagents, 271
 Organolithium reagents, 303–305
 Organomagnesium reagents, 306
 Organozinc chlorides, 481
 Organozincs:
 additions, 20, 22
 reagents, 306–309
 Osmium tetroxide, 310
 Osmylation, 310
 Overman rearrangement, 154
 Oxalic acid, 310
 Oxidation:
 t-butyl hydroperoxide – metal salts, 86
 carbonyldihydridotris(triphenylphosphine)-
 ruthenium, 96
 cerium(IV) ammonium nitrate, 96–97
 chiral auxiliaries and catalysts, 144–146
 m-chloroperoxybenzoic acid, 163
 Dess–Martin periodinane, 193
 diiodine pentoxide, 199
 hydrogen peroxide, 243–244
 hypofluorous acid – acetonitrile,
 248–249
 o-iodoxybenzoic acid, 263
 iron(III) nitrate, 270
 manganese(III) acetate, 286
 mesityltriphenylbismuthonium
 tetrafluoroborate, 288
 oxygen, 310–311
 palladium(II) iodide, 350
 phenyliodine(III) bis(trifluoroacetate), 353
 phenyliodine(III) diacetate – iodine, 357
 phenyliodine(III) dichloride, 358
 rhodium(II) carboxamides, 385
 ruthenium carbonyl clusters, 402
 silver(I) oxide, 413
 2,2,6,6-tetramethyl-1-oxopiperidine
 salts, 435
 1,1,1-trifluoroacetone, 449
 trimethylsilyl chloride, 453
 urea – hydrogen peroxide, 473
 Oxidative amination, 65
 Oxidative cleavage:
 copper(II) nitrate, 187
 palladium(II) acetate – oxidants, 324
 phenyliodine(III) bis(trifluoroacetate), 353
 Oxidative condensation, 199
 Oxidative coupling:
 1,1'-binaphthalene-2,2'-diol – vanadium
 complexes, 20–21
 cerium(IV) ammonium nitrate, 98
 copper(I) bromide, 178–179
 oxygen, 311–312
 rhodium(III) chloride, 390
 Oxidative cyclization:
 azobisisobutyronitrile, 11
 2,3-dichloro-5,6-dicyano-1,4-benzoquinone,
 195–196
 manganese(III) acetate, 286
 potassium osmate, 369
 Oxidative decarboxylation, 413
 Oximes:
 reduction, 444
 triphenylphosphine–dialkyl
 azodicarboxylate, 459
 1-Oxo-4-acetamino-2,2,6,6-tetramethylpiperidi-
 nium tetrafluoroborate, 310
 Oxone[®], 368–369
 Oxy-Cope rearrangement, 160
 Oxygen, singlet, 312–313
 Oxygenation
 iron(II) triflate, 270
 singlet oxygen, 312–313
 tris(trimethylsilyl)silane, 469–470
 Ozone, 313–314

- Palladacycles, 315–316
 Palladium–calcium carbonate, 317
 Palladium–carbon, 317–318
 Palladium complexes:
 alumina, 317
 1,1'-binaphthalene-2,2'-diyl N-alkylamino-phosphites, 26–27
 Palladium(II) acetate:
 copper salts, 322–324
 imidazol-2-ylidene, 322
 oxidants, 324–326
 phase-transfer catalyst, 327
 silver salts, 328
 tertiary phosphine, 328–337
 tertiary phosphine – carbon monoxide, 338–339
 Palladium(II) acetylacetonate, 339
 Palladium(II) bis(trifluoroacetate), 339–341
 Palladium(II) chloride:
 di-*t*-butylphosphinous acid, 344
 metal salts, 344–346
 tertiary phosphine, 346–349
 Palladium(II) hydroxide/carbon, 349
 Palladium(II) iodide, 350
 Palladium(II) triflate, 350
 Passerini reaction, 116
 Pauson–Khand reaction:
 bis[chloro(1,5-cyclooctadiene)rhodium(I)], 45
 bis[dicarbonylchlororhodium(I)], 62–63
 chiral auxiliaries and catalysts, 142
 cobalt–rhodium, 174
 dicobalt octacarbonyl, 198
 molybdenum hexacarbonyl, 290
 palladium(II) chloride – metal salts, 346
 Payne rearrangement, 367
 Pentafluoroanilinium triflate, 351
 Pentamethylcyclopentadienylbis-(vinyltrimethylsilane)cobalt, 351
 Perfluorooctanesulfonic acid, 351
 Peroxidation, 260
 Perrhenic acid, 351
 Peterson reaction, organolithium reagents, 303
 Phase-transfer catalysts, 351–352
 Ph-BOX ligand, 131
 Phenyl iodine(III) bis(trifluoroacetate), 352–353
 Phenyl iodine diacetate:
 copper salts, 356–357
 iodine, 357
 Phenyl iodine(III) dichloride, 358
 Phenylphosphate, 358
 Phenylselenium triflate, 358
 4-Phenyl-1,2,4-triazoline-3,5-dione, 358
 Phosphonation, 287
 Phosphorylation, 351
 Pictet–Spengler reaction:
 1,1'-binaphthalene-2,2'-diyl phosphates and 3,3'-diaryl analogues, 31
 iodine, 260
 perfluorooctanesulfonic acid, 351
 Pinacol coupling, indium(III) chloride – aluminum, 257
 Pinacolatoboryl azide, 358
 Piperidine, 358–359
 Platinum and complexes, 359
 Platinum(II) acetylacetonate, 360
 Platinum(II) chloride:
 silver salts, 365–366
 Platinum(II) iodide, 366
 Poly(methylhydrosiloxane), 366–367
 Polyene synthesis, 440
 Polysilanes, 283
 Porphyrins, 420
 Potassium *t*-butoxide, 367–368
 Potassium fluoride, 368
 Potassium monoperoxysulfate, 368–369
 Potassium osmate, 369
 Potassium permanganate, 369–370
 Potassium tetrachloroaurate, 370
o-(Prenyloxymethyl)benzoic acid, 370
 Preparations:
 tellurium chloride, 421
 titanium(IV) chloride, 437
 (*S*)-proline, 370–372
 (*S*)-proline amides, 373–375
 (*S*)-proline derivatives, 375–379
 Pummerer rearrangement, 450, 484
 PYBOX ligands, 127, 294
 Pyrazoles:
 Raney nickel, 293
 silver hexafluoroantimonate, 412
 3-Pyridinecarboxylic anhydride, 380
 3-Pyridinesulfonyl chloride, 380
 α -Pyrones, 402
 Pyrroles, 96
 (*S*)-(2-Pyrrolidinyl)azoles, 383
 (*S*)-(2-Pyrrolidinyl)methylamines, 381–382
 4-Pyrrolidinopyridine, 380
 Quinoline synthesis:
 gold(I) chloride-1,3-bis(2,6-diisopropylphenyl) imidazol-2-ylidene/silver salts, 212

Quinoline synthesis (*Continued*)

gold(III) chloride, 224

Quinones, 269

o-Quinones, 263

Radical additions:

indium(III) acetate – phenylsilane, 253

magnesium bromide etherate, 284

Radical cyclizations:

dilauroyl peroxide, 200

1,1'-binaphthalene-2,2'-diol (modified) – zinc complexes, 23

manganese(III) acetate, 286

tricarbonyl(cyclopentadienyl)-hydridochromium, 447

Raney nickel, 293

RCM, 439

Rearrangements:

alkylaluminum chlorides, 3

bismuth(III) triflate, 74

boron tribromide, 79–80

boron trifluoride etherate, 82–83

s-butyllithium, 91

chiral auxiliaries and catalysts, 154–155

chlorotris(triphenylphosphine)rhodium(I), 165–166

copper(II) chloride, 181

1,4-diazabicyclo[2.2.2]octane, 193

diisobutylaluminum hydride, 199

4-dimethylaminopyridine, 201

gold(I) chloride-1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene/silver salts, 212

gold(I) chloride – tertiary phosphine/silver salts, 220–221

gold(I) triflimide – azolecarbene, 225–226

gold(I) triflimide – triarylphosphine complex, 227

iridium complexes, 26

methylaluminum bis(2,6-di-*t*-butyl-4-methylphenoxide), 289

phenyliodine(III) bis(trifluoroacetate), 353

titanium(IV) chloride, 437

tris(dibenzylideneacetone)-dipalladium, 466

tris(dibenzylideneacetone)dipalladium–chloroform, 469

Redox cyclization, 41

Redox reactions:

1,1'-binaphthalene-2,2'-diamine derivatives, 17

calcium bis(hexamethyldisilazide), 95

iron(II) chloride, 267

(S)-proline derivatives, 378–379

Reductions:

acetalacetato(dicarbonyl)rhodium(I), 2

bis[(1,5-cyclooctadiene)hydroxyrhodium], 49

[bis(*o*-diphenylphosphinobenzylidene)-ethanediamine]dichlororuthenium(II), 72–73

1,1';3,3'-bispropanediyl-2,2'-diimidazolyli-dene, 78

borane sulfides, 79

t-butyllithium, 92

cerium(III) chloride, 99

(p-cymene)(*N*-tosyl-1,2-diphenylethyl-enediamine) ruthenium, 192

diisobutylaluminum hydride, 199

N,N-diisopropylaminoborane, 200

hydrosilanes, 245–246

indium(III) acetate – phenylsilane, 253

indium(III) chloride – aluminum, 257

lithium triethylborohydride, 281

nickel, 293

organoaluminum reagents, 300

palladium(II) acetate – tertiary phosphine, 336–337

samarium, 403

samarium(II) iodide, 404–406

sodium borohydride, 416

sodium iodide, 417

sulfur, 420

trialkylboranes, 443

trialkylphosphines, 444

trifluoromethanesulfonic anhydride, 450

zinc, 481–482

Reductive acylation:

chlorotris(triphenylphosphine)rhodium(I), 164

magnesium, 283

Reductive addition, 404

Reductive aldol reaction, 294

Reductive alkylation, 482

Reductive amination, 274

Reductive cleavage:

lithium – liquid ammonia, 273

molybdenum hexacarbonyl, 291

Reductive coupling:

Grignard reagents/titanium(IV) compounds, 238–239

lithium, 273

nickel bromide–zinc, 295

zirconocene, 487

Reductive cyclization, 441

Reductive lithiation, 275

Reductive phenylation, 6

- Reductive silylation:
 chlorotris(triphenylphosphine)rhodium(I), 164–165
 zinc chloride, 483
- Reformatsky reaction:
 chlorotris(triphenylphosphine)-rhodium(I), 164
 1,1'-binaphthalene-2,2'-diol (modified) – zinc complexes, 23
 magnesium, 283
 titanocene dichloride-manganese, 441
- Retro-Claisen reaction, 259
- Rhenium carbonyl clusters, 385
- Rhodium complexes:
 alumina, 385
 1,1'-binaphthalene-2,2'-diyl *N*-alkylamino-phosphites, 28–29
 hydroxide/alumina, 390
 Rhodium(I) tetrafluoroborate, 391
 Rhodium(II) carboxamides, 385
 Rhodium(II) carboxylates, 386–389
 Rhodium(III) chloride, 390
 Rhodium(III) iodide, 391
- Ring cleavage:
 phenyliodine(III) diacetate – iodine, 357
 scandium(III) triflate, 407
- Ring contraction, 248
- Ring expansion:
 hexakis[hydrido(triphenylphosphine)-copper], 242
 methylaluminum bis(2,6-di-*t*-butyl-4-methylphenoxide), 289
 palladium(II) chloride-metal salts, 345
- Ritter reaction, zinc chloride, 483
- Ruthenium–carbene complexes, 391–400
- Ruthenium carbonyl clusters, 402
- Ruthenium oxide–sodium periodate, 402
- Ruthenium(III) chloride, 401
- Sakurai reaction, hafnium(IV) chloride, 241
- Samarium, 403
- Samarium(II) iodide, 403–406
- Samarium(III) chloride, 403
- Samarium(III) triflate, 407
- Sandmeyer reaction, 417
- Scandium(III) fluoride, 407
- Scandium(III) triflate, 407–410
- Schiff reaction, copper(I) iodide, 185
- Schmidt rearrangement, boron trifluoride etherate, 81
- SEGPPOS ligand, 127, 138, 350
- Selectfluor[®], 162
- Shapiro reaction, tris(dibenzylideneacetone)-dipalladium, 464
- Silica gel, 410–411
- Silver acetate, 411
- Silver fluoride, 411
- Silver hexafluoroantimonate, 412
- Silver mesylate, 412–413
- Silver nitrate, 413
- Silver perchlorate, 414
- Silver tetrafluoroborate, 414
- Silver triflate, 415
- Silver(I) oxide, 413–414
- Silylation, 484
- O*-Silylation:
 bis[chloro(dicyclooctene)rhodium(I)], 47
 triethylsilyl chloride, 448
- Silylboration, 34
- Silyl transfer, 415
- Simmons-Smith reaction, asymmetric, 135
- Sn-W mixed hydroxide, 437
- Sodium borohydride complexes, dimethyl ditelluride, 416
- Sodium dichloroiodate, 417
- Sodium hydride, 417
- Sodium iodide, 417
- Sodium nitrite, 417
- Sodium periodate, 417
- Sodium phenoxide, 418
- Sodium tetracarbonylferrate(II), 418
- Sodium tetrachloroaurate, 418
- Sodium tetrakis[3,5-bis(trifluoromethyl)phenyl]-borate, 319
- Sodium tetramethoxyborate, 419
- Sonogashira coupling:
 copper, 176
 fluoros reagents and ligands, 208
 gold(I) chloride – tertiary phosphine, 211
 palladium(II) acetate – tertiary phosphine, 329
 palladium(II) chloride – metal salts, 344
 palladium(II) chloride–tertiary phosphine, 348
 silica gel, 411
 tetrakis(triphenylphosphine)palladium(0), 427
- Staudinger reaction, triphenylphosphine, 457
- Stille coupling:
 bis(acetonitrile)dichloropalladium(II), 34
 dibutylidotin hydride, 195
 nickel bromide–zinc, 295
 palladium/calcium carbonate, 317

- Strecker reaction:
 cinchona alkaloid derivatives, 171
 rhodium(III) iodide, 391
 trimethylsilyl cyanide, 454
- Strecker synthesis, 18
- Strontium, 419
- Sulfamic acid, 419
- Sulfonyl azides, 161
- Sulfur, 420
- Sulfuric acid, 420
- Suzuki coupling:
 bis(acetonitrile)dichloropalladium(II), 34
 bis(η^3 -allyl)dichlorodipalladium, 38
 bis[(1,5-cyclooctadiene)hydroxyrhodium], 50
 palladium/alumina, 317
 palladium/carbon, 318
 palladium(II) acetate, 318–319
 palladium(II) acetate-imidazol-2-ylidene, 322
 palladium(II) acetate – tertiary phosphine, 329
 palladium carbene complexes, 342
 palladium(II) chloride, 342–343
 palladium(II) chloride – tertiary phosphine,
 347 tetrakis(triphenylphosphine)palladium(0), 426–427
 tris(dibenzylideneacetone)dipalladium, 462–463
 tris(dibenzylideneacetone)dipalladium-chloroform, 467
- TADDOL ligands, 102, 112, 119, 122, 159
- Tandem cyclization, 279
- Tandem reactions, 399–400
- Tantalum(V) diethylamide, 421
- Tellurium chloride, 421
- Tetrabenzyl pyrophosphate, 421
- Tetrabutylammonium dichloriodate, 421
- Tetrabutylammonium fluoride, 422–423
- Tetrabutylammonium iodide, 423
- Tetrabutylammonium phenolate, 423
- Tetrabutylammonium tricarboxyl(nitroso)ferrate,
 423–424
- Tetrabutylammonium triphenyldifluorosilicate,
 424
- Tetracarbonylhydridocobalt, 424–425
- Tetrachloroauric acid, 425
- 1,1,2,2-Tetrafluoroethanesulfonyl chloride, 425
- Tetrakis[chloro(pentamethylcyclopentadienyl)-
 ruthenium(I)], 425
- meso*-Tetrakis(4-chlorophenylporphyrinato)-
 aluminum tetracarbonylcobaltate, 425
- Tetrakis(triethylphosphate)nickel(0), 426
- 1,1,3,3-Tetrakis(trifluoromethanesulfonyl)-
 propane, 426
- Tetrakis(triphenylphosphine)nickel(0), 426
- Tetrakis(triphenylphosphine)palladium(0),
 426–433
- Tetrakis(triphenylphosphine)platinum(0), 434
- Tetramethylammonium fluoride, 434
- 2,2,6,6-Tetramethyl-1-oxopiperidine salts, 435
- Thiobenzoylation, 160–161
- Thionation, 435
- Thiophosphoryl chloride, 435
- Tin(IV) chloride, 435–437
- Titanium tetraisopropoxide–magnesium, 440
- Titanium tetrakis(diethylamide), 440
- Titanium(III) chloride, 437
- Titanium(IV) chloride complexes:
 magnesium, 438–439
 Mischmetal, 439
 zinc, 439
- Titanocene bis(triethyl phosphite), 440–441
- Titanocene dichloride complexes:
 manganese, 431
 zinc, 441
- p*-Toluenesulfonic complexes:
 anhydride, 442
 chloride, 442
 fluoride, 442
 isocyanate, 442
 isocyanate, *N*-tosyl amides, 442
- 1-(*p*-Toluenesulfonyl)imidazole, 442
- O*-(*p*-Toluenesulfonyl)-*N*-
 methylhydroxylamine, 442
- Tosylation:
 indium, 251
p-toluenesulfonyl chloride, 442
- N*-Tosylindolines, 287–288
- Transacylation, 99
- Transalkoxylation, 270
- Transamination, 7
- Transesterification:
 hexamethylenetetramine, 242
 4-pyrrolidinopyridine, 380
 scandium(III) triflate, 410
 tetrabutylammonium tricarboxyl(nitroso)-
 ferrate, 424
- Transfer hydrogenation, 284
- Transylidation, 386
- Trialkylboranes, 443
- 2,8,9-Trialkyl-1-phospha-2,5,8,9-
 tetraazabicyclo[3.3.3]undecanes, 443

- Trialkylphosphines, 444
 1,2,3-Triazoles, 455
 Triazole synthesis, 181
 Tributyltin hydride, 445
 Tributyltin hydride-2,2'-azobis(isobutyronitrile), 445–446
 Tricarbonyl(cyclopentadienyl)-hydridochromium, 447
 Trichloroacetonitrile, 447
 Trichlorosilane, 447
 Triethyl phosphite, 447–448
 Triethylsilyl chloride, 448
 Trifluoroacetic acid, 448
 Trifluoroacetic anhydride, 448
 1,1,1-Trifluoroacetone, 449
 1,1,1-Trifluoroalkanes, 243
 2,2,2-Trifluoroethyl isocyanate, 449
 Trifluoromethanesulfonic acid, 449–450
 Trifluoromethanesulfonic anhydride, 450–451
 Trifluoromethanesulfonic imide, 452
 Trifluoromethylation:
 chlorotris(triphenylphosphine)-rhodium(I), 64
 Trifluoromethyl ketones, 448
 Trifluoromethyltrimethylsilane, 452
 Trimethylsilylacetonitrile, 452
 Trimethylsilyl azide, 452–453
 Trimethylsilyl chloride, 453
 Trimethylsilyl cyanide, 454
 Trimethylsilyldiazomethane, 455
 Trimethylsilyl trifluoromethanesulfonate, 455–456
 Triphenylphosphate–bromine, 460
 Triphenylphosphine, 456–458
 Triphenylphosphine–dialkyl azodicarboxylate, 458–459
 Triphenylsilyl tetracarbonylcobaltate, 460
 Triphosphazene, 460
 Triruthenium dodecacarbonyl, 460
 Tris(acetonitrile)cyclopentadienylruthenium(I) hexafluorophosphate, 461
 Tris(dibenzylideneacetone)dipalladium, chloroform, 467–469
 Tris(pentafluorophenyl)borane, 469
 Tris(trimethylsilyl)silane, 469–470
 Tritylation, 469
 Tungsten carbene/carbyne complexes, 470
 Tungsten hexacarbonyl, 470–471
 Ugi reaction:
 2-nitrophenyl isocyanide, 297
 phenylphosphate, 358
 Ullmann coupling:
 copper(I) bromide, 179
 copper(I) iodide, 183
 Ullmann diaryl ether synthesis, 17, 183, 374
 Urea – hydrogen peroxide, 473
 Urea nitrate, 473
 Vinylation, 367
 Vinyl ethers and esters, 213
 Von Braun degradation, 84
 Wacker oxidation, 35, 312, 346
 Wagner–Meerwein rearrangement, 466
 Water, 475
 Williamson synthesis, 417
 Wittig reaction:
 butyllithium, 88
 dimethylsulfide – halogen, 202
 trichlorosilane, 447
 Wittig reagents, 67, 127, 475
 Wittig rearrangement, 154, 182, 279
 Wolff–Kishner reduction, 242
 X/Li exchange:
 butyllithium, 88
 t-butyllithium, 91
 X/magnesium exchange, 228
 Ytterbium(III) triflate, 477
 Yttrium(III) chloride, 478
 Yttrium(III) triflate, 479
 Zeolites, 481
 Zinc, 481–483
 Zincation, 306
 Zinc bromide, 483
 Zinc chloride, 483
 Zinc iodide, 484
 Zinc oxide, 484
 Zinc triflate, 484–485
 Zirconia, 485
 Zirconium tetrakis(dimethylamide), 486
 Zirconium(IV) bromide, 485
 Zirconium(IV) *t*-butoxide, 486
 Zirconium(IV) chloride, 486
 Zirconocene, 487
 Zirconocene dichloride, 488–489
 Zirconocene hydrochloride, 489–490
 Zirconyl chloride, 490

