

Index

Note: Figures, Schemes, structures and Tables are indicated by *italic page numbers*, Boxes by **bolded numbers**, and footnotes by suffix 'n'

- abiotic supramolecular catalysis 813–17
- absolute structure determination 112
- acetaldehyde
 - formation from ethanol 797
 - physiological effects 797–8
- acetyl phosphate, as phosphorylating cofactor 787
- acetylcholine 52, 84
 - fluorescent indicator displacement assay 740
- acetylene, absorption of
 - by metallomacrocycles 436, 437
 - in metal-organic frameworks 582
- N*-acetyltryptophan 249
- actin filaments, movement of myosin along 886, 887
- actins 886
- activation energy, factors comprising **636**
- active pharmaceutical ingredient (API) 487–8, 493
- active site of enzyme 75
 - cascade receptor as model 289
- activity coefficient 11
- acyclics 118
 - see also* podands
- 'Adam effect' 458
- adamantane-1,3,5,7-tetracarboxylic acid, diamondoid network 527–8
- adamantoid cages 527
 - interpenetration in diamondoid structure 527
- adatoms 901
- addressable molecular devices 760–2
- adenine, extraction by molecular tweezers 339
- adenine–thymine interactions (in DNA) 91
- adenine–uracil interactions (in RNA) 91, 602
- adenosine-based coenzymes 80
- adenosine monophosphate (AMP) 41
 - 3',5'-cyclic (cAMP) 782, 783
- adenosine triphosphate (ATP) 50–1, 80, 81
 - hydrolysis by protonated corands 786–7
 - synthesis of 70, 787–8
- adenosine triphosphate (ATP) anions, electrochemical detection of 743
- adenylate cyclase, cyclodextrins as mimics 782, 783
- adhesives, rod-coil co-polymer-based 878
- aerogels 888, 890
- aerosols 922
- ¹⁰⁹Ag NMR spectroscopy 638
- agostic bonding 514–15
- Agre, Peter 5, 497
- air–liquid interfaces, crystal growth at 456–8
- [Al₂Me₆N₃][−] anion, effect of solvents 523, 855
- alanine **89**, 228
- alcohol dehydrogenase 797–8
 - functional model for 798
- alcohols, as supramolecular synthons 507, 508–9, 508
- alicyclic diols, channel structures formed by 401–2
- alizarin 739, 740
- alkali metal cations
 - in biochemistry 50–61
 - properties **160**, 226
 - selective binding of **160**
- alkali metal picrates 144, 145–6
- alkalide salts 114, 196–7
- alkanes, hydroxylation of 803
- alkanones and alkanediones, urea inclusion compounds 396–8
- alkene metathesis reaction 344
 - applications 658–60, 667, 917, 919
- alkenes, epoxidisation of 803, 805
- p*-alkylcalixarenes 314
- alkyne coupling, copper-catalysed 342, 343
- allosteric effect 19–20, 74, 626
- allotropy 487
- allyl lariat ethers, complexation with cations 209
- Alzheimer's disease 885
- amide-based receptors 253–5
- amide cryptands, fluoride binding 255
- amide dimers, as supramolecular synthons 446, 507
- amides, as hydrogen-bond donors 230–1, 507
- amidopyrrole, imidazole-functionalised 258, 296
- amidothiourea-based metallacages 302–3
- amine–aldehyde condensation
 - cyclophanes synthesised by 342
 - see also* Schiff base condensation reactions
- amine-recognition MIP array 879–80
- amines, basicity 164–5, 177
- α -amino acid, synthesis by transamination 785
- amino acids **88–90**
 - intermolecular condensation reaction **89**
 - listed **89**
 - synthesis **89**

- amino acids (*Continued*)
 zwitterionic structure 287
- aminotransferase-catalysed amino acid synthesis **90**, 227
- aminotransferases **89**
- ammonium cations
 binding by 3D hosts 183–4
 binding by corands 181–3
- ammonium-based podands 239–40
- amphiphiles 53, 825, 832, 834
 nanotubes 882–3
 T-shaped, hydrogen-bonded mixtures with dendrimers 850
- amphiphilic block co-polymers 876–8
- amphiphilic receptors 193–4
- amyloids 598, 599, 885, 886
- analytical chemistry applications, cyclodextrins 336
- AND gate, molecular logic 758
- Anfinsen, Christian 595, 596n
- 8-anilino-1-naphthalenesulfonate (ANS) 14, 247, 309, 347, 348
- anion activation by macrocycles 150
 examples 151–2
- anion-based helices 687
- anion binding 42, 223–84
- anion binding proteins 228–9
- anion extractants 297–8
- anion host design 232–5
 coordination number considerations 235
 entropic considerations 233–4
 Lewis basicity considerations 235
 negative-charge considerations 234
 pH effects 236–47
 polarisability considerations 235
 preorganisation in 232–3
 shape selectivity 238–9
 solvation considerations 235
- anion hosts
 amide-based receptors 253–5
 biological receptors 227–32
 cyclophanes 246–7
 guanidinium-based receptors 248–51
 inert metal-containing receptors 259–76
 neutral receptors 251–9
 peptide-based 258–9
 pyrrole derivatives 257–8
 urea and thiourea derivatives 255–7
 zwitterions 253
- anion- π interactions 33
- anion sensors 733, 734, 735, 838, 924
- anion templating 300–2
- anions
 biological applications 224–5
 properties 225–6
- anisodynamic motions 185
- anomalous dispersion 112
- antenna dendrimers 721, 723–4
- anthracene-based derivatives
 fluorescence detection by 732
 in logic gates 758, 759
 photodimerisation of 759
- antibiotics 57, 97, 688, 797
- antibody assays, dendrimer-linked 876
- anticancer agents/drugs 93–4, 97, 876
- anticrowns 235, 271–6
 mercury-containing 272–3
 tin(IV)-containing 274, 275
- anticryptands, tin(IV)-containing 274–5
- anti-Hofmeister selectivity 239
- antiport mechanism 51, 245, 294, 296
- apoenzyme 79–80
 model for 808
- apohost 386
- aqua regia 175
- aquaporins 497
- arginine **89**, 229
 as anion binding site 229–30
- arginine fork motif 229
- aromatic interactions 519–22, 519–24
- arsphenamine 8
- artificial biological cells 563–4
- aryl embraces 446, 522–3
- aryl sulfonates, in hourglass inclusions 464, 465
- asparagine **89**
- aspartic acid **89**
- assembly number 619
- assembly tree 618, 618
- assisted self-assembly 596
- atom–atom potential method 503–4
- atomic force microscopy (AFM) 45, 473, **912**
 nanomanipulation using 913
- atomic-level assembly 920–1
- ATP *see* adenosine triphosphate
- ATPases (enzymes) 50, 51
 corands as mimics 785–8
 mechanism of action 60
- atropisomers 801
- attractive *gauche* effect 131
- aurophilic interactions 36, 37
- autocatalysis 820, 821, 822, 823
- auxiliary linkage approach, synthesis of catenanes and rotaxanes 669–77, 692
- azacorands 128, 240–3
 ADP- and ATP-binding ability 243, 785–8
 anion coordination behaviour 240–2
 binding of NH_4^+ cations by 181
- azacrowns 120, 122
 proton binding by 176
 selectivity for α , ω -dicarboxylic acids 244
 synthesis 158
see also diaza[18]crown-6
- azacyclophanes 341
 NMR spectra 179
 synthesis 344–5
- azamacrocycles
 basicity effects 164–5
see also cyclam

- β -barrel ion channels 812–13
 back bonding 169
 bacterial S-layers 887–8
 bacteriochlorophylls 63, 64, 66, 67
 bacteriopheophytin 66, 67
 Bakelite (phenol–formaldehyde polymer) 198
 ball mills 470, 471
 barbiturates
 calixarene receptors for 317
 chiral resolution of 336
 cyclophane hosts for 353, 354
 barium chromate nanoparticles 904, 905
 barium sulfate nanoparticles 904
 base pairing (in DNA) 90–1
 in DNA self-assembly 91
 ‘basic zinc acetate’ building unit 579, 584
 benzamide, polymorphs 487, 491
 benzene
 herringbone packing motif 34, 520
 Kekulé’s structure 340
 benzene-1,4-dithiol, in molecular electronics 761–2
 benzene-1,3,5-tricarboxylate trianion 256–7
 benzene-1,3,5-tricarboxylic acid *see* trimesic acid
 benzo[15]crown-5
 ‘naked’ carbide complex formation using 153
 in sandwich complexes 292
 benzo[18]crown-6, synthesis 155–6
 benzoic acid 529
p-benzoquinone, binding by cyclophane hosts 355–6
 5-benzyl-2-benzylidene-cyclopentanone,
 photodimerisation of 473
 benzyne 377–8
 Bermuda Triangle phenomenon 392
 bibrachial lariat ethers (BiBLEs) 121, 128
 with amide side-arms 141–2
 binding constants for alkali metal complexes 141
 cation– π interactions 209–10
 bicyclic guanidinium derivatives 249–50
 bilayers 834, 836
 bimolecular reactions, compared with intramolecular
 reactions 78, 79
 binding constants 9–17
 definition and use 9–11
 listed
 alkali metal–macrocycle complexes 9, 10, 25, 120, 135,
 140–1, 143
 ionophores 57
 quinone receptor, with various hydrogen-bonding
 guests 356
 siderophores 214, 215, 216
 sulfonated [4]resorcarenes, with various alcohol
 guests 316
 measurement of 11–17
 by calorimetric titration 15, 16
 by continuous-variation (Job plots) method 12–13, 14
 by extraction experiments 16–17
 by fluorescence titration 13–14
 by nuclear magnetic resonance titration 12, 13
 by potentiometric titration 11–12
 by UV-Vis spectrophotometric titration 15
 solvation effects 39, 40, 235
 stepwise formation of supercomplexes 242, 243
 binding selectivity 16, 26, 740, 778–9
 biochemical self-assembly 99–102, 600–4
 biological anion receptors 227–32
 biological cell imaging, lanthanide-based
 probes for 735, 736
 biological cell membranes 830
 biological enzymes, features 779, 780
 biological mimics 777–813
 biological models
 characteristics 779–80
 metal-containing sites in 792
 biological self-assembled polymer fibres 885–7
 biological systems, supramolecular chemistry in 49–104
 biomimetic morphosynthesis 902–5
 biphenyl, STM tip induced synthesis 914, 915
 2,2′-bipyridine, in photochemical devices 716–18
 4,4′-bipyridinium tetrachloroplatinate(II) 511
 2,2′-bipyridyl-type light-harvesting devices 718–24
 4,4′-bipyridyl ‘blue box’ 357
 in molecular electronic memory device 760, 761
 pseudorotaxanes constructed with 657
 in [2]rotaxane-based molecular shuttle 754, 755
 4,4′-bipyridyl ligands and expanded analogues 570, 573, 576
 porous networks based on 576–7
 in supramolecular cube 622, 623
 Birch reduction 195
 bis(benzene)chromium 521
 charge-transfer complex, $\text{Cr}(\text{C}_6\text{H}_6)_2\cdot\text{C}_6\text{F}_6$ 521, 522
 bis(2,2′-bipyridine) bridging ligand, mixed-valence
 compounds based on 719–20
 bis(bipyridinium) cyclophane 357
 electrochemistry 662
 in synthesis of [2]catenanes 660
 see also paraquat
 bis(bora)-*p*-*tert*-butylcalix[4]arene derivative 270, 271
 bis(calixarenes) 206, 207
 bis[2]catenanes, synthesis 665–6
 bis(cobaltocenium) receptors 261–2
 1,8-bis(dimethylamino)naphthalene 268, 269
 bis(diphenylphosphino)calix[4]arene nickel(II)
 complex 815
 bis(guanidinium) receptors 249–50
 bicyclic guanidinium derivatives incorporated 250
N,N'-bis(pentafluorophenylethyl)diaza[18]crown-6 210
N,N'-bis(phenylethyl)diaza[18]crown-6, cation– π
 interactions 210
trans-1,2-bis(4-pyridyl)ethylene, photocyclisation of 473
 bis([4]resorcarene), propane-2-ol linked 647
 bis(tren) cryptates 238
 bisubstrate reaction template 815, 819
 bis(urea) gelator 890, 891
 Bjerrum model 310

- block co-polymers 876–8
 electron transfer through 747–8
 molecular wires based on 747–8
 'blue box' cyclophane 357, 657
 blue phases (liquid crystals) 844–5
 bombykol (pheromone) 85, 86, 778
 bond stretch isomerism 464, **466–7**
Book of Kells lettering 691
 Boolean logic operations 758
 boronic acid derivatives, as anion hosts 254, 270, 271
 Borromean networks/weaves 574, 700
 Borromean rings 574, 691, 697–9
 Borromean rings 698–9
 bottom-up approach 593, 901, 907
 bovine serum albumin microcontainer 909
 bovine spongiform encephalopathy (BSE) 885
 'bow-tie' shaped intermediate 618
 Bragg–Brentano method **474–5**
 'brick wall' network topology 540, 566
 bridging cyanide ligands 568–9, 624
 Brookhaven Protein Data Bank (PDB) 484
 Brownian machines 764–5
 Brownian motion 764
 Brunauer–Emmett–Teller (BET) analysis 430, 435
 Buchner, Eduard 76
 buckminsterfullerene (C_{60})
 in hydroquinone clathrates 407
 purification of 423
 redox sensor based on 928
 in [4]resorcarene-based capsules 647
 in solid-state CTV inclusion complexes 359, 416
 structure **425**, 649
p-t-butylcalix[4]arene 35, 197, 198
 in colorimetric sensors 739
 conformers **199**
 gas sorption by 431–3
 inclusion compounds (types listed) 421
 Mo(VI) derivative of tetraanion 313
 solid-state phase behaviour 422
 tetramethyl ether 200–1
 in van der Waals inclusion complex 35, 36
p-t-butylcalix[4]arene-toluene complexes 35, 36, 312, 419, 420–1, 422
 effect of heating 421–2
p-t-butylcalix[6]arene- $(C_{60})_2$ complex 423, 424
p-t-butylcalix[8]arene- C_{60} complex 423
p-t-butylcalix[n]arenes, phase transport equilibria 204–5

 C–H bond, as hydrogen bond acid 517–19
 C–H... π - π interactions 518–19
 cadmium selenide (CdSe) quantum dots 926
 cadmium telluride (CdTe) nanocrystals 926, 927
 caesium, coordination by calixarenes 204–5
 caesium effect 155, 344–5
 caesium-137, extraction in nuclear industry 297, 299
 cage-type structures
 cyclodextrin complexes 334
 tri-*o*-thymotide complexes 411, 413

 Cahn–Ingold–Prelog notation 110–11, 680
 Cairns–Smith crystals-as-genes hypothesis 469–70, 824
 calamitic liquid crystal phases 841–3, 844–5
 calcium sensors 744
 calix crater vase 197, 198
 calixarene-based ion pair receptors 295
 calix[4]arene amidinium derivative, in heterodimer capsule 646
 calix[4]arene-based sensor 733
 calix[4]arene-bis-crown-5 203, 204
 (calix[5]arene) $_4$ ·(C_{60}) $_5$ ·(toluene) $_2$ complex 423, 424
 calix[6]arene thiourea derivative 256
 calix[n]arene sulfonates 315, 426–9
 calixarenes 197–208
 with adamantyl terminal groups, anchored to immobilised cyclodextrins 320, 321
 1,2-alternate conformation 199, 300
 1,3-alternate conformation 199, 201, 202–3
 amphiphilic dendrimers based on 874
 in anion binding hosts 262–5
 calix[4]arenes
 Ag⁺ complex 202, 203
 1,3-alternate conformer 202–3, 733
 anatomy in cone conformation 200
 conformational aspects of cation inclusion 201, 202
 gas sorption by 433–4
 guest exchange dynamics 321–2
 intramolecular hydrogen-bonding interactions 312
 in ion channel mimics 810
 structure (cone conformation) 200, 311
 upper-rim bridged 206
 calix[5]arenes 313, 420
 calix[6]arenes 313
 calix[8]arenes **200**, 313
 carbohydrate-derived 319
 cation complexation by 198–204
 cone conformation **199**, 201
 conformations **199**, 312
 cyanuric acid derivatives 651–2
 diethylbarbituric acid derivatives 317
 as enzyme mimics **200**
 fullerenes separation using 423
 gas sorption by 431–4
 in heterodimeric capsules 646
 history of chemistry **198–200**
 hybrid calixarenes, cation complexation by 206–8
 inclusion compounds 419–29
 in non-aqueous solution 314
 organic-soluble 419–22
 organometallic derivatives 33
 partial cone conformation 199, 201
 phase transport equilibria 204–6
 solid-state inclusion compounds 314, 419–29
 with fullerenes 314, 423–4
 water-soluble 426–9
 see also *p-t*-butylcalix[4]arene; *p*-sulfonatocalix[4]arene
 calixcrowns 203, 204, 207–8
 calix[4]pyrroles 15, 16, 257

- calmodulin 231, 819
 calorimetric titration 15, 16
 Calvin cycle 67
 Cambridge Crystallographic Data Centre (CCDC) 484
 crystal structure prediction blind tests 504–5
 Cambridge Structural Database (CSD) 484–7, 500
 biological recognition of phosphate and sulfate 229
 crystallographic space groups **462**
 high-*Z'* structures 499
 hydrate structures 498
 hydrogen bonding interactions 29, 450, 484, 485, 505–6, 517
 intermolecular C...O distances in carbonyls 513, 514
 interpenetrated structures 572
 polymorphs 488
 powder X-ray diffraction patterns and **475**
 canted-spin antiferromagnetism 569
 cappeddophanes 345, 346
 capsids (virus coatings) 101
 capsular complexes 148, 183, **189**, 320, 427
 design of self-assembling structures 621
 carbamazepine–saccharin co-crystal 496–7
 carbide complex, formation using macrocycles 152–3
 carbon monoxide, binding to haemoglobin 73
 carbon monoxide ligands
 coordination modes 513
 hydrogen bonds to 512–13
 carbon nanotubes 553, 927, 931–5
 applications 932, 933, 936
 in Damascus steel 936
 development timeline 933
 electrical properties 932
 inclusion properties 933–5
 mechanical properties 932
 synthesis 933
 see also multi-walled carbon nanotubes; single-walled carbon nanotubes
 carbonic anhydrase (CA) 737, 795
 inhibitor 818–19
 mechanism of action 796
 structural model for 796, 797
 carbonyls, dipole–dipole interactions in 28
 carboplatin 94
o-carborane, in solid-state CTV inclusion complexes 359, 416, 417
 carboxylic acid co-crystals with 2-aminopyrimidine, Etter's rules for hydrogen bonding 480
 carboxylic acid dimers 29
 as supramolecular synthons 446, 506, 529
 carboxypeptidase A 230
 carceplexes 370, 371
 carcerands 4, 370–9
 definition 370
 with giant covalent cavities 379–80
 synthesis 370, 371, 372
 template effects 373
 carcerism 375–6, 644
 caroviologens 747, 748
 cascades 863
 cascade complexes/receptors 286, 287, 289–91
 di-copper(II) complexes 289, 291
 di-manganese(II) complexes 290
 di-vanadyl complex 290
 cascadiol-substituents 863
 Catalan solids 648
 catalysis
 by metal-organic frameworks 583
 enzymatic 77–9
 photochemical molecular devices for 720–1
 strategies for modifying selectivity 815, 816
 supramolecular 813–23
 in various environments 779
 catalytic spillover (splitting of H₂ into hydrogen atoms) 585
 catechol 216
 in siderophores 213, 214, 215
 catechol-derived binding sites 627–8
 catenands 653, 654, 674
 catenanes 45, 195, 596, 605, 606, 653–78
 [2]catenanes
 amide-based 666, 667
 doubly interlocked 655, 696
 electrochemically controlled translational isomerism 756, 757
 electrochemistry 661–2
 properties 660–1
 synthesis 625–6, 660, 666, 667
 triply interlocked 696
 X-ray crystal structure 661
 [3]catenanes
 synthesis 662–3, 671
 translational isomers 671
 [5]catenanes, synthesis 664–5
 [7]catenanes, synthesis 665
 hydrocarbon catenanes, synthesis 669, 670, 672, 673
 hydrogen-bonded 666–7
 metal-backbone catenanes 625–6
 nomenclature 653, 654
 synthesis 653–4
 anion-templated 676–7
 auxiliary linkage approaches 669–77, 692
 directed approaches 660–6
 metal-ion-templated 672–6
 statistical approaches 655–6
 statistical then directed approach 672, 673
 as topological isomers 654, 655, 691
 see also polycatenanes
 catenates 653, 654, 674–6
 cation-binding hosts 42, 105–222
 alkalide salts 114, 196–7
 calixarenes 197–8
 crown ethers 114–17, 135–9
 cryptands 122–4, 142–4
 electride salts 114, 195–7
 lariat ethers 120–1, 140–2
 nomenclature 127–9
 podands 118–20
 proton binding hosts 173–80

- cation-binding hosts (*Continued*)
 - siderophores 213–17
 - solution behaviour 149–53
 - spherands 125–7
 - synthesis methods 153–9
 - as transacylase mimics 788–92
 - see also* crown ethers; cryptands; lariat ethers; podands; spherands
- cation carriers 149
- cation complexation
 - selectivity 129–49
 - factors affecting 129–30
- cation extractants 297
- cation– π interactions 32, 523
 - in calixarenes and derivatives 202–3
 - with hydrocarbon hosts 211–13
 - with mixed C–heteroatom hosts 209–11
- cation receptors 149
- cation sensors 732, 734, 736–8, 745
- cavitands
 - chiral 192–3
 - examples 7
 - guest binding by 310–17
 - meaning of term 6, 308, 310
 - range of structural types 311
- cavities 6, 310
 - examples 7
 - guest-exchange dynamics 320–2
- cavity-containing assembly 627
- cavity occupancy factor, cryptophane complexes 365, 366
- CdSO_4 framework 541
- cell division 97–8, 593
- cell membranes 830
 - fluid mosaic model 836
- cellulose 331
- central discrimination 182, 183
- channel hosts
 - cyclodextrin complexes 334–5
 - gas sorption by 434–5
 - trimesic acid complexes 399–401
 - tri-*o*-thymotide clathrates 411, 412
 - tubular structures 401–2
 - urea clathrates 393, 395–6, 435
- channel-mediated ion transport 53, 54
- chaperones 596, 598
- charge compression 486
- charge transfer 712, 713
- charge-coupled device X-ray diffractometer 56
- charge-transfer complexes 310, 314, 413, 521–2
- charge-transfer cyclophanes 357–8
- chelate control strategy (in catalysis) 815, 816
- chelate effect 17–22, 24
 - kinetic effects 18
 - ring size dependence of stabilisation 18–19
 - thermodynamic effects 18
- chelate ring size effects 134
- chelation-enhanced fluorescence (CHEF) effect 240, 737–8
- chemically modified ISFETs (CHEMFETs) 745–6
- chemistry of life 49–104
- chemotherapy 8
- ‘chicken wire’ structures
 - graphite and graphene 520, 551, 935
 - saturated hydrogen-bonded co-crystals 494
 - trimesic acid inclusion complexes 400, 401
- chiral barrier hosts 190, 789
- chiral chromatography 191, 336
- chiral corands 190
 - as transacylase mimics 788–90
- chiral guest recognition 185, 190–3
- chiral molecules 110–12
- chiral recognition factors 190
- chirality
 - amplification 413
 - catenanes 655
 - double helicates 680, 681
 - helices 679
 - transfer by inclusion reaction 413
- chloride channels 58–9, 227, 811
- chloride sensors 733
- chloride transport 58–9, 811, 813
- chlorine hydrate 5, 386
- chlorophylls 61, 63, 64
 - absorption spectra 64
 - coordinated Mg^{2+} ion in 65
- cholapods 278–81
- cholesteric liquid crystal phases 841, 844–5
- cholesterol framework 279
- cholic acid 278, 279, 311
 - p*-toluenesulfonamide 279
- chromium carbonyl, $\text{Cr}(\text{CO})_6$, crystal deconstruction
 - for 481, 482
- chromoionophore 119
- chromophores 710, 712, 726
- chromophoric molecular switches 756, 757
- chronology, supramolecular chemistry development 5
- chymotrypsin
 - mimic compounds 790–2
 - structure 790, 791
- circular dichroism 112
 - induced 192
- circular dichroism (CD) spectroscopy 368–9
- cisplatin 93–4, 95
- citrate, binding with guanidinium-based receptors 250–1
- citrate sensors 735
- clamp proteins 98, 99
- clathrands 6
- clathrate chemistry 4
- clathrate hydrates 387–92
 - applications 391–2
 - formation of 387–8
 - hydrogen storage applications 392, 430
 - properties 390–1
 - structure 388–90
- clathrates
 - examples 7, 393–406
 - term first introduced 6, 386

- clathration, compared with sorption 538
- clay minerals 426, 551
- clearing-point temperature (liquid crystals) 847–8
- cleft hosts 228
- clefts 228
 - as active sites in enzymatic catalysis 75
- 'click' chemistry 872
- 'click' reaction, catalysis by cucurbit[6]uril 814–15
- closed shell bonding 36–7, 524
- coal liquefaction 857
- coalescence method 187
 - application 661
- cobalamin coenzymes 61, 83
 - models 809
- cobaloximes 808
- cobaltocenium-based hosts, redox potential shifts 261, 262–3, 742–3
- cobaltocenium cation, DOSY spectrum 189
- co-crystals 386, 493–8
 - CTV–carborane 418, 419
 - designer co-crystals 494–7
 - hydrates 497–8
 - meaning of term 493–4
- coelenterands 210–11
- coenzyme A 80, 81
- coenzyme B₁₂ and derivatives 80–3, 497
 - mimics/models for 808–9
 - mutase activity 83, 84
- coenzyme F450 62, 80
- coenzymes 79–80
 - examples 62, 80–3, 785
- coinage metal nanoparticles 922
 - see also* gold nanoparticles
- collagen, biosynthesis of 596
- colloidal gold 44, 922
- colloids 44, 922
- colorimetric reporters 259, 260, 278
- colorimetric sensors 738–9
- colorimetry, Fe(III)-specific 216, 217
- columnar discotic liquid crystal phase 845, 846
- columnar hexagonal discotic polymeric mesogens 893, 894
- columnar mesophases 845, 846
- combinatorial chemistry 741, 817
- commensurate structures 396, 397
- complementarity 25
 - combined with preorganisation 25–6
- complexes-as-metals/complexes-as-ligands strategy 718–19
 - dendrimers assembled using 721, 722, 873
- computer applications, nanomaterials proposed 901, 905, 918, 935
- concomitant polymorphs 490, 491
- conformational polymorphs 490, 491
- constrictive binding 265, 373
- constrictive binding energy 266, 373, 374
- contact ion pair receptors 286, 287–8
- convergent binding sites (in host–guest chemistry) 3, 620
- convergent process, self-assembly as 43, 595
- cooperative binding of substrate to enzyme 78
- cooperativity 17–22, 308
 - myoglobin units in haemoglobin 802
 - in self-assembled complexes 610
 - in site binding model 612, 614, 615
- coordination chemistry 8, 106–13
 - basic concepts 106–12
 - chelate effect 17–22
 - noncovalent anion coordination chemistry 224
 - optical isomerism 110–12
- coordination complexes
 - bonding in 107–8
 - gas sorption by 435–7
 - kinetic and thermodynamic stability 636–7
 - nomenclature 108–9
 - synthesis 109
- coordination number 108
- coordination polymer networks 567
 - formation and dissolution on surfaces 915, 917
- coordination polymers 561–86
 - design factors 567
 - interpenetrated structures 571–4
 - magnetism 568–70
 - negative thermal expansion 570–1
 - porous and cavity-containing structures 575–8
 - terminology 561–2
 - three-dimensional networks 567
 - two-dimensional grids/nets 566
 - zero-dimensional clusters 562–4
- coordination-clathrate approach to crystal engineering 483
- copper production 297, 298
 - historical processes 297n
- corands 22, 23, 24, 127
 - as ATPase mimics 785–8
 - binding of ammonium cations by 181–3
 - chiral 190
 - see also* crown ethers
- coraplexes 129
- corates 129
- Corey, Elias James 443n
- Corey–Pauling–Koltun (CPK) space-filling molecular models 125, 370, 790
- corrin ring system 61, 62
 - cobalt(III) complexes 61, 81, 82
- corroborative models 793
- corynebactin 213, 215
- coulombic energy transfer mechanism 713, 714
- 'Coup du Roi' 680
- covalent polymers 862
 - with supramolecular properties 876–80
- covalent template synthesis 604–5
- Cram, Donald 3, 4, 5, 25, 125, 370, 778
- Creutz–Taube cation 715
- Creutzfeldt–Jakob disease (CJD) 885
- critical aggregation concentration (cac) 350
- critical micelle concentration (cmc) 835
- critical self-assembly concentration (csac) 608–9
- Crowfoot–Hodgkin, Dorothy 5, 83

- crown–anthracene system, fluorescence detection by 732
- crown ethers 114–17
- acyclic analogues 118
 - see also* podands
 - anion activation using 150–1, 152–3
 - benzo[15]crown-5, ‘naked’ carbide complex formation using 153
 - benzo[18]crown-6, synthesis 155–6
 - with boronate centre 291
 - cation binding by 135–9
 - cavity sizes 137, 162
 - common examples 116
 - conformational characteristics 130–1, 144
 - [12]crown-4 136, 137, 162, 163
 - [15]crown-5 136, 137, 162
 - [18]crown-6
 - binding constant of K^+ complex 9, 10, 25, 120, 135
 - cation binding to 135, 136, 161, 162, 163
 - cavity size 137, 162
 - conformational rearrangement in K1 complex 130–1, 144
 - donor group orientation 133–4
 - oxonium ion binding by 174–5
 - phase transfer catalysis involving 149–50, 151
 - solution behaviour 149, 150
 - synthesis 116, 154
 - thermodynamic contributions to stability of K^+ complex 135
 - [21]crown-7 137, 138
 - cylohexyl crown ethers 136
 - diaza[18]crown-6 25, 120, 143
 - dibenzo[18]crown-6
 - properties 114–15
 - synthesis 114, 115, 153–4
 - dibenzo[24]crown-8 138, 140
 - dibenzo[30]crown-10 138, 140
 - binding to Pt(II) complex 194
 - and herbicide receptors 194, 195
 - K^+ complex 138, 194
 - selectivity of cation complexation 138, 139
 - dicyclohexano[18]crown-6 116, 117, 152, 299
 - discovery and scope 114–16
 - electride complexes 196
 - nitrogen analogues 25, 120, 143, 160–2
 - nomenclature 127
 - oxonium ion binding by 174–6
 - pyridine-based
 - as chiral host(s) 191, 192
 - interaction with nitromethane 30, 31
 - solubility behaviour 149, 150
 - sulfur analogues 161, 162–3
 - synthesis methods 114, 115, 116, 117, 153–7
 - tribenzo[21]crown-7 138, 139
- cryptands 4, 23, 24, 33, 122–4, 127
- binding free energies for alkali-metal picrates 145, 146
 - cation binding by 142–4
 - [1.1.1]cryptand, as proton binding host 180
 - [2.1.1]cryptand 143, 144
 - [2.2.1]cryptand 122, 143, 144
 - synthesis 122
 - [2.2.2]cryptand 122
 - binding constant of K^+ complex 9, 10, 25, 135, 143
 - cation binding to 143, 144, 164
 - conformational rearrangement in K^+ complex 144, 147
 - electride complexes 196–7
 - synthesis 122
 - thermodynamic contributions to stability of K^+ complex 135
 - electride complexes 196–7
 - nitrogen analogues 163–4
 - nomenclature 129
 - proton binding by 176
 - synthesis methods 122–3, 158, 159
- cryptaspherands 126, 127
- binding free energies for alkali-metal picrates 145
 - binding of NH_4^+ by 183
- cryptaspheraplexes 183
- cryptates 129
- mixed 168
- cryptophanes 359–60
- in anion binding hosts 265–6
 - competition with solvent 363–4
 - complexes with
 - alkyl ammonium ions 364
 - halocarbons 361–3, 365, 366
 - with metal cations 364–5
 - methane 365–6
 - xenon 366
 - 1H NMR spectra 361
 - ‘imploding’ 366–7
 - synthesis 360, 361
 - see also* hemicryptophanes
- crystal allotropy 487
- crystal close packing 36
- crystal deconstruction 481–2
- crystal engineering 441–536
- concepts 442–53
 - design strategies 482–4
 - diamondoid arrays 526–30
 - nonlinear optical materials 445, 446, 526, 765
- crystal growth, at air–liquid interfaces 456–8
- crystal interfaces, dyeing 462–4
- crystal nucleation
- chirality induction 458–60
 - NMR spectroscopy as probe tool 455–6
 - theory 453–5
- crystal self-assembly 442
- crystal structure calculation 501–4
- cluster method 501–3
 - procedure flowchart 502
- crystal structure prediction 500–5
- CCDC blind tests 504–5
 - soft vs hard predictions 500–1
 - techniques used 501, 504

- crystal structures, understanding 476–84
crystal symmetry **461–2**
crystallographic space groups **461–2**
crystals-as-genes hypothesis 469–70, 824
cubanes 527, 528
cubeoctahedron, self-assembly of 630, 631
cubes, supramolecular 621–4, 648
cubic liquid crystal phases 846
cucurbituril 324
 guest exchange dynamics 325
 structure 323
 synthesis 324
cucurbit[n]uril family 324
 cucurbit[6]uril 325, 325
 as catalyst for 1,3-dipolar cycloaddition 814–15
 in molecular necklaces 677–8
 cucurbit[10]uril 324, 325
 dimensions 325
 inverted cucurbit[n]urils 324, 325
cucurbit[10]uril-cucurbit[5]uril inclusion complex 325
cumulene **424, 425**
Curl, Robert F. 423
current imaging tunnelling spectroscopy (CITS) 918–20
cyanometallates, hydrogen bonds to 511–12
cyanopolynes **425**
cyanosilylation reaction, MOF-catalysed 583
cyclam 128, 133
 basicity effects 165, 178
 conformers 165, 166
 derivatives 166–7, 293–4
 synthesis 165, 166
cyclen ([12]aneN₄) binding site, affinity for Zn²⁺ 737–8
cyclic bis[2]catenane 666, 667
cyclic helicates 686, 687
cyclic voltammetry **266–8**
 applications 261, 263, **267–8**, 288, 661–2, 675–6
 auxiliary electrode **267**
 reference electrode **267**
 working electrode **267**
cyclobutadiene 377
cyclocondensation reactions 159
cyclodextrin anion 781
 acetylation of 781, 782
cyclodextrin hydrates 330–1
cyclodextrins 327–36
 anatomy 328–9
 characteristics 329, 781
 α -cyclodextrin
 anatomy 329
 binding constants for various guests 333
 characteristics 329
 structure 311, 328
 β -cyclodextrin
 anatomy 329
 anion 781
 binding of cobalamin and substrate 809
 characteristics 329
 ester hydrolysis by 782, 783
 structure 328
 as cytochrome P-450 mimics 805–6
 as enzyme mimics 780–5
 as esterase mimics 782, 783
 functionalised 783–5
 guest sizes 329, 332
 immobilised on gold surface 320, 321
 inclusion chemistry 331–5, 424
 industrial applications 327–8, 335–6, 493
 preparation of 331
 structure(s) 311, 328
 water solubility 329, 330
1,2,4,6-cycloheptatriene 378
cyclohexane imine-based carbonic anhydrase
 mimics 796, 797
cyclohexanedi-one-benzene cycla-6-mer 447
cyclohexyl crown ethers, binding constant as function of
 cation radius 136
cyclooctatetraene 377
cyclopentadienyl-arene iron(II) cations, CTV inclusion
 complexes with 417
cyclophane-based dendrimers 350–2
cyclophanes 4, 310, 340–58
 as anion binding hosts 246–7
 binding of NH⁴⁺ by 183–4
 charge-transfer cyclophanes 357–8
 as chiral hosts 191–2
 diphenylmethane-derived 211–12
 guest inclusion by hydrogen bonding 353–7
 hydrophobic effects 38–9
 meaning of term 340
 [2.2]metacyclophane 341
 [1.1.1]metacyclophanes, substituted 197, 341
 nomenclature 341–2
 [2.2]paracyclophane 211, 212, 341, 345
 Cr⁺ complex 213
 synthesis 342, 343
 [2.2.2]paracyclophane 211, 212, 341
 [3.3]paracyclophane 211, 212, 341, 345
 Cr⁺ complex 212, 213
 [8.8]paracyclophane 346, 347
 synthesis 342–5
 ultrashort nonbonded contacts in 345–6
 see also calixarenes; resorcarenes
cyclo[8]pyrrole 244, 246
cyclotetramethylenetetranitramine, co-crystal with
 ammonium perchlorate 495
cyclotricatechylene hexaester 845
cyclotrimeratrylene (CTV) 193, 358–9, 414–19
 in anion binding host 264–5
 cavitands based on 359
 inclusion chemistry 416–17
 network structures 418–19
 properties 414
 structure 311, 414
 synthesis 414–15

- cypovirus 101
 cysteine **89**, 228
 cystic fibrosis 811–12
 treatment of 280
 cystic fibrosis transmembrane conductance regulator (CFTR) protein 59, 225, 811
 cytochrome c oxidase 807
 models for 807, 808
 cytochrome P-450 enzymes 803
 catalytic reactivity cycle for 803, 804
 features 805
 models for 803–7
- Damascus steel 935–6
 dansylamide, effect of carbonic anhydrase on
 fluorescence 737
 dansylamidoethylcyclen 737
 Darwinian evolution 820, 823, 901
 and self-replicating systems 823
 data storage applications, molecular switches used 753–4
 daughter crystals/phases 469, 500–1
 Daumas–Hérol model 551, 552, 553
 Davy, Sir Humphry 5, 195, 386, 388
 Dawkins, Richard 825
 Debye–Scherrer rings **474**
 decamethylcucurbit[5]uril 324
 decoration, meaning of term 561, 562
 definitions, supramolecular chemistry 2–3
 degeneracy parameter, in site binding model 612, 613
 degree of order, liquid crystal phases 842, 843
 dendrimers 862–76
 characterisation of 868–9
 commercially available 864
 cyclophane-based 350–2
 Fréchet-type dendrimers 867, 868
 host–guest chemistry 869–72
 hydrogen-bonded mixtures with T-shaped
 amphiphiles 850
 iterative preparation of 862, 863, 866
 light-harvesting assembly 721–2
 molecular imprinting in 870–2
 nomenclature 863–4
 physical properties 869
 rheological properties 863, **865–6**
 structure 862–3
 synthesis
 convergent approach 866–8
 divergent approach 862, 863, 866, 867
 dendritic boxes 870
 dendritic nanodevices 874–6
 dendrons 863
 dendrophanes 350–2, 872
 density functional theory (DFT) calculations 504
 denticity of ligands 107
 deoxymyoglobin, structural model for 799, 800
 deoxyribonucleic acid (DNA) 86–99
 binding to 93–7
 calix[4]arene derivative binding to 319–20
 double helix 87
 base pairs in 32, 90–1
 self-assembly of 601–2, 678
 unwinding of 97–8, 593–4
 hydrogen bonding in 32
 knot-forming tendencies 692, 696–7, 698
 platinum binding to 93–5
 derived crystal packing model 500–1
 designer co-crystals 494–7
 desolvation, enzymatic catalysis affected by 79
 Dewar–Chatt–Duncanson bonding model **169**
 Dexter electron-exchange mechanism 713, 714, 874
 dextrans 331
 see also cyclodextrins
 diacetylene-containing isophthalic acid derivative,
 light-induced polymerisation of 917, 918
 dialkyne diol, channel structures formed by 402–3
 1,2-diaminoethane chelate complex 18
 2,6-diaminopyridine–uracil system 688–9, 839, 880
 mesogens formed from 848
 diamond, properties 526–7
 diamondoid networks 526–30, 541, 567
 with interpenetration 526, 527, 572–3
 Dianin's compound 406, 407
 cavity dimensions 407
 clathrates 407–8, 430, 431, 507
 inclusion of morpholine by 409
 modifications 408
 structure 407
 thiol analogue 408
 diarylureas, Etter's rules for hydrogen bonding 479, 481
 diastereoisomerism, catenanes 655
 diatoms, structural mimics 902–3
 1,11-diazabicyclo[9.9.9]nonacosane, chloride complex 225
 1,4-diazabicyclo[2.2.2]octane (DABCO), co-crystal with
 ferrocene dicarboxylic acid 471, 472
 diaza[18]crown-6
 in ion channel mimics 810
 K⁺ binding constants 25, 120, 143
 in synthesis of cryptands 122–3
 diaza[3.3]metacyclophane 341
 dibenzo[18]crown-6 114, 127
 properties 114–15
 in reaction of anions with benzyl derivatives 152
 synthesis 114, 115
 dibenzo[24]crown-8 138, 140
 dibenzo[30]crown-10 138, 140
 binding to Pt(II) complex 194
 and herbicide receptors 194, 195
 K⁺ complex 138, 194
 selectivity of cation complexation 138, 139
 1,2-dicarbadodecaborane(12) *see* *o*-carborane
 α,ω -dicarboxylic acids, recognition by azacrowns 244
 dicarboxylic acids, redox sensor for 354
 dichroic filters 398
 di-copper(I) model compound, dioxygen binding by 795

- dicopper tetraacetate 575, 585
 interaction with bipyridylpropane 577, 578
 dicyanamide complexes 569, 570
 dicyclohexano[18]crown-6 116, 152, 299
 isomers 116, 117
 dicyclohexano[18]crown-6/*N,N'*-diphenylthiourea dual-host system 299
p-didecylbenzene, in urea-based inclusion compound 395–6
 dideoxykohnkene 326–7
 Diels–Alder addition reaction
 in ionic liquids 854
 kohnkene synthesis 326
 ‘softball’ host-catalysed 643, 644
 thiourea-catalysed 814
 diethyl phosphoramidates, *N*-alkylation of 344
trans-1,4-diethynylcyclohexane-1,4-diol, conformers 491
 differential scanning calorimetry (DSC) 560
 liquid crystals studied by 844
 differential thermal analysis (DTA) 560–1
 diffusion ordered spectroscopy (DOSY - NMR technique) 188–9
 diffusion selectivity in zeolites 549
 dihaloalkane derivatives 525–6
 α,ω -dihalo-perfluoroalkanes 525–6
 dihydrogen bonds 516
 dihydrogen phosphate anions
 electrochemical recognition of 743–4
see also potassium dihydrogen phosphate (KDP)
 1,4-dihydroquinoxaline-2,3-dione-based hosts 498
 2,10-dihydroxynaphthalene 348
 binding in cyclophane complex 348
 dimeric capsules 294–5
 4,4'-dimethoxyazoxybenzene, nematic liquid crystal phase 843
 1,2-dimethoxyethane, donor group orientation for 133
 4-(*N,N'*-dimethylamino)benzoic acid, co-crystal with 4-nitrobenzoic acid 517
 4-(4-dimethylaminophenylazo)-1-methylpyridinium [MnCr(oxalate)₃]·0.6MeCn, powder X-ray diffraction pattern 476
N,N'-dimethyl-4,4'-bipyridinium *see* paraquat
N,N-dimethylformamide (DMF), methyl exchange mechanism 188
 dip pen nanolithography (DPN) 911
 diphenylglycoluril 323
 diphenylmethane 311, 348
 as spacer in cyclophanes 246–7, 347–52
 dipole–dipole interactions 28
 hydrogen bonds as 29
 diquat 194–5, 656
 directed self-assembly 596
 ‘disappearing polymorphs’ 488, 491–2
 disclinations, in nematic liquid crystal phase 842
 discotic liquid crystal phases 841, 845, 846
 discotic polymeric mesogens 893, 894
 discrimination 740
 inter-guest 26
 dissociation constant 9
 distamycin A, binding to DNA 97
 1,2-dithienylethene switchable unit 752–3
 ditopic ligands 639
 ditopic receptors 184–5, 286, 287, 292–5
 in sensors 732, 733
 ditopic supramolecular coupling reagent 495–6
 divergent binding sites (in host–guest chemistry) 3, 620
 DNA *see* deoxyribonucleic acid
 DNA clamp protein 98, 99
 DNA helicase (enzyme) 98
 DNA helicase RepA sulfate complex 228
 DNA intercalators 95–6
 DNA knots 692, 696–7, 698
 DNA ligase 99
 DNA polymerase 76, 92, 97–9
 DNA primase 98, 99
 DNA replication fork 98
 1,12-dodecanedinitrile, silver(I) complexes 572–3
 dodecyl phosphocholine (DPC) complex with [4]resorcarenes 318
 donor group orientation, in cation-binding hosts 132–4
 DOPA, resolution of 358
 double-helicate complexes 682, 683
 double helicates, chirality 680, 681
 double helices, DNA 60–2, 87, 678
 double mutant cycles 615–16
 double quantum filtering 430
 double-shell complexes, halogen bonding in 526
 drug delivery
 cyclodextrins used 336, 493
 dendrimer host–guest compounds used 872
 supramolecular gels used 891
 dual-host salt extraction 298–9
 durene (1,2,4,5-tetramethylbenzene) 347, 348
 binding in cyclophane complex 347, 348
 dye displacement assay *see* indicator displacement assay
 dyeing of crystal interfaces 462–4
 dynamic combinatorial chemistry 817–19
 casting-of-substrate approach 818
 moulding-of-receptor approach 818
 dynamical effects, in enzymatic catalysis 78
 edge-to-face π – π interactions 34, 310, 519
 assessment of strength 616, 617
 effective molarity, self-assembly of coordination complexes 608, 609, 611
 egg-shaped carcerand 375, 376
 Ehrlich, Paul 5, 7, 8, 805
 elastic materials 865
 electric-field-induced second harmonic generation (EFISH) experiment 768
 electriles 114, 195–7, 930
 electrochemical sensors 742–6, 838
 electron-exchange mechanism 713, 714
 electron transfer, photoinduced 714, 720, 724, 726
 electronic design, supermolecules as basis 593

- 'electronic nose' 742
- 'electronic tongue' 277, 742
- electronics, molecule-based 746–62
- electrophoretic mobility shift assay 319
- electrophotoswitchable systems 754
- electrostatic interactions 310
- electroswitchable systems 753
- 1,6-elimination reactions, cyclophanes synthesised by 342, 343
- emergence of life 823–5
 - timescale 824
- emergence of self-organised system 43, 595
- emergent structures 43
- emulsions 922
- enantioenterobactin 214
- enantiomer-resolving machine 190–1
- enantiotropic polymorphism 489
- endo-acidic cyclophanes 356–7
- endohedral metallofullerenes 929–30
- endo-templated synthesis 156
- energy level diagrams, photoinduced electron transfer 720
- energy transfer, after photoexcitation 711, 722, 723
- energy-transfer mechanisms 713–15
- 'engineering down' approach 593, 901, 907
- enniatins 57
- entanglement structures *see* Borromean rings; knots; ravels
- entatic state 73, 75
- enterobactin 213, 214–15
- enthalpic hydrophobic effect 38
- entropic contribution to anion binding 233–4
- entropic hydrophobic effect 38
- entropy-driven encapsulation mechanism 643
- enzymatic catalysis, mechanisms 77–9
- enzyme active sites 75
 - cascade receptors as models 289
- enzyme mimics
 - calixarenes as 200
 - cyclodextrins as 780–5
- enzyme–substrate binding 7–8
- enzymes 74–83
 - characteristics 74–6
 - nomenclature 76
 - structures 75–6
- epitaxial growth of crystals 467–8
- equilibrium constants 9
 - self-assembly of coordination complexes 607–8
 - successive addition of ligands 10–11, 20–1
 - see also* binding constants
- Ercolani's site binding model 611–14
- Escherichia coli*, enterobactin 214, 215
- esterase mimics, cyclodextrins as 782, 783
- etching (in microfabrication) 907
- ethanol, acetaldehyde produced from 797
- ethanolammonium nitrate (ionic liquid) 852
- ethyl chlorophyllide 65, 66
- ethylenediamine, donor group orientation for 133
- ethylenediamine palladium(II) moiety 617, 619
 - see also* Pd(en)²⁺
- ethylenediaminetetraacetate (EDTA⁴⁻) 112–13
 - siderophores compared with 214, 216
- 2-ethyladamantan-2-ol 517, 518
- Etter's rules 478–81
 - carboxylic acid co-crystals with 2-aminopyrimidine 480
 - diarylureas 479, 481
 - nitroanilines 479
 - nucleotide base co-crystals 480
- Euler, Leonhard 539, 540
- Euler's Law 425
- europium complexes, in biological cell imaging 735, 736
- europium cryptates, in light-conversion devices 725
- europium triple helicate complex, self-assembly of 614–15
- eutrophication 224–5
- excimers 711, 712
- exciplexes 711, 712
- excitation transfer 713, 714
- excitons 925
- exfoliated graphite 553–4
- expanded porphyrins 244–5, 304
- extended site binding model 610, 613–15
- extraction experiments 16–17
- Eyring equation 187
- face-to-face charge-transfer π -stacking 357, 522
- face-to-face π - π interactions 34, 310, 519, 520–2
- faujasite (FAU) zeolites 544, 545, 546, 550
- ferredoxin, iron–sulfur anions in 231
- ferritin 100–1
- ferrocene 32
 - α -cyclodextrin complex 335
 - DOSY spectrum 189
 - polymorphic forms 521
- ferrocene-based electrochemical sensors 743–4
- ferrocene-derived anion receptors 259, 260, 303, 304
- ferrocene dicarboxylic acid, co-crystal with 1,4-diazabicyclo [2.2.2]octane 471, 472
- ferroelastic materials 397–8
- ferroelectric liquid crystals 852
- ferromagnetism 569
- fibrinopeptide 887
- figure-of-eight DNA knot 698
- first-generation dendrimers 862, 863
- Fischer, Emil 5, 7
- flexible hosts, guest exchange dynamics 321–2
- fluid mosaic model (of cell membrane) 836
- fluorescence 710, 711
- fluorescence titration 13–14
- fluorochlorobromomethane, separation of enantiomers 363
- foam 922
- foldamers 599–600
- food industry applications, cyclodextrins 335–6
- force-field methods for crystal structure calculation 504
- formula units 498
 - see also* high-Z' structures

- Förster resonance energy transfer (FRET) mechanism
713, 714
 applications 729–30
- Franck–Condon principle 711
- Franklin, Benjamin 831
- Fréchet-type dendrimers 867, 868
- free energy changes, in course of chemical reaction **636**
- Fuller, Richard Buckminster **425**
- fullerenes 927–35
 amphiphilic dendrimers based on 874
 applications 929
 in calixarene inclusion complexes 314, 423–4
 discovery of 423, **424–5**
 as guests 314, 359, 407, 423–4
 as hosts 423, 928–31
 in hydroquinone clathrates 407
 inclusion compounds 929–31
 intercalates 931
 molecular surgery approach to guest-encapsulation 930–1
 organometallic complexes 928
 purification/separation of 423
 self-assembly and 595
 in solid-state CTV inclusion complexes 359
 synthesis 932
 see also buckminsterfullerene
- fused-ring aromatic hydrocarbons (FAHs), structures 520–1
- G-quartet (guanosine tetramer) motif 295, 296, 848, 849
- gadolinium(III) ions, dendrimers as carriers 876
- γ -aminobutyric acid (GABA) 303, 304
- gas sorption 429–32
 by calixarenes 431–4
 by channel hosts 434–5
 by coordination complexes 435–7
- gas sorption isotherm 430, 431
- gate functions (in pump storage model), 52
- gauche* conformation 130
- gauche* interactions
 [4]resorcarenes 319
 see also attractive *gauche* effect; repulsive *gauche* effect
- gelatin 890
- gels 888–93
 characteristic properties 888
 meaning of term 888, 922
- genetic code 88
 transformation from DNA to ribosome 90
- genetic engineering 91–2
- genetic information, as imperfections in minerals 469–70
- giant self-assembling capsules 646–51
- Gibbs equation 11
- gigaohm seal 811
- glass transition temperature 471n
- global warming 392
- glucose sensors 888
- glutamate **90**
- glutamate dehydrogenase **89**
- glutamic acid **89**
- glutamine **89**
- glycine **89**, 228, 457
 polymorphs 492
- α -glycine
 crystal growth at air–liquid interfaces 456–8
 graph set assignments 477–8
- glycoluril 311, 323
- glycoluril-based hosts 323–5, 641, 642, 728
- glycoside cluster effect 319
- glyoxalases, cyclodextrin derivatives as mimics 784
- gold nanoparticles 44, 922–5
 preparation of 922–3
- gold(I) phosphine macrocycles, self-assembly of 302
- gold–thiolate monolayers 837
- Gouy–Chapman layer 835
- gramicidins 688, 689, 809
- graph set analysis 476–8
- graph set descriptor(s) 477
 dimer synthons 506
 illustrative examples 477
- graphene 935
- graphite 34, 520, 551–2
- graphite foams 554
- graphite foils 554
- graphite intercalates 552, 553–4
- 'green' hydrogen fuel cells 429, 584
- 'green' solvents 853
- greenhouse gases 392
- grid structures 566, 637, 638–9
- grinding-induced crystal engineering 470–3, 577
- Grubbs' catalyst 658, 872, 917, 919
- guanidine group in arginine, hydrogen bonding
 involving 229
- guanidinium-based receptors 248–51, 303–4
 chiral derivatives 249
- guanidinium sulfonates 554–6
- guanidinocarbonyl pyrroles 251
- guanine–cytosine interactions (in DNA) 91
- guest, definition 3, 232, 620
- guest-determining step (GDS), in carcerand synthesis 373
- guest discrimination 26
- guest exchange dynamics
 cavitates 320–2, 325
 NMR spectroscopy **187–8**
- Haeckel, Ernst 902
- haem analogues 798–807
- haem complexes 62, 70
- haemocyanin(s) 289, 793
 dioxygen binding by 289, 290, 793
 models 289, 793–5
 structure of active site 793–4
- haemoglobin
 oxygen saturation curves 74
 structure 70, 598, 802, 803
 uptake and transport of oxygen by 70–4, 798
- halide coordination geometries, in anion hosts 236

- haloalkanes
 - encapsulation by cryptophanes 361–3, 365, 366
 - encapsulation by ‘tennis ball’ hosts 642
- halogen bonding 36, 37, 446, 524–6
 - in metallomesogens 848–9
- halogens, hydrogen bonds to 510–11
- hapten, meaning of term 779n
- hard ions and ligands 109, 110
- hard and soft acids and bases (HSAB) principle 109–10
- helical bimetallic complexes 301
- helical foldamer 690, 691
- helical structures 565
- helical tubular hosts 401–2, 525
- helicates 678–91
 - cyclic 686, 687
 - [4 + 4]helicates 682–3
 - [6 + 6]helicates 683–4
 - positive cooperativity in formation 685, 686
 - self-recognition in 684–5
 - synthetic considerations 681–2
- helices
 - anion-based 687
 - double helices of DNA 60–2, 87, 678
 - hydrogen-bonded 687–91
- hemicarcerands 370
 - coordination capsules 634–5
 - inclusion reactions 376–9
 - self-assembly of 647, 648
 - synthesis 372
 - see also* cryptophanes
- hemicryptophanes 367–8, 369
 - CD spectra 369
 - synthesis 368
- hemispherands 126, 127
 - binding free energies for alkali-metal picrates 146
 - binding of NH_4^+ by 183
 - t*-butylammonium complex 148, 790
- heptafoil knots 696
- heptapeptides, in ion channel model 811, 812
- herbicide receptors 194–5
- Herman–Maugin notation 461
- herringbone packing motif 34, 520, 521
- heterodimeric capsules 646
- heterogeneous dilution 344
 - see also* high-dilution synthesis
- heteronuclei, crystal nucleation affected by 492
- heterosynthons 496–7
- hexacyanoferrate(II) anion, in complexes with
 - azacorands 241–2, 243
- hexacyclen 128, 240–1
- hexa(*p*-*n*-dodecyloxybenzoyl)hexacyclen 845
- hexagonal array of sixfold phenyl embraces (HA6PE) 530
- hexagonal structures 835
 - liquid crystal phases 846
 - M41S zeolites 547
- hexahedron, self-assembly of 629–30
- hexahost strategy 409, 410, 483, 507
- hexameric carcerand 379–80
- hexametallic cage, self-assembly of 617–19, 618
- hexamethyl(Dewar)benzene 466
- O*-hexyl-*p*-*t*-butylcalix[4]arene, NO^+ complex 314
- hierarchical self-assembly 598, 825, 900
- high-dilution synthesis methods 122, 157–9, 344, 673
- high-resolution scanning tunnelling microscopy (HRSTM),
 - application 917–18, 919
- high-*Z'* structures 498–500
- highly ordered pyrolytic graphite (HOPG) 911
- Hill coefficient/equation/plot 21, 22, 610
- histidine 89
- Hoffman’s benzene clathrate 556, 557
- Hoffman-type inclusion compounds 556, 857
- Hofmeister series 226–7, 239
- holoenzymes 80
- homeomorphic structures 654
- homooxocalixarenes 203–4
- honeycomb self-assembled network 915, 916
 - fullerene C_{60} heptamers assembled in 915, 916
- Hoogsteen base pairing 91, 92
- hormones 83, 85
- host, definition 3, 232, 233, 620
- host design 41–2
 - anion hosts 232–5
- host–guest chemistry 3–4
- host–guest compounds, classification 6, 7
- host–guest interactions, cyclodextrin inclusion
 - complexes 332–3
- host–guest relationship, definition 3
- ‘host within a host’ 646
- hourglass inclusions 464–5
- Hückel rule 62
- Human Genome (HUGO) project 92
- human immunodeficiency virus 1 (HIV-1) protease 101
- hydraphile family of ion channel mimics 809–10
- hydrate growth inhibitors 391, 455
- hydrated proton *see* oxonium ion
- hydrates
 - in co-crystals 497–8
 - see also* clathrate hydrates
- hydride sponge 268, 269
- hydrocarbon catenanes, synthesis 669, 670, 672, 673
- hydrocarbon hosts 211–13
- hydrogels 888
- hydrogen bond synthons 505–19
- hydrogen-bonded catenanes 666–7
- hydrogen-bonded rings, as supramolecular synthons 505–9
- hydrogen-bonded rotaxanes 667–9
- hydrogen-bonded supramolecular synthons 445, 505–19
- hydrogen bonding 28–32, 310
 - acidity and basicity 30, 452–3
 - bond energies 29, 447
 - C–H donor hydrogen bonds 517–19
 - to carbon monoxide ligands 512–14
 - categories 29–30
 - conic correction factor 29, 451

- to cyanometallates 511–12
- as dipole–dipole interaction 29
- geometries 30, 31
- guest inclusion in cyclophanes 353–7
- to halogens 510–11
- to metal hydrides 515–16
- in metallomesogens 848, 850
- to metals 514–15
- moderate/medium-strength hydrogen bonds 30, 450–1
- in organometallic chemistry 514–16
- properties 30
- self-assembly of closed complexes by 641–52
- special role in supramolecular chemistry 29, 447–51, 505
- strong hydrogen bonds 30, 449–50
- as templating factor 606, 821, 890
- water molecules in clathrate hydrates 389
- weak hydrogen bonds 30, 451
- hydrogen bridge 447
- hydrogen production 429, 430
- hydrogen storage applications 392, 407, 430, 583–6
- hydrophobic effect 38–9, 308, 309, 332, 349
 - contributions 38, 309, 332, 519
- hydroquinone
 - clathrates 406–7
 - solid-state forms 406
- hydrotris(3,5-diisopropylpyrazolyl)borate-based model 794
- ω -hydroxy acids, conversion into lactones 342, 343
- hyperpolarisability 767
- hypervalent compounds 268
- ibuprofen 816, 817
- ice
 - diamondoid network 527
 - properties 388, 527
 - see also* water
- imidazole-functionalised amidopyrrole 258
- imidazoline and derivatives, in haem analogues 799, 801
- imidazoline-derived metallomacrocycles 436
- imidazoline receptor 277
- imidazolium ionic liquids 852, 853–4
- inclusion chemistry 4
 - calixarenes 419–29
 - cyclodextrin complexes 331–5
 - cyclotrimeratrylene clathrates 416–17
 - factors affecting 332
 - hemarcerands 376–9
- inclusion compounds
 - methods to study **559–61**
 - solid-state 385–440
 - urea clathrates 398
- incommensurate symmetry interactions 597
- indicator displacement assay (IDA) 112, 739
 - applications 250–1, 277, 740–1
- indigo, effect on crystal growth 463–4
- induced circular dichroism (ICD) effects 192
- induced dipolar interactions 310
- induced fit model
 - enzyme–substrate binding 8, 9, 779
 - examples 78, 230, 247, 626
- induced polarisation, as function of time 766
- inert complexes, meaning of term **636**
- inert metal-containing receptors 259–76
 - general considerations 259–60
- inert metal ion, definition 286
- innate curvature of cavitands 310–11, 648
- insulin, biosynthesis of 602–3, 604
- intercalates 551–2
 - applications 552, 553
 - fullerene intercalates 931
 - graphite intercalates 552, 553–4
- intercalators, binding to DNA 95–6
- interdigitated cavities 409
- intermolecular multicentre hetero-acceptor (IMH) hydrogen bonds 514, 515
- intermolecular pseudo-agostic (IPA) bonding
 - interactions 514, 515
- International Union of Pure and Applied Chemistry (IUPAC) nomenclature
 - coordination/inorganic chemistry 108–9
 - cyclophanes 341–2
 - zeolites 543
- interpenetrated structures 539, 562
 - coordination polymers 571–4
 - diamondoid networks 526, 527
 - metal-organic frameworks 580–1, 582
- inter-ribbon puckering angle 555
- intersystem crossing after photoexcitation 710, 711
- intramolecular reactions, compared with bimolecular reactions 78, 79
- intrinsically curved molecular building blocks 310–11, 648
- inverse crown compounds 275–6
- inverse opals 905, 906
- inverted cucurbit[n]urils 324, 325
- 4-iodo-4'-nitrobiphenyl 445, 446, 484
- ion channel conductance, measurement of 811
- ion-channel proteins, mimics 809–13, 845
- ion channels 53, 54
- ion–dipole interactions 27–8, 107
- ion-dots 918
- ion–ion interactions 27
- ion pair receptors 285–306
 - types 286, 287
 - cascade complexes 286, 287, 289–91
 - ditopic receptors 286, 287, 292–5
 - zwitterion receptors 286, 287, 303–4
- ion pairs, types 286
- ion-selective electrodes 208, 273
- ion-selective field-effect transistors (ISFETs) 745, 746
- ion transport across cell membranes 53–60, 809
- ionic liquids (ILs) 852–4
 - characteristics 853
 - research publications 853
- ionic radii, listed for various anions and cations **160, 226**
- ionic strength, meaning of term 177n

- ionophores 53, 54, 57, 207–8, 809
 - binding constants 57
- iridescent colours 905, 906
- iridium(III)-based antenna array 723–4
- iridium(III) dihydride, bonding in 516
- IRMOF-6 579–80
- iron, biochemical role 213
- ‘iron maidens’ 180, 345–6
- iron(III) porphyrin compound 806
- iron(IV) tetramethylcyclam oxo complex 806–7
- irreversible self-assembly 596
- 2-(4-isobutyl-phenyl)-propionic acid 817
- isochratic (chromatographic) technique 257n
- isocyanato surfactant 804, 805
- isocyanide-based polymers 878
- isoleucine **89**
- isomeric constellations 645, 646
- isomorphous crystals 467n
- isophthalamide, effect of attaching Cr(CO)₃ groups 263
- isophthalic acid hydrogen bonding interactions, dendrimer assembly by 872
- p*-isopropylcalix[4]arene 312–13
- isorecticular expansion 561
- isorecticular metal-organic frameworks (IRMOFs) 561, 562, 579–80
- isobestic point 15
- isoskeletal structures 402
- IsoStar scatterplots 485
- isostructural crystals 467n
- isothermal titration calorimetry (ITC) 15, 16, 233
- isotopic structures 654
- IUPAC *see* International Union of Pure and Applied Chemistry
- ‘jam’/‘jelly’ doughnut molecule 644, 645
- jasmine oil 86
- Job plots 12–13, 14
- Johnson solid 648
- junk DNA 99
- Kagan’s ether, molecular tweezers containing 339
- katapinands 224, 225
 - as anion hosts 233
 - conformational change on anion binding 233
- Kemp’s triacid 311, 338
 - molecular clips derived from 338–9
- Kemp’s triacid derivative, in self-replicating system 821, 822
- kinesin 763
- kinetic effects, chelate effect and 18
- kinetic selectivity 26, 227
- kinetic stability, coordination complexes **636**
- kinetic template effect 121, 155–6, 604, 626
- kinetic template synthesis approach 155, 604, 626, 672
- knots
 - DNA knots 692, 696–7, 698
 - molecular knots 596, 692–700
 - as topological isomers 692
 - prime knots 692
 - topology 691–2
- kohnkene 326–7
 - X-ray structure 327
- Kohnkene precursor 311, 326
- koilands 313
- koilates 313
- Kondo resonance 761
- Koopman’s theorem 717
- Kroto, Harold W. 423, **424**, **425**
- Kryptofix® products 122, 146, 147
- labile complexes, meaning of term **636**
- labile coordination compounds, as anion hosts 260, 299–303
- β -lactamase 892
 - functional model for 797
- lactase 76
- ladder structures 494, 565, 637, 638, 639
- ladderanes 473, 474
- lamellar liquid crystal phases 846
- Langmuir–Blodgett technique 831, 833–4
- Langmuir isotherm 833
- Langmuir monolayer films 831, 833
 - nonlinear optical materials in 768, 769
- Langmuir trough 832–3
- lantern structures 575, 577, 579
- lanthanide-based networks 567
- lanthanide cations
 - binding of 108
 - dendrimers as ligands for 872, 873
- lanthanide(III) complexes
 - in logic gates 758–9
 - in sensors 734–5
- lanthanide cryptates, in light-conversion devices 725–6
- lanthanide helicates 614–15
- lanthanides/lanthanoids *see* europium; gadolinium; terbium
- lanthanum complexes of fullerenes 929
- lariat ethers 120–1, 128
 - ammonium binding to 141, 142
 - bibrachial lariat ethers 121, 128, 141–2
 - binding constants for alkali metal complexes 25, 120, 140–1
 - binding free energies for alkali-metal picrates 146
 - cation binding by 140–2
 - cation– π interactions 209–10
- lateral discrimination 182, 183
- lateral pressure (monolayer films) 833
- lattice energy minimisation procedures 502–3
- layer-type cyclodextrin complexes 334
- layered solids
 - characteristics 550–3
 - classes 551
 - controlling 554–6
- Le Chatelier’s Principle 605
- Leden–Chatt triangle 110
- Lehn, Jean-Marie 2, 4, 5, 122, 594
- leucine **89**

- Lewis acid chelates 268–71
 Lewis bases 107, 235
 librational shortening of covalent bonds 449
 life
 definitions 820, 823
 emergence of 823–5
 ligand bite angle 137
 ligand-exchange reactions **636–7**
 ligand field activation energy (LFAE) **637**
 ligand field stabilisation energy (LFSE) **636**
 ligands 107
 ligase ribozymes, in self-replicating system 823, 824
 light-conversion devices 725–6
 light-harvesting antenna arrays and pigments 63, 65, 721, 723–4
 light-harvesting devices 718–24
 light-harvesting pigments 61, 63, 65
 light-powered molecular shuttle 763, 764
 Linde type A (LTA) zeolites 544, 545, 546
 linear dichroism (LD) spectroscopy 747 & n
 linear molecular recognition 184–5
 lipid bilayers 825, 836
 lipid-world theory 825
 lipids, self-assembly into complex structures 825, 834
 liposomes 811
 liquid aerosol 922
 liquid clathrates 854–8
 A/A number 855
 factors affecting 856
 advantages over solid-state separations 857
 key properties 854
 solution-behaviour model 855–6
 term first coined 854
 liquid crystal displays (LCDs) 830, 851–2
 liquid crystalline materials, design of 846–8
 liquid crystals 839–52
 applications 851–2
 polymeric 893–4
 supramolecular 848–51
 liquid ordering 830–1
 lithium greases 891
 lithography 901, 907
 see also soft lithography
 living system, definition 823
 localised molecular orbital approximation 712
 lock-and-key interactions
 enzyme–substrate binding 7–8, 778
 in ferritin molecule 101
 modifications 8–9
 logic gates 756, 758
 London dispersion forces 35
 low-molecular-weight gelators (LMWGs) 889, 890
 properties 891
 lucigenin (dye), quenching of fluorescence 280, 281
 luminescence 710
 see also fluorescence; phosphorescence
 Lycurgus cup (Roman chalice) 922
 lyotropic liquid crystal phases 835, 841, 846
 lyotropic series 226–7
 lysine **89**

 μ - η^2 : η^2 bridging mode of peroxide ligand 794
 machine(s)
 definition 708
 molecular analogues 762–5
 MacKinnon, Roderick 5, 58, 227
 macrobicycles
 contact ion pair receptors 287–8
 tin-containing 274–5
 see also cryptands; katapinands
 macrobicyclic amides 255
 macrobicyclic effect 23
 chelate effect and 24
 macrocyclic amides 254
 macrocyclic effect 22, 135
 chelate effect and 24
 macroporous materials 430
 macrotricycles 41
 Maddox, J., on crystal structure prediction 500
 magnesium tetrapyrrole macrocycles, in
 photosynthesis 61, 63–7
 magnetic resonance imaging (MRI) 876
 magnetic spin crossover 569–70
 magnetic tweezers 913
 magnetism, coordination polymers 568–70
 manganese, suitability as oxidation catalyst 69–70
 manganese catalase enzyme 290
 manganese-catalysed oxidation of water to oxygen 68–70
 manganese cubane 527, 528
 Mannich reaction 294
 Markov growth model 405
 mass spectrometry
 catenands 675
 catenanes 669, 671
 Maxwell's Demon 764
 MCM zeolites 545, 547
 MECAM 215
 mechanical machines, molecular analogues 762–5
 mechanochemistry 460, 470–3, 577
 melamine·cyanuric acid derivatives 651–2, 653
 rosette motifs 651, 652
 tape motifs 651, 652
 melamine·tetracarboxylic acid diimide network 915, 916
 membrane ionophores, in CHEMFETs 745–6
 membrane potentials 50–3
 membrane transport 53–60
 menaquinone 66, 67, 81
 [9]mercuracarborand-3 273
 [12]mercuracarborand-4 273
 chloride inclusion within 273, 274
 mercury crown compounds 272–3
 mesogenic polymers 893, 894
 mesogens 839

- mesomorphic behaviour 839
see also liquid crystalline behaviour
- mesophases, characterisation of **843–4**
- mesoporous materials 430, 545, 547
- mesoporous silica structures, templating of 903–4
- [mesotetrakis(sulfonatomesityl)porphyrinato]iron(III) **806**
- metacyclophanes
in-[3^{4,10}][7]metacyclophane 180, 345
 [1.1.1]metacyclophanes, substituted *see* calixarenes
- metal–acetylide polymers 749
- metal–atom ligand–vapour synthesis 213
- metal–backbone catenanes 625–6
- metal extraction processes 297–8
- metal hydrides, hydrogen bonds to 515–16
- metal–ion–templated synthesis 604
 catenanes 672–6
- metal–organic frameworks (MOFs) 538, 561, 562, 578–83
 catalysis by 583
 hydrogen storage by 583–6
 MOF-5 579, 585, 586
 MOF-9 580–1
 MOF-177 584, 585
 pyrazene-based 582
see also isorecticular metal–organic frameworks
- metal– π interactions 523–4
- metal salt symport 297–8
- metal–to–ligand charge transfer (MLCT) 712, 713
- metallobiosites 792–8
- metallocene derivatives
 in electrochemical sensors 742–4
 nonlinear optical properties 770
see also cobaltocinium; ferrocene
- metallogeles 888
- metallohemiacerands 634–5
- metallomesogens 848
- metallophilic interactions 36, 37, 525
- metalloporphyrin O₂ complexes 799–800
- metalloproteins 70–4, 792
- metallotropic materials 850
- metals, hydrogen bonds to 514–15
- metastable polymorphs 488, 491–2
- methane
 absorption by IRMOF-6 579–80
 encapsulation by ‘tennis ball’ hosts 642
 environmental impacts 392
 steam reforming reaction 429, 430
- methane hydrate 392
- methionine **89**
- methyl jasmonate 86
- p*-methylcalix[4]arene, synthesis **199**
- methylene blue (dye) 8, 805
- methylmalonyl-CoA mutase 83
 model for 808
- 5-methyl-2-[(nitrophenyl)amino]-3-thiophenecarbonitrile 488
- micelles 834–5
 self-replication of 825
- Michael addition 293, 294
- Michaelis constant 77
- Michaelis–Menten model 77
 exceptions 78
- microcontact moulding, solvent-assisted 911
- microcontact printing 910
- microfabrication 907–9
- micromoulding in capillaries 910
- microporous materials 430
- microscale machines 708
- microtransfer moulding 910
- Miller indices 456
- minimal self-replicating model 820
 examples 820, 821
 factors affecting success 821
- MIP sensor arrays 879–80
- Mitsunobu reaction 342, 343
- mixed C–heteroatom hosts 209–11
- mixed cryptates 168
- mixed-valence devices 715–16
- Mn₁₂-acetate 562, 563
- models 778, 779
see also biological models; corroborative models;
 functional models; speculative models; structural
 models
- MOFs *see* metal–organic frameworks
- molecular baskets 323
- molecular beam epitaxy (MBE) technique 921
- molecular biology 50
- molecular chaperones 596, 598
- molecular chemistry, compared with supramolecular
 chemistry 2
- molecular clips 323, 338–9
- molecular containers 617–19, 620–35
- molecular devices and machines 707–75
 principles 708
- molecular electronics 746, 892
- molecular elevator 762–3
- molecular ‘extension cable’ 729
- molecular graph 654
- molecular guests, in solution 307–84
- molecular imprinted polymers (MIPs) 879–80
- molecular imprinting in dendrimers 870–2
- molecular ‘iron maidens’ 180, 345–6
- molecular knots 596, 691–700
- molecular lock method, platinum catenane synthesis
 by 626
- molecular logic 756–60
- molecular loops 635
- molecular machines 762–5
- molecular memory devices 760–1
- molecular motors 763, 886, 887
- molecular ‘muscles’ 762
- molecular necklaces 325, 677–8
- molecular orbital (MO) diagram, octahedral transition metal
 complex 712
- molecular panelling 617–18, 629–33

- molecular ratchets 764–5
- molecular reaction vessels
 - hemispherical as 376–7
 - 'softball' and 'tennis ball' hosts as 643–4
- molecular recognition between host and guest 8, 709
- molecular recognition strategy (in catalysis) 815, 816
 - example of application 816, 817
 - potential problems 815–16, 817
- molecular rectifiers 750–2
- molecular rosettes 651–2
- molecular scaffolding 624–9
- molecular self-assembly, compared with supramolecular self-assembly 594
- molecular sensors
 - basis 730
 - construction criteria 731
- molecular sieves, zeolites as 545
- molecular squares and boxes 624–35
 - coordination capsules 634–5
 - molecular panelling approach 629–33
 - molecular scaffolding approach 619, 619, 624–9
- molecular surgery approach to guest-encapsulation in fullerenes 930–1
- molecular switch tunnel junction (MSTJ) 760
- molecular switches 752–6
- molecular symmetry operations **460**
- molecular 'syringe' 208
- molecular transistor 761
- molecular tweezers 336–8, 339–40
 - chiral 339–40
 - progression to cyclophanes 346–7
- molecular wires 713, 746–9, 750, 892
- molecular zippers 616, 617
- molybdenum blues 563
- molybdenum carbide complex, formation using
 - macrocycles 152–3
- monodisperse latex spheres 906
- monolayers, formation of 832, 833
- monotropic polymorphism 489
- montmorillonite 551
- montmorillonite clay particles, condensation of nucleotides
 - catalysed by 469, 824
- Mo(O)Cl₂(PMe₂Ph)₃ **466**
- Moore's law 901 & n
- morpholine 48
 - inclusion by Dianin's compound 409
- morphosynthesis 902–5
- motif 477
- Mukaiyama-aldol reaction 583
- Mülliken correlation 33
- Mullis, Kary B. 91, 594
- multi-component molecular crystals 493
 - see also* co-crystals
- multimediated multiple interaction self-assembly 597
- multiple interaction self-assembly 597
- multistorey self-assembled structures 639, 640
- multi-walled carbon nanotubes (MWCNTs) 933, 936
- murexide indicator 112, 739
- muscle contraction 886
- muscle mimics 762–3
- mycobactin 213, 214
- myoglobin, oxygen saturation curve 74
- myosin 763, 886, 887
- NaCl lattice 27, 233
- Na⁺/K⁺-ATPase enzyme 50, 51, 76, 785
 - crystal structure 59–60
 - see also* ATPase
- 'naked anion' effect 150–1, 286
 - example 152–3
- NAND gate, molecular logic 758–9
- nanobelts 927
- nanobiology 901–2
- nanoechemistry 44–5, 899–938
- nanoclusters 922
- nanocomposites 904–5
- nanocrystals 44, 922
 - see also* quantum dots
- nanofabrication 909–11
- nanomaterials 44
- nanoparticle-based sensors 924–5
- nanoparticles 44, 921–7
 - definition 921–2
 - gold nanoparticles 44, 922–5
 - non-spherical nanoparticles 927
- nanorings 927
- nanorods 927
- nanoscale containers 909, 915, 916
- nanoscale machines 708
- nanoscale photonics 905–6
- nanoscience, meaning of term 900
- nanoscratching 472–3
- nanosphere templated materials 906
- 'nanostar' dendrimer 874, 875
- nanotechnology 44, 900–2
 - bottom-up/synthesising up approach 593, 901, 909
 - top-down/engineering-down approach 593, 901, 907
- nanotubes 553, 881–3, 927
 - see also* carbon nanotubes; peptide nanotubes
- napalm 891
- naphthalene, crystal structure calculation for 503–4
- naphthalene-2-sulfonate, binding in diphenylene-based
 - host **352**
- natural gas hydrates 392
- NbO framework 541, 567
- negative cooperativity 17, 610
- negative thermal expansion (NTE), coordination
 - polymers 570–1
- nematic liquid crystal phase 840, 841–2
 - degree of order 842, 843
 - in LCD applications 851–2
- nerve cells, signal transduction in 52
- nerve gas agents, colorimetric detection of 738
- nesting complexes 148, 183

- nests 230–1
- netropsin, binding to DNA 97
- network solids 537–89
 - classification 538–9
 - concepts 538
- network topology 539–41
 - (6,3) net 540
 - (10,3)-a nets 541, 542
 - notation 540–1
- neurodegenerative diseases 885
- neurotransmitters 83–4
- neutral anion receptors 251–9
- neutron diffraction 175, **448**
- nicotinamide adenine dinucleotide 797
 - reduced form (NADH) 80, 803
- nicotine 84
- nicotinic acetylcholine receptor protein 84–5
- nitro/iodo supramolecular sython 445, 446
- nitroanilines, Etter's rules for hydrogen bonding 479
- nitrocefin, hydrolysis of 797
- nitrogen analogues
 - crown ethers 25, 120, 143, 160–2
 - cryptands 163–4
- nitrogen dioxide, calixarene binding 314
- NMR spectroscopy *see* nuclear magnetic resonance (NMR) spectroscopy
- noble metal nanoparticles 923
 - see also* gold nanoparticles
- nomenclature
 - cation-binding macrocycles 127–9
 - coordination complexes 108–9
 - enzymes 76
- nonactin 53, 57
 - binding to DNA 97
- non-covalent anion coordination chemistry 224
- non-covalent interactions 27–37, 445–6
- nonlinear optical (NLO) effects 765
 - origins 765–8
- nonlinear optical (NLO) materials 765–71
 - crystal engineering 445, 446, 526, 765
 - data for metallocene derivatives 770
 - second-order 768–71
 - third harmonic generation materials 771
- non-spherical nanoparticles 927
- non-vitamin coenzymes 81
- NOT gate 758
- nuclear fuel industry applications 225, 292, 297, 299
- nuclear magnetic resonance (NMR) spectroscopy **186–9**
 - aromatic ring current effects **186**
 - azacyclophanes 179
 - chiral shift agents 681
 - complexation-induced shifts (CIS) **352**
 - crystal nucleation analysed by 455–6
 - guest exchange dynamics **187–8**
 - solution structures analysed by **352–3**
 - spin–spin coupling **187**
- nuclear magnetic resonance (NMR) titration 12, 13, **186**
 - examples 252
- nuclear Overhauser enhancement (NOE) effects **186–7, 352**
 - calix[4]arenes 201–2
- nucleobases 87, 88
 - hydrogen bonding interactions between 90–1
- nucleotide base co-crystals, Etter's rules for hydrogen bonding 480
- nucleotides 87, 88
- octahedral iridium(III) compounds, energy-transfer processes in 723–4
- octahedron, self-assembly of 630–2, 631
- octaphyrin, diprotonated, SO₄⁺ binding by 245, 246
- octaporphyrin nanocycle 632, 634
- octazacryptand 238, 247
- 'office block' structures 639
- oil and gas industry
 - hydrate-formation problems and ways of addressing 391–2
 - see also* petroleum industry
- Okazaki fragments 98, 99
- olympiadane 665
- one-dimensional chains/ladders/strands 529, 538, 539, 565
- opal 905–6
- optical isomerism 110–12
- optical lithography 907–9
 - photochemistry 908
- optical tweezers, nanomanipulation using 913, 914
- OR gate, molecular logic 759
- order in liquids 830–1
- organic cations, complexation of 180–95
- organic zeolites 434–5, 528–30, 558, 575
- organocatalysis 814
- organogels 888
- organometallic materials, nonlinear optical properties 770
- organometallic receptors 261–6
- Ostwald's step rule 488
- oxidation states 107
- oxonium ion crown ether complexes 174–6
- oxygen-evolving complex (OEC) 68
- oxygen uptake and transport
 - by haemoglobin 70–4, 798
 - by mimics/models 798–803
- oxyhaemocyanin, X-ray crystal structure 794
- π -acid ligands, complexes stabilised by **169**, 208–13
- π - π interactions 33–5, 310, 519–22
 - edge-to-face interactions 34, 310, 519, 616, 617
 - face-to-face interactions 34, 310, 519, 520–2
 - in molecular tweezers 337
 - in photochemical devices 728
 - synthesis of catenanes involving 660–6
 - synthesis of pseudorotaxanes involving 656–7
 - synthesis of rotaxanes involving 657–60
- P-loop 231
- ³¹P NMR spectroscopy, ATP hydrolysis by azacorand 786
- 'paddle' structures 575, 577, 579

- paracetamol, crystallisation of 453–4
- paracyclophanes
- [2.2]paracyclophane 211, 212
 - Cr⁺ complex 213
 - [3.3]paracyclophane 211, 212
 - Cr⁺ complex 212, 213
 - [2.2.2]paracyclophane 211, 212
- paraquat 194, 195, 656, 657
- charge-transfer complexes 195, 357
- Pauling, Linus, on enzymes 78
- Pauling model (for binding of oxygen to haemoglobin) 71, 72, 78
- Pd(en)²⁺ moiety 617, 619
- in molecular panels 632, 633
 - in molecular squares 619, 625, 626
- peak selectivity (of cryptands) 142–3
- Pedersen, Charles 5, 114, 195, 224
- pencillin-resistant bacteria, sensor for 892–3
- pentaethyleneglycoldimethylether 25
- pentafoil knots 696
- pentagon-based topology 566
- peptide-based anion receptors 258–9
- peptide links **88–9**
- peptide nanotubes 881
- perching complexes 148, 181
- perching geometry 241, 257, 273
- perhydropentaphenylene (PHTP) inclusion compounds 403–6
- 3-periodic network topologies 541
- peripheral crowding, rosette formation by 651, 652
- pernicious anaemia, treatment of 82
- persistence length (of polymers) 878
- pertechnetate anion, binding of 292
- perylene chromophore 729, 730, 874
- petroleum industry
- separation of hydrocarbons 394–5
 - zeolites in 548–50
 - see also* oil and gas industry
- pH-activated molecular ‘elevator’ 762–3
- pH measurements 177
- pH sensors 734, 745
- pharmaceutical industry applications
- co-crystallising agents 496
 - cyclodextrins 336, 493
 - effects of hydrate formation 497
 - polymorphism 487–8
- phase problem (in X-ray crystallography) **55**
- phase transfer catalysis 149–50, 151, 204
- phenanthroline and derivatives
- in catenate synthesis 673–4, 676
 - in helicate synthesis 679, 693
 - in photochemical devices 717
- phenylacetic acid, retrosynthetic analysis 444–5
- phenylalanine **89**, 250
- m*-phenylene diamide anion binding group 287–8
- o*-phenylenedimercurial receptor
- adducts/complexes with chloride anion 271
 - oxo-bridged analogue 272
- pheromones 85, 778
- phloroglucinol *see* 1,3,5-trihydroxybenzene
- phosphate binding protein (PBP) 228, 235
- phosphodiesterase, cyclodextrins as mimics 782, 783
- phospholipid biomembrane 53
- ion transport across 54
 - molecular conductivity through 747, 748
- phosphorescence 710, 711
- phosphorus-containing macrocycles 167–8
- photochemistry *see* supramolecular photochemistry
- photo-excitation, radiative events following 710–11
- photo-induced electron collection and storage system 720
- photo-induced electron transfer 714, 715, 720
- mediation by π -stacking interactions 728
- photo-induced electron transfer (PET) sensors 732, 733
- photolithography 907
- photonic crystals 905–6
- photonic devices, in biological systems 60–1
- photophysical fundamentals of supramolecular photochemical 710–13
- photophysical sensing and imaging 731–8
- photoresist 907
- photoswitchable systems 753, 755
- photosynthesis 63–70, 720
- photosynthetic systems
- key components 65, 726
 - mimics 720–4, 726
- photosystems PSI and PSII 68
- phthalocyanines 172
- ‘picket fence’ porphyrins 73, 801
- ‘picnic basket’ porphyrins 801, 802
- picrates, alkali-metal 144, 145–6, 150, 151
- piedfort unit 409, 410
- pillared clays 552–3
- mimics 555
- PIXEL method 503
- plastic materials **865**
- plateau selectivity (of crown ethers) 135, 136, 137
- platinum anticancer drugs 93–4
- platinum(II) ethylenediamine complexes 625–6
- in molecular necklaces 677–8
 - see also* Pt(en)²⁺ moiety
- platinum(II) polyalkyne molecular wire 747
- Platonic solids 427, 648, 649
- occurrence in natural forms 444
- ‘plug-and-socket’ system 728, 729
- molecular ‘extension cable’ as part of 729
- Pockels surface balance 831
- ‘pocket’ porphyrins 801, 802
- podands 19, 22, 24, 118–20, 127
- ammonium-based 239–40
 - binding constant of K⁺ complex 25, 120, 135
 - binding free energies for alkali-metal picrates 146
 - rigid end group concept 119–20, 346
- podates 129
- polar flattening effect 486, 487
- polar superlattices 876, 877

- polarisability 766
 - factors affecting 767
- polarised optical hot-stage microscopy, liquid crystals
 - viewed in 839–40, **843**
- poliovirus, assembly of protein capsid 593
- α -polonium (α -Po) network 541, 568
- polyacetylene **424, 425**
- polyamides, in protein backbones 230
- poly(amido amine) (PAMAM) dendrimers 863
 - rheology **865**
- polyamines
 - basicity 177, 178
 - location of protonation site 179
- polycatenanes 883–4
- polymer surfaces, crystal nucleation affected by 492
- polymerase chain reaction (PCR) 92–3, 94, 594
- polymeric liquid crystals 893–4
- polymersomes 878
- polymorph screening 492
- polymorphism 487–92
 - controlling 492
 - first described 487
 - importance 487–8
 - types 489–92
- polyoxomolybdate nanoclusters 562–3
- polypeptide-based materials, electron-transfer
 - characteristics 748
- polypeptide chains 75
- poly(propylene imine) dendrimers
 - divergent approach to synthesis 867
 - ESI-MS spectra 869
- polyrotaxanes 883, 885
 - nets 678
- poly(styrene)-*b*-poly(butadiene)-*b*-poly(*t*-butyl methacrylate) triblock co-polymer 876, 877
- polytopic receptors 184
- porosity of solids, factors affecting 542–3
- porous materials
 - classification by pore size 430, 543
 - coordination polymers 575–8
 - without pores 436, 542–3
- porphobilinogen deaminase 231
 - dipyrromethane-based cofactor in 232
- porphyrin-based molecular wire 749
- porphyrin chromophores
 - magnesium-containing 63, 64, 65
 - zinc-containing 726–7, 728
- porphyrin-imprinted covalent dendrimer 871, 872
- porphyrins 61–2
 - 'doming' in 71, 72, 799, 800, 803
 - expanded 244–5
 - iron-containing 806
 - zinc-containing 606–10, 646, 726
 - see also* expanded porphyrins; 'picket fence' porphyrins; 'picnic basket' porphyrins; 'pocket' porphyrins
- positive cooperativity 17, 610
 - in helicate formation 685, 686
- postmodification, self-assembly with 596, 602–3, 604, 632, 634
- potassium channels 58, 227
- potassium dihydrogen phosphate (KDP) 454, 526
 - diamondoid networks 526, 527
 - uses 527, 765, 767
- potassium hydrogen phthalate crystals 469
- potassium ion (K^+), biochemical distribution 51
- potassium permanganate, oxidation of organic substrates
 - by 151, 152
- potassium sulfate, hourglass inclusion compounds 465
- potentiometric titration 11–12, 240
- powder X-ray diffraction (PXRD) 471, **474–6**
 - compared with single-crystal method **474**
 - structure solution model **475**
- Powell, H. M. 6, 386
- prebiotic chemistry 823
- precursor preprocessing 602, 603
- precursors, modification followed by self-assembly 596
- preinsulin 603, 604
- preorganisation 22–5
 - anion hosts 232–3
 - combined with complementarity 25–6
 - for herbicide receptors 195
 - kinetic and dynamic effects 147–9
 - rosette formation by 651, 652
 - thermodynamic effects 144–7, 604
- preprogramming 592
- pretzelane 666, 667
- primary charge separation 66, 67, 710
- primary hydrogen-bond interactions 30
- principal component analysis (PCA) 742
- prion-based diseases 885
- prions 598, 886
- processive catalysis 99
- prodigiosins 232
 - mimics 257, 258, 296
- proinsulin 603, 604
- proline **89**
- O*-propyl-*p*-*t*-butylcalix[4]arene, NO^+ complex 314
- propylene diamine, donor group orientation for 133
- protein amino acids **88–90**
- protein self-assembly 100–10
- protein tyrosine phosphatases (PTPases) 229
- proteins
 - diffusion into 432
 - folding of 596
 - main-chain anion binding sites 230–1
 - quaternary structures 75, 598
 - secondary structures 75, 598
 - self-assembly of 598
 - tertiary structures 75, 598
 - X-ray crystallography **56**
- protocells 825, 836
- proton binding hosts 173–80

- proton complexes
 - solution chemistry 177–80
 - see also* pH
- proton NMR spectroscopy
 - cryptophanes binding to halocarbons 361
 - crystal nucleation studied by 455–6
 - solution structures analysed by **352–3**
- 'proton sponge' 268, 269
 - complexes 449
- protoporphyrin IX 62, 231
- Prussian blue 568–71
 - bridging cyanides in 568–9, 624
- PS-PIAT block co-polymer 878
 - vesicles formed by 878, 879
- pseudopolymorphism 489, 490
- pseudorotaxane-based chromophoric switch 756, 757
- pseudorotaxane-based XOR gate 759–60
- pseudorotaxanes 641, 653–4
 - polyrotaxanes synthesised from 885
 - synthesis
 - directed approach 656–7
 - statistical approach 656
- Pt(en)²⁺ moiety, in molecular squares 625–6
- PtS network 541
- pulsed laser deposition (PLD) technique 920, 921
- pump storage model 51–2
- purines (in DNA) 87, 88
- push–pull polyenes 768, 769
- pyrazene carceplex
 - relative stability 374
 - X-ray crystal structure 375
- pyrazole ligands 301
- pyrene butyric acid 650, 651
- pyrene excimer 711, 712
- pyridoxamine cofactor 785
- pyridyl/terpyridyl tecton, coordination polymers based
 - on 915, 917
- pyridylpyrazine-based assemblies 627
- pyrimidines (in DNA) 87, 88
- pyrogallo[4]arene 647
 - hexameric assembly 650
- pyrrole-based anion receptors 257–8
- pyrrole-based biomolecules 62, 231–2
- pyrrole-based macrocycles 245–6

- quantum corrals 900–1
- quantum dots 922, 925–6
- quaterpyridine, in helicates 680, 681–2, 682–3
- quencher 726
- quinone receptors 355–6, 507
- quinquepyridine, in helicates 682

- racemic crystals 493–4
- rack structures, self-assembled 637, 640, 641
- radiolaria, structural mimics 902–3
- ranitidine hydrochloride 488
- ratchet movement 764
- ravels 697, 698
- reaction vessels *see* molecular reaction vessels
- receptor–substrate binding, enzymes 7–8
- receptors
 - term first introduced 7
 - see also* anion receptors; cation receptors; ion pair receptors; neutral receptors
- rectifiers 750
- redox potential
 - environmental factors affecting **267**
 - estimation by cyclic voltammetry **266**
- redox sensors 254, 354, 742–3, 928
- redox-switchable rotaxanes 755
- reflection high-energy electron diffraction (RHEED) 921
- replica moulding 910
- reporter dye(s) 650
- repulsive *gauche* effect 131
- resorcarene-based carcerands 370–5
 - [5]resorcarene-based carcerand 379, 380
- resorcarene-based ion pair receptors 294, 295
- [4]resorcarene–calix[4]arene hybrid carcerands 375–6
- resorcarene hexamers 635
- [4]resorcarene tetracarboxylic acid, in hydrogen-bonded capsules 648
- resorcarene trimers 635
- resorcarenes
 - conformations 312
 - dithiocarbamate-functionalised 635
- [4]resorcarenes
 - dimethylsilyl derivative 316, 317
 - dodecyl phosphocholine complex 318
 - hexamers, fluorescence detection by 729–30
 - intramolecular hydrogen-bonding interactions 312
 - in molecular containers 647–8
 - multiply bridged 316, 317
 - with rigid upper rim 322
 - structure 311, 312, 647
 - sulfonated derivatives 315–16
 - synthesis 311, 312
 - tetrametallic complexes 276
- reticular synthesis 561
- retina (of human eye)
 - cone cells 61
 - rod cells 60–1
- retrosynthesis 443
 - example 444–5
- retroviruses 824
- reverse micelles 834, 835
- rhodium–alkyne oligomers 748–9
- rheology **864–5**
 - dendrimers **865–6**
- rhinovirus 101
 - topology 650
- Rhodospseudomonas viridis* photosynthetic reaction
 - centre 65–6
 - charge separation at 67
- rhodopsin 60–1

- rhombicuboctahedron 427
 ribbon structures 445, 446, 511, 517, 525
 ribonuclease 100
 ribonucleic acid (RNA) 90, 824
 ribozymes 823, 824
 Richman–Atkins cyclisation reaction 158, 159, 344
 Rietveld refinement method 471, **476**
 rigid end group concept, in podands 119–20, 346
 rigid group principle 345
 ring-opening metathesis polymerisation (ROMP) 748
 ritonavir 488
 RNA-world hypothesis 824
 rod-coil co-polymers 877–8
 rose Bengal (dye) 870
 rosettes 651–2
 rotavirus 101–2
 [2]rotaxane-based switchable molecular shuttle 754–5
 rotaxanes 325, 605, 606, 653–78
 hydrogen-bonded 667–9
 in molecular necklaces 678
 nomenclature 653–4, 654
 [2]rotaxane 658
 [3]rotaxane 658, 659
 [4]rotaxane 658, 659
 synthesis 653–4
 alkene metathesis approach 658
 auxiliary linkage approach 676, 677
 ‘clipping’ procedure 658
 directed approaches 657–60
 ‘slipping’ procedure 658
 statistical approach 656, 672, 673
 ‘threading’ procedure 657, 658
 see also polyrotaxanes
 ROY 488
 [Ru([9]ane-S3)(4,4'-bipyridyl)3]21 (supramolecular cube) 622, 623–4
 [Ru(bpy)₃]²⁺
 electrochemical properties 717
 phosphorescence spectrum 717
 Ruddlesden–Popper (RP) series 921
 ‘Russian doll’ complex 335
 ruthenium(II) biimidazole complexes, hydrogen bonding from 511–12
 ruthenium(II) calix[4]arene host 252, 264
 ruthenium(II) chelate complexes 259–60
 ruthenium(II) complexes
 in nonlinear optical devices 770–1
 in photochemical devices 717
 ruthenium(II)/iridium(III) photochemical device 720, 721
 rutile network 541, 568, 569

 saccharin
 co-crystal with carbamazepine 496–7
 crystallisation of 462–4
 salen-based receptor 292
 salicylaldoxime 298
Salmonella typhimurium
 binding-protein/sulfate interactions 228
 chloride channel 58
 enterobactin 214
 sandic nematic liquid crystal phase 893, 894
 sandwich polymers 272, 273
 sapphyrin
 diprotonated 244
 complex with fluoride 245
 sarcophagenes 123–4, 128
 saturated hydrogen-bonded (SHB) co-crystals 494
 scaffolds 276–81
 cholapods 278–81
 trialkylbenzene-based 251, 277–8
 scanning probe microscopies
 carbon nanotubes as probes 933
 see also atomic force microscopy; scanning tunnelling microscopy
 scanning tunnelling microscopy (STM) 45, **911–12**
 high-resolution 917–18, 919
 nanomanipulation using 45, 913, 914, 915
 visualisation by 914, 916, 917, 919
 scanning tunnelling spectroscopy (STS) 918
 Scatchard equation/plot 21, 22, 610
 Schiff base condensation reactions 4, 170–1, 342
 Schiff base macrocycles
 in cascade complexes 289–90
 example of use 171–2
 first to be synthesised 170
 Schiff bases 170–2
 Schläfli symbols 540
 second-generation dendrimers 862, 863
 second harmonic generation (SHG) 767
 second harmonic generation (SHG) nonlinear optical materials 765, 768–71
 secondary bonding 37, 525
 secondary building units (SBUs) 540, 546, 561, 562
 secondary charge separation 66, 67
 secondary hydrogen-bond interactions 30–1
 Seebeck effect 761
 selectivity 16, 26, 740, 778–9
 selenium-containing macrocycles 163
 self-assembled monolayers (SAMs) 837–9
 cyclodextrins 320, 321
 on silicon surface 838–9
 thiol-based 837–8
 self-assembled supramolecular polymers 880–3
 self-assembled viruses 101
 self-assembling catalysis 815, 819
 self-assembling coordination compounds 620–41
 design 620, 621
 grid/ladder/rack arrays 637–41
 molecular squares and boxes 624–35
 notation 621, 622
 supramolecular cubes 621–4
 self-assembly 3, 7, 42, 43, 591–706
 anion templating 300–3
 assisted 596

- biochemical 99–102, 600–4
- catenanes and rotaxanes 655–77
- classification 595–7
- closed complexes 641–53
- concepts 594–5
- cooperativity in 610–15
- with covalent modification 596, 602–3, 632, 634
- crystallisation as 442
- definition 592
- directed 596, 626
- DNA 91, 99–100
- extended-site binding model 611, 613–15
- helicates 681–91
- hydrogen bonding in 641–53
- with intermittent processing 596
- irreversible 596
- labile complexes 300, 301–2
- ligands with anion and cation binding functionality 260
- metal arrays 637–41
- panelling approach 617–18, 629–36
- with postmodification 596, 602–3, 604, 632, 634
- precursor modification followed by 596, 602, 603
- probability 616–19
- scope and goals 592–4
- strict 595–6, 600–2
- on surfaces 914–18
- template effects 604–6
- thermodynamic model 606–10
- time-resolved 594
- self-complementary assemblies 641–6
- self-complementary building blocks 527, 528, 606
- self-organisation 43, 595
- self-recognition, helicates 684–5
- self-replicating peptides/proteins 824
- self-replicating systems 606, 819–23
 - self-poisoning in 821–2, 823
 - see also* minimal self-replicating model
- self-replication 593–4
 - and Darwinian evolution 823
 - minimal model for 820
- semiconductor nanocrystals 926
 - see also* quantum dots
- semiochemistry
 - biological 85–6
 - meaning of term 85, 730
 - supramolecular 730–1
- sensing arrays 740, 741
- sensing and signalling 85, 730
- sensitised lanthanide(III) complexes, as sensors 734–5
- sephulchrates 123, 124, 128
- serine 89, 228
- serine proteases, oxyanion hole in 231
- 'seven bridges of Königsberg' problem, Euler'
 - solution 539–40
- sexipyridine 683, 684, 716
- sheathed rack structures 640, 641
- 'ship-in-a-bottle' structure, in octahedral capsule 630, 632
- siderands 217
- siderophores 213–17
 - naturally occurring 213–15
 - synthetic 215–17, 604
- silicon-containing Lewis acid chelates 270
- silicon surfaces, self-assembled monolayers on 838–9
- silk inverse opal 906
- simultaneous anion and cation binding 286–99
- single cell patch clamp method 811
- single-crystal neutron diffraction 448
- single-crystal X-ray crystallography 55–6
 - compared with powder X-ray diffraction 474
- single-interaction self-assembly 597
- single-molecule chemistry 913–14, 915, 918–20
- single-molecule magnet 562, 563
- single-molecule wire 749, 750
- single-walled carbon nanotubes (SWCNTs) 933
 - buckminsterfullerene molecules as inclusions 933, 934
 - carborane derivative confined in 933, 934, 935
 - single crystals encapsulated in 933, 934
- site binding model 610
 - Ercolani's model 611–13
 - extended 611, 613–15
- site-directed mutagenesis 91–2, 93
- sixfold aryl embrace (6AE) 446, 522, 523
- small-angle X-ray scattering, liquid crystals studied by 844
- Smalley, Richard E. 423, 425
- smectic liquid crystal phases 841, 842–3
 - degree of order 842
- Smith, Michael 91
- snub cube, [4]resorcarene-based 649–50
- soaps 832, 834
- 'soccer ball' cryptand 123, 129, 236, 237
 - tetrahedral recognition of NH_4^+ by 180, 181
- 'soccer ball' cryptates 237
- social isomerism 644, 645, 646
- sodalite (SOD) zeolites 544, 545, 546
- sodium chlorate, magnetically stirred crystallisation of 459
- sodium chloride (NaCl) lattice 27
- sodium dodecyl sulfate (SDS) 318
- sodium ion (Na^+), biochemical distribution 51
- sodium ion channel 54
- soft ions and ligands 110
- soft ligands for soft metal ions 160–73
- soft lithography 909–11
 - advantages and disadvantages 911
- 'softball'-shaped hosts 642–3, 814, 815
- sol 890, 922
- sol-gel process 889–90, 922
- solid aerosol 922
- solid solutions 493
- solid-state cyclodextrin hydrates 330–1
- solid-state cyclodextrin inclusion complexes 333–5
- solid-state host-guest compounds 6, 386–7
 - see also* clathrates

- solid-state inclusion complexes
 - calix[4]arene-based 313
 - [4]resorcarene-based 313
- solid-state inclusion compounds 385–440
- solid-state inclusion polymer(s), silicon-containing 313
- solid-state separation, liquid clathrate based separation
 - compared with 857
- Solomon knot 699
- solution, molecular guests in 307–84
- solution self-assembly 442
- solvating reagents, in metals extraction processes 297
- solvation effects 39–41
 - in anion binding 234
- solvation free energies, listed for various anions and cations 226
- solvation shell 830
- solvatomorphism 489
- solvent-assisted micromoulding 911
- solvent-separated ion pairs 286
- solvophobic effects, guest encapsulation affected by 643
- sonic spray ionisation mass spectrometry (SSI-MS) 635
- sorption, compared with clathration 538
- spatiotemporal theory 79
- speciation maps, Pd(en)²⁺/4,4'-dipyridine mixtures 619, 620
- specific rotation **369**
- speculative models 793
- speleands 193
- speleates 193
- spherands 4, 125–6, 127
 - binding constants 25
 - binding free energies for alkali-metal picrates 145
 - binding of NH₄⁺ by 183
 - conformational rearrangement in Li⁺ spheraplex 147
 - hybrid hosts 126, 127
 - synthesis 126
- spheraplexes 126, 129, 144, 147
- spillover (hydrogen molecule splitting) 585, 923
- square brackets 9n, 106, 197, 341
- square grid topology 539, 566
- square planar Pd(II) and Pt(II) complexes 95, 112, 162
 - in metallomesogen 848, 849
 - transformation to square pyramidal adduct 436–7
- squaraine-based siderophore 216, 217
- SrAl₂ framework 541
- SrSi₂ framework 541
- stannacycles 274–5
- starch 331
- steel swords 935–6
- stepwise binding constants 10
 - formation of supercomplexes 242, 243
- steric compression, in cyclophanes 345–6
- sterically directed synthesis of catenanes 669, 670, 671
- Stern layer 834, 835
- steroids, binding in dendrophanes 351
- sterol framework, in cholapods 278, 279
- stillbite 545
- Streptomyces lividans*, potassium channel 58
- strict self-assembly 595–6
 - examples 600–2
- structural isomerism, bipyridyl and terpyridyl complexes 717, 718
- structural models 792
- structure correlation principle 484
- sulfamerizine 455–6
- sulfate binding protein (SBP) 228
- sulfonated [4]resorcarenenes 315–16
 - binding constants with various alcohol guests 316
- p*-sulfonatocalix[4]arene 426–9
 - in heterodimeric capsules 646
 - spherical assemblies 427, 428, 429
 - structure compared with vermiculite 426
 - tubular assemblies 427, 428, 429
- p*-sulfonatocalix[n]arenes 315, 426
- sulfur analogues
 - crown ethers 161, 162–3
 - cryptands 163
- sulfur dioxide, absorption by coordination compounds 436–7
- sulfur extrusion reactions, cyclophanes synthesised by 342, 343
- superanion complexes 427
- superatoms 927
- supercomplexes 241
- superexchange mechanism 715
- superlubricity of graphite 34, 520, 551–2
- supersaturated solutions, crystal growth in 454
- supersecondary structure 598
- superstring theory 691
- super-wurtzite structure 495
- supported liquid membrane (SLM) 297
- supramolecular catalysis 813–23
- supramolecular chemistry
 - compared with molecular chemistry 2
 - definitions 2–3, 708
 - development 4–6
- supramolecular chemistry of life 49–104
- supramolecular cubes 621–4, 648
- supramolecular dendrimer assemblies 872–4
- supramolecular design 41–5
- supramolecular devices, definition 709–10
- supramolecular gels 888–93
 - applications 891–3
 - rheological properties **865, 866**
- supramolecular grid-type assemblies 637–41, 919, 920
- supramolecular interactions 27, 308
 - types 27–37, 309–10
 - anion– π interactions 33
 - cation– π interactions 32
 - closed shell interactions 36–7
 - crystal close packing 36
 - dipole–dipole interactions 28, 308
 - electrostatic interactions 310
 - hydrogen bonding 28–32, 308, 310

- hydrophobic binding 38–9, 309
- induced dipolar interactions 310
- ion–dipole interactions 27–8, 308
- ion–ion interactions 27
- π – π interactions 33–5, 310
- van der Waals interactions 35, 235
- supramolecular isomerism 492, 555, 562
- supramolecular liquid crystals 848–51
- supramolecular photochemistry 710–30
 - energy/electron-transfer mechanisms 713–15
 - light-conversion devices 725–6
 - light-harvesting devices 718–24
 - mixed-valence devices 715–16
 - non-covalently bonded systems 726–30
 - photophysical fundamentals 710–13
 - pyridyls as device components 716–18
- supramolecular ‘plug-and-socket’ system 728, 729
- supramolecular polymers, self-assembled 880–3
- supramolecular self-assembly 3, 7, 42, 43, 591–706
 - compared with molecular self-assembly 594–5
- supramolecular semiochemistry 730–1
- supramolecular synthons 443–4, 445, 446
- supramolecular tectons 42, 445, 594
- surface adhesives 887
- surface interactions 309
- surface plasmon resonance (SPR) absorption 44, 922
- surface tension 833
- surfaces, self-assembly on 914–18
- surfactants 831–2
 - types 832
- Suzuki–Miyaura cross-coupling reaction 344
- switchable molecular devices 752–6
- switchable nonlinear optical devices 770–1
- symport 59, 286, 295–6
 - examples 245, 246, 258, 296–8
- synergic effect **169–70**
- ‘synthesising up’ approach 593
- synthons 443–4, 446
- ‘syringe’ action of calixarenes 208
- ‘tailbiter’ foldamer 600
- tape structures 445, 446, 511, 517, 525, 651, 652, 749, 890–1
- tartaric acid derivatives, in hydrogen-bonded helices 688–9
- Taube, Henry 286n, **636**
- tectons 42, 445, 594
- tellurium-containing macrocycles 163
- template effect 122, 153–7, 594
 - in self-assembly 604–6
- template patterning mechanism for biomimetic structures 903
- template positioning, for solid-state topochemical photocyclisation 473
- template ratios, carcerand synthesis 373, 374
- template reactions/synthesis 43, 109, 153–7
 - benzo[18]crown-6 155–6
 - carcerands 373
 - catenanes 660
 - clathrate hydrates 388–9
 - enterobactin 214
 - metal-ion-templated 604, 672–6
 - metalloid-templated 604–5
 - phthalocyanines 172
 - tetraazamacrocycles 156, 166
 - triposphine macrocycle 168
 - zeolites 547, 548
- templation, self-assembly based on 43, 594, 891–2
- tennis ball-shaped hosts 641–2, 648
- terbium complexes
 - in logic gates 758–9
 - in sensors 734
- terephthalic acid 529
- termite mound 43
- terpyridine, in photochemical devices 716, 717–18
- testosterone 351
 - binding in dendrophanes 351
- 1,4,7,10-tetraazacyclododecane, synthesis 159
- 1,4,8,11-tetraazacyclotetradecane
 - synthesis 165, 166
 - see also cyclam
- 1,6,20,25-tetraaza[6.1.6.1]paracyclophane 347, 348
 - durene complex 347, 348
- 1,1,2,2-tetrachloroethane, effect on binding constant of host 39, 40
- tetra-*N*-cyclam
 - basicity 178
 - binding with transition metals 165
- tetrahedral receptors 236–7
- tetrahedral tetrametallic self-assembled clusters 628–9
- tetra(hydroxypropyl)cyclam 293–4
- tetra-1-naphthoid 412, 413
- tetranuclear complexes, energy-transfer processes in 723
- tetrapyrrole macrocycles 61–2, 80–1, 244
 - in photosynthesis 61, 63–7
- tetrathiafulvalene (TTF) 358
 - cyclophane based on 358
 - redox chemistry 358
- tetrathiafulvalene (TTF) derivatives
 - in addressable molecular electronic devices 760–1
 - in electrochemical sensors 745
- tetrathiafulvalene-derived dipyrrophenazine (TTF-dppz)
 - ligands, in photochemical devices 724
- tetrazamacrocycles, synthesis 156
- thermal conductivity, inclusion compounds 390, 408
- thermal expansion, negative 570–1
- thermodynamic anion templating 300–2
- thermodynamic effects, chelate effect and 18
- thermodynamic selectivity 26, 227
- thermodynamic stability, coordination complexes **636**
- thermodynamic template effect 156, 605
- thermodynamic template synthesis
 - of Schiff base macrocycles 170–1
 - of tetrazamacrocycles 156
- thermoelectric effect 761–2

- thermogravimetric analysis (TGA) **559–60**
 examples 366–7, 558, **559, 561**
 thermometers, liquid crystalline 851
 thermotropic liquid crystal phases 841–3, 844–5
 thiacalixarenes, water binding in 434
 thiacrowns 131
 thiohydantoin, nanoscratching of 472, 473
 thiols, functionalised 837, 923, 924
 thiourea-based receptors 256–7
 thiourea clathrates 255–6, 393
 1-bromoadamantane-based 398
 thiourea derivatives, organocatalysis with 814
 third-generation dendrimers 862, 863
 third harmonic generation 767
 third harmonic generation nonlinear optical materials 771
 thixotropy 889
 threaded rotaxane-type compounds 669
 three-dimensional hosts, binding of ammonium cations
 by 183–4
 three-dimensional networks 526–30, 539, 567
 see also diamondoid networks
 three point rule (in chiral recognition) 189–90
 threonine **89**
 ThSi₂ framework 541
 time-resolved self-assembly 594
 timeline, supramolecular chemistry development 5
 tissue engineering 891
 titanium dioxide nanoparticle, in photon acceptor 727, 728
 tobacco mosaic virus (TMV) 101, 600–1
 6(*p*-toluidino)naphthalene-2-sulfonate 352
 top-down approach 593, 901, 907
 topochemistry 443, 470, 473–4, 917, 918
 topoisomerase 98
 topological isomers
 catenanes as 654, 655, 691
 knots as 692
 topological trapping by dendrimers 870
 topology 539–40
 knots 691–3
 torands 173
 trace products, amplification of 818, 819
trans/anti conformation 130, 319
 transacylases
 cation-binding hosts as mimics 788–92
 functional mimics 788–90
 structural mimics 790–2
 see also chymotrypsin
 transamination, α -amino acid synthesis by 785
 transduction between receptor and signalling units 731
 transesterification reactions, catalysts for 249
 transition metal ion pair receptors 293–4
 transition state selectivity in zeolites 550
 transition state stabilisation, in enzymatic catalysis 78
 translational isomerism, catenanes 671, 756, 757
 translational symmetry operators **461**
 transmembrane current flow 51–2
 transmembrane enzymes 51
 trefoil knots
 DNA knots 697, 698
 synthesis 671, 672, 693–5
 as topological enantiomers 655, 698
 tren (2,2',2''-tris(aminoethyl)amine) and derivatives
 239, 254
 trialkylbenzene-based cores/scaffolds 251, 254, 255,
 277–8
 1,5,9-triazacyclododecane, synthesis 156
 tribenzo[21]crown-7 138, 139
 tricatecholate mesitylene derivative 215
 1,3,5-tricyanobenzene, co-crystal with
 hexamethylbenzene 451, 452
 triethylbenzene-derived anion hosts 254, 255, 277
 triethylbenzene 'pinwheel' structure 277, 311, 740, 741
 triflate (trifluoromethane sulfonate) anion 211
 trigger mechanism 71
 1,3,5-trihydroxybenzene (THB), hydrogen bonding to
 cyclophanes 356–7
 trilactone rings, in siderophores 214, 215
 trimeric carcerand 379
 trimesic acid (TMA) 399, 579
 channel clathrates 399–401
 layered coordination polymer based on 578, 579
 as two-dimensional sheet 529
 4,4'-trimethylenedipyridine, co-crystal with
 4,4'-sulfonyldiphenol 573
N,N',N''-trimethyltriazacyclononane, copper(II)
 complexes 468
 triphenylmethane and derivatives 311
 triphosphine macrocycle, synthesis 167–8
 triple-helicate complexes 683, 684
 triple helices 689, 690
 triply interlocked structures
 synthesis 671, 672
 see also trefoil knots
 tripyridyltriazine-based complex 541, 542
 tripyridyltriazine-based 'molecular panels' 617, 619
 trischelate unit(s), in ammonium-based podands 240
 tris(diazabicyclooctane) 27
 tris(guanidinium) receptors 250
 trislactams 412
 tri-*o*-thymotide (TOT) 410
 applications 413
 conformations 410–11
 derivatives 412–13
 inclusion chemistry 410–12
 synthesis 412
 tritopic receptors 184
 Tröger's base 311
 in cyclophanes 349
 truth table, for Boolean operations 758
 tryptophan **89**, 250
 TSQ 736
 tubular mesophases 845
 twisted nematic cells (TNCs) 851–2
 two-dimensional hosts 240–6

- two-dimensional nets/grids/honeycombs/sheets 529, 538, 539, 566
- tyrosine **89**
- U-tube model membranes, transport across 245, 246, 304
- ubiquinone 66, 67
- Ullman reaction, single-molecule analogue 914, 915
- 2,10-undecanedione, urea inclusion compound 397–8
- UNI atom–atom potential method 503–4
- unmediated multiple interaction self-assembly 597
- unitary graph set 477
- unobstructed cross-sectional area (UCA), helical tubulands 402
- unsaturated hydrocarbon macrocycle 211
- uranyl cation
extraction in nuclear industry 297
in Schiff base macrocycle 171–2
- uranyl-centred ditopic receptors 292
phosphate complexes 292, 293
- uranyl complex, co-crystal with [15]crown-5 499–500
- urea-based gels 890–1
- urea-based receptors 256, 257
- urea clathrates 255, 393–8
applications 398
guest order and disorder in 394–8
structure 393–4, 435
- ureases 792–3
- 2-ureido-4[1*H*]pyrimidone-based polymers 880–1
- urotropin, ammonium tetrafluoroborate complex 495
- US Department of Energy (DOE), hydrogen storage materials targets 430, 584
- UV-Vis spectrophotometric titration 15
- valine **89**
- valinomycin 53, 57
 K^+ complex 54
- van der Waals interactions 34, 35, 235
in layered solids 550
- van der Waals radii 448
- van t'Hoff plots 340, 362
- vancomycin, drug–receptor complex 19
- Vaska's compound 70, 71
- vermiculite 551
structure compared with *p*-sulfonatocalix[4]arene 426
- Vernier mechanism for controlling supramolecular oligomerisation 883
- vesicle-directed biomimetic mineralisation 596
- vesicle walls
with bilayer surfactant membranes 805
molecular conductivity through 747, 748
- vesicles 834, 836
chloride efflux from 296
cholapods in 280–1
- viologens (*N,N'*-disubstituted 4,4'-bipyridyl derivatives) 194, 310, 357
- ditopic receptors based on 277, 278
redox chemistry 358
see also paraquat
- viral capsids, self-assembly of 101, 593
- 'virtual porosity' 543
- virtual products (in dynamic combinatorial chemistry) 817
- viscoelastic materials **865**
- viscous materials **865**
- vitamin B₁₂ 61
X-ray crystal structure 82, 83
- vitamin coenzymes 80–3, 808
- voltage-gated chloride transport 813
- water
in co-crystals 497–8
hydrogen bonding in 830
molecular structure 527
oxidation to oxygen 65, 68–70
oxygen–oxygen radial distribution function 830, 831
see also ice
- water–gas shift reaction 429, 430
- water molecules, structure in clathrate hydrates 389
- water motifs, classification scheme 497–8
- Watson–Crick base pairs 90–1
- Weiss model (for binding of oxygen to haemoglobin) 71, 72
- Wells notation 540
- Werner, Alfred 5, 8, 106
- Werner clathrates 556, 557–8
- 'wheel-and-axle' concept 402–3
- 'whisky tumbler' shape, resorcarene derivative 322
- Wilkinson's compound 2
- Williamson ether synthesis 116
- Wurtz coupling 342, 343
- X-ray crystallography **55–6**, 112
- X-ray dichroic filters 398
- xenon, absorption in clathrates 430, 431
- xerogels 889
- XOR gate, molecular logic 759–60
- Yersinia* protein tyrosine phosphatase 229
- Zeise's salt 32
- zeolites 543–50
applications 543, 548–50
composition 543, 544
organic mimics 434–5, 528–30, 558, 575
primary building units 544
secondary building units 546
structure 544–7, 544
synthesis 547–8
see also aluminosilicate zeolites; organic zeolites
- zero-dimensional clusters/molecules/points 529, 538, 562–4
- zig-zag chains 565
- zinc, biological roles 736, 795

- zinc(II) bis(porphyrin), pentagonal assembly 917, 919
- zinc-containing enzymes 737, 795–8
- zinc porphyrin complexes
 - in heterodimeric capsules 646
 - in photochemical devices 726
 - self-assembly of 606–10
- zinc(II) porphyrin-derived anion sensor 917, 924
- zinc sensors 736–8
- Zinke reaction **198**
- Zinquin (fluorophore) 736
- zipper complexes 616, 617
- ‘zipping up’ of double helices 602, 685
- ZSM zeolites 545, 546
- zwitterionic receptors 253
- zwitterionic structure of amino acid 286, 287
- zwitterions, receptors for 286, 287, 303–4