

Index

Symbols

175F Justin clamp 179

A

accessories *xvi*, 84, 180

Adobe 196

Adobe Photoshop 196

AEB. *See* auto exposure bracketing

ambient light 42, 86, 88, 90, 91, 125, 132, 139, 156, 166, 193

aperture 8, 10, 40, 43, 45, 47, 51, 56, 86, 88, 90, 91, 93, 101, 114, 116, 125, 162, 164, 168, 171, 196, 199

Aperture Priority 32, 89, 131, 166, 170

Apple Aperture 196

auto exposure bracketing 196, 199

auto focus 196

automatic *xv*, 84, 96

automatic mode 84

auto white balance 24, 152

available light 17, 18, 31, 40, 42, 71, 90, 91, 108, 134, 136, 153, 164, 171, 177, 198

B

background 20, 21, 22, 23, 24, 27, 28, 29, 45, 49, 51, 70, 72, 73, 86, 87, 88, 90, 108, 110, 118, 125, 126, 134, 136, 140, 142, 144, 146, 148, 153, 156, 160, 162, 164, 171, 196, 199

back lighting 84, 196

batteries *xiv*, 69, 180

Canon CP-E4 battery packs 77

NiMH rechargeable batteries 77

rechargeable batteries *69, 77, 184*

bayonet fitting *196*

bokeh *196*

bounce *19, 31, 34, 111, 112, 114, 168, 181, 184, 216*

bracketing *26, 196, 199, 203*

Bruce Dorn Select Asymmetrical *46, 108*

built-in flash *65*

C

cable *6, 63*

Camera modes *xv, 84*

 manual mode *48, 67, 86, 87, 88, 90, 91, 96, 107, 123, 126, 146, 150, 153*

camera RAW *196, 198*

camera shake *52*

Canon

 580EX II *4, 5, 7, 10, 13, 16, 17, 18, 28, 40, 42, 46, 49, 55, 62, 65, 67, 68, 75, 76, 77, 81, 84, 86, 95, 101, 105, 107, 108, 110, 111, 112, 115, 116, 117, 118, 122, 123, 125, 126, 131, 132, 134, 136, 139, 142, 144, 146, 150, 152, 153, 156, 159, 160, 162, 171, 172, 174, 179, 182, 184, 185, 186, 193, 195, 198, 205*

 EOS 1D Mark III *9, 13, 17, 18, 21, 23, 27, 32, 39, 49, 52, 75, 85, 87, 93, 95, 101, 117, 134, 136, 144, 156, 174, 177, 185, 193, 197*

 EOS 5D Mark II *3, 7, 11, 15, 20, 24, 31, 45, 46, 58, 61, 77, 81, 105, 107, 111, 118, 121, 132, 142, 146, 148, 159, 162, 170, 182, 188, 195, 205*

 EOS 7D *65*

 EOS 50D *83, 124, 125, 129, 161, 172*

 Speedlite Transmitter ST-E2 *4, 5, 7, 13, 17, 18, 21, 26, 46, 49, 55, 65, 75, 76, 84, 86, 95, 98, 101, 108, 110, 117, 118, 132, 134, 136, 140, 142, 146, 152, 160, 171, 172, 174, 179, 182, 186, 188, 193*

Canon EOS 7D *65*

catchlight *198, 202*

CCD chip *198*

channels *202*

clouds *34, 153, 199*

CMOS chip *198*

Collapsible Umbrella *144*
 Color *xiii, 22, 24, 139, 140*
 color cast *22*
 color of light *6, 21*
 color temperature *22, 24, 28, 110, 132, 136, 139, 140*
 color temperature orange *110, 139*
 composition *128, 148*
 computers *65*
 continuous lighting *198*
 contrast *85, 142, 148, 160, 198*
 CR2 *198. See also RAW*
 creative control *84*
 crop *198*
 crop factor *198*
 CTO. *See color temperature orange*

D

daylight *29, 132, 136, 140, 146, 148, 152, 185*
 depth of field *xiv, 27, 45, 51, 198. See also focus*
 diffuser *31, 34, 71, 72, 116, 131, 199*
 digital camera *40, 47, 199*
 digital darkroom *26, 40, 42, 196, 199, 202*
 directional light *72, 182, 199, 201*
 direction of light *6*
 display *199, 201*
 dSLR *198, 199, 202*
 duct tape *29, 71, 181, 184*
 dynamic range *199*

E

equipment *xv, xvi, 5, 11, 16, 17, 24, 31, 47, 61, 62, 66, 70, 73, 75, 83, 84, 87, 102, 123, 126, 168, 171, 177, 178, 179, 181, 184, 188, 206*

- accessories *xvi*, 84, 180
- Bogen 175F Justin Spring Clamp 179
- iDC Triple Threat Flash Bracket 76
- Joby Gorillapod 179, 180
- lighting stand 70, 179, 180
- Manfrotto Spring Grip Clamp 179
- ProSpec 8GB CF cards 77
- Recessed Front Apollo 76
- Sekonic L - 358 light meter 77
- tripod 52, 102, 179, 180
- umbrella 75, 76, 77, 132, 136, 150, 179
- E-TTL *xv*, 4, 5, 7, 10, 16, 17, 18, 21, 26, 28, 55, 93, 95, 96, 98, 105, 108, 110, 111, 112, 116, 117, 118, 122, 125, 126, 131, 132, 134, 136, 140, 142, 152, 153, 156, 160, 162, 166, 168, 171, 172, 182, 185, 186, 188, 190, 195, 199, 205. *See also* evaluative through the lens
- E-TTL II mode 4, 5, 7, 10, 16, 17, 18, 21, 26, 28, 40, 42, 46, 49, 55, 75, 84, 86, 95, 101, 105, 108, 110, 111, 116, 117, 118, 122, 125, 131, 132, 134, 136, 142, 152, 153, 156, 160, 162, 171, 172, 182, 185, 186, 190, 195, 205
- EV. *See* flash sync
- evaluative through the lens 93
- Exposure
 - Aperture *v*, *xiii*, *xiv*, *xv*, 32, 43, 51, 88, 89, 90, 93, 131, 166, 170, 196
 - Auto exposure 196, 199
 - Auto exposure bracketing 196, 199
 - ISO *xiii*, *xiv*, 3, 4, 7, 8, 9, 10, 11, 13, 15, 17, 18, 19, 20, 21, 23, 24, 27, 31, 32, 35, 37, 39, 40, 41, 45, 46, 47, 49, 52, 55, 56, 57, 58, 61, 68, 75, 81, 83, 85, 86, 87, 88, 89, 91, 93, 95, 97, 101, 103, 105, 107, 109, 111, 112, 114, 115, 117, 118, 121, 123, 124, 125, 129, 131, 132, 134, 136, 139, 140, 142, 144, 146, 148, 150, 152, 156, 159, 161, 162, 164, 166, 168, 170, 172, 174, 177, 182, 185, 186, 188, 190, 193, 195, 197, 199, 201, 205
 - Manual exposure mode 3, 4, 7, 9, 11, 15, 17, 18, 20, 21, 23, 24, 27, 31, 35, 39, 41, 46, 49, 55, 61, 75, 83, 85, 87, 95, 97, 101, 103, 109, 112, 114, 117, 118, 121, 123, 124, 125, 129, 132, 134, 136, 139, 140, 142, 144, 146, 148, 150, 152, 156, 159, 161, 162, 164, 182, 185, 186, 188, 195, 197
 - Shutter speed *xiii*, 42, 88
- exposure bracketing 196, 199
- exposure value 16, 125, 182
- external flash 201

F

file formats *56, 196*

 Camera RAW *56, 57*

 JPEG *40, 56, 57, 199, 201, 203*

files *26, 45, 57, 201*

fill flash *19, 86, 114, 115, 116, 122, 171, 199*

fill light *136, 182*

filter *26, 200, 201*

fixed focus lens *200*

FJ Westcott *76, 208*

flash

 580EX II *4, 5, 7, 10, 13, 16, 17, 18, 28, 40, 42, 46, 49, 55, 62, 65, 67, 68, 75, 76, 77, 81, 84, 86, 95, 101, 105, 107, 108, 110, 111, 112, 115, 116, 117, 118, 122, 123, 125, 126, 131, 132, 134, 136, 139, 142, 144, 146, 150, 152, 153, 156, 159, 160, 162, 171, 172, 174, 179, 182, 184, 185, 186, 193, 195, 198, 205*

 Bounce flash *xv, 111*

 Direct flash *xv, 110, 111*

 Fill flash *xv, 115*

 flash gun *200*

 flash sync *xv, 26, 88, 98, 99, 101, 131, 168, 170, 171, 211*

 How a flash works *xv, 98*

 off-camera *xv, 4, 7, 10, 13, 17, 18, 26, 28, 40, 42, 49, 61, 105, 117, 121, 136, 156, 159, 174, 177, 193*

 On-camera *xiv, 63*

 Rear curtain sync *xv, 102*

flashes

 Canon 580EX II Speedlite *10, 16, 28, 46, 62, 68, 75, 76, 95, 101, 107, 111, 112, 116, 117, 118, 122, 126, 131, 134, 142, 144, 162, 182, 195, 198*

 Quantum Q *10, 28, 70*

flash exposure compensation *18, 112, 118*

flash head *26, 65, 98, 108, 110, 111, 139, 153, 181, 182, 195*

flash modes *xv, 93*

E-TTL *xv, 4, 5, 7, 10, 16, 17, 18, 21, 26, 28, 40, 42, 46, 49, 55, 75, 84, 86, 93, 95, 96, 98, 101, 105, 108, 110, 111, 112, 116, 117, 118, 122, 125, 126, 131, 132, 134, 136, 140, 142, 152, 153, 156, 160, 162, 166, 168, 171, 172, 182, 185, 186, 188, 190, 195, 199, 205*

flash ratio *125*

flash setup *19, 201*

flash sync *xv, 26, 88, 98, 99, 101, 131, 168, 170, 171*

focal distance *200*

focal length *52, 200, 202, 203*

focal plane *99, 171*

focus *18, 24, 45, 51, 108, 142, 148, 195, 196, 198, 200, 201*

FP. *See* flash sync

G

gel *20, 73, 101, 110, 125, 126, 139, 146, 160, 161, 162, 172, 195, 200*

Golden Hour *xiii, 34, 200*

Gorillapod *179, 180*

grain *47, 55, 56*

gray card *24, 200*

grid *28, 72*

H

halogen lights *28*

hard light *129*

high contrast *198*

high key *48, 49*

high speed flash sync *26, 88, 131, 211*

High speed sync *xvi, 99, 171*

histogram *40, 47, 48, 49, 50, 51, 96, 200*

honeycomb filter *201*

Honl Photo Speed Snoot *198*

hot shoe *6, 10, 62, 63, 86, 117, 129, 150, 184, 200, 201*

I

image stabilization *52*

imaging chip *26, 40, 56, 99, 196, 198, 199, 200, 201*

imaging sensor *22, 42, 88, 221*

ISO *xiii, xiv, 3, 4, 7, 8, 9, 10, 13, 15, 17, 18, 19, 20, 21, 23, 24, 27, 31, 32, 37, 39, 40, 41, 45, 46, 47, 49, 52, 55, 56, 57, 58, 61, 68, 75, 81, 83, 85, 86, 87, 88, 89, 91, 93, 95, 97, 101, 103, 105, 107, 109, 111, 112, 114, 115, 117, 118, 121, 123, 124, 125, 129, 131, 132, 134, 136, 139, 140, 142, 144, 146, 148, 150, 152, 156, 159, 161, 162, 164, 166, 168, 170, 172, 174, 177, 182, 185, 186, 188, 190, 193, 195, 197, 199, 201, 205*

J

Joby Gorillapod *179, 180*

JPG *201*

K

Kelvin *22, 23, 24, 50, 51, 132*

Kelvin scale *22, 23, 50, 132*

Kelvin temperature *24*

L

LCD display *201*

lenses *62, 184, 198, 202, 203*

macro lens *77, 83*

prime lens *37, 77, 200, 202, 203*

light

Color temperature *xiii, 22, 24*

Golden Hour *xiii, 34, 200*

Mixed light sources *xiii, 28*

natural light *xiii, 23, 29, 42, 45, 99, 195*

White balance *xiii, 24*

lighting *xiii, xiv, xv, xvi, 3, 4, 5, 7, 8, 9, 10, 11, 15, 16, 17, 19, 24, 28, 29, 31, 35, 43, 45, 48, 50, 55, 56, 62, 63, 66, 67, 70, 71, 72, 73, 75, 77, 83, 84, 85, 86, 91, 93, 95, 97, 107, 108, 109, 110, 112, 114, 116, 118, 123, 125, 126, 128, 129, 139, 140, 142, 152, 153, 159, 168, 172, 173, 177, 178, 179, 180, 181, 182, 184, 186, 188, 196, 198, 199, 206. See flash sync*

lighting diagrams *xiii, 8*

lighting stands *179*

light meters *40, 47*

light modifier *19, 26, 42, 71, 76, 81, 86, 131, 160, 162, 182, 185, 188, 205*

Light modifiers *xiv, 71, 131*

Barn Doors *xiv, 72*

Flash Diffusers *xiv, 71*

Honeycombs *xiv, 72, 73*

Snoots *xiv, 72*

Soft boxes *xiv, 72, 125*

light sources *xiii, xvi, 6, 7, 8, 10, 16, 28, 29, 85, 90, 91, 121, 122, 126, 132, 136, 139, 140, 142, 152, 168, 181, 202*

M

Mac *61, 62*

Manfrotto *76, 116, 179, 208*

Manfrotto Spring Grip Clamp *179*

manual focus *201*

master *10, 16, 126, 156*

memory cards *184*

mixed light sources *xiii, 28, 221*

motion *xiv, 51, 52, 58, 69, 91, 103, 116, 156, 164, 166*

N

natural light *xiii, 23, 29, 42, 45, 99, 195, 221, 222*

Nikon *16, 26, 61, 62, 67, 70, 76, 179, 182, 207*

NiMH rechargeable batteries 77
 noise *xiv*, 42, 55, 56, 57, 201, 222

O

optical zoom 201
 overexposed 39, 40, 42, 48, 55, 203

P

PC connector 201
 pixel 202
 Pocket Wizards *xiv*, 67
 portable equipment 70
 portraits 35, 51, 140
 post production 202
 preset 139, 203
 prime lens 77, 200, 202, 203
 Program mode 84, 86, 111
 ProSpec 8GB CF cards 77

R

radio-based controller 63
 RadioPopper *xiv*, 10, 13, 16, 17, 26, 28, 46, 49, 55, 66, 67, 76, 77, 86, 95, 101, 105, 107, 110, 117, 118, 122, 132, 134, 136, 139, 144, 146, 150, 152, 162, 171, 174, 185, 186, 190, 193, 195, 198. *See also* wireless transmitter
 RAW 26, 40, 56, 57, 196, 198, 199, 202
 rear-curtain sync 102, 103
 rechargeable batteries 69, 77, 184
 reflector 24, 31, 34, 45, 72, 112, 115, 188, 202
 reflectors 18, 31, 179, 181
 RGB 202

S

see the light *6, 16*

Sekonic L - 358 light meter *77*

setting up *29, 96, 105, 131*

shutter *8, 10, 40, 41, 42, 43, 45, 47, 51, 52, 55, 56, 86, 88, 90, 91, 93, 95, 98, 99, 102, 110, 116, 125, 132, 136, 156, 162, 164, 166, 168, 171, 196, 199, 201, 202*

Shutter priority *xv, 90, 91*

shutter speed *10, 40, 42, 43, 45, 47, 51, 52, 86, 88, 90, 91, 98, 99, 116, 125, 132, 136, 156, 164, 166, 168, 171, 196, 199, 202*

Slave *6*

slave mode *65*

Snoot *84, 184, 198*

soft-box *5*

software *196, 199, 200, 213*

specular highlight *202*

Speedlite *4, 5, 7, 10, 13, 16, 17, 18, 19, 20, 21, 26, 28, 37, 46, 49, 55, 58, 62, 65, 66, 67, 68, 69, 70, 75, 76, 81, 84, 86, 95, 98, 101, 105, 107, 108, 110, 111, 112, 116, 117, 118, 122, 123, 126, 131, 132, 134, 136, 139, 140, 142, 144, 146, 152, 160, 161, 162, 168, 171, 172, 174, 179, 180, 181, 182, 186, 188, 193, 195, 198, 203, 206*

spotlight *72, 182*

stripbank *108*

strobes *107*

subjects *18, 24, 55, 118, 142, 148, 150, 156, 164, 166, 168, 171, 185, 186*

sunlight *24, 31, 34, 35, 72, 116, 142, 168, 171, 195, 199, 200*

sync *xv, xvi, 26, 58, 63, 88, 91, 98, 99, 101, 102, 103, 131, 132, 166, 168, 170, 171*

T

telephoto zoom lens *77*

temperature *xiii, 22, 24, 28, 110, 132, 136, 139, 140, 142*

TIFF *196, 201, 203*

Triggering flashes *6*

tripod *52, 102, 179, 180*
 tungsten *24, 28, 73, 140, 150, 156*
 Tv. *See* Shutter priority

U

umbrellas *136, 139, 179*

V

vignetting *203*

W

washing out *203*

Websites *xvii, 205*

Westcott *v, 46, 75, 76, 108, 125, 126, 136, 139, 144, 150, 160, 162, 208*

white balance *xiii, 17, 23, 24, 26, 48, 50, 57, 73, 132, 139, 146, 148, 150, 152, 156, 200, 203*

white balance bracketing *26, 203*

wide-angle *52*

wide angle zoom lens *77*

Wireless radio flash triggers *xiv, 66*

 Pocket Wizards Mini & Flex *xiv, 67*

 Quantum Free X-Wire *xiv*

 RadioPopper *xiv, 10, 13, 16, 17, 26, 28, 46, 49, 55, 66, 67, 76, 77, 86, 95, 101, 105, 107, 110, 117, 118, 122, 132, 134, 136, 139, 144, 146, 150, 152, 162, 171, 174, 185, 186, 190, 193, 195, 198*

wireless transmitter *55, 75, 179, 195, 198*

workshops *73, 84, 206*

Z

zoom lens *77, 114, 201, 202, 203*