

Index

Symbols and Numerics

! (factorial symbol), 331

30°-60°-90° triangle, 63-64

33333 limit mnemonic, 86-88

45°-45°-90° triangle, 63

A

absolute convergence, 334-335

absolute extrema

closed interval, 157-159

over function's entire domain, 160-161

absolute maximum, derivatives, 149

absolute minimum, 150

absolute value, 34, 53

acceleration

defined, 177-179, 183

positive or negative, 182-183

per second squared, 183

speeding up/slowing down, 182

Achilles and tortoise paradox, 18-20

acute angle, 64

adding

fractions, 31-32

powers, 35

up area between two curves, 289-292

adjacent side, 61, 275

algebra

absolute value, 34

factoring

defined, 38

difference of cubes, 39

difference of squares, 39

greatest common factor, 38

limit problems, 94

patterns, 39

quadratic equations, 40

sum of cubes, 39

trinomial, 39-40

fractions

adding, 31-32

canceling, 32-34

dividing, 30-31

multiplying, 30

overview, 29-30

partial fractions technique,
279-282

subtracting, 32

logarithms, 37-38

power rules

differentiation, 128-129

overview, 34-35

reversing, 253-254

roots

overview, 36

rule, 36

simplifying, 36-37

solving limits at infinity with,
103-104

with algebra, 103-104

with calculator, 102-103

solving limits problems with, 94-96

with algebra, 94-96

with calculator, 91-94

solving quadratic equations, 40-42

algebraic expressions, 33

Algebra II for Dummies (Sterling), 40

alternating series

absolute convergence, 334-335

conditional convergence,
334-335

defined, 333

geometric series rule, 323

harmonic, 334

test, 335-337

- angles
 - acute, 64
 - measuring with radians, 63–64
 - unit circle, 64
- antiderivatives
 - defined, 234, 239
 - differentiation, 254
 - finding
 - guess-and-check method, 254–256
 - reverse rules for, 252–254
 - substitution method, 256–259
 - formulas, 253
 - fundamental theorem of calculus and, 238–252
- antidifferentiation, 209, 233–235
- approximations, linear, 197–200
- arc length, 298–300
- area
 - above curves, 244
 - approximating
 - with left sums, 214–217
 - with midpoint sums, 219–220
 - with right sums, 217–219
 - with Simpson's rule, 230–231
 - with trapezoid rule, 228–230
 - circle, 297
 - cross-sections, 295
 - under curves, 22–24, 211–214, 287
 - of dome, computing, 11
 - finding exact area with definite integral, 224–227
 - finding with substitution problems, 259–261
 - maximum, 173–175
 - negative, 231, 244
 - of rectangle, 16
 - between two curves, 289–292
- area function
 - derivatives, 237–238
 - fundamental theorem of calculus, 238–242, 245–247
 - integration, 236–238
 - swept area, 236–238
- argument, 256
- arrow-number limit, 76–77

- asymptotes
 - horizontal
 - limits and, 80
 - limits at infinity and, 101–102
 - vertical
 - defined, 71
 - improper integrals with, 308–309
 - limits and, 79–80
 - between limits of integration, 309
 - one of limits of integration, 308–309
- average rate, 125
- average speed, 81–82, 181, 287–288
- average value, 287
- average velocity, 180

B

- benchmark series, 328
- business and economics differentiation
 - marginal cost, 202–203
 - marginal profit, 203–204
 - marginal revenue, 203
 - marginals in economics, 201–202

C

- calculator
 - Computer Algebra System, 91
 - solving limits at infinity with, 102–103
 - solving limits with, 91–94
 - Ti-84 calculator, 91
 - TI-Nspire calculator, 91
- calculus
 - defined, 8–10
 - differential, 108
 - fundamental theorem of
 - antiderivatives, 239
 - area function, 238–242
 - integration, 245–247
 - integration-differentiation connection, 247–249
 - shortcut version, 243–253
 - statistics, 249–252

- real-world examples
 - computing area of dome, 11
 - hanging cable between two towers, 10–11
 - space travel, 11
 - versus regular math, 8–9
- canceling fractions
 - expressions, 33
 - multiplication rule, 33–34
 - overview, 32–33
- CAS (Computer Algebra System), 91
- catenary, 10
- chain rule, 135–139, 256
- circle
 - area, 297
 - circumference of, 65–66, 300
 - unit circle
 - angles in, 64
 - hypotenuse, 66–67
 - overview, 64
- circumference, 65–66, 300
- closed interval, 157–158
- coefficient, 39
- completing the square, 42
- complicated shapes, volume of
 - disk method, 294–295
 - matryoshka-doll method, 297
 - meat-slicer method, 292–294
 - washer method, 295–297
- composite functions, 46–47, 135–136
- Computer Algebra System, 91
- concavity
 - locating, 162–164
 - overview, 149
 - second derivative test, 151
- conditional convergence, 334–335
- conjugate multiplication, 94–95
- constant function, 52
- constant multiple rule, 130
- constant rule, 128
- continuity
 - defined, 83
 - hole exception, 85–86
 - limits and, 83–86
- polynomial functions, 84
- rational function, 84
- continuous function, 77, 83
- convergence
 - absolute, 334–335
 - conditional, 334–335
 - improper integrals, 309
- infinite series
 - alternating series test, 335–337
 - direct comparison test, 325–327
 - geometric series, 322–323
 - integral comparison test, 329–331
 - limit comparison test, 327–329
 - n th term test, 321–322
 - p -series, 323–324
 - ratio test, 331–332
 - root test, 333
 - telescoping series, 324–325
- sequences, 317
- series, 320–321
- convergent series, 18–20
- corner, 150
- cosecants
 - defined, 62
 - derivatives, 131
 - integrals containing, 273
- cosines
 - defined, 62
 - derivatives, 347
 - graphing, 69–70
 - integrals containing, 270–273
 - power of, 272–273
 - unit circle, 67
- cost, marginal, 201–203
- cotangents
 - defined, 62
 - integrals containing, 273
- critical numbers, functions, 150, 151–152
- critical points, functions, 150
- cross-sections, area of, 295
- cubes
 - difference of, 39
 - sum of, 39

cumulative frequency distribution,
249–251

curves

absolute extrema

closed interval, 157–159

over function's entire domain,
160–161

absolute maximum, 149

absolute minimum, 150

area above, 244

area between two, 289–292

area under, 22–24, 211–214

concavity

locating, 162–164

overview, 149

second derivative test, 151

critical numbers, 150, 151–152

critical points, 150

derivatives, 115–117

inflection points, 149, 162–164

length of, 22–24

local minimum, 149, 150

mean value theorem, 168–169

slope, 22–24

curving incline problem, 9–10

cusp, 88, 125

cylindrical shell method, 297

D

deceleration, 183

definite integral

definition of, 219–220

finding exact area with,
224–227

five easy rules for, 244

degrees

30 degrees, trig values for, 342

45 degrees, trig values for, 342

60 degrees, trig values for, 342

converting from radians to, 66

of polynomials, 39

demand function, 202

denominator

irreducible quadratic factors, 281–282

linear factors, 280

repeated linear or quadratic factors, 282

dependent variables, 45

derivatives. *See also* rates

absolute maximum, 149

absolute minimum, 150

antiderivatives

defined, 234, 239

differentiation, 254

finding, 252–259

formulas, 253

fundamental theorem of calculus and,
238–242, 245–247

guess-and-check method, 254–256

reverse rules for, 252–254

substitution method, 256–259

area function, 237–238

concavity, 149

corner, 150

cosecant, 131–132

curves, 115–117

defined, 11, 112, 121, 123

difference quotient, 117–124

first derivative test, 153–154

graphs, 164–167

higher order, 144–145

inflection points, 149

inverse functions, 143–144

lines, 112

local minimum, 149

mean value theorem, 288

parabola, 123–124, 197

rate, 15–16, 112–114

rate-slope connection, 115

relative minimum, 149

second derivative test, 154–157

speed, 114

undefined, 126, 150

Descartes, René (mathematician), 47

difference of cubes, factoring, 39

- difference of squares, 39
- difference quotient, 108, 116, 117–124
- difference rule, 131
- differential calculus, 107–108
- differentiation
 - acceleration
 - defined, 177–179, 183
 - positive/negative, 182–183
 - antiderivatives, 254
 - average rate, 125
 - business and economics
 - marginal cost, 202–203
 - marginal profit, 203–204
 - marginal revenue, 203
 - marginals in economics, 201–202
 - chain rule, 135–139, 256
 - constant multiple rule, 130
 - constant rule, 128
 - curves
 - absolute extrema, 157–159, 160–161
 - absolute maximum, 149
 - absolute minimum, 150
 - area above, 244
 - area between two, 289–292
 - area under, 22–24, 211–214
 - concavity, 149, 151, 162–164
 - critical numbers, 150, 151–152
 - critical points, 150
 - derivatives, 115–117
 - inflection points, 149, 162–164
 - length of, 22–24
 - local minimum, 149, 150
 - mean value theorem, 168–169
 - slope, 22–24
 - defined, 11, 108
 - exponential functions, 132–133
 - fundamental theorem of calculus and, 247–249
 - implicit, 140–141
 - inverse functions, 143–144
 - linear approximations, 197–200
 - logarithmic, 133, 142–143
 - marginals
 - cost, 201–203
 - profit, 201–202, 203–204
 - revenue, 201–202, 203
 - maximum height, 179
 - minimum height, 179
 - optimization problems
 - maximum area of corral, 172–173
 - maximum volume of box, 172–173
 - position, 177–179
 - power rules, 34–35
 - differentiation, 128–129
 - reversing, 253–254
 - product rule, 133–134, 140, 343
 - quotient rule, 134–135, 343
 - rates
 - average, 125
 - derivatives, 15–16, 112–114
 - distance and, 81
 - instantaneous, 125
 - instantaneous speed, 80–83
 - rate-slope connection, 115
 - related, 184–192
 - related rates
 - changing distance example, 189–191
 - defined, 184
 - filling trough example, 186–189
 - inflating balloon example, 184–186
 - trig functions, 131
 - velocity
 - average, 180
 - defined, 177–179
 - displacement and, 180
 - maximum and minimum, 180–181
 - positive and negative, 178–179
 - yo-yo example
 - acceleration, 177–179
 - average speed, 181
 - average velocity, 180
 - deceleration, 183
 - maximum height, 179
 - maximum/minimum speed, 182

- differentiation (*continued*)
 - maximum/minimum velocity, 180–181
 - position, 177–179
 - positive/negative acceleration, 182–183
 - total displacement, 180
 - total distance traveled, 181
 - velocity, 177–179
- differentiation rules
 - chain rule, 135–139
 - constant multiple rule, 130
 - constant rule, 128
 - difference rule, 131
 - power rule, 128–129
 - product rule, 133–134
 - quotient rule, 134–135
 - sum rule, 130–131
- direct comparison test, 325–327
- discontinuity, 125
- discontinuous function, 77, 90
- discriminant
 - defined, 41
 - irreducible quadratic factors, 281
- disk method, 294–295
- displacement
 - negative, 180
 - total, 180
 - velocity and, 180
- distance
 - changing distance example, 189–191
 - speed and, 181
 - total, 82, 181
- distributions
 - cumulative frequency, 249–251
 - power, 35
- divergence
 - improper integrals, 309
- infinite series
 - alternating series test, 335–337
 - direct comparison test, 325–327
 - geometric series, 322–323
 - integral comparison test, 329–331
 - limit comparison test, 327–329

- n th term test, 321–322
- p -series, 323–324
- ratio test, 331–332
- root test, 333
- telescoping series, 324–325
- sequences, 317
- series, 320–321
- divergent series, 18
- dividend, 279
- division
 - denominator, 280–282
 - dividing fractions, 30–31
 - divisor, 279
 - reciprocal, 30
- divisor, 279
- domain, 44, 46
- dome, area of, 11

E

- Earth, orbit of, 11–12
- economics differentiation
 - marginal cost, 202–203
 - marginal profit, 203–204
 - marginal revenue, 203
 - marginals in economics, 201–202
 - maximum profit, 204
- elapsed time, 82
- elliptical orbits, 11–12
- endpoints
 - extremum, 173
 - interval, 158
- Euler, Leonhard (mathematician), 130
- even number root, 36
- examples
 - real-world examples
 - computing area of dome, 11
 - hanging cable between two towers, 10–11
 - space travel, 11
 - related rates
 - changing distance example, 189–191
 - filling trough example, 186–189
 - inflating balloon example, 184–186

- yo-yo
 - acceleration, 177–179
 - average speed, 181
 - average velocity, 180
 - deceleration, 183
 - maximum height, 179
 - maximum/minimum speed, 182
 - maximum/minimum velocity, 180–181
 - position, 177–179
 - positive/negative acceleration, 182–183
 - positive/negative velocity, 178–179
 - total displacement, 180
 - total distance traveled, 181
 - velocity, 177–179
- exponential decay, 54
- exponential functions, 54, 132–133
 - differentiation, 132–133
- exponential growth, 54
- exponents, 56
- expressions, 33
- extremum, 173

F

- factorials, 331
- factoring
 - defined, 38
 - difference of cubes, 39
 - difference of squares, 39
 - greatest common factor, 38
 - limit problems, 94
 - patterns, 39
 - quadratic equations, 40
 - sum of cubes, 39
 - trinomial, 39–40
- finite number, 18, 315
- first degree polynomials, 280
- first derivative test, 153–154
- force, unchanging, 9
- formulas
 - antiderivatives, 253
 - arc length, 299
 - integration by parts, 264
 - quadratic, 41
 - surface of revolution, 301
- 45°–45°–90° triangle, 63
- four-square-box scheme, integration by parts, 264–266
- fractions
 - adding, 31–32
 - canceling
 - expressions, 33
 - multiplication rule, 33–34
 - overview, 32–33
 - dividing, 30–31
 - improper, 279
 - multiplying, 30
 - overview, 29–30
 - partial fractions technique
 - irreducible quadratic factors, 281–282
 - linear factors, 280
 - overview, 279–280
 - repeated linear or quadratic factors, 282
 - subtracting, 32
 - “unadding,” 279
- frequency distributions, 249–251
- functions
 - absolute value, 53
 - area, 236–238
 - average value, 287
 - composite, 46–47, 135–136
 - constant, 52
 - continuous, 77, 83
 - cosines, 69–70
 - critical numbers, 150
 - critical points, 150
 - defined, 43–44
 - dependent variables, 45
 - discontinuous, 77, 90
 - domain, 44, 46
 - exponential, 54, 132–133
 - horizontal transformations, 57–58
 - identity, 52
 - illustrating limits with, 76–77
 - independent variables, 45
 - inverse, 55–56, 143–144

functions (*continued*)

linear, 115

lines, 49–55

local extrema

critical numbers, 151–152

defined, 150

first derivative test, 153–154

second derivative test, 154–157

logarithmic, 55, 133

notation, 45–46

odd, 53–54

parabolic, 53

periodic, 70

polynomial, 53, 84

range, 44

rational, 328

sequences and, 317–318

trig functions

differentiation, 131–132

inverse, 71–72

vertical line test, 48–49

vertical transformation, 59

fundamental theorem of calculus

antiderivatives, 239

area functions and, 238–242

integration, 245–247

integration-differentiation connection, 247–249

shortcut version, 243–253

statistics, 249–252

G

Gabriel's horn, 312–313

GCF (greatest common factor), 38

geometric series, 322–323

graphs

derivatives, 164–167

inverse functions, 56

lines, 51–52

points of interest, 148

sign graph, 153

sines, 69–70

tangents, 69–70

gravitational pulls, 11

greatest common factor (GCF), 38

Green's theorem, 343

guess-and-check method, 254–256

H

half-terms, 325

harmonic series

alternating, 334

p -series, 324

height

maximum, 179

minimum, 179

top-minus-bottom method, 291

higher-order derivatives, 144–145

hole exception, limits, 85–86

horizontal asymptotes

limits and, 80

limits at infinity and, 101–102

horizontal lines, 52

horizontal transformations, 57–58

hypotenuse, 275

defined, 61, 63

unit circle, 66–67

I

identity function, 52

implicit differentiation, 140–141

improper fraction, 279

improper integrals

convergence of, 309

defined, 307

divergence of, 309

Gabriel's horn, 312–313

L'Hôpital's rule

determining limits with, 318

limit comparison test, 328

limit problems, 303–305

unacceptable forms, 305–307

one or two limits of integration, 310–311

vertical asymptotes, 308–309

- indefinite integral, 234
- independent variables, 45
- index of summation, 223
- infinite sequences, 316
- infinite series
 - convergence/divergence test
 - direct comparison test, 325–327
 - geometric series, 322–323
 - integral comparison test, 329–331
 - limit comparison test, 327–329
 - n th term test, 321–322
 - p -series, 323–324
 - ratio test, 331–332
 - root test, 333
 - telescoping series, 324–325
 - convergent, 18–20
 - defined, 18, 312–313, 318–319
 - divergent, 18
- infinity. *See also* infinite series
 - evaluating limits at, 101–104
 - horizontal asymptotes, 102–103
 - over infinity, 305
 - overview, 25
 - solving limits with algebra, 103–104
 - solving limits with calculator, 102–103
- inflating balloon example, 184–186
- inflection points
 - concavity and, 149
 - derivative graphs, 164–167
 - horizontal, 151, 166
 - locating, 162–164
 - vertical, 126
- input variables, 45
- instantaneous rate, 125
- instantaneous speed
 - calculating with limits, 80–83
 - definition of, 82
- integral comparison test, 329–331
- integrals
 - arc length analysis, 298–300
 - area between two curves, 289–292

- definite
 - definition of, 219–220
 - finding exact area with, 224–227
 - five easy rules for, 244
- improper
 - convergence of, 309
 - defined, 307
 - divergence of, 309
 - Gabriel's horn, 312–313
 - L'Hôpital's rule, 303–307
 - one or two limits of integration, 310–311
 - vertical asymptotes, 308–309
- mean value theorem, 286–288
- splitting up, 282
- surface of revolution, 300–302
- trig integrals
 - containing cosines, 270–273
 - containing cotangents, 273
 - containing secants, 273
 - containing sines, 270–273
 - containing tangents, 273
 - overview, 269–270
- volumes of complicated shapes
 - disk method, 294–295
 - matryoshka-doll method, 297
 - meat-slicer method, 292–294
 - washer method, 295–297
- integrand, 254, 279
- integration
 - adding up area between two curves, 289–292
 - antidifferentiation and, 233–235
 - approximating area
 - with left sums, 214–217
 - with midpoint sums, 219–220
 - with right sums, 217–219
 - with Simpson's rule, 230–231
 - with trapezoid rule, 228–230
 - area function, 236–242, 245–247
 - average value, 287
 - defined, 16–17

integration (*continued*)

finding antiderivatives

- guess-and-check method, 254–256
- reverse rules for, 252–254
- substitution method, 256–259

finding arc length, 298–300

finding area

- under curves, 211–214
- with definite integral, 224–227
- with substitution problems, 259–261

finding volumes of solids

- disk method, 294–295
- matryoshka-doll method, 297
- meat-slicer method, 292–294
- washer method, 295–297

fundamental theorem of calculus,
238–249

improper integrals

- convergence of, 309
- defined, 307
- divergence of, 309
- Gabriel's horn, 312–313
- L'Hôpital's rule, 303–307
- one or two limits of integration,
310–311
- vertical asymptotes, 308–309

integrals containing

- containing cosecants, 273
- containing cotangents, 273
- containing secants, 273
- containing tangents, 273

L'Hôpital's rule

- determining limits with, 318
- limit comparison test, 328
- limit problems, 303–305
- unacceptable forms, 305–307

limits of, 234

mean value theorem, 286–288

partial fractions technique

- equating coefficients of like terms, 283
- irreducible quadratic factors,
281–282

linear factors, 280

overview, 279–280

repeated linear or quadratic
factors, 282

by parts

- formulas, 264
- four-square-box scheme, 264–266
- overview, 263–264
- second pass, 268–269
- u chunk, 266–268

symbol for, 210–211

trig integrals

- containing cosines, 270–273
- containing cotangents, 273
- containing secants, 273
- containing sines, 270–273
- containing tangents, 273
- overview, 269–270

trigonometric substitution

- overview, 274
- secants, 278–279
- sines, 276–278
- tangents, 275–277

integration by parts

- formulas, 264
- four-square-box scheme, 264–266
- overview, 263–264
- second pass, 268–269
- u chunk, 266–268

interval

- closed, 157–158
- endpoints, 158
- negative, 167
- open, 158
- positive, 167

inverse functions

- defined, 55–56
- derivatives, 143–144
- graphs, 56
- rule, 56

inverse trig functions, 71–72

irreducible quadratic factors, 281–282

K

Kasube, Herbert (professor), 266

L

lamp's base, volume of, 210, 213–214

leading term, 322

least common denominator, 31–32

left rectangle limit, 226

left rectangle rule, 216–217

left sums, approximating area with,
214–217

Leibniz, Gottfried (mathematician), 48

length

arc, 298–300

of curves, 22–24

L'Hôpital's rule

determining limits with, 318

limit comparison test, 328

limit problems, 303–305

unacceptable forms, 305–307

LIATE mnemonic, 266–268

limit comparison test, 327–329

limit problems, L'Hôpital's rule, 303–305

limits

arrow-number, 76

calculating instantaneous speed
with, 80–83

continuity and, 83–86

defined, 83

hole exception, 85–86

limits and, 83–86

polynomial functions, 84

rational function, 84

defined, 21–22, 75

definition of, 78–79

horizontal asymptotes and, 80

illustrating with three functions, 76–77

at infinity

horizontal asymptotes and, 101–104

solving with algebra, 103–104

solving with calculator, 102–103

of integration, 234

L'Hôpital's rule

determining limits with, 318

limit comparison test, 328

limit problems, 303–305

unacceptable forms, 305–307

limits to memorize, 89–90

one-sided, 77–78

plug-and-chug problems, 90

solving with algebra

conjugate multiplication, 94–95

factoring, 94

miscellaneous algebra, 95–96

sandwich (squeeze) method, 96–99

solving with calculator, 91–94

33333 mnemonic, 86–88

vertical asymptotes and, 79–80

limits, sandwich (squeeze) method, 96–99

linear approximations, 197–200

linear factors, 280

linear functions, 115

lines

defined, 50–51

derivative, 112

graphing, 51–52

horizontal, 52

normal, 193, 195–197

parallel, 51

perpendicular, 51, 196

secant line, 118

slope-intercept, 52–53

slopes, 50–51, 110–112

tangent line, 121–122

tangent line problem, 194–195

vertical, 52

local extrema, functions

critical numbers, 151–152

defined, 150

first derivative test, 153–154

second derivative test, 154–157

local maximum, derivatives, 148, 150

local minimum, derivatives, 149, 150

logarithmic differentiation, 142–143

logarithmic functions, 55, 133
logarithms, 37–38

M

marginal cost, 201–203
marginal profit, 201–202, 203–204
marginal revenue, 201–202, 203
Mars, orbit of, 11–12
matryoshka-doll method, 297
maxima, 150
maximum area of corral, 173–175
maximum height, 179
maximum profit, 204–205
maximum speed, 182
maximum velocity, 180–181
mean value theorem
 definition of, 168–169
 derivatives, 288
 integrals, 286–288
meat-slicer method, 292–294
methods
 finding antiderivatives
 guess-and-check method, 254–256
 substitution method, 256–259
 finding limits, sandwich (squeeze) method, 96–99
 finding volumes of complicated shapes
 disk method, 294–295
 matryoshka-doll method, 297
 meat-slicer method, 292–294
 washer method, 295–297
 substitution, 94–96
 finding area with, 259–261
 overview, 274
 secants, 278–279
 sines, 276–278
 tangents, 275–277
midpoint rectangle limit, 226
midpoint rectangles, 219–220
midpoint sums, approximating area with, 219–220
minima, 150
minimum height, 179

minimum speed, 182
minimum velocity, 180–181
mnemonics
 LIATE mnemonic, 266–268
 SohCahToa, 61–62, 275, 342
 33333 mnemonic, 86–88
multiplication
 conjugate, 95–96
 multiplication rule, canceling fractions, 33–34
 multiplying fractions, 30
 multiplying powers, 35
 multiplying root indexes, 36
multiplier, 323

N

negative acceleration, 182–183
negative areas, 231, 244
negative displacement, 180
negative intervals, 167
negative slope, 50, 109, 148
negative velocity, 178–179
Newton, Isaac (mathematician), 48
non-zero number over zero, 90
normal line, 193, 195–197
notation
 functions, 45–46
 sigma notation, 221–224
 summation, 221
*n*th term test, 321–322

O

odd functions, 53–54
odd number root, 36
one-sided limits, 77–78
open interval, 158
opposite reciprocal, 51
opposite side, 61
optimization problems
 maximum area of corral, 172–173
 maximum volume of box, 172–173
output variables, 45

P

- parabola
 - derivatives, 123–124, 197
 - normal lines and, 196
 - slope, 116
- parabolic function, 53
- parallel lines, 51
- partial fractions technique
 - equating coefficients of like terms, 283
 - irreducible quadratic factors, 281–282
 - linear factors, 280
 - overview, 279–280
 - repeated linear or quadratic factors, 282
- partial sums, 319
- parts, integration by
 - formulas, 264
 - four-square-box scheme, 264–266
 - overview, 263–264
 - second pass, 268–269
 - u chunk, 266–268
- period, 70
- periodic functions, 70
- perpendicular lines, 51
 - slopes of, 196
- plug-and-chug problems, 90
- polynomial
 - defined, 39–40
 - degree, 39
- polynomial division, 279
- polynomial function
 - continuity, 84
 - defined, 53
- position, 177–179
- positive acceleration, 182–183
- positive interval, 167
- positive number, 34
- positive slope, 50, 148
- positive velocity, 178–179
- power rules
 - differentiation, 128–129
 - overview, 34–35
 - reversing, 253–254

- pre-algebra. *See* algebra
- prism, volume of, 187–188
- product rule, 133–134, 140, 343
- profit
 - marginal, 201–202, 203–204
 - maximum, 204–205
- p -series, 323–324
- Pythagorean identity, 271, 272
- Pythagorean theorem, 10, 63, 190–191

Q

- quadrants, 274–279
- quadrants, unit circle, 66–69
- quadratic equations
 - completing the square, 42
 - factoring, 40
 - quadratic formula, 41
 - solving, 40–42
- quadratic factors
 - irreducible, 281–282
 - repeated, 282
- quadratic formula, 41
- quotient, 279
- quotient rule, 134–135, 343

R

- radians
 - converting from degrees to, 66
 - defined, 65
 - measuring angles with, 65
- radical, 274
- range, 44
- rates
 - average, 125
 - derivatives, 15–16, 112–114
 - distance and, 81
 - instantaneous, 125
 - instantaneous speed, 80–83
 - rate-slope connection, 115
- related
 - changing distance example, 189–191
 - defined, 184

- rates (*continued*)
 - filling trough example, 186–189
 - inflating balloon example, 184–186
- ratio, 322–323
- rational function, 328
 - continuity, 84
 - derivatives, 145
 - integration, 279
- ratio test, 331–332
- reciprocal, 256
 - defined, 30
 - opposite, 51
- rectangle
 - area, 16
 - left, 216–217, 226
 - mean value, 287
 - midpoint, 219–220, 226
 - right, 217–218
- related rates
 - changing distance example, 189–191
 - defined, 184
 - filling trough example, 186–189
 - inflating balloon example, 184–186
- relation, 49
- relative maximum, derivatives, 148
- relative minimum, derivatives, 149
- remainder, 279
- repeated linear or quadratic factors, 282
- representative slice, volume of, 293
- revenue, marginal, 201–202, 203
- reverse rules, antiderivatives, 252–254
- revolution, surfaces of, 300–302
- Riemann sum
 - definition of, 220
 - sigma notation and, 221–224
- right prism, volume of, 187–188
- right rectangle rule, 217–218
- right sums, approximating area with, 217–219
- right triangle
 - 30°–60°–90° triangle, 63
 - 45°–45°–90° triangle, 63
 - drawing in unit circle, 67
 - overview, 62

- rise, slope, 14–15, 50, 111, 115, 118
- roots
 - overview, 36
 - rule, 36
 - simplifying, 36–37
- root test, 333
- rules
 - differentiation
 - chain rule, 135–139
 - constant multiple rule, 130
 - constant rule, 128
 - difference rule, 131
 - power rule, 128–129
 - product rule, 133–134
 - quotient rule, 134–135
 - sum rule, 130–131
 - geometric series, 323
 - L'Hôpital's rule
 - determining limits with, 318
 - limit comparison test, 328
 - limit problems, 303–305
 - unacceptable forms, 305–307
 - multiplication rule, 33–34
 - Simpson's rule, 230–231
 - trapezoid rule, 228–230
- run, slope, 14–15

S

- Σ (sigma notation), 221
- Sagan, Carl (astrophysicist), 315
- sandwich (squeeze) method, 96–99
- secant line, 118
- secants
 - defined, 62
 - integrals containing, 273
 - secant line, 118–121
 - trigonometric substitution, 278–279
- second derivative test, 154–157
- second pass, integration by parts, 268–269
- second squared, 183
- sequences. *See also* infinite series
 - convergence of, 317
 - defined, 316

- determining limits with L'Hôpital's rule, 318
- divergence of, 317
- functions and, 317–318
- infinite, 316
- stringing, 316
- series
 - alternating, 323, 333–337
 - absolute convergence, 334–335
 - conditional convergence, 334–335
 - defined, 333
 - geometric series rule, 323
 - test, 335–337
 - convergence of, 320–321
 - convergent, 18–20
 - defined, 18, 312–313, 316, 318–319
 - divergence of, 320–321
 - divergent, 18
 - geometric, 322–323
 - harmonic, 324
 - infinite, 318–319
 - direct comparison test, 325–327
 - geometric series, 322–323
 - integral comparison test, 329–331
 - limit comparison test, 327–329
 - n th term test, 321–322
 - p -series, 323–324
 - ratio test, 331–332
 - root test, 333
 - telescoping series, 324–325
 - partial sum, 320
 - p -series, 323–324
- sequences
 - convergence of, 317
 - defined, 316
 - determining limits with L'Hôpital's rule, 318
 - divergence of, 317
 - functions and, 317–318
 - infinite, 316
 - stringing, 316
 - telescoping, 324–325
- shapes
 - complicated, volumes of
 - disk method, 294–295
 - matryoshka-doll method, 297
 - meat-slicer method, 292–294
 - washer method, 295–297
- rectangle
 - area, 16
 - left, 216–217, 226
 - midpoint, 219–220, 226
 - right, 217–218
- right triangle
 - 30°–60°–90° triangle, 63
 - 45°–45°–90° triangle, 63
 - drawing in unit circle, 67
 - overview, 62
- triangles
 - 30°–60°–90° triangle, 63
 - 45°–45°–90° triangle, 63
 - adjacent side, 61, 275
 - hypotenuse, 61, 63, 275
 - opposite side, 61
 - SohCahToa triangle, 275
- sigma notation (Σ), 221–224
- sign graph, 153
- simplifying roots, 36–37
- Simpson's rule, approximating area with, 230–231
- Simpson sum, 231
- sine rule, 256
- sines
 - defined, 62
 - graphing, 69–70
 - integrals containing, 270–273
 - power of
 - even and negative, 272–273
 - odd and positive, 270–271
 - trigonometric substitution, 276–278
 - unit circle, 67
- slope
 - curves, 22–24
 - of lines, 14–15
 - lines, 50–51
 - of lines, 110–112
 - negative, 50, 109, 148
 - of perpendicular line, 196
 - positive, 50

- slope (*continued*)
 - rate-slope connection, 115
 - rise, 14–15, 50, 111, 115, 118
 - run, 14–15, 50, 111, 115, 118
 - undefined, 50
 - slope-intercept, 52–53
 - SohCahToa mnemonic
 - defined, 62, 342
 - overview, 61–62
 - triangle, 275
 - trigonometric substitution method and, 274–279
 - solids
 - maximum volume of box, 172–173
 - volume
 - disk method, 294–295
 - matryoshka-doll method, 297
 - meat-slicer method, 292–294
 - washer method, 295–297
 - speed, 178–179
 - acceleration
 - defined, 177–179, 183
 - positive/negative, 182–183
 - speeding up/slowing down, 183
 - average, 81–82, 181, 287–288
 - derivatives, 114
 - distance traveled and, 180–181
 - instantaneous, 80–83
 - maximum, 182
 - minimum, 182
 - unchanging, 9
 - speeding up/slowing down, 183
 - square root, 36
 - squares
 - completing, 42
 - difference of, 39
 - sum of, 39
 - stationary point, 148
 - statistics, 249–252
 - Sterling, Mary Jane
 - Algebra II For Dummies*, 40
 - straight incline problem, 9–10
 - strike price, 11
 - substitution method, 94–96
 - finding area with, 259–261
 - finding derivatives with, 256–259
 - trigonometric
 - overview, 274
 - secants, 278–279
 - sines, 276–278
 - tangents, 275–277
 - u -substitution, 271
 - subtracting
 - fractions, 32
 - powers, 35
 - subtraction sign, 274
 - summation notation
 - index of summation, 223
 - Σ (sigma notation), 221
 - summing series, 318–319
 - sum rule, 130–131
 - sums
 - of cubes, 39
 - left, approximating area with, 214–217
 - midpoint, approximating area with, 219–220
 - partial, 319
 - Riemann, 220–224
 - right, approximating area with, 217–219
 - of series, 318–319
 - Simpson, 231
 - of squares, 39
 - superscript, 56
 - swept area, area function, 236–238
- ## T
- tangent line
 - linear approximation and, 197–200
 - vertical, 126
 - tangents
 - defined, 62
 - graphing, 69–70
 - integrals containing, 273
 - tangent line, 121–122
 - tangent line problem, 194–195
 - trigonometric substitution, 275–277

- telescoping series, 324–325
- tests
 - alternating series, 335–337
 - convergence/divergence
 - direct comparison test, 325–327
 - geometric series, 322–323
 - integral comparison test, 329–331
 - limit comparison test, 327–329
 - n th term test, 321–322
 - p -series, 323–324
 - ratio test, 331–332
 - root test, 333
 - telescoping series, 324–325
 - first derivative test, 153–154
 - second derivative test, 154–157
 - vertical line test, 48–49
- theorems
 - fundamental theorem of calculus
 - antiderivatives, 239
 - area function, 238–242
 - integration, 245–247
 - integration-differentiation connection, 247–249
 - shortcut version, 243–253
 - statistics, 249–252
 - Green's theorem, 343
 - mean value theorem
 - definition of, 168–169
 - derivatives, 288
 - integrals, 286–288
 - Pythagorean theorem, 10, 63, 190–191
- 30°-60°-90° triangle, 63–64
- 33333 limit mnemonic, 86–88
- Ti-84 calculator, 91
- time, elapsed, 82
- TI-Nspire calculator, 91
- top-minus-bottom method, 291
- total displacement, 180
- total distance, 82, 181
- transformations
 - horizontal, 57–58
 - vertical, 59
- trapezoid rule, approximating area with, 228–230
- triangles
 - 30°-60°-90° triangle, 63
 - 45°-45°-90° triangle, 63
 - adjacent side, 61, 275
 - hypotenuse, 61, 63, 275
 - opposite side, 61
 - SohCahToa triangle, 275
- trig functions
 - differentiation, 131–132
 - inverse, 71–72
- trig identities, 72, 273
- trig integrals
 - containing cosines, 270–273
 - containing cotangents, 273
 - containing secants, 273
 - containing sines, 270–273
 - containing tangents, 273
 - overview, 269–270
- trigonometric substitution
 - overview, 274
 - secants, 278–279
 - sines, 276–278
 - tangents, 275–277
- trigonometry
 - cosine graphs, 69–70
 - identities, 72, 273
 - integrals
 - containing cosines, 270–273
 - containing cotangents, 273
 - containing secants, 273
 - containing sines, 270–273
 - containing tangents, 273
 - overview, 269–270
 - inverse functions, 71–72
 - right triangles
 - 30°-60°-90° triangle, 63
 - 45°-45°-90° triangle, 63
 - drawing in unit circle, 67
 - overview, 62
 - sine graphs, 69–70
 - SohCahToa
 - defined, 62, 342
 - overview, 61–62

trigonometry (*continued*)
 triangle, 275
 trigonometric substitution method and,
 274–279
tangent graphs, 69–70
unit circle
 angles in, 64
 hypotenuse, 66–67
 overview, 64
 quadrants, 66–69
 radians, 65–66
trinomial factoring, 39–40

U

u chunk, 266–268
unacceptable forms, L'Hôpital's rule, 305–307
undefined derivatives, 150
undefined slope, 50
unit circle
 angles in, 64
 hypotenuse, 66–67
 overview, 64
 quadrants, 66–69
 radians
 converting from degrees to, 66
 defined, 65
 measuring angles with, 65
 u -substitution, 271

V

variables
 dependent, 45
 independent, 45
 input, 45
 output, 45
velocity
 acceleration
 defined, 177–179, 183
 positive/negative, 182–183
 speeding up/slowing down, 183

average, 180
 defined, 177–179
displacement and, 180
 maximum, 180–181
 minimum, 180–181
 negative, 178–179
 positive, 178–179
vertical asymptotes
 defined, 71
 improper integrals and, 308–309
 limits and, 79–80
 between limits of integration, 309
 one of limits of integration, 308–309
vertical lines, 52
vertical line test, 48–49
vertical tangent line, 126
Viking I (spacecraft), 11
volume, 210
 of complicated shapes
 disk method, 294–295
 matryoshka-doll method, 297
 meat-slicer method, 292–294
 washer method, 295–297
 of lamp's base, 213–214
 representative slice, 293
 volume, 172–173

W

washer method, 295–297
wine bottle problem, 300–302
Wolfram Alpha (website), 91

Y

yo-yo. *See* examples, yo-yo

Z

Zeno of Elea (philosopher), 18
zero over zero, 305
zero product property, 40