Index

10/100/1000 Mbps components, 114
100 Mbps Ethernet, 114
802.11 standards, 139–140
2600 The Hacker Quarterly, 259

A

accelerometer, 308
Access databases, networking, 67–68
access points, 152
access switches, 129–130
accounting services, cloud vs. traditional, 400
account restrictions, 329
account status, 329
Active Directory (AD)
  about, 214
  creating new user, 217–220
  domains, 215
  forests, 216
  objects, 214–215
  organizational units, 215
  trees, 216
  user accounts, 216–217
address classes, 91
ad-hoc networks, 135, 145
administrative installation image, 301–302
administrative password, 151–152
Administrator account
  about, 330
  securing, 328
advertisements, 351
agent, 368
aggregation switches, 129
agility, of hybrid cloud, 412
AlohaNet, 138
Amazon, 406
Amazon CloudFront, 406
Amazon Elastic Compute Cloud (Amazon EC2), 406
Amazon Simple Queue Service (Amazon SQS), 406
Amazon Simple Storage Service (Amazon S3), 406
Amazon Virtual Private Cloud (Amazon VPC), 406
Amazon Web Services, 416
AND operation, 89
Android devices
  about, 306
  Android OS, 314–315
  core applications, 315–316
  integrating with Exchange, 316
  managing, 314–316
ANSI/EIA Standard 568, 116
antennas, 137
antispam appliances, 357–358
antispam software
  about, 352
  antispam appliances, 357–358
  Bayesian analysis, 354
  blacklisting, 354–355
  cloud-based antispam services, 358–359
  false negatives, 353
  false positives, 353
  filters, 353–355
  graylisting, 355–356
  keyword checking, 353–354
  on-premises, 356–357
  Sender Policy Framework, 354
  types of, 356–359
  whitelisting, 355
antivirus program, 345–346
Apache, 82
application gateway, 342–343
applications, cloud-based, 404
application servers, 83
App Store, 309
archive bit, 369
ARCnet, 112
arson, 379
AutoCAD, 83, 297
average/mean resolution time, 278
Azure Active Directory (AAD), 413–414
Azure Stack, 417

B

backing up data
  backup appliance, 364–365
  backup copy, 373

COPYRIGHTED MATERIAL

backing up data *(continued)*
backup source, 364
backup target, 364
in business continuity plan, 383
cloud backups, 365
copy backups, 370
differential backups, 371
file-based backups, 368–371
forward incremental backup, 372
full backups, 369, 372
how often, 363–364
incremental backups, 370–371
local hard drives, 45
maintaining equipment, 374–375
network address translation (NAT), 364
offline files, 362
off-site, 362
options for, 364–365
recovery point objective, 365
recovery time objective, 365
as responsibility of network administrator, 256
reverse incremental backup, 372
setting security, 375
software for, 367–368
storage area network (SAN), 364
synthesized full backup, 372
to tape, 365, 366–367, 373–374
3-2-1 rule, 361–363
virtualization and, 371–373
backscatter, 352
backup appliance, 364–365
backup copy, 373
backup Internet connection, 163–164
backup selection, 369
backup source, 364
backup target, 364
backup window, 364
bands, 137, 138–139
bandwidth, 138
bare metal, 168
Barracuda Backup, 368
BarracudaWare, 368
Basic Service Set (BSS), 143
Bayesian analysis, 354
binary system, 88–90
bits, 88–89
BlackBerry, 306–307
blacklisting, 354–355
blocks, 232
bringing up, 10
broadband connections, 156–157
broadcast domain, 95
built-in accounts, 330
bus, 112
business-class cable Internet, 157–158
business continuity plan (BCP)
about, 378
developing, 382–383

C

cable Internet, 156–157
cables
about, 114–115
categories, 116–117
crossover, 124
installing, 119–120
network, 15, 84
patch, 118, 436
patch panels, 124–125
plenum, 118
PVC, 118
RG-58, 115
RJ-45 connectors, 122–123
solid, 118
station, 118, 125
STP (shielded twisted-pair cable), 117
stranded, 118
tools for installing, 120–121
UTP (twisted-pair cable), 115–117
wall jacks, 124–125
cable tester, 120
cable ties, 436
carrier sense multiple access with collision detection (CSMA/CD), 138
Cat5e cable, 84
Cat6 cable, 84, 116
certifications, 260–261
channels, 135
checkpoints, 182
child partition, 179
circuit-level gateway, 342
Class A IP addresses, 92–93
Class B IP addresses, 93
Class C IP addresses, 93
classless IP addresses, 91

cleaning up, as responsibility of network administrator, 257
client access licenses (CALs), 196–197
client/client computers
  about, 13, 45, 57–58
  physical security, 323
  versus servers, 13
  virtual private network (VPN), 391–393
cloud backup, 365
cloud-based antispam services, 358–359
cloud computing
  about, 400
  accessing the cloud, 408
  accounting services, 400
  applications, 404
  disk storage, 400
  drawbacks, 402–403
  email services, 400
  hybrid cloud, 405–406
  infrastructure, 405
  platforms, 404
  providers, 406–407
  public vs. private, 405–406
  types of, 403–405
  virtual servers, 400
coaxial cable, 115
computer equipment
  in business continuity plan, 382
  failure, 380
computer name, 38–40
Cone of Silence syndrome, 322–323
connections. *See also* Internet connection
  broadband, 156–157
  cable, 114–125
  Ethernet, 112–114
  Power over Ethernet (PoE), 130–131
  routers, 8, 143, 158, 161
  switches, 126–130
contact information, changing, 220
copy backups, 370
copy protection, 294
core switches, 129
CradlePoint, 164
crimp tool, 120
crossover cables, 124
cybersecurity
  about, 319–320
  approaches to, 322
  closed-door approach to, 322
  human firewall, 322
  open-door approach to, 322
  pillars of, 321–322
  prevention technology, 321
  reasons for, 320–321
  recovery technology, 321

D

daisy-chaining switches, 128
database servers, 83
data stores, 172
dedicated lines, 157
dedicated servers, 13–14, 80–81
deep packet inspection, 343
default gateway address, 102
deliberate, 379–380
deliberate disasters, 379–380
DES encryption, 222
DHCP (Dynamic Host Configuration Protocol), 105–106
  about, 87, 99–100
  configuring, 146–147
  configuring networks for, 99–104
  exclusion, 102
  lease length, 104
  options, 100
  reservation, 103
  scopes, 101–102
  servers, 100–101
Diagnostic and Statistical Manual of Mental Disorders, 257
diagrams, drawing, 84–85
dial-in permissions, 329
differential backups, 371
disaster planning, 378
disaster recovery, 175
disasters
  about, 378
  deliberate, 379–380
  disruption of services, 380
  earthquakes, 379
  environmental, 379
  equipment failure, 380
  fire, 379
  flood, 379
  impact analysis, 381–382
  intentional damages, 379
  lightning, 379
  terrorism, 380

disasters *(continued)*
theft, 380
weather, 379
disk storage
attaching to servers, 235–236
cloud vs. traditional, 400
hard disk drives, 231–233
RAID arrays, 234–236
solid state drives, 234
disruption of services, 380
distribution switches, 129–130
DNS (Domain Name System)
about, 87, 106
domains and domain names, 106–108
fully qualified domain name (FQDN), 108–109
documents, 368
domain
parent, 107
root, 107
subdomain, 107
top-level, 107
domain accounts, 217
domain names, 40, 106–108
domain networks, 40
domains
Active Directory, 215
creating, 208–212
Domain Name System, 106–108
joining Mac computer to, 33–35
joining Windows computer, 27–29
Windows Server, 197–198
dotted-decimal notation, 91
downtime, reducing, 175
drives
mapping, 43
network, 43
DSL Internet connection, 156–157
duct tape, 435

E

earthquakes, 379
eavesdroppers, 150
eBay, 314
802.11 standards, 139–140
elasticity, of hybrid cloud, 411–412
e-mail
cloud vs. traditional services, 400
communicating with users, 268
digest, 353
servers, 82
endpoint, 10
energy cost, as benefit of virtualization, 174
Enterprise license plan, 296
entitlement model, 321
environmental disasters, 379
equipment failure, 380
Ethernet, 112–114, 138
Exchange
ActiveSync, 309–310
configuring iOS devices for, 311–314
integrating Android devices with, 316
integrating iOS devices with, 309–310
junk folder, 353
Online, 82
Server, 82
Extended Service Set (ESS), 144

F

facilities, in business continuity plan, 382
failover, 164
false negatives, 353
false positives, 353
Fast Ethernet, 114
Federal Communications Commission (FCC), 137
fiber optic, 158
Fibre Channel, 236
files
accessing, 64–65
backing up offline, 362
copying from servers, 429
deleting on servers, 429
offline, 69–71
sharing, 11
storing, 43–45
file servers
about, 81, 237
granting permissions, 248–249
managing, 240–249
New Share Wizard, 241–245
permissions, 237–239
shares, 239–240
sharing folders manually, 245–247

file sharing, enabling, 58–59
fire, 379
fire drill, 383–384
firewall appliance, 159, 338
firewalls
  about, 158, 337–339
  application gateway, 342–343
  built-in Windows Firewall, 161–163, 339
  circuit-level gateway, 342
  next-generation, 343
  packet-filtering, 339–341
  perimeter, 160, 339
  placing access points outside, 152
  vs. residential gateways, 161
  routers, 161
  stateful packet inspection, 341–342
  types of, 339–343
  using, 159–160
fish tape, 121
flashlight, 121
flash memory, 234
Flexera Software, 297
flexibility, of hybrid cloud, 412
FlexNet Publisher, 297
flood, 379
folders
  junk, 353
  permissions, 238
  public, 61–62
folders, shared
  about, 42–43
  manually, 245–247
  with New Share Wizard, 241–245
  in Windows 7, 59–61
  in Windows 10, 59–61
forests, 216
forward incremental backup, 372
freeloaders, 150
frequency, 135–136
friends, 91
full backups, 369, 370, 372
fully qualified domain name (FQDN), 108–109

G

get-rich-quick schemes, 352
gigabit Ethernet, 114
Google, 314, 407
Google App Engine, 407
Google Apps, 404, 407
Google Cloud Connect, 407
Google Cloud Print, 407
Google Maps, 407
graphics, 368
graylisting, 355–356
Gregory, Peter, 378
group account, 332–333
group membership, 217, 329
Group Policy
  about, 281–282
  enabling on Windows Server 2019, 282–283
  forcing updates on, 292
  pushing out software with, 301
Group Policy Object (GPO)
  about, 282
  creating, 283–289
  filtering, 289–292
groups
  about, 227
  adding members to, 227–228
  creating, 227–228
  membership, 329
guest, 168
Guest account, 330
guest mode, disabling, 152
guest operating system, 168, 173

H

hackers, 321, 322, 324–325, 341, 431
HAL (hardware abstraction layer), 168
Halper, Fern, 408
hammer, 121
hard copies, in business continuity plan, 383
hard disk drives
  about, 231
  blocks/sectors, 232
  disadvantages of, 232
  history, 232
  partition, 78
  read/write head, 232–233
  size, 78
hardware
  cost as benefit of virtualization, 174
  skimping on, 427–428
hardware abstraction layer (HAL), 168

help desk
about, 263–264
communicating with users, 265–267
creating knowledge base, 275
creating self-service help portal, 275–276
e-mail, 268
establishing charter, 264–265
management software, 279–280
online chat, 268
phone, 267–268
remote assistance, 269–275
tracking performance, 278
tracking support tickets, 265–267
using satisfaction surveys, 276–277
Hertz (Hz), 136
high-speed private lines, 157–158
home directory, 329
home folder, 224
hosted antispam, 358–359
hosts
host ID, 90
IP addresses, 90–91
virtualization, 168, 175
Hotfix Checker, 258
HTC, 314
human firewall, 322, 334–335
Hurwitz, Judith, 408
hybrid cloud
about, 405–406, 409–411
agility of, 412
Azure Active Directory, 413–414
benefits of, 411–412
elasticity of, 411–412
flexibility of, 412
innovation, 412
integrating identity in, 413–416
operational efficiency of, 412
single sign-on, 414–416
virtualization platforms, 416–418
Hybrid Cloud For Dummies (Hurwitz, Kaufman, Halper and Kirsch), 408
Hyper-V hypervisor
about, 178
backups, 371
enabling, 180–181
managing, 181–182
panes, 182
partitions, 178–179
virtual disks, 179–180
hypervisor. *See also* virtualization
about, 168
functions, 169–170
types, 170

I

identity, 413
incremental backups, 370–371
Independent Basic Service Set (IBSS), 145
InformationWeek, 259
InfoWorld, 259
infrastructure, planning, 84
Infrastructure as a Service (IaaS), 405
infrastructure mode, 135, 142–143
intentional damages, 379
intermediate distribution facility (IDF), 131
Internet, 10
Internet Assigned Numbers Authority (IANA), 93
Internet connection
about, 155
backup, 163–164
cable, 156–157
DSL, 156–157
high-speed private lines, 157–158
reliability for cloud computing, 403
security issues, 430–431
sharing, 158
Internet Information Services (IIS), 82
Internet Protocol, routers. *See* TCP/IP (Transfer Control Protocol/Internet Protocol)
Internet Protocol Security (IPSec), 391
intruders, 149–150
iOS devices
about, 306
configuring for Exchange mail, 311–314
integrating with Exchange, 309–310
iPad, 309
iPhone, 308–309
managing, 308–314
iPad, 309
IP addresses
about, 90
Class A, 92–93
Class B, 93

Class C, 93
classifying, 91
classless, 91
dotted-decimal notation, 91
multicast, 92
networks and hosts, 90–91
iPhone, 308–309
IP phones, 130
IP spoofing, 341
IPv4, 94
IPv6, 84–85
IT Disaster Recovery Planning For Dummies (Gregory), 378
Ivanti Patch, 347

J

junk folder, 353
junk mail, 350

K

Kaufman, Marcia, 408
Kerberos, 222
keyhole saw, 121
keyword checking, 353–354
Kirsch, Daniel, 408
knowledge base, 275

L

ladder, 121
Layer 2 Tunneling Protocol (L2TP), 391
libraries, building for network administrators, 259–260
license
about, 294
borrowing, 298
client access licenses (CALs), 196–197
original equipment manufacturer, 295
per-device client access licenses, 197
per-user client access licenses, 197
restrictions, 294–295
retail, 295
server, 83, 196, 297–298
subscription, 296
types, 295–296
volume, 296
lightning, 379
linear tape open (LTO), 366–367
linking the drive, 49
Linux
about, 14
Ethernet connection, 114
firewall, 159, 338
Platform as a Service (PaaS), 404
VPN server, 391
local accounts, 216–217
local area networks (LAN), 10, 159–160, 337–338, 390
local disk storage
attaching to servers, 236
backing up on shared network folder, 45
virtual disks, 171–172
local resources, 37
locking up, as responsibility of network administrator, 256
logging off, 41, 54
logging on, 40–42
logical map, 84–85
logical operations, 89–90
logon hours, 223
logon script, 224, 230, 334
Lucidchart, 85

M

MAC address filtering, 152
Macintosh
configuring network settings, 29–32
joining computer to domain, 33–35
magnetic tapes, 365
mail servers, 82
main distribution facility (MDF), 131
mainframe computers, 16
main point of entry (MPOE), 131
managed switches, 126–127
mapping network drives, 43, 47–50
Mbps (megabits per second), 114
members, 227–228
memory, 78
messages, sharing, 12
Microsoft, 407
Microsoft Azure, 416
Microsoft Business Productivity Suite, 407
Microsoft Exchange
ActiveSync, 309–310
configuring iOS devices for, 311–314
integrating Android devices with, 316
integrating iOS devices with, 309–310

Microsoft Exchange *(continued)*
junk folder, 353
Online, 82
Server, 82
Microsoft Office
about, 64
accessing network files, 64–65
networking Access database, 67–68
workgroup templates, 65–67
Microsoft Office 365, 407
Microsoft Outlook, 82
Microsoft System Information, 80
Microsoft Windows user accounts. *See* user accounts
middleware layer, 315
migration path, 254
mistakes, network, 427–433
mobile devices
about, 305–306
Android, 306
BlackBerry, 306–307
configuring for Exchange mail, 311–314
integrating iOS with Exchange, 309–310
iOS, 306
iPad, 309
iPhone, 308–309
managing iOS devices, 308–314
mobile phones, 306
security for, 307
smart phones, 306
types, 306–307
mobile phones, 306
Motorola, 314
multicast addresses, 92
multifunction WAPs, 143

N

National Institute for Standards and Technology (NIST), 328
NetBIOS, 341
network address translation (NAT), 98–99, 364
network administrators
about, 17–18, 254
acquiring software tools for, 257
building libraries for, 259–260
certifications, 260–261
duties of, 254–255
helpful bluffs and excuses, 261–262
managing network users, 257
part-time, 255–256
securing administrator account, 328
"Three Ups of Network Management", 256–257
username, 40
network attached storage (NAS), 172, 237
network cable, 15, 84
Network Computing, 259
network connections, configuring in Windows 10, 22–27
network drive
about, 43
mapping, 47–50
network ID, 90
network interface, 8, 15
Network Monitor, 258
network plan
about, 75–77
diagrams, drawing, 84–85
infrastructure, 83
inventorying current computers, 77–78
reasons for network, 76–77
network printers
about, 50–51
adding, 51–52
printing to, 52
print queue, 53–54
network resources, 37, 39
network rooms, 131
networks
about, 7–8
blaming, 433
configuring for DHCP, 99–104
defining, 8–10
domain, 40
logging on, 40–42
mistakes, 427–433
reasons for having, 11–12, 76–77
rules, 421–425
ten networking commandments, 421–425
upgrading, 76–77
workgroup, 40
network security, 16
network software
about, 15
deploying, 298–302
software patch, 302–303
updating, 302–303
network switch, 15
network topologies, 112–114

Network World, 259
New Share Wizard, 241–245
next-generation firewalls, 343
nodes, 10
nondelivery reports (NDRs), 352
NOT operation, 90

O

obfuscation, 324–325
objects, 214–215
offline, 10
offline files, 69–71
Okta, 414–415
online, 10
online chat, 268
on-premises antispam software, 356–357
Open Handset Alliance (OHA), 314
Open License plan, 296
Open Value plan, 296
operating system
  about, 14
  installing, 192–194
  versions, 78
operational efficiency, of hybrid cloud, 412
organizational units, 215
original equipment manufacturer (OEM) license, 295
OR operation, 89
Outlook Web App (OWA), 387–389

P

packet-filtering firewall, 339–341
packets, 114
packet sniffer, 258
parent domain, 107
parent partition, 179
partition, 178
password
  account options, 221
  creating good, 325–326
  generating, 326–328
  logging on to network, 40
  resetting, 225–226
  security, 325–326
  user accounts, 217, 329
  wireless, creating, 151
patch cables, 118, 436
patches, 302–303
patch panels, 124–125
peers, 14
peer-to-peer networks, 14
per-device client access licenses, 197
perimeter, 160, 339
permissions, 237–239, 248–249, 331–332
permissions model, 322
per-user client access licenses, 197
phishing, 351
phones
  in business continuity plan, 383
  communicating with users, 267–268
physical security, 323–324
pinouts, 121
Platform as a Service (PaaS), 404
plenum cable, 118
plenum space, 118
policy, 281
pornographic websites, 352
power failure, 431–432
Power over Ethernet (PoE), 130–131
prevention technology, 321
printers, network
  about, 50–51
  adding, 51–52
  printing to, 52
  print queue, 53–54
printer sharing
  enabling, 58–59
  network mistakes, 430
  in Windows 8, 62–64
  in Windows 8.1, 62–64
  in Windows 10, 62–64
print servers, 81–82
private addresses, 98
private cloud, 405–406
processors, 77–78
profile path, 224
programs
  information-gathering, 79–80
  sharing, 11–12
protocol analyzer, 258
proxy server, 342
public addresses, 98
public cloud, 405–406
PVC cable, 118

R

RAID (Redundant Array of Inexpensive Disks), 171, 234–236
RAID 0, 235
RAID 1, 235
RAID 5, 171, 235–236
RAID 6, 236
RAID 10, 171, 172, 235
ransomware, 319
recoverability, as benefit of virtualization, 175
recovery point objective (RPO), 365
recovery technology, 321
recovery time objective (RTO), 365
Remote Assistance
  about, 268–269
  enabling, 269–270
  inviting someone to help you, 270–272
  responding to invitation, 273–275
Remote Desktop Connection
  about, 387, 393
  connecting remotely, 395–397
  enabling, 394
  keyboard shortcuts, 397–398
remote users, accommodating
  about, 387–388
  Outlook Web App (OWA), 387–389
  Remote Desktop Connection, 393–398
  virtual private network (VPN), 389–393
replacement parts, 437
RescueAssist Service Desk, 280
reservation, 103
residential gateways, 161
resources
  accessing, 45–47
  local, 37
  network, 37, 39
  shared, 11–12, 17
restore points, 362
retail license, 295
reverse incremental backup, 372
reverse lookup, 109
RG-58 cable, 115
rights, 331
ring, 113
RJ-45 connectors, 122–123
roaming with wireless networks, 144–145
rogue access points, 150–151
root domains, 107
routers, 8, 158

S

sabotage, 379
Salesforce, 280
satisfaction surveys, 276–277
scams, 351–352
scopes, 101–102
sectors, 232
security
  Administrator account, 330
  backup, 375
  cybersecurity, 319–322
  firewall, 159–163
  group account, 332–333
  Guest account, 330
  human firewall, 334–335
  logon script, 334
  for mobile devices, 307
  permissions, 331–332
  physical, 323–324
  reasons for, 320–321
  Service account, 330
  software patch, 346
  threats of cloud computing, 403
  user accounts, 329
  user profiles, 333–334
  user rights, 331
  virtual private network (VPN), 390–391
  wireless networks, 149–153
security cameras, 130
Select License plan, 296
self-service help portal, 275–276
Sender Policy Framework, 354
server license, 196, 297–298
  license, 83
server operating system
  about, 14
  choosing, 83
server room, 131
servers
  about, 13, 45, 57–58
  application, 83
  backing up, 430
  benefits of, 401–402
  copying files from, 429
  database, 83
  dedicated, 13–14, 80–81
  deleting important files on, 429
  DHCP (Dynamic Host Configuration Protocol), 100–101

file, 81
firewalls, 159
license, 83, 297–298
mail, 82
print, 81–82
proxy, 342
restarting, 428
roles and features, 203–208
running out of space on, 432
turning off, 428
virtual, 400
virtualization, 182
virtual private network (VPN), 391–393
web, 82
Service account, 330
service disruption, 380
shared folders
contributor, 61
manually, 245–247
with New Share Wizard, 241–245
owner, 61
reader, 61
uses for, 43–45
in Windows 7, 59–61
in Windows 10, 59–61
shared resources, 11–12, 17
shares, 239–240
sharing
files, 11
folders in Windows 10, 59–61
folders manually, 245–247
Internet connection, 158
messages, 12
printers, 58–59, 62–64, 430
programs, 11–12
single sign-on, 414–416
smart cards, 222
smart phones, 306
sneakernet, 8
software
antispam, 352–359
backup, 367–368
copy protection, 293
licenses. *See* license
network, 15, 298–303
updating, 302–303
Software as a Service (SaaS), 404
software deployment
creating administrative installation image, 301–302
installing silently, 300–301
manually, 298–299
running setup from network share, 299–300
using Group Policy, 301
Software Developers Kit (SDK), 315
software patch, 302–303, 346–347
software stack, 315
solid cables, 118
solid state drives (SSD), 234
spam
about, 349–351
advertisements, 351
antispam software, 352–353
backscatter, 351–352
categories, 351–352
get-rich-quick schemes, 351–352
junk mail, 350
minimizing, 359–360
phishing, 351
pornographic websites, 351–352
scams, 351–352
spectrum, 137–139
spinning disks, 232
spoilers, 150
Sprint-Nextel, 314
SSID (service set identifier), 134, 143, 152
stackable switches, 128–129
staff
in business continuity plan, 383
performance, 278
star, 113
stateful packet inspection (SPI), 341–342
station cable, 118, 125
stationery, in business continuity plan, 383
storage area network (SAN), 172, 236, 364
STP (shielded twisted-pair cable), 117
stranded cables, 118
striping, 235
subdomain, 108
subnetting
about, 94–95
private and public addresses, 98
restrictions, 97
subnet masks, 96–97
subnet octet values, 98
subnets, 95
subscription license, 296

support tickets
  average/mean hours spent per ticket, 278
  average/mean resolution time, 278
  categories, 278
  successfully resolved, 278
  total ticket count, 278
  tracking, 265–267
surveillance cameras, 130
switches, 8, 15
  about, 126–127
  access, 129–130
  aggregation, 129
  core, 129
  daisy-chaining, 128
  distribution, 129–130
  inexpensive, 438
  managed, 126–127
  stackable, 128–129
  unmanaged, 126–127
  virtual, 181–184
synthesized full backup, 372
System Information, 258

T

T1 lines, 157
T3 lines, 157
taking down, 10
tape backups, 365, 366–367, 373–374
TCP/IP (Transfer Control Protocol/Internet Protocol)
  about, 85
  binary system, 88–90
  built-in commands, 258
  configuring DHCP client, 105–106
  configuring for DHCP, 99–104
  configuring for Windows Server, 197
  configuring Mac network settings, 30–31
  configuring settings, 26–27
  configuring Windows DNS client, 110
  diagnostic commands, 259
  domain name system, 106–109
  IP addresses, 90–93
  network address translation (NAT), 98–99
  ports, 340
  subnetting, 94–98
Telnet, 342
terrorism, 380
theft, 380
thicknet, 115
3-2-1 rule, 361–363
T-Mobile, 314
token ring, 112
tools, 436
top-level domains, 107
topologies, 112–114
transitive trusts, 216
trees, 216
Trojan horse, 344
Twinkies, 437
twisted-pair cable. *See* UTP (unshielded twisted-pair cable)

U

Ultrium, 366
uninterruptible power supply (UPS), 431
unmanaged switches, 126–127
unshielded twisted-pair cable. *See* UTP (unshielded twisted-pair cable)
updating software, 302–303
user accounts
  about, 216
  changing user's contact information, 220–225
  creating logon script, 230
  creating new users, 217–220
  deleting users, 226–227
  disabling, 226
  domain accounts, 217
  enabling, 226
  groups, 227–230
  local accounts, 216–217
  obfuscating user names, 324–325
  passwords, 221, 329
  properties, 217
  restricting, 223–224, 329
  securing, 324–328
  setting account options, 221–222
  setting profile information, 224
  setting user properties, 220–225
  specifying logon hours, 223
user ID, 39, 329
usernames
  about, 39–40
  obfuscating, 324–325
  for user accounts, 217, 329
user profiles, 333–334
user rights, 331

users
  communicating with, 267–268
  contact information, 220
  creating, 217–220
  deleting, 226–227
  profile information, 224–226
  resetting passwords, 225–226
user satisfaction, 278
UTP (unshielded twisted-pair cable)
  about, 115
  categories, 116–117
  extra pairs, 117
  pinouts for, 121
  RJ-45 connectors, 122–123
  shielding, 117

V

vandalism, 379
Veeam, 372–373
Velcro, 436
virtual disks
  about, 171–173
  creating, 184–188
  dynamically expanding, 179
  fixed-size, 179
  Hyper-V, 179–180
virtualization
  about, 167–168
  backups and, 371–373
  benefits of, 174–175
  choosing hosts, 175
  creating virtual disks, 184–188
  creating virtual machines, 188–192
  creating virtual switches, 181–184
  history, 168, 169
  hybrid cloud, 416–418
  hypervisor, 169–170
  installing operating system, 192–194
  network, 173–174
  servers, 182
  terminologies, 168
virtual LAN, 184
virtual machine (VM)
  about, 168
  creating, 188–192
  Hyper-V, 182
virtual private network (VPN)
  about, 387, 389–390
  clients, 391–393
  connecting to network, 297
  for remote users, 389–393
  servers, 391–393
virtual servers, 400
virtual switches, 181–184
viruses, 17, 343–345
virus protection
  about, 343–345
  antivirus program, 345–346
  safe-computing practices, 346
VM operating system, 169
VMWare, 371
VMWare Cloud, 416, 417
volume license, 296
volumes, 172
vSphere, 416

W

wall jacks, 124–125
wavelength, 137
weather, 379
web servers, 82
whitelisting, 355
wide area network (WAN)
  about, 10
  firewall, 161, 339
Wi-Fi
  about, 134
  access points, 130
  routers, 161
Windows 7
  accessing network resources in, 45–47
  logging off network in, 55
  mapping network drives in, 47–50
  sharing folders in, 59–61
Windows 8
  logging off network in, 55
  mapping network drives in, 47–50
  printer sharing in, 62–64
Windows 8.1
  logging off network in, 55
  mapping network drives in, 47–50
  printer sharing in, 62–64

Windows 10
accessing network resources in, 45–47
configuring network connections, 22–27
joining computer to domain, 27–29
logging off network in, 55
mapping network drives in, 47–50
printer sharing in, 62–64
sharing folders in, 59–61
Windows Azure, 407
Windows DHCP client, configuring, 105–106
Windows DNS client, configuring, 110
Windows DNS server, 109–110
Windows Firewall, 161–163, 339
Windows Server 2019
creating new domains, 208–212
Datacenter Edition, 177
DHCP server, 104–105
domains, 197–198
editions, 177, 199
enabling on Group Policy on, 282–283
Essentials Edition, 177
licensing, 176–178, 196–197
release notes, 196
server roles and features, 203–208
setting up, 198–202
Standard Edition, 177
system requirements, 196
workgroups, 197–198
Windows Server Backup (WSB), 367–368
Windows user accounts. *See* user accounts
wire cutters, 120
wireless access point (WAP)
about, 8, 135
configuring, 145–147
infrastructure mode, 142–143
multifunction, 143
plugging in without asking, 431
setting, 142–143
wireless bridging, 144–145
wireless local area network (WLAN), 134
wireless network adapters, 139–140
wireless networks
about, 133–134
antennas, 137
connecting to, 147–149
frequencies, 135–137
range, 140–141
roaming with, 144
security of, 149–153
spectrum, 137–139
terminologies, 134–135
wavelength, 137
waves, 135–137
wireless PCI card, 141
wireless providers, 158
wireless router, 143–144
wireless USB adapter, 141
wire stripper, 120
wiring closet, 131
workgroups
choosing, 197–198
names, 40
networks, 40
templates, 65–67
Windows Server, 197–198
worm, 344

X

XOR operation, 89

Z

Zendesk, 279–280