

Index

A

- Aaronson, Scott, 321
- abacuses, 29–30
 - current uses for, 30
 - defined, 29
- adiabatic quantum computation, 80, 91, 164. *See also* quantum annealing
- Agnostiq, 286
- Aharonov, Dorit, 105
- AI. *See* artificial intelligence
- Aldrin, Buzz, 33–34, 174
- algorithm experts, 145–146
 - areas of expertise, 146
 - defined, 143
- Algorithmic Assertions blog, 320
- algorithms, 25, 255–279
 - applications and use cases, 160, 239–254
 - financial industry, 244–245
 - insurance industry, 245–246
 - logistics industry, 246–247
 - machine learning, 248–249
 - mapping to use cases, 256–259
 - material science, 250–251
 - medical science, 251–252
 - optimization problems, 249–250
 - pharmaceutical industry, 252–253
 - search algorithms, 243
 - weather forecasting and climate change studies, 253–254
 - classical vs. quantum computing, 120–121, 126–127
 - cost, 165
 - defined, 120
 - family tree of, 257–258
 - getting value from quantum computing, 136–137
 - list of by name
 - amplitude estimation algorithm, 257, 277
 - Deutsch-Jozsa algorithm, 92, 96, 265
 - discrete Fourier transform algorithm, 272
 - fast Fourier transform algorithm, 272
 - Fourier transform algorithm, 271
 - Grover's algorithm, 95–97, 127, 136, 184, 243, 245, 254, 256, 264, 267–268
 - Harro-Hassidim-Lloyd algorithm, 127, 257, 274–275
 - hidden subgroup problem algorithms, 257, 278
 - quantum annealing algorithms, 127, 250–251, 254
 - quantum approximate optimization algorithm, 226, 228–235, 249, 253, 257, 275–276, 297
 - quantum approximation of nonlinear functions algorithm, 257, 278
 - quantum counting algorithm, 257, 277
 - quantum Fourier sampling algorithm, 257, 277
 - quantum Fourier transform algorithm, 256–257, 269, 271–273, 275
 - quantum k-means algorithm, 257, 278
 - quantum k-nearest neighbor algorithm, 249
 - quantum matrix inversion algorithm, 257, 278
 - quantum Monte Carlo algorithm, 254
 - quantum phase estimation algorithm, 256, 268–269
 - quantum phase estimation with a quantum neural network algorithm, 257, 277
 - quantum principal component analysis algorithm, 257, 277
 - quantum support vector machine algorithm, 249, 257, 278, 319
 - quantum walks algorithm, 243, 257, 278
 - Shor's algorithm, 88, 91, 93, 95, 99–101, 127, 133, 136–137, 168–169, 175, 184, 213, 219, 239–241, 256, 264, 266–267, 334, 344
 - Simon's algorithm, 256, 270–271
 - variational quantum eigensolver algorithm, 252, 257, 276–277
- origin of word, 255
- programming and, 214, 219
- proof-of-concept implementations of, 127
- Quantum Algorithm Zoo, 261, 316

algorithms (*continued*)

- quantum-inspired algorithms, 148–151
- research areas and investment, 259–260, 279
- time concepts, 261–264
 - exponential time, 262–264
 - linear time, 262–263
 - logarithmic time, 262
 - notation for, 263
 - polynomial time (quadratic time), 262–264
 - speedups, 264

Allianz, 245

Amazon, 142

- Amazon Braket, 46, 107–108, 284, 287–290, 330
 - Braket Development Environment, 288
 - console, 289
 - features of, 288
 - hardware providers, 288

AWS, 108

- Center for Quantum Computing, 287
- cloud computing, 129, 132, 156, 282–284, 289
- cryptography, 100
- early access programs, 204
- Quantum Solutions Lab, 289
- S3, 108

Amer, Nabil, 101

American Standard Code for Information Interchange (ASCII), 44

amplitude estimation algorithm, 257, 277

analog quantum computers, 132–135, 155. *See also* quantum annealing

- availability of, 134–135
- defined, 132
- error rate issue, 134

Analytical Engine, 57

angel particles (Majorana fermions), 200, 202

Antikythera, 31–33

- defined, 29
- purpose of, 32

Apple, 336, 351–353

- classical computing, 154
- early programming, 159
- microprocessors, 45

Armstrong, Neil, 174

artificial atoms, 13, 194, 199

artificial intelligence (AI)

- “black swan” effect, 142
- ChatGPT, 40, 124, 142, 352
- Google Quantum AI, 292–294
- microprocessors, 46
- quantum powered, 174, 178, 248, 344–345
- quantum winter, 135, 205–206
- Turing test, 40

ASCII (American Standard Code for Information Interchange), 44

assertion of nonlocality, 18

atomic clocks, 76–77

atomic model, 60–61

atomic theory, 72–73

AWS, 108

- Center for Quantum Computing, 287
- cloud computing, 129, 132, 156, 282–284, 289
- cryptography, 100
- early access programs, 204

Azure, 330

- cloud computing, 129, 156, 282–283
- early access programs, 204
- quantum-inspired classical computing, 132

Azure Quantum, 46, 108, 261, 284, 290–292

- credits, 291
- decision tree algorithm, 249
- hardware providers, 290
- quantum-inspired algorithms, 149
- sample notebook, 291

B

Babbage, Charles, 57, 85

Ballmer, Steve, 336

Barnes and Noble, 142

base 2 (binary) place system, 31, 43

base 8 (octal) place system, 31

base 10 (decimal) place system, 31, 43

base 16 (hexadecimal) place system, 31

BCG (Boston Computing Group), 306

BECs (Bose-Einstein condensates), 18, 51, 181, 201
 Bell, John Stewart, 66, 110
 Bell Labs, 73, 93, 95
 Bell's inequality, 110
 Benioff, Paul, 89, 238
 Ben-Or, Michael, 105
 binary (base 2) place system, 31, 43
 Bing, 96, 264, 352
 bits (binary digits), 11–13
 defined, 12, 42
 mathematical representation of number of
 possible states, 19–20
 Bits of Quantum blog, 320
 black body problem, 61–63
 black box function, 271
 “black swan” threats, 142
 Bloch spheres, 215–216, 269
 blogs, 319–321
 Bohr, Niels, 60, 66, 84
 Boltzmann, Ludwig, 72–73
 Boltzmann constant, 72–73
 Born, Max, 62, 64, 127
 Bose-Einstein condensates (BECs), 18, 51, 181, 201
 Boston Computing Group (BCG), 306
 broad quantum advantage, 176
 bytes
 ASCII, 44
 defined, 13
 reasons for using, 42–43
 Unicode, 44

C

C# programming language, 318, 350
 Cal Tech, 357
 Cambridge Quantum Computing, 253
 Canadian Institute for Advanced Research, 279
 central processing units (CPUs), 42–43,
 148–149, 246
 Chakrabarti, Bikas K., 91
 ChatGPT, 40, 124, 142, 352
 Chuang, Isaac, 96

classical computing, 27–46. *See also* quantum-
 inspired classical computing
 architecture of, 42–43
 bits, 11–12
 challenges for, 20
 classical mechanics and, 12, 18, 28, 35, 54–57
 clockwork universe, 57
 defined, 54
 geocentric vs. heliocentric model, 55–56
 particle vs. wave theory of light, 56
 defined, 12
 determinism, 28, 41
 emergence of, 35–46
 bytes, 42–44
 electronic computers, 41–42
 integrated circuits, 45
 microprocessors, 45–46
 tabulating machines, 35–37
 Turing machine, 37–41
 limitations of, 116–124
 exponential growth problems, 116, 120–123
 fixed ways of thinking, 116, 123–124
 sunset of Moore's Law, 116–120
 logic gates, 22
 mathematical representation of number of
 possible states, 19–20
 myths
 imminent resolution of all classical
 problems, 334
 that quantum computing will replace, 332–333
 partnering with quantum computing, 20, 46
 prehistory of, 29
 abacuses, 29–30
 Antikythera, 29, 31–33
 slide rules, 29, 33–34
 programming, 210, 213
 quantum computing vs., 10, 46, 125–128
 combinatorial explosions, 125–126
 quantum algorithms, 126–128
 simulated annealing, 23
 temperature, 13–14
 Classiq, 286

- clockwork universe, 57
- cloud computing, 46, 107–108, 156, 161, 281–294
 - access providers, 286–287
 - Amazon Braket, 287–290
 - Azure Quantum, 290–292
 - benefits and drawbacks of, 119–120, 282
 - cloud platform companies' access to quantum computing, 129
 - cloud platform representatives, 146
 - flexibility, 203–205
 - Google Quantum AI, 292–294
 - high-performance computing, 205
 - public cloud providers, 282–283
 - quantum computer manufacturers, 283–286
 - rising costs of, 119–120
- CNOT (controlled not) gates, 90, 219–220
- coherence, 17–19
 - causes of decoherence, 17, 53
 - coherence time, 183
 - coherent matter, 238
 - cost of, 53
 - defined, 12–13, 17, 49, 52
 - difficulty of maintaining, 17
 - effects of measuring qubits, 19
 - fundamental particles, 50
 - gate-based quantum computing, 24–25
 - necessity of, 180–181, 190–191
 - reinitializing qubits, 19
 - superconductivity, 50
- cold (neutral) atoms, 199
- Coldewey, Devin, 176
- Colossus, 41, 185
- combinatorial explosions, 121, 125–126, 148
- communication mechanisms, 181, 183
- Compaq, 38
- computational quantum advantage (quantum supremacy), 109, 176–177, 293, 351
- computer bugs, 37, 41, 158
- computers, defined, 28
- Computing-Tabulating-Recording Company, 36
- Conference on the Physics of Computation, 89
- control mechanisms, 157–158, 181
- controlled not (CNOT) gates, 90, 219–220

- Copernicus, 35, 55
- CPUs (central processing units), 42–43, 148–149, 246
- cryogenics, 182
- cryptography and encryption, 93, 239–242, 344
 - algorithms for, 256
 - defensive approaches, 240
 - hardware solutions, 240–241
 - harvest and decrypt approach, 241
 - myths
 - complete data security, 337
 - imminent destruction of data encryption, 336–337
 - offensive approaches, 240
 - Q-day, 100, 138, 242
 - quantum-safe communications, 243
 - RSA approach, 99
 - Simon's algorithm, 270
 - Snowden and Penetrating Hard Targets project, 106
 - software solutions, 241

D

- DALL-E, 142
- Darwin, Charles, 57
- data buses
 - defined, 42–43
 - quantum mechanical versions of, 104
- decimal (base 10) place system, 31, 43
- Decodoku blog, 320
- defect-based qubits, 202
- determinism
 - abacuses, 30
 - classical computers, 28, 41
 - defined, 47
 - entanglement and, 48
 - superposition and, 48
- Deutsch, David, 90, 92, 265
- Deutsch-Jozsa algorithm, 92, 96, 265
- DHL, 247
- Dialogue Concerning the Two Chief World Systems, The* (Galileo), 55–56
- differential equations, 126, 238

- Dirac, Paul, 65, 71, 74
- discrete Fourier transform (DFT) algorithm, 272
- discrete logarithm problem, 239, 271
- documentation, 222
- DoD (US Department of Defense), 94
- Dowling, Jonathan, 94
- D-Wave Systems, 23, 80, 91, 101, 330, 335
 - access to quantum computing, 129
 - climate change studies, 254
 - cloud computing, 284
 - first commercially available quantum computer, 105, 111
- Leap, The, 294, 312
- machine learning, 249
- material science, 250
- Ocean, 295, 312
- optimization problems, 250
- quantum annealing, 161–163, 165, 168, 170–171, 195

E

- ECC (elliptic curve cryptography) approach, 93, 239, 337
- educational resources, 305–326
 - interaction and fun, 323–326
 - communities, 323–324
 - interactive learning tools, 324–326
 - videos, 326
 - online classes, 305–311
 - Black Opal course, 311
 - Caltech “Quantum Cryptography” course, 308
 - Delft University online course, 308–309
 - MIT Quantum Information Sciences, 306–308
 - Quantum Quest web class, 309–310
 - St. Petersburg University “Quantum Computing” course, 310
 - “Understanding Quantum Computers” course, 309
 - University of Toronto “Quantum Machine Learning” course, 310
 - tutorials and documentation, 311–319
 - Forest and pyQuil documentation, 312
 - IBM Q User Guide, 314
 - Nielsen and Chuang exercises, 311
 - Ocean documentation, 312
 - Preskill’s notes on quantum computation, 314–315
 - Qiskit tutorials, 315–316
 - Quantum Algorithm Zoo, 316
 - Quantum Computing Playground, 317–318
 - Quantum Katas, 318
 - “Quantum Machine Learning for Data Scientists,” 318–319
 - Xanadu Strawberry Fields documentation, 312–314
- unstructured study, 319–323
 - blogs, 319–321
 - papers, 321–323
- Einstein, Albert, 11, 18, 22, 39, 59, 64, 66, 73, 84, 210, 214
- Ekert, Artur, 92, 102
- electric vehicles (EVs), 28
- electron microscopes, 74–75
 - scanning, 74
 - tunneling, 71, 75
- electronic computers, 41–42
- electrons
 - atomic model, 60
 - charge, 24
 - difference between orbits, 60
 - emitting photons when changing orbit, 61, 76, 192
 - particle wavelength, 61–62
 - quantization, 49
 - spectral lines, 61
 - superconductivity, 51
 - uncertainty, 49–50
- elliptic curve cryptography (ECC) approach, 93, 239, 337
- encryption. *See* cryptography and encryption
- Enigma machine, 39
- entanglement, 16–17, 217
 - defined, 12, 16, 180
 - determinism and, 48
 - entangleability, 183
 - faster-than-light nature of, 18, 48, 54, 80
 - of five qubits, 102–103

entanglement (*continued*)

Nobel for demonstrating entanglement in increasingly restrictive conditions, 109–110

philosophical implications, 67

proof of, 18, 22

spin, 16

“spooky action at a distance,” 1, 18, 22, 66, 106

superposition and, 17

uncertainty, 54

error correction

challenge of, 25, 54, 112, 122, 127–129, 133–134, 165, 171, 183, 249–250

cryptography, 241

defined, 133

error rate reduction, 105

IBM and quantum utility, 110

individual qubits, 91

layer in stack, 157–158

Majorana fermions, 202

minimum number of qubits, 103

overview, 220

Stor and Steane, 93–95

uncertainty, 54

error mitigation

challenge of, 26, 112, 220

defined, 133, 220

firmware, 157–158

IBM and quantum utility, 110

VQE algorithm and, 277

Essen, Louis, 77

EVs (electric vehicles), 28

Excel, 333

Executive Orders, 108

exponential speedups, 264

exponential time, 262–264

exponential-type runtime, 121–122

F

Facebook, 324, 336

factorization, 126–127, 136–137, 264

failure to supply, 124

fast Fourier transform (FFT) algorithm, 272

FedEx, 247

Feynman, Richard, 32, 86–87, 89–90, 101, 111, 213, 238, 339

fiber-optic communications, 79

fidelity

improvements in, 104–105

modalities, 183–185

superconducting qubits, 195–196

Fifth Solvay Conference, 65–66

first principles, 222

5G cell phone service, 119

floating-point numbers, 44

focused quantum advantage (narrow quantum advantage), 176–178

Fourier transform algorithm, 271

Fujitsu, 246–247

fundamental particles

coherence, 49

defined, 50

entanglement, 54

uncertainty, 49, 53

G

Galileo, 18, 35, 55

Gates, Bill, 336

gates and gate-based quantum computing, 22–25, 183–184, 214–216, 275

CNOT gates, 90, 220

first universal, programmable quantum computer, 104

gate speed, 183

gates, defined, 218

gates mapped to Bloch spheres, 216

Hadamard gates, 219–220, 265

initializing gates, 220

oracles, 265, 268

overview, 23–24, 219–221

Pauli-X gates, 220

programming and, 210, 219

proposal for gate-based quantum computing, 90–91

reversible operations, 214

types of qubits used in, 24

geocentric model (Ptolemaic system), 55
 Gershenfeld, Neal, 96
 Gidney, Craig, 320
 Git, 223
 Github, 296
 global positioning system (GPS), 77, 111–112
 Goldman Sachs, 244
 Google, 96, 330, 335, 351–352
 access to quantum computing, 129
 AI Quantum Team, 106–107
 Cirq, 292–293
 Cloud Platform, 282–284
 Quantum AI, 292–294
 AI and machine learning, 293
 hardware, 293
 services, 292
 Quantum Computing Playground, 317–318
 quantum computing simulators, 133
 quantum neural network, 248
 quantum supremacy, 109
 superconducting qubits, 193
 Sycamore machine, 109
 Gore, Al, 141
 GPS (global positioning system), 77, 111–112
 graphics processing units (GPUs), 46, 148–149
 Grover, Lov, 95
 Grover’s algorithm, 95–97, 127, 136, 184, 256
 insurance industry, 245
 quadratic speedup, 264
 search problem, 243, 267–268
 steps for, 268
 weather forecasting, 254

H

Hadamard gates, 219–220, 265
 Hamiltonians
 Amazon Braket, 289
 QAOA algorithm, 235
 VQE algorithm, 276
 hard disk drives, 42–43
 hardware-aware quantum compilers, 159–160

Harro-Hassidim-Lloyd (HHL) algorithm, 127, 257, 274–275
 Harrow, Aram, 274
 Harvard University, 351, 358
 Hassidim, Avinatan, 274
 Hawking, Stephen, 102
 Heisenberg, Werner, 62, 127
 Heisenberg uncertainty principle, 52–53, 62–64, 198
 heliocentric model, 55–56
 hexadecimal (base 16) place system, 31
 HHL (Harro-Hassidim-Lloyd) algorithm, 127, 257, 274–275
 hidden subgroup problem (HSP) algorithms, 257, 278
 high-performance computing (HPC), 132, 134, 149, 205, 213, 283, 288, 295, 298, 332, 347
 hill-climbing method, 166–167
 Holevo, Alexander, 88
 Holevo’s bound, 88
 Hollerith, Herman, 36
 Honeywell, 191
 HSP (hidden subgroup problem) algorithms, 257, 278
 Hurley, William. *See* whurley
 Huygens, Christiaan, 56
 hybrid quantum classical computing, 25, 27

I

IBM (International Business Machines), 330, 335, 351–352
 academic partnerships, 358
 access to quantum computing, 129
 algorithms, 279
 Almaden Research Center, 97, 100
 cloud computing, 107, 111, 284
 dominance of, 37
 first working quantum computers, 97
 insurance industry, 245
 material science, 250
 microprocessors, 45
 MRI scans, 252
 origin of, 36

IBM (International Business Machines) (*continued*)
Q, 248
Q Community, 323
Q Experience, 294
Q QISKit Community, 323
Q User Guide, 314
Qiskit, 225, 295, 315–316
quantum computing development roadmap, 15
quantum computing roadmap, 195
quantum computing simulators, 133
Quantum Experience, 107
quantum processing chip, 13–14
Quantum System One, 108–109
quantum utility, 26, 110–111, 176
rise and decline of, 38
superconducting qubits, 193
System/360 computers, 44
ICs (integrated circuits), 45, 75–76, 116
IDEs (integrated development environments), 224
Igeta, Kasuhiro, 90
Inflection, 199
Ingarden, Roman, 88
input/output (I/O) devices, 42–43
Institute for Quantum Computing (IQC), 101–102
integrated circuits (ICs), 45, 75–76, 116
integrated development environments (IDEs), 224
Intel, 38, 45, 199–200
International Business Machines. *See* IBM
Introduction to Classical and Quantum Computing
(Wong), 311
“Introduction to Quantum Programming”
video, 326
I/O (input/output) devices, 42–43
ion-based qubits, 104
IonQ, 104, 330, 335
access to quantum computing, 129
cloud computing, 284
Quantum Cloud, 292
trapped ion qubits, 191
ions
charge, 24
IQC (Institute for Quantum Computing), 101–102
IQM, 193

Ising models, 127, 168, 170
isolation mechanisms, 180

J

Jobs, Steve, 336
Jones, Jonathan A., 96
Jordan, Pascual, 62, 127
Jordan, Stephen, 261
Jozsa, Richard, 92, 265
JPMorgan Chase, 244
Jupyter Notebooks, 224, 315–316

K

Kadowaki, Tadashi, 168
Kilby, Jack, 76
Knight, Peter, 102
Kopczyk, Dawid, 318
Kubinic, Mark, 96
Kuhn, Thomas, 72

L

LaFlamme, Roy, 102
Landauer, Rolf, 87
Landauer's principle, 87
lasers, 70, 78–80
Lazaridis, Mike, 101–102
Lenovo, 38
light
particle vs. wave theory, 56
spectral lines, 61
speed of, 11
wave-particle duality, 60–61
linear algebra problems, 125
linear systems of equations problem, 274–275
linear time, 262–263
Liu Cixin, 199
Lloyd, Seth, 274
local positioning system (LPS), 111
locality, 18, 59
Lockheed Martin, 250
logarithmic time, 262

logic gates. *See* gates and gate-based quantum computing
logic-level compilers and optimizers, 160
Los Alamos National Laboratory, 97
Lovelace, Ada, 57, 85–86
LPS (local positioning system), 111

M

machine learning (ML)
 algorithms for, 257
 ChatGPT, 40, 124, 142, 352
 Google Quantum AI, 292–294
 microprocessors, 46
 “Opportunities and Challenges for Quantum Machine Learning,” 321–322
 quantum powered, 174, 178, 248–249, 344–345
magnetic levitation (maglev) trains, 51, 62
magnetic resonance imaging (MRI) scanners, 80–81, 252
Majorana fermions (angel particles), 200, 202
“Making Quantum Computing Open,” 322–323
manufacturability, 183
marketing blather quantum advantage, 179
Martinis, John, 106–107
masers, 78
Massachusetts Institute of Technology (MIT), 351, 357
mass-energy relation, 11, 59
matrix math, 125, 215, 238
matrix mechanics, 62, 127
matter, nature of, 10
measurement mechanisms, 181, 220
medical-grade lasers, 70, 79
microprocessors
 multicore, 118
 rise of, 45–46, 75–76, 185
 speeds of, 116–117
Microsoft, 330, 335–336, 352
 Azure, 330
 cloud computing, 129, 156, 282–283
 early access programs, 204
 quantum-inspired classical computing, 132
 Azure Quantum, 46, 108, 261, 284, 290–292

 credits, 291
 decision tree algorithm, 249
 hardware providers, 290
 quantum-inspired algorithms, 149
 sample notebook, 291
Bing, 96, 264, 352
Excel, 333
IBM and, 38
Majorana fermions, 202
Q# programming language, 108, 291
QDK Quantum Development Kit., 219
Visual Studio, 218, 224, 291
Windows, 154
Mike & Ike Subreddit, 323
MIT (Massachusetts Institute of Technology), 351, 357
Mitiq, 296
mixing Hamiltonians, 235
ML. *See* machine learning
Moore, Gordon, 116
Moore’s Law, 45–46
 data movement, 118
 feature sizes, 116, 118
 microprocessor speeds, 116–117
 networking, 118–120
 sunset of, 116–120
Mosca, Michele, 96, 102
MRI (magnetic resonance imaging) scanners, 80–81, 252
Musty Thoughts blog, 320

N

nanotechnology, 86
narrow quantum advantage (focused quantum advantage), 176–178
National Physical Laboratory, 77
National Quantum Initiative Act, 260
neutral (cold) atoms, 199
neutrons
 atomic model, 60
 charge, 24
Newton, Isaac, 35, 55–56
Nielsen and Chuang exercises, 311

- Nishimori, Hidetoshi, 168
- NIST (US National Institute of Standards and Technology), 104, 108, 241
- NMR (nuclear magnetic resonance), 80, 96–97, 104, 201
- no-go theorems, 88
- noisy intermediate-scale quantum (NISQ) era, 133, 188, 210
- nonlocality, 18, 66
- normal science, 72
- Noyce, Robert, 76
- NQI (US National Quantum Initiative), 108, 119
- NSA (US National Security Agency), 106
- nuclear magnetic resonance (NMR), 80, 96–97, 104, 201
- Nvidia
 - classical CPUs and GPUs, 248
 - cloud computing, 205
 - CUDA Quantum Software Platform, 295
 - DGX Quantum, 294

O

- observer effect, 274
- octal (base 8) place system, 31
- On the Revolution of the Heavenly Spheres* (Copernicus), 55
- 1QB Information Technologies (1QBit), 105
- online resources
 - author's website, 4
 - blogs, 320–321
 - books, 311
 - cloud access providers, 286–287
 - communities, 324
 - free programming introduction, 4
 - IBM quantum computing development roadmap, 15
 - industry view of quantum computing, 306
 - interactive learning tools, 324–326
 - online classes, 306, 308–311
 - papers, 321–322
 - Python, 223
 - Q-day concerns, 138
 - Strangeworks, 4, 224

- tutorials and documentation, 311–312, 314–318
- updates to book, 4
- US National Quantum Initiative, 119
- videos, 326
- OpenFermion, 292
- OpenQASM, 161, 288
- “Opportunities and Challenges for Quantum Machine Learning,” 321–322
- optimization problems, 161, 165–167, 249–250, 256–257, 275
- OQC, 288
- oracles, 265, 268
- orreries, 32
- Oxford University, 96, 351, 356

P

- Pan Jian Wei, 109
- Park, James, 88
- Parry, J.V.L., 77
- Pasqal, 199, 284
- Pauli-X gates, 220
- PCA (quantum principal component analysis) algorithm, 257, 277
- Penetrating Hard Targets project, 106
- PennyLane, 288, 296, 314
- Peres, Asher, 95
- peripherals, 42–43
- phase estimation, 268–269
- photoelectric effect, 59–60, 73
- photonic qubits, 197–198
- photons
 - discovery of, 18
 - emitted when electrons change orbit, 61, 76, 192
 - energy of, 60
 - lasers, 70, 79
- photosynthesis, 73
- Planck, Max, 58–60, 66
- Planck's constant, 58–61
- polynomial speedups, 264
- polynomial time (quadratic time), 262–264
- polynomial-type runtime, 121–122
- portfolio optimization, 239, 243–244

Preskill, John, 314–315
Principia Mathematica (Newton), 56
Principles of Quantum Mechanics, The (Dirac), 65, 74
 problem Hamiltonians, 235
 programming quantum computers, 209–235

- algorithms, 214
- development environment, 223–224
- difficulty of, 210
- early experience as advantage for, 211
- input/output, 216–217
- logic gates, 214–215
- mindset for, 214–215
- myth that physicist needed for, 333
- program components, 219–221
- programming environment components, 218–219
- quantum advantage, 212–213
- quantum approximate optimization algorithm, 228–235
- requirements for, 217–221
- software developers, 221–222
- Strangeworks Python SDK, 225–228

 project teams

- business vs. technical advantages, 144
- creating, 143–144
- members of
 - algorithm experts, 143, 145–146
 - business analyst types, 143
 - business directors, 143
 - executive sponsors, 143–145
 - technical contributors, 143
 - technical directors, 143

 protons

- atomic model, 60
- charge, 24

 PsiQuantum, 197, 320
 Ptolemaic system (geocentric model), 55
 Ptolemy, 55
 punched cards, 44
 PyCharm, 224
 pyQuil, 312
 Python, 218–219, 223, 225–228, 287, 350

Q

Q Community, 323
 Q# programming language, 108, 219, 291
 QaaS (quantum as a service), 46, 161
 QAHM (quantum-assisted Helmholtz machine), 321
 QANF (quantum approximation of nonlinear functions) algorithm, 257, 278
 QAOA. *See* quantum approximate optimization algorithm
 QBraid, 287
 Q-Ctrl, 311
 QCWare, 287
 Q-day, 100, 138, 242
 QDK Quantum Development Kit, 219
 QFT (quantum Fourier transform) algorithm, 256–257, 269, 271–273, 275
 QIS (quantum information science) and theory, 58, 83, 85–88, 108
 Qiskit, 225, 295, 315–316
 QKD (quantum key distribution), 242
 QKNN (quantum k-nearest neighbor) algorithm, 249
 QPE (quantum phase estimation) algorithm, 256, 268–269
 QPE-QNN (quantum phase estimation with a quantum neural network) algorithm, 257, 277
 QQC, 284
 Qsim, 292
 QSVM (quantum support vector machine) algorithm, 249, 257, 278, 319
 quadratic time (polynomial time), 262–264
 quadratic unconstrained binary optimizations (QUBOs), 127–128, 149–150, 168, 170–171

- QAOAs and, 229, 234–235
- Strangeworks Optimization Service, 226–228

 Quandela, 197
 Quantinuum, 191

- cloud computing, 284
- Quantum Cloud Services, 294
- TKET quantum framework, 296

 quantization

- defined, 49
- fundamental unit of, 59

- quantum advantage, 212–213
 - broad, 176
 - computational, 176–177
 - focused (narrow), 176–178
 - marketing blather, 179
- Quantum Algorithm Zoo, 261, 316
- quantum algorithms, 25, 255–279. *See also names of specific algorithms*
 - applications and use cases, 160, 239–254
 - financial industry, 244–245
 - insurance industry, 245–246
 - logistics industry, 246–247
 - machine learning, 248–249
 - mapping to use cases, 256–259
 - material science, 250–251
 - medical science, 251–252
 - optimization problems, 249–250
 - pharmaceutical industry, 252–253
 - search algorithms, 243
 - weather forecasting and climate change studies, 253–254
- classical vs. quantum computing, 120–121, 126–127
- cost, 165
- defined, 120
- family tree of, 257–258
- getting value from quantum computing, 136–137
- origin of word, 255
- programming and, 214, 219
- proof-of-concept implementations of, 127
- Quantum Algorithm Zoo, 261, 316
- quantum-inspired algorithms, 148–151
- research areas and investment, 259–260, 279
- time concepts, 261–264
 - exponential time, 262–264
 - linear time, 262–263
 - logarithmic time, 262
 - notation for, 263
 - polynomial time (quadratic time), 262–264
 - speedups, 264
- quantum annealing, 80, 91, 161–169
 - algorithms, 127, 250–251, 254
 - annealing in ironwork, 164
 - benefits of, 168–169, 171
 - current usefulness, 135
 - defined, 132
 - drawbacks of, 169–170
 - error rate issue, 134
 - first commercially available quantum computer, 105
 - material science, 250
 - migration in years ahead, 155
 - optimization problems, 161, 165–167, 249–250
 - overview, 23
 - QUBOs, 168
 - reasons to consider, 162–163
 - simulated annealing vs., 167–168
 - universal quantum computing vs., 172
- quantum apocalypse, 242
- quantum approximate optimization algorithm (QAOA), 226, 228–235, 257, 275–276, 297
 - advantages of, 276
 - defined, 228, 234
 - optimization problems, 249, 275
 - pharmaceutical industry, 253
 - strangeworks-qaoa package, 229–235
 - traveling salesman problem, 235
- quantum approximation of nonlinear functions (QANF) algorithm, 257, 278
- quantum as a service (QaaS), 46, 161
- quantum circuits
 - defined, 220
 - quantum approximate optimization algorithm, 229
 - variational quantum eigensolver algorithm, 276
- Quantum Circuits, Inc.
 - cloud computing, 284
- quantum clocks, 77
- quantum communications, 17, 79, 85, 90, 92, 103, 108, 187, 198, 240, 242
- Quantum Computation and Quantum Information* (Nielsen and Chuang), 97
- quantum computing, 202. *See also* algorithms
 - applications of, 20
 - building quantum computers with quantum computers, 52
 - business questions, 347–354

- advice for first-timers, 350
- current leading developer, 351
- early adoption, 348–349
- helpful habits, 353
- lessons learned, 353–354
- market evaluation, 347–348
- needed coding background, 350
- needed roles and jobs, 349
- startups, 352–353
- university programs, 351
- challenges for, 20, 25–26, 112
 - hardware related, 25, 112
 - people related, 26, 112
 - software related, 25–26
- classical computing vs., 10, 46, 125–128
 - combinatorial explosions, 125–126
 - quantum algorithms, 126–128
- conspiracy theory regarding, 19
- current status of, 128
- development of, 69–82, 84–97, 99–112
 - atomic clocks, 76–77
 - cloud computing, 107–108
 - CNOT gates, 90
 - Conference on the Physics of Computation, 89
 - defense research, 94
 - Deutsch-Jozsa algorithm, 92
 - electron microscopes, 71, 74–75
 - entanglement of five qubits, 102–103
 - error detection and correction, 94–95
 - first commercially available quantum computer, 105
 - first commercially available universal quantum computer, 108–109
 - first quantum computing software company, 105
 - first universal, programmable quantum computer, 104
 - first working quantum computers, 96–97
 - gate-model quantum computers, 90–91
 - Google AI Quantum Team, 106–107
 - Grover’s algorithm, 95–96
 - Holevo’s bound, 88
 - implications of, 81–82, 84
 - improvements in fidelity, 104–105
 - inability to clone quantum states, 88
 - Institute for Quantum Computing, 101–102
 - lasers, 70, 78–80
 - masers, 78
 - nanotechnology, 86
 - NMR and MRI devices, 80–81
 - Nobel for demonstrating entanglement in increasingly restrictive conditions, 109–110
 - quantum annealing, 91, 105
 - quantum communications, 92
 - quantum information theory, 88
 - quantum money, 87–88
 - quantum teleportation, 103
 - quantum Turing machines, 89
 - quantum utility, 110–111
 - qubits using multiple characteristics of a single particle, 103
 - regulation, 108
 - reversible operations, 87
 - Shor’s algorithm, 93, 99–101
 - Snowden and Penetrating Hard Targets project, 106
 - solar cells, 73–74
 - transistors, 75–76
 - universal quantum computer concept, 90
 - waves of technology, 69–71, 81–82
- early access to, 128–130
- educational resources, 305–326
 - interaction and fun, 323–326
 - online classes, 305–311
 - tutorials and documentation, 311–319
 - unstructured study, 319–323
- error rate issue, 133–134, 181
- getting involved in, 138–140
 - algorithm experts, 145–146
 - avoiding becoming roadkill, 141–142
 - benefits of, 138–140
 - business vs. technical advantages, 144
 - executive sponsors, 144–145
 - goal setting, 147, 202–203
 - organizational size and, 140–141
 - project team creation, 143–144
 - starting vs. waiting, 138

- quantum computing (*continued*)
 - government support, 119
 - IBM development roadmap, 15
 - IBM processing chip, 13–14
 - implications of, 84
 - keeping current with, 190
 - key concepts, 11–19
 - coherence, 11, 17–19
 - entanglement, 11, 16–17
 - qubits, 11–15
 - superposition, 12, 15
 - tunneling, 11
 - machine learning, 124
 - massive parallelism, 212
 - mathematical representation of number of possible states, 19–20
 - myths surrounding, 329–337
 - commercial availability, 330–331
 - complete data security, 337
 - imminent destruction of data encryption, 336–337
 - imminent resolution of all classical problems, 334
 - needed talent, 336
 - physicist needed to program, 333
 - reduction in number of vendors, 335
 - replacing classical computers, 332–333
 - “shut up and calculate,” 334–335
 - superposition, 331–332
 - partnering with classical computing, 20, 46
 - power and speed of, 10–11
 - programming, 209–235
 - algorithms, 214
 - development environment, 223–224
 - difficulty of, 210
 - early experience as advantage for, 211
 - input/output, 216–217
 - logic gates, 214–215
 - mindset for, 214–215
 - program components, 219–221
 - programming environment components, 218–219
 - quantum advantage, 212–213
 - quantum approximate optimization algorithm, 228–235
 - requirements for, 217–221
 - software developers, 221–222
 - Strangeworks Python SDK, 224–228
 - quantum processing unit components, 180–181
 - simulations, 32
 - solution classes, 132–136
 - analog quantum computers, 132
 - availability of, 134–136
 - current usefulness, 135
 - error rate issue, 133–134
 - quantum annealing, 132
 - quantum computing emulators/simulators, 132–133
 - quantum-inspired classical computing, 132, 148–151
 - universal quantum computing, 132–133
 - strangeness of, 10–11
 - future power and speed of computing, 11
 - misunderstanding of nature of matter, 10–11
 - tech questions, 337–344
 - artificial intelligence and machine learning, 344
 - commercial practicality, 342–343
 - consumer products, 339–340
 - encryption, 343
 - favorite applications, 343
 - future of quantum computing, 341–342
 - manufacturing industry, 344
 - most disruptive effects, 343
 - reality vs. movies, 340–341
 - simple explanations, 341
 - temperature, 13–14, 25, 79, 182, 200
 - types of, 22–25
 - gate-based quantum computing, 23–25
 - quantum annealing, 23
 - quantum-inspired computing, 22
 - uncertainty, 9
 - vendors, 189–190, 205–206, 283–286, 294–304, 335
- quantum computing applications and use cases, 150, 237–254

- categories of, 238
 - algorithms and, 239
 - calculation, 238
 - optimization, 238
 - overlap of, 239
 - simulation, 238
- cybersecurity, 239–242
 - defensive approaches, 240
 - hardware solutions, 240–241
 - harvest and decrypt approach, 241
 - offensive approaches, 240
 - software solutions, 241
- financial industry, 244–245
- insurance industry, 245–246
- logistics industry, 246–247
- machine learning, 248–249
- mapping algorithms to, 256–259
- material science, 250–251
- medical science, 251–252
- optimization problems, 249–250
- pharmaceutical industry, 252–253
- search algorithms, 243
- weather forecasting and climate change studies, 253–254
- quantum computing emulators/simulators
 - Amazon Braket, 288–289
 - defined, 132–133
 - migration in years ahead, 155
 - programming and, 219
- “Quantum Computing for Computer Scientists” video, 326
- Quantum Computing Meetup, 324
- Quantum Computing StackExchange, 323–324
- quantum counting algorithm, 257, 277
- quantum dots, 199–200
- Quantum Economic Development Consortium, 108
- quantum Fourier sampling algorithm, 257, 277
- quantum Fourier transform (QFT) algorithm, 256–257, 269, 271–273, 275
- Quantum Frontiers blog, 320
- quantum gates. *See* gates
- Quantum Information and Quantum Computer Scientists of the World Unite, 324
- quantum information science (QIS) and theory, 58, 83, 85–88, 108
- Quantum Katas, 318
- quantum key distribution (QKD), 242
- quantum k-means algorithm, 257, 278
- quantum k-nearest neighbor (QKNN) algorithm, 249
- quantum leaps, 192
- “Quantum Machine Learning for Data Scientists” (Kopczyk), 318–319
- “Quantum Machine Learning” (Wittek), 322
- quantum matrix inversion algorithm, 257, 278
- quantum measurement (metrology), 140, 181, 198, 273–274
- quantum mechanics, 47–67, 214
 - determinism vs. probability, 47–48, 84
 - each possible state is true, 16
 - fundamental particles, 50–51
 - history of, 54–67
 - classical mechanics, 54–57
 - entanglement and “spooky action at a distance,” 65–67
 - Fifth Solvay Conference, 65–66
 - first quantum revolution, 57–61
 - nonlocality, 66
 - probabilistic nature of quantum mechanics, 64
 - quantum computing, 63–65
 - second quantum revolution, 61–63
 - wave functions, 64–65
- key concepts, 49
 - coherence, 49, 52–53
 - quantization, 49
 - uncertainty, 49
- multiple universes, 16
- nature of matter, 10–11
- philosophical implications, 67
- Schrödinger’s cat, 21–22, 63
- superconductivity, 50–51
- quantum metrology (measurement), 140, 181, 198, 273–274
- quantum money, 87–88

- quantum Monte Carlo algorithm, 254
- Quantum Motion, 199
- quantum neural networks, 248, 257, 277
- quantum no-deleting theorem, 88
- Quantum Odyssey, 325
- quantum particles. *See also* coherence; entanglement; superposition
 - defined, 13
 - probability vs. specificity, 84
 - quantum annealing, 164, 168–169
 - spin, 16
- quantum phase estimation (QPE) algorithm, 256, 268–269
- quantum phase estimation with a quantum neural network (QPE-QNN) algorithm, 257, 277
- quantum philosophy, 67
- quantum principal component analysis (PCA) algorithm, 257, 277
- quantum programming environments, 218–219, 223–224
 - examples of, 218
 - integrated development environments, 224
 - programming skills, 219
- quantum computers, 219
- quantum computing emulators/simulators, 219
- quantum programming frameworks, 219
- understanding of quantum algorithms, 219
- understanding of quantum gates, 219
- quantum revolutions
 - first, 57–61
 - atomic model, 60–61
 - black body problem, 58
 - Bohr, 60–61
 - Einstein, 59–60
 - mass-energy relation, 59
 - photoelectric effect and photons, 59–60
 - Planck, 58–59
 - second, 61–63
 - de Broglie, 61
 - Einstein, 61
 - Heisenberg uncertainty principle, 62–63
 - matrix mechanics, 62
 - particle wavelength, 61–62
- quantum sensing, 77, 85, 111, 142
- quantum support vector machine (QSVM) algorithm, 249, 257, 278, 319
- quantum supremacy (computational quantum advantage), 109, 176–177, 293, 351
- Quantum Technology 1.0 and 2.0. *See* quantum computing (development of)
- quantum teleportation, 103
- quantum Turing machines, 89
- quantum utility, 26, 110–111, 177
- Quantum Virtual Machine, 292
- quantum walks algorithm, 243, 257, 278
- Quantum Weekly blog, 320–321
- quantum winter, 135, 205–206
- quantum Zeno effect, 273–274
- QuantumanAI, 178
- quantum-assisted Helmholtz machine (QAHM), 321
- quantum-inspired classical computing, 148–151, 331
 - business value of, 149–150
 - current usefulness, 135
 - defined, 132
 - error rate issue, 134
 - leading the way, 248
 - limitations of, 150–151
 - migration in years ahead, 155
 - overview, 22
 - running on mainstream hardware (CPUs/GPUs), 148–149
 - running on special-purpose hardware, 148–149
 - use cases for, 150
- Qubit Touchdown, 326
- qubits, 12–15, 80, 173–186. *See also* coherence; entanglement; superposition
 - challenges for, 25, 112, 175
 - control hardware, 157–158
 - current unreliability of, 13
 - defined, 9, 11, 13, 49, 179, 219–220
 - effects of measuring, 19
 - exponential effect of adding, 15
 - gate-based quantum computing, 24–25
 - Holevo's bound, 88

- levels of achievement, 212–213
 - broad quantum advantage, 176
 - focused quantum advantage, 176–178
 - quantum supremacy, 176–177
- manipulating, 19
- mathematical representation of number of possible states, 19–20
- modalities, 179–180, 182–185, 188–202
 - BEC qubits, 201
 - coherence time, 183
 - defect-based qubits, 202
 - entangleability, 183
 - fidelity, 183–185
 - gate speed, 183
 - manufacturability, 183
 - neutral (cold) atoms, 199
 - NMR (in vitro) qubits, 201
 - photonic qubits, 197–198
 - quantum dots, 199–200
 - scale, 183–185
 - silicon spin qubits, 199
 - superconducting qubits, 193–196
 - topological qubits, 202
 - trapped ion qubits, 191–193
 - vendors, 189–190
- myth surrounding superposition, 331–332
- noise and errors, 18
- probabilistic behavior, 14
- race for the perfect qubit, 173–176
- reinitializing, 19
- types of cores, 13, 24, 49, 51
- uncertainty, 53
- QUBOs. *See* quadratic unconstrained binary optimizations
- QuEra, 199, 284, 288
- Quirk, 324–325
- QuSoft, 309–310
- QuTech, 200, 320

R

- radians, 215–216
- random access memory (RAM), 41–43, 104, 246
- relativity, 18

- Research in Motion (RIM), 101
- reversible operations, 87, 214
- revolutionary science, 72–73
- Rigetti Computing, 249, 288, 330, 335
 - cloud computing, 284
 - Forest SDK, 312
 - PyQuil, 296
 - Quantum Cloud Services, 295
 - Rigetti Community, 324
 - superconducting qubits, 193
- RIM (Research in Motion), 101
- Roman numbers, 31
- RSA (Rivest-Shamir-Adleman) approach, 93, 99, 239–242, 271, 337, 344

S

- S3 (Simple Storage Service), 108
- sales engineers/solutions engineers (SEs), 285
- Sandberg, Sheryl, 336
- SAs (solutions architects), 285
- scale, 183–185
- scanning electron microscopes (SEMs), 74
- Schrödinger, Erwin, 21, 63–64, 127
- Schrödinger's cat, 21–22, 63
- SDKs (software development kits), 161, 225–228, 288–289, 298, 312
- search problem and algorithms, 243, 267–268
- Seeqc, 200
- semiconductors, 75
- SEMs (scanning electron microscopes), 74
- SEs (sales engineers/solutions engineers), 285
- Shakespeare, William, 48
- Shor, Peter, 93, 95, 101, 105
- Shor's algorithm, 88, 91, 99–101, 175, 184, 213, 219, 256, 264, 334, 344
 - cryptography, 136–137, 239–241
 - error correction, 95
 - execution of, 99–100
 - overview, 93, 266–267
 - proof-of-concept implementation of, 127
 - quantum annealing, 168–169
 - steps for, 266–267
 - universal quantum computing, 133

- Shtetl Optimized blog, 321
- Silicon Quantum Computing, 199
- silicon spin qubits, 182, 199–200
- Simon’s algorithm, 256, 270–271
- Simple Storage Service (S3), 108
- simulated annealing, 23
- slide rules, 33–34
 - defined, 29
 - inexactitude of large-number calculations, 34
- Smith, Floyd, 36, 48, 119, 159, 177, 199–200, 211, 349, 356
- Snowden, Edward, 106
- software developers, 221–222
 - clean, well-organized code, 222
 - collaboration, 221–222
 - documentation, 222
 - expertise and specialization, 307
 - first principles, 222
 - number of, 307
 - testing, 222
 - training and education, 221–222
 - version control, 222–223
- software development kits (SDKs), 161, 225–228, 288–289, 298, 312
- solar cells, 73–74
- solutions architects (SAs), 285
- Space Race and moon missions, 33–34, 79, 173–174, 185, 187
- Space Race* (Cadbury), 174
- special relativity, 59
- speedups, 264
- spin
 - defined, 16, 53
 - uncertainty, 53–54
- “spooky action at a distance,” 1, 18, 22, 66, 106
- SQL (structured query language), 123
- stack, 153–172
 - classical computing, 154–156
 - quantum annealing, 161–169
 - annealing in ironwork, 164
 - benefits of, 168–169, 171
 - drawbacks of, 169–170
 - optimization problems, 161, 165–167
 - QUBOs, 168, 170–171
 - reasons to consider, 162–163
 - simulated annealing vs., 167–168
 - universal quantum computing vs., 172
- quantum computing, 155–161
 - algorithm-driven applications, 160
 - cloud-based quantum service and SDK, 161
 - error correction layer, 158–159
 - error mitigation firmware, 157–158
 - hardware-aware quantum compiler, 159–160
 - logic-level compiler and optimizer, 160
 - qubits and control hardware, 157–158
- Stanford University, 357
- state stabilization, 274
- steampunk, 35–36
- Steane, Andrew, 95
- Stęchły, Michał, 320
- Strangeworks, 4, 46, 108, 129, 205, 297–304, 330
 - cloud access, 286–287
 - compute providers, 299–302
 - main dashboard, 298
 - managed applications, 302–304
 - Optimization Service, 226–228, 302–304
 - product catalog, 299–300
 - professional team, 299
 - Python SDK, 225–228, 298
 - authentication, 225–226
 - installing, 225
 - Optimization Service, 226–228
 - quantum computing platform, 223–224
 - strangeworks-qaoa package, 229–235
 - capabilities of, 231–233
 - installing, 229–231
- Structure of Scientific Revolutions, The* (Kuhn), 72
- structured query language (SQL), 123
- Sudarshan, George, 273
- supercomputing, 11–12, 26, 28, 101, 110, 132, 148, 205–206, 270, 332
- superconductivity, 14
 - Bose-Einstein condensates, 18, 51
 - building quantum computers with quantum computers, 52
 - challenge of, 25

- defined, 50–51
- large assemblages of matter, 50
- maglev trains, 51
- superconducting qubits, 193–196
- superposition, 217
 - defined, 12, 15, 180
 - determinism and, 48
 - entanglement and, 17
 - myth surrounding, 331–332
 - philosophical implications, 67
 - proof of, 22
 - Schrödinger’s cat, 22, 63
 - wave functions, 64
- Swiss Re, 245

T

- tabulating machines, 35–37
 - electromechanical nature of, 36
 - origin of, 35–36
 - punched cards, 36
- Taiwan Semiconductor Manufacturing Company (TSMC), 117
- Taligent, 211
- TensorFlow, 76, 292
- theory of knowledge, 72
- Three-Body Problem, The* (Liu), 199
- time concepts, 261–264
 - exponential time, 262–264
 - linear time, 262–263
 - logarithmic time, 262
 - notation for, 263
 - polynomial time (quadratic time), 262–264
 - speedups, 264
- topological qubits, 202
- Torvalds, Linus, 223
- Toyota, 246–247
- transistors, 37, 41–42, 45, 75–76, 185
 - Moore’s Law, 116
 - quantum mechanical versions of, 104
- transmons, 193
- trapped ion qubits, 191–193, 196

- traveling salesperson problem, 121–122, 126, 161, 235, 246–247
- TSMC (Taiwan Semiconductor Manufacturing Company), 117
- tunneling, 217
 - defined, 12, 180
 - transistors, 38, 41, 75
- tunneling electron microscopes, 71, 75
- Turing, Alan, 37, 40–41
- Turing machines, 37–41
 - classical computers as, 41
 - determinism, 41
 - electromechanical nature of, 37
 - Enigma machine, 39
 - infinite tape, 38–39, 134
 - as mathematical model, 40
 - quantum, 89
 - read-write head, 38–39
 - universal quantum computing, 133–134, 162
- Turing test, 40

U

- uncertainty
 - conservation of uncertainty, 62
 - defined, 49
 - effects of, 53–54
 - electron orbitals, 49–50
 - Heisenberg uncertainty principle, 52–53, 62–64, 198
- Unicode, 44
- universal quantum computing
 - concept of, 90
 - current usefulness, 135
 - defined, 132
 - error rate issue, 133–134
 - first commercially available universal quantum computer, 108–109
 - first universal, programmable quantum computer, 104
 - migration in years ahead, 155
 - noisy intermediate-scale quantum era, 133
 - quantum annealing vs., 172
 - Turing machines, 133–134, 162

University of California, Berkeley, 351, 356–357
University of Chicago, 358
University of Illinois at Urbana-Champaign, 103
University of Maryland, 359
University of New South Wales, Sydney,
351, 359
University of Tokyo, 358
University of Waterloo, 351, 359
university programs, 351, 355–359
Cal Tech, 357
Harvard University, 358
MIT, 357
Oxford University, 356
Stanford University, 357
University of California, Berkeley, 356–357
University of Chicago, 358
University of Maryland, 359
University of Sydney, 359
University of Waterloo, 359
UPS, 247
US Census, 35–37
US Department of Defense (DoD), 94
US National Institute of Standards and Technology
(NIST), 104, 108, 241
US National Quantum Initiative (NQI), 108, 119
US National Security Agency (NSA), 106
USPS, 247

V

vacuum tubes, 37, 41, 75, 185
variational quantum eigensolver (VQE) algorithm,
252, 257, 276–277
vendor representatives, 146–147
Verne, Jules, 34
version control, 222–223
Visual Studio, 218, 224, 291

Volkswagen, 250
VQE (variational quantum eigensolver) algorithm,
252, 257, 276–277

W

Ward, William Arthur, 129
wave functions, 64–65
wave mechanics, 127
whurley (William Hurley), 4, 112, 124, 161,
178–179, 223, 253, 286, 299, 334, 339, 343,
347, 349, 356
Wiesner, Stephen, 87
Wilde, Oscar, 41
Witteck, Peter, 322
Women in Quantum Computing and
Applications, 323
Wong, Thomas, 311, 326
Wootton, James, 320
Worked Problems in Physics, 311
Wozniak, Steve, 336

X

Xanadu, 109, 197, 249
cloud computing, 284
PennyLane, 288, 296, 314
Quantum Cloud, 295
Strawberry Fields, 312–314

Y

Yamamoto, Yoshihisa, 90

Z

Zapata Computing, 253, 287
Zeno of Elea, 273
Zuckerberg, Mark, 336