

# Index

*Index notes:* **Bold headings** indicate main reagent titles, *see* indicates alternative names and acronyms, *see also* indicates related reagents and concepts.

- Acenes, cycloadditions, [60]fullerenes, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 176
- Acetalations, trifluoromethanesulfonic anhydride 624–625
- Acetaldehyde  
synthesis, acetaldoxime 5–6  
*see also* Acetaldoxime 1–7
- Acetaldehyde *N*-*t*-butylimine, *see also* Acetaldoxime 1–7
- Acetaldehyde oxime *see* Acetaldoxime
- Acetaldoxime** 1–7  
*see also* Acetonitrile 11–17  
*see also* Acetonitrile *N*-oxide 18  
*see also* Hydroxylamine 335–342
- Acetalizations, indium tribromide 343
- Acetals  
hydrolysis reactions, dichloro bis(acetonitrile) palladium 146  
synthesis, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 170
- Acetamide  
synthesis  
ammonium acetate 29  
by rearrangement, acetaldoxime 1, 5
- Acetate migrations, triphenylphosphinegold(I) chloride 640
- Acetic acid, *see also* Pivalic acid 490–497
- Acetic acid ammonium salt *see* Ammonium acetate
- Acetoacetic acid, *see also* Acetone hydrazone 7–11
- Acetoacetic acid, 2-diazo-4,4,4-trifluoro-, ethyl ester *see* Ethyl 2-diazo-4,4,4-trifluoro-3-oxobutanoate
- Acetone, *see also* Acetone hydrazone 7–11
- Acetone cyclohexylimine, *see also* Acetone hydrazone 7–11
- Acetone hydrazone** 7–11  
*see also* Phenylhydrazine 468–472
- Acetone–Oxone<sup>®</sup> reagent  
epoxidations, potassium monoperoxysulfate 513  
nitrogen compound reactions, potassium monoperoxysulfate 514
- Acetone phenylhydrazone, *see also* Acetone hydrazone 7–11
- Acetonitrile** 11–17  
synthesis, acetaldoxime 5–6  
*see also* Acetaldoxime 1–7
- Acetonitrile *N*-oxide** 18  
*see also* Acetaldoxime 1–7
- Acetylacetone *see* 2,5-Hexanedione
- Acetylations  
carbon nucleophiles, bromoacetone 48–49  
oxygen nucleophiles, bromoacetone 47  
sulfur nucleophiles, bromoacetone 47–48
- Acetoxime *O*-(2,4,6-trimethylphenyl)sulfonate, *see also* *S*-Methylisothiurea 395–396
- Acetoxylation, oxo(trimanganese) heptaacetate 402
- Acetylacetone, *see also* 1,3-Diisopropyl-1,3-propanedione 200–203
- Acetylations, arenes, via diazonium salts, acetaldoxime 1, 3
- Acetylenes, hydrochlorinations, sodium tetrachloroaurate(III) 574
- Acid catalysts, pivalic acid 490–497
- Acid derivative reactions, hydroxylamine 336–337, 339
- Acrolein, *see also*  $\alpha$ -Methacrolein *N*-*tert*-butylimine 389–390
- Activated carbon reactions, selenium(IV) oxide 531–532
- Activated methylenes  
additions, *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 43–45  
reactions, copper(II) chloride 76
- Activating groups  
diazo ketone synthesis, diethyl oxalate 194–195  
regioselective alkylations, diethyl oxalate 194  
 $\alpha,\beta$ -unsaturated ketone synthesis, diethyl oxalate 194
- Acyclic derivatives, 2,5-dimethoxytetrahydrofuran 204
- Acyclic sulfides, synthesis, sodium sulfide 562, 565
- Acylation  
catalysts, copper(II) chloride 78  
2-chloro-1,3-dimethylimidazolium chloride 57  
dichlorobis(triphenylphosphine)palladium(II) 156  
1,3-diisopropyl-1,3-propanedione 201  
*N,N*-Dimethylacetamide dimethyl acetal 213–214  
electrophilic, diethyl oxalate 193–194  
Friedel–Crafts, copper(II) trifluoromethanesulfonate 106  
indoles, direct functionalization, palladium(II) acetate 439  
malonyl chloride 387  
3-thiapentanedioic acid 594–595  
2-(trimethylsilyl)phenyl triflate 636
- 3-Acylisoxazoline, synthesis, (diethoxyphosphoryl)acetonitrile oxide 192
- Acyl migrations, gold(III) chloride 304
- N*-Acylnitrenium ions, heterocycle synthesis intermediate, phenyliodine(III) bis(trifluoroacetate) 474–476
- Acylpalladations, dichlorobis(triphenylphosphine)palladium(II) 159–163
- Acylsilanes, synthesis, diazo(trimethylsilyl)methyl lithium 130
- 1,2 Additions, alkenes, dimethyl diazomalonate 229

1,4 Additions, alkenes, 2,2-difluoroethylamine 196–197

#### Additions

acetonitrile 12

across carbon=carbon double bonds of alkenes, dichloro bis(acetonitrile) palladium 137–142

across the carbon=nitrogen double bond, acetaldoxime 2, 5–6

across carbon=sulfur double bonds, trifluoroethanamine 613

across the carbonyl group, bromoacetone 49

activated methylenes, *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 43–45

#### alkenes

2,2-difluoroethylamine 196–197

dimethyl diazomalonate 229

gold(III) chloride 302–303

iodine 359–360, 363–364, 368

to carboxylic acids, oxo(trimanganese) heptaacetate 401

to 1,3-diketones, gold(III) chloride 305

#### alkynes

gold(III) chloride 302–303

iodine 360, 363–364, 368

to heteronucleophiles, triphenylphosphinegold(I) chloride 638–639

allenes, dichloro bis(acetonitrile) palladium 142–143

amines, *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 38–40, 42

#### carbonyl compounds

bromoacetone 49

trifluoroethanamine 613

carboxylic acids, to alkenes, oxo(trimanganese) heptaacetate 401

2,3-dichloro-5,6-dicyano-1,4-benzoquinone 181

1,3-diketones, to alkenes, gold(III) chloride 305

dimethyl 2,3-pentadienedioate 234–235

gold(III) chloride 312–313

imines, gold(III) chloride 303

ketenes, trifluoroethanamine 613

neutral nucleophiles, *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 42–45

palladium(II) acetate 426–427

sulfonyl chloride, to unsaturated bonds, copper(II) chloride 77–78

tandem conjugate addition–cyclization reactions, heterocycle synthesis, dimethyl 2, 3-pentadienedioate 231–232, 235

1,1,1-trifluoro-*N*-phenylmethanesulfenamide 633

ylides, *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 42–43

*see also* Conjugate additions; Cycloadditions; 1,3-Dipolar cycloadditions; Hydrofunctionalizations; Markovnikov additions; Michael additions; Nucleophilic additions

#### Aerobic oxidations

##### alcohols

dichloro bis(acetonitrile) palladium 146

di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4, 5-pentamethyl-2,4-cyclopentadien-1-yl]

diiridium 166–167

metal-free, oxygen 411–412

*see also* Oxygen

#### Alcohols

alkylations, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4, 5-pentamethyl-2,4-cyclopentadien-1-yl] diiridium 168–169

amidations, ammonium bicarbonate 30–31

##### dehydrations

copper(II) trifluoromethanesulfonate 106

phosphorus oxychloride 484–485

halogenation, phosphorus oxychloride 483

intramolecular reactions, with alkynes, palladium(II) chloride 455–456

iodides conversions, iodine 360

as nucleophiles, cyclizations, gold(III) chloride 301–302

##### oxidations

###### aerobic

dichloro bis(acetonitrile) palladium 146

di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4, 5-pentamethyl-2,4-cyclopentadien-1-yl] diiridium 166–167

catalytic reactions with molecular oxygen, copper(II) chloride 78–79

2,3-dichloro-5,6-dicyano-1,4-benzoquinone 173–174

enantioselective, palladium(II) chloride 464

metal-catalyzed, oxygen 409

Oppenauer-type/hydrogen transfer, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2, 4-cyclopentadien-1-yl]diiridium 165

potassium monoperoxysulfate 516, 523

to aldehydes and ketones, palladium(II) acetate 423, 433

oxidative carbonylations, palladium(II) chloride 453

phosphorylations, with *N*-phosphoryloxazolidinones, copper(II) trifluoromethanesulfonate 109–110

##### reactions

dichlorotris(triphenylphosphine)ruthenium(II) 189

iodine 365–366

palladium(II) chloride 450–451

trifluoromethanesulfonic anhydride 616–617, 621–622, 627–628

trimethylsilylations, indium tribromide 357

*see also* Allylic alcohols

Alcoholysis, ester synthesis, dichlorobis(triphenylphosphine) palladium(II) 159–160

Aldazines, oxidations, (diacetoxyiodo)benzene 122

#### Aldehydes

amidations, ammonium bicarbonate 30–31

##### condensations

2,4-dinitrophenylhydrazine 245

indium tribromide 346

nitrile formation, hydroxylamine 336, 338

##### oxidations

palladium(II) acetate 423

potassium monoperoxysulfate 512–513, 516, 523

oxime formation, hydroxylamine 336, 338

##### reactions

diazo(trimethylsilyl)methyl lithium 130

2,4-dinitrophenylhydrazine 244–245

hydroxylamine 337, 339–340

Aldehydes (*Continued*)

- iodine 360–361
- trifluoromethanesulfonic anhydride 619
- reductive cyanations, *p*-tolylsulfonylmethyl isocyanide 599, 600
- semicarbazone synthesis, semicarbazide 542
- synthesis
  - alcohol oxidations, palladium(II) acetate 423, 433
  - allylic alcohol couplings, palladium(II) acetate 419–420, 429
  - dichlorobis(triphenylphosphine)palladium(II) 161
- Aldol reactions
  - asymmetric, gold(I) chloride 297
  - bromoacetone 49–50
  - indium tribromide 354
  - reductive, indium tribromide 354
- Aldols, oxygenations, copper(II)
  - trifluoromethanesulfonate 110
- Alkanes, reactions, potassium monoperoxysulfate 513, 516–518, 524–527
- Alkenations, dimethyl diazomalonate 217
- Alkenes
  - activation, gold(I) chloride 296
  - additions
    - dichloro bis(acetonitrile) palladium 137–142
    - 2,2-difluoroethylamine 196–197
    - dimethyl diazomalonate 229
    - gold(III) chloride 302–303
    - iodine 359–360, 363–364, 368
    - palladium(II) chloride 449–450
    - to carboxylic acids, oxo(trimanganese) heptaacetate 401
    - to 1,3-diketones, gold(III) chloride 305
    - trifluoroethanamine 614
    - triphenylphosphinegold(I) chloride 640–641
  - arylations, by coupling and cross-coupling, palladium(II) acetate 427–428
  - autooxidations, dirhodium(II) tetraacetate 253
  - aziridinations, (diacetoxyiodo)benzene 124–125
  - carbopalladations, dichlorobis(triphenylphosphine) palladium(II) 157–159
  - catalytic hydroboration, dirhodium(II) tetraacetate 252
  - conjugate additions to activated alkenes
    - 2,2-difluoroethylamine 196–197
    - trifluoroethanamine 614
  - cyclizations, iron(III) bromide 377
  - cycloadditions, diiminosuccinonitrile 200
  - cyclopropanations, (diacetoxyiodo)benzene 125
  - electron-rich, cycloadditions, diiminosuccinonitrile 200
  - electrophilic addition across carbon–carbon double bond, dichloro bis(acetonitrile) palladium 137–142
  - epoxidations, (diacetoxyiodo)benzene 124
  - formylations, phosphorus oxychloride 482
  - functionalization
    - gold(III) chloride 312
    - oxidative with heteroatom nucleophiles, palladium(II) acetate 415–417
    - palladium(II) acetate 425–427
    - palladium-activated carbon nucleophiles, palladium(II) acetate 417–418

- hydroboration, dirhodium(II) tetraacetate 252
- hydrofunctionalization, gold(III) chloride 312
- nucleophile additions, triphenylphosphinegold(I) chloride 640–641
- oxidations, to methyl ketones, palladium(II) acetate 415–416, 425
- oxidative additions, palladium(II) chloride 449–450
- oxidative carbonylations, palladium(II) chloride 452–453
- oxidative functionalization, with heteroatom nucleophiles, palladium(II) acetate 415–417
- oxidative substitutions, palladium(II) chloride 449–454
- palladations, dichloro bis(acetonitrile) palladium 137–142
- reactions
  - (diacetoxyiodo)benzene 119, 123, 124–125
  - potassium monoperoxysulfate 513, 516–518, 524–527
- Alkenyl–alkenyl cross-coupling, dichlorobis(triphenylphosphine)palladium(II) 154–155
- Alkenyl–aryl cross-coupling, dichlorobis(triphenylphosphine) palladium(II) 154
- Alkenylations
  - dichlorobis(triphenylphosphine)palladium(II) 155–156
  - dimethyl diazomalonate 220, 222, 227
  - heteroarenes, pivalic acid 495–496
  - ketones, copper(II) trifluoromethanesulfonate 110–111
  - metal-catalyzed bond functionalization, oxygen 410
  - palladium(II) acetate 442
- Alkenyl iodides, amino carbonylations, phosphorus oxychloride 485
- Alkenyl silyl enol ethers, cyclizations, palladium(II) acetate 421–422, 432
- Alkoxy aromatic reactions, copper(II) chloride 76
- Alkylating agents, reactions, hydroxylamine 336, 338–339
- Alkylations
  - acetaldoxime 3
  - acetone hydrazone 9
  - alcohols, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl] diiridium 168–169
  - enantioselective, copper(II) trifluoromethanesulfonate 106–107, 113
  - Friedel–Crafts, copper(II) trifluoromethanesulfonate 106–107
  - gold(III) chloride 312
  - indoles, direct functionalization, palladium(II) acetate 438–439
  - N* versus *O* selectivity, hydroxylamine 336, 338–339
  - regioselective, activating groups, diethyl oxalate 194
  - trifluoroethanamine 613–614
- $\alpha$ -Alkylations, acetaldoxime 1
- C*-Alkylations, pyrroles and indoles, copper(II) trifluoromethanesulfonate 109
- N*-Alkylations, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl] diiridium 167–168
- Alkylation–S<sub>N</sub>2 reactions, 2,2-difluoroethylamine 196
- Alkyl halides
  - nitro compound/nitro ester formation, sodium nitrate 553
  - reactions, potassium ethyl xanthate 503
- Alkylhydrazones, oxidations, (diacetoxyiodo)benzene 122

- Alkylidene carbenes  
 Colvin rearrangement, diazo(trimethylsilyl)  
 methyl lithium 131  
 insertion reactions, diazo(trimethylsilyl)methyl lithium  
 132–133  
 synthesis, diazo(trimethylsilyl)methyl lithium 130, 131
- Alkyl radicals  
 oxidations, copper(II) trifluoromethanesulfonate 106  
 potassium ethyl xanthate 505
- Alkynes  
 activation  
 gold(I) chloride 291–295  
 sodium tetrachloroaurate(III) 576  
 additions  
 gold(III) chloride 302–303  
 iodine 360, 363–364, 368  
 to heteronucleophiles, triphenylphosphinegold(I)  
 chloride 638–639  
 carbopalladations, dichlorobis(triphenylphosphine)  
 palladium(II) 157–159  
 cyclizations, iron(III) bromide 377  
 hydrations, sodium tetrachloroaurate(III) 575  
 hydroaminations, gold(III) chloride 304  
 hydroboration, dirhodium(II) tetraacetate 252  
 hydrofunctionalizations, gold(III) chloride 312–313  
 intramolecular reactions, with carboxylic acids/alcohols/  
 amines, palladium(II) chloride 455–456  
 Markovnikov additions, indium tribromide 353  
 metal-catalyzed oxidations, oxygen 408  
 oxidations, potassium monoperoxy sulfate 516–518  
 oxidation to  $\alpha,\beta$ -acetylenic ketones, catalytic reactions with  
*tert*-butyl hydroperoxide, copper(II) chloride 79–81  
 oxidative carbonylations, palladium(II) chloride 453  
 palladations, dichloro bis(acetonitrile) palladium 143–144  
 reductions, palladium(II) acetate 425, 434
- Alkynylations  
 indium tribromide 344–346  
 metal-catalyzed bond functionalization, oxygen 410–411
- Alkynyl esters, synthesis, 5-substituted pyrazol-3(2*H*)-one  
 oxidation, (diacetoxyiodo)benzene 122
- $\omega$ -Alkynyl furans, cycloisomerizations, gold(III) chloride 299
- Alkynyl sulfones, reductions, copper(II)  
 trifluoromethanesulfonate 106
- Allenes  
 activation, gold(I) chloride 295–296  
 additions, dichloro bis(acetonitrile) palladium 142–143  
 hydroaminations, gold(III) chloride 304  
 hydrofunctionalizations, gold(III) chloride 313  
 nucleophile additions, triphenylphosphinegold(I)  
 chloride 640–641
- Allenyl ketones, cyclizations, gold(III) chloride 298–299
- Allenynes  
 cycloisomerizations  
 gold(III) chloride 300  
 triphenylphosphinegold(I) chloride 640
- Allylations, indium tribromide 343–344
- Allyl compounds, cyclopalladations, palladium(II)  
 chloride 452
- Allyl group introduction, potassium ethyl xanthate 507–508
- Allylic acetoxylation, oxo(trimanganese) heptaacetate 402
- Allylic alcohols  
 aminations, gold(III) chloride 305  
 couplings, palladium(II) acetate 419–420, 429  
 synthesis, from vinyl epoxides/oxetanes, palladium(II)  
 acetate 420
- Allylic carbon–hydrogen bonds  
 activation  
 oxidations, palladium(II) acetate 425–426  
 palladium(II) acetate 416
- Allylic dienols  
 synthesis  
 allylic alcohol coupling, palladium(II) acetate 419–420  
 allylic alcohol couplings, palladium(II) acetate 429
- Allylic esters, sigmatropic rearrangements, dichloro bis  
 (acetonitrile) palladium 145
- Allylic heterosubstituents, hydrogenolysis, palladium(II)  
 acetate 425
- Allylic hydroxylations, selenium(IV) oxide 531
- Allylic oxidations  
 carbon–hydrogen bond activation, palladium(II)  
 acetate 425–426  
 catalytic reactions with *tert*-butyl hydroperoxide, copper(II)  
 chloride 79  
 oxo(trimanganese) heptaacetate 402  
 selenium(IV) oxide 533–534, 535–536
- Allylic substitutions, enantioselective, copper(II)  
 trifluoromethanesulfonate 111
- Allyloxycarbonyl (Aloc) protecting group removal, tetrakis  
 (triphenylphosphine)palladium(0) 589–590
- $\pi$ -Allylpalladium  
 complex formation, palladium(II) chloride 451–452  
 intermediates in carbocycle formation, palladium(II)  
 acetate 421
- Allyl protecting group removal, tetrakis(triphenylphosphine)  
 palladium(0) 589–590
- Alumina–Oxone<sup>®</sup> reagent, oxidations, potassium  
 monoperoxy sulfate 512
- Amidations  
 alcohols, ammonium bicarbonate 30–31  
 aldehydes, ammonium bicarbonate 30–31  
 carboxylic acids  
 ammonium bicarbonate 30  
 2,2-difluoroethylamine 197  
 trifluoroethanamine 614–615  
 carboxylic esters, trifluoroethanamine 615  
 copper(II) trifluoromethanesulfonate 114  
 2,2-difluoroethylamine 197–198  
 esters/ester analogs, 2,2-difluoroethylamine 197  
 oxidative, selenium(IV) oxide 538–539  
 trifluoroethanamine 615
- Amide acetal reagents, *N,N*-Dimethylacetamide dimethyl  
 acetal 208–215
- Amides  
 dehydrations, phosphorus oxychloride 484  
 reactions  
 palladium(II) chloride 451  
 trifluoromethanesulfonic anhydride 620, 623, 628  
 synthesis

- aminolysis, dichlorobis(triphenylphosphine) palladium(II) 160–161
- Beckmann rearrangements, hydroxylamine 339–340  
 from aldehydes, hydroxylamine 339–340  
 from ketones, hydroxylamine 339–340
- Aminals, reactions, trifluoromethanesulfonic anhydride 625–626
- Aminations  
 allylic alcohols, gold(III) chloride 305  
 anomeric, of sugars, ammonium bicarbonate 31  
 aryl chlorides, palladacycle catalyzed reactions, palladium(II) chloride 462, 464  
 carbon–hydrogen bonds, (diacetoxyiodo)benzene 125  
 ethyl 2-diazo-3-oxo-3-phenylpropanoate 274  
 intermolecular oxidative, pivalic acid 496  
 reductive  
 2,2-difluoroethylamine 198  
 trifluoroethanamine 614
- Amines  
 additions, *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 38–40, 42  
*N*-*tert*-butoxycarbonylations, indium tribromide 357  
 condensations, indium tribromide 346  
 diazotization, sodium nitrate 551–552, 553–554  
 guanidine derivatives from two different amines, *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 38–40  
 intramolecular reactions with alkynes, palladium(II) chloride 455–456  
 oxidations, (diacetoxyiodo)benzene 121–122  
 reactions  
 iodine 360  
 palladium(II) chloride 451  
 sodium nitrate 551–552, 553–554, 556–557  
 trifluoromethanesulfonic anhydride 617, 622, 629  
 synthesis  
 guanidine 324  
 phenylhydrazine 470–471
- Amino acids  
 chiral precursors, methyl glycine 391  
 complexations, copper(II) sulfate 98
- 1,2-Amino alcohols, oxirane conversion, methyl isocyanate 393
- Amino carbonylations  
 alkenyl iodides, phosphorus oxychloride 485  
 aryl iodides, phosphorus oxychloride 485
- N*-Amino heterocycles, synthesis, 1-*tert*-butyloxycarbonyl-1-methylhydrazine 53–54, 55
- Aminoiminomethanesulfonic acid  
*see also* Diphenyl cyanocarbonimidate 247–248  
*see also* Guanidine 322–325
- Aminolysis, amide synthesis, dichlorobis(triphenylphosphine) palladium(II) 160–161
- Aminopalladations, dichloro bis(acetonitrile) palladium 140–141
- N*-Aminophthalimide** 19–23
- N*-(*Z*-Amino)phthalimide, *see also N*-Aminophthalimide 19–23
- 1-Aminopyridinium chloride *see also* 1-Amino-pyridinium iodide 24–27
- 1-Aminopyridinium inner salt (ylide) *see also* 1-Amino-pyridinium iodide 24–27
- 1-Amino-pyridinium iodide** 24–27
- 1-Aminopyridinium perchlorate *see also* 1-Amino-pyridinium iodide 24–27
- 1-Aminopyridinium 2,4,6-trimethylbenzene sulfonate *see also* 1-Amino-pyridinium iodide 24–27
- 1-Amino-pyridinium ylide, *see also* 1-amino-pyridinium iodide 24–26
- 1-Aminopyridinium *see also* 1-Amino-pyridinium iodide 24–27
- Aminothiazoles, synthesis, thiourea 596
- 2-Amino-1,1,1-trifluoroethane *see* Trifluoroethylamine
- Ammonium acetate** 29–30
- Ammonium bicarbonate** 30–32
- Ammonium ethanoate *see* Ammonium acetate
- Ammonium formate, *see also* Formamidine acetate 289–290
- Ammonium nitrate** 27–28
- Anion equivalents, metalated dimethylhydrazones, acetone hydrazone 7, 9–10
- Anion formation  
 acetone hydrazone 9  
 acetonitrile 12
- Anisoles, *see also* Iodine 358–374
- Annulations  
 cascade reactions, phenyliodine(III) bis(trifluoroacetate) 479–480  
 2,5-dimethoxytetrahydrofuran 207  
 gold(III) chloride 311–312
- Anomeric aminations, sugars, ammonium bicarbonate 31
- Antimony, organoantimony compound oxidations, (diacetoxyiodo)benzene 126
- Antimony(V) chloride, *see also* Silver(I) hexafluoroantimonate 547–550
- Antimony(V) fluoride, *see also* Silver(I) hexafluoroantimonate 547–550
- Aqueous acetone–Oxone<sup>®</sup> reagent, epoxidations, potassium monoperoxysulfate 513
- Arenes/aromatic compounds  
 acetylations, via diazonium salts, acetaldoxime 1, 3  
 chlorinations, copper(II) chloride 75–76  
 cyclizations, gold(III) chloride 298–299  
 iodinations, iodine 361–362, 368–369  
 ortho-palladations, palladium(II) chloride 452  
 oxidations, palladium(II) acetate 424–425  
 reactions  
 iodine 364–365  
 potassium monoperoxysulfate 513, 516–518, 524–527
- N*-Aromatic amides, reactions, sodium nitrate 554
- Aromatic amines, reactions, sodium nitrate 551–552
- Aromatic carbon–hydrogen bonds  
 activation, dichlorotris(triphenylphosphine)ruthenium(II) 189  
 direct oxidation, gold(III) chloride 309–310
- Aromatic halides  
 substitutions  
 2,2-difluoroethylamine 195–196  
 trifluoroethanamine 612

- Aromatic nitriles, synthesis, tetrakis(triphenylphosphine) palladium(0) 587–588
- Aromatic nitrogen heterocycles, synthesis, sodium tetrachloroaurate(III) 575
- Aromatic nitro groups, reduction to amino groups, sodium sulfide 564, 566
- Aromatic rings  
formation, polyphosphoric acid 498  
formylations, phosphorus oxychloride 482
- Aromatic substitutions, hydroxylamine 338, 340
- Aromatization, enamines, dichloro bis(acetonitrile) palladium 146
- Aryl alcohols, carbon–carbon couplings, *p*-tolylsulfonylmethyl isocyanide 606
- Arylalkenes, *cis/trans* isomerizations, dichloro bis(acetonitrile) palladium 146–147
- Aryl–alkenyl cross-coupling, dichlorobis(triphenylphosphine) palladium(II) 154
- Arylamines, reactions, sodium nitrate 553
- Aryl–aryl cross-coupling, dichlorobis(triphenylphosphine) palladium(II) 154
- Arylations  
alkenes, by coupling and cross-coupling, palladium(II) acetate 427–428  
copper(II) sulfate 99–100  
direct, selenophene, pivalic acid 494–495  
direct functionalization reactions, palladium(II) acetate 436–438, 439–441, 442–443  
five-membered heterocycles, direct functionalization, palladium(II) acetate 439–441  
heterocycles, pivalic acid 494  
imidazo[1,2-*a*]pyrazines, direct functionalization, palladium(II) acetate 442  
imidazo[1,2-*b*]pyrazole direct functionalization, palladium(II) acetate 443  
imidazo[1,2-*b*][1,2,4,5]tetrazines, direct functionalization, palladium(II) acetate 442–443  
indoles, direct functionalization, palladium(II) acetate 437–438  
intermolecular direct, heterocycles, pivalic acid 494  
pyridine derivatives, direct functionalization, palladium(II) acetate 436–437  
selenophene, pivalic acid 494–495  
2-(trimethylsilyl)phenyl triflate 636–637
- Aryl boronic acids, couplings, dimethyl diazomalonnate 226–227
- Aryl chlorides, aminations, palladacycle catalyzed reactions, palladium(II) chloride 462, 464
- Aryl iodides, amino carbonylations, phosphorus oxychloride 485
- Arylselenations, conjugated dienes, phosphorus oxychloride 486–487
- Arylsiloxanes, couplings, dimethyl diazomalonnate 226
- Aryl sulfides, synthesis, sodium sulfide 563
- Aryne precursors, 2-(trimethylsilyl)phenyl triflate 635–636
- Asymmetric . . . *see* Enantioselective . . .
- Asymmetric aldol reactions, gold(I) chloride 297
- Asymmetric catalysis, gold(I) chloride 297
- Asymmetric conjugate additions, copper(II) trifluoromethanesulfonate 110, 114
- Asymmetric cyclopropanation, styrene, copper(II) trifluoromethanesulfonate 108
- Asymmetric hetero-Diels-Alder reactions, copper(II) trifluoromethanesulfonate 108
- Asymmetric Passerini reaction, *p*-tolylsulfonylmethyl isocyanide 606
- Asymmetric reductions, pivalic acid 490
- Asymmetric synthesis  
chiral palladium complexes, dichlorobis(triphenylphosphine) palladium(II) 153  
chiral reagents, Benzotriazole methodology, 2, 5-dimethoxytetrahydrofuran 205–206  
heterocycles, benzonitrile *N*-oxide 33–35  
ionic liquids, *N,N*-Dimethylacetamide dimethyl acetal 212  
stereodirecting solvents, glycosylations, acetonitrile 13–17
- Autooxidation, alkenes, dirhodium(II) tetraacetate 253
- Aza-Claisen rearrangements, dichloro bis(acetonitrile) palladium 144–145
- 1-Aza-1,3-dienes, cycloadditions,  $\alpha$ -methacrolein *N*-*tert*-butylimine 390
- 1-Azadienes, intramolecular Diels-Alder reactions, copper(II) trifluoromethanesulfonate 107
- Aza-Friedel–Crafts cyclizations, copper(II) trifluoromethanesulfonate 111
- Azepines,  $\beta$ -cyclodextrin-mediated synthesis, 2, 5-dimethoxytetrahydrofuran 207
- Azidotrimethylsilane (TMSN<sub>3</sub>), carbon–carbon bond cleavage, (diacetoxyiodo)benzene 120
- Aziridinations  
alkenes, (diacetoxyiodo)benzene 124–125  
trifluomethyldiazomethane 609
- Aziridines  
ring opening, trifluoroethanamine 614  
synthesis, *N*-aminophthalimide 20–21
- Azirines, ring opening, dimethyl diazomalonnate 227–228
- Azobenzene, synthesis, 2,4-dinitrophenylhydrazine 246
- Azoles, synthesis, *p*-tolylsulfonylmethyl isocyanide 599–600, 601–603, 604–605
- Azomethines, *o*-Tolyl isocyanide 598
- Baeyer–Villiger oxidation, ketones, potassium monoperoxysulfate 512, 515
- Bart reaction, copper(I) chloride 61
- Base-mediated condensations, ethyl 2-diazo-3-oxybutyrate 280
- Beckmann rearrangements  
amide synthesis, hydroxylamine 339–340  
2-chloro-1,3-dimethylimidazolium chloride 60  
phosphorus oxychloride 485
- Benzannulated systems  
synthesis  
2,5-hexanedione 328–329  
2-(trimethylsilyl)phenyl triflate 636
- Benzenes, polysubstituted unsymmetrical synthesis, cyclopentadienylbis(triphenylphosphine)cobalt (I) 116–117
- Benzisoxazoles, *see also* Iodine 358–374

- 2,3-Benzodiazepines, synthesis, from benzocyclobutenones, diazo(trimethylsilyl)methyl lithium 133–134
- Benzoic acid, oxidative coupling, di- $\mu$ -chlorodichlorobis [(1,2,3,4,5- $\eta$ )-1,2,3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 170–171
- Benzonitrile *N*-oxide** 33–35  
*see also* Methyl isocyanate 393–395
- Benzotriazole methodology, enantiometrically pure pyrrolidine derivative synthesis, 2,5-dimethoxytetrahydrofuran 205–206
- Benzotriazol-1-yloxytris(dimethylamino)phosphonium hexafluorophosphate (BOP), *see also* 2-Chloro-1,3-dimethylimidazolium chloride 57–60
- O*-(Benzotriazol-1-yl)*N,N,N',N'*-tetramethyluronium hexafluorophosphate (HBTU), *see also* 2-Chloro-1,3-dimethylimidazolium chloride 57–60
- Benzoyl isothiocyanate** 36–37
- Benzyl carbon–hydrogen bond activation, palladium(II) acetate 424–425
- Benzylic oxidations, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 175, 177–178
- Biaryl couplings  
metal-catalyzed bond functionalization, oxygen 410  
oxidative, phenyliodine(III) bis(trifluoroacetate) 477–478
- 9,9'-Bifluorenylidene derivatives, synthesis via dual carbon–hydrogen bond activation, pivalic acid 496
- Biginelli-type reactions  
indium tribromide 346  
thiourea 596–597
- Biological chemistry, semicarbazide 543
- Biologically significant heterocycles, synthesis, *N,N*-Dimethylacetamide dimethyl acetal 212–213
- Bis(acetato)palladium *see* Palladium(II) acetate
- Bisalkoxy silanes, unsymmetrical synthesis, dirhodium(II) tetraacetate 257
- Bis(benzonitrile)dichloropalladium(II), *see also* Palladium(II) chloride 449–467
- Bischler–Napieralski reaction, phosphorus oxychloride 482–483
- Bis(methoxycarbonyl)-*s*-tetrazine *see* Dimethyl 1,2,4,5-tetrazine-3,6-dicarboxylate
- N*-[Bis(methylthio)methylene]-*p*-toluenesulfonamide** 37–47
- Bis(trichloromethyl) carbonate, *see also* Phosphorus oxychloride 481–489
- Bis(2,4,6-trichlorophenyl) malonate, *see also* Malonyl chloride 387–389
- Bis(trifluoroacetoxyiodo)benzene *see* Phenyliodine(III) bis(trifluoroacetate)
- Blaise reactions, decarboxylative, indium tribromide 351
- N*-(Boc-amino) phthalimide, *see also* *N*-Aminophthalimide 19–23
- 1-Boc-1-methylhydrazine *see* 1-*tert*-Butyloxycarbonyl-1-methylhydrazine
- Bond cleavage *see* Cleavage reactions
- BOP *see* Benzotriazol-1-yloxytris(dimethylamino)phosphonium hexafluorophosphate
- Boron compounds, reactions, potassium monoperoxysulfate 521
- Boron halides, reactions, diazo(trimethylsilyl)methyl lithium 134
- Boron–hydrogen bonds, insertions, dimethyl diazomalonate 226
- Bridghead *N*-atom containing heterocycles, direct functionalization, palladium(II) acetate 442–443
- Brominations  
iron(III) bromide 375–376  
*N,N,N',N'*-tetrabromobenzene-1,3-disulfonamide 583–584
- Bromoacetone** 47–52
- 2-Bromo-1,3-dimethylimidazolium bromide, *see also* 2-Chloro-1,3-dimethylimidazolium chloride 57–60
- 3-Bromoisoxazoles, synthesis, dibromoformaldehyde oxime 136
- 3-Bromoisoxazolines, synthesis, dibromoformaldehyde oxime 135–136
- 1-Bromo-2-propanone *see* Bromoacetone
- Brønsted acids, pivalic acid 490–497
- BTI *see* Phenyliodine(III) bis(trifluoroacetate)
- Buchner reactions, *N,N*-dibenzyl diazomalonamide, dirhodium tetrakis-(heptafluorobutyramide) 266
- Buchwald–Hartwig aminations  
2,2-difluoroethylamine 196  
palladium(II) acetate 434–435  
trifluoroethanamine 612–613
- 1,4-Butanedial (succinaldehyde) equivalents, 2,5-dimethoxytetrahydrofuran 203–208
- tert*-Butoxybis(dimethylamino)methane, *see also* Formamidinium acetate 289–290
- N-tert*-Butoxycarbonylations, amines, indium tribromide 357
- tert*-Butyl azaalanine *see* 1-*tert*-Butyloxycarbonyl-1-methylhydrazine
- tert*-Butyl hydroperoxide (*t*-BuOOH), catalytic oxidations, copper(II) chloride 79–81
- tert*-Butyl isocyanide  
*see also* Phenyl isocyanide 467–468  
*see also* *o*-Tolyl isocyanide 598–599
- tert*-Butyl 1-methylhydrazinecarboxylate *see* 1-*tert*-Butyloxycarbonyl-1-methylhydrazine
- N-tert*-Butyl-*N*-methyl-*N*-trimethylsilylmethylformamidinium, *see also* Formamidinium acetate 289–290
- 1-*tert*-Butyloxycarbonyl-1-methylhydrazine** 52–56
- 2-*tert*-Butylpyrimidines, synthesis, pivalic acid 491
- tert*-Butyl radicals, synthesis, via oxidative decarboxylation, pivalic acid 491
- $C^2sp-C^2sp$  coupling, dichlorobis(triphenylphosphine)palladium(II) 154–156
- $C^3sp-C^2sp$  coupling, dichlorobis(triphenylphosphine)palladium(II) 154–156
- N*-Carbamylamino alcohols, reactions, sodium nitrate 554
- Carbanions, oxygenations, oxygen 403–404, 406
- Carbazoles, synthesis, 2,5-dimethoxytetrahydrofuran 203, 204
- Carbenes  
precursors, ethyl 2-diazo-3-oxo-3-phenylpropanoate 273–275  
synthesis, from diazo compounds, palladium(II) chloride 456  
transfer reactions, gold(I) chloride 297

- Carbenoid species, preparation, copper(I) chloride 67
- Carbocation salts, synthesis, silver(I)  
hexafluoroantimonate 547–548
- Carbocycles  
synthesis  
indium tribromide 349–351  
palladation of alkynes, dichloro bis(acetonitrile)  
palladium 143–144  
palladium(II) acetate 421–423, 431–433
- Carbocyclizations, dichlorotris(triphenylphosphine)  
ruthenium(II) 186
- Carbohydrate chemistry, trifluoromethanesulfonic  
anhydride 616, 625
- Carbon arylations, 2-(trimethylsilyl)phenyl triflate 636–637
- Carbon–carbon bonds  
cleavage  
(diacetoxyiodo)benzene 120  
phosphorus oxychloride 487  
formation  
aryl alcohol coupling, *p*-tolylsulfonylmethyl  
isocyanide 606  
carbonylative, tetrakis(triphenylphosphine)palladium  
(0) 587  
coupling, copper(II) trifluoromethanesulfonate 111  
cross-couplings, dichloro bis(acetonitrile)  
palladium 148–149  
di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,  
5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 166  
dichlorotris(triphenylphosphine)ruthenium(II) 188  
direct, tetrakis(triphenylphosphine)palladium(0)  
585–587, 591  
palladacycle catalyzed reactions, palladium(II)  
chloride 461–462  
selenium(IV) oxide 538  
via olefin cross-couplings, 1,3-diisopropyl-1,  
3-propanedione 200
- Carbon=carbon double bonds  
electrophilic additions to alkenes, dichloro bis(acetonitrile)  
palladium 137–142  
hydrogenations, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,  
2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]  
diiridium 166
- Carbon dioxide, *see also* Diethyl oxalate 192–195
- Carbon disulfide, *see also* Potassium ethyl xanthate 503–512
- Carbon–fluorine bonds, formation, di- $\mu$ -chlorodichlorobis  
[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,  
4-cyclopentadien-1-yl]diiridium 168
- Carbon–heteroatom bonds  
formation  
copper(I) iodide 86–87  
cross-couplings, dichloro bis(acetonitrile)  
palladium 148–149  
palladacycle catalyzed reactions, palladium(II)  
chloride 461–462  
tetrakis(triphenylphosphine)palladium(0) 588–589,  
591–592
- Carbon–hydrogen bonds  
activation  
allylic oxidations, palladium(II) acetate 425–426  
9,9'-bifluorenylidene derivatives synthesis, pivalic acid 496  
cyclizations, ethyl 2-diazo-3-oxybutyrate 275–277  
oxidations, palladium(II) acetate 424–426  
palladium(II) acetate 416, 424–426, 433–434  
allylic, activation, palladium(II) acetate 416, 425–426  
aminations, (diacetoxyiodo)benzene 125  
aromatic  
activation, dichlorotris(triphenylphosphine)ruthenium  
(II) 189  
oxidations, palladium(II) acetate 424–425  
dual activation, 9,9'-bifluorenylidene derivatives synthesis,  
pivalic acid 496  
functionalization, of carbon bearing non-allylic bonds,  
palladium(II) acetate 433–434  
insertions  
dimethyl diazomalonate 219, 223–225  
direct oxidation of aromatic compounds, gold(III)  
chloride 309–310  
dirhodium tetrakis-(heptafluorobutyramide) 265  
ethyl 2-diazo-3-oxybutyrate 277  
metal carbene transformations, dirhodium(II)  
tetraacetate 249–250, 253, 258  
nitrenes, dirhodium(II) tetraacetate 256  
metal-catalyzed functionalization, oxygen 409–411  
non-allylic, activation, palladium(II) acetate 433–434  
oxygenations, (diacetoxyiodo)benzene 125–126
- Carbon monoxide  
carbonyl sulfide in situ synthesis, sulfur 579  
double insertions, cyclization cascades, palladium(II)  
chloride 461
- Carbon–nitrogen bonds  
formation  
copper(I) iodide 86–87  
di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,  
5-pentamethyl-2,4-cyclopentadien-1-yl]  
diiridium 165–166  
palladacycle catalyzed reactions, palladium(II)  
chloride 462  
insertions, dimethyl diazomalonate 219–220
- Carbon=nitrogen double bonds, additions, acetaldoxime 2
- Carbon nucleophiles  
acetylation, bromoacetone 48–49  
functionalization of alkenes and other  $\pi$ -systems, palladium  
(II) acetate 427–431  
reactions, palladium(II) chloride 451
- Carbonodithioic acid *O*-ethyl ester potassium salt *see* Potassium  
ethyl xanthate
- Carbon–oxygen bonds, formation, copper(I) iodide 87
- Carbon radicals, oxygenations, oxygen 404, 406
- Carbon suboxide, *see also* Malonyl chloride 387–389
- Carbon–sulfur bonds, insertions, dimethyl  
diazomalonate 225–226
- Carbon=sulfur double bonds, additions,  
trifluoroethanamine 613
- Carbonylations  
dichlorobis(triphenylphosphine)palladium(II) 159–163  
palladium(II) acetate 420–421, 429  
palladium(II) chloride 452–453, 460–461  
phosphorus oxychloride 485

- Carbonyl compounds  
 additions, trifluoroethanamine 613  
 chlorinations, copper(II) chloride 75  
 chloroaldehyde synthesis, phosphorus oxychloride 483  
 condensations, 2,2-difluoroethylamine 198  
 dehydrogenations, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 173  
 deoxygenations, palladium(II) acetate 425  
 iodinations, iodine 366  
 as nucleophiles, cyclizations, gold(III) chloride 300–301  
 oxazole synthesis, *p*-tolylsulfonylmethyl isocyanide 604–605  
 oxazoline synthesis, *p*-tolylsulfonylmethyl isocyanide 604–605  
 oxidations, phenyliodine(III) bis(trifluoroacetate) 474  
 reactions  
 diazo(trimethylsilyl)methyl lithium 130–133  
 trifluoromethanesulfonic anhydride 617–619, 622–623, 629  
 regenerations, 2,4-dinitrophenylhydrazine 245  
 semicarbazone synthesis, semicarbazide 542  
 synthesis, alcohol oxidations, palladium(II) acetate 423, 433
- Carbonyl groups  
 additions, bromoacetone 49  
 oxidations, oxo(trimanganese) heptaacetate 402
- Carbonyl sulfides (carbon oxysulfides), in situ synthesis from carbon monoxide, sulfur 579
- Carbopalladations  
 alkenes, dichlorobis(triphenylphosphine)palladium(II) 157–159  
 alkynes, dichlorobis(triphenylphosphine)palladium(II) 157–159  
 dichloro bis(acetonitrile) palladium 141–142  
 nucleophilic trapping, dichlorobis(triphenylphosphine) palladium(II) 158–163
- Carboxylic acids  
 additions, alkenes, oxo(trimanganese) heptaacetate 401  
 amidations  
 ammonium bicarbonate 30  
 2,2-difluoroethylamine 197  
 trifluoroethanamine 614–615  
 intramolecular reactions, with alkynes, palladium(II) chloride 455–456  
 reactions  
 di-*p*-tolylcarbodiimide 268  
 iodine 360–361  
 trifluoromethanesulfonic anhydride 619–620, 629–630
- Carboxylic esters  
 amidations, trifluoroethanamine 615  
 reactions, trifluoromethanesulfonic anhydride 619–620
- Cascade reactions  
 annulations, phenyliodine(III) bis(trifluoroacetate) 479–480  
 gold(III) chloride 314–315  
 palladium(II) chloride 457–464
- Castagnoli–Cushman three-component reaction, 3-thiapentanedioic acid 595
- Catalyst selection criteria, dichlorobis(triphenylphosphine) palladium(II) 153–154
- Catalytic reactions  
 hydroboration, alkenes/alkynes, dirhodium(II) tetraacetate 252  
 iodine 368–371  
 iron(III) chloride 380–381  
 Lewis acids  
 copper(II) sulfate 94, 95–97, 102  
 iron(III) chloride 380, 384  
 racemization, dirhodium(II) tetraacetate 256–257  
 redox, copper(II) sulfate 94–95
- Cationic forms, activation of metal catalysts, silver(I) hexafluoroantimonate 549–550
- Chiral amino acid precursors, methyl glycine 391
- Chiral auxiliary precursors, methyl glycine 391
- Chirality  
 dimethyl 2,3-pentadienedioate 232  
*see also* Enantioselective . . .
- Chiral reagent synthesis, Benzotriazole methodology, 2,5-dimethoxytetrahydrofuran 205–206
- Chloramine, *see also* *N*-Aminophthalimide 19–23
- Chlorinations  
 aromatics, copper(II) chloride 75–76  
 carbonyls, copper(II) chloride 75  
 2-chloro-1,3-dimethylimidazolium chloride 59
- $\alpha$ -Chlorinations  
 ammonium nitrate 27  
*O,O*-dialkylchalcogenophosphonates, phosphorus oxychloride 487
- Chlorine, *see also* Copper(II) chloride 75–83
- Chloroaldehydes, synthesis, from carbonyl compounds, phosphorus oxychloride 483
- Chloroauric acid *see* Hydrogen tetrachloroaurate (Chlorocarbonyl)ethylketene, *see also* Malonyl chloride 387–389
- 2*H*-4-Chlorochromenes, synthesis, phosphorus oxychloride 486
- 2-Chloro-1,3-dimethylimidazolielium hexafluorophosphate (CIP), *see also* 2-Chloro-1,3-dimethylimidazolium chloride 57–60
- 2-Chloro-1,3-dimethylimidazolium chloride (DMC) 57–60**
- 2-Chloroethyl vinyl ether, *see also* Acetaldoxime 1–7
- 3-Chloroisoxazoles, synthesis, dichloroformaldehyde oxime 185–186
- 3-Chloroisoxazolines, synthesis, dichloroformaldehyde oxime 185
- Chloromethyleneiminium ions, synthesis, phosphorus oxychloride 482
- Chloropalladations, dichloro bis(acetonitrile) palladium 141
- 5-Chloropyrrole carboxaldehydes, synthesis, phosphorus oxychloride 486
- 4-Chloroquinoline derivatives, synthesis, phosphorus oxychloride 487
- N*-Chlorosuccinimide, *see also* Copper(II) chloride 75–83
- $\beta$ -Chlorosulfides, synthesis, from olefins, phosphorus oxychloride 485
- CIP *see* 2-Chloro-1,3-dimethylimidazolielium hexafluorophosphate
- Cis/trans* isomerizations, arylalkenes, dichloro bis(acetonitrile) palladium 146–147

- Clauson–Kaas reactions, 2,  
5-dimethoxytetrahydrofuran 204–205
- Cleavage reactions  
carbon–carbon bonds  
(diacetoxyiodo)benzene 120  
phosphorus oxychloride 487  
cyclopropanes, iodine 360, 365  
epoxides, iodine 365  
oxidative  
alkenes, oxygen 408–409  
selenium(IV) oxide 532, 536–537  
phenyliodine(III) bis(trifluoroacetate) 472  
phosphorus oxychloride 487  
photocleavage of protecting groups,  
semicarbazide 545–546
- Colvin rearrangement, alkylidene carbenes, diazo(trimethylsilyl)  
methylithium 131
- Complexations, amino acids, copper(II) sulfate 98
- Condensations  
aldehydes  
2,4-dinitrophenylhydrazine 245  
indium tribromide 346  
amines, indium tribromide 346  
anions, acetone hydrazone 9–10  
base-mediated, ethyl 2-diazo-3-oxybutyrate 280  
carbonyl compounds, 2,2-difluoroethylamine 198  
2-chloro-1,3-dimethylimidazolium chloride 57  
ketones, 2,4-dinitrophenylhydrazine 245  
malonyl chloride 387–388  
three-component reactions, copper(II)  
trifluoromethanesulfonate 108–109  
*see also* Knoevenagel condensations
- Conjugate additions  
asymmetric, copper(II) trifluoromethanesulfonate 110, 114  
copper(II) chloride 76–77  
with cyclizations, dimethyl 2,3-pentadienedioate 231–232,  
235  
indium tribromide 346–348  
sodium tetrachloroaurate(III) 574  
to activated alkenes  
2,2-difluoroethylamine 196–197  
trifluoroethanamine 614
- Conjugated dienes  
arylselenations, phosphorus oxychloride 486–487  
functionalization, palladium(II) acetate 416–417, 426
- Connective reagents, *p*-tolylsulfonylmethyl isocyanide 600,  
603–604
- Cope rearrangements, dichloro bis(acetonitrile) palladium 145
- Copper–amine complexes, copper(I) chloride 63–64
- Copper(I) bromide, *see also* Copper(I) iodide 83–93
- Copper carbenoids, diazo compound decomposition to reactive  
intermediates, copper(II) sulfate 94, 97
- Copper(I) chloride** 61–75  
*see also* Copper(II) chloride 75–83  
*see also* Copper(I) iodide 83–93
- Copper(I) chloride combination reagents, *see also* Copper(I)  
iodide 83–93
- Copper(I) chloride–oxygen  
*see also* Copper(I) chloride 61–75  
*see also* Oxygen 402–414
- Copper(I) chloride–sulfur dioxide  
*see also* Copper(I) chloride 61–75  
*see also* Copper(II) chloride 75–83
- Copper(I) chloride–tetrabutylammonium chloride  
*see also* Copper(I) chloride 61–75  
*see also* Copper(II) chloride 75–83
- Copper(I) chloride–oxygen, *see also* Copper(II)  
chloride 75–83
- Copper(II) chloride** 75–83  
*see also* Copper(I) chloride 61–75
- Copper(II) chloride–copper(II) oxide  
*see also* Copper(I) chloride 61–75  
*see also* Copper(II) chloride 75–83
- Copper(I) cyanide, *see also* Copper(I) iodide 83–93
- Copper hydride, synthesis, copper(I) chloride 70–71
- Copper(I) iodide** 83–93  
*see also* Copper(I) chloride 61–75
- Copper(II) sulfate** 93–104  
copper(II) trifluoromethanesulfonate 104–115
- Copper(II) triflate *see* Copper(II) trifluoromethanesulfonate
- Copper(I) trifluoromethanesulfonate  
*see also* Copper(I) iodide 83–93  
*see also* Copper(II) trifluoromethanesulfonate 104–115
- Copper(II) trifluoromethanesulfonate** 104–115  
*see also* Copper(II) sulfate 93–104
- Couplings  
allylic alcohols, palladium(II) acetate 419–420  
aryl alcohols, *p*-tolylsulfonylmethyl isocyanide 606  
with aryl boronic acids, dimethyl diazomalonate 226–227  
with arylsiloxanes, dimethyl diazomalonate 226  
biaryl  
metal-catalyzed bond functionalization, oxygen 410  
oxidative, phenyliodine(III) bis  
(trifluoroacetate) 477–478  
carbon–carbon bond formation, copper(II)  
trifluoromethanesulfonate 111  
copper(I) chloride 65  
dichloro bis(acetonitrile) palladium 147–148  
diene formation, palladium(II) acetate 419  
enyne formation, palladium(II) acetate 419  
five-membered heterocycles, direct functionalization,  
palladium(II) acetate 441  
heteroarylolithiums, phosphorus oxychloride 485  
imidazo[1,5-*a*]pyridines, direct functionalization,  
palladium(II) acetate 443  
indium tribromide 348  
multicomponent, gold(III) chloride 306  
oxidative  
benzoic acid, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,  
2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]  
diiridium 170–171  
biaryl, phenyliodine(III) bis(trifluoroacetate) 477–478  
copper(II) trifluoromethanesulfonate 105  
five-membered heterocycle direct functionalization,  
palladium(II) acetate 441  
Heck-type, oxygen 411  
imidazo[1,5-*a*]pyridines, direct functionalization,  
palladium(II) acetate 443

- selenium(IV) oxide 540  
 oxidized phenolic derivatives, copper(II) chloride 77  
 palladium(II) acetate 427–429  
 peptide bonds, racemization suppression, copper(II) chloride 78  
 phenols/enolizable ketones, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 175  
 reductive, oxygen 411  
 Sonogashira type, dichloro bis(acetonitrile) palladium 148  
 Stille type  
   copper(I) chloride 65  
   dichloro bis(acetonitrile) palladium 147–148  
 Cross-couplings  
   copper(I) chloride 70  
   copper(II) chloride 81  
   copper(I) iodide 88–89  
   Csp–Csp<sup>2</sup>, copper(I) iodide 89–90  
   dichloro bis(acetonitrile) palladium 147–149  
   dichlorobis(triphenylphosphine)palladium(II) 154–156  
   iron(III) chloride 380, 381  
   organometallics, carbon–carbon bond formation, tetrakis(triphenylphosphine)palladium(0) 585–587  
   organosilanes, copper(I) iodide 89  
   organostannanes/organoboranes, copper(I) iodide 88–89  
   palladium(II) acetate 419, 427–429  
 Crystalline carbonyl derivatives, synthesis, semicarbazide 542  
 Csp–Csp bond formation, copper(I) iodide 89  
 Csp<sup>2</sup>Csp<sup>3</sup> bond formation, copper(I) iodide 89  
 Csp–Csp<sup>2</sup> cross-couplings, copper(I) iodide 89–90  
 Cu–HCC, synthesis, copper(I) chloride 70–71  
 Cupric chloride *see* Copper(II) chloride  
 Cuprous chloride *see* Copper(I) chloride  
 Cyanamide, *see also* Diphenyl cyanocarbonimidate 247–248  
 Cyanations  
   halogen exchange, copper(I) iodide 87  
   indium tribromide 348  
   reductive, *p*-tolylsulfonylmethyl isocyanide 599, 600–601  
   *p*-tolylsulfonylmethyl isocyanide 599, 600–601  
 Cyanide, in situ anion formation, ammonium bicarbonate 31–32  
 Cyanogen bromide, *see also* *S*-Methylisothiourea 395–396  
*N*-Cyanoguanidines, synthesis, diphenyl cyanocarbonimidate 248  
 Cyanomethane *see* Acetonitrile  
 3-Cyanopyrroles, synthesis, *p*-tolylsulfonylmethyl isocyanide 602–603  
 Cyanotrimethylsilane, additions across the carbon=nitrogen double bond, acetaldoxime 2  
 Cyclic acylpalladation, type II, dichlorobis(triphenylphosphine)palladium(II) 162  
 Cyclic sulfides, synthesis, sodium sulfide 562–563, 565–566, 568–569  
 Cyclization-anion-capture cascades, palladium(II) chloride 460–461  
 Cyclizations  
   alkenes, iron(III) bromide 377  
   alkenyl silyl enol ethers  
     carbocycle formation, palladium(II) acetate 432  
     palladium(II) acetate 421–422  
   alkynes, iron(III) bromide 377  
   arenes, gold(III) chloride 298–299, 300  
   aromatic ring formation, polyphosphoric acid 498  
   Aza-Friedel–Crafts, copper(II) trifluoromethanesulfonate 111  
   carbon–hydrogen bond activation, ethyl 2-diazo-3-oxybutyrate 275–277  
   with conjugate addition, heterocycle synthesis, dimethyl 2,3-pentadienedioate 231–232, 235  
   copper(I) chloride 62–63  
   copper(II) trifluoromethanesulfonate 113–114  
   β-diketones, phenyliodine(III) bis(trifluoroacetate) 474  
   dirhodium tetrakis-(heptafluorobutyramide) 266  
   gold(III) chloride 298–299, 300–302, 315–316  
   heterocycles, polyphosphoric acid 499–500  
   indium tribromide 349–351  
   intramolecular, oxygen 411  
   iron(III) bromide 376–377  
   Nazarov, copper(II) trifluoromethanesulfonate 109  
   non-aromatic moieties, polyphosphoric acid 498–499  
   phenolic compounds, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 175, 178  
   polyphosphoric acid 498–499  
   Prins-type, iron(III) bromide 376–377  
   Pummerer-type, phenyliodine(III) bis(trifluoroacetate) 474  
   simple dienes, palladium(II) acetate 422  
   *see also* Oxidative cyclizations  
 1,2-Cycloadditions, 1-aza-1,3-dienes, α-methacrolein *N*-tert-butylimine 390  
 1,4-Cycloadditions, 1-aza-1,3-dienes, α-methacrolein *N*-tert-butylimine 390  
 [2+1] Cycloadditions  
   cascades, palladium(II) chloride 457–458  
   dimethyl diazomalonate 217–218  
 [2+2] Cycloadditions, cascades, palladium(II) chloride 457–458  
 [3+2] Cycloadditions  
   *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 45–46  
   cascades, palladium(II) chloride 458–459  
   diazo(trimethylsilyl)methyl lithium 133  
   dimethyl 2,3-pentadienedioate 234  
   ethyl 2-diazo-3-oxybutyrate 278–279  
 [4+1] Cycloadditions  
   cascades, palladium(II) chloride 458  
   dimethyl diazomalonate 217–218, 226  
 [4+2] Cycloadditions, cascades, palladium(II) chloride 459–460  
 [5+2] Cycloadditions, dimethyl 2,3-pentadienedioate 234  
 [3+2+1] Cycloadditions, cascades, palladium(II) chloride 459–460  
 Cycloadditions  
   cascades, palladium(II) chloride 457–460  
   copper(II) trifluoromethanesulfonate 109, 112  
   2,3-dichloro-5,6-dicyano-1,4-benzoquinone 176, 180  
   dimethyl 1,2,4,5-tetrazine-3,6-dicarboxylate 237, 239–241  
   di-*p*-tolylcarbodiimide 271  
   formal 1,5-dipoles, ethyl 2-diazo-3-oxo-3-phenylpropanoate 274  
   gold(III) chloride 306–307

- Cycloadditions (*Continued*)  
 $\alpha$ -methacrolein *N*-*tert*-butylimine 390  
palladium(II) acetate 422  
phenyliodine(III) bis(trifluoroacetate) 480  
*see also* Diels–Alder cycloadditions; 1,3-Dipolar cycloadditions
- Cycloalkylamines, reactions, sodium nitrate 551
- Cyclodehydrations, heterocycle synthesis, 2-chloro-1,3-dimethylimidazolium chloride 58–59
- $\beta$ -Cyclodextrin-mediated synthesis, *N*-substituted azepines, 2,5-dimethoxytetrahydrofuran 207
- 1,3-Cyclohexadienes, synthesis, cyclopentadienylbis(triphenylphosphine)cobalt(I) 116
- Cyclohexene  
*see also* Acetaldoxime 1–7  
*see also* Iodine 358–374
- N*-Cyclohexyl-*N,N'*-dimethylformamide, *see also* Formamide acetate 289–290
- Cyclohexyl isocyanide  
*see also* Phenyl isocyanide 467–468  
*see also* *o*-Tolyl isocyanide 598–599
- Cycloisomerizations  
enynes, palladium(II) acetate 422, 432  
gold(III) chloride 299–300  
triphenylphosphinegold(I) chloride 639–640  
(1,5-Cyclooctadiene)(cyclopentadienyl)-cobalt(I), *see also* Cyclopentadienylbis(triphenylphosphine)cobalt(I) 115–117
- Cyclopalladations, allyl/homoallyl compounds, palladium(II) chloride 452
- Cyclopentadienylbis(triphenylphosphine)cobalt(I)** 115–117
- Cyclopentadienyl(triphenylphosphine)cobaltcyclopentadiene complexes, synthesis, cyclopentadienylbis(triphenylphosphine)cobalt(I) 116
- Cyclopropanations  
alkenes, (diacetoxyiodo)benzene 125  
asymmetric, styrene, copper(II) trifluoromethanesulfonate 108  
carbocycle formation, palladium(II) acetate 433  
catalytic, copper(II) chloride–copper(II) acetate 78  
dimethyl diazomalonate 215–216, 217–218, 220–222  
intramolecular, iodonium ylides, (diacetoxyiodo)benzene 120–121  
metal carbene transformations, dirhodium(II) tetraacetate 249, 253–254, 257–258  
palladium(II) acetate 422–423  
trifluomethyldiazomethane 607–608
- Cyclopropane cleavage, iodine 360, 365
- Cyclopropanations  
dimethyl diazomalonate 222  
metal carbene transformations, dirhodium(II) tetraacetate 249, 257–258  
trifluomethyldiazomethane 607–608
- Cytosines, 1-substituted, synthesis, phosphorus oxychloride 486
- DAMN *see* Diaminomaleonitrile
- DCC *see* Dicyclohexyl carbodiimide
- DDQ *see* 2,3-Dichloro-5,6-dicyano-1,4-benzoquinone
- Deacetalizations, indium tribromide 343
- Deacetylations, selective, guanidine 324
- Decarboxylations, (diacetoxyiodo)benzene 124
- Decarboxylative Blaise reactions, indium tribromide 351
- Dehalogenative rearrangements, silver(I) hexafluoroantimonate 548
- Dehydrating properties, polyphosphoric acid 497–498, 499
- Dehydrations  
alcohols  
copper(II) trifluoromethanesulfonate 106  
phosphorus oxychloride 484–485  
amides, phosphorus oxychloride 484  
2-chloro-1,3-dimethylimidazolium chloride 57–58  
heterocycle synthesis, 2-chloro-1,3-dimethylimidazolium chloride 58–59  
trifluoromethanesulfonic anhydride 621, 623, 625
- Dehydrogenations  
carbonyl compounds, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 173, 176–177  
hydrocarbons, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 176  
metal-catalyzed bond functionalization, oxygen 409–410  
sulfur 578–579
- Deoxygenations  
carbonyls, palladium(II) acetate 425  
epoxides, dimethyl diazomalonate 216–217, 219
- Deprotection  
2,3-dichloro-5,6-dicyano-1,4-benzoquinone 178–179  
functional groups, iodine 367  
palladium(II) acetate 435–436  
photocleavage of protecting groups, semicarbazide 545–546  
potassium monoperoxysulfate 522  
semicarbazones/silylated ethers, *N,N,N'*, *N'*-tetrabromobenzene-1,3-disulfonamide 584  
tetrakis(triphenylphosphine)palladium(0) 589–590
- Dethioacetalization, phenyliodine(III) bis(trifluoroacetate) 474
- Deuterium labeling, dichlorotris(triphenylphosphine)ruthenium(II) 189
- 1,1-Diacetates, *trans*-dithioacetalization, phosphorus oxychloride 485
- Diacetatopalladium(II) *see* Palladium(II) acetate
- Diacetonyl *see* 2,5-Hexanedione
- (Diacetoxyiodo)benzene (DIB)** 119–127
- Diacetyl, *see also* 1,3-Diisopropyl-1,3-propanedione 200–203
- 1,2-Diacetyethane *see* 2,5-Hexanedione
- O,O*-Dialkylchalcogenophosphonates,  $\alpha$ -chlorinations, phosphorus oxychloride 487
- 7,9-Dialkylpurin-8-one analogs, synthesis, pivalic acid 496
- 3,4-Dialkylpyrroles, synthesis, *p*-tolylsulfonylmethyl isocyanide 602–603
- Diamines, synthesis of guanidine derivatives, *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 40–41
- Diaminomaleonitrile (DAMN)** 128–129
- Diaryl alkenes, reactions, iodine 366
- Diastereoselective Passerini reaction, *p*-tolylsulfonylmethyl isocyanide 606

- 1,2-Diaza-1,3-butadienes, polymer supported, semicarbazide 545
- 3-Diazo-1-benzopyran-2,4-dione, *see also* Ethyl 2-diazo-3-oxo-3-phenylpropanoate 273–275
- $\alpha$ -Diazo carbonyl compounds, carbene precursors, ethyl 2-diazo-3-oxo-3-phenylpropanoate 273–275
- Diazo carbonyl compounds, catalytic dinitrogen extrusion, dirhodium(II) tetraacetate 249–252, 253, 257–260
- Diazo compounds
- carbene synthesis, palladium(II) chloride 456
  - reactions, copper(II) trifluoromethanesulfonate 105–106
  - synthesis
    - 2,2-difluoroethylamine 195
    - trifluoroethanamine 612
- Diazo ketones
- synthesis
    - activating groups, diethyl oxalate 194–195
    - diazo(trimethylsilyl)methyl lithium 130, 134
- 2-Diazoniobenzenecarboxylate, *see also* 2-(Trimethylsilyl)phenyl triflate 635–638
- Diazonium salts
- arene acetylations, acetaldoxime 1, 3
  - reactions, sodium nitrate 551–552
- 2-Diazo-3-oxobutanoic acid, ethyl ester *see* Ethyl 2-diazo-3-oxobutanoate
- 2-Diazopropane, *see also* Acetone hydrazone 7–11
- Diazotization, amines, sodium nitrate 551–552, 553–554, 556–557
- 2-Diazo-4,4,4-trifluoro-acetoacetic acid, ethyl ester *see* Ethyl 2-diazo-4,4,4-trifluoro-3-oxobutanoate
- 1-Diazo-2,2,2-trifluoroethane *see* Trifluoromethyldiazomethane
- 2-Diazo-1,1,1-trifluoroethane *see* Trifluoromethyldiazomethane
- 2-Diazo-4,4,4-trifluoro-3-oxobutanoic acid ethyl ester *see* Ethyl 2-diazo-4,4,4-trifluoro-3-oxobutanoate
- Diazo(triisopropylsilyl)methyl lithium, *see also* Diazo(trimethylsilyl)methyl lithium 129–135
- 2-Diazo-2-(trimethylsilyl)ethanols, utilization, diazo(trimethylsilyl)methyl lithium 130–131
- Diazo(trimethylsilyl)methyl lithium** 129–135
- DIB *see* (Diacetoxyiodo)benzene
- Dibromoformaldehyde oxime** 135–136
- see also* Dichloroformaldehyde oxime 184–186
- DIC *see* *N,N'*-Diisopropyl carbodiimide
- Dicarbonyl(cyclopentadienyl)cobalt(I), *see also* Cyclopentadienylbis(triphenylphosphine)cobalt(I) 115–117
- $\beta$ -Dicarbonyl systems, iodonium ylide formation and intramolecular cyclopropanation, (diacetoxyiodo)benzene 120
- Dicarboxydimethyl sulfide *see* 3-Thiাপentanedioic acid
- Dicarbonyl compounds, reactions, trifluoromethanesulfonic anhydride 619
- Dichlorinations, dimethyl diazomalonate 229
- Dichloro bis(acetonitrile) palladium** 137–152
- see also* Palladium(II) chloride 449–467
- Dichlorobis(triphenylphosphine)palladium(II)** 152–164
- see also* Palladium(II) chloride 449–467
- Di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium** 164–172
- 2,3-Dichloro-5,6-dicyano-1,4-benzoquinone (DDQ)** 172–184
- Dichloroformaldehyde oxime** 184–186
- see also* Dibromoformaldehyde oxime 135–136
- N*-Dichloromethylene-*N,N*-dimethyliminium chloride, *see also* Diphenyl cyanocarbonimidate 247–248
- Dichloro palladium(II) complexes, synthesis, dichloro bis(acetonitrile) palladium 149–150
- Dichlorotris(triphenylphosphine)ruthenium(II)** 186–191
- Dicyanoisimidazole synthesis, diiminosuccinonitrile 199–200
- Dicyanotetrahydropyrazines, synthesis, diiminosuccinonitrile 199–200
- Dicyclohexyl carbodiimide (DCC)
- see also* 2-Chloro-1,3-dimethylimidazolinium chloride 57–60
  - see also* Di-*p*-tolylcarbodiimide 267–272
- Diels–Alder cycloadditions
- copper(II) trifluoromethanesulfonate 107–108
  - diphenyl cyanocarbonimidate 248
  - homophthalate diester synthesis, dimethyl 2,3-pentadienedioate 231, 232–233
  - homophthalate synthesis, dimethyl 2,3-pentadienedioate 232–233
  - iron(III) bromide 378
  - pyrrole and furan, dimethyl 2,3-pentadienedioate 233–234
  - six-membered heterocycle synthesis, dimethyl 2,3-pentadienedioate 231, 233
- Dienes
- cyclizations, palladium(II) acetate 422
  - synthesis, by coupling/cross-coupling, palladium(II) acetate 419, 428–429
- Dienols, synthesis, allylic alcohol couplings, palladium(II) acetate 429
- (Diethoxyphosphoryl)acetonitrile oxide** 191–192
- N,N*-Diethylaminoacetonitrile, *see also* *p*-Tolylsulfonylmethyl isocyanide 599–607
- Diethyl carbonate, *see also* Diethyl oxalate 192–195
- Diethyl ethoxymethylenemalonate, *see also* Ethyl ethoxymethylenecyanoacetate 284–287
- Diethyl isocyanomethylphosphonate, *see also* *p*-Tolylsulfonylmethyl isocyanide 599–607
- Diethyl oxalate** 192–195
- Diethylzinc–bromoform–oxygen, *see also* Oxygen 402–414
- 2,2-Difluoroethanamine *see* 2,2-Difluoroethylamine
- 2,2-Difluoroethan-1-amine *see* 2,2-Difluoroethylamine
- 2,2-Difluoroethylamine** 195–199
- 2,5-Dihydro-2,5-dimethoxyfuran, *see also* 2,5-Dimethoxytetrahydrofuran 203–208
- Dihydrofurans, synthesis, dimethyl diazomalonate 228–229
- Dihydropyridazines, synthesis, 2,5-dimethoxytetrahydrofuran 203
- 1,4-Dihydropyridine, *see also* Iodine 358–374
- cis*-Dihydroxylations/oxidative cleavage sequence, alkenes, oxygen 408–409
- Diimides, synthesis from hydrazine, (diacetoxyiodo)benzene 121
- Diiminosuccinonitrile (DISN)** 199–200
- Diisobutrylmethane *see* 1,3-Diisopropyl-1,3-propanedione

- N,N*-Diisopropyl carbodiimide (DIC), *see also* Di-*p*-tolylcarbodiimide 267–272
- 1,3-Diisopropyl-1,3-propanedione** 200–203
- Diketene, *see also N,N*-Dimethylacetamide dimethyl acetal 208–215
- 2,5-Diketohexane *see* 2,5-Hexanedione
- 1,3-Diketones, additions to alkenes, gold(III) chloride 305
- $\beta$ -Diketones, cyclizations, phenyliodine(III) bis (trifluoroacetate) 474
- Dimerizations
- aryllithium, iron(III) chloride 379
  - indium tribromide 351
- 1,3-Dimethoxycarbonyllallene *see* Dimethyl 2,3-pentadienedioate
- 2,5-Dimethoxytetrahydrofuran (DMTHF)** 203–208
- N,N*-Dimethylacetamide dimethyl acetal 208–215
- N*-(3-Dimethylaminopropyl)-*N'*-ethylcarbodiimide (EDCI)
- hydrochloride, *see also* 2-Chloro-1,3-dimethylimidazolium chloride 57–60
- (*S*)-*N,N*-Dimethyl-*N'*-(1-*t*-butoxy-3-methyl-2-butyl)-formamidine, *see also* Formamidine acetate 289–290
- Dimethyl diazomalonalate** 215–230
- Dimethyldioxirane, *see also* Potassium monoperoxysulfate 512–530
- 2,6-Dimethyl-3,5-dioxoheptane *see* 1,3-Diisopropyl-1,3-propanedione
- N,N*-Dimethylformamide diethyl acetal
- see also N,N*-Dimethylacetamide dimethyl acetal 208–215
  - see also* Formamidine acetate 289–290
- 2,5-Dimethylfuran, synthesis, 2,5-hexanedione 328
- 2,6-Dimethylheptane-3,5-diketone *see* 1,3-Diisopropyl-1,3-propanedione
- 2,6-Dimethyl-3,5-heptanedione *see* 1,3-Diisopropyl-1,3-propanedione
- 2,6-Dimethylheptane-3,5-dione *see* 1,3-Diisopropyl-1,3-propanedione
- N,N*-Dimethylhydrazine
- see also* Acetone hydrazone 7–11
  - see also* 2,4-Dinitrophenylhydrazine 244–246
  - see also* Phenylhydrazine 468–472
  - see also* Semicarbazide 542–547
- Dimethyl 2,3-pentadienedioate** 230–236
- 2,2-Dimethylpropanoic acid *see* Pivalic acid
- N,N*-Dimethylpropionamide dimethyl acetal, *see also N,N*-Dimethylacetamide dimethyl acetal 208–215
- 2,5-Dimethylpyrroles
- primary amine protecting group, 2,5-hexanedione 327–328
  - synthesis, 2,5-hexanedione 327
- Dimethyl sulfate, *see also N,N*-Dimethylacetamide dimethyl acetal 208–215
- Dimethyl sulfoxide–iodine, *see also* Iodine 358–374
- Dimethyl 1,2,4,5-tetrazine-3,6-dicarboxylate** 236–244
- 2,4-Dinitrophenylhydrazine (DNPH2)** 244–246
- see also* Phenylhydrazine 468–472
- O*-(2,4-Dinitrophenyl)hydroxylamine (DnpONH<sub>2</sub>)
- see also N*-Aminophthalimide 19–23
  - see also* 2,4-Dinitrophenylhydrazine 244–246
- 1,2-Dinucleophiles, five membered ring synthesis, ethyl ethoxymethylenecyanoacetate 285
- 1,3-Dinucleophiles, six membered ring synthesis, ethyl ethoxymethylenecyanoacetate 285
- 1,4-Dinucleophiles, N-heterocycle synthesis, ethyl ethoxymethylenecyanoacetate 285–286
- Diols, monoacylations, *N,N*-Dimethylacetamide dimethyl acetal 210
- 1,2-Diones, dioxygenation, copper(II) chloride 77
- Dioxiranes, synthesis, from ketones, potassium monoperoxysulfate 512, 516
- Dioxygenations, 1,2-diones, copper(II) chloride 77
- Diphenoxymethylenecyanamide *see* Diphenyl cyanocarbonimidate
- Diphenyl cyanocarbonimidate (DPCC)** 247–248
- see also* Guanidine 322–325
  - see also S*-Methylisothiourea 395–396
- Diphenyl *N*-cyanoimidocarbonate *see* Diphenyl cyanocarbonimidate
- O*-(Diphenylphosphinyl) hydroxylamine (DppONH<sub>2</sub>), *see also N*-Aminophthalimide 19–23
- Diphenylsilane–tetrakis(triphenylphosphine)palladium(0)–zinc chloride, *see also* Tetrakis(triphenylphosphine)palladium(0) 585–594
- 1,3-Dipolar cycloadditions
- acetaldoxime 2, 3
  - acetone hydrazone 8
  - acetonitrile *N*-oxide 18
  - 1-amino-pyridinium iodide 24–26
  - benzonitrile *N*-oxide 33–35
  - dibromoformaldehyde oxime 135–136
  - dichloroformaldehyde oxime 184–186
  - 2,2-difluoroethylamine 195
  - dimethyl 2,3-pentadienedioate 231
  - trifluomethyl diazomethane 609–610
- 1,5-Dipoles, formal, ethyl 2-diazo-3-oxo-3-phenylpropanoate 274
- Direct functionalization
- bridghead *N*-atom containing heterocycles, palladium(II) acetate 442–443
  - five-membered heterocycles, palladium(II) acetate 439–442
  - heteroarenes, using non-halide electrophiles, palladium(II) acetate 443
  - indoles, palladium(II) acetate 437–439
  - pyridine derivatives, palladium(II) acetate 436–437, 443
- Dirhodium(II) tetraacetate** 249–264
- Dirhodium tetrakis-(heptafluorobutyramide)** 265–267
- Dirhodium tetrakis(perfluorobutyramide) *see* Dirhodium tetrakis-(heptafluorobutyramide)
- DISN *see* Diiminosuccinonitrile
- Disodium tetrachloropalladate(II), *see also* Palladium(II) chloride 449–467
- Disulfides
- synthesis
  - hydrogen sulfide 332
  - sodium sulfide 563, 565
- trans*-Dithioacetalization, 1,1-diacetates, phosphorus oxychloride 485
- Di-*p*-tolylcarbodiimide** 267–272

- Divinyl ketone, *see also* Acetaldoxime 1–7  
 (Di)vinylpyrroles, synthesis, *p*-tolylsulfonylmethyl isocyanide 602–603  
 Diyl trapping reactions, intramolecular, dimethyl 2, 3-pentadienedioate 235  
 Diynes, cycloisomerizations, triphenylphosphinegold(I) chloride 639–640  
 DMC *see* 2-Chloro-1,3-dimethylimidazolium chloride  
 DMTHF *see* 2,5-Dimethoxytetrahydrofuran  
 DNPH2 *see* 2,4-Dinitrophenylhydrazine  
 DnpONH2 *see* *O*-(2,4-Dinitrophenyl)hydroxylamine  
 Domino reactions  
    $\pi$ -acids/Lewis acids, sodium tetrachloroaurate(III) 576  
   gold(III) chloride 314–315  
 Double carbon monoxide insertions, cyclization cascades, palladium(II) chloride 461  
 DPCC *see* Diphenyl cyanocarbonimidate  
 DppONH2 *see* *O*-(Diphenylphosphinyl) hydroxylamine  
 Dual carbon–hydrogen bond activation, 9,9'-bifluorenylidene derivatives synthesis, pivalic acid 496  
  
 EDCI *see* *N*-(3-Dimethylaminopropyl)-*N'*-ethylcarbodiimide  
 Electrophilic acetylation, bromoacetone 47–49  
 Electrophilic additions  
   dichloro bis(acetonitrile) palladium 137–142  
   1,1,1-trifluoro-*N*-phenylmethanesulfenamide 633  
 Electrophilic iodinations, catalysts, sodium nitrate 559  
 Electrophilic–nucleophilic tandem ring closures, methyl isocyanate 393–394  
 Electrophilic reactions  
   benzonitrile *N*-oxide 33  
   hydroxylamine 335–336, 337–338, 340  
 Electrophilic trifluoromethylthiolations, 1,1,1-trifluoro-*N*-phenylmethanesulfenamide 633–634  
 Eliminations  
   copper(II) trifluoromethanesulfonate 106  
   tetrakis(triphenylphosphine)palladium(0) 590  
 EMCA *see* Ethyl ethoxymethylenecyanoacetate  
 Enaminations, indium tribromide 351  
 Enamines, aromatization, dichloro bis(acetonitrile) palladium 146  
 Enantioselective . . . , *see also* Chiral . . .  
 Enantioselective alkylations, copper(II)  
   trifluoromethanesulfonate 106–107, 113  
 Enantioselective allylic substitutions, copper(II)  
   trifluoromethanesulfonate 111  
 Enantioselective Friedel–Crafts alkylations, copper(II)  
   trifluoromethanesulfonate 106–107  
 Enantioselective oxidations, alcohols, palladium(II) chloride 464  
 Enantioselective radical polymerizations, copper(II)  
   trifluoromethanesulfonate 109  
 Endoperoxides, reductions, thiourea 596  
 Ene reactions, Lewis acid catalysts, iron(III) chloride 380, 384  
 Enolates  
   oxidations, to  $\alpha,\beta$ -unsaturated aldehydes and ketones, palladium(II) acetate 423–424  
   regioselective protonation, pivalic acid 490  
  
 Enol ethers, hydrolysis reactions, dichloro bis(acetonitrile) palladium 146  
 1,5-Enynes, cycloisomerizations, gold(III) chloride 299–300  
 Enynes  
   cycloisomerizations  
     carbocycle formation, palladium(II) acetate 432  
     palladium(II) acetate 422  
     triphenylphosphinegold(I) chloride 639  
   synthesis  
     by coupling/cross-coupling, palladium(II) acetate 419  
     by coupling and cross-coupling, palladium(II) acetate 428–429  
 Episulfides, synthesis, thiourea 596  
 Epoxidations  
   alkenes, (diacetoxyiodo)benzene 124  
   phenyliodine(III) bis(trifluoroacetate) 476  
   potassium monoperoxysulfate 513–514, 517  
 Epoxides  
   cleavage reactions, iodine 365  
   deoxygenations, dimethyl diazomalonate 216–217, 219  
 Eschenmoser–Claisen rearrangements, *N,N*-Dimethylacetamide dimethyl acetal 209–212  
 Ester analogs, amidations, 2,2-difluoroethylamine 197  
 Ester group modification/removal, dimethyl 1,2,4,5-tetrazine-3,6-dicarboxylate 241  
 Esterifications  
   copper(II) trifluoromethanesulfonate 111–112  
   di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 167  
   indium tribromide 353  
   potassium ethyl xanthate 510–511  
 Esters  
   amidations, 2,2-difluoroethylamine 197  
   oxalic acid, diethyl oxalate 192–195  
   synthesis, alcoholysis, dichlorobis(triphenylphosphine) palladium(II) 159–160  
 1,2- and 1,3-Ester shift reactions, gold(III) chloride 307–308  
 Ethane, 2-diazo-1,1,1-trifluoro- *see* Trifluoromethyldiazomethane  
 Ethanenitrile *see* Acetonitrile  
 Etherifications, dimethyl diazomalonate 217, 220, 222–223  
 3-Ethoxyacrolein  
   *see also* Ethyl ethoxymethylenecyanoacetate 284–287  
   *see also*  $\alpha$ -Methacrolein *N*-*tert*-butylimine 389–390  
 3-Ethoxyacrylonitrile, *see also* Ethyl  
   ethoxymethylenecyanoacetate 284–287  
 Ethoxycarbonyl isothiocyanate, *see also* Benzonitrile *N*-oxide 33–35  
 Ethoxymethylenemalonitrile, *see also* Ethyl  
   ethoxymethylenecyanoacetate 284–287  
 Ethyl acetoacetate, *see also* Acetone hydrazone 7–11  
 Ethyl chloroformate, *see also* Formamidine acetate 289–290  
 Ethyl cyanoacetate, *see also* Ethyl  
   ethoxymethylenecyanoacetate 284–287  
 Ethyl 2-diazoacetoacetate *see* Ethyl 2-diazo-3-oxybutyrate  
 Ethyl  $\alpha$ -diazobenzoylacetate *see* Ethyl 2-diazo-3-oxo-3-phenylpropanoate  
 Ethyl diazolithioacetate, *see also* Diazo(trimethylsilyl)methyl lithium 129–135  
 Ethyl 2-diazo-3-oxobutanoate *see* Ethyl 2-diazo-3-oxybutyrate

- Ethyl 2-diazo-3-oxo-3-phenylpropanoate** 273–275  
 Ethyl  $\alpha$ -diazo- $\beta$ -oxo- $\beta$ -phenylpropionate *see* Ethyl 2-diazo-3-oxo-3-phenylpropanoate
- Ethyl 2-diazo-3-oxobutyrates** 275–281
- Ethyl 2-diazo-4,4,4-trifluoro-3-oxobutanoate** 281–284  
 Ethyl 3,3-diethoxyacrylate, *see also* *N,N*-Dimethylacetamide dimethyl acetal 208–215  
 Ethyl 3-ethoxyacrylate, *see also* Ethyl ethoxymethylenecyanoacetate 284–287  
 Ethyl ethoxymethyleneacetoacetate, *see also* Ethyl ethoxymethylenecyanoacetate 284–287
- Ethyl ethoxymethylenecyanoacetate (EMCA)** 284–287  
 Ethyl isocyanacetate  
*see also* Phenyl isocyanide 467–468  
*see also* *o*-Tolyl isocyanide 598–599  
*see also* *p*-Tolylsulfonylethyl isocyanide 599–607  
*O*-Ethyl *S*-potassium dithiocarbonate *see* Potassium ethyl xanthate  
 Ethyl vinyl ether, *see also* *N,N*-Dimethylacetamide dimethyl acetal 208–215
- FA *see* Formamidinium acetate  
 Fe(dibm)<sub>3</sub> *see* Iron tris(diisobutylmethane)  
 Ferric bromide *see* Iron(III) bromide  
 Ferric chloride *see* Iron(III) chloride  
 Ferrier rearrangements, indium tribromide 351  
 Ferrier-type reactions, gold(III) chloride 306  
 Fischer indole synthesis, phenylhydrazine 469–470  
 Five-membered rings  
 construction by cyclodehydrations, 2-chloro-1,3-dimethylimidazolium chloride 58–59  
 direct functionalizations, palladium(II) acetate 439–442  
 synthesis  
 cycloaddition cascades, palladium(II) chloride 458–459  
 1,2-dinucleophile reactions, ethyl ethoxymethylenecyanoacetate 285  
 dipolar cycloadditions, dimethyl 2,3-pentadienedioate 231  
 guanidine 322–323  
 2,5-hexanedione 327  
 phenylhydrazine 470
- Formal 1,5-dipoles, ethyl 2-diazo-3-oxo-3-phenylpropanoate 274  
 Formaldoxime, *see also* Acetaldoxime 1–7  
 Formamidinium acetate  
*see also* Guanidine 322–325  
*see also* *S*-Methylisothiurea 395–396
- Formamidinium acetate (FA)** 289–290  
 Formamidinium hydrochloride, comparison with formamidinium acetate 290  
 Formamidinesulfinic acid precursors, thiourea 596  
 Formic acid  
 one-carbon unit introduction in synthesis, dirhodium(II) tetraacetate 257  
*see also* Formamidinium acetate 289–290
- Formylations  
 alkenes, phosphorus oxychloride 482  
 aromatic rings, phosphorus oxychloride 482  
 heterocycles, phosphorus oxychloride 482
- O*-Formylations  
 sugars  
 phosphorus oxychloride 488  
 selective, phosphorus oxychloride 488
- Four-membered heterocycles  
 synthesis  
 cycloaddition cascades, palladium(II) chloride 458  
 cyclodehydrations, 2-chloro-1,3-dimethylimidazolium chloride 58
- Fragmentations, (diacetoxyiodo)benzene 120, 123  
 Fremy's salt (potassium nitrosodisulfonate), synthesis, sodium nitrate 553
- Friedel–Crafts reactions  
 Aza-Friedel–Crafts cyclizations, copper(II) trifluoromethanesulfonate 111  
 copper(II) trifluoromethanesulfonate 106–107  
 gold(III) chloride 302–303  
 indium tribromide 352  
 iron(III) bromide 378  
 trifluoromethanesulfonic anhydride 620
- Friedländer reactions  
 2,5-hexanedione 329  
 quinoline synthesis, sodium tetrachloroaurate(III) 575
- Fries rearrangements, phosphorus oxychloride 485–486  
 [60]Fullerenes, acene cycloadditions, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 176
- Functional group interchanges, methyl isocyanate 394
- Functionalization  
 alkenes, palladium-activated carbon nucleophiles, palladium(II) acetate 417–421  
 alkenes and other  $\pi$ -systems  
 with carbon nucleophiles, palladium(II) acetate 427–431  
 with heteroatom nucleophiles, palladium(II) acetate 425–427  
 carbon bearing non-allylic bonds, palladium(II) acetate 433–434  
 conjugated dienes, palladium(II) acetate 416–417, 426  
 heterocycles, pivalic acid 491–496  
*see also* Direct functionalization; Oxidative functionalization
- O*-Functionalization, acetaldoxime 2–3, 4–5
- Furanones, synthesis, (diethoxyphosphoryl)acetonitrile oxide 192
- Furans  
 synthesis  
 (diethoxyphosphoryl)acetonitrile oxide 192  
 2,5-dimethoxytetrahydrofuran 203–208  
 dimethyl diazomalonate 216, 228  
*see also* 2,5-Dimethoxytetrahydrofuran 203–208
- Furan-yne reactions, gold(III) chloride 317–318
- Fused heterocycles, synthesis, 1-amino-pyridinium iodide 24–26
- German saltpeter *see* Ammonium nitrate  
 Glutaraldehyde, *see also* 2,5-Dimethoxytetrahydrofuran 203–208  
 Glycine methyl ester *see* Methyl glycine  
 C-Glycosidations, dimethyl diazomalonate 217
- Glycosylations  
 copper(II) trifluoromethanesulfonate 107

- gold(III) chloride 310–311  
 potassium ethyl xanthate 509–510  
 stereodirecting solvents, acetonitrile 13–17  
 trifluoromethanesulfonic anhydride 624–625
- Gold–carbene complex synthesis, gold(III) chloride 312
- Gold(I) chloride** 291–298
- Gold(III) chloride** 298–321
- Gold compounds (AuCl<sub>3</sub>, NaAuCl<sub>4</sub>, HAuCl<sub>4</sub> · x(H<sub>2</sub>O), (n-Bu)<sub>4</sub>N<sup>+</sup>AuCl<sub>4</sub><sup>-</sup>), *see also* Triphenylphosphinegold(I) chloride 638–641
- Gold(0)/gold(1) precursors, sodium tetrachloroaurate(III) 576
- Grignard reagents, addition across carbonyl groups, bromoacetone 49
- Grubb's reagent, synthesis, dichlorotris(triphenylphosphine)ruthenium(II) 189–190
- Guanidine** 322–325  
*see also* Diphenyl cyanocarbonimidate 247–248  
*see also* S-Methylisothiourea 395–396
- Guanidines/derivative synthesis  
 N-[bis(methylthio)methylene]-p-toluenesulfonamide 38–41  
 diphenyl cyanocarbonimidate 248
- Guanylations, S-methylisothiourea 396
- Halide reactions, potassium monoperoxydisulfate 521–522
- $\alpha$ -Halo-esters, reactions, hydroxylamine 336
- Halogenations  
 alcohols, phosphorus oxychloride 483  
 copper(II) chloride 81  
 heterocycles, phosphorus oxychloride 483
- Halogen exchange-cyanations, copper(I) iodide 87
- Halogenolysis, dichlorobis(triphenylphosphine)palladium(II) 159
- $\alpha$ -Haloketones, bromoacetone 47–52
- HBTU *see* O-(Benzotriazol-1-yl)N,N,N',N'-tetramethyluronium hexafluorophosphate
- Heck couplings  
 alkene functionalization, palladium(II) acetate 417–419  
 carbocycle formation, palladium(II) acetate 421  
 dichlorobis(triphenylphosphine)palladium(II) 157–158  
 intramolecular, carbocycle formation, palladium(II) acetate 431–432  
 oxygen 411  
 palladium(II) acetate 417–419, 421, 427–428, 431–432  
 palladium(II) chloride 462, 463
- Heteroaromatic compounds (heteroarenes)  
 amines, reactions, sodium nitrate 552  
 azadienes, dimethyl 1,2,4,5-tetrazine-3,6-dicarboxylate 236–244  
 direct alkenylations, pivalic acid 495–496  
 direct functionalization, using non-halide electrophiles, palladium(II) acetate 443  
 iodinations, iodine 361–362, 368–369  
 synthesis, 2-(trimethylsilyl)phenyl triflate 636
- Heteroarylations, triphenylphosphinegold(I) chloride 639
- Heteroarylolithiums, couplings, phosphorus oxychloride 485
- Heteroatom–hydrogen bonds  
 insertions  
 ethyl 2-diazo-3-oxo-3-phenylpropanoate 273
- metal carbene transformations, dirhodium(II) tetraacetate 250, 255–256
- Heteroatom nucleophiles, functionalization of alkenes and other  $\pi$ -systems, palladium(II) acetate 415–417, 425–427
- Heterocumulenes, reactions, phenylhydrazine 470
- Heterocycles  
 arylations, pivalic acid 494  
 bridghead N-atom containing, direct functionalization, palladium(II) acetate 442–443  
 formylations, phosphorus oxychloride 482  
 functionalization, pivalic acid 491–496  
 halogenation, phosphorus oxychloride 483  
 intermolecular direct arylations, pivalic acid 491–494  
 oxidative aromatizations, N,N,N',N'-tetrabromobenzene-1,3-disulfonamide 583
- synthesis  
 acetaldoxime 2, 3–4  
 acetone hydrazone 8  
 benzonitrile N-oxide 33–35  
 benzoyl isothiocyanate 36–37  
 bromoacetone 50  
 1-tert-butylloxycarbonyl-1-methylhydrazine 53–55  
 2-chloro-1,3-dimethylimidazolium chloride 58–59  
 copper(I) iodide 87–88  
 copper(II) sulfate 100–102  
 cyclopentadienylbis(triphenylphosphine)cobalt(I) 116–117  
 diaminomaleonitrile 128  
 diazo(trimethylsilyl)methylolithium 130  
 dichloro bis(acetonitrile) palladium 143–144  
 di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 169–170  
 dichlorotris(triphenylphosphine)ruthenium(II) 187  
 diethyl oxalate 194  
 2,2-difluoroethylamine 198  
 diiminosuccinonitrile 199–200  
 1,3-diisopropyl-1,3-propanedione 201–202  
 N,N-Dimethylacetamide dimethyl acetal 210, 212–213  
 dimethyl diazomalonate 218–219  
 dimethyl 2,3-pentadienedioate 231–235  
 2,4-dinitrophenylhydrazine 245–246  
 diphenyl cyanocarbonimidate 247–248  
 di-p-tolylcarbodiimide 267–268  
 ethyl 2-diazo-3-oxobutyrates 275–277  
 formamidinium acetate 289–290  
 guanidine 322–324  
 2,5-hexanedione 327  
 hydrogen sulfide 333  
 indium tribromide 349–351  
 iron(III) bromide 377  
 malonyl chloride 387  
 $\alpha$ -methacrolein N-tert-butylimine 390  
 methyl glycine 391–392  
 methyl isocyanate 393–394  
 S-methylisothiourea 395–396  
 methyl thioglycolate 398  
 palladation of alkynes, dichloro bis(acetonitrile) palladium 143–144

Heterocycles (*Continued*)

- palladium(II) acetate 421, 429–431  
 phenylhydrazine 469–470  
 phenyliodine(III) bis(trifluoroacetate) 474–476  
 phenyl isocyanide 467–468  
 polyphosphoric acid 499–500  
 potassium ethyl xanthate 503–505  
 selenium(IV) oxide 537  
 semicarbazide 542–543  
 sodium tetrachloroaurate(III) 575  
 tetrakis(triphenylphosphine)palladium(0) 591–592  
 thiourea 596–597  
*o*-Tolyl isocyanide 598  
 1,1,1-trifluoro-*N*-phenylmethanesulfenamide 634  
 2-(trimethylsilyl)phenyl triflate 636  
 via *N*-acylnitrenium ions, phenyliodine(III) bis(trifluoroacetate) 474–476  
 via intramolecular cyclization, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 169–170
- Hetero-Diels–Alder cycloadditions  
 copper(II) trifluoromethanesulfonate 107–108  
 six-membered heterocycle synthesis, dimethyl 2,3-pentadienedioate 231, 233
- Heterodienes,  $\alpha$ -methacrolein *N*-*tert*-butylimine 389
- Heteronucleophiles, additions to alkynes,  
 triphenylphosphinegold(I) chloride 638–639
- 2,5-Hexanedione** 327–330
- Hindered Brønsted acids, pivalic acid 490–497
- Hoffmann-type rearrangements, (diacetoxyiodo)benzene 123
- Homoallyl compounds, cyclopalladations, palladium(II) chloride 452
- Homoallylic alcohols, synthesis, from vinyl epoxides/oxetanes,  
 palladium(II) acetate 420
- Homologations  
 ketones, diazo(trimethylsilyl)methyl lithium 129–130  
 trifluoromethyl diazomethane 610–611
- Homophthalate diesters, synthesis, Diels–Alder cycloadditions,  
 dimethyl 2,3-pentadienedioate 231
- Homophthalates, synthesis, Diels–Alder cycloadditions,  
 dimethyl 2,3-pentadienedioate 232–233
- HONO *see* Nitrous acid
- Horner–Wadsworth–Emmons reactions, 2,5-dimethoxytetrahydrofuran 206
- Hydrations, alkynes, sodium tetrachloroaurate(III) 575
- Hydrazine  
 diimide synthesis, (diacetoxyiodo)benzene 121  
*see also* Acetone hydrazone 7–11  
*see also* *N*-Aminophthalimide 19–23  
*see also* Semicarbazide 542–547
- Hydrazine derivatives  
 nitrosation, sodium nitrate 552  
 synthesis, *N*-aminophthalimide 19–20
- Hydrazoic acid, *see also* *N*-Aminophthalimide 19–23
- Hydrazones  
 acetone hydrazone 7–11  
 oxidations  
 acetone hydrazone 8  
 (diacetoxyiodo)benzene 122

## Hydroaminations

- alkynes, gold(III) chloride 304  
 allenes, gold(III) chloride 304  
 gold(III) chloride 303–304  
 indium tribromide 352  
 sodium tetrachloroaurate(III) 574
- Hydroborations  
 alkenes, dirhodium(II) tetraacetate 252  
 alkynes, dirhodium(II) tetraacetate 252  
 di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 166, 171
- Hydrocarbons  
 oxidations  
 catalytic reactions with *tert*-butyl hydroperoxide, copper(II) chloride 79–81  
 catalytic reactions with molecular oxygen, copper(II) chloride 78–79
- Hydrochloric acid, *see also* Pivalic acid 490–497
- Hydrochlorinations, acetylenes, sodium tetrachloroaurate(III) 574
- Hydrofunctionalizations  
 alkene additions, gold(III) chloride 312  
 alkyne additions, gold(III) chloride 312–313  
 allene additions, gold(III) chloride 313  
 nucleophile/proton additions, gold(III) chloride 312–313
- Hydrogenations  
 carbon=carbon double bonds, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 166  
 1,3-diiisopropyl-1,3-propanedione 200  
 gold(I) chloride 296–297  
 transfer-type, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 165, 171
- Hydrogen atoms, donator/abstractor, methyl thioglycolate 398
- Hydrogen fluoride–antimony(V) fluoride, *see also* Silver(I) hexafluoroantimonate 547–550
- Hydrogenolysis, allylic heterosubstituents, palladium(II) acetate 425
- Hydrogen peroxide and base reactions, acetonitrile 13
- Hydrogen selenide, *see also* Sodium sulfide 561–573
- Hydrogen sulfide** 330–335  
*see also* Sodium sulfide 561–573  
*see also* Thiourea 596–597
- Hydrogen telluride, *see also* Sodium sulfide 561–573
- Hydrogen transfer reactions, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 165–166
- Hydrolysis  
 dichlorobis(triphenylphosphine)palladium(II) 159  
 silyl ethers/enol ethers/acetales, dichloro bis(acetonitrile) palladium 146
- Hydrosilylations, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 171
- Hydrothiolations, indium tribromide 352–353
- Hydrovinylations, indium tribromide 353
- Hydroxamic acids, synthesis, hydroxylamine 336–337, 339
- N*-Hydroxy- $\alpha$ -amino acids, synthesis, hydroxylamine 336

- Hydroxy aromatics, reactions, copper(II) chloride 76  
 $\beta$ -Hydroxy carbonyls, synthesis, from oxazolines,  
*p*-tolylsulfonylmethyl isocyanide 604–605  
 $\alpha$ -Hydroxy dimethyl acetals, from ketone oxidations,  
 (diacetoxyiodo)benzene 119–120  
 $\alpha$ -Hydroxy-esters, reactions, hydroxylamine 336  
**Hydroxylamine** 335–342  
   *see also* Acetaldoxime 1–7  
   *see also* Semicarbazide 542–547  
 Hydroxylations, allyl/propargyl groups, selenium(IV)  
 oxide 531  
 $\beta$ -Hydroxy methylamines, synthesis, from oxazolines,  
*p*-tolylsulfonylmethyl isocyanide 604–605  
*N*-Hydroxyphthalimide-oxygen, *see also* Oxygen 402–414
- IBD (iodobenzenediacetate) *see* (Diacetoxyiodo)benzene
- Imidazoles  
 synthesis  
   ammonium bicarbonate 32  
   formamidine acetate 289–290  
   methyl glycine 391  
   *p*-tolylsulfonylmethyl isocyanide 605  
 Imidazo[1,2-*a*]pyrazines, arylations, direct functionalization,  
 palladium(II) acetate 442  
 Imidazo[1,2-*b*]pyrazoles, arylations, direct functionalization,  
 palladium(II) acetate 443  
 Imidazo[1,5-*a*]pyridines  
   oxidative couplings, direct functionalization, palladium(II)  
   acetate 443  
   *see also* Iodine 358–374  
 Imidazo[1,2-*b*][1,2,4,5]tetrazines, arylations, direct  
 functionalization, palladium(II) acetate 442–443
- Imines  
 additions, gold(III) chloride 303  
 $\alpha$ -methacrolein *N*-*tert*-butylimine 389  
 as nucleophiles, cyclizations, gold(III) chloride 302  
 synthesis, dimethyl diazomalonate 227
- Indane-type compounds, synthesis, 2,5-hexanedione 328–329  
 2H-Indazoles, *see also* Iodine 358–374
- Indium(III) chloride, *see also* Indium tribromide 343–358  
 Indium(III) fluoride, *see also* Indium tribromide 343–358  
 Indium(III) iodide, *see also* Indium tribromide 343–358  
**Indium tribromide** 343–358  
 Indium(III) trifluoromethanesulfonate, *see also* Indium  
 tribromide 343–358
- Indoles  
 acylations, palladium(II) acetate 439  
*C*-alkylations, copper(II) trifluoromethanesulfonate 109  
 alkylations, palladium(II) acetate 438–439  
 arylations, palladium(II) acetate 437–438  
 direct functionalization, palladium(II) acetate 437–439  
 reactions, 1,1,1-trifluoro-*N*-  
 phenylmethanesulfenamide 633–634  
 synthesis  
   2,5-dimethoxytetrahydrofuran 204  
   Fischer's reaction, phenylhydrazine 469–470  
   *o*-Tolyl isocyanide 598  
   *p*-tolylsulfonylmethyl isocyanide 602–603  
 vinylations, palladium(II) acetate 438–439
- Indoline, synthesis, dimethyl 1,2,4,5-tetrazine-3,  
 6-dicarboxylate 238
- Inorganic–organic reactions, acetonitrile solvent 12–13
- In situ formation  
 carbonyl sulfides from carbon monoxide, sulfur 579  
 cyanide anions, ammonium bicarbonate 31–32  
 nitrous acid, sodium nitrate 550
- Intermolecular acylations, polyphosphoric acid 501
- Intermolecular hydroaminations, alkynes, gold(III)  
 chloride 304
- Intermolecular oxidative aminations, pivalic acid 496
- Intramolecular cyclizations  
 di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-  
 2,4-cyclopentadien-1-yl]diiridium 169–170  
 oxygen 411
- Intramolecular cyclopropanation, iodonium ylides,  
 (diacetoxyiodo)benzene 120–121
- Intramolecular Diels–Alder reactions  
 1-azadienes, copper(II) trifluoromethanesulfonate 107  
 oxazoles, copper(II) trifluoromethanesulfonate 108
- Intramolecular diyl trapping, dimethyl 2,3-  
 pentadienedioate 235
- Intramolecular Heck coupling, carbocycle formation, palladium  
 (II) acetate 431–432
- Intramolecular hydroaminations  
 alkynes, gold(III) chloride 304  
 allenes, gold(III) chloride 304
- Intramolecular oxidative cyclization, phenyliodine(III) bis  
 (trifluoroacetate) 473–474
- Intramolecular reactions, alkynes with carboxylic acids/alcohols/  
 amines, palladium(II) chloride 455–456
- Iodides  
 alcohol conversions, iodine 360  
 organoborane conversions, iodine 362
- Iodinations  
 alkanes, iodine 368  
 aromatic compounds, iodine 361–362, 368–369  
 carbonyl compounds, iodine 366
- Iodine** 358–374  
 Iodine–aluminum(III) chloride–copper(II) chloride  
   *see also* Copper(I) chloride 61–75  
   *see also* Copper(II) chloride 75–83  
   *see also* Iodine 358–374  
 Iodine–cerium(IV) ammonium nitrate, *see also*  
 Iodine 358–374  
 Iodine–copper(II) acetate, *see also* Iodine 358–374  
 Iodine–copper(I) chloride–copper(II) chloride  
   *see also* Copper(I) chloride 61–75  
   *see also* Copper(II) chloride 75–83  
   *see also* Iodine 358–374  
 Iodine–copper(II) chloride  
   *see also* Copper(I) chloride 61–75  
   *see also* Copper(II) chloride 75–83  
   *see also* Iodine 358–374  
 Iodine–nitrogen tetroxide, *see also* Iodine 358–374  
 Iodine–potassium iodate, *see also* Iodine 358–374  
 Iodine reagents, synthesis, iodine 368  
 Iodine–silver acetate, *see also* Iodine 358–374  
 Iodine–silver benzoate, *see also* Iodine 358–374

- Iodine–silver(I) fluoride, *see also* Iodine 358–374  
 Iodine–silver trifluoroacetate, *see also* Iodine 358–374  
 Iodoarenes, *see also* Iodine 358–374  
 Iodobenzene bis(trifluoroacetate) *see* Phenyliodine(III) bis(trifluoroacetate)  
 Iodobenzenediacetate (IBD) *see* (Diacetoxyiodo)benzene  
 Iodonium salt reactions, copper(I) chloride 69  
 Iodonium ylides  
   intramolecular cyclopropanations, (diacetoxyiodo)  
     benzene 120–121  
     synthesis, (diacetoxyiodo)benzene 120–121  
 Ionic liquids, synthesis, *N,N*-Dimethylacetamide dimethyl acetal 212  
 Iridium catalysts, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl] diiridium 164–172  
**Iron(III) bromide** 374–379  
**Iron(III) chloride** 378–386  
 Iron(III) chloride–acetic anhydride, *see also* Iron(III) chloride 378–386  
 Iron(III) chloride–alumina, *see also* Iron(III) chloride 378–386  
 Iron(III) chloride–dimethylformamide, *see also* Iron(III) chloride 378–386  
 Iron(III) chloride–silica gel, *see also* Iron(III) chloride 378–386  
 Iron(III) chloride–sodiumhydride, *see also* Iron(III) chloride 378–386  
 Iron(II) sulfate–oxygen, *see also* Oxygen 402–414  
 Iron tris(diisobutylmethane) (Fe(dibm)<sub>3</sub>), *see also* 1,3-Diisopropyl-1,3-propanedione 200–203  
 Isocyanomethylithium  
   *see also* Phenyl isocyanide 467–468  
   *see also* *o*-Tolyl isocyanide 598–599  
   *see also* *p*-Tolylsulfonylmethyl isocyanide 599–607  
 Isomerizations  
   (*E*)/(*Z*)-, acetaldoxime 6  
   acetamide synthesis, acetaldoxime 1, 3  
   *cis/trans* arylalkenes, dichloro bis(acetonitrile)  
     palladium 146–147  
   dichlorotris(triphenylphosphine)ruthenium(II) 187, 188  
   palladium(II) acetate 427, 432  
   polyphosphoric acid 500–501  
   tetrakis(triphenylphosphine)palladium(0) 590  
   *see also* Cycloisomerizations  
 Isothiuronium salts, synthesis from alkyl halide or sulfonate, thiourea 596  
 Isoxazoles  
   synthesis  
     hydroxylamine 338, 340  
     sodium tetrachloroaurate(III) 574  
 Isoxazolines  
   synthesis  
     acetonitrile *N*-oxide 18  
     hydroxylamine 338, 340  
 Ketals, synthesis, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl] diiridium 170  
 Ketenes  
   additions, trifluoroethanamine 613  
   reactions, ethyl 2-diazo-3-oxybutyrate 280–281  
 $\beta$ -Keto esters  
   Markovnikov additions, to terminal alkynes, indium tribromide 353  
   Michael additions, to unsaturated carbonyl compounds, copper(II) trifluoromethanesulfonate 110  
 Ketones  
   condensations, 2,4-dinitrophenylhydrazine 245  
   homologations, diazo(trimethylsilyl)methylithium 129  
   hydrocarbon oxidation, catalytic reactions, copper(II) chloride 78–79  
   iodinations, iodine 366  
   oxazole synthesis, copper(II) trifluoromethanesulfonate 106  
   oxidations  
     phenyliodine(III) bis(trifluoroacetate) 474  
     potassium monoperoxysulfate 512, 515–516, 523  
     to  $\alpha$ -hydroxy dimethyl acetals, (diacetoxyiodo)  
       benzene 119–120  
   oxime formation, hydroxylamine 336, 338  
   protection, semicarbazide 545  
   reactions  
     diazo(trimethylsilyl)methylithium 130  
     2,4-dinitrophenylhydrazine 244–245  
     hydroxylamine 337, 339–340  
     iodine 360–361  
     trifluoromethanesulfonic anhydride 618  
   reductive cyanations, *p*-tolylsulfonylmethyl isocyanide 599, 600–601  
   semicarbazone synthesis, semicarbazide 542  
   synthesis  
     alcohol oxidations, palladium(II) acetate 423, 433  
     allylic alcohol couplings, palladium(II) acetate 419–420, 429  
     dichlorobis(triphenylphosphine)palladium(II) 161  
 Knoevenagel condensations  
   copper(II) chloride 76  
   indium tribromide 353  
   3-thiapentanedioic acid 595  
   *p*-tolylsulfonylmethyl isocyanide 600, 602–603  
 $\beta$ -Lactams  
   synthesis  
     phenylhydrazine 470  
     phosphorus oxychloride 485  
 Lactols, fragmentation to unsaturated medium-ring lactones, (diacetoxyiodo)benzene 120  
 Lactones  
   synthesis  
     (diacetoxyiodo)benzene 120  
     from alkenes, oxo(trimanganese) heptaacetate 401  
 $\gamma$ -Lactones, synthesis, copper(II) trifluoromethanesulfonate 110  
 Lead(IV) acetate–iodine, *see also* Iodine 358–374  
 Lewis acids  
   copper(I) chloride 67–69  
   copper(II) chloride 75  
   copper(II) sulfate 94, 95–97, 102

- gold(I) chloride 291–296  
 iron(III) bromide 376  
 iron(III) chloride 380–381  
 silver(I) hexafluoroantimonate 548, 549–550
- Linear phosphoric acids, *see also* Polyphosphoric acid 497–503
- Linkers, symmetric compound synthesis, 2, 5-dimethoxytetrahydrofuran 205
- Lithiated diazo compounds, diazo(trimethylsilyl)methyl lithium 129–135
- 2-Lithio-1,3-dithiane, *see also* *p*-Tolylsulfonylmethyl isocyanide 599–607
- Lithiotrimethylsilyldiazomethane *see* Diazo(trimethylsilyl)methyl lithium
- Lossen-type rearrangements, 2-chloro-1, 3-dimethylimidazolium chloride 60
- Malonates, Markovnikov additions to terminal alkynes, indium tribromide 353
- Malonyl chloride** 387–389
- Manganese triacetate *see* Oxo(trimanganese) heptaacetate
- Mannich-type reactions, copper(II) trifluoromethanesulfonate 109
- Markovnikov additions  
 dichloro bis(acetonitrile) palladium 140  
 indium tribromide 353  
 triphenylphosphinegold(I) chloride 638
- Mercaptoacetic acid methyl ester *see* Methyl thioglycolate
- Mercury(II) oxide–iodine, *see also* Iodine 358–374
- O*-Mesityl hydroxylamine (MtONH<sub>2</sub>), *see also* *N*-Aminophthalimide 19–23
- Mesitylcopper(I), synthesis, copper(I) chloride 62
- O*-Mesitylenesulfonyl hydroxylamine, *see also* *N*-Aminophthalimide 19–23
- Mesoionic carbene (MIC) complexes, gold–carbene complex synthesis, gold(III) chloride 312
- Metalated dimethylhydrazones, anion equivalents, acetone hydrazone 7, 9–10
- Metalations, anion formation, acetone hydrazone 9
- Metal carbenes  
 synthesis  
 from diazo compounds, dirhodium(II) tetraacetate 249, 253, 257  
 from non-diazo precursors, dirhodium(II) tetraacetate 260–261  
 transformations, dirhodium(II) tetraacetate 249–252, 253, 257–261
- Metal catalysts  
 activation by forming cations, silver(I) hexafluoroantimonate 549–550  
 carbon–hydrogen bond functionalization, oxygen 409–411  
 oxidations, oxygen 405, 408–409  
 oxygen 411
- Metal-free aerobic oxidations, oxygen 411–412
- Metathesis, silver(I) hexafluoroantimonate 547–548
- $\alpha$ -Methacrolein *N*-tert-butylimine** 389–390
- Methacrolein dimethylhydrazone, *see also*  $\alpha$ -Methacrolein *N*-tert-butylimine 389–390
- Methanethiol sources, *S*-methylisothiourea 396
- Methoxyacetonitrile, *see also* *p*-Tolylsulfonylmethyl isocyanide 599–607
- 2-Methoxy-1,3-butadiene, *see also* *N,N*-Dimethylacetamide dimethyl acetal 208–215
- Methyl 2-aminoacetate *see* Methyl glycine
- Methylations, *N,N*-Dimethylacetamide dimethyl acetal 213–214
- N*-Methylations, selenium(IV) oxide 537
- N*-Methylcarbamoylations, methyl isocyanate 393
- Methyl chlorooxalate, *see also* Diethyl oxalate 192–195
- Methyl cyanide *see* Acetonitrile
- Methyl cyanofornate, *see also* Diethyl oxalate 192–195
- Methyl 2-diazo-3-oxo-3-phenylpropanoate, *see also* Ethyl 2-diazo-3-oxo-3-phenylpropanoate 273–275
- Methylene-containing compounds  
 activated, additions, *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 43–45  
 reactions, copper(II) chloride 76
- 4-Methylene-oxetan-2-one, *see also* Acetaldoxime 1–7
- Methyl formate, *see also* Formamidine acetate 289–290
- Methyl glycinate *see* Methyl glycine
- Methyl glycine** 390–393
- Methylhydrazine derivatives (protected at the unsubstituted nitrogen), synthesis, 1-*tert*-butyloxycarbonyl-1-methylhydrazine 52–53
- N'*-Methyl hydrazines, *N*-substituted, synthesis, 1-*tert*-butyloxycarbonyl-1-methylhydrazine 53
- 2-Methyl-3-hydroxy-substituted pyridines, synthesis, 4-methyloxazole 397
- Methyl isocyanate (MIC)** 393–395  
*see also* Benzonitrile *N*-oxide 33–35
- Methyl isocyanide  
*see also* Phenyl isocyanide 467–468  
*see also* *o*-Tolyl isocyanide 598–599  
*see also* *p*-Tolylsulfonylmethyl isocyanide 599–607
- Methyl isocyanide derivatives, *p*-tolylsulfonylmethyl isocyanide 599–607
- S*-Methylisothiosemicarbazide, *see also* Diphenyl cyanocarbonimidate 247–248
- S*-Methylisothiourea** 395–396  
*see also* Diphenyl cyanocarbonimidate 247–248  
*see also* Guanidine 322–325
- O*-Methylisourea  
*see also* Diphenyl cyanocarbonimidate 247–248  
*see also* Guanidine 322–325  
*see also* *S*-Methylisothiourea 395–396
- Methyl ketones, synthesis, alkene oxidations, palladium(II) acetate 415–416, 425
- Methyl magnesium carbonate, *see also* Diethyl oxalate 192–195
- Methyl magnesium iodide–copper(I) chloride  
*see also* Copper(I) chloride 61–75  
*see also* Copper(II) chloride 75–83
- n*-Methylmaleinimide, *see also* Acetaldoxime 1–7
- Methyl 2-mercaptoacetate *see* Methyl thioglycolate
- 4-Methyloxazole** 397–398
- N*-Methylpyrazoles, regioselective synthesis, 1-*tert*-butyloxycarbonyl-1-methylhydrazine 54
- Methyl reactions, acetonitrile 12

- Methyl thioglycolate (MTG)** 398–399
- Methylthiomethyl *p*-tolyl sulfone, *see also p*-Tolylsulfonylmethyl isocyanide 599–607
- Methyl *N*-(*p*-tolylsulfonylmethyl)thiobenzimidate, *see also p*-Tolylsulfonylmethyl isocyanide 599–607
- Methyl(trifluoromethyl)dioxirane, *see also* Potassium monoperoxysulfate 512–530
- Meyer–Schuster rearrangements, gold(III) chloride 304
- MIC *see* Methyl isocyanate
- Michael acceptors, reactions, hydroxylamine 336, 339
- Michael additions
- 1,3-diisopropyl-1,3-propanedione 201
  - $\beta$ -keto esters, to unsaturated carbonyl compounds, copper(II) trifluoromethanesulfonate 110
  - trifluoroethanamine 614
- 1,2-Migrations
- dirhodium(II) tetraacetate 258
  - gold(III) chloride 314
- Migratory insertions, dichlorobis(triphenylphosphine)palladium (II) 159–163
- Mitsunobu-type reactions, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 180–181
- Modified Oxone<sup>®</sup> reagents, potassium monoperoxysulfate 515
- Molecular oxygen *see* Oxygen
- Monoacylations, diols, *N,N*-Dimethylacetamide dimethyl acetal 210
- Morpholinone derivatives, synthesis, methyl glycine 392
- MTG *see* Methyl thioglycolate
- MtONH<sub>2</sub> *see* *O*-Mesityl hydroxylamine
- Mukaiyama Aldol reactions, copper(II) trifluoromethanesulfonate 113
- Multicomponent reactions
- $\pi$ -acids/Lewis acids, sodium tetrachloroaurate(III) 576
  - Castagnoli–Cushman three-component reaction, 3-thiapentanedioic acid 395
  - dirhodium(II) tetraacetate 259
  - gold(III) chloride 306, 311
  - trifluomethyldiazomethane 611–612
- N*-amino heterocycles, oxidations, (diacetoxyiodo)benzene 122
- N*-aminophthalimidates heterocycles, oxidations, (diacetoxyiodo)benzene 122
- Nazarov cyclizations
- copper(II) trifluoromethanesulfonate 109
  - dichloro bis(acetonitrile) palladium 145–146
  - iron(III) chloride 380
- NbzONH<sub>2</sub> *see* *O*-(*p*-Nitrobenzoyl)hydroxylamine
- Neutral nucleophiles, additions, *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 37–45
- Nitrations
- ammonium nitrate 27–28
  - sodium nitrate 557
- Nitrenes
- reactions, dirhodium(II) tetraacetate 256, 261
  - sources, *N*-aminophthalimide 19–23
- Nitric acid ammonium salt *see* Ammonium nitrate
- Nitrile oxides
- reagents, (diethoxyphosphoryl)acetonitrile oxide 191–192
  - synthesis, sodium nitrate 556
- Nitriles
- hydrolysis, to amides, polyphosphoric acid 501
  - synthesis
    - ammonium bicarbonate 31
    - from aldehydes, hydroxylamine 337, 339
- Nitrite esters, synthesis, sodium nitrate 553, 554–555
- Nitroalkanes, synthesis, sodium nitrate 553
- O*-(*p*-Nitrobenzoyl)hydroxylamine (NbzONH<sub>2</sub>), *see also N*-Aminophthalimide 19–23
- 2-Nitrocyclopentenol, synthesis, 2,5-dimethoxytetrahydrofuran 206–207
- Nitrogen compounds
- reactions, potassium monoperoxysulfate 514, 518–520, 527
  - synthesis, sodium nitrate 553, 554–555
- Nitrogen heterocycles
- synthesis
    - copper(II) sulfate 100–102
    - 2,2-difluoroethylamine 198
    - di-*p*-tolylcarbodiimide 267–268
    - ethyl 2-diazo-3-oxybutyrate 275–277
    - ethyl ethoxymethylenecyanoacetate 284–287
    - polyphosphoric acid 499–500
    - sodium tetrachloroaurate(III) 575
- Nitrogen–hydrogen bonds, insertions, ethyl 2-diazo-3-oxybutyrate 277–278
- Nitrogen–oxygen bonds, insertions, dirhodium(II) tetraacetate 258
- 2-(2-Nitrophenyl)propyloxycarbonyl (NPPOC), protecting group photocleavage, semicarbazide 545–546
- 3-Nitropyrroles, synthesis, *p*-tolylsulfonylmethyl isocyanide 602–603
- Nitrosations
- hydrazine derivatives, sodium nitrate 552
  - N,N,N',N'*-tetrabromobenzene-1,3-disulfonamide 584
- C*-Nitrosations, sodium nitrate 552–553, 554
- N*-Nitrosations, sodium nitrate 552, 554, 557
- Nitrous acid (HONO), precursor for in situ generation, sodium nitrate 550
- O*-Nitroveratryloxycarbonyl (NVOC), protecting group photocleavage, semicarbazide 545–546
- Non-halide electrophiles, direct functionalization of heteroarenes, palladium(II) acetate 443
- Nontraditional solvents, reactions, dirhodium(II) tetraacetate 256
- NPPOC *see* 2-(2-Nitrophenyl)propyloxycarbonyl groups
- N*-Nucleophiles, reactions, di-*p*-tolylcarbodiimide 269–270
- O*-Nucleophiles, reactions, di-*p*-tolylcarbodiimide 270–271
- Nucleophilic additions
- N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 37–45
  - 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 181
  - dimethyl 2,3-pentadienedioate 234–235
  - palladium(II) acetate 415–417, 425–431
  - semicarbazide 542–547
  - sodium sulfide 561, 568, 569, 570
  - triphenylphosphinegold(I) chloride 640–641
- Nucleophilic diazo species, diazo(trimethylsilyl)methyl lithium 129–135

- Nucleophilic reactions, hydroxylamine 335–336, 337–338, 340
- O*-Nucleophilic reactions, sodium nitrate 558–559
- Nucleophilic substitutions  
2,3-dichloro-5,6-dicyano-1,4-benzoquinone 181  
phenyliodine(III) bis(trifluoroacetate) 476–477
- Nucleophilic trapping, carbopalladation, dichlorobis(triphenylphosphine)palladium(II) 158–163
- Nucleosides, synthesis, diaminomaleonitrile 128–129
- N* versus *O* selectivity, alkylations, hydroxylamine 336, 338–339
- NVOC *see O*-Nitroveratryloxycarbonyl groups
- Olefinations, pyridine derivatives, direct functionalization, palladium(II) acetate 437
- Olefins  
 $\beta$ -chlorosulfide synthesis, phosphorus oxychloride 485  
cross-couplings, 1,3-diisopropyl-1,3-propanedione 200
- Oppenauer-type oxidations, alcohols, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 165
- Organic halides, reactions, iodine 362
- Organoantimony compounds, oxidations, (diacetoxyiodo)benzene 126
- Organobismuth compounds, oxidations, (diacetoxyiodo)benzene 126
- Organoboranes  
conversion to iodides, iodine 362  
organostannane cross-couplings, copper(I) iodide 88–89  
oxidations, oxygen 404–405, 407
- Organoboron compounds  
reactions  
diazo(trimethylsilyl)methyl lithium 134  
trifluomethyl diazomethane 611
- Organocopper chemistry, copper(I) iodide 83–86
- Organogold reagents, triphenylphosphinegold(I) chloride 638–641
- Organometallic compounds  
iodinations, iodine 367  
oxygenations, oxygen 403–404, 406  
polyorganometallics, sulfur sulfide-derived reactions, sulfur 579–580  
reactions, sulfur 580–581  
transmetalations  
copper(I) chloride 65–67  
palladium(II) chloride 453–454
- Organophosphorus compounds, reactions, diazo(trimethylsilyl)methyl lithium 134
- Organoselenides, synthesis, selenium(IV) oxide 534–535, 539–540
- Organosilanes, cross-couplings, copper(I) iodide 89
- Organostannanes/organoboranes, cross-couplings, copper(I) iodide 88–89
- Organosulfur compounds  
oxidations, (diacetoxyiodo)benzene 126  
reactions, diazo(trimethylsilyl)methyl lithium 134
- Organotin compounds  
organostannane/organoborane cross-couplings, copper(I) iodide 88–89
- reactions, diazo(trimethylsilyl)methyl lithium 134
- Organozinc compounds, nucleophilic attack, *o*-Tolyl isocyanide 598
- Organozirconocene chlorides, cross-couplings, copper(I) iodide 89
- Ortho-palladations, aromatic compounds, palladium(II) chloride 452
- Orthophosphoric acid, *see also* Polyphosphoric acid 497–503
- Osazones, synthesis, phenylhydrazine 471
- Osmium tetroxide–copper(I) chloride–oxygen, *see also* Oxygen 402–414
- Oxalic acid  
esters, diethyl oxalate 192–195  
*see also* Diethyl oxalate 192–195
- Oxalyl chloride  
reactions, diaminomaleonitrile 128  
*see also* Diethyl oxalate 192–195
- Oxalyl cyanide, synthesis, diiminosuccinonitrile 199
- Oxaminations, copper(II) chloride 81
- Oxazoles  
intramolecular Diels-Alder reactions, copper(II) trifluoromethanesulfonate 108  
synthesis  
dimethyl diazomalonate 216  
from carbonyl compounds, *p*-tolylsulfonylethyl isocyanide 604–605  
from ketones, copper(II) trifluoromethanesulfonate 106  
methyl glycine 392  
substituted, 4-methyloxazole 397
- 2-Oxazolidinones, oxirane conversion, methyl isocyanate 393
- Oxazolines  
synthesis from carbonyl compounds, *p*-tolylsulfonylethyl isocyanide 604–605  
transformations  
 $\beta$ -hydroxy carbonyls, *p*-tolylsulfonylethyl isocyanide 604–605  
 $\beta$ -hydroxy methylamines, *p*-tolylsulfonylethyl isocyanide 604–605
- Oxidations  
acetone hydrazone 8  
alcohols  
(diacetoxyiodo)benzene 124  
dichloro bis(acetonitrile) palladium 146  
di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 165, 166–167  
2,3-dichloro-5,6-dicyano-1,4-benzoquinone 173–174  
enantioselective, palladium(II) chloride 464  
palladium(II) acetate 423, 433  
palladium(II) chloride 464  
aldazines, (diacetoxyiodo)benzene 122  
aldehydes, palladium(II) acetate 423  
alkenes  
autooxidation, dirhodium(II) tetraacetate 253  
to methyl ketones, palladium(II) acetate 415–416, 425  
alkylhydrazones, (diacetoxyiodo)benzene 122  
alkyl radicals, copper(II) trifluoromethanesulfonate 106  
alkynes  
oxygen 408

Oxidations (*Continued*)

- to  $\alpha,\beta$ -acetylenic ketones, catalytic reactions with *tert*-butyl hydroperoxide, copper(II) chloride 79–81
- allylic carbon–hydrogen bond activation, palladium(II) acetate 425–426
- allylic compounds, catalytic reactions with *tert*-butyl hydroperoxide, copper(II) chloride 79
- amines, (diacetoxyiodo)benzene 121–122
- ammonium nitrate 28
- aromatics
  - carbon–hydrogen bond direct oxidation, gold(III) chloride 309–310
  - palladium(II) acetate 424–425
- benzylic alkyl groups, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 175, 177–178
- carbonyl compounds, phenyliodine(III) bis(trifluoroacetate) 474
- carbonyl groups, oxo(trimanganese) heptaacetate 402
- 2-chloro-1,3-dimethylimidazolium chloride 59–60
- copper(I) chloride 63
- copper(II) sulfate 94–95, 97–98
- (diacetoxyiodo)benzene 126
- dichlorotris(triphenylphosphine)ruthenium(II) 186–187
- dioxygenations, 1,2-diones, copper(II) chloride 77
- enolates, palladium(II) acetate 423–424
- gold(I) chloride 296
- gold(III) chloride 298, 305
- heteroatoms
  - (diacetoxyiodo)benzene 126
  - oxygen 405, 407
- hydrazones, (diacetoxyiodo)benzene 122
- hydrocarbons
  - catalytic reactions with *tert*-butyl hydroperoxide, copper(II) chloride 79–81
  - catalytic reactions with molecular oxygen, copper(II) chloride 78–79
- hydrogen transfer, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 165
- iron(III) bromide 374–375
- iron(III) chloride 379–380, 382
- ketones
  - phenyliodine(III) bis(trifluoroacetate) 474
  - potassium monoperoxysulfate 512, 515
  - to  $\alpha$ -hydroxy dimethyl acetals, (diacetoxyiodo)benzene 119–120
- metal catalyzed, oxygen 405, 408–409
- metal-free, oxygen 411–412
- $\alpha$ -methacrolein *N-tert*-butylimine 389
- N*-amino heterocycles, (diacetoxyiodo)benzene 122
- N*-aminophthalimides heterocycles, (diacetoxyiodo)benzene 122
- Oppenauer-type, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 165
- organoboranes, oxygen 404–405, 407
- organosulfur compounds, (diacetoxyiodo)benzene 126
- oxygen 405, 408–409, 411–412
- palladium(II) acetate 423–426, 433–434
- palladium(II) chloride 449–454, 464
- phenolic compounds
  - copper(II) chloride 77
  - (diacetoxyiodo)benzene 120
  - phenyliodine(III) bis(trifluoroacetate) 472–474
  - phenyliodine(III) bis(trifluoroacetate) 472–474, 476
  - poly(methyl styrene), copper(II) chloride 81
  - porphyrins, gold(III) chloride 305
  - potassium monoperoxysulfate 512–518
  - selenium(IV) oxide 531–534
  - sodium nitrate 553, 555–556, 557–558
  - 5-substituted pyrazol-3(2*H*)-ones, (diacetoxyiodo)benzene 122
  - sulfides, sodium tetrachloroaurate(III) 574–575
  - terminal alkenes, to methyl ketones, palladium(II) acetate 415–416, 425
  - N,N,N,N'*-tetrabromobenzene-1,3-disulfonamide 583
  - tetrakis(triphenylphosphine)palladium(0) 589
  - trifluoromethanesulfonic anhydride 623–624
  - triphenylphosphinegold(I) chloride 641
  - Wacker process
    - oxygen 408
    - palladium(II) chloride 450
- Oxidative additions, alkenes, palladium(II) chloride 449–450
- Oxidative amidations, selenium(IV) oxide 538–539
- Oxidative aminations, intermolecular, pivalic acid 496
- Oxidative aromatizations, heterocycles, *N,N,N,N'*-tetrabromobenzene-1,3-disulfonamide 583
- Oxidative biaryl couplings, phenyliodine(III) bis(trifluoroacetate) 477–478
- Oxidative carbonylations, palladium(II) chloride 452–453
- Oxidative cleavage
  - selenium(IV) oxide 532, 536–537
  - tandem *cis*-dihydroxylation sequence, alkenes, oxygen 408–409
- Oxidative couplings
  - benzoic acid, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 170–171
  - biaryl, phenyliodine(III) bis(trifluoroacetate) 477–478
  - copper(II) trifluoromethanesulfonate 105
  - five-membered heterocycles, direct functionalization, palladium(II) acetate 441
  - Heck-type, oxygen 411
  - imidazo[1,5-*a*]pyridines, direct functionalization, palladium(II) acetate 443
  - selenium(IV) oxide 540
- Oxidative cyclizations
  - intramolecular, oxygen 411
  - phenyliodine(III) bis(trifluoroacetate) 473–474
- Oxidative decarboxylation, *tert*-butyl radical synthesis, pivalic acid 491
- Oxidative esterifications, indium tribromide 353
- Oxidative functionalization
  - alkenes, with heteroatom nucleophiles, palladium(II) acetate 415–417
  - five-membered heterocycles, palladium(II) acetate 441

- Oxidative rearrangements, phenyliodine(III) bis(trifluoroacetate) 479
- Oxidative substitutions, alkenes, palladium(II) chloride 449–450
- Oxidizing agent comparison, palladium(II) chloride versus palladium(II) acetate 449
- Oximes  
synthesis  
from aldehydes, hydroxylamine 337, 339  
from ketones, hydroxylamine 337, 339
- Oxiranes  
conversion to 1,2-amino alcohols, methyl isocyanate 393  
conversion to 2-oxazolidinones, methyl isocyanate 393
- Oxone<sup>®</sup> *see* Potassium monoperoxysulfate
- Oxo(trimanganese) heptaacetate 401–402
- Oxygen 402–414
- Oxygenations  
aldols, copper(II) trifluoromethanesulfonate 110  
carbanions, oxygen 403–404, 406  
carbon–hydrogen bonds, (diacetoxyiodo)benzene 125–126  
carbon radicals, oxygen 404, 406  
organometallic compounds, oxygen 403–404, 406
- Oxygen heterocycles  
synthesis  
ethyl 2-diazo-3-oxybutyrate 277  
polyphosphoric acid 499–500
- Oxygen–hydrogen bonds  
insertions  
dimethyl diazomalonate 220  
dirhodium tetrakis-(heptafluorobutyramide) 265
- Oxygen nucleophiles, acetylation, bromoacetone 47
- Oxygen–platinum catalyst, *see also* Oxygen 402–414
- Oxypalladations, dichloro bis(acetonitrile) palladium 138–140
- Ozonides, reductions, thiourea 596
- Paal–Knorr synthesis, 2,5-hexanedione 327
- Palladacycle catalyzed reactions, palladium(II) chloride 461–462
- Palladations  
alkenes, dichloro bis(acetonitrile) palladium 137–142  
alkynes, dichloro bis(acetonitrile) palladium 143–144  
dichlorobis(triphenylphosphine)palladium(II) 157–159
- Palladium(II) acetate** 415–449
- Palladium catalysts  
reoxidants, copper(II) chloride 78  
selection criteria, dichlorobis(triphenylphosphine)palladium(II) 153–154
- Palladium(0) catalysts  
dichloro bis(acetonitrile) palladium 147–149  
palladium(II) chloride 449, 456–457
- Palladium(II) catalysts  
dichloro bis(acetonitrile) palladium 137–146  
dichlorobis(triphenylphosphine)palladium(II) 152–164  
palladium(II) chloride 449, 454–455  
versus palladium(0) catalysts, dichlorobis(triphenylphosphine)palladium(II) 153–154
- Palladium(II) chloride** 449–467  
*see also* Dichloro bis(acetonitrile) palladium 137–152  
*see also* Dichlorobis(triphenylphosphine)palladium(II) 152–164
- Palladium(II) chloride–copper(I) chloride  
*see also* Copper(I) chloride 61–75  
*see also* Copper(II) chloride 75–83  
*see also* Palladium(II) chloride 449–467
- Palladium(II) chloride–copper(II) chloride  
*see also* Copper(I) chloride 61–75  
*see also* Copper(II) chloride 75–83  
*see also* Palladium(II) chloride 449–467
- Palladium(II) chloride–silver(I) acetate, *see also* Palladium(II) chloride 449–467
- Palladium complexes, reactions, copper(II) chloride 78
- Palladium diacetate *see* Palladium(II) acetate
- (±)-Pallambins A and B, total synthesis, dibromoformaldehyde oxime 136
- Passerini reactions  
diastereoselective, *p*-tolylsulfonylmethyl isocyanide 606  
phenyl isocyanide 468
- Peptides  
chemistry, hydroxylamine 338  
couplings, racemization suppression, copper(II) chloride 78  
heteroatom oxidations, oxygen 405  
modification, diphenyl cyanocarbonimidate 248  
synthesis, methyl glycine 391
- Peroxides, reductions, thiourea 596
- Peroxy radicals, generation, copper(II) trifluoromethanesulfonate 108
- Phenol, *see also* Iodine 358–374
- Phenolic compounds  
couplings, copper(II) chloride 77  
cyclizations, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 175, 178  
oxidations  
copper(II) chloride 77  
(diacetoxyiodo)benzene 120  
phenyliodine(III) bis(trifluoroacetate) 472–474  
reactions  
palladium(II) chloride 450–451  
trifluoromethanesulfonic anhydride 616–617, 621–622, 627–628
- Phenyl group, carbon–hydrogen bond activation, palladium(II) acetate 424–425
- Phenylhydrazine** 468–472  
*see also* Acetone hydrazone 7–11  
*see also* 2,4-Dinitrophenylhydrazine (DNPH2) 244–246  
*see also* Semicarbazide 542–547
- Phenyliodine(III) bis(trifluoroacetate)** 472–481
- Phenyliodine(III) diacetate *see* (Diacetoxyiodo)benzene
- Phenyl isocyanate, *see also* Methyl isocyanate 393–395
- Phenyl isocyanide** 467–468  
*see also* *o*-Tolyl isocyanide 598–599
- Phenyl selenocyanate–copper(II) chloride  
*see also* Copper(I) chloride 61–75  
*see also* Copper(II) chloride 75–83
- N*-Phenyltrifluoromethanesulfenamide *see* 1,1,1-Trifluoro-*N*-phenylmethanesulfenamide
- (Phenyl)-[*o*-(trimethylsilyl)phenyl]iodonium triflate, *see also* 2-(Trimethylsilyl)phenyl triflate 635–638

- Phosphine oxide reactions, trifluoromethanesulfonic anhydride 628–629
- Phosphinylating agents, reactions, hydroxylamine 337
- Phosphoric acid, *see also* Polyphosphoric acid 497–503
- Phosphorus(III) chloride, reactions, diaminomaleonitrile 128
- Phosphorus compounds  
reactions  
bromoacetone 49  
potassium monoperoxysulfate 521
- Phosphorus halides, reactions, diazo(trimethylsilyl)methyl lithium 134
- Phosphorus(V) oxide, *see also* Phosphorus oxychloride 481–489
- Phosphorus oxychloride** 481–489
- Phosphorus oxychloride–Zinc(II) chloride, *see also* Phosphorus oxychloride 481–489
- Phosphorylations  
alcohols, with *N*-phosphoryloxazolidinones, copper(II) trifluoromethanesulfonate 109–110  
iron(III) bromide 378  
phosphorus oxychloride 483–484
- Phosphoryl chloride *see* Phosphorus oxychloride
- N*-Phosphoryloxazolidinones, phosphorylation with alcohols, copper(II) trifluoromethanesulfonate 109–110
- Photocleavage, protecting groups, semicarbazide 545–546
- $\pi$ -Allylpalladium  
complex formation, palladium(II) chloride 451–452  
intermediates in carbocycle formation, palladium(II) acetate 421
- PIFA *see* Phenyliodine(III) bis(trifluoroacetate)
- Piperidines, synthesis, phenylhydrazine 470
- Pivalic acid** 490–497
- Polarity reversal catalysts (PRCs), methyl thioglycolate 398
- Polycyclic arenes, synthesis, 2-(trimethylsilyl)phenyl triflate 635–636
- Polycyclic lactones, synthesis, from alkenes, oxo(trimanganese) heptaacetate 401
- Polyfunctionalized compounds, synthesis, benzonitrile *N*-oxide 33–35
- Polymerizations  
dichlorotris(triphenylphosphine)ruthenium(II) 188, 190  
enantioselective radical, copper(II) trifluoromethanesulfonate 109  
 $\alpha$ -methacrolein *N*-*tert*-butylimine 389
- Polymers, star polymer synthesis, dichlorotris(triphenylphosphine)ruthenium(II) 190
- Polymer-supported 1,2-diaza-1,3-butadienes, semicarbazide 545
- Polymer-supported reactions, dirhodium(II) tetraacetate 256
- Polymer-supported synthesis, potassium ethyl xanthate 509
- Poly(methyl styrene) (PMS), oxidations, copper(II) chloride 81
- Polyorganometallics, sulfur sulfide-derived reactions, sulfur 579–580
- Polyphosphoric acid (PPA)** 497–503
- Polysubstituted unsymmetrical benzene synthesis, cyclopentadienylbis(triphenylphosphine)cobalt (I) 116–117
- Polysulfides, synthesis, sodium sulfide 563, 565
- Porphyryns, oxidations, gold(III) chloride 305
- Potassium caroate *see* Potassium monoperoxysulfate
- Potassium ethyl xanthate** 503–512  
*see also* Sodium sulfide 561–573  
*see also* Thiourea 596–597
- Potassium hydrogenpersulfate *see* Potassium monoperoxysulfate
- Potassium hydrogen sulfide  
synthesis, hydrogen sulfide 331  
*see also* Sodium sulfide 561–573
- Potassium monoperoxysulfate** 512–530
- Potassium nitrosodisulfonate (Fremy's salt), synthesis, sodium nitrate 553
- Potassium permanganate–copper(II) sulfate, *see also* Copper(II) sulfate 93–104
- Potassium peroxy monosulfate *see* Potassium monoperoxysulfate
- Potassium sulfide, synthesis, hydrogen sulfide 331
- Potassium tetrachloropalladate(II), *see also* Palladium(II) chloride 449–467
- Potassium xanthate *see* Potassium ethyl xanthate
- Potassium xanthogenate *see* Potassium ethyl xanthate
- Potassium *O*-xanthogenate *see* Potassium ethyl xanthate
- PPA *see* Polyphosphoric acid
- PRCs *see* Polarity reversal catalysts
- Primary amines  
protecting groups, 2,5-hexanedione 327–328  
synthesis, guanidine 324
- Prins-type cyclizations, iron(III) bromide 376–377
- Propargyl alcohols, *see also* Acetaldoxime 1–7
- Propargyl carbamate, *see also* Acetaldoxime 1–7
- Propargyl chloride, *see also* Acetaldoxime 1–7
- Propargyl groups, hydroxylations, selenium(IV) oxide 531
- Propargyl ketones, cyclizations, gold(III) chloride 298–299
- Propionaldehyde *t*-butylimine, *see also*  $\alpha$ -Methacrolein *N*-*tert*-butylimine 389–390
- Propionic acid, *see also* Pivalic acid 490–497
- Protecting group chemistry  
functional groups, iodine 367  
iron(III) chloride 381, 385  
ketones, semicarbazide 545  
primary amines, 2,5-hexanedione 327–328  
*see also* Deprotection
- Protonation, regioselective, pivalic acid 490
- Pummerer-type cyclization, phenyliodine(III) bis(trifluoroacetate) 474
- Purine nucleosides, reactions, sodium nitrate 554
- Purinoids, synthesis, phosphorus oxychloride 487
- Push–pull alkenes, ethyl ethoxymethylenecyanoacetate 284–287
- 1*H*-Pyrazole-1-carboxamide hydrochloride  
*see also* Diphenyl cyanocarbonimidate 247–248  
*see also* Formamide acetate 289–290  
*see also* Guanidine 322–325  
*see also* *S*-Methylisothiurea 395–396
- Pyrazoles, synthesis, phenylhydrazine 470
- Pyrazolines, synthesis, phenylhydrazine 470
- Pyridazines, synthesis, dimethyl 1,2,4,5-tetrazine-3,6-dicarboxylate 239–241

- Pyridine, *see also* Iodine 358–374
- Pyridine derivatives
- arylations, palladium(II) acetate 436–437
  - direct functionalization, palladium(II) acetate 436–437, 443
  - olefinations, palladium(II) acetate 437
  - synthesis, 1-amino-pyridinium iodide 24
- Pyridines
- reactions, trifluoromethanesulfonic anhydride 629
  - synthesis
    - dimethyl 1,2,4,5-tetrazine-3,6-dicarboxylate 238–239
    - hydroxylamine 338, 340
    - phosphorus oxychloride 487
- Pyridin-2(*H*)-ones, tetrasubstituted, synthesis, phosphorus oxychloride 487–488
- Pyridinopyrimidine, synthesis, methyl glycine 391–392
- Pyrimidines
- synthesis
    - formamidine acetate 289
    - thiourea 596
- Pyrones, synthesis, phosphorus oxychloride 487
- Pyrrolazepines, synthesis, 2,5-dimethoxytetrahydrofuran 204–205
- Pyrroles
- C*-alkylations, copper(II) trifluoromethanesulfonate 109
  - primary amine protecting groups, 2,5-hexanedione 327–328
  - synthesis
    - 2,5-dimethoxytetrahydrofuran 203–204
    - dimethyl 1,2,4,5-tetrazine-3,6-dicarboxylate 238, 242
    - 2,5-hexanedione 327
    - p*-tolylsulfonylmethyl isocyanide 601–603, 605–606
    - tetrasubstituted, synthesis, phosphorus oxychloride 487
- Pyrrolidines, synthesis, 2,5-dimethoxytetrahydrofuran 203, 204–205
- Pyrrolizines, synthesis, 2,5-dimethoxytetrahydrofuran 204–205
- Quinazolines, synthesis, phenylhydrazine 471
- Quinazolinones, synthesis, phosphorus oxychloride 486
- Quinolines, synthesis, sodium tetrachloroaurate(III) 575
- Quinolizine, synthesis, methyl glycine 391
- Quinones
- high oxidation potential, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 172–173
  - synthesis, phenolic oxidations, phenyliodine(III) bis(trifluoroacetate) 472–473
- Quinoxalines, unsymmetrical synthesis, phosphorus oxychloride 486
- Racemization suppression, peptide couplings, copper(II) chloride 78
- Radical additions, copper(I) chloride 62
- Radical chain reactions, methyl thioglycolate 398–399
- Radical polymerizations, copper(II) trifluoromethanesulfonate 109
- Radical reactions
- copper(II) trifluoromethanesulfonate 106, 109
  - (diacetoxyiodo)benzene 124
  - oxygen 404, 406
  - potassium ethyl xanthate 505–509
- Radziszewski reaction, acetonitrile 13
- Rearrangements
- 2-chloro-1,3-dimethylimidazolium chloride 60
  - (diacetoxyiodo)benzene 123
  - gold(III) chloride 304, 313–314
  - oxidative, phenyliodine(III) bis(trifluoroacetate) 479
  - palladium(II) chloride 454–455
  - phosphorus oxychloride 485–486
  - pivalic acid 490
  - polyphosphoric acid 500–501
  - ring-opening, copper(II) trifluoromethanesulfonate 113
  - sigmatropic, potassium ethyl xanthate 510–511
  - silver(I) hexafluoroantimonate 548
  - tetrakis(triphenylphosphine)palladium(0) 590
  - to acetamide, acetaldoxime 1, 5
- Redox catalysts, copper(II) sulfate 94–95
- Reductions
- acetaldoxime 6
  - alkynes, palladium(II) acetate 425, 434
  - alkynyl sulfones, copper(II) trifluoromethanesulfonate 106
  - asymmetric, pivalic acid 490
  - 2-chloro-1,3-dimethylimidazolium chloride 60
  - copper(II) sulfate 98, 102
  - dichlorotris(triphenylphosphine)ruthenium(II) 186
  - 2,4-dinitrophenylhydrazine 245
  - hydrogen sulfide 333
  - hydroxylamine 338
  - indium tribromide 353–354
  - $\alpha$ -methacrolein *N*-*tert*-butylimine 389–390
  - palladium(II) acetate 425, 434
  - peroxides, thiourea 596
  - sodium nitrate 555
  - sodium sulfide 563–564, 566–567
  - tetrakis(triphenylphosphine)palladium(0) 589
  - triphenylphosphinegold(I) chloride 641
- Reductive aldol reactions, indium tribromide 354
- Reductive aminations
- 2,2-difluoroethylamine 198
  - trifluoroethanamine 614
- Reductive couplings, oxygen 411
- Reductive cyanations, *p*-tolylsulfonylmethyl isocyanide 599, 600–601
- Reformatsky-type reactions, indium tribromide 354
- Regioselective alkylations, activating groups, diethyl oxalate 194
- Regioselective protonation, enolates, pivalic acid 490
- Regioselective synthesis
- heterocycles, benzonitrile *N*-oxide 33–35
  - N*-Methylpyrazoles, 1-*tert*-butyloxycarbonyl-1-methylhydrazine 54
- Reoxidants, catalytic palladium reactions, copper(II) chloride 78
- Rhodium catalysts
- dirhodium(II) tetraacetate 249–264
  - dirhodium tetrakis-(heptafluorobutyramide) 265–267
- Ring closures
- tandem electrophilic–nucleophilic, methyl isocyanate 393–394
  - see also* Aromatic ring formation; Cyclizations

- Ring expansions  
 copper(II) trifluoromethanesulfonate 107  
 dimethyl diazomalonate 216, 219, 222, 228
- Ring opening  
 aziridines  
 phosphorus oxychloride 485  
 trifluoroethanamine 614  
 azirines, dimethyl diazomalonate 227–228  
 copper(II) trifluoromethanesulfonate 113  
 gold(III) chloride 308–309  
 indium tribromide 354–356  
 phenyliodine(III) bis(trifluoroacetate) 472
- Ring transformations, dimethyl 1,2,4,5-tetrazine-3,6-dicarboxylate 242–243
- Ritter-type reactions, acetonitrile 12–13
- Ruthenium(II) catalysts, dichlorotris(triphenylphosphine) ruthenium(II) 186–191
- Ruthenium complexes, synthesis, dichlorotris(triphenylphosphine)ruthenium(II) 190
- Ruthenium-hydroxalate catalyst–oxygen, *see also* Oxygen 402–414
- Sandmeyer reaction, copper(I) chloride 61
- Selective deacetylations, guanidine 324
- Selective *O*-formylations, sugars, phosphorus oxychloride 488
- Selectivity  
 metal carbene transformations, dirhodium(II) tetraacetate 252  
*N* versus *O* selective alkylations, hydroxylamine 336, 338–339  
*see also* Asymmetric . . . ; Enantioselective . . . ; Regioselective . . .
- Selenadiazoles, synthesis and conversions, semicarbazide 542, 543–544
- Selenides, synthesis, selenium(IV) oxide 534–535, 539–540
- Selenium compounds, reactions, potassium monoperoxy sulfate 521
- Selenium dioxide *see* Selenium(IV) oxide
- Selenium(IV) oxide** 531–542
- Selenium(IV) oxide–*t*-butyl hydroperoxide, *see also* Selenium(IV) oxide 531–542
- Selenophene  
 synthesis, 2,5-hexanedione 328  
*see also* Iodine 358–374
- Semicarbazide** 542–547  
*see also* Hydroxylamine 335–342  
*see also* Phenylhydrazine 468–472
- Semicarbazones  
 deprotection, *N,N,N',N'*-tetrabromobenzene-1,3-disulfonamide 584  
 synthesis, semicarbazide 542–543, 545
- Seven-membered rings, synthesis, 1,4-dinucleophile reactions, ethyl ethoxymethylenecyanoacetate 285–286
- Shift reactions, 1,2- and 1,3-ester shifts, gold(III) chloride 307–308
- Sigmatropic rearrangements  
 dichloro bis(acetonitrile) palladium 144–146  
 potassium ethyl xanthate 510–511
- Silicon–silicon bonds, insertions, *o*-Tolyl isocyanide 598
- Silver(I) acetate, *see also* Silver(I) hexafluoroantimonate 547–550
- Silver(I) hexafluoroantimonate** 547–550
- Silver(I) tetrafluoroborate, *see also* Silver(I) hexafluoroantimonate 547–550
- Silver(I) trifluoroacetate, *see also* Silver(I) hexafluoroantimonate 547–550
- Silylated ethers, deprotection, *N,N,N',N'*-tetrabromobenzene-1,3-disulfonamide 584
- Silylating agents, reactions, hydroxylamine 336
- Silylations, *N,N,N',N'*-tetrabromobenzene-1,3-disulfonamide 584
- Silyl ethers, hydrolysis reactions, dichloro bis(acetonitrile) palladium 146
- Simple dienes, cyclizations, palladium(II) acetate 422
- Singlet oxygen, *see also* Oxygen 402–414
- Six-membered rings  
 synthesis  
 cycloaddition cascades, palladium(II) chloride 459–460  
 cyclodehydrations, 2-chloro-1,3-dimethylimidazolium chloride 59  
 1,3-dinucleophile reactions, ethyl ethoxymethylenecyanoacetate 285  
 guanidine 323–324  
 hetero-Diels–Alder cycloadditions, dimethyl 2,3-pentadienedioate 231, 233
- S<sub>N</sub>1* alkylations/substitutions, trifluoroethanamine 613–614
- S<sub>N</sub>2* alkylations, 2,2-difluoroethylamine 196
- S<sub>N</sub>2* alkylations/substitutions, trifluoroethanamine 613–614
- S<sub>N</sub>S* (tin monosulfide), nanoparticle synthesis, sodium sulfide 569
- Sodium hydride–palladium(II) acetate–sodium *t*-pentoxide, *see also* Palladium(II) acetate 415–449
- Sodium hydrogen sulfide  
 synthesis, hydrogen sulfide 331  
*see also* Potassium ethyl xanthate 503–512  
*see also* Sodium sulfide 561–573
- Sodium nitrate** 550–561
- Sodium sulfide** 561–573  
 synthesis, hydrogen sulfide 331  
*see also* Hydrogen sulfide 330–335  
*see also* Potassium ethyl xanthate 503–512
- Sodium tetrachloroaurate(III)** 573–577
- Soft Lewis acids, alkyne activation, gold(I) chloride 291–296
- Solvents  
 nontraditional solvent reactions, dirhodium(II) tetraacetate 256  
 stereodirecting, acetonitrile 11–17
- Sonogashira couplings, dichloro bis(acetonitrile) palladium 148
- Stabilized carbenium ions, *N,N*-Dimethylacetamide dimethyl acetal 208–209
- Star polymers, synthesis, dichlorotris(triphenylphosphine) ruthenium(II) 190
- stereodirecting solvents, glycosylations, acetonitrile 13–17
- Stereoselective . . . *see* Asymmetric . . . ; Enantioselective . . .

- Stille couplings  
copper(I) chloride 65  
dichloro bis(acetonitrile) palladium 147–148
- Styrene, asymmetric cyclopropanation, copper(II)  
trifluoromethanesulfonate 108
- Substituent modifications, dimethyl 1,2,4,5-tetrazine-3,6-dicarboxylate 241
- N*-Substituted azepines,  $\beta$ -cyclodextrin-mediated synthesis, 2,5-dimethoxytetrahydrofuran 207
- 1-Substituted cytosines, synthesis, phosphorus  
oxychloride 486
- Substituted 1,4-dicarbonyl compounds, *see also* 2,5-Hexanedione 327–330
- Substituted furans, synthesis, 2,5-dimethoxytetrahydrofuran 203–208
- Substituted hydrazines, synthesis, *N*-aminophthalimide 19–20
- Substituted isoxazoles  
synthesis  
dibromoformaldehyde oxime 136  
dichloroformaldehyde oxime 185–186
- Substituted isoxazolines  
synthesis  
dibromoformaldehyde oxime 135–136  
dichloroformaldehyde oxime 185
- N*-Substituted *N'*-methyl hydrazines, synthesis, 1-*tert*-butyloxycarbonyl-1-methylhydrazine 53
- Substituted oxazoles, synthesis, 4-methyloxazole 397
- Substituted pyridines  
synthesis  
1-amino-pyridinium iodide 24  
hydroxylamine 338, 340
- Substituted pyrroles, synthesis, phosphorus oxychloride 487
- 2- or 2,5-Substituted tetrahydrofuran derivatives, synthesis, 2,5-dimethoxytetrahydrofuran 203–208
- Substitutions  
aromatic, hydroxylamine 338, 340  
aromatic halides, trifluoroethanamine 612  
enantioselective allylic, copper(II)  
trifluoromethanesulfonate 111  
indium tribromide 356–357  
nucleophilic, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone 181  
palladium(II) acetate 434–435  
polysubstituted unsymmetrical benzene synthesis,  
cyclopentadienylbis(triphenylphosphine)cobalt  
(I) 116–117  
potassium ethyl xanthate 503–505  
SN1/SN2 types, trifluoroethanamine 613–614  
sodium tetrachloroaurate(III) 575–576
- Succindialdehyde, *see also* 2,5-Dimethoxytetrahydrofuran 203–208
- Sugars, anomeric aminations, ammonium bicarbonate 31
- Sulfide-derived reactions, sulfur 579–580
- Sulfides  
oxidations, sodium tetrachloroaurate(III) 574, 575  
synthesis, potassium ethyl xanthate 503–505  
*see also* Acyclic sulfides; Cyclic sulfides; Disulfides;  
Polysulfides; Thioethers
- Sulfonamides, synthesis, trifluoroethanamine 615
- Sulfonium ylides, synthesis, dimethyl diazomalonate 227
- Sulfonyl chloride, additions, to unsaturated bonds, copper(II)  
chloride 77–78
- O*-Sulfonyl hydroxylamine, *see also N*-Aminophthalimide 19–23
- Sulfoxides, reactions, trifluoromethanesulfonic  
anhydride 628–629
- Sulfoximines, synthesis, *N*-aminophthalimide 21–22
- Sulfur** 577–582
- Sulfur compounds, reactions, potassium  
monoperoxysulfate 514–515, 520–521, 527–528
- Sulfur halides, reactions, diazo(trimethylsilyl)  
methyl lithium 134
- Sulfur heterocycles  
synthesis  
methyl thioglycolate 398  
polyphosphoric acid 499–500
- Sulfur nucleophiles, acetylation, bromoacetone 47–48
- Tandem electrophilic–nucleophilic ring closures, methyl  
isocyanate 393–394
- Tandem reactions  
conjugate addition–cyclization, heterocycle synthesis,  
dimethyl 2,3-pentadienedioate 231–232, 235  
*cis*-dihydroxylations/oxidative cleavage, alkenes,  
oxygen 408–409  
gold(III) chloride 302–303, 314–315
- TBBDS *see N,N,N,N*-Tetrabromobenzene-1,3-disulfonamide
- T*-BuOOH *see tert*-Butyl hydroperoxide
- Telomerizations, conjugated dienes, palladium(II) acetate 416
- Terminal alkenes, oxidations, to methyl ketones, palladium(II)  
acetate 415–416, 425
- Terminal alkynes, Markovnikov additions, to  $\beta$ -Keto esters and  
malonates, indium tribromide 353
- N,N,N*prime\*,*N*prime\*-Tetrabromobenzene-1,  
3-disulfonamide (TBBDS)** 583–585
- Tetrahydrofuran derivatives, synthesis, 2,5-dimethoxytetrahydrofuran 203–208
- Tetrakis(triphenylphosphine)palladium(0)** 585–594
- 1,1,3,3-Tetramethylbutyl isocyanide  
*see also* Phenyl isocyanide 467–468  
*see also o*-Tolyl isocyanide 598–599  
*see also p*-Tolylsulfonylmethyl isocyanide 599–607
- N,N,N,N'*-Tetramethylchloroamidinium chloride, *see also*  
2-Chloro-1,3-dimethylimidazolium chloride 57–60
- 2,2,6,6-Tetramethyl-piperidyl-1-oxo-oxygen, *see also*  
Oxygen 402–414
- Tetrasubstituted pyrroles, synthesis, phosphorus  
oxychloride 487
- Tf<sub>2</sub>O *see* Trifluoromethanesulfonic anhydride
- Thallium(I) acetate–iodine, *see also* Iodine 358–374
- Thallium(III) trifluoroacetate–palladium(II) acetate, *see also*  
Palladium(II) acetate 415–449
- 3-Thiapentanedioic acid** 594–595
- Thiazoles  
synthesis  
thiourea 596  
*p*-tolylsulfonylmethyl isocyanide 605  
*see also* Iodine 358–374

- Thioacetalizations, indium tribromide 343
- Thioamides  
synthesis  
benzoyl isothiocyanate 36  
phosphorus oxychloride 485
- 2,2'-Thio-bis(acetic acid) *see* 3-Thiapentanedioic acid
- Thiocarbamates, synthesis using in situ generated carbonyl sulfides, sulfur 579
- Thiocarbonyl compounds  
reactions, trifluoromethanesulfonic anhydride 622  
synthesis  
hydrogen sulfide 332–333  
sodium sulfide 566, 569
- 2,2'-Thiodiacetic acid *see* 3-Thiapentanedioic acid
- Thiodiglycolic acid *see* 3-Thiapentanedioic acid
- Thioethers  
synthesis  
hydrogen sulfide 332  
sodium sulfide 562–563, 565–566, 568–569
- Thioglycolic acid methyl ester *see* Methyl thioglycolate
- Thiolactams, synthesis, phosphorus oxychloride 485
- Thiols  
reactions, trifluoromethanesulfonic anhydride 621–622  
synthesis  
hydrogen sulfide 331–332  
potassium ethyl xanthate 503–505  
sodium sulfide 562, 564–565, 568
- Thionyl chloride, *see also* Phosphorus oxychloride 481–489
- Thiophenes  
synthesis  
2,5-hexanedione 328  
sodium sulfide 565–566, 568, 569  
3-thiapentanedioic acid 595
- Thiophosgene, *see also* Potassium ethyl xanthate 503–512
- Thiourea** 596–597  
synthesis, benzoyl isothiocyanate 36  
*see also* Hydrogen sulfide 330–335  
*see also* Potassium ethyl xanthate 503–512
- Thiourea dioxide, synthesis, thiourea 596
- Three-component condensations, copper(II)  
trifluoromethanesulfonate 108–109
- Three-component reactions, dimethyl diazomalonate 223, 228
- Three-membered rings, synthesis, cycloaddition cascades, palladium(II) chloride 457–458
- Tiffeneau-Demjanov rearrangement (diazotization of cyclic alkanolamines), sodium nitrate 553–554
- Tin compounds, organostannanes/organoborane cross-couplings, copper(I) iodide 88–89
- Tin halides, reactions, diazo(trimethylsilyl)methyl lithium 134
- Tin monosulfide (SnS) nanoparticles, synthesis, sodium sulfide 569
- TMSN<sub>3</sub> *see* Azidotrimethylsilane
- O*-(*p*-Tolylsulfonyl)hydroxylamine, *see also* *N*-Aminophthalimide 19–23
- p*-Toluenesulfonic acid, *see also* Pivalic acid 490–497
- p*-Toluenesulfonyl isocyanate, *see also* Methyl isocyanate 393–395
- o*-Tolyl isocyanide** 598–599  
*see also* Phenyl isocyanide 467–468
- p*-Tolylsulfonylmethyl isocyanide** 599–607
- p*-Tolylthiomethyl isocyanide  
*see also* Phenyl isocyanide 467–468  
*see also* *p*-Tolylsulfonylmethyl isocyanide 599–607
- p*-Tolyl vinyl sulfoxide, *see also* Phosphorus oxychloride 481–489
- TosMIC *see* *p*-Tolylsulfonylmethyl isocyanide
- Tosyl azide, *see also* *N*-Aminophthalimide 19–23
- N*-Tosylimino phenyl iodine, *see also* *N*-Aminophthalimide 19–23
- Tosylmethyl isocyanide *see* *p*-Tolylsulfonylmethyl isocyanide
- Total synthesis  
dibromoformaldehyde oxime 136  
gold(III) chloride 304–305, 318–319
- Transfer hydrogenations, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]diiridium 171
- Transfer reactions, carbenes, gold(I) chloride 297
- Transmetalations  
copper(I) chloride 65–67  
organometallic compounds, palladium(II) chloride 453–454
- Trapping  
by nucleophiles, carbopalladation, dichlorobis(triphenylphosphine)palladium(II) 158–163  
intramolecular diyl reactions, intramolecular, dimethyl 2,3-pentadienedioate 235
- Triazoles, synthesis, *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 41–42
- Triazolo compounds, synthesis, phenylhydrazine 471
- Triazolones, synthesis, semicarbazide 543
- Tributylstannylacetylene, *see also* Acetaldoxime 1–7
- Trichloromethyl chloroformate, *see also* Phosphorus oxychloride 481–489
- Trichlorosilylations, copper(I) chloride 64
- Triethyl orthoacetate, *see also* *N,N*-Dimethylacetamide dimethyl acetal 208–215
- Triethyl orthoformate, *see also* Formamidine acetate 289–290
- Triflates  
copper(II) trifluoromethanesulfonate 104–115  
synthesis, trifluoromethanesulfonic anhydride 616–623, 627–628  
2-(trimethylsilyl)phenyl triflate 635–638
- Triflic anhydride *see* Trifluoromethanesulfonic anhydride
- Trifluomethyldiazomethane** 607–612
- Trifluoroacetic acid, *see also* Pivalic acid 490–497
- Trifluorocarbon groups, insertions, ethyl 2-diazo-4,4,4-trifluoro-3-oxobutanoate 281–283
- 2,2,2-Trifluorodiazoethane *see* Trifluomethyldiazomethane
- 2,2,2-Trifluoroethanamine *see* Trifluoroethylamine
- Trifluoroethylamine** 612–616
- Trifluoromethanesulfonic anhydride** 616–633
- Trifluoromethyl diazomethane *see* Trifluomethyldiazomethane
- N*-[(Trifluoromethyl)sulfanyl]aniline *see* 1,1,1-Trifluoro-*N*-phenylmethanesulfenamide
- 1,1,1-Trifluoro-*N*-phenylmethanesulfenamide** 633–635
- Trimethylacetic acid *see* Pivalic acid
- 2,4,6-Trimethylbenzoic acid, *see also* Pivalic acid 490–497

- 2,2,6-Trimethyl-4*H*-1,3-dioxin-4-one, *see also* Acetone hydrazone 7–11
- (*E*)-Trimethylsilylalkenes (vinylsilanes), synthesis, diazo (trimethylsilyl)methyl lithium 130
- Trimethylsilylations, alcohols, indium tribromide 357
- Trimethylsilyldiazomethyl lithium *see* Diazo(trimethylsilyl)methyl lithium
- 2-Trimethylsilyloxyfuran, *see also* 2,5-Dimethoxytetrahydrofuran 203–208
- 2-(Trimethylsilyl)phenyl triflate** 635–638
- Trimethylsilyl polyphosphite, reagent system for organic synthesis, selenium(IV) oxide 532
- Triphenylacetone *N*-oxide, *see also* Acetonitrile *N*-oxide 18
- Triphenylphosphinegold(I) chloride** 638–641
- Triphenylphosphine–iodine, *see also* Iodine 358–374
- Tris-(dimethylamino)methane, *see also* Formamidinium acetate 289–290
- Triselenium dicyanide (TSD), synthesis, selenium(IV) oxide 535
- Tris(formylamino)methane, *see also* Formamidinium acetate 289–290
- Trivalent iridium complexes, di- $\mu$ -chlorodichlorobis[(1,2,3,4,5- $\eta$ )-1,2,-3,4,5-pentamethyl-2,4-cyclopentadien-1-yl] diiridium 164–172
- Tropinone, synthesis, 2,5-dimethoxytetrahydrofuran 205
- TSD *see* Triselenium dicyanide
- Tsuji–Troost-type reactions, palladium(II) acetate 435
- $\alpha,\beta$ -Unsaturated aldehydes, synthesis, enolate oxidations, palladium(II) acetate 423–424
- Unsaturated bonds, sulfonyl chloride additions, copper(II) chloride 77–78
- Unsaturated carbonyl compounds, Michael additions, to  $\beta$ -keto esters, copper(II) trifluoromethanesulfonate 110
- $\alpha,\beta$ -Unsaturated ketones  
synthesis  
activating groups, diethyl oxalate 194  
enolate oxidations, palladium(II) acetate 423–424
- Unsaturated medium-ring lactones, lactol fragmentations, (diacetoxyiodo)benzene 120
- Unsymmetrical oximes, acetaldoxime 1–7
- Unsymmetrical polysubstituted benzene synthesis, cyclopentadienylbis(triphenylphosphine)cobalt (I) 116–117
- Unsymmetrical quinoxalines, synthesis, phosphorus oxychloride 486
- Vilsmeier–Haack reaction, phosphorus oxychloride 482
- Vinylations, indoles, direct functionalization, palladium(II) acetate 438–439
- Vinyl epoxides, allylic/homoallylic alcohol formation, palladium(II) acetate 420
- Vinyl glycidyl ether, *see also* Acetaldoxime 1–7
- Vinylmagnesium chloride–copper(I) chloride  
*see also* Copper(I) chloride 61–75  
*see also* Copper(II) chloride 75–83
- Vinyl oxetanes, allylic/homoallylic alcohol formation, palladium(II) acetate 420
- Vinylsilanes ((*E*)-trimethylsilylalkenes), synthesis, diazo (trimethylsilyl)methyl lithium 130
- Wacker process  
oxygen 408  
palladium(II) chloride 450
- Water, role in oxidative reactions, palladium(II) chloride 450
- Wet alumina–Oxone<sup>®</sup> reagent, oxidations, potassium monoperoxysulfate 512
- Willgerodt reaction, sulfur 577–578
- Ylides  
additions, *N*-[bis(methylthio)methylene]-*p*-toluenesulfonamide 42–43  
heterocycle synthesis, 1-amino-pyridinium iodide 24–26  
reactions, ethyl 2-diazo-3-oxybutyrate 279–280  
synthesis, from metal carbenes, dirhodium(II) tetraacetate 250–252, 254–255  
transformations, dirhodium(II) tetraacetate 250–251, 254–255, 258–259
- Zinc–copper(I) chloride  
*see also* Copper(I) chloride 61–75  
*see also* Copper(II) chloride 75–83
- Zirconated compounds, transmetalations, copper(I) chloride 66–67

