Index

A

A pose, 512
Action constraint, 469
actions, 546–550
active object, 75, 103
active strip, 644
active tools, 34–35
Add Primitive tools, 129–130
Add Shader node, 333
Add tool, 563
additive tools, 187–189
Adjustment Layer strips, 639–640
advanced numerical input system, 85
airbrush, 592
Alembic file format, 427
Align Euler to Vector node, 291
aligned handles, 235–236
alignment options for text, 252
alpha channel, 182, 273, 416, 642
ambient occlusion (AO), 400–403
angular diameter, 382–383
animation. *See also* editing; keyframes
  with armatures, 538–546
  character, 531
  Dope Sheet, 531–538
  with Grease Pencil objects, 619–626
  nonlinear, 546–552
  object, 431–437
  principles of, 540–543
  rendering, 419–420
Animation Editor, 32–33
Animation workspace, 18, 59, 434–435
Annotate tool, 55–56
anticipation, 541
AO (ambient occlusion), 400–403
API (application programming interface), 724, 732
appeal, 542
Append feature, 119–122
appendages, adding, 514–516
appending datablocks, 708–710
application templates, 21
Apply operator, 156
arbitrary output variable (AOV), 661–662
Arc tool, 597
arcs, 542
Area light, 374, 386–387, 392–393
Armature constraint, 469
Armature modifier, 162, 615
armatures
  animating with, 538–546
  bendy bones, 500–504
  editing, 489–493
  overview, 100, 488–489
  parenting bones, 493–494
  properties, 495–500
  skinning, 504–512
Array modifier, 154–155, 159, 173–176, 613
Arrow display type, 458
assembly line approach, 265–266
Asset Browser
  appending datablocks, 708–710
  asset libraries, 422–426, 708–710
  hair assets, 565–567
  linking datablocks, 710–712
  overview, 34
  pose libraries, 527–530
asset libraries, 422–426, 708–710
assets
  building asset libraries, 422–426
  creating global asset library, 425–426
  customizing in Asset Browser, 424–425
  exporting to external formats, 426–427
  importing from other applications, 427
  overview, 422
attribute nodes, 271, 282
attributes, 311–313, 440–441
Auto Keying, 439–440
auto-aperture feature, 685
auto-focus feature, 686
automation, usefulness of, 720–721
Average tool, 309

B

back light, 372, 392
backdrop image, 666–667
backface culling, 92–93
Background images, 178–183
baking
  light probes, 405–407
  liquid simulations, 579–580

COPYRIGHTED MATERIAL

base color, 322
basis shape, 482
Batch Rename operator, 491, 492
B-bones, 497–499
Bend tool, 601
bendy bones, 496, 500–504
Bevel modifier, 154–155, 159
bevel object, 230–234
Bevel tool, 130, 141–144
beveling curves, 229–234
Bézier curves
  anatomy of, 221–222
  cyclic and non-cyclic, 223
  deforming text with, 255–256
  editing, 235–237
  overview, 220–221
Bézier draw type, 225–226
Bézier interpolation, 449
bidirectional scattering distribution function (BSDF), 318–320
bin, 637
Bisect tool, 131, 140–141
Blank Grease Pencil object, 589
blend mode, 642
Blend texture, 364
Blender Animation Studio, 14
Blender Foundation, 11
Blender Institute, 14
Blender Python API, 724, 732
blending modes, 311–312
Blob tool, 189
blobbies, 241
blocking, 432
Blur tool, 308
Boids physics, 557
bones in armature
  appendages, adding, 514–516
  bendy bones, 500–504
  bone collections, 526
  bone groups, 524–526
  bone heat, 509
  bone layers, 496, 526
  centerline, creating, 512–514
  editing, 489–493
  inverse versus forward kinematics, 519–524
  organizing rig, 524–527
  overview, 489
  parenting, 493–494
  parenting and constraints, 516–519
Boolean modifier, 159
booleans versus joins, 103–104
bouncing ball animation, 619–624
boundary edges, 135
boundary line, 595
Boundary tool, 192
Box Face Set tool, 195
Box Hide tool, 196–197
Box Mask tool, 195
box modeling, 126, 127
Box Select, 46, 47
Box tool, 597
Box Trim tool, 197
Breakdown keyframe, 537–538
Brick texture, 339, 341
Bright/Contrast modifier, 639
brush cursor, 186–187
brush select tool, 46
brushes
  custom, 201–202
  for Grease Pencil objects, 592–598
  properties, 198–201
  textured, 202–203
  versus tools, 198
BSDF (bidirectional scattering distribution function), 318–320
Build modifier, 159, 613–614
Built-In Function f-curve modifier, 453
bump mapping, 346–347
bundles, 701

C

cage, 171
Camera coordinates, 345
camera objects, 101
cameras
  configuring before solving, 699–700
  solving camera motion, 698–701
  treating objects as, 42
  video quality, 682–684
Cartesian grid, 72
cascaded shadow map, 384
Cast modifier, 162
Catmull-Clark subdivision, 172
caustic lighting effects, 378
centering objects, 43
centerline, creating, 512–514
character animation
  animating with armatures, 538–546
  Dope Sheet, 531–538
  nonlinear animation, 546–552
  overview, 531
Checker texture, 339, 341
Child Of constraint, 468
children, selecting, 118
Christensen-Burley method, 326
Circle display type, 458
Circle Select, 46, 47
Circle tool, 597

circular sockets, 274
Clamp To constraint, 468
clay renders, 322
Clay Strips tool, 188
Clay Thumb tool, 188
Clay tool, 188
Clear Cyclic extrapolation, 451–452
clip library, 637
clips, 638
Clone tool, 361–362, 600
closed edge loops, 147
closed mesh, 135
Cloth Filter tool, 197
Cloth modifier, 164
cloth simulation, 573–576
Cloth tool, 192
Clouds texture, 364
codec, 647
coding. *See* Python scripting
collection instances, 116–118
collections
  creating, 113–116
  linking datablocks, 711–712
  overview, 101
  selecting objects in, 119
  selecting with, 118–119
  using, 116–118
  using library overrides with, 717–718
Collision modifier, 164
collisions, 559–561
color
  attributes, adding multiple, 311–313
  of bone groups, 525
  of bones, 498
  of geometry nodes, 270–273
  of materials, changing
    color palettes, 313–314
    diffuse colors, setting, 301–303
    material slots, creating, 303–307
    overview, 301
    painting masks, creating, 314
    rendering vertex colors, 315
    vertex colors, using, 308–315
  selecting objects by, 119
  World material, 396–397
Color Balance modifier, 639
color bleeding, 377
Color Filter tool, 197
Color modifiers, 612, 617
color nodes, 271, 668
color palettes, 313–314
color picker, 302–303, 309–310, 314
color stop, 330
color strips, 639
Comb tool, 563
Combo Select mode, 90–91
compositing
  Compositor workspace, 652–653
  editing versus, 632
  nodes, 651–652, 666–667
  overview, 651
  real time, in 3D Viewport, 670–671
  rendering from Compositor, 669–670
  rendering image sequences, 420
  rendering in passes and layers, 653–665
  replacing texture without re-rendering, 671–680
Compositing workspace, 19, 59–61
Compositor Editor, 31
Compositor workspace
  general discussion, 652–653
  node editing, 665–669
  rendering from, 669–670
  replacing texture without re-rendering, 671–680
Cone display type, 458
Connect Vertex Path operators, 128
constant extrapolation, 451–452
constant interpolation, 449
constraints
  adjusting settings on, 460–461
  Empties, 458–460
  overview, 455–456
  relationship, 468–470
  Stickman character, 516–519
  tracking, 466–468
  transform, 462–466
  using effectively, 456–458
  vertex groups, using, 461
contact shadows, 381–382
container, 647
contexts, 34
control points, 100, 218, 221, 236–237
control vertices, 358
converter nodes, 271, 668
coordinate systems, 72–75, 83–84
Copy constraints, 462–466
Copy to Selected operator, 157
copying mirrored poses, 544–546
copy/paste appending method, 708
corner widgets, 22–23
corrective shape key, 471–472
Corrective Smooth modifier, 163
Crease tool, 189
Cross transition, 646

cryptomatte passes, 658–661, 678–680
Cube display type, 458
Cursor orientation, 74, 75
Cursor tool, 3D Viewport, 49
Curve modifier, 162
Curve Pen tool, 223
Curve tool, 597
curves. *See also* Bézier curves
  changing 3D curves into 2D curves, 227–229
  converting text to, 256
  deforming text with, 255–256
  drawing, 224–227
  extruding, beveling, and tapering, 229–234
  material slots, creating, 305–306
  versus meshes, 218–220
  NURBS, editing, 237–240
  overview, 100, 217
  tilt, adjusting, 234–235
  types of, 220–221
  working with, 222–224
Curves modifier, 639
custom brushes, 201–202, 364–366, 594–595
custom event maps, 66–69
custom keying sets, 443–444
custom properties, 476–477, 732–734
Cutter tool, 596
Cycles f-curve modifier, 453
Cycles render engine
  Area light, 386–387
  environment, setting up, 395–403
  general discussion, 410–412
  hair, rendering in, 568–569
  light portals, using in, 392–393
  light properties, 377–379
  mesh lights, using in, 387–390
  overview, 299–300
  passes, 662–665
  smoke simulation, 583–584
  Spot light, 384–385
  Sun light, 382–384
cyclic curve, 223

D

Damped Track constraint, 468
Data Editor, 33–34
data passes, 656–657
data paths, 475–477
Data Transfer modifier, 158
datablocks
  appending, 708–710
  linking, 710–712
  material slots, creating, 306
  overview, 99
  unlinking, 109–110
Decimate modifier, 159
default interface, 16
defaults, setting, 64–65
deflectors, 559–561
Deform modifiers, 161–164, 611, 615–616
deformers, 497
Delete operators, 128
Delete tool, 563
Delta keys, 438
Density tool, 563
depth of field, 686
destructive modeling, 258–259
destructive operation, 143–144
diamond-shaped sockets, 274
diffuse colors, setting, 301–303
diffuse reflection factor, 379–380
dirt shader, 401–403
dirty GI, 401–403
Displace modifier, 162
display types, 458
distort nodes, 668
Distorted Noise texture, 364
distortion nodes, 271
distribution method, 324
documentation, Blender Python API, 732
domain, 576
Dope Sheet
  adding actions, 546–550
  keyframe indicators, recognizing, 536–538
  markers in, 535–536
  overview, 32, 531–532
  selecting keys in, 532–535
Dot Dash modifier, 614
doubles, removing, 96, 137
Draw Face Sets tool, 193–194
Draw mode, for Grease Pencil objects, 592–598
Draw Sharp tool, 188
Draw tool
  for curves, 222, 224–227
  for Grease Pencil objects, 592–595
  sculpting, 188
  texture painting, 361, 363–366
  vertex painting, 308–310
drivers
  adding, 472–475
  data paths, 475–477
  defined, 470–471
  overview, 456, 470
  when to use, 471–472
Drivers Editor, 32–33, 477–479
Duplicate operator, 128, 157
Duplicate tool, 490
duplicates, creating, 104–110
duplicating areas into new windows, 23

Dupliverts, 285
Dynamic Effects interpolations, 450
Dynamic Paint modifier, 164
dynamic topology sculpting, 200, 205–209
Dyntopo, 200, 205–209

E

ease in and ease out principle, 542
edge flow, 151
edge loops, 147–149
edge rings, selecting, 149–150
Edge Select mode, 90–91
Edge Slide tool, 132, 151
Edge Split modifier, 159–160
edges, selecting, 89–93
edit cage, 156
Edit Face Set tool, 196
Edit Linked Library add-on, 712–714
Edit mode
  Extrude tool, 95–98
  Grease Pencil objects, 600–601
  linked vertices, 94
  modeling operators, 127–128
  modeling tools, 128–133
  ngons, 93
  overview, 87–88
  Proportional Editing feature, 98–99
  selecting vertices, edges, and faces, 89–93
  switching between Object mode and, 88–89
editing. *See also* Video Sequencer
  compositing versus, 632
  still image sequences, 420–421
editors. *See also* 3D Viewport Editor; Movie Clip editor
  Animation, 32–33
  Data, 33–34
  Drivers, 32–33, 477–479
  General, 31–32
  Geometry Node, 32, 260–263, 278–281
  Graph, 31, 32, 447–449, 543
  headers, customizing, 23–24
  Info, 33
  overview, 16–17, 30
  Properties, 34–37, 716–717
  Scripting, 33
  Shader, 31, 388–390
  Spreadsheet, 34, 262–265
  Text, 33, 728, 731
  Texture Node, 31–32, 366
  Timeline, 32
  UV, 31
Eevee render engine
  Area light, 386–387
  color inputs, 322–323
  environment, setting up, 395–403
  general discussion, 410–412
  hair, rendering in, 567–568
  light probes, working with, 403–408
  light properties, 379–382
  overview, 298–300
  passes, 656–665
  shadow mapping in, 390
  smoke simulation, 583–584
  Spot light, 384–385
  Sun light, 382–384
Effect strips, 640
effects
  adding in Video Sequencer, 644–646
  Grease Pencil objects, 617–619
Einar character file, replacing texture in, 671–680
Elastic Deform tool, 190–191
Elephants Dream, 13
Emitter particle system, 555–556
Empty objects, 101, 118, 458–460
end points, 223
energy conservation, 333
envelope display type for bones, 498, 499
Envelope f-curve modifier, 453
Envelope modifier, 614
envelope weights, 508–509
envelopes, skinning with, 505–506
environment
  ambient occlusion, 400–403
  HDRIs for lighting, 397–400
  overview, 395
  World material, changing, 395–396
Environment texture, 339, 341
Erase tool, 596
Euler angles, 74
Euler rotations, 543
events, 66–69
exaggeration, in animation, 542
Explode modifier, 164
exporting
  to external formats, 426–427
  UV layouts, 367–368
extrapolation mode, 450–452
Extreme keyframe, 538
extreme poses, 538
Extrude tool, 95–98, 127, 130, 223, 490, 600
extruding curves, 229–234
eye bulge shape key, 483–484
eyedropper, object, 234
Eyedropper tool, 596

F

face dots, 91
face loops, 147–149
Face Select mode, 90–91
face sets, 193–194
faces, selecting, 89–93
Fades, 641
fake users, 306, 547
FBX files, 368
f-curve modifiers, 453–454
f-curves, 436, 449–453
FFmpeg file format, 647
fields, 274
File Browser, 34, 119–121, 247–250
fill light, 371–372, 391
Fill tool, 190, 362, 595
filter nodes, 271, 668
filter tools, 187, 194–198
final polish, 433
fireflies, 386
FK (forward kinematics), 519–520
Flatten tool, 189
floating point numbers, 272–273
Floor constraint, 466
Fluid modifier, 164
Fluid physics, 557
fluid simulation, 576–580
Follow Path constraint, 469
follow through, 541–542
fonts, 247–251
force field objects, 101
force fields, 559–561
forward kinematics (FK), 519–520
four-point poles, 148
fractional frame, 551
frames, organizing nodes with, 276–277
free handles, 235–236
free software, 10
full frames, 685
fur. *See* hair and fur, 555

G

Gamma Cross transition, 646
General Editor, 31–32
General workflow template, 16, 21
Generate modifiers, 159–161, 611, 613–615
Generated coordinates, 349
Generator f-curve modifier, 453
Geometry node, 347–349
Geometry Node Editor, 32, 260–263, 278–281
geometry nodes. *See also* Geometry Nodes workspace
  adding to networks, 274–275
  commonly used, 282–284
  destructive versus procedural modeling, 258–259
  general discussion, 265–267
  hair assets, 565–567
  organizing, 275–281
  overview, 257–258
  parts of, 270–274
  vertex instance modifier, creating, 284–293
  working with, 267–269
Geometry Nodes modifier, 160
Geometry Nodes workspace
  Node Editors, 260–263
  overview, 19, 59, 259–260
  Spreadsheet editor, 262–265
gestural interface, 25
GGX, 324
gimbal lock, 74, 543
Gimbal orientation, 74, 75
global asset library, 422, 425–426
global illumination, 401
Global orientation, 73, 75, 83
GPU acceleration, 299
Grab tool, 190, 357, 599
grabbing, 72, 82
gradient for World material, 399–400
Gradient texture, 339, 341
Graph Editor, 31, 32, 447–449, 543
Grease Pencil objects
  2D Animation workflow template, 588–591
  animation with, 619–626
  copying effects, 108
  drawing with, 592–598
  editing, 600–601
  effects, 617–619
  integrating with 3D scenes, 626–627
  layers, 607–610
  materials, 601–606
  modifiers, 610–617
  overview, 100, 587
  sculpting, 598–600
  workflow, 591–592
group nodes, 271, 277, 669
group socket nodes, 271
Grow/Shrink tool, 564
guide curves, 564

H

hair and fur
  hair assets, 565–567
  overview, 561–562
  rendering in Cycles, 568–569
  rendering in Eevee, 567–568
  Sculpt mode, using for hair, 562–565

Hair nodes, 284
hamburger menu, 24, 64, 66
hand-drawn animation in Grease Pencil, 619–624
handles, 182–183, 235–236
hard surface modeling, 97
HDRIs (high dynamic range images), 44, 317–319, 397–400, 640
head, 489
head control, adding to rig, 518–519
headers, 16, 23–24, 270
height map, 162
"Hello World" script, 726–730
helper tools, 187, 193–194
hiding headers, 23
high-poly meshes, 177
Home key, 43
Hook modifier, 162, 615
hooks, 119, 486–488
Hue Correct modifier, 640
Hue/Saturation modifier, 617

I

icons, used in book, 4
IES lights, 379
IES texture, 339, 341
IK (inverse kinematics), 519–524
image compositing. *See* compositing
Image display type, 458
Image Empty objects, 179
image formats, 415–416
image objects
  adding in 3D Viewport, 178–179
  adjusting, 182–183
  overview, 101
  properties, changing, 180–182
  types of, 179–180
Image or Movie texture, 365
image strips, 639
Image texture, 340, 341
importing from other applications, 427
inbetweeners, 437
increment snapping, 78
index of refraction (IOR), 325
Inflate tool, 189
Info Editor, 33
Ink Pen brush, 593
Ink Pen Rough brush, 593
input nodes, 271, 282, 667–668
Inset Faces tool, 130, 133–136
insetting, adding geometry by, 133–137
instancing, 283
interface. *See also* editors
  creating new workspaces, 63
  custom event maps, 66–69
  customizing new workspaces, 63–64
  defaults, setting, 64–65
  headers, customizing, 23–24
  maximizing areas, 24
  menus, 29–30
  organizational structure, 16–18
  overview, 15–16
  pie menu, 25–27
  preset workspaces, 58–62
  Quick Favorites menu, 69
  resizing areas, 22–23
  user preferences, setting, 65–66
  workflows, 20–22, 62
  workspaces, understanding, 18–20
interlacing, 685
Interpolate tool, 597–598, 601
interpolation, 436–437, 449–450
intraframe, 551
Inverse Kinematics constraint, 468
inverse kinematics (IK), 519–524
inverse-square law, 380
IOR (index of refraction), 325
Irradiance Volume light probe, 404, 405

J

Jitter keyframe, 538
Join Geometry node, 290
joining areas, 22–23
joining objects, 102–103
joins versus booleans, 103–104

K

key light, 371, 372, 391
Keyed physics, 557
keyframes
  adjusting constraints, 460
  animating attributes, 440–441
  f-curve modifiers, 453–454
  f-curves, editing, 449–453
  Graph Editor, 447–449
  inserting keys, 438–440
  keying sets, 441–447
  overview, 436–438
  recognizing indicators in Dope Sheet, 536–538
  selecting in Dope Sheet, 532–535
keying sets, selecting objects by, 119
keys, 441–447
Knife tool, 131, 138–141
knots, 237–238
Koenig, Sebastian, 704

L

Laplacian Deform modifier, 162
Lasso Face Set tool, 195
Lasso Mask tool, 195
Lasso Select, 46, 47
Lasso Trim tool, 197
Last Operator panel, 3D Viewport, 54–55, 144–146
lathe, 144–145
Lattice modifier, 162, 615
lattices, 101
Layer tool, 188–189
layered animation, 546
layers
  Grease Pencil objects, 607–610
  rendering in, 653–655
layout nodes, 669
layout stage, 59
Layout workspace, 19, 59
leading, 253
Length modifier, 614
lens focal length, 684
levels of subdivision, 170–171
library overrides, 715–718
light cache, 405
light groups, 664–665
light leaking, 390
light objects, 101
light passes, 657–658, 663–664
light portals, 392–393
light probes, 101, 403–408
light type, selecting objects by, 119
lighting
  Area light options, 386–387
  bouncing once, 320–321
  Cycles light properties, 377–379
  Eevee light properties, 379–382
  light probes, 403–408
  light-specific options, 379–382
  mesh lights, using in Cycles, 387–390
  overview, 369–370
  reflectivity, 323–325
  refraction, 323–325
  shadow mapping in Eevee, 390
  speedy renders, 390–395
  Spot light options, 384–385
  Sun light options, 382–384
  three-point lighting setup, 370–373
  types of lights, 373–375
  for video, 684–685
Limit Distance constraint, 465
Limit Location/Rotation/Scale constraints, 465
Limits f-curve modifier, 454
Line Art modifier, 590, 614
Line Mask tool, 195
Line Project tool, 197
Line tool, 597
linear extrapolation, 451–452
linear interpolation, 449
linked appendage, 122
linked data
  appending datablocks, 708–710
  creating links, 104–110
  datablocks, 710–712
  Edit Linked Library add-on, 712–714
  library overrides, 715–718
  linking datablocks, 710–712
  materials, 307
  overview, 707–708
linked duplicates, 104–105, 122
linked vertices, 94, 122
liquid simulation, 576–580
Live Unwrap, 358
local asset library, 422–426
Local orientation, 73, 75
Local View, 43
Locked Track constraint, 467
lofting, 239–240
Loop Cut tool, 131, 150–151
looped animation, 550–552
loops, 131, 147–151
low poly mesh, 171
LTS releases, 12–13

M

Magic texture, 340, 341, 365
Maintain Volume constraint, 465–466
Make Cyclic extrapolation, 451–452
Make Single User menu, 109–110
Map UV node, 675–676
mapping, texture, 343–351
Marble texture, 365
Marker Bold brush, 593
Marker Chisel brush, 593
markers, 534–536, 692–695
marking seams, 353–354
Mask by Color tool, 196
Mask modifier, 160, 640
mask strips, 638
mask tools, 187, 193–198, 362–363
Masking workspace, 19, 61
matcaps, 185–186
material captures, 185–186
material nodes, 284
Material Output node, 318

Material Preview, 44, 393–395
material slots, creating, 303–307
materials
colors, changing
color palettes, 313–314
diffuse colors, 301–303
material slots, 303–307
overview, 301
painting masks, 314
rendering vertex colors, 315
vertex colors, using, 308–315
Grease Pencil objects, 601–606
node editing, 316–320
overview, 297
render engines and, 298–300
surfacing
light reflections, 320–321
Mix Shader node, 327–333
overview, 320
Principled BSDF shader, 321–327
Shader to RGB node, 333–336
matte, 658–661, 678–680
matte nodes, 271, 668
menus
general discussion, 29–30
hamburger, 64, 66
headers, customizing, 23–24
pie, 25–27
Quick Favorites, 69
Merge operator, 136–137
Merge Vertices function, 96
Mesh Cache modifier, 158
Mesh Deform modifier, 162–163
mesh editing, 88
Mesh Filter tool, 197
mesh islands, 137
mesh lights, 373, 387–390
Mesh Sequence Cache modifier, 158
meshes
Bevel tool, 141–144
Bisect tool, 140–141
converting text to, 256
curves and surfaces versus, 218–220
Edit mode tools, 128–133
importance of good topology, 151–152
insetting, adding geometry by, 133–137
Knife tool, 138–140
loops and rings, 147–151
material slots, creating, 303–305
merging, 136–137
modeling techniques, 126–128
overview, 100, 125
Spin tool, 144–146
metaball objects, 100, 217, 241–245
metadata, 424
metallic materials, 324
Mirror modifier, 160, 166–170, 614
mirrored poses, copying, 544–546
miter, 143
Mix Shader node, 327–333
modeling techniques, 126–128
Modeling workspace, 19, 59, 89, 90
modifiers
accessing, 154–157
Array, 173–176
buttons on, 156
copying, 108
Deform, 161–164
destructive operations versus, 143–144
Generate, 159–161
Grease Pencil objects, 610–617
Mirror, 166–170
Modify, 157–159, 611–613
overview, 153
Physics, 164–165
Subdivision Surface, 170–174
vertex instance, creating, 284–293
Modify modifiers, 157–159, 611–613
Monkey Grease Pencil object, 589
monkey object, 101–102
motion blur, 686
motion tracking
loading video, 689–691
markers, adding, 692–695
Motion Tracking workspace, 687–689
overview, 19, 32, 681
scene setup, 701–704
solving camera motion, 698–701
tracking footage, 696–698
video input, 682–687
Motion Tracking workspace, 19, 61, 687–689
Move to First/Last operator, 157
move tools, 76, 78, 187, 190–192
Movie Clip Editor
loading video, 689–691
markers, adding, 692–695
overview, 32
scene setup, 701–704
solving camera motion, 698–701
tracking footage, 696–698

movie strips, 638–639
Moving Hold keyframe, 537
Multi-plane Scrape tool, 190
multiple importance sampling, 377–378
Multiple Strokes modifier, 614
multiple-scattering GGX, 324
Multires Displacement Eraser tool, 194
Multires Displacement Smear tool, 194
multiresolution meshes, 177
Multiresolution modifier, 160, 203–205
Musgrave texture, 340, 341, 365

N

naming bones, 490–491
NaN (Not a Number), 11
NeoGeo, 11
network-like approach, 266–267
networks, adding nodes to, 274–275
New Edge/Face from Vertices operator, 127
Newtonian physics, 557
ngons, 93
NLA (Nonlinear Animation) editor, 33, 548–552
NLE (nonlinear editor), 632, 637
node editing, of materials, 316–320
node editors, 260–263
nodes. *See also* geometry nodes
  categories of, 667–669
  configuring backdrop, 666–667
  groups, creating, 277
  overview, 651–652, 665–666
Noise f-curve modifier, 454
Noise modifier, 616
Noise texture, 340, 341, 365
non-blocking interface, 17
non-cyclic curve, 223
non-destructive edit, 266
nonlinear animation, 546–552
Nonlinear Animation (NLA) editor, 33, 548–552
nonlinear editor (NLE), 632, 637
non-modal interface, 17
noodles, 267, 666
Normal Edit modifier, 158
Normal orientation, 74, 75
normals, 97
Not a Number (NaN), 11
NPR (non-photorealistic rendering), 298, 333
Nudge tool, 191
numeric keypad, 41–43
numerical input system, 85
NURBS (Non-Uniform Relational B-Spline) curves, 220–221, 237–240

O

OBJ files, 368
object animation. *See also* keyframes
  basics of, 433–434
  customizing screen layout for, 434–435
  overview, 431–432, 531
  simple example, 435–437
  workflow for, 432–433
Object coordinates, 345, 349
object eyedropper, 234
Object mode, switching between Edit mode and, 88–89
object origin, 46, 73
objects. *See also* parenting
  adding, 100–101
  collections, 113–119
  joining and separating, 102–103
  joins versus booleans, 103–104
  linked duplicates, 104–110
  overview, 99–100
  saving, opening, and appending, 119–122
  Suzanne, 101–102
Ocean modifier, 164
octahedral display type for bones, 497, 499
offline rendering, 410
Offset modifier, 616
omni light, 374
Opacity modifier, 617
open edges, 135
open meshes, 192
open movies and games, 13–14
open source software, 10
OpenEXR file format, 669–670
opening files, 119–122
orbiting, in 3D Viewport Editor, 37–39
orientations, transform, 72–75, 81
Origin to Geometry operation, 103
Outline modifier, 614
Outliner Editor, 33, 111, 113–115, 716–717
output nodes, 272, 282, 668
Output Properties, 648–649
output sockets on nodes, 270
overflow from text boxes, 254
overlapping action, 541–542

P

Paint Selection tool, 563
paint tools, 187, 193–194, 308–310
painting
  on meshes
    Draw tool, 363–366
    overview, 358–359
    Texture Paint mode, 361–363
    Texture Paint workspace, 359–360
  vertex
    blending modes, 311–312
    color palettes, 313–314
    multiple attributes, adding, 311–313
    painting masks, creating, 314–315
    rendering, 315
    tools for, 308–310
  vertex weights, 509–512
painting masks, creating, 314
palettes, color, 313–314
panels, 16–17
panning, in 3D Viewport Editor, 37–39
paragraph styles, 252–253
Parent orientation, 74, 75
parenting
  bones in armature, 493–494
  creating parent-child relationships, 110–113
  selecting with, 118–119
  Stickman character, 516–519
  transform constraints, 462–466
  vertex groups, 508–509
particle cache, 557
Particle Instance modifier, 164
Particle System modifier, 164
particle systems
  creating basic, 557–559
  Emitter, 555–556
  force fields and collisions, 559–561
  overview, 554–555
  physics simulation models, 556–557
  uses for, 565
passes
  available in Eevee and Cycles, 656–662
  Cycles-only, 662–665
  Eevee-only, 662
  overview, 653–655
  selecting, 119
Paste Pose Flipped operator, 544
PBR (physically based rendering), 298, 411
Pen brush, 593
Pencil brush, 593
Pencil Soft brush, 593
phonemes, 486
Physics modifiers, 164–165
physics simulation models, 556–557
pie menu, 25–27, 89
Pinch tool, 190, 357, 564, 600
pipeline, 20–21
Pivot constraint, 469–470
pixel aspect, 683
Plain Axes display type, 458
planar tracking, 691
planar vertices, 510
Point Density texture, 340, 341
Point light, 374
point-for-point modeling, 127
Pointiness socket, 348, 349
pole target, 522–523
Poly Build tool, 131, 212–215
Poly draw type, 226
Polyline tool, 597
Portals, 392–393
pose libraries, 527–530
Pose tool, 191
pose-to-pose action, 541
post-production, 421, 631. *See also* compositing; editing
Preferences Editor, 34, 65–69
Preserve Volume feature, 527
preset workspaces, 58–62
Preview as Backdrop view, 634
primitive objects
  adding, 100–101
  collections, 113–119
  duplicates and links, creating, 104–110
  Edit mode
    Extrude tool, 95–98
    linked vertices, 94
    ngons, 93
    overview, 87–88
    Proportional Editing feature, 98–99
    selecting vertices, edges, and faces, 89–93
    switching between Object mode and, 88–89
  joining and separating objects, 102–103
  joins versus booleans, 103–104
  overview, 99–100
  parent-child relationships, 110–113, 118–119
  saving, opening, and appending, 119–122
  Suzanne, 101–102

Principled BSDF shader
color inputs, 322–323
overview, 318–322
reflection and refraction inputs, 323–325
subsurface scattering inputs, 325–327
principles of animation, 540–543
procedural modeling, 258–259
procedural textures, 338–341
progressive frames, 685
Project Orange, 13
Properties Editor, 33–37, 716–717
Proportional Editing feature, 98–99
pseudorandom algorithms, 555
Puff tool, 564
Push tool, 132, 599
Python Console Editor, 33
Python scripting
basics of Python language, 724–726
custom properties, adding to datablocks, 732–734
"Hello World" script, 726–730
overview, 719–720
Scripting workspace, 721–723
templates and documentation, 731–732
usefulness of automation, 720–721

Q

Quad View, 3D Viewport Editor, 52
quaternions, 543–544
Quick Effects, 585
Quick Favorites menu, 69

R

Radius tool, 223, 600
ramps, 341–342
Random For Island socket, 349
Random Walk algorithm, 326
Random Walk (Fixed Radius) algorithm, 326
Randomize tool, 132, 223, 599
ray tracing, 299, 411
real time compositing in 3D Viewport, 670–671
real time rendering, 410
Realtime button on modifiers, 156
Reference images, 178–183
refining animation, 432
Reflection coordinates, 345
Reflection Cube Map light probe, 404, 405
reflection factors, 379–380
Reflection Plane light probe, 404, 405
reflectivity, 323–325
refraction, 323–325
regions, 16–17, 52–54
relationship constraints, 468–470
Relax tool, 357
release versions, 12–13
Remesh modifier, 160
Remesh tool, 209–212
remeshing, 209–212
removing areas, 22–23
Render button on modifiers, 156
render engines, 298–300, 410–412. *See also* Cycles render engine; Eevee render engine
render slots, 413–414
Rendered viewport shading, 44–45
rendering
from Compositor, 669–670
hair, 567–569
liquid simulation, 578–579
overview, 19, 412
in passes and layers, 653–665
sequences of images versus video, 420–421
sequences of still images, 419–420
smoke simulation, 583–584
still images, 412–418
vertex colors, 315
from Video Sequencer, 646–649
Rendering workspace, 19, 59–62
Repetitive Stress Injury (RSI), 48
Reroute socket, 276
resizing areas, 22–23
restrict columns, 441
retopology, 126, 212–215
rigging. *See also* Stickman character
armatures
bendy bones, 500–504
editing, 489–493
overview, 488–489
parenting bones, 493–494
properties, 495–500
skinning, 504–512
Grease Pencil objects, 624–626
hooks, adding, 486–488
overview, 481
pose libraries, 527–530
shape keys, creating, 482–486
right-clicking to select, 47–48
rigid body dynamics, 572–573
rim light, 372, 392
rings, selecting edge, 149–150
Rip Edge too, 133

Rip Region tool, 133, 357
roll angle, 495
Roosendaal, Ton, 11, 13–14
root bone, 517–518
Rotate manipulator, 532
Rotate tool, 76, 78, 191
rotating, 72
Round bevel type, 232
rounding corners of meshes, 141–142
RSI (Repetitive Stress Injury), 48

S

Save Startup File feature, 64–65
saving files, 119–122, 367, 417–419
Scale Cage tool, 76
Scale tool, 76, 78
scaling, 72
scene orientation, 701
scene setup, 701–704
scene strips, 637–638
Scrape tool, 190
scream shape key, 485
screen space effects, 403
Screw modifier, 160
script nodes, 272
scripting, Python. *See* Python scripting
Scripting Editor, 33
Scripting workspace, 19, 59, 721–723, 726–730
scripts, 19
scrubbing, 437
Sculpt mode, 184–185, 562–565, 598–600
sculpting
  accessing Sculpt mode, 184–185
  with dynamic topology, 205–209
  Grease Pencil objects, 598–600
  image objects, adding, 178–183
  matcaps, 185–186
  with Multiresolution modifier, 203–205
  overview, 177
  remeshing, 209–212
  retopology, 212–215
  tools for
    additive, 188–189
    brush properties, 198–200
    brushes versus, 198
    custom brushes, 201–202
    helper and paint, 193–194
    mask and filter, 194–198
    move, 190–192
    overview, 186–187
    properties, 200–201
    simulation, 192
    subtractive, 189–190
    textured brushes, 202–203
    types of, 187–188
Sculpting workflow template, 21, 184
Sculpting workspace, 20, 59–61, 184
seams, marking, 353–354
search feature, 3D Viewport Editor, 56–57
secondary action, 542
Select Box tool, 46
Select Circle tool, 46
Select Lasso tool, 46
selecting
  in 3D Viewport editor, 45–48
  with collections, 118–119
  with parent-child relationships, 118–119
  vertices, edges, and faces, 89–93
selection modes, 90
selection tools, 45–47
self collisions, 574
self-shadows, 381
sensor size, 683
separating objects, 102–103
sequences of still images, rendering, 419–421
shader AOV passes, 661–662
Shader Editor, 31, 388–390
shader nodes, 272
Shader to RGB node, 333–336
shaders. *See also* Principled BSDF shader
  light reflections, 320–321
  Mix Shader node, 327–333
  overview, 20
  Shader to RGB node, 333–336
  understanding, 319–320
shading, 20
Shading workspace, 20, 59–61, 316–318
Shadow Caustics feature, 378
Shadow effect, 619
shadow mapping, 390
shadows, in Eevee, 381
Shape Deformation tools, 132
shape keys, creating, 482–486
Shear tool, 132, 223, 601
Shrink/Fatten tool, 132
Shrinkwrap constraint, 466
Shrinkwrap modifier, 163, 616
siblings, selecting, 119
Sidebar, 3D Viewport, 53, 86
Sidebar View tab, 3D Viewport, 49

Simple Deform modifier, 163
Simplify modifier, 614
Simplify tool, 193
simulation tools, 187, 192
Simulation Zone feature, 278–281, 283–284
simulations. *See also* hair and fur; particle systems
  cloth, 573–576
  liquids, 576–580
  overview, 553–554
  Quick Effects, 585
  rigid body dynamics, 572–573
  smoke, 580–584
  soft body dynamics, 569–572
Single Arrow display type, 458
single user, 109–110
skeleton, 162
Skin modifier, 160–161
skinning, 162, 239–240, 504–512
Sky texture, 340, 341
Slide Relax tool, 191
slide tools, 132, 564
Smear tool, 194, 309, 361
smoke simulation, 580–584
Smooth Laplacian modifier, 163
Smooth modifier, 163, 616
Smooth tool, 132, 189, 564, 599
Snake Hook tool, 191, 564
Snap Keys operator, 534–535
snap targets, 78–80
snapping
  with 3D cursor, 50–51
  transform tools, 78–80
sockets, node, 270, 272–274, 666
soft body dynamics, 569–572
Soft Body modifier, 165
soft select feature, 98
Soften tool, 361
solid drawing, 542
Solid viewport shading, 44
Solidify modifier, 161
solving camera motion, 698–701
Sound Crossfade transition, 646
sound strips, 639
speaker objects, 101
special characters, 249
specular reflection factor, 380
specularity, 324–325, 380
Sphere display type, 458
Spin Duplicates tool, 131
Spin tool, 131, 144–146
splash screen, 15–16
splitting areas, 22–23
Spot light, 374, 384–385
Spreadsheet Editor, 34, 262–265
squash and stretch principle, 541
staging, 541
startup file, 64–65
stashing action, 547–548
step function, 449
Stepped Interpolation f-curve modifier, 454
stick display type for bones, 497, 499, 524
Stickman character
  appendages, adding, 514–516
  centerline, creating, 512–514
  inverse versus forward kinematics, 519–524
  organizing rig, 524–527
  overview, 512
  parenting and constraints, 516–519
still images, rendering, 412–419
stop-motion animation, 489
story-based timing, 542
storyboards, 437
straight-ahead action, 541
Strength tool, 599
Stretch To constraint, 467–468
Strip tab, Video Sequencer, 636
strips, adding and editing, 633, 637–644
Stroke Grease Pencil object, 589
Stucci texture, 365
Subdivide modifier, 615
Subdivide tool, 490
Subdivision Surface modifier, 161, 170–174
Subsurf modifier, 170
subsurface scattering, 325–327
subtractive tools, 187, 189–190
Sun light, 374, 382–384
Surface Deform modifier, 163–164
surface geometry, 283
surfaces, 100, 217–220, 237–240, 305–306
surfacing. *See also* Principled BSDF shader
  light reflections, 320–321
  Mix Shader node, 327–333
  overview, 20
  Shader to RGB node, 333–336
  understanding shaders, 319–320
Suzanne, 101–102
SVG files, 368
symmetric rigs, 491–492
symmetry painting, 510–511

T

T pose, 512–514
tabs, 16–17
tail, 489
taper objects, 233–234
tapering curves, 229–234
teapot, 101–102
templates, Python scripting, 731–732
terminating edge loops, 147
tessellation, 125
test grids, 354–355
test mesh, 101–102
text boxes, 253–255
Text Editor, 33, 728, 731
text objects
  adding and editing text, 246
  converting to curves and meshes, 256
  deforming text with curves, 255–256
  fonts, 247–251
  material slots, creating, 305–306
  overview, 100, 217, 245
  paragraph styles, 252–253
  text boxes, 253–255
Text Properties, 247
text strips, 639
texture coordinates, 344–349
texture mapping, 343–351
Texture Mapping modifier, 612
Texture Mapping panel, 343–344
Texture Node Editor, 31–32, 366
texture nodes, 272, 284
Texture Paint mode, 359–363
Texture Paint workspace, 20, 60, 359–360
textured brushes, 200, 202–203
textures
  adding, 337–338
  exporting UV layouts, 367–368
  overview, 20, 337
  painting on meshes, 358–366
  procedural, 338–341
  ramps, 341–342
  replacing without re-rendering, 671–680
  saving painted textures, 367
  texture mapping, 343–351
  unwrapping meshes, 351–358
thermal map color styling, 510
Thickness modifier, 616
Thickness tool, 599
3D cursor, 48–51
3D curves, changing into 2D curves, 227–229
3D scenes, Grease Pencil objects in, 626–627
3D sculpting and retopology, 126, 127
3D Viewport Editor
  annotation feature, 55–56
  changing views, 39–40
  image objects, adding, 178–183
  numeric keypad, 41–43
  orbiting, panning, and zooming in, 37–39
  overview, 31, 37
  Quad View, 52
  real time compositing in, 670–671
  regions, 52–54
  search feature, 56–57
  selecting objects, 45–48
  3D cursor, 48–51
  transforming objects, 76–80
  View menu, 40–41
  viewport shading, 44–45
three-point lighting, 370–373, 391–392
Thumb tool, 191
tilt of curves, adjusting, 234–235
Tilt tool, 223, 234–235
Time Offset modifier, 613
timeline cursor, 437
Timeline Editor, 32
timing, 542
Tint modifier, 617
Tint tool, 596
To Sphere tool, 132, 601
Toggle System Console functionality, 728
Toggle X-ray button, 92–93
Tone Map modifier, 640
Toolbar, 3D Viewport, 53, 76–77, 128–133
Toolbar, Sculpt mode, 185
topology, 126, 151–152, 193
"Track, Match, Blend" tutorial series, 704
Track To constraint, 467
tracking
  constraints, 466–468
  markers, 692–695
  in text objects, 253
Transform Cache constraint, 464
transform constraints, 462–466
Transform Fill tool, 601
Transform tool, 77
Transformation constraint, 464
transforms
  coordinate systems, 72–75
  custom orientations, 81
  with hotkeys, 81–85
  orientations, 73–75
  other options, 85–86
  overview, 72
  using tools, 75–80

Transition strips, 641
transitions, adding in Video Sequencer, 644–646
translation, 72
Triangulate modifier, 161
turnaround render, 459–460
Tweak tool, 45
tweening, 438
twist property, 234–235
Twist tool, 599–600
2D Animation workflow template, 21, 588–591
2D Animation workspace, 18, 60
2D curves, changing 3D curves into, 227–229
2D Full Canvas workspace, 18, 60

U

unlinking datablocks, 109–110
unwrapping meshes
  marking seams, 353–354
  overview, 20, 31, 219, 351–353
  test grids, 354–355
  UV coordinates, generating and editing, 355–358
user community, 2, 11–12, 14
user preferences, 26, 65–66
Utah teapot, 101–102
Utility nodes, 284
UV coordinates, 170, 345, 355–358
UV Editing workspace, 20, 60, 353
UV Editor, 31
UV export feature, 367–368
UV layouts, exporting, 367–368
UV maps, 108
UV pass, 663, 675–676
UV Project modifier, 158, 350–351
UV Warp modifier, 158

V

variables, driver, 472–473
vector handles, 235–236
vector nodes, 272, 668
Vector pass, 663
vert pushers, 126
vertex groups, 169–170, 461, 506–512
vertex instance modifier, creating, 284–293
vertex instancing, 285
vertex painting
  blending modes, 311–312
  color palettes, 313–314
  multiple attributes, adding, 311–313
  painting masks, creating, 314–315
  rendering, 315
  tools for, 308–310
vertex pinning, 357–358
Vertex Select mode, 90–91
Vertex Slide tool, 132
Vertex Weight Angle modifier, 613
Vertex Weight Edit/Mix/Proximity modifier, 159
Vertex Weight Proximity modifier, 613
vertices
  linked, 94
  selecting, 89–93
VFX workflow, 21, 687–688
video editing. *See also* compositing; motion tracking
  compositing versus, 632
  effects and transitions, adding, 644–646
  overview, 20, 631
  overview of Video Sequencer, 632–637
  rendering from, 646–649
  strips, adding and editing, 637–644
Video Editing workflow, 21
Video Editing workspace, 20, 62
Video Sequencer
  effects and transitions, adding, 644–646
  general discussion, 632–637
  overview, 32
  rendering from, 646–649
  strips, adding and editing, 637–644
view layers, 654–655
View orientation, 74, 75
viewport shading, 44–45
visual programming language, 282
Volume pass, 664
volume reflection factor, 380
Volume to Mesh modifier, 161
Voronoi texture, 340, 341, 365

voxel remesh, 209–212
voxels, 583

W

Warp modifier, 164
Wave modifier, 164
Wave texture, 340, 341
Weight Paint mode, 509–512
Weighted Normal modifier, 158
weights, assigning to vertices, 506–512
weights, control point, 237–238
Weld modifier, 161
White Balance modifier, 640
white balancing, 640
White Noise texture, 341
Wind force field object, 559–561
Window coordinates, 345
Wipe transition, 646
wire display type for bones, 498, 499
Wireframe modifier, 161
Wireframe viewport shading, 44
Wood texture, 365
Workbench render engine, 298–300
workflow templates, 62
workflows, 20–22, 62, 432–433
workspaces
  creating new, 63
  customizing new, 63–64
  duplicating, 20
  list of, 18–20
  for materials, 316–318
  organizational structure, 16–18
  overview, 16–18
  preset, 58–62
World properties, 395–400

X

X-axis, 72–73, 76
X-Axis Mirror feature, 491–492, 516, 521

Y

Y-axis, 72–73, 76

Z

Z pass, 657
Z-axis, 72–73, 76
Z-depth, 654
zooming, 18, 37–39