# Index

## SYMBOLS


– (minus sign), 76
∀ quantifier. *See* universal quantifier
:: (double-colon symbol), 179
| (nand-operator), 234–235, 334
= (equals sign), 243
× (multiplication symbol), 243
∨ operator. *See* disjunction operator
→ operator. *See* if-operator
↔ operator. *See* if-and-only-if-operator
∃ quantifier. *See* existential quantifier
& operator. *See* conjunction operator
~ operator. *See* negation operator


## A


Abelard, Peter, 24–25, 374
accent, fallacy of, 49–50
Ackermann, Wilhelm, 364
ad hominem argument, 42
addition (Add) implication rule, 170–171, 215, 278
Age of Faith, 26
Age of Reason, 26
AI (artificial intelligence), 33, 337–339
algebra, Boolean, 27–28, 65, 242–246
algorithms, 331–332
"all" statements, 264–267, 269, 272, 283
all-or-nothing argument, 45
ambiguity, fallacies of, 48–50
amphiboly, fallacies of, 49
analytical engine, 330, 336
AND logic gate, 334–335
and operator. *See* conjunction operator
and-rules, 163, 344–345
and-statement (conjunction), 97
antecedent, if-statements, 9
AP. *See* assumed premise
appeal to authority, 44
appeal to belief, 43
appeal to emotion, 43
appeal to ignorance, 44
appeal to purity, 49
Aquinas, Thomas, 23, 25
arguments. *See also* logical fallacies
  bridging premises-conclusion divide, 162–163
  cogent, evaluating, 56–57
  conclusion in, 13
  enthymemes in, 13–14
  examples of, 39–41
  intermediate steps in, 13
  logic in relation to, 36
  overview, 12, 35
  premises in, 12
  reasonable doubt, 56
  rhetoric, 55–57
  sound, 53
  structure of, 36–38
  valid, 13, 36, 38–39, 113–116, 118–119
Aristotelian logic, 18–21, 23–24, 373
Aristotle, 1, 39–40, 59
*Art of Discovery, The* (Leibniz), 26
artificial intelligence (AI), 33, 337–339
association (Assoc) equivalence rule, 185–186, 215, 221–222, 226
assumed premise (AP)
  combining conditional and indirect proofs, 205–206
  conditional proofs, 197–198, 213, 215
  discharging, 198, 200–202, 206, 215
  indirect proofs, 203–205
  stacking assumptions, 201–202
  undischarged, 299
  working backward from conclusion, 219


COPYRIGHTED MATERIAL

assumptions. *See also* conditional proofs; indirect proofs
  fallacies of unwarranted, 47–48
  hidden, in arguments, 13–14
  shrewd, when handling difficult proof, 226–227
  strategic, and quick tables, 124, 126–129
authority, appeal to, 44
Avicenna, 23–24
axiomatic systems
  consistency and completeness, proving, 363–365
  Gödel's incompleteness theorem, 365–368
  Hilbert's Program, 364–365
  overview, 357–358
  in Principia Mathematica, 360–361
  for sentential logic, 361–362
axioms, 16, 22, 161, 365, 375

## B

Babbage, Charles, 329–330, 336
bandwagon fallacy, 48
begging the question, 46
belief, appeal to, 43
biconditional operator. *See* if-and-only-if-operator
Bierce, Ambrose, 371
binary operators, 76
black-and-white thinking, 16
Boethius, 23–24
*Book of Healing, The* (Avicenna), 24
Boole, George, 26, 334, 374
Boolean algebra, 27–28, 65, 242–246
bound variables, in QL, 260–261
brackets
  with existential quantifier, 256
  instantiation rules and, 283
  role in translating categorical statements, 264, 267
  scope of quantifiers and, 260
  with universal quantifier, 255
  variables and, 261–262
branches, truth trees. *See* truth trees
brute force approach to truth tables, 102
Buridan, Jean, 25–26
Butler, Samuel, 371

## C

Cantor, Georg, 28–29, 358, 375
categorical statements, 20, 263–273
*Categories* (Aristotle), 19
cause and effect, 9
CD (constructive dilemma) implication rule, 174–175
central processing unit (CPU), 335
ChatGPT, 33, 338
Cheat Sheet for book, 4
cherry-picking, 46
Chesterton, G. K., 371
Chrysippus, 22–23
circular reasoning, 47
classical logic
  Aristotle, 18–21
  Chrysippus and Stoics, 22–23
  Euclid, 22
  Jean Buridan, 25–26
  medieval logic, 23–24
  overview, 18
  Peter Abelard, 24–26
  quantum logic differences from, 352–353
  Thomas Aquinas, 25
  William of Ockham, 25
cogent arguments, evaluating, 56–57
commutation (Comm) equivalence rule, 184–185, 215, 221–222
commutative property, 184
completeness
  defined, 376
  of quantification logic, 363–364
complex statements in SL, translating, 81
composition, fallacy of, 50
computer logic
  algorithms, 331
  artificial intelligence, 337–339
  early versions of computers, 330–333

evolution of modern computer, 333
hardware and logic gates, 333–336
overview, 32–33, 58, 329
programs, 332
software and computer languages, 336–337
truth functions, 333–334
computing truth value. *See* evaluation
conclusion
bridging premises-conclusion divide, 162–163
comparing to premises, 208
in logical arguments, 13
noticing length of, 208
tweaking with equivalence rules, 199–201
when choosing between direct and indirect proof, 217
working backward from in difficult proofs, 218–220
conditional operator. *See* if-operator
conditional proofs (CPs)
combining indirect proof and, 205–206
moderate proofs, handling with, 211–216
overview, 195–197
stacking assumptions, 201–202
steps in, 197–199
tweaking conclusion for, 199–201
conditional statements, 22
conjunction (Conj) implication rule, 167–169, 278–279
conjunction operator
defined, 65
implication rules for and-statements, 167–170
incorporating into quantification logic, 253
replacing with other operators, 233–234
in sentential logic, 68–69
translating statements with, 79, 82
conjunction statement, 97
conjunctions, 81
consequent, if-statements, 9
consistency
consistent statements, 101
defined, 376
evaluating with truth tables, 111–113
of sentential logic, 363–364
showing with truth tree, 141–144
testing for with quick table, 128–129
*Consolation of Philosophy, The* (Boethius), 24
constants
in Boolean algebra and SL, 243
existential instantiation with, 291
property, 251–253, 309
in quantification logic, 250–253
replacing with truth values, 90
statement, 64–65
truth tables, 104
universal generalization with, 296
constructive dilemma (CD) implication rule, 174–175
context, creating with domain of discourse in QL, 257–259
contingent statements, 109, 128, 153, 324
contingent truth, 348
contradictions
building, 119
building new, 116–119
contradictory pairs, 21
defined, 324
disproving assumption, 126
dividing statements into, 109
indirect proof, 203
separating with truth trees, 151–153
testing for with quick table, 127–128
contraposition (Contra) equivalence rule, 180–181, 199–200, 210
contrapositive of statement, 73
converse of statement, 72–73
Copilot, 33, 339
correlation-causation fallacy, 43
CPs. *See* conditional proofs
CPU (central processing unit), 335
creative output by AI, 339

# D


DALL·E, 339
De Morgan's theorem (DeM) equivalence rule
  breaking down long premises, 225
  conditional proofs, 213, 215
  converting all negative statements with, 210–211
  distribution and, 224
  downsizing operators, 233–234
  overview, 188–190
  working backward from conclusion, 219
decomposition of statements, 138–140, 144–145, 147–152, 316–317
deduction, 54–55
deontic logic, 349
Descartes, René, 26
difference engine, 330
difficult proofs, handling
  breaking down long premises, 224–226
  choosing between direct and indirect proof, 216–218
  digging deeper into SL statements, 220–224
  making shrewd assumption, 226–227
  overview, 216
  working backward from conclusion, 218–220
dilemma, false, 45
direct proof, 216–218. *See also* equivalence rules; implication rules
discharging the AP, 198, 200–202, 206, 215
disjunction operator, 253
  defined, 65, 69–71
  implication rules for, 170–172
  replacing with other operators, 233–234
  in sentential logic, 69–71
  translating statements with, 79, 83
disjunctive syllogism (DS) implication rule, 171–172, 188, 209, 226, 277
distribution (Dist) equivalence rule, 186–188, 220, 222–224, 353–355
division, fallacy of, 50
DN (double negation) equivalence rule, 179–180, 281
domain of discourse, 257–259, 264–267
double implication, 97, 191–193
double negative statements in SL, 67
double-branching statements, 138–139, 145, 151–152, 319
double-colon symbol (**::**), 179
DS implication rule. *See* disjunctive syllogism


# E


easy proofs, handling, 208–211
effect, cause and, 9
EG. *See* existential generalization
EI. *See* existential instantiation
Einstein, Albert, 353, 371
Electronic Numerical Integrator and Computer (ENIAC), 333
emotion, appeal to, 43
enthymemes, 13–14
equals sign (=), 243
equivalence (Equiv) rule
  breaking down complex-looking statements, 210
  conditional proofs, 214
  downsizing operators, 232
  multi-valued logic, 344–345
  overview, 191–193
  working backward from conclusion, 218
equivalence rules
  applying in QL, 279–280
  association, 185–186, 221–222
  commutation, 184–185, 221–222
  contraposition, 180–181, 210
  De Morgan's theorem, 188–190, 210–211
  distribution, 186–188, 222–224
  double negation, 179–180
  equivalence, 191–193
  exportation, 183–184, 221
  implication, 181–183, 210
  implication rules versus, 178
  overview, 177, 179
  tautology, 190–191
  tweaking conclusion with, 199–201
equivocation, fallacies of, 49

Euclid, 22, 364
evaluation, 89–99. *See also* truth tables
exams, tips for passing, 378–379
excluded middle argument, 45
excluded middle, law of, 15, 352
exclusive *or*, 71
existence, explaining, 11
existence statements, 11
existential generalization (EG)
  defined, 275, 284
  with multiple quantifiers, 310
  overview, 283–284, 287–290
  universal generalization similarity to, 295
existential instantiation (EI)
  defined, 275, 284
  example using, 291–292
  limits on using, 292–293
  with multiple quantifiers, 309
  overview, 283–284, 290
  similarity to universal instantiation, 290–291
  in truth trees, 317–319
  valid and invalid uses of, 294–295
  with variables and constants, 291
existential quantifier (∃)
  alternative translations of basic forms, 268–271
  alternative translations of basic forms of categorical statements, 268–269
  applying rules with multiple quantifiers, 308–310
  contradictory statements, 267–268
  existential generalization, 283–284, 287–290
  existential instantiation, 283–284, 290–295
  identifying categorical statements, 271–273
  "no" statements, 273
  overview, 256
  proving QL statements with, 278–279
  quantifier negation, 280–283
  quantifier rules overview, 283–284
  with relations, 304–305
  restricted domain, 265
  "some" statements, 272
  translating basic categorical statements, 264–268
  translating from English into QL, 267
  unrestricted domain, 265–267
  working with multiple quantifiers, 305–306
exportation (Exp) equivalence rule, 183–184, 221, 224

# F

fallacies, logical. *See* logical fallacies
fallacies of presumption, 47
fallacy of accent, 49–50
fallacy of composition, 50
fallacy of division, 50
false dilemma, 45
false equivalence, 47
first-order logic. *See* quantification logic
first-order predicate logic. *See* quantification logic
formal logic, 2, 27–30, 63, 242. *See also* sentential logic
free variables, in QL, 260–261
Frege, Gottlob, 28–31, 358, 375
friendly forms, conditional proofs, 212
fuzzy logic, 345–347

# G

gambler's fallacy, 45
generalization, 10–11, 44
generalization rules, 283–284, 287–290, 295–300
geometry, Aristotle's use of, 18
Gödel, Kurt, 32, 364–368, 375–376
Google Gemini, 338
grammar, 238. *See also* syntax
gut strategy for easy proofs, 208–211

# H

hardware, computer, 32, 58, 333–336
hasty generalization, 44
hidden assumptions, 13–14
Hilbert, David, 364, 375

Hilbert's Program, 364–365, 375
human need to make sense of world, 8–9
hypothetical syllogism (HS) implication rule, 173–174, 296

## I

ID (rule of identity), 312–313
identities, in QL, 301–302, 310–314
identity, law of, 14–15
identity reflexivity (IR), 313–314
if-and-only-if-operator
  defined, 65, 74–75
  quantification logic, 253
  replacing with other operators, 232
  in sentential logic, 74–75
  translating statements with, 80
if-and-only-if–rules, 173–175, 296
if-and-only-if–statements, 97, 191–193
if-operator
  defined, 65
  quantification logic, 253
  replacing with other operators, 233
  in sentential logic, 71–73
  translating statements with, 80, 83
if-rules
  modus ponens, 164–166, 210, 277, 362
  modus tollens, 166–167, 180, 210, 224, 289–290, 309
if-statements, 97
  antecedent, 9
  consequent, 9
  defined, 9
  double if-rules, 173–175
  implication and, 181
  implication rules for, 164–167
  in practical logic, 9–10
  sub-statements, 9
  turning or-statements into, 200–201
ignorance, appeal to, 44
implication (Impl) equivalence rule
  breaking down long premises, 224–225
  conditional proofs, 214
  distribution and, 223
  downsizing operators, 233
  easy proofs, handling, 210
  multi-valued logic, 344–345
  overview, 181–183
  tweaking conclusion with, 200–201
  working backward from conclusion, 219
implication rules
  addition, 170–171
  conjunction, 167–169
  constructive dilemma, 174–175
  disjunctive syllogism, 171–172, 209
  equivalence rules versus, 178
  hypothetical syllogism, 173–174
  modus ponens, 164–166, 210
  modus tollens, 166–167, 210
  overview, 161–164
  simplification, 169–170, 209
  transferring into QL, 277–279
inclusive *or*, 71
incompleteness theorem, 32, 365–368
inconsistency
  converting into contradiction, 118
  inconsistent statements, 111
  showing with truth tree, 141–144
  testing for with quick table, 128–129
indirect discourse, 311, 349
indirect proof
  choosing between direct proof and, 216–218
  combining conditional proof and, 205–206
  defined, 22
  overview, 195, 202–204
  proving short conclusions, 204–205
individual constants, in QL, 251–253
individual variables, in QL, 254–255
induction, 54–55

inference, rules of. *See* rules of inference
infinite trees in QL, 323–325
infinity, 375
input values, 76–77
instantiation rules. *See* existential instantiation; universal instantiation
intermediate steps, in arguments, 13, 36
interpretation of statement, 89, 101
invalid arguments, 113, 129, 144–146
inverse of statement, 73
IR (identity reflexivity), 313–314

## J

JavaScript, 336–337
justification, proofs, 165

## K

kitchen-sinking strategy, 182, 209
Krutch, Joseph Wood, 372

## L

languages, computer, 336–337
law
  of excluded middle, 15, 342, 352
  of identity, 14–15
  of non-contradiction, 15
  use of logic in, 58–59
Leibniz, Gottfried, 26–27, 374
liar paradox, 357
loaded questions, 46
Locke, John, 372
logic. *See also* history of logic
  big names in, 373–376
  combining with math, 16
  common use of, 57–59
  deduction and induction in, 54–55
  formal logic, 2
  innate understanding of, 8–12
  misconceptions about, 50–51
  and nature of reality, 52
  overview, 1–4, 7, 35
  philosophical origin, 1–2
  quotes about, 371–372
  in relation to arguments, 36
  thinking versus, 51–52
  tips for passing exam on, 377–381
  transition to computation, 2
  types of, 17
  words used when making logical connections, 11–12
logic gates, 32–33, 333–336
logical arguments. *See* arguments
logical fallacies
  of ambiguity, 48–50
  overview, 35, 41–42
  of presumption, 45–47
  of relevance, 42–43
  of unwarranted assumptions, 47–48
  of weak induction, 43–45
logical operators
  comparing math operators and, 76–77
  main, finding, 94–96
  naming by input values, 76
  scope of, 93–94
  in sentential logic, 65–75, 229–236, 253–254
logically equivalent statements, 75
Lovelace, Ada, 330, 336
Lukasiewicz, Jan, 31, 342–343, 345

## M

main operators, 94–96, 99
Martin, Steve, 237
math
  combining logic and, 16
  formalizing with Hilbert's program, 364–365
  operators in, 76–77
  similarity of evaluation to, 88–89
  similarity of sentential logic to, 75–78
  use of logic in, 57

medieval logic, 23–24
middle-ground fallacy, 48
minus sign (–), 76
modal logic, 24–25, 347–349, 374
moderate proofs, using conditional proof for, 211–216
modern logic, 26–30
modus ponens (MP) implication rule, 164–166, 210, 277, 362
modus tollens (MT) implication rule, 166–167, 180, 210, 224, 289–290, 309
monadic expressions, 302–304
Mulgrew, Kate, 372
multiplication symbol (×), 243
multi-valued logic, 31, 344–345
MusicLM, 339

# N

naïve set theory, 361
NAND logic gate, 335
nand-operator (|), 234–235, 334
natural language, AI ability to work with, 338
necessary truth, modal logic, 348
necessity operator, modal logic, 347
need to make sense of world, 8–9
negated conclusion, 217
negation operator
  defined, 65–67
  identifying scope of, 93–94
  quantification logic, 253
  in sentential logic, 66–67
  translating statements with, 79, 82–83
negation rule, multi-valued logic, 344–345
negative forms, SL statements, 96
neither . . . nor structure, translating into SL, 82–83
Newton, Isaac, 26
Nimoy, Leonard, 372
"no" statements, 267–268, 271, 273, 283
no true Scotsman fallacy, 49
nominalism, 25
non-classical logic
  fuzzy logic, 345–347
  modal logic, 347–349
  multi-valued logic, 344–345
  overview, 31–32, 341–342
  paraconsistent logic, 350–351
  quantum logic, 351–355
  second-order logic, 349–350
  three-valued logic, 342–343
non-contradiction, law of, 15
non-determinism, 349, 353
non-statements, distinguishing statements from, 37–38
non-terminating trees in QL, 323–325
NOR logic gate, 335
not . . . both structure, translating into SL, 83
"not all" statements, 267–268, 270–271, 273, 283
NOT logic gate, 334
not operator. *See* negation operator

# O

Ockham, William of, 25
*Ockham's (Occam's) razor*, 25
*On Interpretation* (Aristotle), 19
. . . only if . . . structure, translating into SL, 83–84
operators. *See* logical operators
oppositions, square of, 20–21
. . . or . . . but not both structure, translating into SL, 84–85
. . . or . . . or both structure, translating into SL, 84
. . . or . . . structure, translating into SL, 84
OR logic gate, 334–335
*Organon* (Aristotle), 18–19, 41, 373
or-operator. *See* disjunction operator
or-rules, 163, 344–345
or-statements, 97, 181, 200–201
output values, 76–77

# P

paraconsistent logic, 350–351
paradoxes, 357–361. *See also* axiomatic systems

parallel statements, 187, 189
parentheses, 77–78, 90, 95–96
particular statements, 20
Peano, Giuseppe, 365
philosophy, use of logic in, 59
Plato, 18
Popper, Karl, 55
positive forms, SL statements, 96
possibility operator, modal logic, 347
Post, Emil, 363
*post hoc, ergo propter hoc*, 47–48
*Posterior Analytics* (Aristotle), 19
postulates. *See* axioms
predicate logic. *See* quantification logic
premises, 36. *See also* assumed premise; proofs
  in arguments, 12
  bridging premises-conclusion divide, 162–163
  comparing to conclusion, 208
  long, breaking down in difficult proofs, 224–226
  noticing length of, 208
presumption, fallacies of, 45–47
*Principia Mathematica* (Whitehead and Russell), 31–32, 357–358, 360–361, 376
*Prior Analytics* (Aristotle), 19
probability theory, 345
problem-solving in AI, 338–339
programs, computer, 332
Prolog, 336–337
proof by contradiction. *See* indirect proof
proof theory, 364
proofs. *See also* conditional proofs; equivalence rules; implication rules; quantification logic
  breaking down long premises, 224–226
  bridging premises-conclusion divide, 162–163
  choosing between direct and indirect proof, 216–218
  digging deeper into SL statements, 220–224
  easy, handling, 208–211
  friendly forms, 212–214
  indirect proofs, 195, 202–206
  making shrewd assumption, 226–227
  overview, 161–162, 207, 216
  slightly-less-friendly forms, 214–216
  tips for handling on exams, 378–379
  unfriendly forms, 216
  working backward from conclusion, 218–220
property constants, 251–253, 309
property variables, 255
propositional logic, 374. *See also* sentential logic
purity, appeal to, 49
Pythagoras, 18
Python, 336–337

# Q

QL. *See* quantification logic
QN. *See* quantifier negation
qualitative sciences, 58
quantifiable sciences, 58
quantification logic (QL)
  applying SL rules, 276–280
  completeness of, 363–364
  creating context with domain of discourse in, 257–259
  defined, 30
  existential generalization, 287–290
  existential instantiation, 290–295
  existential quantifier in, 256
  identities in, 301–314
  individual variables in, 254–255
  overview, 249–250, 275
  quantifier negation, 280–283
  quantifier rules overview, 283–284
  relations in, 301–310
  SL operators in, 253–254
  statements and statement forms in, 259–262
  translation, 263–273
  truth trees in, 315–325
  types of constants in, 251–253
  universal generalization, 295–300
  universal instantiation, 284–287
  universal quantifier in, 255–256
  writing with identities, 312–314
  writing with relations, 307–310

quantifier negation (QN)
defined, 275
overview, 280–283
in truth trees, 317–319
using with multiple quantifiers, 307–308
quantifiers, QL. *See also* existential quantifier; universal quantifier
order of, 305–306
translating categorical statements, 264–268
quantum logic, 351–355
quick tables
basic steps to using, 123–126
overview, 121–123
planning strategy for, 127–129
reading, 125
truth tables versus, 122
truth trees versus, 138
working smarter with, 130–136

# R

range of influence, operator's scope, 93
reality, 52–53
reasonable doubt, 56
reasoning, circular, 47
red herring, 42–43
*reductio ad absurdum*. *See* indirect proof
relations, in QL, 301–310
relaxation rule, WFF, 240–241
relevance, fallacies of, 42–43
Renaissance, 26–27
restricted domain of discourse, when translating into QL, 265
rhetoric, 14, 55–57
rows, truth tables, 104
rule of identity (ID), 312–313. *See also* identities, in QL
rules of inference. *See* equivalence rules; implication rules
Russell, Bertrand, 14, 31, 359–361, 376
Russell's paradox, 31, 359–360

# S

Saint-Exupéry, Antoine de, 372
science, use of logic in, 57–58
scope
of logical operators, 93–94
of quantifier, determining, 260
second-order logic, 349–350
self-referential statements, 309
semantic equivalence
changing into tautology, 117
checking for with truth trees, 153–157
comparing SL to Boolean algebra, 242–246
judging with truth tables, 109–111
semantically equivalent statements, 101
testing for with quick table, 128
semantic inequivalence, 128, 153–157
semantics, 24, 237–242, 362, 374
comparing SL to Boolean algebra, 242–246
semi-rings, 245
sentential logic (SL). *See also* evaluation; proofs; quick tables; truth tables; truth trees
applying rules from to QL proofs, 276–280
axiomatic system for, 361–362
comparing to Boolean algebra, 242–246
consistency of, 363–364
defined, 29
logical operators in, 65–75
overview, 64
quantification logic versus, 249–250
similarity to math, 75–78
statement constants in, 64–65
statement forms, 96–98
translation, 78–85
truth value in, 65
set theory, 28–29, 358–361
Sheffer, Henry, 234
Sheffer stroke, 234–235, 334
*Sic et Non* (Abelard), 25, 374
"sidestepping the issue," 46
simplification (Simp) implication rule, 169–170, 209, 223, 278–279

single-branching statements, 138–139, 145, 151, 318
SL. *See* sentential logic
slightly-less-friendly forms, conditional proofs, 212
slippery slope argument, 46
slothful induction fallacy, 44–45
social sciences, 58
Socrates, 18
software, computer, 33, 58, 336–337
"some" statements, 264–267, 270, 272, 283
*Sophistical Refutations* (Aristotle), 41–42
sorites, 10
sound arguments, 53
sporting propositions, 341. *See also* non-classical logic
square of oppositions, 20–21
statement constants, 64–65
statement forms, 259–262, 279, 289–290
statements. *See also* evaluation; proofs; translation; truth tables
  in arguments, 37–38
  categorical, 20, 264–273
  comparing to QL statements, 276–277
  decomposing, 138–140, 144–145, 147–152
  in difficult proofs, 220–224
  forms of SL statements, 96–98
  identifying SL sub-statements, 92
  main operators in SL statements, 94–96
  in quantification logic, 259–262, 276–277
  repeated chunks of, 209
  scoping out SL statements, 93–94
  SL statements in quick tables, 130–136
  well-formed formulas, 238–242
Steinem, Gloria, 372
Stoics, 22–23
strategic assumptions
  argument validity and invalidity, 129
  consistent statements, 128–129
  contradictions, 127
  disproving, 126
  planning quick table strategy, 127–129
  quick tables as beginning with, 124
  semantic equivalence and inequivalence, 128
  tautology, 127
straw man fallacy, 42
strings, syntax of, 238–242
sub-statements, 9, 92, 138–140
substitution, 77, 362
*Summa Logicae* (William of Ockham), 25
*Summa Theologica* (Aquinas), 25
*Summulae de Dialectica* (Buridan), 25
suppressed evidence, 46
syllogisms, 39–40, 173–174, 296, 373
symbolic logic, 26–27. *See also* formal logic
syntactic methods, 362
syntax
  comparing SL to Boolean algebra, 242–246
  defined, 237
  overview, 237–239
  well-formed formulas, 238–242

## T

tables. *See* quick tables; truth tables
tautologies, 52
  building, 116–119
  dividing statements into, 109
  separating with truth trees, 147–150
  testing for with quick table, 127
tautology (Taut) equivalence rule, 190–191
Thales, 18
theorems, 16, 22, 361, 375
thinking, versus logic, 51–52
thought, laws of, 14–15
three-valued logic, 342–343
translation
  quantification logic, 263–273
  sentential logic, 78–85
trunk, truth trees, 140
truth functions, 333–334

truth tables
brute force approach, 102
building new tautologies and contradictions, 116–119
consistency across statements, 111–113
dividing statements into categories with, 109
evaluating validity with, 113–116
filling in, 105–108
judging semantic equivalence with, 109–111
overview, 67, 101
quick tables versus, 122
reading, 108
setting up, 103–105
testing for logical conditions with, 116
tips for handling on exams, 378
truth trees versus, 138
using instead of quick tables, 135
truth trees
and consistency or inconsistency, 141–144
contingent statements, separating, 153
contradictions, separating, 151–153
decomposing SL statements, 138–140, 144–145, 147–152
overview, 137–138
in quantification logic, 315–325
and semantic equivalence or inequivalence, 153–157
solving problems with, 140–141
tautologies, separating with, 147–150
using instead of quick tables, 136
validity or invalidity, testing for with, 144–146
truth value, 38, 65, 99. *See also* evaluation
*tu quoque* (whataboutism), 48
Turing, Alan, 331–333, 335, 376
20th century, logic in, 31–33

# U

UG. *See* universal generalization
UI. *See* universal instantiation
unary operator, 76, 334
undecidable statements, 32
unfriendly forms, conditional proofs, 212
universal generalization (UG)
defined, 275, 284
example using, 296–297
limits on using, 297–299
with multiple quantifiers, 310
overview, 283–284, 295
similarity to EG, 295
valid and invalid uses of, 299–300
with variables and constants, 296
universal instantiation (UI)
applying more than once, 319–323
defined, 275, 284
overview, 283–287
similarity to existential instantiation, 290–291
in truth trees, 317–319
universal quantifier (∀)
"all" statements, 272
alternative translations of basic forms, 268–271
alternative translations of basic forms of categorical statements, 268–269
applying rules with multiple quantifiers, 308–310
contradictory statements, 267–268
identifying categorical statements in disguise, 271–273
"not all" statements, 273
overview, 255–256
proving QL statements with, 278–279
quantifier negation, 280–283
quantifier rules overview, 283–284
with relations, 304–305
restricted domain, 265
translating basic categorical statements, 264–268
translating from English into QL, 267
universal generalization, 283–284, 295–300
universal instantiation, 283–287
unrestricted domain, 265–267
working with multiple quantifiers, 305–306
universal statements, 20

universal Turing machine (UTM), 331–333, 376
unpacking statements, 169, 189, 191–193
unrestricted domain of discourse, 265–267
unwarranted assumptions, fallacies of, 47–48

## V

validity
  of arguments, 13, 36, 38–39, 113–116, 118–119
  evaluating with truth tables, 113–116
  testing for with quick table, 129
  testing for with truth tree, 144–146
variables
  Boolean, 334
  domain of discourse, 257
  existential instantiation with, 291
  existential quantifier and, 256
  quantification logic, 250
  in quantification logic, 254–255, 260–261
  universal generalization with, 296
  universal quantifier and, 255

## W

weak induction fallacies, 43–45
well-formed formulas (WFFs), 238–242
whataboutism (*tu quoque*), 48
Whitehead, Alfred North, 31, 360–361, 376
William, of Ockham, 23
Wittgenstein, Ludwig, 372

## X

XOR logic gate, 335

## Z

Zadeh, Lotfi, 346
Zermelo-Fraenkel axioms (ZF axioms), 361