Index

Numerics

3.3V pin, 20, 21
5V pin, 20, 21

A

Adafruit, 25, 265, 328, 332
  2.8" TFT Touch Shield, 260–261
  Arduino Starter Pack, 29
  FONA 800 shield, 264
  Motor/Stepper/Servo shield v2.3, 262–263
  Music Maker shield, 259–260
  RGB 16x2 LCD shield, 260
  Ultimate GPS Logger shield, 263
Adafruit Blog, 265
Adafruit Feather, 25
Adafruit Proto-Screwshield, 259
adhesive putty for soldering, 172, 182, 187
AI. *See* artificial intelligence
Albion Café, 155
AliExpress, 29, 334
Amazon, 27, 29
AnalogInOutSerial sketch, 109–114, 186
  circuit, 109–110
  code, 110–111
  hardware, 109
  understanding, 112–114
analog input pins, 19, 104, 106, 134–135, 242, 310
AnalogInput sketch, 102–108
  circuit, 103–104
  code, 104–105
  hardware, 102
  tweaking, 107–108
  understanding, 106–107
`analogRead()` function, Arduino, 107, 217
analog sensors, 106, 212–213, 310
`analogWrite()` function, Arduino, 87, 91, 93, 96, 113, 126, 224
Arduino, 1, 7–8, 275
  community, 255, 265
  history of, 8–10
  inputs and outputs for, 14
  open source philosophy of, 15, 271
  Playground, 15, 277
  projects, using AI in, 34–38
Arduino and Processing, communication between
  drawing graph, 305–314
  making virtual button, 293–305
  sending multiple signals, 314–323
Arduino Blog, 265, 327

COPYRIGHTED MATERIAL

Arduino boards, 10–11, 17, 21–22. *See also* sketches
components and starter kits, 27–30
official, 22–24
power supply to, 189
securing, 191
using circuit diagrams with, 78–80
Arduino_CapacitiveTouch library, 244–245
Arduino Cloud AI Assistant, 38
Arduino Cloud Editor, 32, 33
Arduino-compatible boards, 22, 24–25
Arduino Forum, 15, 265, 328
Arduino GIGA, 23
Arduino IDE, 24, 31, 50, 121, 129, 133, 266. *See also* libraries
installation of, 31
key areas of, 32–34
Library Manager, 244–245, 266, 269–270
ZIP library installation in, 270
Arduino MKR, 23
Arduino Motor shield Rev3, 263
Arduino Nano, 23
Arduino Nicla, 23–24
Arduino Portenta, 23
Arduino Project Hub, 162, 328
Arduino projects, 161–162
Baker Tweet, 155–156
Chorus, 151–153
Compass Lounge, The, 156–158
Good Night Lamp, The, 158–160
Little Printer, 160–161
Push Snowboarding, 153–155
workspace for working on, 30–31
Arduino Pro Mini, 153
Arduino shield, 178–182
assembly, 181
circuit building, 186–188
header pins, 181–182
laying out pieces of circuit, 179–181
proto kit, 178–181
testing, 188
Arduino Shield List, 266
Arduino Starter Kit, 29
Arduino Starter Pack, Adafruit, 29
Arduino Store, 25, 265, 331
Arduino Uno, 10, 14, 17–23, 28
built-in LEDs, 21
header sockets, 19–20
R4 Minima, 18–21, 41, 42
R4 WiFi, 18
Renesas RA4M1 microcontroller, 19
reset button, 21, 140
special pin features, 20
USB and power, 20–21
arrays, 141–142, 216–218
artificial intelligence (AI), 34–38
limitations of, 36–37
role in debugging, 35
role in prototyping and creative exploration, 36

role in research, 35–36
tutoring role of, 35
audio shields, 259–260

B

`background()` function, Processing, 287–288
Baker Tweet project, 155–156
Banzi, Massimo, 10
Barragán, Hernando, 9
base (transistor), 120
Basic Stamp, 10
baud rate, 301, 303, 310, 311, 320
Berg, 160–161
binary number system (base-2), 287–288
bit, 288
blinking an LED, 7, 39
connecting external LED to Arduino board, 52–54
identification of board, 41
software configuration, 41–43
Blink sketch, 45–52
code, 193–194
comments, 47–48
finding, 40–41
functions, 48–50
`loop()` function, 51–52
setup, 49–50
tweaking, 54
uploading, 43–44
BlinkWithoutDelay sketch, 195–200
circuit, 195–196
code, 196–198
hardware, 195
understanding, 198–201
block comments. *See* multiline comments
blogs, 265, 327
Booleans, 236, 300
breadboards, 20, 58–59, 77–78, 81, 164, 186. *See also* circuit, building
brushed DC motor. *See* DC motor
budget starter kits, 29
Burton Snowboards, 153
butane soldering irons, 167–168
Button sketch, 97–102
circuit, 97–98
code, 98–99
hardware for, 97
tweaking, 101–102
understanding, 100–101
byte, 288

C

Calibration sketch, 219–224
circuit, 219
code, 220–221
hardware, 219–220
understanding, 222–224
Camel Case naming convention, 49
CapacitiveSensor library, 243
capacitive sensors, 243–248

CapacitiveTouch sketch, 245–248
code, 246–247
hardware, 245
Love Button, 246
understanding, 247–248
Chorus project, 151–153
circuit, building
cleaning, 188
knowing your circuit, 186
laying out your circuit, 187
soldering, 187–188
wires, 187
circuit bending, 12
circuit diagrams, 76–78. *See also specific sketches*
light switch, 77
symbols, 77
using with Arduino board, 78–80
collector (transistor), 120
color
changing, Processing, 287–290
color-coding, 80–82, 89–90, 94
resistor color charts, 82–84
Color Selector tool, Processing, 312, 313
comments (code), 47–48
Compass Cards, 157–158
Compass Lounge, The, 156–158
constants, 100
`constrain()` function, Arduino, 223
continuity tester (multimeter), 62, 67, 97
copper braid, 175–176
core functions, 49
C (programming language), 45, 92
crocodile clips, 62, 171, 182
Cuartielles, David, 10
current, 70
Joule's Law, 75–76
measurement of, 65
Ohm's Law, 71–73
reverse, 117, 120

D

datasheets, 81–82
DC motor, 29
MotorControl sketch, 123–126
and PWM, 87
spinning, 117–122
Debounce sketch, 200–205
circuit, 201
code, 202–203
hardware, 200–201
understanding, 204–205
declarations, 91–92
`delay()` function, Arduino, 52, 114, 194
Deschamps-Sonsino, Alexandra, 158
de-soldering wire, 175–176
DFRobot Gamepad shield v2.0, 261

DFRobot SIM7600G LTE Shield, 264
Digi-Key, 27, 333
digital display (multimeter), 62
DigitalInputPullup sketch, 227–231
  circuit, 227–228
  code, 228–229
  hardware, 227
  understanding, 230–231
digital pins, 19, 20, 119
`digitalRead()` function, Arduino, 101
`digitalWrite()` function, Arduino, 51, 52, 101, 108, 200, 236
dimmer circuit, 109–110, 188, 218
diodes, 29, 73, 117, 120–121
Discord servers, 329
display shields, 259–261
distance measurement, sensors for, 249–254
`draw()` function, Processing, 299, 314, 322
duty cycle, 87

E

eBay, 27, 29, 334
editor pane, Arduino IDE, 33
EEPROM. *See* erasable programmable read-only memory
electrical polarity
  of LEDs, 78, 79
  of piezos, 137
  of UNO R4, 21
electricity, 69–71
electric motors, 115–116
  DC motor, 29, 87, 117–126
  servomotors, 28, 117, 126–135
  shields, 262–263
electromagnetism, 115–116
electronics, 12, 36
  color-coding, 80–81, 89–90, 94
  datasheets, 81–82
  distributors, 27
  old, salvaging, 334
element14, 27
ellipse, drawing (Processing), 281–282, 286–287
`ellipseMode()` function, Processing, 286–287
`else` statement, 302
emitter (transistor), 120
enclosures, 189–190, 265
equipment wire, 60–61, 176–177
erasable programmable read-only memory (EEPROM), 267
ESP32, 24
Espressif, 24
Ethernet library, 267
eye protection, and soldering, 177

F

FabLabs, 330
face tracking, 304

Fade sketch, LED, 87–96
calculation of resistance, 88–89
circuit, 88, 89
code, 90–91
declarations, 92
hardware for, 87
`for` loop, 96
tweaking, 94–96
variables, 92–94
Farnell, 27
`fill()` function, Processing, 288–290
Firmata library, 269
fixed-temperature soldering irons, 165–166
float, 248, 299, 313
flux-cored solder, 171
FONA 800 shield, Adafruit, 264
force sensors, 237–239. *See also* toneKeyboard sketch
`for` loop, 96, 131, 142, 217, 242–243
forward voltage, 73
Fried, Limor "Ladyada," 25, 332
Fry, Benjamin, 9, 276
functions, 48–49. *See also specific functions*

G

Geiger–Müller tube, 264–265
GitHub, 265, 267, 270, 271
global variables, 199
GND (ground) pins, 20
Good Night Lamp, The, 158–160
graph, drawing, 305
circuit, 305–306
setting up Arduino code, 306–307
setting up Processing code, 307–309
understanding Arduino Graph sketch, 310
understanding Processing Graph sketch, 310–314
graphic user interface (GUI), 10, 32
ground rail (breadboard), 58
GUI. *See* graphic user interface

H

Hackaday, 265, 329
hacking, 12–13
Hackster.io, 162
handshaking, 321, 322
hardware hacking, 12–13
HC-SR04 sketch, 249–254
circuit, 250–251
code, 251–252
hardware, 250
understanding, 252–254
header pins, 181–182
header sockets, 19–20, 181
helping hand. *See* third hand for soldering
hobby motor. *See* DC motor
HX711 amplifier board, 239

I

ICSP (in-circuit serial programming) connector, 181

IDE. *See* integrated development environment

IDII. *See* Interaction Design Institute Ivrea

`if` statement, 93–94, 101, 108, 126, 194, 205, 210, 218, 230, 301, 304, 313

infrared proximity sensors, 249

inputs, 14, 29

- access, and enclosures, 189
- analog input pins, 19, 104, 106, 134–135, 242, 310
- calibration of, 218–224
- obstruction by shields, 256
- shields, 261–262

Instructables, 162, 329

insulated equipment wire, 60–61

integrated development environment (IDE)

- Arduino, 24, 31–34, 50, 121, 129, 133, 244–245, 266, 269–270
- Processing, 276–277

interaction design, 8–10

Interaction Design Institute Ivrea (IDII), 8

Internet of Things (IoT), 23, 155, 158, 160

`int` variable, 92, 141

IoT. *See* Internet of Things

`isTouched()` method, 248

J

Joule, James Prescott, 75

Joule's Law, 75–76

jump wires, 60–61

K

keyboards, 12

Kin Design, 156

Knob sketch, 132–135

- circuit, 132–133
- code, 133–134
- hardware, 132
- understanding, 134–135

Knock sketch, 232–237

- circuit, 232–233
- code, 233–235
- hardware, 232
- understanding, 235–237

L

LDR. *See* light-dependent resistor

lead-free solder, 170–171

lead poisoning, 170

lead solder, 170

LEDs. *See* light-emitting diodes

legacy shields, 263–265

Libelium/Cooking-Hacks Geiger-counter shield, 264–265

libraries, 266–267. *See also specific libraries*
additional, installation of, 269–270
community-made, 269, 271
example sketches in, 266, 270
installation from ZIP file, 270
serial communication, 299
for shields, 257
standard, 267–269
Library Manager, Arduino IDE, 244–245, 266, 269–270
light-dependent resistor (LDR), 28, 213
light-emitting diodes (LEDs), 28, 189
blinking, 7, 39–54
BlinkWithoutDelay sketch, 195–200
built-in, Arduino Uno R4 Minima, 21
connecting external LED to Arduino board, 52–54
Fade sketch, 87–96
light switch circuit, 70–71
polarity of, 78, 79
light sensors, 28
Calibration sketch, 219–224
Smoothing sketch, 213–218
light switch circuit, 70–71
diagram, 77–78
running through Arduino board, 78–80
`line()` function, Processing, 284, 312
LiquidCrystal library, 268
Little Printer, 160–161
load sensors, 237–239
local variables, 199
`long`, 198, 204
`loop()` function, Arduino, 51–52, 96, 101, 107, 108, 113, 122, 131, 205, 253, 303, 310, 320

M

Make: Makezine, 265
Maker Spaces, 330
manual wire strippers, 173–174
`map()` function
Arduino, 113, 135, 147, 223
Processing, 314
Max (software), 278
Maxuino library, 278
mechanical wire strippers, 173–174
menu bar, Arduino IDE, 32
message area, Arduino IDE, 34
microcontroller boards, 7, 10, 19
microcontrollers, 7, 10, 14
MIDI protocol, 262
`millis()` function, Arduino, 199, 222
mode-selection dial (multimeter), 62
Moggridge, Bill, 8
Moog synthesizer, 11
MotorControl sketch, 123–126
circuit, 123–124
code, 124
hardware, 123
tweaking, 125–126
understanding, 125
Motor shield Rev3, Arduino, 263
motor shields, 262–263

Motor sketch, 118–122
circuit, 118–121
code, 122
hardware, 118
understanding, 122
Motor/Stepper/Servo shield v2.3, Adafruit, 262–263
Mouser, 27
multicore wires, 61, 176, 187, 191
multiline comments, 47–48
multimeter, 62–63, 174
continuity of circuit, checking, 67, 174
current measurement using, 65
resistance measurement using, 65–66
voltage measurement using, 64
multiple signals, sending
circuit, 314–315
hardware, 314
setting up Arduino code, 315–317
setting up Processing code, 317–319
understanding Arduino SerialCallResponse sketch, 320–321
understanding Processing SerialCallResponse sketch, 321–323
musical instrument, 143–147
Music Maker shield, Adafruit, 259–260

N

needle-nosed pliers, 61–62, 174
Newark, 27
NewPing library, 250, 251, 253, 254
Nintendo GameBoy, 12
Nokia, 153
non-light-emitting diodes, 73
`noStroke()` function, Processing, 289
`noTone()` function, Arduino, 143
NPN transistor, 120

O

Ohm, Georg Simon, 71
Ohm's Law, 71–73
opacity, changing (Processing), 288–290
open source, 15, 271
outputs, 14, 29. *See also* inputs
access, and enclosures, 189
obstruction by shields, 256

P

p5.js, 277–278
p5.serialport library, 278
patching, 10
Pduino library, 278
perfboards, 179–180
phone switchboards, 11
physical computing, 9
piezos, 29, 136, 137, 231–232
Knock sketch, 232–237
PitchFollower sketch, 144–147
toneMelody sketch, 136–143
Pimoroni, 26, 265, 332–333
`ping_median()` method, 254
`pinMode()` function, Arduino, 50, 92–93, 100, 106, 122, 230, 310, 320

pitches.h, 139–140, 242
PitchFollower sketch, 144–147
  circuit, 144–145
  code, 145–146
  hardware, 144
  understanding, 146–147
PNP transistor, 120
point() function, Processing, 283
potentiometer, 28, 103, 105, 109, 111, 123, 125–126, 131–133, 186, 214, 305–306, 309, 314, 319
power, 70, 71
  calculation of, 74–75
  Joule's Law, 75–76
  socket, Arduino Uno, 20–21
  and transistors, 119
power rail (breadboard), 58
power shields, 262–263
power supply, 51
  and enclosures, 189
  power pins, 19
  and shields, 256–257
pre-defined variables, 49, 53
pressure pads, 237–238, 249
println() function, Processing, 280, 311
probes (multimeter), 62
Processing, 9, 10, 15, 32, 276–277. *See also* Arduino and Processing, communication between
  IDE, 276–277
  installation of, 278–279
  toolbar, 280
  window, main areas of, 279–280
Processing sketches, 280–282
  changing color and opacity, 287–290
  drawing shapes, 282–287
  interactions, 290–291
project box, 189–190
projected capacitive sensors, 243–244
Proto shield kit Rev3, 258
prototyping, 163, 186
  shields, 258–259
  tools for, 54–67
  use of AI in, 36
pull-down resistors, 54, 227, 314
pull-up resistors, 227, 230
pulseIn() function, Arduino, 253
pulse-width modulation (PWM), 20, 87, 112, 113, 130, 222. *See also* Fade sketch, LED
Pure Data (Pd), 278
pushbuttons, 28, 77–78, 181, 226–227
  bouncing, 200
  Button sketch, 97–102
  Debounce sketch, 200–205
  DigitalInputPullup sketch, 227–231
  StateChangeDetection sketch, 206–212
Push Snowboarding project, 153–155
PWM. *See* pulse-width modulation

R

Rapid, 27
Raspberry Pi Pico, 24
Reas, Casey, 9, 276
rectangle, drawing (Processing), 284–287
`rectMode()` function, Processing, 285, 300
Reddit, 265, 329
relays, 29
Renesas RA4M1 microcontroller, 19
reset button, Arduino Uno, 21, 140
resistance, 71
  calculation, LED Fade sketch, 88–89
  Joule's Law, 75–76
  measurement of, 65–66
  Ohm's Law, 71–73
resistors, 78
  color charts, 82–84
  force-sensitive, 237–243
  pull-down, 54, 227, 314
  pull-up, 227, 230
  resistance, measurement of, 65–66
  variable, 66, 103, 109
Restriction of Hazardous Substances Directive (RoHS), 170
reverse current, 117, 120
reverse polarity, 21
reverse voltage, 73
RGB 16x2 LCD shield, Adafruit, 260
RobotShop, 26
RoHS. *See* Restriction of Hazardous Substances Directive
RS Components, 27, 333

S

SdFat library, 268
SD library, 268
Seeed Studio, 26, 265, 332
  Blog, 265
  Seeeduino v4.3, 22
  Wio LTE Cat.1 Shield, 264
sensors, 225–226
  analog, 106, 212–213, 310
  capacitive, 243–248
  for distance measurement, 249–254
  piezo, 231–237
  pressure, force, and load sensors, 237–243
  pushbuttons, 226–231
serial communication, 108, 230
  AnalogInOutSerial sketch, 109–114
  library, 299
`serialEvent()` function, Processing, 311, 313, 322
serial library, Processing, 310, 321
`Serial.list()` function, Processing, 301, 311, 322
serial monitor, 108, 109, 111, 112, 125, 147, 211, 218, 235, 247, 253
Serial Peripheral Interface (SPI), 268
serial port, 41–43, 86, 113, 147, 210, 216, 236, 298, 300, 310, 311, 320, 322
`Serial.print()` function, Arduino, 113–114
`Serial.println()` function, Arduino, 113–114

Servo library, 129, 133, 134, 268
servomotors, 28, 117, 126–127
  Knob sketch, 132–135
  Sweep sketch, 127–131
`setup()` function, Arduino, 49–50, 92, 100, 113, 122, 130, 135, 142, 147, 199, 204, 210, 216, 222, 236, 242, 253, 303
shapes, drawing (Processing), 281–287
shields, 20, 256. *See also* Arduino shield
  audio and display, 259–261
  combinations, considerations for, 256–257
  input, 261–262
  latest products, 265–266
  legacy, 263–265
  motor and power, 262–263
  prototyping, 258–259
short circuit, 71, 121
sidebar, Arduino IDE, 33
signal wires, 90
sine waves, 136, 137
single-core wires, 60, 61, 176
single-line comments, 48
`size()` function, Processing, 282, 291
sketches, 10, 32, 85. *See also* libraries
  AnalogInOutSerial, 109–114, 186
  AnalogInput, 102–108
  Blink, 40–41, 43–44, 193–194
  BlinkWithoutDelay, 195–200
  Button, 97–102
  Calibration, 219–224
  CapacitiveTouch, 245–248
  Debounce, 200–205
  DigitalInputPullup, 227–231
  example sketches in libraries, 266, 270
  HC-SR04, 250–254
  Knob, 132–135
  Knock, 232–237
  making virtual button, 293–305
  Motor, 118–122
  MotorControl, 123–126
  PitchFollower, 144–147
  Processing, 280–291
  resetting, 21
  SerialCallResponse, 314–323
  Smoothing, 213–218
  StateChangeDetection, 206–212
  Sweep, 127–131
  toneKeyboard, 239–243
  toneMelody, 136–143
  uploading, 86
Smoothing sketch, 213–218
  circuit, 213–214
  code, 214–215
  hardware, 213
sockets (multimeter), 63
SoftwareSerial library, 268
soldering, 59, 163–164, 183–184, 187–188
  adhesive putty, 172, 182, 187
  assembling a Arduino shield, 178–182

equipment wire, 176–177
multimeter, 174
needle-nosed pliers, 174
safety precautions, 177–178
solder, 170–171, 178
solder fumes, 165, 171, 178
solder stations, 169–170, 183
solder sucker, 174–176
solder wick, 175–176
technique, 182–185
thinning the tip, 184, 185
third hand (helping hand), 171–172, 182
wire cutters, 173
wire strippers, 173–174
workspace for, 164–165
soldering irons
cleaning, 178
handling, 177
tips, 170
types of, 165–169
source code, 15
SparkFun, 26, 265, 328, 332
SparkFun Inventor's Kit (v5.0), 29
SparkFun MIDI shield, 261–262
Speak & Spell, 12
Special Projects, 153
SPI. *See* Serial Peripheral Interface
square waves, 136, 137
starter kits, 27–30
StateChangeDetection sketch, 206–212
circuit, 206–207
code, 207–209
hardware, 206
understanding, 209–212
Stepper library, 268
stripboards, 179–180, 191
Sweep sketch, 127–131
circuit, 128
code, 129
hardware, 127
understanding, 130–131
synthesizers, 11, 12

T

tabs, Arduino IDE, 34, 140
temperature-controlled soldering irons, 168–169
temperature sensor, 28
terminal blocks, 190–191
test leads (multimeter), 62
Theremin, 143–147
third hand for soldering, 171–172, 182
timers, 194–195, 204
Tindie, 333
`tone()` function, Arduino, 142
toneKeyboard sketch, 239–243
circuit, 239–240
code, 240–241
hardware, 239
understanding, 242–243

toneMelody sketch, 136–143
circuit, 137–138
code, 138–140
hardware, 137
understanding, 140–143
toolbar, Arduino IDE, 32–33
TouchDesigner, 278
`touchRead(pin)` function, Arduino, 248
transistors, 29, 81, 82, 119–120
triangle waves, 136, 137
`trim()` function, Processing, 313

U

Ultimate GPS Logger shield, Adafruit, 263
ultrasonic range finders, 249–254
United Visual Artists (UVA), 151
Unity, 278
Universal Serial Bus (USB), 108
access, in enclosures, 189
Arduino Uno, 20–21
USB-C cable, 28, 86
USB-C soldering irons, 166–167
`unsigned long`, 198
USB. *See* Universal Serial Bus
UVA. *See* United Visual Artists

V

variable resistors, 66, 103, 109
variables
global, 199
local, 199
pre-defined, 49, 53
ventilated environment, for soldering, 165, 171, 178
Verplank, Bill, 8
Vin (voltage-in) pin, 20, 21
virtual button, making, 293–294
circuit, 294, 295
setting up Arduino code, 294–296
setting up Processing code, 296–299
understanding Arduino PhysicalPixel sketch, 303–305
understanding Processing PhysicalPixel sketch, 299–303
Vitamins Design, 153
`void draw`, 291
`void` keyword, 49
`void loop`, 49
`void setup`, 49
voltage, 70
measurement of, 64
Ohm's Law, 71–73

W

Waste Electrical and Electronic Equipment Directive (WEEE), 170
Watterott Electronic, 26
Watterott, Stephan, 26
watts, 70, 74–75
WEEE. *See* Waste Electrical and Electronic Equipment Directive
Weller solder station, 169, 183
Wheatstone bridge, 238

`while` loop, 222, 320
WiFi library, 267
WiFiNINA library, 267–268
WiFiS3 library, 267–268
wire cutters, 173
Wire (I^2C/TWI) library, 268
wire strippers, 173–174
wiring, 190–191
  terminal blocks, 190–191
  twisting and braiding, 190
Wiring project, 9, 10
workshops, 330
workspace
  for soldering, 164–165
  for working on Arduino projects, 30–31

Y

YouTube, 329

Z

zero indexing, 134, 141
ZIP file, library installation from, 270