

Index

A

absorbent glass mat (AGM)
 batteries, 123
abundance, of sunlight,
 9–10
affordability, 10–11
agricultural operations, electricity
 vs. solar, 141
agrivoltaics, 18
angle
 roof, 47
 tilt of panels, 57–58
assess site, readiness and
 conditions, 259
asset management, 198
asset value, 266
attic ventilation, 71–72
azimuth, 58–59

B

bad-panel misconceptions, solar
 power, 275
bankability, 196

batteries

 adding storage, 114
 capacity, 124, 226
 characteristics, 226
 dispatching, 226
 duration, 226
 gravity, 231
 green hydrogen, 232
 iron flow, 229
 lifetime expectations,
 126–127
 lithium-ion, 123, 227–228
 maintenance, 125
 off-grid, 124
 risks, 127–128
 round-trip efficiency,
 125, 226
 sodium-based, 230
 storage, 16
 technologies, 227
 thermal, 234
 types of, 124, 226

- benefits
 - carbon emissions reduction, 265
 - energy independence, 266–267
 - energy price stability, 264
 - ESG scores and public perception, 267–268
 - job creation, 268
 - local economic growth, 268
 - lower electricity costs, 263–264
 - modularity and scalability, 269
 - property and asset value, 266
 - with PV Systems, 52
 - silent and low-maintenance operation, 268–269
 - tax incentives and rebates, 264–265
- branding opportunities, solar installation, 155–156
- budgeting, long-term, 138
- bureaucracy, 17
- business type, solar installation, 135
- buyers, 200, 202–204
 - emerging, 203–204
 - original, 203
 - payment, 200
 - request-for-proposals (RFP) process, 201

- types, 202
- utility-scale solar power, 202

C

- cadmium telluride, 45
- capability, solar, 145
 - commercial properties, 146
 - misconceptions, 276
 - open ground, 146, 150–151
 - parking lots, 146, 148–150
 - rooftops, 146–148
- capital stack, 194
- carbon dioxide (CO₂) offset, 8–9
- carbon emissions reduction, 265
- carbon footprint, 8–9
- carbon reduction, 139
- carports, 148, 149
 - supporting structures, 151
- clothes dryer, 75
- commercial and industrial (C&I) properties, 139
 - common use cases, 140
 - form and location, 140–141
 - operational characteristics, 141
- commercial solar power, 157
 - annual energy production, 166
 - buy-in, 163–164

- commissioning, 168–169
- costs and savings, 162
- equipment specifications, 167
- groundwork for, 164–165
- hiring EPC, 165–166
- impact of, 162–163
- internal rate of return (IRR), 163
- modeling, 161–162
- net present value (NPV), 163
- pattern, 161
- projects, 14–15, 161
- project timeline, 167–168
- property solar-ready, 144
- proposals, 166
- commissioning, 168–169
- Community Choice Aggregators (CCAs), 201, 202, 204
- community engagement, 192–193
- community solar, 32–33
- compressed air energy storage (CAES), 233
- contractor, 91–94, 258
 - bid comparison, 92–93
 - commitment, 93–94
 - contract term, 201
 - cost, 92
 - equipment details, 92
 - experience and references, 92
 - incentives and financing, 92
 - inspection coordination, 91
 - installation, 91
 - interviewing potential installers, 93
 - outliers, 91
 - permitting, 91
 - project timeline, 92
 - site assessment, 91
 - system design, 91
 - utility interconnection, 91
 - warranty information, 92
 - working with, 94
- cooling impact, of window treatments, 71
- cost. *see also* financing
 - calculations, 62–63
 - of electrical energy, 136–137
 - of energy consumed, 20
 - installation process, 83–84
 - misconceptions, solar power, 274
 - operational, 136–137
 - savings, 136
 - thermal battery technology, 234

- curtailment
 - dealing with, 208
 - drivers and responses, 208
 - events, 198
 - provisions, utility-scale PPA, 201

D

- Database of State Incentives for Renewables and Efficiency (DSIRE), 102

- DC and AC ratings, 60–61

- debris, 112–113

- debt, 195

- delivery point, 201

- dents, panel, 16

- developer, 184

- dishwasher, 75

- dust, 42, 47

E

- Earth-based solar vs. space-based solar power systems, 212, 214

- economics

- benefits, 136

- growth, 268

- installation costs, 277

- efficiency, solar panels

- appliance upgrades, 74–75

- components of, 237–238

- with everyday appliances, 74–75

- first to reduce system size and cost, 256–257

- real-life limitations, 238

- space, 237

- system size and cost, 256–257

- electricity

- averages United States usage, 29–31

- billing, 110

- accounting for anomalies, 26–27

- appliance events, 27

- billing quirks, 27

- construction/renovation, 27

- ledger, 25

- lifestyle changes, 27

- meter reads and usage, 21

- monthly data, 25

- regional ranges in monthly usage, 30

- service address and billing period, 21

- weather extremes, 27

- commercial, 137

- cost of, 53–54, 136–137, 263–264

- cost savings on, 63
 - delivery and transmission charges, 21
 - energy charges, 21
 - energy use data, 31–32
 - time-of-use (TOU) rates, 257
 - electric vehicles (EVs) charging, 54, 115
 - electrification, 139
 - energy, 20
 - affordable form of, 10–11
 - efficiency, 68–69
 - independence, 266–267
 - price stability, 264
 - usage data, 22–23
 - energy-efficient mortgages (EEMs), 105
 - energy management systems (EMS), 250
 - advantages for grid, 251–252
 - at home, 251
 - for office, 251
 - platforms, 250
 - solar power with, 251
 - energy output, 61
 - engineering, procurement, and construction (EPC) team
 - commercial solar power, hiring, 165–166
 - partner, 193
 - selection and procurement, 193–194
 - utility ownership, 177
 - Environmental, Social, and Governance (ESG), 136
 - corporate sustainability, 142
 - at schools, 141
 - scores and public perception, 267–268
 - environmental studies, utility-scale solar, 189–190
 - equity, 138, 195
- ## F
- Fannie Mae’s HomeStyle Energy mortgage, 104
 - financing, 194, 196
 - energy-efficient program, 104
 - on home-improvement, 104
 - options, 103
 - and system access, 106
 - fire safety and code requirements, 154
 - flexibility, 11
 - flooded lead-acid (FLA) batteries, 126
 - risks, 127
 - fluctuation, 225

fog, 42

force majeure, 201

fossil fuel

- power generators, 225

- sources, 11–12

fountain, solar, 79–80

fuel, protection against price,
138

G

gravity storage technology, 231

green button initiative, 23

green hydrogen technology,
232

grid

- accountability, 119

- costs, 120

- grid-tied setup, 33

- integration, 207, 260

- vs. off-grid system, 117

- reliability, 272

ground-mounted solar arrays

- advantages, 150

- for businesses, 150

- installation, 150

- solar trackers, 151

H

heterojunction (HJT) solar cells, 240

higher-stakes benefits, 136

home equity line of credit
(HELOC), 101–102

hospitals and healthcare facilities,
electricity vs. solar, 141

HVAC equipment, 75

hybrid approach, 146

I

improves net operating income
(NOI), 137

independent power producers
(IPPs), 177

infrared lasers, space-based solar
power, 216

infrastructure viability and
lifespan, 154

inspections, 260

installation process

- access characteristics, 154

- business model match, 143

- business type, 135

- characteristics of property
use, 142–143

- codes and regulations, 89–91

- commercial evaluations, 143
- component quality and durability, 83
- connecting and monitoring, 85
- contractor, 91–94
- cost structure, 82–83
- equipment, 84–85
- factors to consider, 151–152
- financing structures, 84
- fire safety and code requirements, 154
- infrastructure viability and lifespan, 154
- interconnection feasibility, 143
- inverter configurations, 85
- lifespans and warranties, 84–85
- open space (rooftop/ground), 142
- overall cost effectiveness, 83–84
- panel quality, 85
- photovoltaic system, 86–89
- practical constraints, 153–154
- property ownership, 152–153
- shopping, 142
- structural integrity, 153–154
- uninhibited space, 154
- visibility and branding opportunities, 155–156

- interconnection, 191–192
- inverter, 46, 109
 - microinverters, 57
 - options, 57
 - paired with central, 57
 - traditional string, 57
 - types, 56
- iron flow battery technology, 229

J

- job creation, 268

L

- land and site control, 186
 - and community concerns, 18
 - hearings, 188
 - lease agreements, 186
 - local approvals, 187–188
 - permits, 188
 - securing site at right time, 187
 - vetting and reclaiming land, 187
- landscaping, 76–77
- laser technology, space-based solar power, 216
- lead-acid batteries, 126

- lease/leasing
 - agreements, 186
 - models for commercial solar, 159
 - vs. ownership, 158–159
 - power purchase agreement, 158
- lithium-ion battery technology, 123, 227–228. *see also* batteries
- lithium iron phosphate (LFP) batteries, 126
- risks, 127–128
- load shifting, 256
- loan, 103

M

- maintenance
 - annual maintenance checklist, 113–114
 - clean solar panels, 112
 - inverter checkups, 113
 - misconception, 273
 - operation, 268–269
 - physical damage, 112–113
 - shading, 112–113
 - at utility-scale solar, 196–197
- manufacturing facilities, electricity vs. solar, 141

- market exposure, 205
- merchant projects
 - operational risks, 206
 - planning for market exposure, 205
 - risk-and-reward profile, 204
- microgrid strategy, 141
- misconceptions, solar power
 - bad-panel, 275
 - capabilities, 276
 - cost, 274
 - fad, 277
 - maintenance, 273
 - off-grid, 274
 - reliability, 272
 - space, 276–277
 - summer production, 275
 - sunlight dependence, 272–273
 - winter production, 275
- Modified Accelerated Cost Recovery System (MACRS), 160
- modularity, 269
- monitoring, 107–108
 - installation process, 85
 - system, 46
- monocrystalline silicon (mono), 45
- mortgages

- EEM, 105
- options, 105
- multi-junction cells, 244

N

- negawatts, 67
- net metering, 99–100
 - rules, 261
- nickel-iron batteries, 126
 - risks, 128
- night time, 73–74

O

- obstruction, 109
- off-grid system, 117
 - autonomy, 130–131
 - backup generators, 120
 - and batteries, 123–124
 - costs, 120, 128
 - daily energy use, 130–131
 - design, 131
 - energy-management hardware, 121
 - greenest, 121–122
 - larger battery banks, 120
 - vs. lithium-iron-phosphate batteries, 121

- misconceptions, 274
- requirements, 120–121
- safety, 121
- surveying options, 122–123
- system monitors, 120
- offsetting emissions, 8–9
- open space (rooftop/ground)
 - installation, solar power, 142
- operations and maintenance,
 - utility-scale solar, 196–197
- orbital mirrors, space-based solar power, 211
 - challenges, 214
 - vs. infrared, 216
 - vs. microwave transmission, 214
 - reflecting sunlight to earth, 213
- orientation, roof, 47
- output, 61
- ownership
 - choice, 158
 - commercial solar models, 159
 - vs. leasing, 158–159
 - long-term return, 158
 - paying for solar vs. leasing, 158
 - through institutional capital and infrastructure funds, 178

P

PACE (Property Assessed Clean Energy) financing, 104

panels, solar

- bifacial performance, 241

- costs, 244–245

- DC and AC, 55

- degrading, 47

- distance from roof, 60

- efficiency, 56, 237–244

- manufacturing complexity, 241

- recycling, 236–237

- standout temperature performance, 240

- types of, 44–46

parking lot solar installations

- construction process, 149

- cost, 149

- design flexibility, 149

- ESG objectives, 149

- row of solar canopies, 149

- solar carports, 148, 149

payback

- horizon and risks, 261

- period, 64–65

peaker plants, 223

performance

- equipment choices, 55

- factors impacting, 47

- guarantees, 109–110

- impacts on, 47

- obligations, 201

- and rebates, 97

- tracking, 111

permission to operate (PTO), 260

permits

- across agencies and organizations, 188

- environmental studies after, 189

- local, 187

- public hearings, 188

- system design and trust, 190

- timelines, 188

- for utility-scale solar projects, 189

perovskite solar cells, 45

- advantages, 238–239

- challenge, 239

photovoltaic (PV)

- anatomy of, 46

- panels, 35

- vs. thermal solar, 42–44

planning, 23, 54–55

- policy drivers, utility-scale solar, 206–207
- pollen, 47
- pollinator-friendly solar farms, 18
- polycrystalline silicon (poly), 45
- pool water warming, solar power, 77–78
- post-solar electricity billing, 110
- power, 20
- power purchase agreement (PPA), 158, 177
 - definition, 200
 - mechanics of, 202
 - scope of, 200–201
 - unique elements, 201
 - virtual, 202
- price cannibalization, 206
- price structure, 201
- production-based incentives (PBIs), 97
- property and asset value, 52, 266
- property ownership, 152–153
- public hearings, 188

Q

- quantum tunneling, 241

R

- racking and mounting, 46
- rebates, 96–97
 - capacity-based, 97
 - forms, 97
 - performance-based, 97
- recycling, solar panels
 - sustainable and built-in, 236–237
- refrigerator/freezer, 74
- reliability, 16, 52, 272
- renewable portfolio standards (RPS), 206
- request-for-proposals (RFP) process, 201
- residential solar projects, 12–14
 - breakdown of electricity use, 29
 - categories, 13
 - energy usage at home, 28–29
 - sizes, 13
- revenue optimization, 198
- rooftop solar power systems
 - access, 152
 - age of, 152
 - flat roofs, 148
 - orientation and structure, 259
 - planning, 152

- rooftop solar power systems
 - (continued)
- roof age and condition, 148
- roof weight, 152
- shading, 148
- structural integrity of, 151
- timing and roof conditions, 148
- useable space, 147, 259

S

- scalability, 11, 269
- seasons, 42
- self-consumption, 100–101
- shading, 47, 59, 109, 112–113
- size calculations, 62–63
- smart home integration,
 - 250–252
- smog, 42
- snow, 47
- sodium-based battery technology,
 - 230
- software tools, 247
 - designing, 248
 - irradiance data, 249
 - long-term asset management, 250
 - operations & maintenance,
 - 249–250
 - string configurations, 249

- subtle performance anomalies, 250
- solar modules, 46
- space-based solar power, 211
 - advantages, 213
 - barriers, 219–220
 - capacity, 218
 - challenges, 213
 - elements, 212
 - impacts of, 217–219
 - infrared lasers, 216
 - large-scale optical/electrical systems, 212
 - microwave transmission approach, 214
 - orbital mirrors, 213
 - overbuild, 218
 - questions, 220
 - satellites position and, 212
- space, misconceptions,
 - 276–277
- sprinkler, 80
- storage, 221
 - compressed air energy, 233
 - fluctuation and, 225
 - frequency regulation, 225
 - grid values, 223
 - importance of, 222

- shifting supply and, 223
- time-shifting, 224
- types of batteries, 226
- structural integrity, 153–154
- subsidies
 - cost savings, 100–101
 - incentives, home-operated businesses, 99
 - net metering, 99–100
 - property tax exemptions, 98
 - rebates, 96–97
 - researching options, 102
 - tax-deductible home equity loans, 101–102
 - tax incentives, 98
 - types of, 95–96
- summer production, solar, 42, 275
- sun, 35
 - air mass (AM), 41
 - clouds, 41
 - controlling sunlight, 70
 - at equator, 39
 - at high latitudes, 39
 - hours of daylight across locations, 40
 - infrared, 37
 - longer wavelengths, 38
 - at mid-latitudes, 39
 - morning/evening hours, 41
 - nuclear fusion, 36
 - path of, 39
 - photons, 38
 - shorter wavelengths, 38
 - solar noon, 41
 - solar radiation *versus* sunlight, 37
 - sunlight intensity, 41
 - ultraviolet, 37
 - visible light, 37
- sustainability, 8, 138, 139, 155–156
- system performance monitoring, 107–108
- system size, 53, 54

T

- tandem cells, 242–244
- tax equity, 195–196
- tax incentives
 - for business, 160
 - credits, 257–258
 - qualifying for, 98
 - and rebates, 257–258, 264–265

- temperature, 47
- thermal battery technology, 234.
 - see also* batteries
- thermal solar, 42–44
- tilt angle, 57–58
- time-of-use (TOU) pricing, 137–138
- timing, 16
- tunnel oxide passivated contact (TOPCon) solar cells, 241
 - advantages, 242
 - manufacturing equipment and materials, 242
 - voltage and overall cell efficiency, 241

U

- utility-scale solar, 15, 183
 - approvals, permitting and local, 187
 - benefits, 175–176
 - buyers, 202–204
 - categories, 174
 - characteristics, 174, 186
 - commercial side of, 199
 - common site control arrangements, 186
 - curtailment, 208
 - definition, 173–174
 - developers, 184
 - development lifecycle, 185
 - grid integration, 207
 - independent power producer ownership, 177
 - jobs, 176
 - land and site control, 186
 - local compatibility and acceptance, 182
 - local revenue, 176
 - market exposure, 204–206
 - merchant projects, 204–206
 - operations and maintenance at, 196–197
 - ownership models, 176–177
 - policy drivers recognition, 206–207
 - power purchase agreement, 200–202
 - project location, 179
 - proximity to transmission infrastructure, 181
 - public hearings, 188
 - securing site, 187
 - solar resource potential, 180–181

transmission impact, project
viability, 181

vetting and reclaiming land,
187

V

versatility, 11

virtual power plant, 252

virtual power purchase agreement
(VPPA), 202

visibility, solar installation, 155–156

W

warranty, 109–110

water heater, 74

water purification systems,
solar-powered, 72–73

winter production, 275

wiring, 46

Y

yard lighting, 75–76

