

Index

Numerics

- 12-volt battery, 405
- DC-DC converter, 201
- lithium, 110, 403
- replacing safely, 113–115

A

- ABS. *See* Anti-lock Braking System (ABS)
- accessories, everyday electrical, 103–104
- AC charging vs DC fast charging, 203
- adaptive cruise control, 387
- adaptive damping system, 332, 333
- adaptive shifting, 364
- ADAS. *See* Advanced Driver Assistance System (ADAS)
- AdBlue. *See* diesel exhaust fluid (DEF)
- adjustable wrench, 43
- Advanced Driver Assistance System (ADAS), 31, 387–388
 - integration, 328
 - recalibration, 392
- AEB. *See* automatic emergency braking (AEB)
- AFT. *See* automatic transmission fluid (AFT)
- aftermarket add-ons, DIY danger zone, 104–105
- AGM (Absorbed Glass Mat), 403
 - battery, 110
- airbags, 381, 382
 - frontal, 381
 - occupant-sensing systems, 382
 - replacement after deployment, 382
 - side, 381
- air filter
 - cabin, 30–31
 - engine, 30
- air-fuel mixture, 67
- air suspension, 332, 333
- alignment
 - ADAS calibration, 351
 - tire wear from bad alignment, 352
 - wheel alignment basics, 350–351
- AllData, 58–59
- Allen wrenches. *See* hex keys (Allen wrenches)
- all-season tires, 344
- all-wheel drive (AWD), 360
 - electronic, 370
- alternative diesel fuels, 225
 - biodiesel blends (B5, B20, B100), 225
 - renewable diesel, 226
 - synthetic diesel and future fuels, 226
- alternative fuels, 155
 - biodiesel, 156
 - flex-fuel (E85), 155–156
 - hydrogen and synthetic fuels, 156
- alternators
 - and charging system, 90, 118
 - checking charging voltage, 119
 - quick visual checks, 120
 - smart alternators and weird voltages, 119–120
 - solid-state and smart, 90–91
 - traditional belt-driven, 91
- anti-drainback valve, 268

- Anti-lock Braking System (ABS), 289
 - electronic distribution, 290
 - skid prevention, 289
 - tone rings and sensors, 309
- anti-theft system, 89
- ASE certification, 411
- automatic disconnects, 390
- automatic emergency braking (AEB), 388
- automatic multi-stage charging, 116
- automatics, traditional torque converter, 363
- automatic transmission fluid (AFT), 373
- automatic transmissions, 362–363
 - adaptive shifting, 364
 - modern six to ten speed, 364
 - traditional torque converter automatics, 363
- auto-ranging digital multimeters, 52
- AWD. *See* all-wheel drive (AWD)

B

- basic code readers, 50
- battery, 28
 - basics in digital age, 109–110
 - charging and maintaining the battery, 116
 - modern battery types, 110
 - reading the label, 110–111
 - replacing a 12-volt battery safely, 113–115
 - testing the battery without drama, 112
 - using portable jump packs, 117–118
 - on board, EV/hybrid check, 38
 - charging cable care, 38
 - inverter/battery coolant, 38
 - cables, check for loose, 112
 - charging
 - check, 32
 - and maintaining, 116
 - checking, 32
 - coolant, 38, 399
 - corrosion check, 32
 - crash protection, 389
 - dead, 403
 - lithium 12-volt, 110
 - pack (high-voltage DC), 200
 - solid-state, 79
 - tester, 52–53
 - thermal management, 205–206
 - types, modern, 110
- Battery Management System (BMS), 105–106, 200
 - high-voltage safety (hybrids and EVs), 136–137
- BCM. *See* Body Control Module (BCM)
- beam-type torque wrench, 48
- bearings
 - allow rolling, 300
 - brakes and, 299–301
 - under hood, 28–29
- belts checking, 31
- biodiesel, 78, 156
- biodiesel blends (B5, B20, B100), 210, 225
- blades, 36
- bleeding air after repairs, 254
 - bleeding methods, 254
 - general burp procedure, 255
- bleeding brakes, 296
- blind-spot monitoring, 385–386
- Bluetooth dongles, 50–51
- bluish smoke, 278
- BMS. *See* Battery Management System (BMS)
- Body Control Module (BCM), 100–101
 - lighting control and infotainment, 101–102
 - power windows and locks, 101
 - rise of, 85–86
 - wiring and modules, 132–133

- bolt-in hub assemblies, 309
- brake, 282. *See also* hydraulic braking
 - assist and ESC, 290
 - emergency boost, 290–291
 - stability control integration, 291
- and bearings, 299
 - bearings allow rolling, 300
 - brakes stop safely, 300
 - failure in one affects, 300–301
- cleaner, 54
- disc, 285
 - vs drum, 286–287
- environmental responsibility, 297
 - copper-free pads, 297
 - recycling fluid and pads, 297
- fluid, 33, 284, 287
 - DOT 3, 4, 5.1, 287–288
 - moisture absorption, 288
 - service intervals, 288–289
- maintenance and DIY, 295
 - ABS and EPB cautions, 296–297
 - pads, rotors, and bleeding, 295–296
- pad wear indicators, 294
- parking, 291–292
- pedal requirement, 89
- redundancy in design, 283–284
- squeals, 394
- stopping = safety, 282
- stop safely, 300
- warnings, 399
- wear sensors, 293
- brake-fluid reservoir, 28
- brake inspection 2.0, 301
 - brake squeal vs bearing growl, 304–305
 - pads and rotors check, 301–302
 - quick pad-and-rotor reality checks, 302–303

- wheel bearings 101, 301
 - role of bearings, 303
 - tapered roller vs sealed hubs, 304
- braking feel, regenerative, 399
- burning oil, smell, 395
- bushing, 331
- bypass valve, 268, 269

C

- cabin air filter, 30–31
- cable care, charging, 38
 - care, charging, 38
 - orange high-voltage, 137
- calipers, 49–50
- cameras
 - ADAS, 31
 - driver-monitoring, 389
 - and parking sensors, 104
 - and sensors, 37, 384
 - backup cameras (mandatory), 384
 - blind-spot monitoring, 385–386
 - parking sensors, 385
- CAN bus (Controller Area Network), 95
- canisters, 155
- carburetors, 65, 145–146, 163–164
- car care habits, 419
 - alignment, 421
 - battery maintenance, 420–421
 - check tire pressure, 420
 - filters clean, 420
 - fluids check, 420
 - monitor oil life, 419
 - pay attention to brakes, 421
 - pay attention to check engine light, 421
 - perform scheduled maintenance, 422
 - protect vehicle's surface, 421–422

- car drops dead or won't start, 401
 - battery and electrical, 403–404
 - DIY vs help, 407
 - call roadside or a shop, 407
 - safe checks, 407
 - first things first, 402
 - fuel, ignition, starter, and key-fob shenanigans, 404
 - hybrid/EV and overheating twists, 404–405
 - jump-starting without summoning regret, 405–406
 - no-start conditions, 402–403
 - OBD-II and warning lights, 406–407
- car running with right fuel (or charge), 14
 - EV charging, 14–15
 - gasoline, 14
 - hybrids, 15
- car's digital nerve center, 84–86
- cartridge filters vs spin-on filter, 268–269
- cast-iron, 180
- cast-steel manifold, 180
- catalytic converters, 77, 183
 - reduce emissions, 183–184
- CCA. *See* Cold Cranking Amps (CCA)
- ceramic pads vs semi-metallic pads, 292–293
- charging system, 90, 202
 - AC charging vs DC fast charging, 203
 - automatic multi-stage, 116
 - alternators and, 90, 118
 - checking charging voltage, 119
 - quick visual checks, 120
 - smart alternators and weird voltages, 119–120
 - hybrids and EVs, 91, 120–121
 - levels in plain English, 203
 - range considerations, 203–204
 - solid-state and smart alternators, 90–91
 - warning signs, 118
- check engine, dashboard warnings, 398–399
- Check Engine light, 98
- child-seat anchor systems, 383, 384
- CHT. *See* Cylinder Head Temperature (CHT)
- clean air tech, diesel emissions and, 219–221
- cleaning, oil, 262
- click-type torque wrench, 48
- clogged filter, 153, 167–168
- clothing, 11
- clunks and vibrations, 334–335
- clutches, 361–362
- clutch fan vs electric fan, 239
- clutch-pedal requirement, 89
- CNG. *See* compressed natural gas (CNG)
- coil-on-plug (COP) ignition system, 68–69, 93, 124–126
- coil packs and waste spark, 92–93
- coil springs, 332, 333
- Cold Cranking Amps (CCA), 111
- cold engine, 237
- cold-start strategies, 218–219
- combination wrenches (metric and SAE), 40–41
- combustion engines
 - breathe, 63–65
 - flow in, 63
- combustion vehicles, maintenance differences from, 201–202
- communication, Controller Area Network (CAN) bus, 133–134
- compressed natural gas (CNG), 210
- computer control, 144
- contamination, diesel injector sensitivity to, 172–173
- continuously variable transmission (CVT), 366
 - driver feel concerns, 367
 - fluid, 373–374
 - fuel economy benefits, 366
 - steel belt/pulley design, 366
- control arms, 330

- Controller Area Network (CAN) bus communication, 133–134
- control systems, 386
 - Electronic Stability Control (ESC), 386
 - rollover stability, 386
 - traction control, 386
- conventional oil, 265
- converters, catalytic, 77
- coolant, 33
 - for batteries, 399
 - and intake air temperature sensors, 95
 - inverter/battery, 38
 - leaks, smell, 395
 - reservoir, 28
 - selection, 247–248
 - topping off coolant without creating a chemistry experiment, 248
 - top-off procedure, 249
 - use the right fill point, 248
- coolant system, 233
 - fans and airflow, 238
 - heater core, 238–240
 - hoses and fittings, 234–235
 - radiator and expansion tank, 234
 - aluminum/plastic design, 234
 - caps and pressure, degas tanks, 234
 - sensors, 240
 - temperature sensor, 76
 - thermostats, 237
 - mechanical wax-pellet, 237–238
 - water pump, 235
 - electric pumps, 236
 - mechanical impellers, 235–236
 - works, 240
 - coolant route, 241
 - expansion and contraction cycle, 241
- cooling, oil, 262
- cooling-system pressure test, 250

- cooling-system safety rules, 244
 - safe cap-check routine, 244–245
- COP ignition. *See* coil-on-plug (COP) ignition
- core hand tools. *See* hand tools
- Corporate Average Fuel Economy (CAFE) standards, 77
- cranking test, 112
- crankshaft, 62–63
 - and camshaft position sensors, 94
 - position sensor, 76
- crescent wrench. *See* adjustable wrench
- Crown's Corner Mechanics, 8
- CVT. *See* continuously variable transmission (CVT)
- cylinder deactivation systems, 73
- Cylinder Head Temperature (CHT), 240

D

- danger zone, DIY, 104–105
- dashboard low-oil pressure light, 278
- dashboard warnings, 398
 - brake warnings, 399
 - check engine, 398–399
 - TPMS alerts, 399
- DC-DC converter, 91
 - 12-volt battery, 201
- DC fast charging vs AC charging, 203
- DCT. *See* dual-clutch transmissions (DCT)
- dead batteries, 23, 403
- dead key-fob batteries, 23
- DEF. *See* diesel exhaust fluid (DEF)
- degreaser, 54
- DI. *See* direct injection (DI)
- diagnostics and troubleshooting, 191
 - DIY-friendly checks, 192
 - OBD-II codes in emissions world, 191
 - professional service, 192
 - recognize emissions-system failures, 191

- diagnostics in diesel age, 224
 - DEF level and quality sensors, 225
 - NOx sensor faults, 224–225
 - OBD-II diesel codes, 224
 - regen cycle monitoring, 224
- diagnostic system, warning lights and, 97–100
- diagnostic tools, 47–50
- Diagnostic Trouble Code (DTC), 50, 97
- dial-type gauge, 49
- diesel, 212
 - compression-ignition engines, 144
 - compression ignition vs spark ignition, 212–213
 - diesel fuel properties and energy density, 213
 - emissions and clean air tech, 219–221
 - filter, 167
 - filtration, 152
 - injector, sensitivity to
 - contamination, 172–173
 - maintenance, 221
 - DPF regeneration cycles, 223
 - fuel filters and water separation, 221–222
 - oil change intervals, 222–223
 - special attention to injector cleanliness, 223
 - renewable, 226
 - vehicle, 85
- diesel age, diagnostics in, 224
 - DEF level and quality sensors, 225
 - NOx sensor faults, 224–225
 - OBD-II diesel codes, 224
 - regen cycle monitoring, 224
- diesel exhaust fluid (DEF), 220–221
 - level and quality sensors, 225
 - systems for diesels (SCR), 189
- diesel fuels, 151
 - alternative, 225
 - biodiesel blends (B5, B20, B100), 225
 - renewable diesel, 226
 - synthetic diesel and future fuels, 226
- diesel oxidation catalyst (DOC), 184
- diesel particulate filter (DPF),
 - 184–186, 219–220
 - regeneration cycles, 223
- diesels still shine, 226
 - commercial fleet and long-haul trucking, 226
 - declining role in passenger cars, 227
 - heavy-duty towing and torque advantage, 226
 - hybrid diesel applications in fleet use, 227
- diesel system, rail, 151
- digital age, battery basics in, 109–110
 - charging and maintaining the battery, 116
 - modern battery types, 110
 - reading the label, 110–111
 - replacing a 12-volt battery safely, 113–115
 - testing the battery without drama, 112
 - using portable jump packs, 117–118
- digital calipers, 49, 50
- digital dashboards and service apps, 29
- digital gauges, 49
- digital keys, 24
- digital multimeter, 52
 - auto-ranging, 52
- digital nerve center, 84–86
- digital oil level sensors, 274
- digital toolbox, 57
 - AllData and Mitchell1, 58–59
 - factory service manuals (FSM), 58
 - free online resources, 59–60

- Haynes and Chilton manuals, 57–58
- repair manuals and online databases, 57
- digital tools, 50–53
- digital torque wrench, 48
- dipstick method, oil check, 272–274
- direct drive EV systems, 368–369
- direct injection (DI), 66, 67
 - from carbs to, 163–165
 - engines, 272
 - high-pressure pumps for, 149–150, 175–176
 - and high-pressure systems, 164–165
 - matters for performance and efficiency, 150
 - revolution, 147–148
 - systems feel more high-tech, 150
- dirty injectors, symptoms of, 170
- DIS. *See* distributorless ignition system (DIS)
- disc brakes, 285
 - vs drum brakes, 286–287
- disposable nitrile gloves, 54
- distribution modules, smart power, 129–130
- distributor ignition systems, 92
- distributorless ignition system (DIS), 92–93
- DOC. *See* diesel oxidation catalyst (DOC)
- DPF. *See* diesel particulate filter (DPF)
- drip pans, 55
- driver, skills for, 7
 - car running with right fuel (or charge), 14–15
 - checking out tire pressure monitoring system, 22–23
 - dealing with tire changes, 20–22
 - getting started right, 7
 - handling lockouts, 23–25
 - opening the hood, 15–16
 - practicing roadside safety, 11–12
 - taking things apart, 17–18

- unlocking vehicle info with VIN, 12
 - finding VIN, 12–13
 - getting car-specific information, 13
 - getting the most out of VIN, 13–14
 - using jacks and stands to lift safely, 18–20
 - using personal protective gear, 9–11
- driver monitoring, 389
- driver-monitoring camera, 389
- drivetrain, 358
 - different drivetrain layouts, 360
 - power delivery importance, 359
 - role of, 358
- drum brakes vs disc brakes, 286–287
- drums, hydraulic braking, 286
- DTC. *See* Diagnostic Trouble Code (DTC)
- dual-clutch transmissions (DCT), 364–366
 - fluid, 373–374
- dual converters and high-flow systems, 184
- duct tape, 55

E

- E85, 155–156
- EBD. *See* Electronic Brakeforce Distribution (EBD)
- eco tire tech, 354
 - eco-friendly compounds, 354
 - recycling old tires, 354
 - sustainable manufacturing, 355
- ECT. *See* Engine Coolant Temperature (ECT)
- ECU. *See* Engine Control Unit (ECU)
- efficiency and emissions, 77
 - alternative fuels, 78
 - catalytic converters, 77
 - fuel economy standards, 77–78
- e-fuels. *See* synthetic fuels
- EGR. *See* exhaust gas recirculation (EGR)
- electrical accessories, everyday, 103–104

- electrical gadgets, 102
 - everyday electrical accessories, 103–104
 - power-control-load pattern, 102–103
- electrical systems, 105
 - Battery Management Systems (BMS), 105–106
 - high-voltage safety in hybrids and EVs, 106–107
- electrical tape, 55
- electric fan vs clutch fan, 239
- electric in-tank fuel pumps, 149
- electric in-tank pumps, 174
- electricity
 - fuel cells generate, 208
 - powers modern vehicles, 84–85
- electric motor, 200
- electric power steering (EPS), 34, 325–326
- electric pumps, coolant system, 236
- electric vehicles (EVs), 62, 74, 200
 - batteries, motors, and inverters, 200–201
 - certified technicians, 139
 - inverter whine, noise, 395
 - safety, 389–390
- electric vehicles bearings, hybrid and, 315–316
- electric vehicles braking, hybrid and, 294
 - brake-by-wire, 294–295
 - regenerative braking, 294
- electronic AWD, 370
- Electronic Brakeforce Distribution (EBD), 290
- electronic continuously variable transmission (eCVT), 368
- electronic ignition systems, 68, 92–93
- Electronic Parking Brake (EPB), 291
- Electronic Stability Control (ESC), 291, 386, 387
- electronic throttle, 94–95
- emergencies, staying calm in, 379
 - built to protect, 380
 - crash structures, 380
 - integration of passive and active safety, 381
- emissions
 - hybrid exhaust systems and reduced, 193
 - reduction, catalytic converters, 183–184
- energy converter, 62
- engine, 62
 - air filter, 30
 - direct injection (DI), 272
 - turbocharged, 271–272
- Engine Control Unit (ECU), 65, 75–76
 - controlled ignition timing, 126
 - controls, 95–97
 - diagnostics, 97
 - in fuel trim, 154
 - listening, 94–95
 - managed preheating, 218
 - rise of, 85–86
 - role in starting, 88–89
- Engine Coolant Temperature (ECT), 240
- engine knocking, noise, 395
- engine knocking/tapping noises, 279
- engine oil, 32–33
- engines need cooling, 232
 - dangers of overheating, 232
 - heat from combustion, 232
- EPB. *See* Electronic Parking Brake (EPB)
- EPDM, 31
- EPS. *See* electric power steering (EPS)
- ESC. *See* Electronic Stability Control (ESC)
- ethanol, 78
- ethanol blends (E10, E15, E85), 145

EVAP system
 smart fuel management, 155
 smog control and emissions systems, 188
 everyday electrical accessories, 103–104
 EVs. *See* electric vehicles (EVs)
 Exhaust 101, 180
 exhaust manifold and header
 design, 180–181
 handling manifold leaks safely, 181
 from manifold to tailpipe, 181–183
 mufflers and resonators for sound
 control, 183
 exhaust decoder, 396
 exhaust gas recirculation (EGR), 188, 220
 expansion tank, 234
 extended-life oils, 265
 conventional vs synthetic vs, 264–266
 extension bars, 42
 external inline filter, 166

F

factory safety recall, 414
 factory service manuals (FSM) digital
 toolbox, 58
 Fan-control and A/C pressure inputs, 24
 fan quick test (electric fans), 256–257
 fans and airflow, coolant system, 238
 fault or warning lights (problem), 29
 feeler gauges, 49
 FFV. *See* flex-fuel vehicle (FFV)
 filter, 268. *See also specific types*
 cabin air, 30–31
 changing, 30–31
 engine air, 30
 and flow, 152
 clogged fuel systems, 153
 modern inline and in-tank filters, 152
 replace filters, 153–154
 spin-on vs cartridge filters, 268–269

fire extinguisher (ABC), 10
 first-aid kit, 10
 flex-fuel (E85), 155–156
 flex-fuel vehicle (FFV), 206–207
 FlexRay, 134
 flooded maintenance-free battery, 110
 fluid, monitoring and topping off, 32
 brake fluid, 33
 coolant, 33
 engine oil, 32–33
 power steering, 34
 transmission fluid, 33–34
 fluid pressure, hydraulic braking, 284
 footwear, 11
 four-stroke cycle, 63–65
 four-wheel drive (4WD), 360, 370
 frontal airbags, 381
 front-wheel drive (FWD), 360
 vehicles, 359
 fuel
 alternative, 155
 biodiesel, 156
 flex-fuel (E85), 155–156
 hydrogen and synthetic fuels, 156
 cleanliness, 162–163
 contaminants causing loss of power and
 efficiency, 163
 future fuels, synthetic diesel and, 226
 as precision fluid in modern engines, 162
 fuel and energy, saving, 423
 check tire pressure, 424
 drive smoothly, 423
 make smart trips, 424
 mindful of aerodynamics, 425
 practice preventive maintenance, 426
 practice smart charging, 425–426
 take advantage of eco modes, 424
 unload, 425

- fuel and energy, saving (*continued*)
 - use good apps, 426
 - use regen braking, 425
- fuel cells, generate electricity, 208
- fuel cell technology, hydrogen and, 208–209
- fuel delivery
 - from carburetors to computers, 65–67
 - in modern diesels, 213
 - common rail systems, 214
 - high-pressure injectors, 215–216
 - mechanical pumps as history, 213–214
 - in today's engines, 148
 - electric in-tank fuel pumps, 149
 - turbocharged, 151–152
- fuel economy standards, 77
- fuel filter, 143
 - and flow, 165
 - clogged filter, 167–168
 - diesel filter or water separator, 167
 - external inline filter, 166
 - inline vs in-tank filters, 165
 - in-tank filter, 166
 - lifetime filters in modern vehicles, 168
 - types, 166
 - and water separation, 221–222
- fuel injection, 65–66, 146–147, 164
 - system, types, 148
- fuel injector, 168
 - cleaner, 170
- fuel lines, 143
- fuel odor, smell, 395
- fuel pressure codes, injector misfire and, 157–158
- fuel pumps, 143
 - electric in-tank, 149
 - variable-speed, 174–175
- fuel quality, 162, 176
- fuel rail, 143

- fuel system
 - diagnostics, 156–157, 176
 - consult a professional mechanic, 177–178
 - fuel trim interpretation, 177
 - injector misfire and fuel pressure codes, 157–158
 - OBD-II codes for lean and rich conditions, 157
 - OBD-II codes for lean/rich conditions, 176–177
 - DIY cleaners vs professional cleaning, 170–172
 - re-imagining, 141
 - fuel, 142
 - fuel types and blends, 144–145
 - from tank to injector, 143–144
- fuel tank, 143
- funnels (multiple sizes), 55
- fuse, 127
 - color-coded by amperage, 128
 - panel map, 127
 - traditional fuse replacement, 128–129
- FWD. *See* front-wheel drive (FWD)

G

- gadgets, electrical, 102–105
- gasoline engines, 144–145
- gas vehicle, 85
- gauge
 - dial-type, 49
 - digital, 49
 - feeler, 49
 - tire pressure, 48–49
- gear ratio, 362
- gear reduction, single-speed, 368
- gloves
 - disposable nitrile, 54
 - mechanic, 9

glow plugs, 218

grease packing, 305–308

H

handling lockouts, 23–25

AAA/roadside assistance, 24

dead key-fob batteries, 23

digital keys, 24

hidden key inside the fob, 24

manual locks, 24

spare keys, 24

hand tools, 40

adjustable wrench, 43

combination wrenches (metric and SAE), 40–41

extension bars, 42

hex keys (Allen wrenches), 44

pliers (needle-nose, slip-joint, and locking), 43

pry bars and trim tools, 44

screwdrivers (Phillips, flat-blade, and Torx), 43–44

socket set with ratchet, 41–42

universal joints, 42

Haynes and Chilton manuals, digital toolbox, 57–58

hearing protection, 10

heater core, 238–240

and HVAC box, 239

heaters, seat and steering-wheel, 103

heavy lifters, 87

hex keys (Allen wrenches), 44

hidden key inside the fob, 24

high-flow systems, dual converters and, 184

high-mileage oils, 266

high-pressure pumps

for direct injection, 149–150

for DI systems, 175–176

high-pressure systems, direct injection and, 164–165

high-speed data networks, 132

high-visibility vest, 9

high-voltage battery packs, 107

high-voltage cables, bright orange sheathing on, 106–107

high-voltage insulation issues, 399

high-voltage safety (hybrids and EVs), 106–107, 136

Battery Management System (BMS), 136–137

EV-certified technicians, 139

orange high-voltage cables, 137

shutdown systems, 138

hood

bearings under, 28–29

opening, 15–17

hoses, checking, 31

HVAC box, heater core and, 239

HVAC moldy smell, 395

HVO, 226

hybrid and EV, 73–74, 178

bearings, 315–316

braking, 294

brake-by-wire, 294–295

regenerative braking, 294

charging system, 91, 120–121

context, 193

drivetrains, 368

direct drive EV systems, 368–369

eCVT systems, 368

four-wheel traction, 369

modern electronic AWD, 370

single-speed gear reduction, 368

torque vectoring, 370–371

traditional transfer cases, 370

high-voltage safety in, 106–107

hybrid and EV (*continued*)

- parallel or series-parallel hybrids, 74
- plug-in hybrids (PHEVs), 74
- quirks, 399
- regenerative braking, 75
- series hybrids, 74
- hybrid diesel, applications in fleet use, 227
- hybrid engine, 272
- hybrid exhaust system and reduced emissions, 193
- hybrid vehicles, 73–74, 196
 - hood in hybrid, 196–197
 - hybrid maintenance, 199–200
 - hybrid performance and efficiency benefits, 199
 - regenerative braking works, 198
 - sorting hybrid types without going cross-eyed, 197
 - full hybrid (parallel hybrid), 197
 - mild hybrid (often 48-volt), 197
 - plug-in hybrid (PHEV), 197
 - series hybrid, 197
 - two-mode and multi-mode hybrids, 199
- hydraulic braking, 284
 - disc brakes, 285
 - drums, 286
 - fluid pressure, 284
 - master cylinder, 284–285
- hydraulic floor jack, 19, 45
- hydraulic power steering, 324–325
- hydrodynamic lubrication, 264
- hydrogen and fuel cell technology, 208–209
- hydrogen fuel cells, 78
- hydrogen fuels, 156
- hydrogen vehicles, 78
 - advantages, 209
 - challenges, 209

- iATN (International Automotive Technicians' Network), 59
- ignition in modern era, 123
 - coil-on-plug systems, 124–126
 - ECU-controlled ignition timing, 126
 - long-life spark plugs (platinum/iridium), 123
 - symptoms of worn spark plugs, 124
- ignition systems, 67
 - coil-on-plug (COP), 68–69
 - distributor, 92
 - distributors and points, 67–68
 - electronic, 92–93
 - electronic ignition, 68
- IIHS. *See* Insurance Institute for Highway Safety (IIHS)
- immobilizer system, 89
- independent suspension, 332
- infrared (IR) thermometer, 312
- injector, 143–144
 - atomize fuel, 169–170
 - cleanliness, special attention, 223
 - misfire and fuel pressure codes, 157–158
 - precision sprayers, 168–173
 - professional, 172
- inline filter
 - external, 166
 - vs in-tank filters, 165
- inline fuel filter, 152
- inspection camera (borescope), 53
- Insurance Institute for Highway Safety (IIHS), 391
- in-tank filters vs inline filters, 165
- in-tank fuel filter, 152
- in-tank pumps, electric, 174
- integrated starter-generator (ISG), 89
- interlock circuits, 107
- inverter, 200

inverter/battery coolant, 38
IR thermometer, 313
ISG. *See* integrated starter-generator (ISG)

J

jack
 hydraulic floor, 19, 45
 and stands to lift safely, 18–20

K

knock sensor, 76, 95

L

lane keep assist (LKA), 327, 387
leaf springs, 332, 333
leaking struts, 336
leaks, 397–398
leaks finding
 leak locations and clues, 253
 pressure testing, 250–252
 UV dye, 252
lifetime filters in modern vehicles, 168
lifting a car, 18–20
lifting an auto, 19–20
lighting control and infotainment, 101–102
lights warning, 98
LIN (Local Interconnect Network), 134
liquefied natural gas (LNG), 210
liquid wrench, 54
lithium 12-volt battery, 110, 403
LKA. *See* lane keep assist (LKA)
LNG. *See* liquefied natural gas (LNG)
locking pliers (vise grips), 43
lockouts, handling, 23–25
 AAA/roadside assistance, 24
 dead key-fob batteries, 23
 digital keys, 24

 hidden key inside the fob, 24
 manual locks, 24
 spare keys, 24
locks, power windows and, 101
long-life spark plugs (platinum/iridium), 123
loose steering, 334
low-speed pre-ignition (LSPI), 262, 272
LSPI. *See* low-speed pre-ignition (LSPI)
lubrication, 262
 hydrodynamic, 264

M

MacPherson struts, 332, 333
MAF. *See* mass airflow sensor (MAF)
magnetic ride, 332
magnetic trays, 56
maintenance reminders (routine), 29
Malfunction Indicator Lamp (MIL), 98
manual transmissions, 361–362
manufacturer's app, 29
manufacturer websites, 59
MAP sensors, 94
mass airflow sensor (MAF), 76
 sensors, 94
master cylinder, hydraulic braking,
 284–285
measuring tools, 47–50
mechanical wax-pellet thermostats,
 237–238
mechanic, picking the right, 409
 building relationships, 415
 certifications, 411
 ASE, 411
 EV-specific training, 412
 OEM, 411
 choosing the right mechanic, 410
 complaints and resolutions, 416

mechanic, picking the right (*continued*)

- costs, 414
- evaluating a shop, 412
 - cleanliness, 412
 - communication, 412
 - transparency, 412
- modern tools of trust, 413
- service facility types, 410
 - dealerships, 410
 - independents, 410–411
 - mobile mechanics, 411
 - specialty EV/hybrid shops, 411
- specialty shops, 413
 - EV battery service, 413
 - hybrid drivetrains, 413
 - performance tuning, 413
- warranties and protections, 414–415
- mechanic's gloves, 9
- micrometers, 49–50
- MIL. *See* Malfunction Indicator Lamp (MIL)
- Mitchell1, 58–59
- modern engines, 69
 - fuel as precision fluid in, 162
 - pros and cons of ethanol use in, 207
- modern performance cars, variable exhaust valves in, 189
- modern vehicles, lifetime filters in, 168
- monthly checks matter, 27
- monthly maintenance checklist
 - EV and hybrid extras, 428
 - fluids, 427–428
 - under the hood, 427
 - tech checks, 428
 - tires and TPMS, 428
 - wipers and washers, 428
- multimeter, 128, 131
 - digital, 52

N

- National Highway Traffic Safety Administration (NHTSA), 391
- natural gas vehicles (NGVs), 210
- needle-nose pliers, 43
- neutral safety switch, 89
- Next-Gen EV Tech, 79
- NGVs. *See* natural gas vehicles (NGVs)
- NHTSA. *See* National Highway Traffic Safety Administration (NHTSA)
- nitrile gloves, disposable, 54
- noises, 394
 - brake squeals, 394
 - engine knocking, 395
 - EV inverter whine, 395
 - suspension clunks, 395
 - translator, 305
- NOx sensor faults, 224–225

O

- OBD-II basics, 99
 - freeze-frame data, 99
 - generic codes (P0xxx), 99
 - manufacturer-specific codes (P1xxx and beyond), 99
 - readiness monitor status, 99
- OBD-II diesel codes, 224
- OBD-II scanners and Bluetooth dongles, 50–51
- occupant-sensing systems, 382
- octane rating, 144
- OEM certification, 411
- oil basics, 262–263
 - oil chemistry, 264
 - oil flows through the engine, 263
- oil change, DIY, 274–275
 - drain, filter, and refill basics, 276–277
 - proper disposal and recycling, 277

- oil checking, 272
 - digital oil level sensors, 274
 - dipstick method, 272–274
 - oil color and condition, 274
- oil color and condition, 274
- oil dipstick, 28
- oil drain pans, 55
- oil leaks and stains, 278–279
- oil life monitoring systems, 267
 - condition-based oil changes, 268
 - dashboard reminders and algorithms, 267
 - 3, 000-mile rule, 267
- oil matters, 262
- oil service, modern, 270
 - brand loyalty, 271
 - OEM-specific oil requirements, 270
 - owner's manual oil spec, 270
- oil trouble, warning signs of, 277
 - bluish smoke, 278
 - dashboard low-oil pressure light, 278
 - engine knocking/tapping noises, 279
 - oil leaks and stains, 278–279
- onboard charger, 200
- open-circuit voltage test, 112
- orange high-voltage cables, 137
- overheat emergency, 259–260
- overheating patterns, 255–256
- owner-level checks, 400
- oxygen sensor, 76, 95, 154, 184
 - common failure symptoms, 187–188
 - and feedback, 154
 - role in closed-loop fuel management, 187
 - upstream vs downstream sensors, 186–187
- P**
- packing bearings, 305
- packing serviceable wheel bearings, 305
- ABS tone rings and sensors, 309
- bolt-in hub assemblies, 309
- grease packing, 305–308
- replacement basics, 309–310
- pads, 292
 - ceramic vs semi-metallic, 292–293
- paper towels, shop rags and, 53–54
- parasitic drains, 403
- parking brakes, 291–292
- parking sensors, 104, 385
- park/neutral position switch, 89
- parts organizers, 56
- PB blaster, 54
- pedestrian detection, 388
- pegboards and wall storage, 56
- penetrating oil, 54
- performance and sound, 189
 - performance mufflers and aftermarket systems, 190
 - variable exhaust valves in modern performance cars, 189
- personal protective equipment, 40
- personal protective gear, 9–11
 - clothing, 11
 - fire extinguisher (ABC), 10
 - first-aid kit, 10
 - footwear, 11
 - hearing protection, 10
 - high-visibility vest, 9
 - mechanic's gloves, 9
 - respiratory protection (N95–P100), 10
 - safety glasses, 9
 - work lighting, 10
- PFI. *See* port fuel injection (PFI)
- PHEVs. *See* plug-in hybrids (PHEVs)
- pickup screen/strainer, 143
- piston, 62
- plastic trim tools, 44

- pliers (needle-nose, slip-joint, and locking), 43
- plug-in hybrids (PHEVs), 74
- port fuel injection (PFI), 66, 67
- power and efficiency, contaminants causing loss of, 163
- power-control-load pattern, 102–103
- power flows, 359
 - engine power reaches the wheels, 359
- power liftgates, 103
- power steering, 34
- power steering evolution, 324
 - electric power steering (EPS), 325–326
 - hydraulic power steering, 324–326
- power tricks
 - cylinder deactivation, 73
 - modern, 69–70
 - supercharging, 70–72
 - turbocharging, 70, 71
- power windows and locks, 101
- precision sprayers, 168–173
- pressure control, 143
- pressure gauge, tire, 48–49
- pressure light, dashboard low-oil, 278
- pressure test, cooling-system, 250
- pressure, tire, 34–35, 420, 424
- professional cleaning vs DIY cleaners, 170–172
- professional-grade scanners, 51
- professional injector, 172
- pry bars and trim tools, 44
- puddle decoder, 397
- pulse-width modulation (PWM), 129
- pumps
 - electric in-tank, 174
 - variable-speed fuel, 174–175
- purge valves, 155
- PWM. *See* pulse-width modulation (PWM)

Q

- quality filter, 269
- quick checks that prevent parts Roulette, 245
 - coolant condition (quick and nonscientific), 246–247
 - coolant level and right reservoir, 246
 - look for leaks (dry first and then wet), 247
- quick-connect pigtails, 116

R

- radial tires, 341
- radiator, 234
- radiator and expansion tank, 234
 - aluminum/plastic design, 234
 - caps and pressure, degas tanks, 234
- radiator outlet temperature sensors, 24
- rail diesel systems, 151
- ratchet, socket set with, 41–42
- RC. *See* reserve capacity (RC)
- rear-wheel drive (RWD), 360
 - vehicles, 359
- reddit communities, 60
- reduction gear (single-speed), 200
- regen cycle monitoring, 224
- regeneration cycles, DPF, 223
- regenerative braking feel, 399
- relay tester, 131
- renewable diesel, 210, 226
- reserve capacity (RC), 111
- respiratory protection (N95–P100), 10
- roadside safety
 - phone power, 11
 - portable roadside lights, 11
 - practicing, 11–12
 - reflective triangles, 11
- rolling resistance, 355, 424
- rotors, 293

run-flat tires, 345
RWD. *See* rear-wheel drive (RWD)

S

SAE. *See* Society of Automotive Engineers (SAE)
safety checks, DIY vs professional, 392
 ADAS recalibration, 392
 owner checks (seat belts, warning lights), 392
safety glasses, 9
safety ratings, 391
safety tools, 18–19
scan tool for diagnostics, 158
SCR. *See* selective catalytic reduction (SCR)
screwdrivers (Phillips, flat-blade, and Torx), 43–44
sealing, oil, 262
seat and steering-wheel heaters, 103
seat belts and child safety, 383
 booster-seat rules, 383
 ISOFIX/LATCH systems, 383
selective catalytic reduction (SCR), 185, 189, 220
self-parking systems, 327–328
semi-metallic pads vs ceramic pads, 292–293
sensations, strange, 398
sensor, 185
 ABS tone rings and, 309
 brake wear, 293
 cameras and, 37
 cameras and parking, 104
 coolant and intake air temperature, 95
 coolant system, 240
 coolant temperature, 76
 crankshaft and camshaft position, 94
 crankshaft position, 76
 knock, 76, 95
 MAF, 76, 94
 MAP, 94
 oxygen. *See* oxygen sensor
 parking, 385
 radiator outlet temperature, 24
 signals, 132
 and software, 75
 adaptive control, 76
 ECU, 75–76
 throttle position sensor (TPS), 76
 TPMS, 345–346
serpentine belt, 28
shadow foam. *See* tool foam
shocks and struts, 330
shop rags and paper towels, 53–54
shutdown systems, 138
 crash shutdown, 138
 interlocks, 138
 official shutdown procedures, 138
side airbags, 381
single-speed gear reduction, 368
sliding doors, 103
slip-joint pliers, 43
slipping gears, 372
smart alternators and weird voltages, 119–120
smart fuel management, 154
 ECUs in fuel trim, 154
 EVAP system, 155
 oxygen sensors and feedback, 154
smart fuel pumps, 173
 electric in-tank pumps, 174
 high-pressure pumps for DI systems, 175–176
 variable-speed fuel pumps, 174–175
smart power distribution modules, 129–130
smart power modules, 127

- smart steering, 326–327
 - ADAS integration, 328
 - lane keep assist, 327
 - self-parking systems, 327–328
- smart tire technology, 346
- smells, 395
 - burning oil, 395
 - coolant leaks, 395
 - fuel odor, 395
 - HVAC moldy smell, 395
- smells matter, strange noises and, 394
- smog control and emissions systems, 188
 - DEF systems for diesels (SCR), 189
 - EGR valves, 188
 - EVAP system, 188
- smoke signals, 396
- Society of Automotive Engineers (SAE), 40
- socket set with ratchet, 41–42
- sockets, USB ports and 12-volt accessory, 103
- solid-state and smart alternators, 90–91
- solid-state batteries, 79
- solid-state drivers, 127
- spin-on filter vs cartridge filters, 268–269
- spotting trouble early, 311
 - ABS warning lights, 312–313
 - noise diagnostics, 311
 - wheel play test, 311–312
- springs, 330
 - coil, 332
 - leaf, 332, 333
- starters and stop/start systems, 121–123
- starting system, 86
 - battery basics, 86–87
 - ECU's role in starting, 88–89
 - starter motors, 87

- steering
 - loose, 334
 - power, 34
 - and suspension, 319
- steering and suspension problems, 334
 - clunks and vibrations, 334–335
 - DIY checks vs professional repairs, 336
 - steering and suspension work, 337
 - visual inspections, 336–337
 - leaking struts, 336
 - loose steering, 334
- steering basics, 320–321
 - from linkages to rack-and-pinion, 322
 - modern rack-and-pinion steering, 322–324
 - old linkage systems, 322
 - power steering evolution, 324
 - electric power steering (EPS), 325–326
 - hydraulic power steering, 324–326
- smart steering, 326–327
 - ADAS integration, 328
 - lane keep assist, 327
 - self-parking systems, 327–328
 - turning input to wheel movement, 321
- strange noises and smells matter, 394
- strange sensations, 398
 - pulling while braking, 398
 - steering wander, 398
 - vibrations at speed, 398
- struts leaking, 336
- stuck valve, 189
- summer/performance tires, 344
- sunroofs, 103
- supercharger, 70–72
- supplies and organization, 53–55
- suspension basics, 328
 - EV and hybrid suspension considerations, 333
 - ride comfort vs handling, 329

- suspension components, 330
 - bushings, 331
 - control arms, 330
 - shocks and struts, 330
 - springs, 330
- suspension matters, 328–329
- suspension types, 331–333
- suspension clunks, noise, 395
- suspension problem, steering and, 334
 - clunks and vibrations, 334–335
 - leaking struts, 336
 - loose steering, 334
- suspension, steering and, 319
- suspension tuning, 329
- synchronizers, 361
- synchros, 361, 362
- synthetic diesel and future fuels, 226
- synthetic fuels, 78, 156, 210
- synthetic gasoline/diesel (e-fuels), 210
- synthetic oil, 265
- “System Too Lean (Bank 1)”, 97

T

- taking things apart, 17–18
- tandem master cylinder, 283
- tech checks, conducting, 37
- telematics, 390
 - connected safety features, 390
 - crash notification (eCall), 390
 - over-the-air updates, 391
- tester, battery, 52–53
- test light, 128
- thermal management, battery, 205–206
- thermal safety, 390
- thermometer, infrared, 312, 313
- thermostat, 237
 - behavior test, 257–258
 - mechanical wax-pellet, 237–238
- thicker oils, 267
- thinner oils, 266
- throttle position, 94–95
- throttle position sensor (TPS), 76
- tire, 339
 - affect safety, comfort, and efficiency, 340
 - all-season, 344
 - anatomy, 341
 - caring for, 348
 - adding air, 348–349
 - balancing methods, 350
 - check tire pressure, 348
 - rotating at intervals, 349
 - tire-pressure routine, 349
 - changes, dealing with, 20–22
 - contact with road, 340
 - eco tire tech, 354
 - eco-friendly compounds, 354
 - recycling old tires, 354
 - sustainable manufacturing, 355
 - EV-focused tires, 345
 - rotations, 36
 - run-flat, 345
 - summer/performance, 344
 - taking care of, 34
 - tread, 35
 - truck/SUV, 345
 - types, 344–345
 - wear pattern, 35–36
- tire construction and modern materials, 340
 - radial construction, 341
 - reinforced EV tires, 342
 - silica compounds, 341–342
- tire pressure, 34–35
 - check, 420, 424
 - gauge, 48–49

Tire Pressure Monitoring System (TPMS), 22–23

- automatic reset, 22
 - cold-weather effect, 22
 - limits of older systems, 22
 - manual reset, 22
 - sensor issues, 22
 - sensors, 345–346
 - tires and, 34–36
- tires, buying, 347
- dealer vs online buying, 347
 - driving style and tire choice, 347
 - warranty and registration, 347
- tire sidewall, 342
- DOT and date codes, 343–344
 - new EU-style ratings, 344
 - speed and load ratings, 343
 - tire size codes, 342
- tire systems, specialized, 345
- run-flat tires, 345
 - smart tire technology, 346
 - TPMS sensors, 345–346
- toolboxes, 56
- tools
- bag, 56
 - diagnostic, 47–50
 - digital, 50–53
 - foam, 57
 - hand, 40
 - adjustable wrench, 43
 - combination wrenches (metric and SAE), 40–41
 - extension bars, 42
 - hex keys (Allen wrenches), 44
 - pliers (needle-nose, slip-joint, and locking), 43
 - pry bars and trim tools, 44
 - screwdrivers (Phillips, flat-blade, and Torx), 43–44

socket set with ratchet, 41–42

universal joints, 42

measuring, 47–50

plastic trim, 44

pry bars and trim, 44

safety, 18–19

trim

plastic, 44

pry bars and, 44

torque converter, 363

torque vectoring, 370–371

torque wrench, 48

beam-type, 48

click-type, 48

digital, 48

TPMS. *See* Tire Pressure Monitoring System (TPMS)

TPS. *See* throttle position sensor (TPS)

traditional belt-driven alternator, 91

traditional four-wheel drive, 370

traditional fuse replacement, 128–129

traditional torque converter automatics, 363

transmission

automatic, 362–364

continuously variable transmission (CVT), 366–367

diagnosing trouble

check-engine and transmission lights, 372

harsh shifting, 372

dual-clutch transmissions (DCT), 364–366

electronic continuously variable transmission (eCVT), 368

fluid, 33–34

maintenance, 373, 375

fluid types, 373–374

heat management, 374

lifetime fluid myths, 374

- manual, 361–362
- repairs get serious, 375
 - rebuild vs replace, 375–376
- specialist, 376
- symptom guide, 373
- trays, magnetic, 56
- tread, 35
- tread-depth gauge, 353
- trim tools
 - plastic, 44
 - pry bars and, 44
- trouble, diagnosing, 371
 - slipping gears, 372
- truck/SUV tires, 345
- tubular headers, 180
- turbocharged engines, 70, 271–272
- turbocharged fuel delivery, 151–152
- turbocharger, 70, 71
 - integrated into manifold, 181
- turbocharging, 151
- turbocharging and power, 216
 - boost and efficiency benefits, 217
 - modern diesels as turbocharge, 216
 - role of intercoolers, 216–217
- turbo lag, 70
- turning fuel into motion, 62–63

U

- universal joints, 42
 - extension bars and, 42
- USB ports and 12-volt accessory sockets, 103

V

- variable exhaust valves
 - legal vs illegal modifications, 190
 - in modern performance cars, 189

- variable-geometry turbocharger (VGT), 217
- variable-speed fuel pumps, 174–175
- variable valve timing (VVT), 72
- Vehicle Identification Number (VIN)
 - finding, 12–13
 - getting, 13–14
 - car-specific information, 13
 - unlocking vehicle info with, 12–14
- vehicle safely, lifting and supporting, 44
 - creeper, 46–47
 - hydraulic floor jack, 45
 - jack stands, 45–46
 - wheel chocks, 46
- vehicle-to-grid (V2G) technology, 79
- VGT. *See* variable-geometry turbocharger (VGT)
- viscosity, 266–267
- voltage test, open-circuit, 112
- VVT. *See* variable valve timing (VVT)

W

- wall storage, pegboards and, 56
- warm engine, 237
- warning lights, 98
 - and diagnostic systems, 97–100
- warning signs of oil trouble, 277
 - bluish smoke, 278
 - dashboard low-oil pressure light, 278
 - engine knocking/tapping noises, 279
 - oil leaks and stains, 278–279
- washer
 - fluid, 36, 37
 - keeping and eye on, 36–37
- waste spark, coil packs and, 92–93
- water pump
 - clues, 258
 - coolant system, 235–236

- water separator, 167
- 4WD. *See* four-wheel drive (4WD)
- WD-40 specialist, 54
- wear, checking for, 352
 - tread depth tools, 353
 - uneven wear patterns, 353–354
 - wear bars, 353
- weird voltages, smart alternators and, 119–120
- wheel alignment basics, 350–351
- wheel bearings, packing serviceable, 305
 - ABS tone rings and sensors, 309
 - bolt-in hub assemblies, 309
 - grease packing, 305–308
 - replacement basics, 309–310
- wheel chocks, 19

- wheel-end work, maintenance and
 - DIY tips, 313
 - pad and rotor vs hub replacement, 314–315
 - torque specs for hubs and lugs, 313–314
- wheel play test, 311–312
- wipers, keeping and eye on, 36–37
- wiring and modules, 131
 - Body Control Module (BCM), 132–133
 - CAN bus communication, 133–134
 - DIY splicing, 134–135
 - wiring harness, 131–132
- work lighting, 10
- worn spark plugs, symptoms of, 124

Z

- zip ties, 55