Index

Numerics

4-7-8, breathing exercises, 134
5-4-3-2-1, grounding exercises, 135

A

accessibility, responsiveness, and engagement (ARE), 169–170, 177
activated attachment responses, 54
activated nervous system, 31–35, 56, 59
  in anxious attachment, 56
  DefCon 3, 33–35
  freeze/withdrawal behaviors, 34–35
  protest behaviors, 27, 33–35
  push-pull dynamic, 28, 32, 35
activation, 47, 70, 139, 157. *See also* attachment activation
  of nervous system, 30–31, 33, 56, 67
addiction, 55, 58–59, 142
adolescence reshapes attachment, 12
adult child relationships, 88
adulthood, 14, 21, 31, 42, 51, 76, 148, 191, 225
  life stages, 81
  protest behaviors, 54
adult romantic relationships, 13–16, 54, 90, 93–94, 232. *See also* romantic relationship patterns
  caregivers, 14
  early experiences, 15
  infant attachment patterns, 14–15
affirmations, 153, 229
  awareness, 232
  balancing needs, 231
  be attentive, 232
  closeness, 230–231
  emotional regulation, 230
  express needs and feelings, 230
  feeling seen, heard, and valued, 233
  grounding, 153–154
  safe and secure connections, 232
  self-affirmation, 153
  tolerating uncertainty, 231
  your ability to be loved, 229–230
Ainsworth, Mary, 10, 22, 119
alcoholism, 18
Allen, Joseph P., 11
anxious-anxious pairings, 103
  during conflicts, 108
  fear of abandonment, 108
  misunderstandings, 108
  warning signs, 109–110
anxious attachment style, 18, 19, 22, 26, 42, 46, 48, 142, 143, 161, 180, 183, 198, 213, 231
  boundaries, 198
  complexities and triggers, 57–60
    emotional and physical affairs, 59–60
    emotional unavailability, 58, 59
    misuse/addiction, 58–59
    under stress, 60

COPYRIGHTED MATERIAL

anxious attachment style *(continued)*
overview, 51
signs of, 52
ups and downs management, 52–57
protesting, 54
relationship issues, 55–57
symptoms of, 53
trigger/threat responses, 57
anxious-avoidant relationship, 11, 71–73, 103
anxious partner's perspective, 104–107
avoidant partner's perspective, 104–107
clinging and withdrawing, 104–107
complementary fears, 72
during conflicts, 105
familiarity and expectation, 72
intermittent reinforcement, 72
protest behavior, 106
pursue–withdraw cycle, 107
regulating fear, 106
research supports, 72–73
restoring relationship, 106
warning signs, 107
attachment. *See also specific entries*
biological system, 8, 20
definitions, 20–22
dynamic nature, 25–26
emotional awareness, 17
emotional regulation, 8, 22–25
importance of, 21–22
myths, 17–19
adolescent and adult relationships, 19
pattern understanding, 18
secure experiences, 18–19
style classification, 18
nature of, 20–22
patterns of hurt, 8
relationship conflict, 8
research analysis, 8–15
in adolescents, 11–14
adult romantic relationships, 14–15
in infants, 10–11
and survival, 9–10
shapes, 7–8
survival strategies, 18
understanding complexity, 21
attachment activation, 70, 119–120, 236
attention to their bodies, 120–121
changing the cycle, 118–119
deactivation, 117
delay big conversations, 238
flooding, 119–120
give yourself pause, 237
grounding yourself, 237
hyperactivation, 117
initiating factors, 116
naming feelings, 236
old patterns, impacts of, 121–123
opposite reaction, 117
pausing the mind, 236

push-pull response, 116
vs red flags, 220
safe connection, 239
slow breathing, 236–237
speaking to you, 238
use your senses, 238
attachment language, 21, 91, 99
attachment needs, 8, 12, 65, 70, 89, 91–93, 162, 163, 226–227
attachment patterns, 11, 155, 203, 217, 218, 226–229, 231, 232
friendships, 89–93
belonging and loyalty, 91
characteristics, 90–91
chosen family, 93
closeness, 90
conflict and repair, 90
examples of, 90–91
exclusions, 93
expectations, 91
family vs romantic relationships, 90
ghosting, 93
ruptures and loss, 92–93
social media, 89
wound activation, 91–92
overview, 85
with parents, 86–88
adult child relationships, 88
current relationship, 87
generational transmission, 86–87
romantic relationships, 93–94
closeness/space, 94
conflict reactions, 94
emotional signaling, 94
repeating patterns, 94
work and social settings, 94–95
authority figures, 94
feedback and recognition, 94
with peers, 94
attachment seeking behavior, 54
attachment style, 11, 15–16, 18, 19, 25, 33, 48, 52, 156–157, 226. *See also* anxious attachment style; avoidant attachment style; disorganized attachment style
awareness and understanding, 19
classification, 18
corrective experiences, 19
couples therapy/individual therapy, 19
disorganized, 15
experiences, 19
loss/grief, 19
partner's patterns, 101–102
practice, 19
quiz, 98–102
review, 98
self-discovery, 98–100
supportive relationships, 19
attachment triggers, 160, 209, 220
attachment wounds, 137–142, 145, 151, 153, 155, 170, 189, 190, 198
authority figures, 94
autonomic nervous system (ANS), 28–30
parasympathetic nervous system, 29–31
calming and connection, 31
sympathetic nervous system (SNS), 29–31
activation and protection, 30–31

avoidant attachment style, 18, 19, 21, 64, 180, 196, 211, 231
anxious/avoidant partners, 71–73
complementary fears, 72
familiarity and expectation, 72
intermittent reinforcement, 72
research supports, 72–73
boundaries, 198
costs of, 67–71
cognitive resources, 69
in conflicts, 69–70
internal stress, 67–68
memory capacity, 69
protest behavior, 70–71
social connections and relationships, 69
suppression vs acceptance, 69
emotional distance, 62–64
feel safe, 62–63
missing things, 63–64
emotional presence, 73–74
choice, 74
predictability, 74
processing time, 74
overview, 61
in relationships, 64–67
partner fears, 66–67
understanding deactivation, 65–66
signs of, 62
avoidant-avoidant pairings, 103
emotional distance, 110, 111
lack of intensity, 110
warning signs, 111–112
avoidant deactivation, 65–66
awareness, 2, 3, 54, 123, 210, 230, 232
attachment theory, 8
dating with, 220
development, 158
protest behaviors, 54
self-awareness, 141, 217, 228

B

balancing needs, 231
Beck, Aaron, 132
behavioral symptoms, 53
Bell, Sylvia, 10
belly breathing, 134
bids for connection, 171, 185
biological system, attachments, 20
body-based therapy, 205
body scan, 130–131
boundaries, 40, 44, 46, 74, 87, 88, 198–199
communication skills, 198–199
in emotional safety
anxious attachment, 173
avoidant or overwhelmed, 173
creation, 174
porous, 199
rigid, 199
secure, 199
Bowlby, John, 9–10, 14, 15, 54, 119
box breathing, 134
brainspotting, 205
breathing exercises, 133
Brown, Brene, 22

C

caregivers, 145, 149, 150, 175, 226
CBT. *See* cognitive behavioral therapy (CBT)
central nervous system (CNS), 28, 29
change, 228
  your inner voice, 143
    to ask where the voice came from, 144–145
    new voice, 145–146
    pay attention, 144
    repetition, 146
check-ins, 196–197
child experiences, 60
  secure attachment, 42
child's nervous system, 9, 25
closeness, 94, 137, 160–161, 165, 168, 170–172, 230–231
  common pattern examination, 161
  finding ways to, 162–163
    asking questions, 163
    be clear and specific, 162
    reassure, 162
    regulate emotions, 162
    talk about needs, 162
    work on own regulation, 162
  intense feeling, 162
  reality checking, 161
Coan, James, 20
code word or safe signal, 183–184
cognitive behavioral therapy (CBT), 132, 204
cognitive symptoms, 53
cold or warm sensation, 135
commitment, 40, 73, 76, 88, 171
communication, 228. *See* cultural communication
  and contact, 220–221
  importance of, 189–191
  patterns, 190–191
    contempt, 191
    criticism, 191
    defensiveness, 191
    stonewalling, 191
communication skills, 198–199
  boundaries, 198–199
  check-ins, 196–197
  dependence vs interdependence, 199–200
  "I" statements, 192–193
  I–You–We identities, 199
  responsiveness, 193–195
    presence, 195
    summarizing, 194
    validation, 194–195
  rituals, 197
  sharing feelings, 191–192
  soft start-up, 193
complementary fears, 72
complexities and triggers, 57–60
  emotional and physical affairs, 59–60
  emotional unavailability, 58, 59
  misuse/addiction, 58–59
  under stress, 60

conflict, 79, 94, 180–181. *See also* tension
in anxious-anxious pairings, 108
in anxious-avoidant relationship during, 105
code word or safe signal, 183–184
as connection, 185
manage differences, 181
relationship conflict, 8
repair in friendships, 90
in romantic relationships, 94
rupture repairing, 184
time-outs, 181–183
connection, 150, 162, 164, 165, 167, 170–172, 182, 189–192, 200, 214, 219, 225
building, 165, 203
conflict as, 185
emotional, 180
love and, 229–230
moments of, 72, 186
safe and secure, 232, 239
strengthen, 4, 197, 206
coregulation, 133–134, 228
costs, 67–71
cognitive resources, 69
in conflicts, 69–70
internal stress, 67–68
memory capacity, 69
protest behavior, 70–71
social connections and relationships, 69
suppression vs acceptance, 67, 69
counterproductive behavior resistance, 216
couple bubble approach, 174–175
couples therapy, 205–207
emotionally focused therapy (EFT), 206
Gottman method, 206
intensives, 207
cultural communication, 179
conflict, 180–185
code word or safe signal, 183–184
as connection, 185
manage differences, 181
rupture repairing, 184
time-outs, 181–183
expressing needs, 179–180
turning toward, 185–186

D

daily rituals, 197
dating, 217. *See also* early dating
address difficult topics, 221
with awareness, 220
communication and contact, 220–221
consistency, 221
ownership and accountability, 221
pacing, 218–219
safety and trust, 221
deactivation, 117
avoidant deactivation, 65–66
deep breathing, 134
deeper emotion, identifying and expressing, 138–139
delayed response, 162
dependence vs interdependence, 199–200
dialectical behavioral therapy (DBT), 132

disorganized attachment style, 13, 15, 104, 163–164
internal experience, 80–81
overview, 75
physical responses, 81
unpredictable storm, 76–80
push–pull pattern, 77–81
wanting and fearing, 75–76
dynamic nature of attachment, 25–26

E

early dating, 218
attachment patterns spotting, 218
choosing to speak up, 219
earned secure attachment, 228
EFT. *See* emotionally focused therapy (EFT)
Ekman, Paul, 132
emotional and physical affairs, 59–60
emotional arousal, 70, 132
emotional attunement, 59, 69, 195
development, 176–178
emotional awareness, 17, 126
emotional connection, 180, 181
emotional coregulation, 133–134
emotional distance, 35, 48, 57, 110, 111, 194
feel safe, 62–63
missing things, 63–64
emotional flooding, 12, 68, 70, 119–120, 133, 139, 182
emotional freedom technique (EFT), 132
emotional hurts, 44
emotional intensity, 46, 65, 69, 70, 72, 74, 78–79, 95, 170, 210
emotionally focused therapy (EFT), 169, 204, 206
emotional needs, 13, 73, 112, 137, 141, 156
emotional overwhelm, 119
emotional presence, 73–74
choice, 74
predictability, 74
processing time, 74
emotional reactions, 31, 99, 137
emotional regulation, 8, 22–25, 31, 64, 95, 128, 133–134, 137, 159, 213, 230
impacts, 23–24
parents/caregivers
beliefs, 23–24
controlling/hovering, 24
knowledge gap, 23
mental health issues, 24
substance misuse, 24
trauma, 24
tools
breathing exercises, 133
cold or warm sensation, 135
grounding exercises, 134–135
emotional responsiveness, 44, 99
emotional safety, 41, 167, 168, 175, 179, 186, 198
accessibility, 169
as attachment experience, 169–170
boundaries, 173–174

emotional safety *(continued)*
built in relationship, 173
emotional boundaries, 173
engagement, 170
evaluation, 171–172
physical boundaries, 173
responsiveness, 170
emotional scaffolding
avoidant behaviors, 13
peer relationships
distant/dismissive, 13
highly conflictual, 13
overly fused, 13
protest behaviors, 12
emotional sharing, 66, 192
emotional signaling, 94
emotional symptoms, 53
emotional unavailability, 58, 59, 86
emotion labeling, 191, 210
benefits of, 126
body scan, 130–131
primary emotions, 127–128
rating emotions, 132–133
secondary emotions, 127–128
visual aid, 128–129
emotion rating, 132–133
expectation, 9, 15, 40, 63, 72, 91, 92, 94, 199, 220
expressing needs, 95, 179–180
expressing yourself, 211–212, 230
eye movement desensitization reuptake (EMDR), 205

F

familiarity, 72
fear, 66–67, 75–76, 79, 95, 138, 139, 143, 146, 168, 171, 172, 180, 182, 191, 205, 233
feedback and recognition, 94
feeling identification, 138–139
feeling insecure or rejected, 212
pause before text, 212–213
resist counterproductive behaviors, 216
respect personal space, 214–215
uncertainty, 213–214
why space helps, 215–216
feelings, sharing, 191–192, 219
feelings wheel, 128–129
feet on the floor, grounding exercises, 135
foundational elements, emotional safety, 171
commitment, 171
fondness and admiration, 171
trust, 171
turning toward, 171
freeze/withdrawal behaviors, 34–35
friendship patterns, 89–93
belonging and loyalty, 91
characteristics, 90–91
chosen family, 93
closeness, 90
conflict and repair, 90
examples of, 90–91
exclusions, 93
expectations, 91
family vs romantic relationships, 90

ghosting, 93
ruptures and loss, 92–93
social media, 89
wound activation, 91–92

G

Gen Alpha, 17
generational transmission, 86–87
Generation x, 17
ghosting, 93
Gottman, John, 70, 119, 171, 175, 177, 180, 182, 184, 185, 190, 193, 195, 196
Gottman method, 206
Gottman therapy, 132
Gross, James, 132
grounding, 140, 141
affirmations for self, 153–154
exercises, 134–135
yourself, 214, 236, 237
guided imagery, 151–152
comfort, 151
let yourself stay in scene, 152
safe scene, 152
slow, steady breaths, 151
supportive presence, 152

H

Hazen, Cindy, 14, 15
healing, relationship with others, 155, 163
attachment styles, 156–157
attachment triggers, 160
disorganized or push-pull patterns, 163–164
integration, 163
disorganized or push-pull patterns, 163–164
practice techniques, 165
push-pull dynamics, 164–165
intentional planning, 158
pause practicing, 157
regulating emotions, 159
space and closeness navigation, 160–161, 165
common pattern examination, 161
intense feeling, 162
reality checking, 161
ways to, 162–163
healing, relationship with yourself, 137, 142
feeling identification, 138–139
grounding, 140, 141
affirmations for self, 153–154
guided imagery, 151–152
comfort, 151
let yourself stay in scene, 152
safe scene, 152
slow, steady breaths, 151
supportive presence, 152
inner voice, 141–143
asking questions, 144–145
change, 143–146
rewriting, 146–147

healing, relationship with yourself *(continued)*
self-soothing, 139–140
sight, 140
smell, 140
sound, 140
taste, 140
touch, 140
hyperactivation, 117

I

IFS. *See* internal family systems (IFS)
individual therapy, 204–205
infant attachment patterns, 14, 54
categories, 10–11
protest behaviors, 54
inner child, 142
understanding, 148
work, 147
reparenting, 148–151
self-care, 147–148
inner voice, 141–143
asking questions, 144–145
change your, 143
to ask where the voice came from, 144–145
new voice, 145–146
pay attention, 144
repetition, 146
rewriting, 146–147
create new voice, 147
identify old voice, 146
real time practice, 147
voice's origin, 147
insecure attachment, 14, 233
insecurity, 87, 204
intensives, couples therapy, 207
intentional planning, 158
interdependence, 22, 199–200
Internal Family Systems (IFS), 142, 204
intimacy, 63, 65, 66, 76–79, 110, 122, 228
ironic process, 68
"I" statements, 192–193
I–You–We identities, 199

J

Janshen, Antje, 19
Johnson, Sue, 119, 169, 177, 182, 184

K

kindness, 44

L

Linehan, Marsha, 132

M

Main, Mary, 15
Maslow's Hierarchy of Needs, 167
Millennials, 17
misuse, 24, 58–59, 78
modern adult attachment theory, 11
monthly rituals, 197
movement grounding, grounding exercises, 135

myths, attachment, 17–19
adolescent and adult relationships, 19
pattern understanding, 18
secure experiences, 18–19
style classification, 18

N

naming feelings, 126, 236
nervous systems, 138–141, 151, 156, 157, 159–161, 164, 169, 182, 194, 197, 205, 209, 214–216, 225, 228, 229, 232, 235
activation, 31–35
DefCon 3, 33–35
freeze/withdrawal behaviors, 34–35
protest behaviors, 27, 33–35
push-pull dynamic, 28, 32, 35
anxiously attached people, 52
autonomic nervous system (ANS), 28–30
parasympathetic nervous system, 29–31
sympathetic nervous system (SNS), 29–31
central nervous system (CNS), 28, 29
overview, 28
peripheral nervous system (PNS), 28, 29
relational instability, 58
somatic nervous system, 28
neuroplasticity, 203

P

pacing, 74, 218–219
PACT. *See* Psychobiological Approach to Couple Therapy (PACT)
pairings with recognizable patterns, 103–104
parasympathetic nervous system, 29–31
calming and connection, 31
parents/caregivers
beliefs, 23–24
controlling/hovering, 24
knowledge gap, 23
mental health issues, 24
substance misuse, 24
trauma, 24
partner's patterns, 101–102
past memories/reminders, 79–80
pause/pausing
give yourself, 237
with intention, 210–211
the mind, 236
practicing, 157
before text, 212–213
perceived rejection/criticism, 46, 78
peripheral nervous system (PNS), 28, 29
autonomic nervous system (ANS), 28–30
parasympathetic nervous system, 29–31
sympathetic nervous system (SNS), 29
somatic nervous system, 28
perpetual problems, 180
physical responses, 81, 159
physiological stress, 67
sympathetic nervous system (SNS), 67
physiological symptoms, 53, 157

Plutchik, Robert, 128
porous boundaries, 199
praise reception, 80
predictability, 44, 47, 74, 86
presence, 152, 181, 195
primary emotions, 127–128
processing time, 74
protest/protesting, 9, 11, 12, 27, 33–35, 51, 54, 70–71, 106, 142, 143, 180
  awareness, 54
Psychobiological Approach to Couple Therapy (PACT), 174–175
psychotherapy, 130, 202–203
push-pull dynamics, 28, 32, 35, 77–81, 164–165
  communicate mixed needs, 164
  conflict/tension, 79
  discomfort tolerance, 164
  emotional intensity, 78–79
  focus on safety, 165
  help request, 81
  life stages, 81
    adolescence, 81
    adulthood, 81
    childhood, 81
  past memories/reminders, 79–80
  perceived rejection/criticism, 78
  planning, 80
  praise reception, 80
  slow the cycle down, 164
  stress/life changes, 79
push-pull response, 116

R

rating emotions, 132–133
"raw spots" 177
Real, Terry, 22, 142
reality checking, 161
recognizable patterns, pairings with, 103–104
red flags vs attachment activation, 220
repair after rupture, 44
repair/restore, 184, 227
  rupture, 44, 184
  safety, 175–176
reparenting, 148–151
repeating patterns, 94
respect, 171, 173, 185, 198
  personal space, 214–215
  resist counterproductive behaviors, 216
responsiveness, 23, 25, 39, 44, 90, 99, 169, 170, 193–194
  presence, 195
  summarizing, 194
  validation, 194–195
rewriting, inner voice, 146–147
  create new voice, 147
  identify old voice, 146
  real time practice, 147
  voice's origin, 147
rigid boundaries, 199
rituals, 197
  daily, 197
  monthly, 197
  weekly, 197

romantic relationship patterns, 2, 14–16, 42, 54, 93–94, 110, 232
closeness/space, 94
conflict reactions, 94
emotional signaling, 94
repeating patterns, 94
rupture repairing, 184
ruptures and loss, friendship, 92–93

S

safe connection, 239
safety, 167. *See also* emotional safety
breaks in everyday moments, 168–169
building, 228
coregulation, 228
repair/restore, 175–176
scoring, 101
secure attachment, 12, 104
basking in, 40–41
internal anchor, 41–42
overview, 39
relationship satisfaction, 43
secure partners, 44–49
boundaries, 40, 44, 46
consistency of, 47–48
emotional responsiveness, 44
feeling identification, 45
feeling recognition, 45
kindness, 44
limitations of, 46
misreading, 48
predictability, 44, 47
repair after rupture, 44
space vs avoidant behavior, 49
unfamiliar/uncomfortable, 46–47
signs of, 39–40
secure boundaries, 199
secure space, 43, 49
self-affirmation, 153
grounding, 153–154
self-awareness, 60, 77, 93, 141, 217, 228
self-care, 147–151
self-protection, 63, 65
self-regulation, 141
self-soothing strategies, 149, 162, 235
activation, 237
delay big conversations, 238
with five senses, 139–140
sight, 140
smell, 140
sound, 140
taste, 140
touch, 140
give yourself pause, 237
grounding yourself, 237
naming feelings, 236
pausing the mind, 236
safe connection, 239
slow breathing, 236–237
speaking to you, 238
use your senses, 238

senses
self-soothing, 139–140
sight, 140
smell, 140
sound, 140
taste, 140
touch, 140
to soothe, 238
sharing feelings, 191–192, 219
Shaver, Phillip, 14
shutdown behavior, 66, 70, 71
sight, senses, 140
skills, 140. *See also* communication skills
coping, 214
emotional regulation, 31, 137, 159, 230
labeling emotions, 210
regulation, 159
self-soothing, 162
to strengthen communication, 189
summarizing, 194
slow breathing, 236–237
smell, senses, 140
social connections and relationships, 69
social media, 17, 54, 89
in friendships, 89
Solomon, Judith, 15
sound, senses, 140
space navigation, 94, 160–163, 165
common pattern examination, 161
finding ways to, 162–163
asking questions, 163
be clear and specific, 162
reassure, 162
regulate emotions, 162
talk about needs, 162
work on own regulation, 162
intense feeling, 162
reality checking, 161
speaking up, 141, 142, 145, 191, 219, 238
square breathing, 134
Still Face experiment, 25
stress, 2, 13, 18, 27, 60, 64, 67, 68, 77, 79, 88, 91, 94, 99, 111, 151, 156, 159, 190, 226, 227
activation, 227
response, 139
summarizing, responsive tool, 194
suppression, 67, 69
sympathetic nervous system (SNS), 29–31
activation and protection, 30–31
physiological stress, 67

T

Tan, Joseph, 11
taste, senses, 140
Tatkin, Stan, 174, 175
tension, 79. *See also* conflict
therapists, 142, 201, 203, 205, 219. *See also* therapy
couples therapy intensives, 207
incorporate guided imagery, 151–152
psychotherapy, 202–203
therapy leads to change, 203

therapy, 201, 202. *See also* therapists
approaches, 203
body-based therapy, 205
couples therapy, 205–207
individual therapy, 204–205
in attachment, 202
leads to change, 203
time-outs, 181–183
tolerance, 213, 227
touch, senses, 140
triangulating, 34
triggers, 209–210, 227. *See also* complexities and triggers
attachment, 209, 220
in daily life, 160
relationship, 227
smothered or pressured, 210
expressing yourself, 211–212
label emotions, 210
pause with intention, 210–211
and threat responses, 57
Tronick, Edward, 25
trust, 168, 171, 172, 184, 191, 221, 232
turning toward, 171, 179, 185–186, 195

U

uncertainty, 213–214, 217, 231
asking questions to sort out, 217
check your thoughts, 214
grounding yourself, 214
naming urges, 214
set a short window, 214
unpredictable storm, 76–80
push–pull pattern, 77–81
unspoken feelings, 191
ups and downs management, 52–57
protesting, 54
relationship issues, 55–57
symptoms of, 53
trigger/threat responses, 57

V

validation, responsive tool, 194–195
VIDA Project, 14

W

wanting, 71, 75–76, 95, 123, 127, 164, 192, 210, 218, 226
weekly rituals, 197
wheel of emotions, 128–129
the white bear problem, 68
Wilcox, Gloria, 128
work and social setting patterns, 94–95
authority figures, 94
feedback and recognition, 94
with peers, 94
wound activation, 91–92