

Index

Numeric

2p orbitals, 60, 63–65

A

- A-B bond, 106
- absolute zero, 22
- absorption spectrum, 189
- accuracy, difference between precision and, 26–27
- acetic acid (CH_3COOH), 165, 171–173
- acetylsalicylic acid, 166
- acid deposition, 268, 275
- acid ionization constant, 172, 173
- acid rain, 182, 275–278, 288
- acids, 165
 - acetic (CH_3COOH), 165, 171–173
 - acetylsalicylic, 166
 - Arrhenius theory, 167–168
 - boric, 166
 - Brønsted-Lowry acid-base theory, 169, 174
 - carbonic, 166, 175
 - comparing strong and weak, 169–175
 - controlling pH with buffers, 181–182
 - hydrochloric, 166, 171
 - hydroiodic, 171
 - identifying with indicators, 175–178
 - macroscopic view of, 166–167
 - microscopic view of, 167–169
 - nitric, 171, 182
 - perchloric, 171
 - pH scale, 170, 176, 178–181
 - properties of, 166–169
 - strong, 170–171
 - sulfuric (H_2SO_4), 166, 171, 335–336
 - weak, 171–173, 181–182
- Acrylonitrile Butadiene Styrene (ABS) plastics, 338
- activation energy, 105, 312
- actual yield, 128–129
- addition
 - of numbers in exponential notation, 24
 - significant figures, 32–33
- aerobic bacteria, 291–293
- agriculture, ammonia use in, 339
- air pollution
 - acid rain, 182, 275–278
 - atmosphere, 267–268
 - earth's atmosphere, 268–269
 - greenhouse effect, 271–272
 - ozone layer, 269–271
 - smog, 273–275
- air quality, 278–279
- air temperature, 48–49
- alkali metals (IA) family, 75–78
- alkaline earth metals (IIA) family, 76–78
- alkalosis, 182
- allotropes, 153
- alpha particle emission, 299–300
- aluminum hydroxide, 167
- aluminum sulfate, 120
- ammonia (NH_3), 124, 167–169, 173–174, 339–340
 - production, 114–116
- amorphous solids, 261
- amphoteric species, 182
- amphoteric water, 174–175
- amplitude, 186
- anaerobic bacteria, 291–293
- analytical chemistry, 15
- angular momentum quantum number (l), 57–59, 192–193
- anions, 67, 111, 198, 200–202, 256, 325
- antacids, 167
- antibonding molecular orbital, 240–241
- applied vs pure chemistry, 16–17
- aqueous solution, 134
- aquifer zone, 282
- Archimedes, 317
- Archimedes' principle, 44, 45
- Arrhenius theory, 167–168

- artificial dye, 319
- artificial isotope, 298–301
- aspartame, sweetness, 321
- atmosphere, 267–268
 - earth's atmosphere
 - stratosphere, 269
 - troposphere, 268–269
- atmospheric pressure
 - barometer, 85–86
 - definition, 84
 - manometer, 86–87
- atom, 51
 - electrons
 - Bohr model, 55–56
 - configurations, 61–65, 67
 - quantum mechanical model, 57–60
 - ions, 66–68
 - isotopes, 65–66
 - nucleus, 53–55
 - size of, 245–248
 - structure, 296
 - subatomic particles, 52–53
- atomic mass, 70, 72, 324
- atomic mass units (amu), 52, 120
- atomic number, 54, 55, 62, 64, 65, 70, 72, 75, 246, 296, 297, 299–301
- atomic radius, 247
- atomic solids, 261
- atomic theory, 324
- atomic weight, 72
- attention to details, 333
- attractive forces, 256
- aufbau filling chart, 62
- aufbau principle, 61
- average atomic mass, 54
- average atomic weight, 54
- Avogadro, Amedeo, 121, 323
- Avogadro's law, 4, 93–95
- Avogadro's number, 121, 323

B

- baking soda and vinegar experiment, 327
- balancing by inspection, 115
- balancing chemical reactions, 114

- ammonia production, 114–116
- butane lighter, 116–117
- balancing the nuclear reaction, 297
- barometer, 84, 85–86
- Bartlett, Neil, 76
- bases, 165
 - Arrhenius theory, 167–168
 - Brønsted-Lowry acid-base theory, 169, 174
 - comparing strong and weak, 169–175
 - controlling pH with buffers, 181–182
 - identifying with indicators, 175–178
 - macroscopic view of, 166–167
 - microscopic view of, 167–169
 - pH scale, 170, 176, 178–181
 - properties of, 166–169
 - strong, 171
 - weak, 173, 181–182
- basic research, 17
- Becquerel, Henri, 319–320, 324
- bed check for electrons, 61–65
- beta particle emission, 300
- bicarbonates, 181–182
- binary covalent compounds, 216–217
- biochemistry, 15
- biological oxygen demand (BOD), 291–292
- biotechnology, 15
- blanketing gas, 336
- body-centered unit, 261
- Bohr, Niels, 55–58, 189–190, 324
- Bohr's atomic model, 55–56, 189–192, 324
- boiling point, 38–39
- boiling-point elevation, 142
- boiling process, 38–39
- bomb calorimeter. *See* constant-volume (bomb) calorimeter
- bonding
 - electrons, 221
 - molecular orbital, 240–241
 - pattern, 213, 219–223
- bond strength, 214
- boric acid, 166
- Boyle, Robert, 87
- Boyle's law, 4, 87–89, 95
- break-even point, 313
- breeder reactor process

- definition, 310
- plutonium-239 (Pu-239), 310–311
- British thermal unit (BTU), 151
- bromine, electron configurations for, 204–205
- Brønsted-Lowry acid-base theory, 169, 174
- buffers, controlling pH with, 181–182
- burning, 113
- butane lighter, 116–117

C

- C_2H_4O , Lewis formula for, 221–223
- calcium carbonate ($CaCO_3$), 167
- calorie (cal), 151
- calorimeter, 153
- calorimetry, 153–156
 - constant-pressure, 154–155
 - constant-volume (bomb), 155–156
- capillary action, 260
- carbon-12 scale, 52
- carbon-14 dating, 305
- carbon dioxide (CO_2), 175, 182
 - formation, 215
 - molecules 100.0 grams of, 122
- carbonic acid, 166, 175
- cations, 67, 111, 198, 200–202, 247, 256, 299, 325
- Celsius, 48–49, 151–153
- central atom, 219
- central science, 1
- chain reaction
 - calculation, 306–307
 - controlling, 308
 - definition, 306
- change of state, 38–40
- Charles, Jacques, 89, 90
- Charles's law, 4, 87, 89–91, 95
- chemical bond, 47, 48, 199, 326
- chemical calculations, 19
 - difference between accuracy and precision, 26–27
- significant figures
 - comparing numbers, 31
 - correct number, 32–33
 - measured number, 32
 - rounding off numbers, 33
- SI measurement system
 - prefixes, 20
 - unit for energy, 23
 - unit for length, 21
 - unit for mass, 21
 - unit for pressure, 22–23
 - unit for temperature, 22
 - units of volume, 22
- small numbers
 - add and subtract numbers, 24
 - exponential and scientific notation, 23–24
 - multiplying and dividing, 25
 - power, 25
 - scientific calculators, 25–26
 - unit conversion method, 27–30
- chemical change, 9, 10
- chemical properties, 43
- chemical reactions, 10, 12, 15, 103
 - balancing, 114
 - ammonia production, 114–116
 - butane lighter, 116–117
 - collision theory, 105
 - endothermic reaction, 107–108
 - exothermic reaction, 107
 - one-step collision, 105–106
 - difference between reactants and products, 104–105
 - ionic bonding, 197–199
 - role of moles in, 124–130
 - types, 108–109
 - combination reactions, 109
 - combustion reactions, 113
 - decomposition reactions, 109–110
 - double-displacement reactions, 111–113
 - redox reactions, 113–114
 - single-displacement reactions, 110–111
- Chemical Rubber Company (CRC), 96, 98
- chemical substances, 43
 - density, 43–46
 - identification, 43–44
 - measurement, 44–46

- chemistry, 9–10
 - activities, 17–18
 - analytical, 15
 - biochemistry, 15
 - biotechnology, 15
 - difference between science and technology, 10–11
 - home, 14
 - inorganic, 15–16
 - macroscopic vs microscopic viewpoints, 16
 - organic, 16
 - physical, 16
 - pure vs applied, 16–17
 - scientific method, 11–15
 - ten serendipitous discoveries
 - artificial dye, 319
 - hair-growth medicine, 320–321
 - radioactivity, 319–320
 - right-and left-handed molecules, 318
 - ring structure, 319
 - rubber solid, 318
 - sweetness, 321
 - Teflon, 320
 - volume measurement, 317–318
 - yellow sticky notes, 320
- Chernobyl, 309–310
- chloride ion, 170
- chlorine, 196–197, 338
 - crystal structure, 199–200
 - energy-level diagrams, 196, 197
 - role, 198–199
- chlorofluorocarbons (CFCs), 270–272, 278
- chromium, metal contamination, 287
- classification, 69
- Clean Air Act of 1990, 275
- Clean Water Action Plan of 1988, 286
- coefficients, 104
- cold finger, 40
- colligative properties, of solutions
 - boiling-point elevation, 142
 - freezing-point depression, 143–144
 - osmotic pressure, 144–146
 - vapor-pressure lowering, 141
- collision theory, 105
 - endothermic reaction, 107–108
 - exothermic reaction, 107
 - one-step collision, 105–106
- colloids, 147
- combination reactions, 109
- combined gas law, 92–93
- combustion reactions, 113
- compound, pure substance, 41–42
- concentrated solution, 133
- concentration, 169–170
- concentration units, solution, 133–140
- condensation, 39, 163
- condensed states, 255
- condensed structural formulas, 223
- conductivity tester, 208
- conductor, 208
- constant pressure (q_p), 154
- constant-pressure calorimeters, 154–155
- constant-volume (bomb) calorimeter, 155–156
- contaminants substance, 286
- continuous spectrum, 189
- cooking, 108
- coordinate-covalent bond, 169
- correct number, 32–33
- counted numbers, measured numbers vs, 31
- counting, with moles, 119–124
- covalent bonding, 200, 211–212
 - binary covalent compounds, 216–217
 - comparison with other bonds, 213–214
 - electronegativities, 223–226
 - empirical formula, 217
 - formation of bromine (Br_2), 213
 - hydrogen, 212–213
 - molecular formula/true formula, 217–218
 - multiple bonds, 214–215
 - polar covalent bonding, 226–227
 - structural formula
 - electron-dot formula for water, 219–221
 - Lewis formula for $\text{C}_2\text{H}_4\text{O}$, 221–223
 - Lewis formula for water, 221
 - water molecules, 227–229
- covalent solids, 262
- crenation, 146
- crisscross rule, 205–206
- critical mass, 306, 307

critical point, 264
critical pressure, 264
critical temperature, 264
crystal lattice, 36
crystalline solids, 261
crystallization (solidification), 162
cubic meters, 22
cuprous oxide, 208
Curie, Marie, 324
Curie, Pierre, 324

D

Dalton, John, 324, 325
Dalton's law of partial pressures, 98
de Broglie, Louis, 190–191
decomposition reactions, 109–110
density, 30, 43–46
 identification, 43–44
 measurement, 44–46
deposition, 40, 163
deuterium, 311
diatomic element, 212
diatomic molecules, 212, 232, 234
dichlorodiphenyltrichloroethane (DDT), 290
dilute solution, 133
dimethyl ether, 218
dipole, 226, 234, 256–257
dipole-dipole interaction, 228
dipole moment, 234
dipole-to-dipole attraction, 257
diprotic acid. *See* sulfuric acid
direct relationship, 90
dispersion force, 228
dissociates, 171
division
 of numbers in exponential notation, 25
 significant figures, 33
dogion, 247
double-displacement reactions, 111–113
drinking water, good treatment, 294
ductile, 72, 74

E

earth's atmosphere, 268–269
effective nuclear charge, 246

Einstein, Albert, 188–190
electrode, 325
electrolysis, 325
electrolytes, 68, 208–209, 325
electromagnetic radiation, 186
electromagnetic spectrum, 56, 187
electromagnetic waves, 186–187
electron affinity, 251–253
electron capture, 301
electron clouds, 57, 212, 257
electron configuration, 76
 alkali metals (IA) family, 75–78
 alkaline earth metals (IIA) family, 76–78
 halogens (VIIA) family, 75, 76, 78
 noble gases (VIIIA), 76, 78, 79
 stability, 250
electron-dot formula, 212, 213, 218, 222
 for water, 219–221
electronegativity, 223–226, 283
electron-group geometry, 235–236, 238
electron-pair geometry, 235, 238
electrons, 51–55, 66–67. *See also* quantum theory
 atom
 Bohr model, 55–56, 189–192
 configurations, 61–65, 67
 quantum mechanical model, 57–60
 behavior of, 185
 dual properties of, 191
 excited state, 56
 wave-like nature of, 191
electron shells, 58
electron spin quantum number (*m_s*), 193
electrostatic attraction, 199
electrostatic precipitators, 277–278
element, pure substance, 41
element symbol, periodic table, 70, 71
 families, 75–79
 metalloids, 74, 75
 metals, 72, 73
 nonmetals, 74
 periods, 75–76
emission spectra, 188–189
emission spectrum, 189
empirical formula, 122–124, 217
endothermic energy, 248, 252

endothermic process, 150
endothermic reaction, 105, 107–108, 149
energy
 changes, 150–156
 kinetic energy, 46–47
 levels, 56, 58, 60, 61, 245–250
 measurement, 47–48
 air temperature, 48–49
 unit of heat, 49–50
 potential energy, 47
 shells, 56
 units of, 151
energy-level diagram, 61–64, 67
 sodium and chlorine, 196, 197
enthalpy, 157, 162–163
enthalpy changes (ΔH), 157–158
Environmental Protection Agency (EPA), 286
Erlenmeyer flask, 177
ethanol, 337
ethyl alcohol solutions, 136
ethylene (C_2H_4), 337
ethylene dichloride ($C_2H_2Cl_2$), 338–339
ethylene glycol, 337
eutrophication process, 290
exact number, 31, 33
excited state, 190
exergonic energy, 107
exothermic energy, 252
exothermic process, 150
exothermic reaction, 107, 149
experimentation, 11–13, 17
EXP key, 25–26
exponential notation, 23–24
extensive properties, 150

F

face-centered unit, 261
factor label method, 27
Fahlberg, Constantin, 321
Fahrenheit scale, 38, 39, 48, 49
families, 72, 75–79
Faraday, Michael, 325
fecal coliform bacteria, 288
ferric ion, 207
Fiedler-Weiss, Dr. Virginia, 321

flocculate/floc, 294
food additive, phosphoric acid, 339
food industry, nitrogen use in, 336
formula masses, 120
formula unit, 215
freezing point, 39–40
freezing-point depression, 143–144
freezing process, 39–40
frequency (ν), 186–187
Frey, Art, 320
fusion, 311
fusion torch concept, 313

G

gallium, 325
gamma radiation emission, 300
gamma rays, 187
gaseous chemical compounds, 270
gaseous diffusion, 99
gaseous effusion, 99
gases, states of matter, 36, 37
gas law, 4
Gay-Lussac, Joseph-Louis, 91
Gay-Lussac's law, 4, 87, 91–92, 95
germanium, 325
global climate change, 272
global warming, 272
Goodyear, Charles, 318
Graham's law, 99
greenhouse effect, 271–272
greenhouse gases, 271–272
ground state, 56, 190
groups, 75

H

Haber process, 114, 124, 126, 127, 129
hair-growth medicine, 320–321
half-life decay, radioactive isotope, 302–305
halogens (VIIA) family, 75, 76, 78
healthcare industry, nitrogen use in, 336
heat (q), 150–151
heat capacity, 151–153, 260, 285
heat of vaporization, 285
heats of reaction, 158–162

Heisenberg, Werner, 191–192
 hemolysis, 146
 hertz (Hz), 187
 Hess's law, 159–160
 heterogeneous mixtures, 42
 high-level waste, 310
 home, chemistry, 14
 homework, 330–331
 homogeneous mixtures, 42
 human-made isotope, 298
 human-made radioactive, 297–298
 hybridization, 238–240
 hydrocarbons, 113
 hydrochloric acid, 166, 169, 171
 hydrogen, 212–213
 hydrogen bond (H-bond), 228, 229, 283
 hydrogen bonding, 257
 hydrogen fluoride (HF), 226
 hydroiodic acid, 171
 hydrologic cycle, 282
 hydronium ion, 170–172
 hydroxides, 168, 171, 173, 174, 180
 hypertonic, 146
 hypothesis, 12–14

I

ice structure, 228, 229, 284
 ideal gas, 84
 ideal gas equation, 95–96
 ideal gas law, 4, 87–97
 Avogadro's law, 93–95
 Boyle's law, 87–89, 95
 Charles's law, 87, 89–91, 95
 combined gas law, 92–93
 Dalton's law of partial pressures, 98
 Gay-Lussac's law, 87, 91–92, 95
 Graham's law, 99
 ideal gas equation, 95–96
 stoichiometry, 97
 van der Waals equation, 96–97
 indicators, identifying acids and bases with, 175–178
 industrial chemicals, 335–340
 ammonia (NH_3), 339–340
 chlorine (Cl_2), 338
 ethylene (C_2H_4), 337
 ethylene dichloride ($\text{C}_2\text{H}_2\text{Cl}_2$), 338–339
 nitrogen (N_2), 336–337
 oxygen (O_2), 337
 phosphoric acid (H_3PO_4), 339
 propylene (C_3H_6), 337
 sodium hydroxide (NaOH), 340
 sulfuric acid (H_2SO_4), 335–336
 Industrial Revolution, 268
 inert gas, 336
 infectious agents, 288
 inner-shell electrons, 246
 inner transition metals, 79
 inorganic chemistry, 15–16
 insulator, 227
 intensive properties, 43, 151
 intermediates, 106
 intermolecular forces, 228, 255
 liquid, 258–260
 phase diagram, 262–264
 solid, 260–262
 types, 256–258
 inverse square law, 249
 ionic bond, 211, 214, 215, 225
 ionic bonding, 195
 chemical reactions, 197–199
 chlorine, 196–197
 crystal structure, 199–200
 role, 198–199
 compound, 207–208
 crisscross rule, 205–206
 electron configurations for magnesium and bromine, 204–205
 electrolytes and nonelectrolytes, 208–209
 polyatomic ion, 202–204
 positives and negatives, 200–202
 sodium, 196–197
 crystal structure, 199–200
 role, 198
 ionic radii, tracing tendencies, 247–248
 ionic solids, 68, 262
 ionization energies, 248–251
 ionizes, 167, 170–173
 ions, 53, 66–68
 dipoles and, 256–257
 size of, 245–248

isoelectronic, 198, 212, 248, 253
isomers, 218
isotonic, 146
isotopes, 65–66, 296

J

joule (J), 151

K

Keep It Simple, Sily (KISS) principle, 218
Kekulé, Friedrich, 319
Kelvin, 22, 48–50, 84, 90–92, 152
kilocalorie, 50
kilogram, 21
kinetic energy, 46–47, 105, 106, 314
kinetic molecular theory of gases, 81–82
 atmospheric pressure, 84–87
 ideal gas law (see ideal gas law)
 microscopic view, 82–84

L

landfill, 288–290
lanthanides, 72, 79
Lavoisier, Antoine, 325, 326
law of conservation of energy, 47
law of conservation of mass, 114
law of conservation of matter, 325
lead, metal contamination, 287
Leaking Underground Storage Tanks (LUST), 288–290
least-precise measured value, 32
lecture notes, recopying, 332
left-handed molecules, 318
Lewis formula, 213, 237
 for C_2H_4O , 221–223
 for water, 221
Lewis structures, 231–235
lichen, 176
like-dissolves-like, 132
limiting ingredient, 129
limiting reactants, 129–130
linear orientation, 238
line spectrum, 55, 56, 189, 324

liquid, 36, 37
 capillary action, 260
 heat capacity, 260
 surface tension, 258–259
 viscosity, 259
liquid nitrogen, 336
liquid oxygen (LOX), 337
litmus paper, 176
London force, 228
London (dispersion) forces, 258
London smog, 273
Los Angeles smog, 273
low-level wastes, 310

M

macroscopic level, 36
macroscopic vs microscopic viewpoints, 16
magnesium, electron configurations, 204–205
magnesium hydroxide, 167
magnetic quantum number (ml), 57, 59, 64, 193
malleable, 72, 74
manganese dioxide, 217
Manhattan Project, 326
manometer, 86–87
mass defect, 306
mass/mass (m/m) percentage, 134–135
mass number, 54, 55, 66, 296–301
mass/volume (m/v) percentage, 134, 135–136
matter, 35
 changing states
 boiling point, 38–39
 freezing point, 39–40
 melting point, 38
 sublimation, 40
chemical substances, 43
 density, 43–46
classification, 40–41
 mixture, 42
 pure substance, 41–42
energy
 kinetic energy, 46–47
 measurement, 47–50
 potential energy, 47

- three states
 - gases, 36, 37
 - liquid, 36, 37
 - solid, 36–37
- measured numbers, 32
 - counted numbers vs, 31
 - significant figures, 32
- medical tracers, 305
- melting point, 38
- melting process, 38
- memorizing, understanding vs, 330
- Mendeleev, Dmitri, 70, 325
- mercury, metal contamination, 287
- metallic bonding, 214
- metallic solids, 262
- metalloids, 72, 74, 75
- metals, 72, 73
 - contamination, 288
 - chromium, 287
 - lead, 287
 - mercury, 287
 - pollution problem, 287
- metathesis reactions, 111
- meter, 21
- methane gas, 104–105
- metric system, 19, 20
- microplastics, 290
- microscopic level, 36
- microscopic vs macroscopic viewpoints, 16
- milliliters of solution, 135
- Minoxidil, 320–321
- mixture, 42
- molality (m), 134, 139–140
- molar enthalpy of condensation, 163
- molar enthalpy of deposition, 163
- molar enthalpy (heat) of fusion, 162
- molar enthalpy of solidification, 162
- molar enthalpy of sublimation, 163
- molar enthalpy (heat) of vaporization, 163
- molar heat capacity (C), 152–153
- molarity (M), 133–134, 136–139
- molecular formula, 217–218
- molecular geometry, 234–238
- molecular masses, 120
- molecular orbital (MO) theory, 232, 240–243
 - bond order, 242
 - diagram for O₂, 243
- molecular solids, 261
- moles (mol), 119
 - counting particles by massing, 119–120
 - roles in chemical reactions, 124–130
 - calculations, 124–126
 - limiting reactants, 129–130
 - percent yield, 128–129
 - reaction stoichiometry, 126–128
 - using, to count, 120–121
 - Avogadro's number, 121
 - calculating empirical formulas, 122–124
 - moles to work, 121–122
- mole-to-coefficient ratio, 130
- momentum, 57
- monoatomic anions, 200–201
- monoatomic cations, 200–201
- monoatomic ions/monatomic ions, 68, 202–203, 247
- monoprotic acids, 170–171
- multiple bonds, 214–215
- multiplication
 - of numbers in exponential notation, 25
 - significant figures, 33

N

- natural gas, 104
- natural isotope, 298–301
- natural logarithm, 303
- The Nature of the Chemical Bond* (Pauling), 326
- net-ionic equation, 111
- network (covalent) solids, 262
- neutralization reaction, 112–113, 168
- neutron poor, 298–299
- neutron/proton ratio, 298–300
- neutron rich, 298
- neutrons, 51–55, 65, 66
- nitric acid, 171, 182, 183
- nitrogen (N₂), 215, 336–337
- noble gases (VIII A), 76, 78, 79
- nonbonding electrons, 221
- nonconductor, 208
- nonelectrolytes, 208–209

- nonmetals, 72, 74
- non-point sources, 286
- nonpolar, 232–235
- nonpolar covalent bond, 225
- normal atmospheric (barometric) pressure, 86
- notes, taking, 332
- nuclear charge, 246
- nuclear chemistry, 295–296
 - atomic structure, 296
 - nuclear fission, 306–311
 - nuclear fusion, 311–313
 - radiation effects, 313–314
 - radioactivity
 - half-life decay, 302–305
 - and human-made radioactive, 297–298
 - natural and artificial isotopes, 298–301
- nuclear fission, 306–311
 - chain reaction
 - breeder reactor process, 310–311
 - calculation, 306–307
 - controlling, 308–310
 - definition, 306
 - definition, 306
- nuclear fusion
 - break-even point, 313
 - control issues, 312–313
 - reaction containment, 313
 - right temperature, 312
 - time, 313
 - definition, 311–312
- nuclear glue, 54
- nuclear power plants
 - cost issues, 309
 - disposal issues, 310
 - electricity, 308
 - safety issues, 309–310
- nuclear reaction, 297, 300, 306, 307, 311
- nuclear transmutation, 298
- nucleus, 53–55, 185

O

- Occupational Safety and Health Administration, 321
- octet rule, 197
- one-step collision, 105–106

- one-step reaction, 106
- optical isomerism, 318
- optically active, 318
- orbitals, 57–61, 63–65
- organic chemistry, 16
- Orwell, George, 223
- osmosis, 145
- osmotic pressure, 144–146
- outermost electrons, 245, 246
- oxidation state, 201–202, 207, 208
- oxygen (O_2), 325, 337
- oxygen-consuming bacteria, 291, 293
- ozone layer, 269–271

P

- partial charge, 226
- parts per billion (ppb), 134, 140
- parts per million (ppm), 134, 140
- parts per trillion (ppt), 140
- pascal, 22
- Pasteur, Louis, 318
- Pauling, Linus, 326
- percentage composition, 122–123
- percent composition, 134
 - mass/mass percentage, 134–135
 - mass/volume percentage, 135–136
 - volume/volume percentage, 136
- percent yield, 128–129
- perchloric acid, 171
- periodicity, 70
- periodic table, 70, 71, 325, 326
 - electron affinity, 251–253
 - element symbol
 - families, 75–79
 - metalloids, 74, 75
 - metals, 72, 73
 - nonmetals, 74
 - periods, 75–76
 - ionization energies, 248–251
 - repeating patterns of periodicity, 70
 - size of atoms and ions, 245–248
- periods, 72, 75–76
- Perkin, William, 319
- peroxyacetyl nitrates (PANs), 274

phase transitions, 162–163
phenolphthalein, 176–178
phosphorescence, 319
phosphoric acid (H_3PO_4), 339
photochemical smog, 273
photons, 188
photosynthesis, 267, 271
pH scale, 170, 176, 178–181
pH value, 179–181
physical chemistry, 16
physical properties, 43
Planck, Max, 188–190
Planck's constant, 21, 188, 191
Planck's theory, 188, 191
Plunkett, Roy, 320
plutonium-239 (Pu-239), breeder reactor
 process, 310–311
point sources, 286
polar covalent bond, 132, 225–228
polar covalent bonding, 226–227
polarity
 charged with, 232–233
 prediction, 234–235
pollutants substance, 286
polyatomic ion, 202–204
polyethylene, 337, 338
polystyrene, 339
polyurethane, 338
polyvinyl chloride (PVC), 338
p orbitals, 59–61, 63, 65
positron emission, 301
potential energy, 47
power, small numbers, 25
precipitation reactions, 111–112
precision, difference between accuracy and,
 26–27
pressure, 83, 141
pressure-temperature relationship, of gases, 91
pressure-volume relationship, of gases, 87–88
Priestly, Joseph, 325
primary sewage treatment, 292
primitive unit cell, 261
principal quantum number (n), 57, 58, 192
probability, 192
products, difference between reactants
 and, 104–105

properties
 of acids, 166–169
 of bases, 166–169
propylene (C_3H_6), 337
propylene glycols, 338
protons, 51–55, 63–67, 169–171, 174
pure substance, 40–41
 compound, 41–42
 element, 41
pure vs applied chemistry, 16–17

Q

qualitative analysis, 15
quantitative analysis, 15
quantized, 56
quantized energy, 188
quantum, 188
quantum mechanical model, 57–60, 192–193
quantum mechanics, 185, 192
quantum numbers, 57, 192–193
 angular momentum quantum number, 57–59
 magnetic quantum number, 57, 59, 64
 principal quantum number, 57, 58
 spin quantum number, 57, 59–60, 63
quantum theory, 57, 185
 Bohr's atomic model, 189–192
 properties of light, 186–189
 quantum mechanical model, 192–193
questions, asking, 333

R

radiant energy, 186
radiation burn, 313
radiation effects, 313–314
radioactive dating, 305
radioactive isotope, half-life decay
 determination, 303–304
 radioactive dating, 305
 safe handling, 304–305
radioactivity, 54, 319–320, 324, 326
 definition, 297
 half-life decay, 302–305
 and human-made radioactive, 297–298
 natural and artificial isotopes, 298–301

- radio waves, 187
- radon-222 (Rn-222), 299
- reactants, 124
 - difference between products and, 104–105
 - limiting, 129–130
- reaction arrow, 297
- reactions
 - finding heats of, 158–162
 - thermochemistry and, 150–156
 - types, 108–109
 - combination reactions, 109
 - combustion reactions, 113
 - decomposition reactions, 109–110
 - double-displacement reactions, 111–113
 - redox reactions, 113–114
 - single-displacement reactions, 110–111
- reaction stoichiometry, 126–128
- reactive site, 106
- reading, importance of, 331
- redox reactions, 113–114
- reduction-oxidation reactions, 113
- repulsive forces, 256
- resources, additional, 331
- reverse osmosis, 145
- right-handed molecules, 318
- ring structure, 319
- rounding off numbers, 33
- rubber solid, 318
- rust remover, phosphoric acid, 339
- Rutherford, Ernest, 53, 326

S

- saccharin, 321
- safe handling, 304–305
- salt molecules, 215
- salts, 68, 199
- saturated solution, 133
- saturation, 133
- scandium (Sc), 79
- Schlatter, James, 321
- Schrödinger, Erwin, 192
- science, difference between technology and, 10–11
- scientific calculators, 25–26

- scientific method, 11–12
 - use, 13–15
 - works, 12–13
- scientific notation, 23–24
- scrubbers, 278
- Seaborg, Glenn, 326
- sea of electrons, 214
- secondary sewage treatment, 293
- semimetals, 74
- semipermeable membrane, 144–146
- sequential ionization energies, 249–250
- serendipity, 11, 13
- shape, of molecules, 231–232
 - charged with polarity, 232–233
 - prediction of polarity, 234–235
 - valence bond method, 231
 - valence-shell electron-pair repulsion (VSEPR) theory, 231–232, 235–236
- significant figures
 - comparing numbers, 31
 - correct number, 32–33
 - measured number, 32
 - rounding off numbers, 33
- silicon valley, 74
- single-displacement reactions, 110–111
- sleep, importance of, 333
- sludge material, 293
- small numbers
 - add and subtract numbers, 24
 - exponential and scientific notation, 23–24
 - multiplying and dividing, 25
 - power, 25
 - scientific calculators, 25–26
- smog, 273–275
- sodium, 196–197
 - crystal structure, 199–200
 - energy-level diagrams, 196, 197
 - role, 198
- sodium bicarbonate (NaHCO_3), 167
- sodium hydroxide (NaOH), 167, 168, 340
- solidification (crystallization), 162
- solids, 36–37
 - amorphous, 261
 - atomic, 261

- body-centered unit, 261
- crystalline, 261
- face-centered unit, 261
- ionic, 262
- metallic, 262
- molecular, 261
- network (covalent), 262
- primitive unit cell, 261
- solubility, 132–133
- solute, 132–133
- solutions, 42, 131–132
 - colligative properties of, 140–146
 - colloids, 147
 - concentration units, 133–140
- solvent, 132–133
- specific gravity, 43–44
- specific heat, 152
- specific heat capacity (s), 151–152
- spectator ions, 111
- spectroscope, 55
- spectroscopy, 188
- spin pairing, 63
- spin quantum number, 57, 59–60, 63
- standard heats of formation, 160–162
- standard pressure, 94
- standard temperature, 94
- Star Trek*, 301
- state function, 159
- steelmaking industry, oxygen in, 337
- stoichiometric ratio, 127
- stoichiometry, 97, 126
 - reaction, 126–128
- STP, 94, 95
- stratosphere, 269
- strength, 169
- strong acids, ionizing, 170–171
- strong bases, 171
- studying, tips for, 329–333
- study schedule, 329–330
- styrene, 337
- Styrofoam, 154
- subatomic particles, 52–53
- subcritical, 307
- sublimation, 40, 163, 263
- subshell, 59–63, 192–193

- letter, 58
- subtraction
 - of numbers in exponential notation, 24
 - significant figures, 32–33
- sulfuric acid (H_2SO_4), 166, 170, 171, 335–336
- supersaturated solution, 133
- surface tension, 258–259
- surroundings, 150
- synthesis, 103, 119
- Système International* (SI) measurement system, 4
 - prefixes, 20
 - unit for energy, 23
 - unit for length, 21
 - unit for mass, 21
 - unit for pressure, 22–23
 - unit for temperature, 22
 - units of volume, 22
- systems, 150

T

- technology, difference between science and, 10–11
- Teflon, 320
- temperature, 150–151
- temperature-volume relationship, of gases, 89
- tertiary sewage treatment, 293–294
- tetrahedral, 238
- theoretical chemistry, 18
- theoretical yield, 128–129
- theory/model, 12
- thermal inversion, 273
- thermal pollution, 133, 291
- thermochemical equation, 157–158
- thermochemistry, 149–150
 - definition, 150
 - enthalpies, 157–158, 162–163
 - enthalpy changes (ΔH), 157–158
 - finding heats of reaction, 158–162
 - phase transitions, 162–163
 - reactions, 150–156
- thermodynamics, 150
- Three Mile Island plant, 309–310
- titanium (Ti), 79
- titration, 176–178
- transition metals, 79

transition state, of reaction, 107
transuranium elements, 326
triple-bond formation, nitrogen, 215
triple point, 264
tritium, 311
troposphere, 268–269
true formula, 217–218
Tyndall effect, 147

U

UFOs, 10
uncertainty principle, 57, 191–192
understanding, memorizing vs, 330
unit cells, 261
unit conversion method, 27–30
units
 of energy, 23
 of heat, 49–50
 of length, 21
 of mass, 21
 of pressure, 22–23
 of temperature, 22
 of volume, 22
universal solvent, 227, 285
unsaturated solution, 133
uranium, 54–55
uranium-235 (U-235), 296, 306, 307,
 309, 310

V

valence bond method, 231
valence bond theory, 238–240
valence electrons, 64–65, 67, 70, 75,
 212–215, 219–222
 with families, 76–79
valence energy level, 197
valence-shell electron-pair repulsion (VSEPR)
 theory, 231–232, 235–236
van der Waals equation, 96–97
vapor condenses, 282
vapor pressure, 141

viscosity, of liquid, 259
visible spectrum, 187
volatile organic chemicals (VOCs), 289
volume/volume (v/v) percentage, 134, 136
vulcanization process, 318

W

washing water, 278
wastewater treatment
 primary sewage treatment, 292
 secondary sewage treatment, 293
 tertiary sewage treatment, 293–294
water, 120
 amphoteric, 174–175
 cycle, 282
 electron-dot formula for, 219–221
 evaporates, 282
 finding equilibrium with, 173
 Lewis formula for, 221
 molecules, 36, 227–229
water pollution, 281–282
 good treatment of drinking water, 294
 identification, 286–292
 sources, 284–285
 substance, 283–286
 wastewater treatment plants, 292–294
wave equation, 192
wave function, 192
wavelength (λ), 186–187
wave mechanics, 192
weak acids, 181–182
 ionizing, 171–173
weak bases, 173, 181–182
weighted average, 72

Y

yellow sticky notes, 320

Z

Zappacosta, Dr. Anthony, 320