

Index

Numerics

- 100 percent grass-fed beef
 - customers for, 276
 - feedstuffs for, supplying, 277
 - overview, 276–279
 - as selling terminology, 317–318
 - taste of, 276
 - type of cattle suited for, 277–278

A

- abomasum, 28
- abortions, 240–241
- accommodations, 11–12
- acidosis, 101
- active labor, 236–239
- ADG (average daily gain), 38
- advantages of raising beef cattle, 7–10
- AI (artificial insemination)
 - advantages of, 228
 - disadvantages of, 228
 - overview, 228
 - requirements for, 229
 - steps for, 230
- Alarm moo, 153
- alfalfa, 109
- American Brahman cattle, 47–48
- amino acids, 78
- anatomy of cattle, 25–31
- Angus cattle, 41–42
- animal husbandry
 - ear tags, using, 187–189
 - first aid kit, stocking, 184–185
 - injections, administering, 185–187
 - wounds, treating, 191

- anterior position, birthing position
 - with head retained, 238
 - normal calf birthing position, 237
 - with retained limb, 238
- anthelmintics, 211–212
- antibiotic therapies for respiratory diseases, 196
- appearance, purchasing cattle based only on, 327
- appetite, monitoring, 166
- arrival of cattle at your farm, minimizing stress during, 143
- automatic waterers, 105
- average daily gain (ADG), 38

B

- baleage, 94
- balking at shadows or holes, 334–335
- banding, 261
- Bang's disease, 201–202
- barbed wire fencing, 57
- bargain cattle, buying, 326–327
- barn blind, 133
- Barnes dehorning, 260–261
- basic requirements
 - accommodations, 11–12
 - nutritional requirements, 10
 - water source, 10
- bawling frantically, 335
- BCS (body condition scores), 216–218
- bedding materials, 73–74
- beef cattle, 32
- beef congresses, 284
- beef farms as source for bottle calves, 128
- Beefmaster cattle, 48
- behavior of cattle. *See* cattle behaviors
- Belted Galloway cattle, 48

- Bermudagrass, 110
- big projects, planning for, 13
- birthing positions, 236–239
- birthing spaces, setting up, 232
- birthing time, 162
- black cattle, providing shade and water for, 35
- blind spot, 154
- bloat, 214
- blue-green algae, 91
- body condition scores (BCS), 216–218
- body language of cattle, 150–151
- body temperature
 - checking, 168–170
 - raising, 254–255
- Bos indicus* cattle, 41
- Bos taurus* cattle, 41
- bottle calf, purchase prices, 13
- bottle calves
 - beef farms as source for, 128
 - caring for, 129
 - dairy farms as source for, 128
 - finding, 128–129
 - overview, 128
 - purchase prices, 13–14
 - sale barns as source for, 129
 - selecting, 128–129
- bottle feeding, 250
- bovine respiratory syncytial virus (BRSV), 198
- bovine virus diarrhea (BVD), 197–198
- branding, 190–191
- Brangus cattle, 48
- breaking halter, 288
- breathing difficulties, helping newborns with, 246
- bred cow, 24, 131–132
- bred heifer, 24, 131–132
- breech position, 238, 239
- breed associations, junior shows sponsored by, 284–285
- breeding
 - purchase prices, 14
 - season, 176–177
 - soundness exam, 225–226
- breeding stock
 - defined, 24
 - handling
 - bull, evaluating attitude of, 161–162
 - calves, working with, 163
 - equipment for, 160–161
 - new mothers, working with, 162
 - overview, 160
- breeding up, 44
- breeds
 - British, 40–44
 - cattle hair, deciding on breed by, 35
 - characteristics of, 37–38
 - choosing, 34–40
 - composite, 48
 - Continental, 44–47
 - crossbred cattle, 38–40
 - heritage, 48–49
 - horns, choosing a breed based on, 36
 - nearby sources for, deciding on breed by, 34–35
 - overview, 33, 40
 - purebred cattle, 39–40
- brisket, 26
- British breeds
 - Angus cattle, 41–42
 - Hereford/Polled Hereford cattle, 42–43
 - overview, 40
 - Red Angus cattle, 43
 - Shorthorn cattle, 43–44
- BRSV (bovine respiratory syncytial virus), 198
- Brucellosis*, 201–202
- brushing, 293
- bull calf, 24
- Bull Holler moo, 153
- bulls
 - breeding soundness exam, 225–226
 - caring for, 226–227
 - castrating, 261–262
 - defined, 24
 - feeding program for, 99–100
 - leasing, 231–232

- protein recommended for, amount of, 80
- selecting, 224–225
- bunk-broke, 130
- bunk feeder, 102
- business permits, 304
- butchers
 - animal welfare, evaluating, 312
 - facilities and personnel, evaluating, 311–312
 - overview, 311
 - packages and labels, options for, 313–314
 - relationship with your, 314
- buying cattle
 - conformation, judging, 139
 - from consignment sales, 133–134
 - contagious diseases, avoiding, 137–138
 - customer service, evaluating, 140–141
 - disposition, assessing, 138
 - from farms, 132–133
 - genetic diseases, avoiding, 137
 - healthy bovines, signs of, 136–137
 - from Internet, 135–136
 - overview, 132
 - performance measurements, 139–140
 - from sale barns, 135
 - from test stations, 134–135
 - unhealthy bovines, signs of, 136–137
- BVD (bovine virus diarrhea), 197–198
- B vitamins, 89

C

- calcium, 83, 86
- calves
 - bawling frantically, 335
 - castrating young bulls, 261–262
 - creep feeding, 258
 - defined, 24
 - ear tags used for identifying, 247–248
 - horns, removing, 260
 - identifying, 247
 - tattoos used for identifying, 248–249
 - vaccination schedule, 258–259
 - weaning, 262–263

- calving ability, 40
- calving ease bull, 325
- calving pasture, creating, 232
- calving season, 175–176
- calving shelter, building, 232
- carbohydrates, 81–83
- carcass, 37
- carcass merit, 37
- castration, 150, 261–262
- cattle behaviors
 - balking at shadows or holes, 334–335
 - bawling frantically, 335
 - curling lips, 336
 - fence, pacing along, 334
 - manure, squirting projectile, 332
 - monitoring for health of cattle, 166
 - old grass, ignoring fresh green grass for, 331–332
 - pasture, galloping around, 333
 - rubbing, 335
 - understanding, 148–150
 - water trough, not drinking from, 332–333
- cervix, 30
- characteristics of breeds, 37–38
- chargers for electric fencing, 61
- Charolais cattle, 45
- chemical dehorning, 260
- Chianina cattle, 45
- clamping, 261–262
- cleaning shelters, 70
- cobalt, 85, 86
- cold carcass weight, 310
- cold weather, steps for dealing with, 182–183
- colostrum, 96, 249, 250–251
- commodity pricing, 309
- Community Supported Agriculture (CSA) food program, 277
- complications, avoiding the mistake of making raising cattle, 329–330
- composite breeds, 48
- composting, 115–116
- concentrates, 94–95

- conformation, judging, 139
- consignment sales, 133–134
- contagious diseases, avoiding, 137–138
- Continental breeds
 - Charolais cattle, 45
 - Chianina cattle, 45
 - Gelbvieh cattle, 45
 - Limousin cattle, 45–46
 - Maine-Anjou cattle, 46
 - overview, 44–47
 - Saler cattle, 46
 - Simmental cattle, 46–47
 - Texas Longhorn cattle, 47
- cool-season forages, 122, 123
- Cooperative Extension Service, 71
- copper, 85, 86
- core sampler, 94
- costs plus markup, 310
- county fairs, 284
- cows
 - defined, 23, 24
 - protein recommended for, amount of, 80
- creep feeding, 97, 258
- critical temperature point, 182–183
- crossbred cattle, 38–40
- crowding pen, 65
- crude protein, 92
- crude protein percentage, 79
- cud, 28
- cud chewing, 28, 166
- cull, 24
- curling lips, 336
- customer expectations, failing to set proper, 329
- customer service when buying cattle,
 - evaluating, 140–141
- custom-exempt processing facilities, 302
- custom grazing
 - contract for services, creating a, 274
 - finding cattle/owners, 274
 - overview, 273
 - pasture resources needing to match with
 - number of cows, 274

- cuts of meat, 307
- Cyanobacteria*, 91

D

- daily chore commitments, 12–13
- dairy cattle, 31, 32
- dairy farms as source for bottle calves, 128
- dam, 24
- dehorned cattle, 36
- dehorning calves, 260–261
- delivery
 - active labor, 236–239
 - birthing positions, 236–239
 - birthing spaces, setting up, 232
 - breech position, 238, 239
 - calving pasture, creating, 232
 - calving shelter, building, 232
 - dystocia, 236
 - monitoring stages of labor,
 - 237–239
 - paralysis, temporary, 242
 - postpartum, 240
 - pre-delivery, 236
 - supplies for, 234
 - of twins, 239
- Devon cattle, 49
- dewclaw, 26
- diphtheria, 194
- direct off farm as selling options, 315
- direct threat position, 162
- disposition, assessing, 138
- docility, calves, 140
- double-span end assembly, 56
- drainage for shelters, 69
- dry-aging, 317
- dry cow, feeding program for, 98
- dry hay, 93
- dry matter basis, 79, 119
- dry matter production, 119
- due date, determining, 222–223
- dystocia, 236

E

- ears, reading body language of, 151
- ear tags, 187–189
- elastration, 261
- electrical service, shelters, 71
- electric fencing
 - chargers for, 61
 - overview, 61
 - safety issues, 61–64
 - setting up and maintaining, 62–63
- electric twine, 58
- electronic identification ear (EID) tags, 190
- emergencies, planning for, 13
- emergency healthcare, 15
- end assemblies, 56, 60
- endophyte, 109
- environmental adaptability, 40
- EPDs (expected progeny differences), 139
- esophageal feeder, 250
- exhibitions
 - breed associations, junior shows sponsored by, 284–285
 - county fairs, 284
 - expos or beef congresses, 284
 - goals for, 282–283
 - grooming your animals for, 292
 - jackpot or preview shows, 284
 - junior shows, 283
 - major livestock exhibitions, 285
 - open shows, 283
 - presenting your animals and yourself in the best possible way, 291
 - show ring protocol, following, 294
 - show stick, using, 287
 - state fairs, 285
 - supplies for, 290–291
 - training your animal for, 288–289
 - types of, 282–291
- existing structures, repurposing, 70–71
- expos or beef congresses, 284
- extension agents, 17
- external (permanent) fences

- barbed wire fencing, 57
- overview, 54
- woven wire fencing, 54–57

- external parasites
 - flies, 207–209
 - grubs, 209
 - lice, 209
 - mites, 211
 - overview, 180–181
 - ringworm, 210–211

F

- family project, raising beef cattle as, 9–10
- farmers' markets as selling option, 315–316
- farm liability insurance, 20
- farm personal property insurance, 20
- farm policy, 304
- farm ponds, 125
- farms, buying cattle from, 132–133
- fat cattle (fats), 24
- fat sources, 82–83
- feces, monitoring, 167–168
- federally inspected meat processing plants, 302
- feed dealer, 18
- feeder cattle, 24, 97
- feed expenses, calculating, 14–15
- feeding program. *See also* nutritional needs
 - availability, 92
 - for bulls, 99–100
 - choosing, factors in, 90
 - concentrates, 94–95
 - cost, 92
 - customizing your, 89
 - digestion ability, 92
 - for dry cow, 98
 - for feeder calves, 96
 - finishing diet, 98
 - forages, 93–94
 - grain feeders, 102–103
 - for growing calves, 96–97
 - handling, 92

feeding program (*continued*)

- hay rings, 103
- introducing new feeds to diet, 101
- for newborns, 96
- nontraditional feedstuffs, 95
- nutritional content, 92
- palatability, 92
- for 100 percent grass-fed beef, 277
- for pregnant/lactating cows, 98–99
- schedule for feeding, 100–101
- for stocker calves, 97
- storage, 92
- supplies, 102–105
- water sources, 103–104

feed-related problems

- bloat, 214
- founder, 213
- moldy feed, 212–213
- poisonous plants, 213
- sweet clover poisoning, 214

feed tag, 79

feed-through fly control, 208

female reproductive anatomy, 30–31

fence-line weaning, 263–264

fences

- external (permanent)
 - barbed wire fencing, 57
 - overview, 54
 - woven wire fencing, 54–57

- internal (subdivision)

- electric fencing, 61–64
- gates, planning for, 60
- overview, 54, 58
- polywire conductor fences, 58
- semipermanent fences, 58
- types of, 58

overview, 53–54

pacing along, 334

weak perimeter, tolerating, 323–324

wind break, 72–73

fertilizing soil, 114–115

fescue, 110

fetlock, 26

fiber, 108

fighting among cattle, 148–149

financial commitments

- facilities and land, budgeting for, 15–16
- feed expenses, calculating, 14–15
- healthcare, budgeting for, 15
- purchase prices, 13–14

financial profit as benefit of raising beef cattle, 9

finishing diet, 98

first aid kit, stocking, 184–185

first-calf heifer, 24, 132, 175, 219–220

flank, 27

flash grazing, 125

flehmen response, 336

fleshing ability, 42

flies, 180

flight zone, 155–157

float valve, 104

Foghorn moo, 153

food safety permits, 303

forages

- characteristics of quality, 108–109
- grasses, 110–111
- legumes, 109–110
- overview, 93
- running out of, 324
- types of, 109–111

foundation walls, 71

founder, 213

free-choice feeding, 101

freeze branding, 190–191

freezer beef, providing, 305–306

fresh forage, 331–332

frothy bloat, 214

G

Galloways miniature cattle, 49

gassy bloat, 214

- gate
 - moving cattle through, 156–157
 - planning for, 60
- Gelbvieh cattle, 45
- genetically true breed, 48
- genetic diseases, avoiding, 137
- goiter, 85
- grain feeders, 102–103, 317
- Grandin, Dr. Temple (expert in animal handling and welfare), 71
- grasses, 110–111
- grass-fed, 316, 317
- grass tetany, 83, 182
- grazing
 - custom
 - contract for services, creating a, 274
 - finding cattle/owners, 274
 - overview, 273
 - pasture resources needing to match with number of cows, 274
- flash, 125
- patch, 118
- rotational, 11, 120–121
- spot, 118
- spring and summer, 268
- winter, 268–269
- grooming your animals for exhibitions, 292
- ground-driven spreaders, 117
- growing calves, feeding program for, 96–97
- growing market cattle, protein
 - recommended for, 80
- grubs, 180, 209

H

- hair, deciding on breed by, 35
- halter-breaking, 287
- halters, 291
- handling cattle
 - behavior of cattle, understanding, 148–150
 - body language of cattle, 150–151

- breeding stock
 - bull, evaluating attitude of, 161–162
 - calves, working with, 163
 - equipment for, 160–161
 - new mothers, working with, 162
 - overview, 160
- fighting among cattle, 148–149
- innate behavior of cattle, utilizing, 154
- moving cattle by using flight zone, 155–156
- noises made by cattle, understanding, 153–154
- preferences, recognizing cattle, 148
- riding (mounting) cattle, 150
- training cattle, 159–160
- handling facilities
 - budgeting for, 15
 - of butcher, evaluating, 311–312
 - crowding pen, 65
 - designing, 64–69
 - ease of use of, 66
 - head gate, 65, 68–69, 161
 - holding chute, 65, 68–69
 - holding pen, 65
 - loading chute, 65
 - overview, 64
 - problems to look for and fix in, 159
 - safety issues, 66
 - selecting a site for, 64–65
 - space in, 66–67
 - for stocker calves, 271
 - strength of, 66
 - working chute, 65
 - working with cattle in a, 157–159
- hauling cattle, 141
- hay, 93–94
- hay rings, 103
- head gate, 65, 68–69, 161
- heads, reading body language of, 151

- health of cattle. *See also* herd health calendar; specific diseases
 - appetite, monitoring, 166
 - behavior, monitoring, 166–167
 - body temperature, checking, 168–170
 - budgeting for, 15
 - Clostridial diseases, 199–201
 - cold weather, steps for dealing with, 182–183
 - early, recognizing illness, 165–168
 - emergency healthcare, 15
 - external parasites, 206–211
 - extreme weather, keeping cattle comfortable during, 182–183
 - feces, monitoring, 167–168
 - feed-related problems, 212–213, 212–214
 - hot and humid weather, steps for dealing with, 183
 - internal parasites, 211–212
 - nutritional needs, seasonal, 181–182
 - parasites, controlling, 178–181
 - pinkeye, controlling, 181
 - reproductive diseases, 201–203
 - respiration, observing, 170–171
 - respiratory diseases, 194–201
 - sick animal, deciding what to do for a, 171–174
 - urine, monitoring, 167–168
 - vaccinations, 174
 - vital signs, measuring, 168–171
 - health permits, 303
 - healthy bovines, signs of, 136–137
 - heating box, 255
 - heavy use area protection (HUAP) zone, 12, 74–76
 - heel flies, 180
 - heifer, 24
 - heifer calf, 24
 - Heifer pregnancy, 140
 - height, calves, 140
 - herd
 - defined, 24
 - repositioning entire, 156
 - herd health calendar
 - breeding season, 176–177
 - calving season, 175–176
 - overview, 175
 - pre-calving season, 175–176
 - preweaning season, 177–178
 - weaning season, 177–178
 - Hereford/Polled Hereford cattle, 42–43
 - heritability traits, low, 40
 - heritage breeds, 48–49
 - heterosis, 39
 - Highland cattle mini breeds, 49
 - high-tensile wire, 56
 - hock, 27
 - holding chute, 65, 68–69
 - holding pen, 65
 - hook bone, 27
 - horn bud, 260
 - horned cattle, 36
 - horns
 - choosing a breed based on, 36
 - removing, 260–261
 - hot and humid weather, steps for dealing with, 183
 - hot branding, 191
 - hot carcass weight, 310
 - hot iron dehorning, 260
 - Houston Livestock Show and Rodeo, 285
 - H. somnus*, 199
 - HUAP (heavy use area protection) zone, 12, 74–76
 - hybrid vigor, 39
 - hypocalcemia (milk fever), 241
 - hypothermia, 254
- I**
- IBR (infectious bovine rhinotracheitis), 196–197
 - identifying calves and newborns, 247
 - individual animals, moving, 155
 - individual cut, marketing your meat by, 308
 - infections in newborns, deterring, 256–257
 - injections
 - administering, 185–187
 - recording, 187–188
 - innate behavior of cattle, utilizing, 154

- insecticide ear tags, 207
- inspection permits, 303
- insurance, 20, 304
- interior concrete floors, 71
- internal (subdivision) fences
 - electric fencing, 61–64
 - gates, planning for, 60
 - overview, 54, 58
 - polywire conductor fences, 58
 - semipermanent fences, 58
 - types of, 58
- internal parasites, 179
- Internet, buying cattle from, 135–136
- intramuscular injections, 187
- intravenous injections, 187
- iodine, 85, 86
- iron, 85, 86

J

- jackpot or preview shows, 284
- Johne's disease, 205
- joint ill, 255–256
- junior shows, 283

K

- Kentucky bluegrass, 110
- killed vaccines, 174
- kill floor, 312

L

- lactation, 242
- land
 - budgeting for, 15
 - improvement as benefit of raising beef cattle, 9
- leasing bulls, 231–232
- legal issues
 - insurance needs, 20
 - physical injuries, preventing, 18–19
 - zoning regulations, 21
 - zoonotic diseases, preventing, 19–20

- legalities of selling beef
 - insurance coverage, obtaining proper, 304
 - permits, obtaining, 303–304
 - processing facilities, government rules for, 302–303
- legumes, 109–110
- leptospirosis, 202
- liability insurance, 20
- lice, 180, 181
- limit feeding, 100–101
- Limousin cattle, 45–46
- lips, curling, 336
- loading chute, 65
- local extension agents, 17
- location liability coverage, 304
- loin, 27
- low-stress environment, providing a, 12

M

- magnesium, 83, 85
- Mag-Ox (magnesium oxide), 84
- Maine-Anjou cattle, 46
- major livestock exhibitions, 285
- male reproductive anatomy, 29–30
- managing your beef business
 - butchers, finding and working with, 311–314
 - freezer beef, providing, 305–306
 - individual cut, marketing your meat by, 308
 - legalities of selling beef, 301
 - prices, setting, 309–311
 - promotion and marketing, 317–320
 - seasonal changes to product lineup, 308
 - selling on the hoof, 305
 - selling options, 315–317
- manganese, 85, 86
- manure management
 - composting, 115–116
 - feces, monitoring, 167–168
 - overview, 115–117
 - spreading manure, 117–118
 - squirting projectile manure, 332

- manure spreader, 117
- marbling, 277
- marbling, calves, 140
- marketing, 319–320, 326
- mastitis, 242
- mature body size, 38
- mature weight and height, calves, 140
- mechanical calf puller, 235
- meconium, 250
- mentor, finding a, 16
- MidWest Plan Service, 71
- milk fever (hypocalcemia), 241
- milk production, 38
- minerals, 83–84
- miniature cattle, 49
- mistakes to avoid
 - appearance, purchasing cattle based only on, 327
 - bargain cattle, buying, 326–327
 - calving ease bull, forgoing, 325
 - complicated, making raising cattle, 329–330
 - customer expectations, failing to set proper, 329
 - exhibitions, lack of training before, 328
 - fences, tolerating weak perimeter, 323–324
 - forage, running out of, 324
 - marketing plan, lack of a, 326
 - water supply, neglecting to keep adequate backup, 325–326
- mites, 181
- mobile processing units, 303
- modified live vaccines (MLVs), 174
- moldy feed, 212–213
- mooring noises, understanding, 153–154
- moving cattle by using flight zone, 155–156
- municipal supply or well as water source, 104
- muzzle, 27

N

- National Western Stock Show, 285
- Natural Resources Conservation Service (NRCS), 17

- navel cup, 247
- navel, disinfecting, 247
- navel ill, 255–256
- neighbors, maintaining good relationships with, 20–21
- newborns. *See also* calves
 - body temperature, raising, 254–255
 - bottle raising, 253
 - breathing difficulties, helping with, 246
 - colostrum, ensuring calf receives enough, 249
 - feeding program for, 96
 - hypothermia, 254
 - identifying, 247
 - infections, deterring, 256–257
 - joint ill, 255–256
 - navel, disinfecting, 247
 - navel ill, 255–256
 - protein recommended for, amount of, 80
 - scours, preventing and treating, 256–258
 - vital signs, 253
- new pasture, preparing a, 113
- nitrogen, analyzing and improving, 114
- noises made by cattle, understanding, 153–154
- nonprotein nitrogen (NPN), 79
- nontraditional feedstuffs, 95
- North American International Livestock Exposition, 285
- nose rings, 161
- nursing calves, protein recommended for, 80
- Nutrient Requirements of Beef Cattle* (National Academies Press), 99
- nutritional needs, 77
 - carbohydrates, 81–83
 - fats, 82–83
 - minerals, 83–84
 - overview, 10
 - plant protein supplements, 83
 - protein, 78–79
 - seasonal, 181–182
 - vitamins, 87–89
 - water, 90–92

O

- offset electrical wire, 56
- older cows, supporting, 221
- older, weaned calves, purchase price of, 14
- old grass, ignoring fresh green grass for, 332
- omasum, 28
- on-farm processing facilities, 303
- online selling options, 298
- open cow or heifer, 24
- open shows, 283
- orchardgrass, 110
- Oreo Cookie cattle, 48
- organic, 318
- ovary, 30
- overstocking, 118
- oviduct, 31

P

- packages and labels, options for, 313–314
- palpation used to determine pregnancy, 222
- paralysis, temporary, 242
- parasites
 - controlling, 178–181
 - external, 206–211
 - internal, 211–212
- pastern, 27
- pasteurella, 198–199
- pasture, 93
- pasture management
 - absentee owners, 273
 - analyzing soil samples, 114–115
 - custom grazing, using extra pastures for, 273
 - evaluating your pasture, 111–112
 - fertilizing soil, 114–115
 - forages, 108–109
 - galloping around, 333
 - manure management, 115–117
 - matching number of cattle to amount of available pasture, 118–119
 - new pasture, preparing a, 113
 - nitrogen, analyzing and improving, 114
 - pasture resources needing to match with number of cows, 274
 - 100 percent grass-fed beef, using extra pastures for raising, 276–279
 - pH, analyzing and improving, 114
 - phosphorus, analyzing and improving, 115
 - potassium, analyzing and improving, 115
 - problems with pasture, solutions for, 112
 - productivity, optimizing, 118–123
 - rotational grazing, 120–121
 - stocker calves, using extra pastures for, 267–268
 - yearlong forage chain, creating, 122–123
 - yields, estimating pasture, 119–120
- pasture-raised, 318
- pasture walk, 112
- patch grazing, 118
- perennial ryegrass, 110
- performance measurements, 139–140
- performance test, 297
- permanent fences
 - barbed wire fencing, 57
 - overview, 54
 - woven wire fencing, 54–57
- permits, obtaining, 303–304
- personal insurance, 20
- pH, analyzing and improving, 114
- phosphorus, 84, 87, 115
- photographing your cattle, 299
- physical injuries, preventing, 18–19
- PI-3 (parainfluenza), 198
- pin bone, 27
- pinkeye, 181
- plant canopy, 112
- plant protein supplements, 83
- plumbing service, shelters, 71
- pneumonia, 194
- point of balance, 155
- poisonous plants, 213
- pole barns, 70
- poll, 27
- polled cattle, 36
- polywire conductor fences, 58

- pond, stream, or spring as water sources, 104
- portable shade, 72
- posterior position, birthing position, 237–238
- postpartum, 240
- posts, 56
- potassium, 84, 87, 115
- pre-calving season, 175–176
- preconditioned calves, 130
- predator-prey relationship, 154–155
- pre-delivery, 236
- preferences, recognizing cattle, 148
- pregnancy. *See also* delivery
 - abortions, 240–241
 - by artificial insemination, 228
 - BCS (body condition scores), 216–218
 - due date, determining, 222–223
 - EPD (expected progeny difference), 220–221
 - feeding program for, 98–99
 - first-calf heifers, preparation for, 219
 - milk fever (hypocalcemia), 241
 - older cows, supporting, 221
 - palpation used to determine, 222
 - paralysis, temporary, 242
 - preparing cow for, 216–223
 - vaccination guidelines, 222
- presenting your animals and yourself in the best possible way at exhibitions, 291
- preventive healthcare, 15
- preweaning season, 177–178
- prices
 - for freezer beef, 306
 - setting, 309–311
- private treaty deals, 296
- processing facilities, government rules for, 302–303
- productivity, optimizing, 118–123
- product liability coverage, 304
- promotion and marketing, 317–320
- protecting your water resources, 123–125
- proteins
 - crude, 80, 81
 - nutritional needs, 78–79

- quality forage in, 108
- requirements, 80
- supplements, 80

purebred cattle, 39–40

Q

- quality grade, 318
- quarantining new cattle, 143

R

- rate and efficiency of gain, 38
- Red Angus cattle, 43
- red clover, 109
- Red Poll cattle, 49
- registration papers, 39
- reproductive diseases, 201–203
- respiration, observing, 170–171
- respiratory diseases
 - antibiotic therapies for, 196
 - BRSV (bovine respiratory syncytial virus), 198
 - BVD (bovine virus diarrhea), 197–198
 - diphtheria, 194
 - H. somnus*, 199
 - IBR (infectious bovine rhinotracheitis), 196–197
 - overview, 194
 - pasteurella, 198–199
 - PI-3 (parainfluenza), 198
 - pneumonia, 194
 - stress, minimizing, 194
 - supportive care for, 196
 - upper respiratory tract infections, 194
 - vaccination plan for, 195
- restaurants as selling option, 316–317
- reticulum, 28
- ribeye area, calves, 140
- ribs, 27
- ricketts, 83
- riding (mounting) cattle, 150
- ringworm, 210–211
- roan, 44

- roan markings, 35
- rod, 56
- rope halter, 287
- rotational grazing, 11, 120–121
- rubbing behavior, 335
- rumen, 28, 101
- ruminants, 27–28

S

- safety gate, 68
- safety issues
 - electric fencing, 61–64
 - handling facilities, 67–68
 - insurance needs, 20
 - physical injuries, preventing, 18–19
 - shelters, 70
 - zoning regulations, 21
 - zoonotic diseases, preventing, 19–20
- safety pass, 68
- safety zone, 156
- sale barns, 128–129
 - buying cattle from, 135
 - as source for bottle calves, 129
- Saler cattle, 46
- sales opportunities
 - consignment sales, 297
 - direct off farm, 315
 - farmers' markets, 315–316
 - online, 298
 - performance test, 297
 - photographing your cattle for, 299
 - private treaty deals, 296
 - restaurants, 316–317
- salt, 84, 87
- Santa Gertrudis cattle, 48
- schedule for feeding, 100–101
- scours, 206
- scratching cattle to bond, 336
- scurs, 36
- secondary sex organs, 30
- selecting cattle
 - bottle calves, 128–129
 - bred heifers or cows, 131–132
 - bulls, 224–225
 - show calves, 130–131
 - stocker calves, 269–271
 - weaned calves, 130
- selenium, 85, 87
- self-sufficiency as benefit of raising beef cattle, 8
- selling on the hoof, 305
- semipermanent fences, 58
- separation weaning, 264
- sericea lespedeza, 109
- shade sources, 72
- shelters
 - bedding materials, choosing, 73–74
 - cleaning, 70
 - drainage for, 69
 - existing structures, repurposing, 70–71
 - overview, 69
 - pole barns, 70
 - safety issues, 70
 - shade sources, 72
 - size of, 69
 - types of, 69–70
 - ventilation for, 69
 - wind breaks, 72–73
- Shorthorn cattle, 43–44
- show calves, selecting, 130–131
- show ring protocol, following, 294
- show stick, using, 287
- show stock, purchase prices, 14
- shrink, 133
- sick animal, deciding what to do for a, 171–174
- Simbrah cattle, 48
- Simmental cattle, 46–47
- sire, 24
- smooth brome grass, 110
- soil samples, analyzing, 114–115
- spot grazing, 118
- spring and summer grazing, 268

- spring of rib, 27
- squeeze chute, 161
- standing heat, 150
- state fairs, 285
- state-inspected processing facilities, 302
- steer, 25
- steer calves, 150
- stifle, 27
- stocker calves
 - buyers for, 271
 - facilities, setting up, 272–273
 - feeding program for, 97
 - overview, 267–268
 - pastures, preparing, 274
 - preparing for, 271
 - profitability of, 270
 - selecting, 269–271
 - sources for, 269
 - spring and summer grazing, 268
 - weight of, 270
 - winter grazing, 268–269
- stocking rate, 118
- stockpiled forage, 122
- stomach, 27–28
- straw as bedding material, 74
- stream crossing, building a, 123–124
- stress, minimizing, 194–195
- stretching, 152
- structural frame, 71
- stun box, 313
- subcutaneous injections, 185–186
- subdivision fences
 - electric fencing, 61–64
 - gates, planning for, 60
 - overview, 54, 58
 - polywire conductor fences, 58
 - semipermanent fences, 58
 - types of, 58
- sulfur, 84, 87
- summer, accommodations in, 11
- summer grazing, 268

- supplements
 - mineral, 86–87
 - proteins, 80
- supplies
 - for delivery, 234–235
 - for exhibitions, 290–291
 - for feeding program, 102–105
- supportive care for respiratory diseases, 196
- support system
 - feed dealer, 18
 - local extension agents, 17–18
 - mentor, finding a, 16
 - overview, 16
 - veterinarian, 16–17
- surgical castration, 262
- SWC staff, 17
- sweet clover poisoning, 214
- switch, 27

T

- tailhead, 27
- tails, reading body language of, 152
- tank heaters, 105
- tanks or troughs as water sources, 104–105
- taste of 100 percent grass-fed beef, 276
- tattoos, 190
 - for identifying calves, 248–249
- tax permits, 303
- TB (tuberculosis), 205–206
- TDN (total digestible nutrients), 81
- tensile strength of woven wire fencing, 54–57
- terminology
 - for anatomy of cattle, 25–31
 - for cattle-selling, 317–318
 - for cattle stomach, 27–28
 - for female reproductive anatomy, 30–31
 - for male reproductive anatomy, 29–30
 - for types of cattle, 23–25
- terpene, 109
- testicles, 30

- test station, 134–135, 297
- Texas Longhorn cattle, 47
- threat display, 162
- thyroxin, 85
- ticks, 180
- tight calf crop, 227
- total digestible nutrients, 92
- training cattle, 159–160
- transportation, 160
- transporting cattle, 141–142
- Trichomoniasis, 203
- trimming, 293
- triiodine-7, navel disinfecting, 247
- troughs as water sources, 104–105
- tube dehorning, 260
- turbidity, 104
- twins, 239

U

- udder, 31
- understocking, 118
- unhealthy bovines, signs of, 136–137
- upper respiratory tract infections, 194
- urine, monitoring, 167–168
- USDA inspected processing facilities, 302
- uterus and uterine horns, 31

V

- vaccination guidelines
 - for calves, 258–259
 - overview, 174
 - for pregnancy, 223
 - for respiratory diseases, 195
- vagina, 31
- veal, 32
- veterinarian, 16–17
- vibriosis, 202
- videography your cattle, 299

- vital signs
 - measuring, 168–171
 - newborns, 254
- vitamin A, 87–88, 181
- vitamin B, 89
- vitamin D, 88
- vitamin E, 88
- vitamin K, 89
- vitamins, 87–89
- vomit, 101
- vulva, 31

W

- warbles, 180
- warm-season annuals, 122–123
- washing, 293
- water (drinking)
 - daily requirements for, 90
 - groundwater sources, 92
 - hardness, 91
 - nutritional needs, 90–92
 - overview, 90
 - proximity to, 90
 - quality, 91–92
 - sources for, 103–104
 - sulfate levels, 91
 - trough, not drinking from, 332–333
- water management
 - backup water supply, neglecting to keep adequate, 325–326
 - farm ponds, 125
 - flash grazing, 125
 - protecting your water resources, 123–125
 - stream crossing, building a, 123–124
- water sources
 - feeding program, 103–105
 - municipal supply or well, 104
 - overview, 10
 - pond, stream, or spring, 104
 - tanks or troughs, 104–105

- weaned calves, selecting, 130
- weaning, 25, 262–263
- Weaning Cry moo, 153
- weaning season, 177–178
- weather, keeping cattle comfortable during
 - extreme, 182–183
- weight and height, calves, 140
- weight of stocker calves, 270
- wet-aging, 318
- white clover, 109
- wind break fences, 72–73
- wind breaks, 72–73
- winter
 - accommodations in, 11
 - grazing, 268–269
- withdrawal time, 185
- woodchips as bedding material, 74
- working chute, 65
- wounds, treating, 191
- woven wire fencing
 - components of, 55–57
 - end assemblies, 56
 - high-tensile wire, 56

- offset electrical wire, 56
- overview, 54–55
- posts, 56
- tensile strength of, 54–57

Y

- yearlings
 - defined, 25
 - purchase prices, 14
- yearlong forage chain, creating,
 - 122–123
- yields
 - estimating pasture, 119–120
 - grade, 318

Z

- Zebu cattle, 41
- Zebu miniature cattle, 49
- zinc, 86, 87
- zoning regulations, 21
- zoonotic diseases, 19–20