

Index

Note: page numbers in *italics* refer to figures and boxes, those in **bold** refer to tables.

- Aae protein adhesin 217, 237
 abortion, spontaneous 161–2, 480
 abrasive agents 740–1
 abscess
 periapical
 diabetes mellitus 309
 drainage 851, 852
 see also periodontal abscess
 absorbable collagen sponge (ACS) 1093
 abutments
 angulated 1198–9
 ceramic 1233
 implant-supported restorations 1225–6, 1227, 1231
 Zirconia 1233
 access therapy 783–820
 distal wedge procedures 794–7
 periodontal pocket surgery
 techniques 783–94
 periodontal surgery
 guidelines 797–812
 outcome 812–20
 accessory canals 507–8, 510, 511
 acellular freeze-dried dermal matrix (ADM) allografts 966–7
 acetylsalicylic acid burn 396
 aciclovir 379
Actinobacillus actinomycetemcomitans *see* *Aggregatibacter actinomycetemcomitans*
Actinomyces
 biofilm composition 238, 239
 colonization 246
 peri-implant infections 273
 plaque formation 185, 186, 212
Actinomyces naeslundii
 biofilm on implant surfaces 268–71
 coaggregation 246
Actinomyces viscosus 212
 active threshold determination 115, 117
 acute necrotizing ulcerative gingivitis (ANUG) 210, 211
 etiology 212
 microbial invasion 294
 smokers 317
 spirochetes 221
 adhesins 231, 245–6
 adhesion molecules 289
 adolescents
 palatal implants 1286–7
 periodontal tissue breakdown 1243
 plaque removal 1243
 prosthetic oral implant anchorage for orthodontics 1283–4
 see also puberty
 adrenal function disorders, surgery
 contraindication 800
 advanced flap procedure, root coverage 972, 975–80
 advanced glycation end-products (AGEs) 310, 311, 487
 afferent nerve fibers 109
 age
 aggressive periodontitis 447–8
 attachment loss 144
 chronic periodontitis risk 424
 implant patient 639–40
 necrotizing periodontal disease 470
 periodontal disease 143–4
 periodontal support loss 1307
 see also adolescents; children
Aggregatibacter actinomycetemcomitans
 145–6, 148, 149
 aggressive periodontitis 438–40, 441, 448, 449
 elimination 449–51
 antibiotics 450–1
 local delivery 893
 microbiologic tests 890
 susceptibility 886–7
 synergism 887
 systemic 889
 antibodies in aggressive periodontitis 445
 antibody response 217
 antibody titers 303–4
 association studies 438
 bacteriocin production 244, 247
 cardiovascular disease 157, 158
 carotid endarterectomy 157
 clonal subset 216
 connective tissue invasion 440
 diabetes mellitus 245
 elimination by extraction of all teeth 274
 growth inhibition factors 243, 247
 HIV infection 244
 immune response 438–9
 interbacterial antagonism 243–4
 invasion 248
 leukotoxins 214, 216, 248, 294, 438, 440
 linear gingival erythema 382
 metronidazole with amoxicillin combination 889
 oral cavity colonization 217
 peri-implant infection 272–3, 274
 periodontal disease history 276–7
 periodontal infection 213, 214, 215–17, 243
 periodontal lesions in diabetes 310
 polymicrobial microbiota 226
 prevalence in periodontal disease 331
 serotypes 216–17
 smoking association 319
 subgingival peri-implant infections 639
 suppression 883
 transmission 236, 237
 virulence 243
 aggressive periodontitis 331–2, 428–52
 age at onset 447–8
A. actinomycetemcomitans 438–40, 441, 448, 449–51
 alveolar bone loss 450–1
 antibodies 441, 445, 449
 associated medical conditions 446
 attachment loss 429, 433, 446, 448, 450–1
 bacterial etiology 437–41
 candidate genes 444–5
 classification 429–31
 clinical diagnosis 445–8
 clinical syndromes 429–31
 crevicular fluid prostaglandin E₂ levels 449
 dentition
 permanent 432–3
 primary 432
 diabetes mellitus 446
 diagnosis 445–9
 differential diagnosis 447
 drug-induced granulocytopenia 446
 environmental factors 445, 446
 epidemiology 431–3
 etiology 437–41
 familial aggregation 447

- aggressive periodontitis (*continued*)
 forms 428
 furcation involvement 657–67
 generalized 428, 429, 430, 431, 440, 441, 447
 genetic diagnosis 449
 genetic factors 441–5
 heritability 331–2
 HIV infection 446
 host defense evaluation 448–9
 host response to bacterial pathogens 440–1
 host susceptibility 441–5
 hypophosphatasia 446
 implants 661
 planning 680–2
 inheritance 442–5
 leukemia 446
 leukocyte adhesion deficiency 446
 local inflammatory responses 441
 localized 140–1, 213, 215–17, 428, 429, 430–1, 437–41, 447
 microbiologic diagnosis 445–8
 microbiologic testing 451–2
 orthodontic therapy 662, 665
 palmo-plantar keratitis 446
 pathogenesis 441–5
 pathogenic flora elimination/suppression 449–52
 periodontal probing 437
 periodontium rate of destruction 447
 permanent dentition 432–3
 polymorphonuclear leukocytes 441
P. gingivalis 440, 441, 448
 primary dentition 432
 prosthetic treatment 661
 restorative therapy 662, 665
 restorative treatment 661
 screening 433–7
 sibling monitoring 448
 smoking 432–3, 445, 446
 surgery 661, 663
 therapeutic intervention 449–52
 treatment 657–67
- agranulocytosis, surgery
 contraindication 800
- AIDS *see* HIV infection
- alcohol abuse, implant patient 645
 alcohol consumption, necrotizing periodontal disease 470
- alexidine, plaque control 744
- allele frequencies 330
- allergic reactions 393, 690
- oral mucosa 392–4
 periodontium 849
- alloplastic grafts 552–3
- alveolar bone 3, 27–8, 34–42, 86–95
 blood vessels 45, 46
 dehiscence 36
 gingival recession 961, 1267, 1269
 deposition 42
 destruction 510
 fenestration 36
 formation 39, 86
 healing 88–9
 height 657
 loss 86, 92–3
 aggressive periodontitis 450–1
 children 140–1
 diabetes mellitus 488
 osseous surgery 795
P. gingivalis 219
 radiographic assessment 131
 risk assessment 1307
 smokers 318
 trauma from occlusion 360
 membrane barriers 94, 95
 necrosis 462
 neurovascularization 109–10
- orthodontic loading 363–5
 osteoclast activity 41
 osteoporosis 89–91
 patient examination 583
 radiographic analysis 576, 583
 regrowth 542
 remodeling 42
 renewal 40, 41
 repair 94–5
 resorption 41, 42, 66, 67
 periodontitis 440
 pulpal inflammatory response 506, 508
 turnover with orthodontic loading 364
- alveolar bone proper 3, 4, 5, 36, 38, 42
 lamellar bone 37
 periodontal ligament 28
 fibers 30, 32, 33, 42
 resorption 63
 Sharpey's fibers 38, 42
 tooth attachment 37
 tooth extraction 55
 tooth socket healing 63, 64, 65
- alveolar crest 28
 distance to cemento-enamel junction 434–7
 fibers 28
 outline 657
 preparation for implant placement 1072
 recontouring 832
 width determination 1068–9
- alveolar crestal height (ACH) 90
- alveolar mucosa 5, 7–8, 15
 necrotizing periodontal disease 462, 463, 464
 transplanted 24, 25–7
- alveolar nerve, inferior 48
 tooth extraction 120
- alveolar plexus, superior 48
- alveolar process 3, 27, 28, 34–5
 adaptation after tooth extraction 1059
 bone 86–95
 cancellous 1063
 lamellar 37, 54
 loss 86
 spongy 54
 cortical plates 53, 54
 CT 1286
- edentulous alveolar ridge 50, 51, 52–3
 formation 37
 mineralization 37
 resorption rate 1089
 tooth extraction 54–5, 56, 57, 58–9, 60, 61, 62–6
 topography 53–4, 55
- alveolar pyorrhea, trauma from
 occlusion association 349–50
- alveolar ridge
 augmentation 1011–17, 1018–19, 1020, 1021–3
 clinical concepts 1088–92
 dehiscence defects 1090–1
 differentiation factors 1093
 extraction sockets 1089–90
 growth factors 1093
 horizontal defects 1091–2
 horizontal tooth movement 1264–5, 1267, 1268
 long-term results 1087–8
 materials 1085–7
 procedures 1083–94
 vertical defects 1092
 vertical tooth movement 1263–4, 1265, 1266
- defects
 correction 1010–11
 dehiscence 1090–1
- horizontal 1091–2
 regeneration 1084
 soft tissue grafts 1089
 vertical 1092
- extraction sockets 1089–90
 healed following tooth loss 1063
 preservation 1088–9
- alveolar ridge, edentulous 50–67
 atrophy following tooth loss 1060–1
 augmentation 1011–17, 1018–19, 1020, 1021–3
 bone gain 53
 bone loss 53
 bone marrow 67
 bundle bone 63, 64
 classification of remaining bone 53
 defect correction 1010–11
 deformed 1008–17, 1018–19, 1020, 1021–3
 extra-alveolar processes 62–6
 free graft procedures 1013–17, 1018–19, 1020, 1021–3
 gingivoplasty soft tissue sculpting 1020, 1021–3
 implant placement 1055–6, 1057, 1058–61, 1062
 interpositional graft procedures 1014, 1015, 1016
 combined with onlay grafts 1020
 intra-alveolar processes 54–5, 56, 57, 58–9, 60, 61, 62
 lamellar bone 67
 onlay graft procedures 1015–17, 1018–19, 1020, 1021–3
 combined with interpositional grafts 1020
 osseointegration 99
 pedicle grafts 1011–13
 pontic contours 1020, 1021–3
 pouch graft procedures 1013–14
 remaining bone 52–3
 soft tissue collapse
 prevention 1009–10
 soft tissue grafts 1010–11
 surgical procedures for
 augmentation 1011–17, 1018–19, 1020, 1021–3
 topography 66–7
- amalgam tattoo 398
- ameloblasts 16
- amine alcohols, plaque control 746–7
- amine fluoride 746
- amino acids, sulfur-containing 1326
- amoeba 209
- amoxicillin 450, 451, 886
 metronidazole combination 889
 peri-implant lesions 878
- amphotericin B 752
- amyloglucosidase, plaque control 744
- analgesia 691
- anchorage
 orthodontic
 absolute 1280–90, 1291
 implants as temporary devices 1284–8, 1289, 1290, 1291
 indications for implants 1283, 1284
 length-reduced devices 1285
 skeletal systems 1281
 temporary devices 1282
- anchoring fibers 12, 13
- androgens 408
- anemia, surgery contraindication 800
- angina pectoris, surgery
 contraindication 799
- angiogenesis 60
- angular bone
 defects 351, 360
 destruction 358, 359

- ankylosis 547
 external inflammatory root resorption 871
 functional 99
 implants 1228
 maxillary anterior single-tooth replacement 1159, 1160, 1161
 replacement root resorption 868
 antiadhesive agents, chemical plaque control 739
 antibiotics 882–94
 adjunctive systemic 251, 252
 adverse reactions 887–8
 aggressive periodontitis 450–1
 biofilm protection of bacteria 884
 carriers 885–6
 controlled delivery 886
 controlled release 879–80
 cumulative interceptive supportive therapy 879–80
 delivery routes 884–6
 evaluation 886–94
 halitosis treatment 1336–7
 local delivery/application 885–6, 886
 clinical practice 893–4
 clinical trials 890–2
 microbiologic tests 889–90
 minimal inhibitory concentration 885
 necrotizing periodontal disease 471
 peri-implant lesions 878, 879–80
 periodontal abscesses 497, 500–1, 502
 periodontal dressings 811
 periodontal therapy 251
 plaque control 743–4
 pre-operative prophylaxis 799
 principles of therapy 882–6
 prophylactic
 bacterial endocarditis 688–9
 patients on
 immunosuppressants 800
 reconstructive therapy 914
 reconstructive therapy 914
 resistance 248, 744, 883, 890
 biofilms 228–9
 systemic 884–5
 clinical practice 889–90
 clinical trials 888–90
 antibodies
 aggressive periodontitis 441, 445, 449
 avidity 301
 evasion by pathogens 247–8
 innate defense systems 440
 production 301
 response 303–4
 anticalculus agents 741
 anticaries agents 736
 anticoagulants
 implants 641–2
 surgery contraindication 799
 treatment planning 689, 690
 anticonvulsants, gingival overgrowth 410
 antigen presentation 299–300
 antigen presenting cells 299–300
 humoral immune response 304
 antingivitis agents 734, 754
 antimicrobial agents
 plaque control 734, 743–4, 754
 chemical 739–40
 systemic 743–4
 uptake measurements 755
 see also antibiotics
 antimicrobial tests 755, 756
 antineoplastic drugs 392
 antioxidants 311
 antipathogenic agents, plaque control 740
 antiplaque agents 734, 740, 742–60
 evaluation 754–60
 antiseptics
 cumulative interceptive supportive therapy 878
 peri-implant lesions 878
 plaque control 742–3, 744, 747
 resistance 248
 see also chlorhexidine
 alpha-1 antitrypsin 295
 antiviral drugs, herpetic gingivostomatitis 379
 anxiety
 control 690–1
 non-surgical therapy 774
 apically repositioned flap 788–9
 Arg1-protease 294
 ARG-gingipain 249
 arterial hypertension, surgery contraindication 799
 articulation
 implants 628
 problems and oral stereognostic ability 118–19
 aspirators 805
 atheromatous plaque 157
 atherosclerosis 156–9
 risk with periodontitis 477, 478, 479
 attachment
 bony defect diagnosis 902–3
 creeping 995
 gingival augmentation 957
 guided tissue regeneration 1260
 level changes 816–17
 orthodontic intrusion 1259–60
 see also clinical attachment level (CAL); probing attachment level (PAL)
 attachment apparatus 4
 loss 857
 see also alveolar bone proper; cementum; connective tissue; attachment re-establishment; periodontal ligament
 attachment loss 134
 age 144
 aggressive periodontitis 429, 433, 446, 448, 450–1
 chronic periodontitis 423
 diabetes mellitus 308–9, 488
 endodontic lesions 858
 gingival inflammation 422
 incidental 433, 448
 intrusion of plaque-infected teeth 1259
 percentile plots 133
 periodontitis 440, 1300
 probing pocket depth 579
 pulp infection 517
 risk assessment 1311
 autoimmune disorders, implant patient 643–4
 autoinducer-2 228
 azathioprine 392, 393
 B cells
 adaptive defense system 299
 regulation process 301–2
 smoking effects 321
 bacteria/bacterial infections 184
 adhesion 185
 to calculus 199
 antagonism 243
 antibiotic resistance 228–9, 248, 774, 883, 890
 attachment 228, 271
 bacterial endocarditis 688–9
 bacterial vaginosis 481
 beneficial species 243
 bridging species 222, 232, 246
 cardiovascular disease 157, 158
 cell-to-cell recognition 231, 233
 challenge to host 156–7
 coaggregation 222, 231–2, 233, 246
 colonizing species 232, 233
 host defense mechanisms 247–8
 commensal 1337
 in maxillary sinus 1101
 complex formation in biofilm 231–2
 deposits on implants 629
 endodontic origin lesions 511–12
 fibrils 228
 fimbriae 228
 gingival disease 377
 gingivitis 145–6, 147–8, 148
 necrotizing 466
 plaque-induced 408
 halitosis 1325, 1326
 insulin resistance 309
 interbacterial relationships 246–7
 antagonism 243
 intraoral transmission 275
 invasion of periodontal tissue 210–11
 linear gingival erythema 382
 metabolic products 189–90
 migration along stitch canal 1037–8
 mixed anaerobic 211–12
 nutritional conditions 185
 periodontitis 145–6, 147–8, 148, 208, 209
 plaque 203
 formation 188–90, 241
 rapid/slow formers 241
 subgingival 192, 193, 194, 195, 198
 pneumonia 488, 491
 primary colonization 185–6
 root canal infection 512–14
 smoking effects 319
 tissue reactions around sutures 1037–8
 tongue 1327
 transmission 236–8
 transport in dentinal tubules 520
 volatile sulfur compound formation 1326–7
 see also biofilms
 bacteriocin 244, 247
 Bacteroides
 black-pigmented group 217–18
 fusiform 219
 Bacteroides forsythus see Tannerella forsythia
 Bacteroides melaninogenicus see Prevotella intermedia
 barrier epithelium 73, 74
 barrier membranes 905–7, 945
 bioabsorbable materials 930, 937, 948, 1084
 pedicle soft tissue graft for root coverage 981–2
 ridge augmentation 1084, 1086
 combined procedures 940, 941, 942–3
 furcation involvement 906, 908, 932–7
 gingival dehiscence 915
 intrabony defects 906, 908, 930–2, 933
 lateral bone augmentation for posterior implants 1184, 1185
 materials 1093–4
 regenerative surgery 928, 930–8
 maxillary anterior single-tooth replacement 1157
 modified papilla preservation technique 917–18, 919, 920, 921
 non-absorbable materials 928, 930–2, 933, 937, 945, 948, 1084
 pedicle soft tissue graft for root coverage 980–1, 983
 ridge augmentation 1084, 1085–6

- barrier membranes (*continued*)
 oral hygiene 937
 pedicle graft procedure for root coverage 980–1, 983
 removal 937–8
 ridge augmentation 1084, 1085–6
- basal cells 12, 13
 basal lamina 16
 basement membrane 12
 basic periodontal examination (BPE) 656
 system code 656–7
- Bass technique of toothbrushing 708
 behavior, discrepancy development 698
 behavioral change
 counseling 695–6
 oral hygiene 700–2, 707
- benign mucous membrane pemphigoid (BMMP) 387, 388–9
- benzalconium chloride 744
 beta-lactamase 227, 229, 886
 beveled flap 789, 790
- bioabsorbable materials 928
 biofilms 183–4, 208
 antibiotic resistance 228–9
 antimicrobial agents 187
- bacteria
 attachment 228, 271
 coaggregation 231–2, 233
 detection/enumeration 229
 enzymes 294
 growth rate 228, 229
 transmission 236–8
- climax community 226, 271–3
 communication 226
 complexity 230, 271–3
 composition
 subgingival 232, 234–9
 supragingival 238–9, 240
- dental plaque 226–32, 233, 234–9, 240, 241–2
- epithelial cell-associated 231
 exopolymer matrix 228–9
 exopolysaccharides 227
 extracellular enzymes 229
 formation 185, 187
 genetic information exchange 227–8
 glycocalyx 229
 health sites 234
 host factors 234, 235–6
 implant surfaces 268–71
 local environment 234, 235–6
 major perturbations 226
 microbial complexes 231–2
 microcolonies 227, 228, 230
 nutrients 227, 230
 oral hygiene 242
 orange complex species
 adjunctive systemic antibiotics 252
 peri-implant infections 273
 periodontal infections 234, 239, 252
- peri-implant infections 273, 277–9
 periodontal disease 229–31
 status 232, 234
- pH 227
 physiological heterogeneity 227
 pioneer species 241
 properties 227–9
 protection against antibiotics 884
 quorum sensing 227–8
- red complex species
 adjunctive systemic antibiotics 252
 peri-implant infections 273
 periodontal infections 234, 235, 239, 252
- shear force 227
 structure 226–7
 subgingival 232, 234–8
 composition 234, 238–9
- development 239, 241–2
 therapy effects 249–52, 253
- supragingival
 composition 238–9, 240
 development 239, 241–2
 tooth cleaning 242
 water channels 227, 230
 yellow complex species 273
- bio-glass grafts 557
 biologic width establishment 1162
 biologically active regenerative materials 905, 908–9, 938–40
 modified papilla preservation technique 918, 922
see also enamel matrix derivatives (EMD)
- Bio-Oss® grafts 942
 bisbiguanide antiseptics 744
 bisphosphonates 90, 91
 implant patient 640–1
 osteonecrosis 591
- bite force, implant-supported restorations 1228
- black triangle, interdental 996, 1155, 1156, 1162
- bleaching agents 741, 746, 870, 871
- bleeding on probing (BoP)
 basic periodontal examination 656, 657
 gingival 574–7
 patient examination 585
 peri-implant 630, 876
 risk assessment 1304, 1305, 1306, 1310–11
- BMP4 gene 341
- body mass index (BMI), periodontitis 153–4
- body odor 1325
- bonding of artificial tooth surfaces 1248
- bone 86–95
 anti-resorptive agents 90, 91
 augmentation for implants 608, 609, 610, 1083–94
 available for implants 610, 611
 biology 86–9
 bundle 63, 64, 65
 contouring 903
 cortical and orthodontic tooth movement 1253, 1256
 cyclic load reaction 368
 dehiscence 1253, 1256, 1267
 gingival recession 1269
 destruction in periodontitis 296–7
 diabetes mellitus 91–3
 emergency type 1264
 endochondral formation 86
 functional loading 365, 366
 healing 89–95
 height for implants 601–2, 607, 608, 609, 610, 636
 residual 1100
 induction with autotransplantation of teeth 1267
 intramembranous formation 86
 lamellar 62
 edentulous alveolar ridge 67
 osseointegration 107
- loss
 cyclic loading 368
 endodontic lesions 854–5
 horizontal 1256
 peri-implant 1058–9
 peri-implantitis 533, 534, 535
 metabolic disorders 89–93, 643
 modeling 87
 implant placement 1056, 1057, 1058
 osseointegration 104–5
 parallel-fibered 62
- preparation for implant placement 1071–2
 quality 1068, 1069
 reaction to orthodontic implant loading 1282–3
 recontouring for crown-lengthening 1000, 1002, 1003
 regeneration 93–5, 542, 543
 autogenous grafts 553
 peri-implant 1046–7
 trauma from occlusion 1128–9
- remodeling 87–8
 adaptive 368
 implant placement 1056, 1057, 1058
 osseointegration 107
- repair inhibition 92–3
- resorption 41, 42, 866
 active 357, 358
 direct 354
 endodontic lesions 514
 indirect 354
 therapeutic strategies 91
 woven bone 62
- smoking effects 322
- static load reaction 368
- surgical site 1068–70
- systemic loss 90
- volume 89–93, 1068, 1069
- width for implants 607, 608, 609, 610, 636
- wound healing 87
- woven
 osseointegration 104–5, 106, 107
 peri-implant loss 1058–9
 resorption 62
 tooth socket healing 56, 57, 58, 60, 61, 62, 63, 64, 65
see also alveolar bone; guided bone regeneration (GBR)
- bone cells 86–7
 regenerative capacity 547
- bone chips 1156
 lateral bone augmentation for posterior implants 1184, 1185
- bone chisels 805
- bone defects
 angular 351, 818–20, 854, 855
 deep pocket probing depths 858
 forced tooth eruption 1004, 1005
 iatrogenic root perforation 858, 859
 intrusion of plaque-infected teeth 1259
 trauma from occlusion 1125
- classification 901–3
 diagnosis 901–3
 horizontal 1084
 implant placement planning 1070
 morphology 911–12
 periodontal attachment restoration 903
 regenerative periodontal therapy 911–12
 vertical 1084–5
see also intrabony defects
- bone fill, angular bone defects 818–20
- bone grafts 93–4
 allogeneic 552, 554–5, 938
 autogenous 552, 553–4
 cortico-cancellous 1087
 horizontal ridge defects 1091–2
 maxillary anterior single-tooth replacement 1157
 maxillary sinus floor elevation 1107
- materials 94
- maxillary sinus floor elevation 1107, 1115–16
- osteoconductive 544, 546
 osteoinductive 546
 osteoproliferative 544

- regenerative therapy 544–5, 546–7, 907–8, 909
- ridge augmentation 1086–7
- simplified papilla preservation flap 922, 925
- tissue regeneration 551–7
- types 552
- vertical bone defects 1084–5
- vertical ridge defects 1092
- xenogeneic 552, 555–6
- bone lining cells 86
- bone marrow
- edentulous alveolar ridge 67
 - osseointegration 107
 - tooth socket healing 62, 64
- bone mineral density 89, 90
- bone morphogenetic proteins (BMPs) 87, 93, 341, 559
- alveolar bone healing 89
 - collagen carrier 1093
 - expandable polytetrafluoroethylene membrane effect 1093–4
 - ridge augmentation 1093
- bone multicellular unit (BMU) 41, 88
- bone removal instruments 805
- bone replacement grafts, regenerative therapy 905, 907–8, 909, 938
- bone substitute materials
- horizontal ridge defects 1092
 - maxillary anterior single tooth replacement 1156
 - maxillary sinus floor elevation 1107–8
 - ridge augmentation 1086–7
 - vertical bone defects 1084–5
 - xenogenic 1087
- bone-added osteotome sinus floor elevation (BAOSFE) 1111
- bovine bone-derived biomaterials 555
- Braun Oral-B Plaque Remover 713
- Breathtron™ 1329
- bridges, tooth mobility 1134–6
- bridging, healing phenomenon 995
- bruxism 829
- implant failure 591
- buccal artery 43
- buccal bone plate, height reduction after extraction 52
- buccal nerve 48
- bucco-lingual thickness, gingival recession 1269, 1271
- Buerger disease, *Campylobacter rectus* association 223
- bundle bone *see* alveolar bone proper
- bupropion 322
- burns, thermal 397–8
- burs 804, 805
- burst hypothesis of disease progression 424
- butyric acid 1326
- cadaverine 1326
- calcitonin 88
- calcium 314–15
- calcium channel blockers, gingival hyperplasia/overgrowth 410–11, 641, 800
- calculus, dental 183–4, 197, 199–203
- attachment to tooth surfaces/implants 200–1
 - carbon fiber cures 876
 - clinical appearance 197, 199–200
 - clinical implications 202–3
 - composition 201–2
 - detection 766–8
 - diagnosis 197, 199–200
 - distribution 197, 199–200
 - formation rate 199
 - lipopolysaccharide 766
 - mineralization 201–2
- periodontitis in adults 133, 134, 202–3
- removal 766–72
- complete 767
 - non-surgical root debridement 767–72
- structure 201–2
- subgingival 585
- supragingival 585
- Caldwell–Luc technique 1102
- modified 1109
- Campylobacter rectus* 160
- aggressive periodontitis 438
 - atherosclerosis association 223
 - cardiovascular disease 158
 - diabetes mellitus 310
 - fetal effects 223
 - growth restriction 482
 - leukotoxin 223
 - linear gingival erythema 382
 - periodontal infection 222–3
 - pregnancy adverse outcomes 223, 482
 - smoking association 319
- cancer chemotherapy 392
- implants 641
- cancrum oris 459
- Candida albicans* (candidiasis)
- chlorhexidine use 752–3
 - diabetes mellitus 308
 - gingival disease 380–1
 - linear gingival erythema 382
 - pseudomembranous 381
 - smoking association 319
- canines, periodontal abscesses 500
- cantilever units
- extensions 1213
 - fixed partial dentures 588, 590, 1182–3, 1184, 1213–15
 - implant restorations 1182–3, 1184
- Capnocytophaga*
- aggressive periodontitis 438
 - periodontal lesions in diabetes 310
- CARD15 (NOD2) gene
- polymorphisms 338, 339
- cardiovascular disease 156–9
- patient health protection 688
- periodontitis
- risk with 476–80
 - treatment 489
- Porphyromonas gingivalis* 157, 158, 479–80
- surgery contraindication 799
 - treatment complications 690
- caries, dental 208
- high-risk patients 753
- carotid artery, intima media thickness (IMT) 157, 158
- carotid endarterectomy 157
- cathepsin C 332, 333
- gene mutations 645
- CD4 lymphocyte count 154, 155
- HIV infection 412
 - necrotizing periodontitis 469
- CD4-positive cells 301
- CD8 marker 300, 301
- CD14–260 gene polymorphism 338, 339
- cellulase 227
- cemented multiple-unit posterior implant prostheses 1197–8
- cementoblasts 4, 5, 21, 32
- cementum intrinsic fiber system 33
- cementocytes 32–3
- cemento-enamel junction 6, 17, 28, 29
- clinical attachment level 130
 - distance to alveolar crest 434–7
 - implant planning 1225
 - implant shoulder sink depth 1150
 - leveling 1005
 - tissue regeneration 544, 545
- cementoid 4–5
- cementum 4, 31–4
- acellular, extrinsic fiber 31–2, 32, 33, 34
 - bone grafting 546, 547
 - cellular
 - intrinsic fiber 32–3, 34
 - mixed stratified 31, 32, 34 - components 31
 - damage 516, 517
 - dental pulp
 - infection 516, 517
 - protection 516 - deposition 32, 33–4
 - extrinsic fiber system 33
 - formation of new 542
 - autogenous grafts 553
 - enamel matrix derivative use 558, 559 - incremental lines 34
 - intrinsic fiber system 33
 - lipopolysaccharide 766
 - mineralization 34
 - peri-implant mucosa 76–7
 - tooth attachment 37
 - types 31, 32
 - see also* root cementum
- central nervous system (CNS), sensitization 521
- cephalosporins 886
- cerebrovascular disease 156–9
- cervical lymph nodes, deep 47
- cetylpyridinium chloride 741
- antimicrobial activity 742–3
 - halitosis treatment 1336
 - plaque control 744–5
- Charters technique of toothbrushing 709
- checkerboard DNA–DNA hybridization 213, 214
- Eubacterium* 224
- peri-implant infection 274–5, 277, 278
- Tannerella forsythia* 220
- Chediak–Steinbrinck–Higashi syndrome 446
- chemical injury 396
- chewing comfort 1140, 1141, 1143
- chewing gum 742
- allergic reactions 393
- chewing sticks 736
- chickenpox 379–80
- children
- aggressive periodontitis 432, 433, 434, 435
 - cemento-enamel junction distance to alveolar crest 434–7
 - gingival recession defects 971, 972
 - necrotizing periodontal disease 460
 - palatal implants 1286–7
 - prosthetic oral implant anchorage for orthodontics 1283–4
- chlorhexidine 414, 734, 748–54
- anti-discoloration system 750
 - antimicrobial activity 742–3, 756
 - chewing gum 742
 - clinical uses 751–4
 - full-mouth disinfection 776
 - gels 751
 - halitosis treatment 1335, 1336
 - irrigation 717
 - irrigators 742
 - local application 886
 - mechanism of action 750
 - mouth rinses 741, 751
 - side effects 748–50
 - mucosal desquamation induction 396
 - necrotizing periodontal disease treatment 471–2
 - oral hygiene 752
 - oral ulceration 753
 - plaque control 744

- chlorhexidine (*continued*)
 post-regenerative surgery 925, 926
 products 750–1
 professional prophylaxis 752
 professional tooth cleaning 925
 regenerative surgery 947
 safety 748–9
 side effects 748–50
 slow-release vehicles 751
 sodium fluoride synergism 753
 sprays 741–2, 751
 staining 749
 structure 748
 subgingival irrigation 753
 toothpaste content 741, 751
 toxicology 748–9
 use 752
- chlorhexidine gluconate in gelatin chip 892
- chorioamnionitis 481
- chromosomes 329, 330
- chronic obstructive pulmonary disease 488–9
- cigarette smoking *see* smoking
- ciprofloxacin 886
- circular fibers 22, 23
- circumferential supracrestal fiberotomy (CSF) technique 1274
- citric acid demineralization 557–8, 973
 guided tissue regeneration combination 942–3
- clavulanic acid 886
- clear cells 11–12, 13
- clenching 829
 implant failure 591
- clindamycin 889
- clinical attachment level (CAL) 130
 regenerative therapy 944, 948
 supportive periodontal therapy 1313–14
- clinical trials
 antibiotics
 local 890–2
 systemic 888–90
 blindness 758
 controls 758–9
 plaque control 757–60
 randomization 758
 study groups 759–60
- clonal expansion 299
- Clostridium difficile* 888
- clotting mechanisms 689
- cocaine burn 396
- col region 7
- collagen
 bioabsorbable barrier membrane 1086
 formation after orthodontic extrusion 1264
 growth factor carriers 1093
 loss in gingivitis 290, 292
- collagen fibers 21, 28, 29
 dento-alveolar 73, 76–7
 dento-gingival 73, 76–7
 lamina propria 19
 orientation 22, 23, 28–9
 periosteum 40
 production 32
see also periodontal ligament, principal fibers
- collagen fibrils 29
- collagenase 249
- collagen-like platelet aggregation associated proteins (PAAP) 479
- communication skills 698–700
- Community Periodontal Index for Treatment Needs (CPITN) 131, 132–3, 135, 140, 437
- complement 298, 301
 innate defense systems 440
- computed tomography (CT) 605, 606, 609, 610
 alveolar process 1286
- confounding 143
- congenital heart lesions, surgery contraindication 799
- connective tissue 5, 9, 10
 attachment re-establishment 544, 545, 546, 547
 periodontal ligament cells 548–9
 dental pulp infection 515
 diabetes mellitus 310–11
 disorders in implant patients 643–4
 fibers 21–2
 gingiva 19–24
 regenerative capacity 547–8
 transplant 25
- inflammatory cell infiltrate 580
- invasion by *A. actinomycetemcomitans* 440
- jiggling trauma 357
- loss with orthodontic forces 354
- matrix 23–4
- osseointegration 104, 105
- papillae 9–10
- peri-implant 73
- smoking effects 321
- supracrestal fiber severing 1005, 1006
- tooth socket healing 55, 56, 57, 58, 60, 61
- transmucosal attachment 75
- connective tissue grafts 985–7, 988–9, 990
 combined with coronally advanced flap 985, 986, 988, 989
 envelope technique 987, 989
 papilla reconstruction 997, 998
 trap door approach 986, 987, 988
 tunnel technique 987, 990
- connectors for implants 1184
- contraceptives, periodontal effects 312, 316
- copper salts 746
- coral skeleton 555–6
- coronally advanced flaps 985, 986, 989, 990, 991–2
 healing 994–5
- coronary heart disease (CHD)
 acute coronary syndrome with milleri streptococci 225
 periodontal infection 158
Prevotella intermedia 222
- cortisone 690
- craters, interproximal 902
- C-reactive protein (CRP) 157, 159, 479
- creeping attachment 995
- critical probing depth 816–17
- Crohn's disease 394
- crown(s)
 dental pulp diseases 505
 displacement (*see* tooth mobility)
 length-to-width ratio 595–6
- crown length
 increase
 with gingivectomy 1275, 1276
 with orthodontic intrusion 1256
 orthodontic intrusion 1256, 1260
- crown-lengthening procedures 997, 999–1000, 1001, 1002–6, 1007, 1008
- ectopic tooth eruption 1005–6, 1007, 1008
- excessive gingival display 997, 999–1000, 1001, 1002
- exposure of sound tooth
 structure 1002–5, 1006
 sutures 1040
- crown-root ratio 587
- crown-root-alveolar bone relationships, crown-lengthening 999
- CTSC gene mutation 332–3
- cumulative implant survival rate (CISR) 1213
- cumulative interceptive supportive therapy (CIST) 878–80
- curettes 804–5
 carbon fiber 876
 root debridement 768–70, 771
- cuticle 191–2
- cyanoacrylates, periodontal dressings 811
- cyclosporin, gingival hyperplasia/overgrowth 392, 410, 411, 641, 800
- cytokines 296
 alveolar bone healing 88–9
 diabetes mellitus 310
 systemic bone loss 90
- cytomegalovirus (CMV)
 necrotizing periodontal disease 466
 periodontal infection 225
- debridement
 peri-implant lesions
 mechanical 877, 878
 non-surgical 876
see also root debridement
- decalcified freeze-dried bone allogeneic grafts 554–5
- delmopinol 739, 746–7
- demineralization, root surface 557–8, 559, 973
- demineralized bone matrix (DBM) 93
- demineralized freeze-dried bone allografts 904, 938, 940, 941, 942
- dental arch, shortened (SDA) 1139
- dental artery 43
- dental follicle 4, 5
- dental lamina 3
- dental nerve 48
- dental organ 3, 4
- dental papilla 4
- dental restorative materials
 allergic reactions 393
 foreign body reactions 398
see also restorative dentistry
- dental status
 stereognostic ability 118
 tactile function 116–17
- dental tape 714–15
- dental team, infection protection 687–8
- dental water jet 717
- dentifrices 396, 414, 718
 halitosis treatment 1336
 soft tissue abrasion 719
see also toothpaste
- dentilsin 221
- dentin
 abrasion 741
 bone formation at surface 868
 dehydration in root-filled teeth 861
 etching by dietary components 521
 formation 4, 5
 hypersensitivity 518, 520–2, 741
 nerve fiber response to exposure 520
 permeability to
 microorganisms 505–6
 removal in periodontal treatment 518
 reparative 506, 507
- dental tubules
 bacteria transport 520
 infection in root-filled teeth 858
 invasion by subgingival bacteria 193
 natural occlusion 521
 open 520
 pulp infection 516, 517
- dentin-pulp complex 4
- dento-gingival epithelium 16–19
 gingivitis 290, 291
 invasion by pathogens 294

- proliferation in trauma from occlusion 359
 - dento-gingival fibers 22, 23
 - dento-gingival interface probing 79
 - dento-gingival plexus 44, 45
 - dento-gingival plexus, protein exudate 286, 287
 - dento-gingival region 17
 - dento-periosteal fibers 22, 23
 - denture stomatitis 630
 - chlorhexidine use 753
 - dentures
 - removable 50
 - partial 1177
 - see also* fixed partial dentures (FPD); overdentures
 - denudation procedure 965–6, 968–9
 - deproteinized bovine bone mineral (DBBM) 1087, 1092
 - desensitizing agents 741
 - desmosomes 13–14
 - epithelial cell rests 30, 31
 - detergents
 - plaque control 746
 - toothpaste 396, 741
 - developing countries, necrotizing periodontal disease 460
 - dextranase 740, 744
 - diabetes mellitus 307–12
 - aggressive periodontitis 446
 - alveolar bone loss 488
 - attachment loss 308–9, 488
 - bone effects 91–3
 - chronic periodontitis 425
 - clinical symptoms 308
 - control 309–10, 690
 - gingival disease 411
 - glycemic control 308
 - halitosis 1327
 - host response effects 310–11
 - host susceptibility to disease 245
 - host-bacteria relationship modification 310–11
 - implant patient 642–3
 - metabolic control 151, 153, 162
 - oral effects 308–9
 - periodontal effects 308–9
 - periodontal treatment 311–12
 - periodontitis 92, 151, 152–3, 153, 162, 486–8
 - treatment effects 490–1
 - risk assessment 1307–8
 - surgery contraindication 800
 - treatment considerations 690
 - type 1 91–2, 307–8
 - type 2 92, 307–8
 - diamines 1326
 - diet, dentin etching 521
 - dietary habits, motivational interviewing 698
 - dietary proteins, allergic reactions 394
 - differentiation factors, ridge augmentation 1093
 - digital volume tomography 605, 606–7, 610
 - dimethylsulfoxide 1327
 - disclosing agents 720–1, 722
 - discoid lupus erythematosus 391
 - disease predictors 142
 - disease-modifying genes 328
 - implant failures 340–2
 - peri-implant infections 340–2
 - periodontitis 333–40
 - disinfection, full-mouth 717–18, 776
 - distal wedge procedures 794–5
 - distance between implant shoulder and mucosal margin (DIM measurements) 1150
 - DNA 329
 - DNA hybridization 229
 - Down syndrome, implant patients 645
 - doxycycline 886
 - controlled delivery 886
 - regenerative surgery 947
 - doxycycline hyclate in biodegradable polymer 891
 - dressings
 - light-cured 811, 812
 - periodontal 811–12
 - drug-induced disorders
 - chronic periodontitis 425
 - gingival 410–11
 - granulocytopenia 446
 - halitosis 1334
 - mucocutaneous 392
 - see also* medications
 - dual energy X-ray absorptiometry (DXA) 89
 - ectomesenchyme 3, 4, 5
 - differentiation 32
 - Eikenella corrodens* 223
 - aggressive periodontitis 438
 - elastase 227, 296
 - elastic fibers 21, 22, 23, 30
 - electric pulp testing 854
 - electric stimulation 854
 - empathy 697, 698
 - enamel 4, 16, 17, 18, 19
 - matrix proteins 558, 559
 - mesio-distal reduction 1271–2, 1273, 1274
 - enamel matrix derivatives (EMD) 558, 559
 - Bio-Oss® graft comparison 942
 - free soft tissue graft healing 995–6
 - furcation defects 843
 - intra-bony defects 908–9, 939–40
 - modified papilla preservation technique 918, 922
 - outcomes 945
 - pedicle graft procedure for root coverage 981–2
 - regenerative therapy 908–9, 938, 939–40, 942, 948
 - simplified papilla preservation flap 922, 925
 - endodontic lesions 504–22, 849–51, 852, 853–9
 - bacteria 511–12
 - drainage 851, 852
 - periodontitis differential diagnosis 851, 853–6
 - pulp vitality testing 851, 853–6, 857
 - vertical root fractures 859–63, 864, 865
 - endodontic treatment 858
 - iatrogenic root perforation 858–9, 860
 - inflammatory exudate access to root canal 514
 - root separation and resection 837
 - endonucleases 236
 - endopeptidases 295
 - endo-perio lesions 848
 - diagnosis/treatment 856–8
 - endothelial dysfunction, periodontal therapy 159
 - endothelial leukocyte adhesion molecule 1 (ELAM-1) 289, 302–3
 - endotoxins 294
 - necrotizing periodontal disease 467
 - Enterobacter agglomerans* 225
 - Enterobacter cloacae* 225
 - enzyme-linked immunosorbent assay (ELISA) 229
 - enzymes, plaque control 740, 744
 - epidemiology of periodontal disease 129–63
 - age 143–4
 - atherosclerosis 156–9
 - causal relationship 141–2
 - cigarette smoking 148, 149–50, 151
 - confounding 143
 - diabetes mellitus 151, 152–3, 153
 - exposure 142–3
 - frequency distribution 133
 - health survivor effect 141
 - HIV infection 154–5
 - index systems 129–31
 - initiation factors 156
 - methodology 129–33
 - microbiology 145–6, 147–8, 148
 - necessity of condition 141
 - non-modifiable background factors 143–5
 - obesity 153–4
 - osteopenia/osteoporosis 154
 - pregnancy complications 159–62
 - prevalence 133–5, 136–7, 138, 139–40, 140–1
 - progression factors 156
 - psychosocial factors 155
 - risk factors 141–6, 147–8, 148, 149–50, 151, 152–3, 153–6
 - selection bias 141
 - sufficiency of condition 141
 - systemic disease risk 156–62
- epilepsy, surgery contraindication 800
- epithelial cell rests of Mallassez 30, 31, 516
- epithelial cells
 - gingivitis 289–90, 291, 292, 293
 - pathogen invasion 247
 - see also* oral epithelium
- epithelial rete pegs 290
 - gingivitis 289
- epithelial ridges 9, 10, 11
- epithelial root sheath 4
- epithelial sheath of Hertwig 31–2
- epithelial strands 516
- epithelialized soft tissue graft, root coverage 982, 984, 985, 990
- Epstein-Barr virus (EBV) 225
- epulis 314
- erythema multiforme 390–1
- erythrocytes, implant wound chamber 104
- erythrosine 720–1
- Escherichia coli*, smoking association 319
- essential oils
 - halitosis treatment 1336
 - plaque control 745
- esthetics
 - anterior single-tooth replacement 1149–57, 1158, 1159, 1160, 1161
 - cantilever pontics for fixed partial dentures 1213
 - checklist 1147
 - implant 1146–70
 - direction 1075
 - maxillary anterior restorations 1148–9
 - multiple-unit anterior fixed restorations 1161–5
 - patient 594–7, 597, 598
 - placement 1064, 1065
 - scalloped design 1165–6
 - segmented fixed restorations 1166, 1167–70, 1170
 - tooth movement 1263–5, 1266, 1267
 - implant-supported restorations 630–2, 1233–4
 - missing tooth replacement 1142, 1144
 - objective criteria 1147
 - orthodontic treatment 1244, 1246–7, 1248
 - tooth movement 1263–5, 1266, 1267
 - principles 1147–8

- esthetics (*continued*)
 single-tooth problem 683, 684–5
 treatment goal 655
 treatment modality review 1148
- estradiol 312
- estriol 312
- estrogen 312
 bone resorption treatment 91
 chronic periodontitis 425
 gingival disease 408
 hormonal contraceptives 316
 pregnancy 313–14
 smokers 315
 tissue response 316
- ethnicity *see* race/ethnicity
- Eubacterium* 224
- exopeptidases 295
- exopolysaccharides 227
- Extent and Severity Index (ESI) 130–1, 135
- extraction of teeth
 cortical plasticity 121
 neuroplasticity 121
 periodontal ligament receptors 108–9, 113, 116, 117
 phantom tooth phenomenon 121
 sensory amputation 119–20
 sensory nerve damage 120
- extravascular circulation 46, 47
- facial artery 43, 44
- factor VIIc 316
- factor XIIc 316
- famciclovir 379
- familial aggregation, aggressive periodontitis 447, 449
- Fc gamma receptors (FcγR) gene polymorphisms 336, 337, 338
- FcγRIIIa* polymorphisms 336, 337, 338
- fetal growth restriction, *Campylobacter rectus* 482
- fetal-placental unit 481
- fetor hepaticus 1327
- fever, necrotizing periodontal disease 463
- fibrotomy
 forced tooth eruption 1005, 1006
 with orthodontic treatment 1274
- fibrin 104
- fibrinogen 479
- fibroblast growth factor (FGF) 87
 alveolar bone healing 89
 ridge augmentation 1093
- fibroblasts 19, 33
 dental pulp infection 515
 smoking effects 321
- fibroplasia 60
 osseointegration 104, 105
- fish malodor syndrome 1334
- fixed partial dentures (FPD) 676–7, 679–80, 683, 1208–18
 abutments 1223–4
 fractures 1224
 avoidance with implants 1177
 cantilever pontics 1213–15
 cantilever units 588, 590, 1182–3, 1184
 cantilevered 588, 590
 cast post 1223
 cement-retained 1233
 complete-arch fixed complete denture 1210, 1211
 complications 1211, 1222–4, 1235
 diagnostic waxing 1212
 dowels 1223
 forces during function 1211–12
 full-arch tooth replacement 1210–11
 high risk 1177, 1178
 implant-supported 676–7, 679–80, 683, 1181, 1182
 biomechanical risk reduction 1212
- clinical success assessment 1215–16
 immediate provisionalization 1215
 success/survival rate 1234–5
- implant-to-implant supported 1208, 1211–16
 long-term success 1223–4
 partially edentulous tooth replacement therapy 1211–16
 patient assessment 1208–9
 prosthesis design 1210–16
 retention loss 1224
 screw-retained 1213, 1233
 splinted metal-ceramic 1186
 straight 683
 success/survival rate 1234–5
 support with implant and natural teeth combination 1183–4
 survival rate 1223–4
 tooth-implant supported 1208, 1216–18
 complications 1217, 1218
 implant loss risk 1217
 maintenance 1218
 natural tooth intrusion 1217–18
 tooth-supported 1125–36, 1175–6, 1179
 treatment planning 1209–11
- flap handling instruments 805
- flap margin recession 842
- flap procedures 786–93
 apically positioned 1000, 1001, 1002, 1003
 ectopic tooth eruption 1006, 1008
 apically repositioned 788–9, 813–14
 beveled 789, 790
 clinical outcomes 931–2, 933
 coronally advanced flaps 985, 986, 988, 990
 envelope flap 987, 989, 1014, 1015
 hard tissue pockets 807–8
 healing 813–14
 implants 1054–5
 modified operation 787–8
 mucoperiosteal flaps 786, 787, 788, 1073
 maxillary anterior single-tooth replacement 1157
 maxillary sinus floor elevation 1102
 operation with/without osseous surgery 806
 rotational 990
 soft tissue lesion excision 817
 soft tissue pockets 806, 807
 suturing 808–11
 tension elimination 992
- flexible spiral wire (FSW) retainer 1245, 1246, 1248–9, 1250–1
- floss holders 715
- flossing 714–15
 instruction 725
 traumatic lesions 396, 397
- fluoride
 anticaries action 736
 chlorhexidine synergism 753
 crystals in woodsticks 715
 halitosis treatment 1336
 plaque control 746
 toothpaste 741
- foam brushes 718
- foods, allergic reactions 394
- forced tooth eruption 1002, 1003–5, 1006
 with fibrotomy 1005, 1006
 procedure 596
- foreign body
 impaction 497
 reactions 398
- formaldehyde dehydrogenase 229
- formaldehyde lyase 229
- free graft procedures, edentulous ridge 1013–17, 1018–19, 1020, 1021–3
- free soft tissue graft procedures
 epithelialized 990
 gingival augmentation 966, 967
 healing 995–6
 interpositional grafts 1014, 1015, 1016
 pouch graft procedures 1013–14
 ridge augmentation 1013–17, 1018–19, 1020, 1021–3
 root coverage 972, 982, 984, 985–7, 988–9, 990, 990, 991–2
 thickness 992
- freeze-dried bone allogeneic grafts (FDBA) 554–5
- frenectomy 1274–5
- frenotomy with orthodontic treatment 1274–5
- fungal infection
 chlorhexidine activity 748
 gingival disease 380–3
 linear gingival erythema 382
see also Candida albicans (candidiasis)
- furcated region 823
- furcation
 definition 823
 incisors 826
 mandibular molars 825–6
 mandibular premolars 826, 827
 maxillary molars 824, 825
 maxillary premolars 825
 probing 828
- furcation defects
 degree III 936–7
 guided tissue regeneration 904
 mandibular degree II 933–6, 942
 maxillary degree II 936
 regenerative therapy 840–3, 844, 904, 932–7
 techniques 942
- furcation entrance 823, 824
 exposure 842
 molars 828
- furcation fornix 823, 824
- furcation involvement
 aggressive periodontitis 657–67
 anatomy 824–6
 assessment 580–3
 automated probing systems 580
 barrier membranes 906, 908, 932–7
 basic periodontal examination 657
 chronic periodontitis 575, 667, 668, 669–73
 classification 827
 degree 582
 diagnosis 826–8, 829
 differential diagnosis 829–30
 extraction of tooth 843
 guided tissue regeneration 840–3, 913
 implant planning 682–3
 molar uprighting 1262–3
 occlusal interference 353, 829–30
 orthodontic treatment 1262–3
 papilla preservation flaps 916, 917
 prognosis 843, 845–6
 radiography 828, 829, 830
 regeneration of defects 840–3, 903
 regenerative procedures 541–2
 barrier membranes 932–7
 risk assessment 1309
 root debridement 773
 root separation and resection 832–5, 836, 837–8, 839, 840, 845
 root surface biomodification 557
 terminology 823–4
 trauma from occlusion 353
 treatment 823–46
 goal 655
 tunnel preparation 832

- furcation plasty 830–1
 fusiforms 209–10, 211
Fusobacterium
 necrotizing gingivitis 466
 necrotizing periodontal disease 466
 plaque formation 185
 root canal infection 512–13
Fusobacterium nucleatum 222
 adherence 248
 biofilm
 content 242
 implant surfaces 268–71
 bridging species function 222, 232, 246
 diabetes mellitus 245
 HIV infection 244
 linear gingival erythema 382
 peri-implant infection 272, 277
 periodontal abscesses 498
 plaque formation 186
 smoking association 319
 suppression by antibiotics 1337
 fusospirochetal infections 211
- gas chromatography 1330, 1332
 gastrointestinal disease 394
 gender in periodontal disease 144
 gene(s) 329–30
 disease-modifying 328, 333–42
 horizontal transfer 237–8
 gene polymorphisms 329–30
 aggressive periodontitis 445
 chronic periodontitis 426
 miscellaneous 340, 341
 periodontitis 144–5, 333–40
 genetic markers, risk assessment 1308
 genetic risk factors
 aggressive periodontitis 441–5
 chronic periodontitis 425
 periodontal disease 331
 genetic traits/disorders, implant
 patient 644–5
 genotype frequencies 330
 gingiva 3, 5–27, 69–71
 abrasion by toothbrushes 711, 719, 720, 958
 adequate zone 956
 after implants 73
 attached 6
 biologic width 69
 biotypes 70, 71
 bleeding
 damage from interdental
 cleaning 714
 on probing 574–7
 blood supply 43, 44–5, 77–8
 buccal tissue dimensions 69–70, 80–1
 cleft removal 1275
 clinically healthy 286–7
 connective tissue 19–24, 25
 inflammatory cell infiltrate 580
 regenerative capacity 547–8
 contour 795
 dento-gingival epithelium 16–19
 dimensions 956–8, 962
 biologic width 69
 restorative therapy 964–5
 width 7, 8, 69
 enlargement 800
 drug-induced 392, 410–11, 641, 800
 hereditary 413
 leukemia-associated 412
 epithelial mesenchymal
 interaction 24–7
 excessive display 997, 999–1000, 1001, 1002
 flat 70, 71
 free 6
 health 956–8
- height 959–60
 increase 1269
 recession defects 959, 960–1
 root coverage 992
 inadequate zone 956
 innervation 48, 49
 interdental, cleaning 714
 invagination removal 1275
 keratinization reduction in
 pregnancy 313–14
 laceration 396
 lamina propria 19–24
 linear erythema 381–2, 412
 macroscopic anatomy 5–8
 microbial challenge response 286–7
 microscopic anatomy 8–27
 oral epithelium 8–15
 overgrowth 410–11
 patient examination 574–7
 periodontal mechanoreceptor
 activation 117
 periodontal protection 956–7
 pigmentation 1000
 pink tissue 1000
 probing 78–9, 81
 pronounced scallop 70, 71
 prosthesis 1271
 smokers 318
 stippling 7, 10, 11
 stretching in orthodontic
 treatment 963
 transplanted 24, 25–7
 traumatic lesions 396–8
 width 7, 8
 biologic 69
 see also gingival margin; gingival
 pocket/crevice
- gingival augmentation 955–70
 denudation procedure 965–6, 968–9
 grafting procedures 966–7
 healing after 969–70
 healing 968–70
 indications 965
 periosteal retention procedure 965–6
 procedures 965–70
 root coverage 970–82, 983–4, 985–7, 988–9, 990–6
 split flap procedure 965–6, 968–9
 vestibular/gingival extension 965–6
 healing after 968–9
 gingival crevice fluid (GCF) 246, 286
 flow rate 319
 gingivitis 287, 289, 290
 immunoglobulins 301
 innate mechanisms 298
 prostaglandin E₂ levels in aggressive
 periodontitis 449
 smoking 319, 320–1
 see also gingival pocket/crevice
- gingival disease
 allergic reactions 392–4
 bacterial origin 377
 candidosis 380–1
 classification criteria 405–6, 407
 clinical signs 405–6, 407
 drug-induced 392, 410–11, 641, 800
 endogenous hormones 408
 exudate alterations in gingivitis 290
 fungal origin 380–3
 genetic origin 383–4, 413
 pemphigus 389
 hereditary fibromatosis 383–4, 413
 herpes virus infections 378–80
 histoplasmosis 382–3
 inflammation/inflammatory
 lesions 287, 288, 289, 406, 407, 408, 415
 attachment loss 422
 leukemia associated 412
 non-plaque induced 377–98
- plaque induced 405–15
 prevalence 738
 tooth loss 422
 linear gingival erythema 381–2
 malnutrition 412–13
 mucocutaneous disorders 384, 385–6, 387–92
 non-plaque-induced 377–98
 plaque-induced 405–15
 treatment 414
 pregnancy-associated 313, 409–10
 scurvy 412–13
 sex steroid hormones 408, 409
 spectrum 405
 systemic diseases 384, 385–6, 387–96
 association 411–12
 manifestations 394–6
 ulcerative lesions 413–14
 viral origin 378–80
 see also gingivitis
- gingival graft, regenerated interdental
 tissue 915
 gingival groove, free 6, 7
 gingival hyperplasia see gingiva,
 enlargement
 Gingival Index (GI) 130, 290
 gingival margin
 apical displacement 963
 endodontic lesion drainage 851
 forced tooth eruption 1003, 1004
 free 5, 6, 7
 maxillary anterior teeth 1248, 1259
 orthodontic intrusion 1260
 orthodontic treatment 1248, 1259
 plaque-induced gingivitis 408
 position alteration 960
 recession
 limitation 905
 orthodontic treatment 961–4
 thickness 964
 root coverage 992
 sinus tracts 861, 863
 supra-erupted teeth 1260
 gingival pocket/crevice 6
 biofilms 231
 depth 234
 incidence 133, 134
 innate mechanisms 298
 leukocytes 286, 288
 microbial growth environment 246
 neutrophils 286, 288, 291
 probing 78–80
 smokers 318
 systemic humoral immune
 response 303
 gingival recession 541
 alveolar bone dehiscence 961, 1267
 bucco-lingual thickness 1269, 1271
 children 971, 972
 defects 959–60
 classification 971
 orthodontic therapy 971, 973
 inflammation control 960
 interdental 1271–2, 1273, 1274
 treatment options 1271
 labial 1267, 1269, 1270
 marginal tissue 958–61
 limitation 905
 orthodontic treatment 961–4
 thickness 964
 orthodontic forces 354
 predictors 963–4
 soft tissue thickness 963
 tooth abrasion 719, 720
 tooth movement 1267, 1269, 1270, 1271–2, 1273, 1274
 direction 962–3
 favorable 1269
 unfavorable 1269, 1271
 toothbrush trauma 958

- gingival recession (*continued*)
treatment comparison 817–18
see also root coverage
- gingival sulcus 17
subgingival plaque 194
- Gingival Sulcus Bleeding Index 130
- gingivectomy
beveled 1000, 1001
internal 805, 806
healing 812–13
with orthodontic treatment 1275, 1276
procedures 784–6
surgical technique 805, 806
- gingivitis
artefacta 397
bacterial flora 408
chronic 735
chronic periodontitis risk 422
clinical signs/symptoms 408
collagen loss 290, 292
control agents 743
dento-gingival epithelium 290, 291
diabetes mellitus-associated 411
diagnosis 583–4
epithelial cells 289–90, 291, 292, 293
experimental studies 756–7
foreign body 398
histopathological features 287, 288, 289
hormonal contraceptive use 316
immune reactions 286–7
index systems 574–5
inflammation 289
inflammatory reaction 286–7
lesions 289–90, 291, 292, 293–4
leukemia-associated 411–12
lymphocytes 289
menstrual cycle-associated 409
microbiology 145–6, 147–8, 148
necrotizing 459
acute form 463–4
chronic form 463–4
diagnosis 464–5
histopathology 465–6
host response 468
interproximal craters 461–2
lesion development 460–1
recurrent 464
traumatic ulcerative gingival lesion
differential diagnosis 396–7
treatment 472
ulcerative 413–14, 426
neutrophils 286, 288, 293
oral contraceptive-associated 411
periodontitis in adults 133, 134
plaque removal 710
plaque-induced 406, 407, 407–8, 422, 1298
plasma cells 292, 293
polymorphonuclear leukocytes 289
pregnancy 313, 314, 409–10
prevalence 738, 739
prevention in periodontitis
prevention 426
progression to periodontal disease 414–15
puberty-associated 312, 408–9
smoking 319
spectrum of disease 405
spirochetes 221
supportive periodontal therapy 1302
supragingival plaque
accumulation 735, 736
susceptibility 423
treatment goal 655
see also acute necrotizing ulcerative gingivitis (ANUG)
- gingivoplasty 805
soft tissue sculpting 1020, 1021–3
- gingivostomatitis, herpetic
necrotizing periodontal disease
differential diagnosis 463, 464–5
primary 378–9, 464–5
glucose intolerance 153
see also diabetes mellitus
glucose oxidase, plaque control 744
glutathione 311
glycoprotein pellicle 188
glycoproteins 23
glycosaminoglycans 23
glycosyl-phosphatidyl-inositol (GPI) 337
- Good Clinical Practice Guidelines 757–8
- Gore Tex Periodontal Material® 928
- grafting procedures
free gingival 1008
gingival augmentation 966–7
interpositional 1014, 1015, 1016
combined with onlay grafts 1020
maxillary sinus floor
elevation 1107–8
onlay grafts 1015–17, 1018–19, 1020, 1021–3
combined with interpositional grafts 1020
roll flap procedure 1011–13
soft tissue for ridge defects 1010–11, 1089
see also free soft tissue graft
procedures; pedicle graft
procedures
- granulation tissue
interpositional grafts 1014
peripheral inflammatory root resorption 869, 870
tooth socket healing 55, 56, 57, 58, 60
- growth factors 559
alveolar bone healing 88–9
delivery systems 1093
osteoinductive/osteopromotive 87
ridge augmentation 1093
tooth socket healing 57, 60
- growth hormone (GH) 88
- guided bone regeneration (GBR) 1083–5
augmentation materials 1085–7
bone grafts 1084–5, 1086–7
bone morphology 1084–5
bone substitute materials 1084–5, 1086–7
clinical concepts 1088–92
long-term results 1087–8
patient selection 1084
soft tissue morphology 1085
- guided tissue regeneration (GTR) 555, 559–61, 793
aggressive periodontitis 661, 663
attachment 1260
barrier membranes 905–7
bioabsorbable materials 930
citric acid demineralization
combination 942–3
clinical outcomes 931–2, 933
combined procedures 940, 941, 942–3
with demineralized freeze-dried bone allograft 940, 941, 942
enamel matrix derivative
comparison 558
evaluation 562
furcation
defect regeneration 840–3, 844, 904, 932–7
involvement 913
healing 914
intrabony defects 903, 905, 906, 907, 910
membranes 930–2
oral hygiene 1261
orthodontic tooth movement 1261–2
pedicle soft tissue graft with barrier
membrane for root coverage 980–1, 983
peripheral inflammatory root resorption 871
post-operative morbidity 926–8
root coverage 990, 992
healing 995
gum-wing profile 997
- Halimeter™ 1329, 1331, 1332
- halitophobia 1332, 1333
therapy 1333–4
- halitosis
blood-borne 1327, 1334
chlorhexidine use for oral malodor 753
classification 1333
confidant use 1337
control 1325–37
diagnosis 1328–30, 1331–2, 1333
drug-induced 1334
epidemiology 1325–6
extraoral 1327, 1328, 1334–5, 1337
instructions for patient 1328, 1330
intraoral 1326–7, 1335–7
morning 1334
odor characteristics 1326
oral inspection 1330, 1332, 1333
organoleptic evaluation 1331
organoleptic measurements 1328
pathogenesis 1326–7, 1328
pathologic 1335
practice flowchart 1328, 1329
prevalence 1325–6
questionnaire 1328, 1331
sulfide monitor 1329–30, 1331, 1332
temporary 1333, 1334
treatment 1333–7
adjustment 1337
planning 1334–5, 1335–7
- hand instruments, root
debridement 768–70, 771
- hard tissue
replacement 556
resorption mechanisms 865–6
see also alveolar bone; bone
- Haversian canals 38, 39, 40, 41
- health education 695–6
- health survivor effect 141
- heart disease, postmenopausal women 315
- heat necrosis, implants 614–15
- hematologic disorders
chronic periodontitis 425
gingival manifestations 395–6
implant patient 644
surgery contraindication 800
- hemidesmosomes 12–13, 14, 16, 18
epithelial cell rests 30, 31
junctional epithelium attachment 19
- hemiseptal defects 901–2
- hemoglobin, glycated (HbA1c) 162
- hemostasis, local 801
- hepatitis, dental team protection 687
- hepatitis B infection, chlorhexidine activity 748
- herb extracts, plaque control 745–6
- hereditary gingival fibromatosis 383–4, 413
- herpes simplex virus (HSV)
dental team protection 687
erythema multiforme 390
gingival disease 378–9
periodontal infection 225
- herpes virus infections 378–80
primary gingivostomatitis 463, 464–5
herpes zoster 379–80
- Hertwig's epithelial root sheath 4
fragmentation 32
remnants 30

- hexetidine 747
- high-strength all-ceramic implant restorations 1199–200
- histiocytosis X
 - aggressive periodontitis 446
 - chronic periodontitis 425
- histoplasmosis, gingival disease 382–3
- HIV infection
 - aggressive periodontitis 446
 - chlorhexidine activity 748
 - chronic periodontitis 425, 426
 - herpetic gingivostomatitis 379
 - host susceptibility to disease 244
 - implant patient 642
 - linear gingival erythema 382, 412
 - necrotizing periodontal disease 460, 462, 463, 464, 468–9, 471–2
 - necrotizing stomatitis 462, 464
 - periodontitis 154–5
 - plaque accumulation 412
- homing 304
- hormonal contraceptives
 - gingivitis 411
 - periodontal effects 312, 316
- hormone replacement therapy 315
- periodontal effects 312
- hormones
 - endogenous in gingival disease 408
 - sex steroid 408, 409, 425
 - see also* estrogen; progesterone
- host defense mechanisms 208, 209
 - adaptive defense system 299–304
 - enhancement for plaque control 744
 - humoral immune response 301
 - immune defense system 299–304
 - innate 297–9
 - pathogens overcoming 247–8
 - periodontal infections 295–304
- host response
 - evaluation in aggressive periodontitis 448–9
 - necrotizing periodontal disease 468–9
 - pathogens 440–1
 - smoking 319–22
- host susceptibility to disease 244–5
 - aggressive periodontitis 441–5
 - environmental factors 445
 - plaque formation 738, 739
- host-compatibility 243
- Howship's lacunae 41
- humoral immune response 301
 - antigen presenting cells 304
- hyaline layer 32
- hydrogen peroxide 247
 - bleaching 746, 870
 - halitosis treatment 1336
 - necrotizing periodontal disease treatment 472
 - plaque control 746
 - production by bacterial beneficial species 243
 - tooth whitening 746, 870
- hydrogen sulfide 249, 1326, 1327
- hydroxyapatite 39, 556
 - crystals 34, 37
 - porous 556
- hyperglycemia 310
- hyperinsulinemia 92
- hypoglycemia 690
- hypophosphatasia 446
- hypothiocyanite 744
- I-Brush® 718
- IL1 gene 334–6, 341
- IL1 gene polymorphisms 145, 336
 - composite genotype 335–6
 - genetic marker 1308
 - implant failures 341, 342
 - implant patient 644
 - peri-implant bone loss 589
- peri-implantitis 590
 - severe periodontal disease susceptibility 589–90
 - smoking 589, 591
- IL1A gene 334, 335
 - implant failures 341, 342
- IL1B gene 334–5
 - implant failures 341, 342
- IL1RN gene 334, 335
 - implant failures 341, 342
- IL10 gene polymorphisms 339–40
- iliac crest marrow grafts 553–4
- illumination
 - loupes 1032
 - microscope 1034
 - microsurgery 1030, 1034–5
- image plate systems 618, 620
- image-guided surgery 620, 621
- immune memory 299
- immune pathology 248
- immune reactions
 - gingivitis 286–7
 - periodontal infections 285
 - protective role 302–3
- immune receptors, innate 338, 339
- immune system
 - innate 297–9
 - gingival crevicular fluid antibodies/complement 440
 - microbial modulation 299
 - necrotizing periodontal disease 468
 - periodontal infections 299–304
 - smoking 320
 - suppression by pathogens 248
- immunodeficient patients
 - herpetic gingivostomatitis 379
 - see also* HIV infection; immunosuppression
- immunofluorescence techniques, biofilm
 - bacterial detection/enumeration 229
- immunoglobulin(s) 301
 - maxillary sinus 1101
 - perimphoid 389
- immunoglobulin A (IgA) 301
- immunoglobulin G (IgG) 301–2
 - Fc receptors 337
 - necrotizing periodontal disease 468
 - smoking effects 321
- immunoglobulin M (IgM) 468
- immunosuppressants
 - chronic periodontitis 425
 - gingival overgrowth 410, 411
 - implants 642
 - prophylactic antibiotics 800
- immunosuppression
 - chlorhexidine use 753
 - chronic periodontitis 425, 426
 - implant patients 642
 - see also* HIV infection
- implant(s)
 - abutment
 - material 75
 - for prosthetic appliances 1282
 - abutment-level impression 1196–7
 - adjacent teeth condition 631
 - aggressive periodontitis 661, 680–2
 - alveolar bone loss in diabetes 92–3
 - anatomic landmarks with potential risk 1072–3
 - anatomic structure avoidance 637
 - angle 1225–6
 - angulation 1231–2
 - ankylosis 1228
 - anterior single-tooth replacement 1149–57, 1158, 1159, 1160, 1161
 - articulation 628
 - bacterial deposits 629
 - biological differences from teeth 637
- bone
 - apposition 364, 365
 - augmentation 608, 609, 610
 - available 610, 611
 - height/width 601–2, 603, 607, 608, 609, 610, 636
 - loss 533, 534
 - modeling/remodeling 1056, 1057, 1058
 - preparation 1071–2
 - reaction to orthodontic loading 1282–3
- bony borders 602, 603
- buccal–lingual dimensions 1074–5
- calculus attachment 201, 202
- chewing comfort 1140, 1141, 1143
- classification 1054
- clinical inspection/
 - examination 625–6
- clinical test of mobility 629
- color shades 632
- completed soft tissue coverage of tooth socket 1061–2
- complications 626–8
- connectors 1184
- crater-formed defects 532, 533
- cumulative implant survival rate 1213
- cutting 101–2, 103
- cyclic loads 366, 368
- dehiscence defects 1090–1
- direction 1074–6
- distally shortened arch 1180–7
- early stability 637
- endosseous receptors 119–20
- esthetic zone 1146–70
- extraction sockets 1089–90
- failures and disease-modifying genes 340–2
- fixed prostheses 587
- flap
 - closure 1054–5
 - elevation 1071
- flapless insertion 1071
- function analysis 628
- functional differences from teeth 637
- furcation involvement 682–3
- healing time 1076–7
- heat necrosis 614–15
- horizontal defects 1091–2
- identification of presence 623, 624, 625
- image-guided surgery 620, 621
- inclination 1074–6
- incorrectly placed 615, 616
- indications 1139, 1140, 1141, 1142, 1143–5
- infection 199
- insertion torque 1077
- installation 99–100
- interarch distance 1194
- interdental contact line 1155
- interdental space assessment 630, 631
- length 607
- loading 363, 1076–7
 - excessive 363, 365–6, 367
 - functional 365, 366
 - loss of osseointegration 368–9
 - maxillary anterior single tooth replacement 1156
 - overloading 363
 - static 366, 368
- long axis 1154
- long-term performance 588–9
- loss 533–4
- malpositioned 1225–6, 1234
- marginal hard tissue defect 1045–6, 1064
- masticatory occlusal forces 369–70
- materials 1199–200

- implant(s) (*continued*)
- maxillary anterior restorations 1148–9
 - multiple-unit fixed 1161–5
 - mechanical stimuli perception 119
 - mechanical stress 364
 - mesio-distal orientation 1075, 1076
 - model-based guided surgery 1071
 - molars 1140, 1141, 1143
 - multiple adjacent restorations 596
 - natural tooth substance
 - preservation 1142, 1143–4
 - neuropathies 1072
 - non-cutting 100–1
 - number 1074
 - oral mucosa 71–8
 - oro-facial position 1154
 - orthodontic anchorage 1203, 1280–90, 1291
 - advantages 1290, 1291
 - direct 1288, 1289, 1290
 - disadvantages 1290
 - forces 1288, 1289, 1290
 - growing patients 1283–4
 - indications 1283, 1284
 - indirect 1288, 1289, 1290
 - length-reduced devices 1285
 - loading 1288, 1289
 - removal 1289, 1290
 - stability 1290
 - success rate 1290
 - temporary devices 1284–8, 1289, 1290, 1291
 - osteoporosis 90–1
 - outcomes 1065
 - overloading 363
 - palatal 1290, 1291
 - clinical procedures 1288, 1289
 - growing patient effects 1286–7
 - insertion sites 1286
 - loading time schedule 1288, 1289
 - palpation 629
 - papilla
 - assessment 630
 - dimensions 81–3, 84
 - tissue loss 594–5
 - patient satisfaction 1147
 - periodontally compromised patients 587–90
 - periosteal receptors 120
 - phonetics 628
 - disturbances 595–6
 - placement 593, 602, 637
 - alveolar ridge healing 1063
 - clinical concepts 1063–5
 - completed soft tissue coverage of tooth socket 1061–2
 - fresh extraction sockets 1064
 - guiding concept 1071
 - planning 1069–70
 - ridge corrections 1055–6, 1057, 1058–61
 - substantial bone fill in extraction socket 1062–3
 - therapy aims 1063–5
 - timing 1053–65
 - plaque formation 196–7
 - position 1073–4
 - sites with limited vertical bone 1192, 1193
 - posterior dentition 1175–204
 - abutment-level impression 1196–7
 - angulated abutments 1198–9
 - cemented multiple-unit posterior implant prostheses 1197–8
 - clinical applications 1193–201, 1202, 1203
 - combination with natural tooth support 1183–4
 - concepts 1175–7
 - controversial issues 1179
 - distally shortened arch 1180–7
 - distribution 1180–2
 - early fixed restorations 1203–4
 - fixed implant-supported prostheses 1180–7
 - high-strength all-ceramic implant restorations 1199–200
 - immediate fixed restorations 1203–4
 - indications 1176, 1177–80
 - lateral bone augmentation 1184–6
 - multiple-unit tooth-bound restorations 1187–90, 1191
 - number 1180–2
 - occlusal considerations 1200–1, 1202, 1203
 - orthodontic considerations 1200–1, 1202, 1203
 - restoration with cantilever units 1182–3, 1184
 - screw-retained restorations 1193–6
 - shoulder-level impression 1196–7
 - single-tooth replacement 1191–2, 1193
 - sites with anterior sinus floor proximity 1184–7
 - sites with extended horizontal bone volume deficiencies 1184–7
 - size 1180–2
 - splinted *versus* single-unit restorations 1189–90, 1191
 - technique 1176–7
 - treatment planning 1175–6
 - posterior segment 676–7, 678
 - premolars 1140, 1141, 1143
 - psychophysical testing 114–15, 121, 122
 - recipient site 1074
 - re-innervation 120
 - rejuvenation at contaminated surface 1047
 - removable prostheses 587
 - replacement of teeth
 - diseased 587
 - strategically important missing 1144–5
 - resonance frequency analysis 629
 - restoration-driven 1156
 - restorative dentistry 1138–45
 - ridge augmentation
 - procedures 1083–94
 - risk indicators 635–6
 - risk predictors 636
 - rotation-symmetrical 1165
 - safety zone 611–12, 613
 - scalloped design 1165–6
 - screw-retained suprastructure 1154–5
 - screws 627
 - component complications 1230–1
 - diameter 594
 - solid 103
 - segmented fixed restorations 1166, 1167–70, 1170
 - self-tapping 101–2, 103
 - sensory motor interactions 121–2
 - short 1117–18
 - shoulder
 - depth in relation to labial mucosal margin 1154
 - distance to plane of occlusion 1194
 - microgap 1162
 - sink depth 1150
 - submucosal 1165
 - shoulder-level impression 1196–7
 - single-tooth 596
 - smoking risk 589, 591
 - soft tissue 629–30, 636
 - grafts 1089
 - loss 1214–15
 - stability 1147
 - splinting 1189–90, 1191
 - stability 1077
 - placement immediately after extraction 1061
 - static loads 366, 368
 - submucosal shoulder position 1165
 - success criteria 635
 - supportive care 676
 - surface quality 1048, 1049, 1050
 - surgical site 1068–77
 - survival rate 639
 - maxillary sinus floor elevation 1110, 1116–17
 - system components 626, 627–8
 - tactile capacity 121–2
 - technical failures 626–8
 - tilted 1100
 - tissue biotype 1064–5
 - tissue injury 99–100
 - titanium 600
 - tooth lengthening 590
 - trap door procedure 1185
 - treatment spectrum 604–5
 - treatment success 1065
 - vertical distance requirement 594
 - vertical ridge defects 1092
 - vibrotactile capacity 121, 122
 - wide-diameter/wide-platform 1182
 - wound chamber 103–4, 105
 - wound healing 100
 - see also* maxillary sinus floor elevation; osseointegration; peri-implantitis
- implant pass 623, 624
- implant patient
- age 639–40
 - alcohol abuse 645
 - anamnestic information 625
 - autoimmune disorders 643–4
 - clinical conditions 596
 - clinical inspection 625–6
 - communication problems 645–6
 - connective tissue disorders 643–4
 - diabetes mellitus 642–3
 - endodontic infection 639
 - esthetic implication sites 594–7, 598
 - esthetics and tooth movement 1263–5, 1266, 1267
 - examination 587–97, 598
 - clinical 596–7, 601, 625–6
 - components 636
 - extraoral 591–2
 - implant-supported restorations 623–32
 - intraoral 592–7
 - local 591–7
 - radiographic 592, 593, 596–7, 600–21
 - expectations 646
 - failure-associated complications 635
 - history 590–1
 - immunosuppression 642
 - implant placement 593
 - lack of understanding 645–6
 - local conditions 637–9
 - medications 640–2
 - oral hygiene 645, 646
 - oral infections 637–9
 - orthodontic pretreatment 593, 594
 - osteoporosis 643
 - pass 623, 624
 - periodontitis 638–9
 - post-surgical infection minimizing 636–7
 - post-treatment care/maintenance program 646
 - prognosis 675–6
 - psychiatric/psychological issues 645

- questionnaire 625
radiography
 examination 592, 593, 596–7, 600–21
 treatment monitoring 614–16, 617, 618, 619–20
risk assessment 597, 598, 634–46
 behavioral considerations 645–6
 clinical information 636
 principles 634–7
risk factors
 local 637–9
 systemic 639–45
satisfaction 1147
smoking 640, 645
substance use/abuse 645
technical procedures to minimize risk 636–7
tissue damage minimization 637
treatment
 planning 601–7, 675–84, 685
 radiographic monitoring 614–16, 617, 618, 619–20
implant recognition software 625
implant stability quotient (ISQ) 629, 1077
implant-supported restorations
 abutments 1225–6, 1227, 1231
 materials 1233
 bite force 1228
 butt-joint interface 1230
 cement-retained 1233
 clinical
 inspection/examination 625–6
 complications 626–8, 1222–35
 abutment-related 1231
 biologic 1224–6
 clinical 1224–31
 implant screw-related 1230–1
 mechanical 1226–31
 overdenture 1226–8
 peri-implant 1224–5
 prosthetic 1231–5
 surgical 1224
 diagnostic waxing 1225
 esthetics 630–2, 1233–4
 external hex 1230–1, 1232
 implants 628–9
 angulation 1231–2
 loss 1224
 malpositioned 1225–6, 1234
 internal hex 1232
 load resistance 1232
 marginal defects 1225
 material failures 1228–9
 midline fracture 1229
 occlusal wear 1229
 one-piece implant designs 1232
 overdentures 1226–8, 1232
 patient examination 623–32
 restorative veneer fracture 1228
 screw-retained 1233
 soft tissues 629–30
 responses 1234
 success/survival rate 1234–5
 surgical guide 1225, 1226
 technical failures 626–8
 treatment planning 1225
 see also fixed partial dentures (FPD)
impressions, master model 1154
incisive foramen width 607
incisors
 crowded 1274
 furcations 826
 overlapping 1274
 papillae 1248
indole 1326
infection 184
 control
 for implant placement 676
 self-performed 798–9
 in surgery 815
dental pulp 504–8, 509, 510–16, 517
dental team protection 687–8
dissemination 502
endodontic 639
focal 476
maxillary sinus 1106
medical conditions
 predisposing 752–3
opportunistic 184
oral in implant patients 637–9
periodontium of endodontic origin 849–51, 852, 853–8
post-surgical 636–7
preterm birth 481
root-filled teeth 858
soft tissues around implants 629, 630
systemic diseases 476
treatment complication 688–9
see also bacteria/bacterial infections;
 fungal infection; gingivitis;
 pathogens; peri-implantitis;
 periodontal abscess;
 periodontitis; root canal infection;
 stomatitis; viral infections
infection plaque 856
inflammation
 gingival 287, 288, 289, 406, 407, 408, 415
 attachment loss/tooth loss 422
 gingivitis lesion 289
 innate immune process 298–9
 orthodontic therapy 963
 periodontal tissue assessment 130
inflammatory cells 20, 21
 infiltrate 580
inflammatory mediators, preterm birth 481
inflammatory processes
 dental pulp 506, 507, 508, 509
 periodontal infections 295
inflammatory response
 aggressive periodontitis 441
 clinically healthy gingiva 286–7
 dental pulp 505–6, 507, 508, 509
 gingivitis 286–7
 innate immune mechanism 297
 leukocyte migration 302
 peri-implant mucosa 531
 peri-implantitis 534, 535
 periodontal infections 285
 periodontium 850–1
 smoking 320
 sutures 1037–8
infrabony defects 901, 902
 orthodontic tooth movement 1252–3
infrabony pockets 351
 orthodontic intrusion 1256
 trauma from occlusion 352
infraorbital artery 43
infraorbital nerve 48
initial tooth mobility (ITM) 1125–7
innate defense systems 297–9
 gingival crevicular fluid antibodies/complement 440
 microbial modulation 299
innate immunity receptors, gene polymorphisms 338, 339
insertion/deletion polymorphisms 329
instrument tray 803
instrumentation, hard tissue trauma 882
instruments
 maxillary sinus floor elevation 1099
 microsurgery 1030, 1035
 root debridement 768–70, 771
 surgery 802–5
insulin 92
insulin resistance 91, 92, 308
 bacterial infection 309
insulin-like growth factor (IGF) 87, 559
 alveolar bone healing 89
 ridge augmentation 1093
insulin-like growth factor 1 (IGF-1) 311
intercellular adhesion molecule 1 (ICAM-1) 302–3
 leukocyte adhesion deficiency 320
intercellular adhesion molecule, soluble (sICAM) 320
interdental brushes 714, 716–17, 727
 efficacy 736
 hard tissue damage 720
interdental cleaning 714–17, 735, 736
 efficacy 736
 mechanical for plaque build-up prevention 414
interdental papilla *see* papilla
interdental recession 1271–2, 1273, 1274
 prevention 1272
interdental septum 53, 54, 55
interdental space, assessment 630, 631
interdental support, root coverage 991
interferon γ (IFN- γ) 300
interleukin(s) 296
interleukin 1 (IL-1)
 bone loss
 peri-implant 341
 systemic 90
 late implant failures 342
 see also IL1 gene
interleukin 1 α (IL-1 α) 296
interleukin 1 β (IL-1 β) 249, 296, 310
interleukin 2 (IL-2) 300
interleukin 6 (IL-6) 90
interleukin 10 (IL-10) gene polymorphisms 339–40
intermicrobial matrix 189–91
international normalized ratio (INR) 642
interpositional graft procedure 1014, 1015, 1016
 combined with onlay grafts 1020
interproximal brushes 714, 716–17, 727
intraony defects 551, 552
 barrier membranes 906, 908
 enamel matrix derivatives 908–9, 939–40
 guided tissue regeneration 903, 905, 906, 907, 910
 membranes 930–2, 933
 papilla preservation flaps 916–17, 918
 regenerative therapy strategy 948
 surgical access 945
intracellular adhesion molecule 1 (ICAM-1) 289, 291
intraoral bleeding, peripheral inflammatory root resorption 870
intradental A-delta fibers 520
intraosseous artery 43, 46
iodine tincture, vertical root fracture diagnosis 863
irradiation geometry 618, 620
irrigation
 full-mouth disinfection 776
 subgingival 753
irrigators 742
 pulsating 717
jaw
 bone defects 36
 implant placement planning 1070
 fixation and chlorhexidine use 752
 shape variation 1073
 see also mandible; maxilla

- jiggling-type trauma 354–7, 358, 360, 361
 anchor teeth 1290
 orthodontic treatment 1246, 1250–1, 1262
 zones of co-destruction 359
- jugulodigastric lymph nodes 47
- junctional epithelium 8, 9, 16, 17, 18, 19
- Kaposi's sarcoma 464
- keratin synthesis 15
- keratinization 11, 15
- keratinocytes 12, 14–15
 cytotoxic immune reaction 390
 differentiation 14, 15
- keratin-producing cells 11
- keratohyalin bodies 14–15
- Klebsiella oxytoca* 225
- Klebsiella pneumoniae* 225
- knives 803–4
- Koch's postulates 213
- lactoferrin 296, 298
- lamellar bone 62
 edentulous alveolar ridge 67
 osseointegration 107
- lamina dura 27, 28, 36
- lamina propria 5, 19–24
- Langerhans cells 11, 12
- laser therapy, ablative 771, 772
- leptin 88
- leukemia
 aggressive periodontitis 446
 chronic periodontitis 425
 gingival manifestations 395–6
 gingivitis 411–12
 necrotizing periodontal disease 465, 468
 necrotizing ulcers 465
 surgery contraindication 800
- leukocyte(s)
 gingival crevice 286, 288
 implant wound chamber 104
 migration 302
 necrotizing periodontal disease 468
 peri-implant mucosa 531
 periodontal abscesses 499
 pocket epithelium 292
 recruitment 304
 subgingival plaque 192, 193, 194, 198
- leukocyte adhesion deficiency (LAD) 320
 aggressive periodontitis 446
- leukoplakia, oral 393
- leukotoxins 214, 216, 223, 248, 294
A. actinomycetemcomitans 214, 216, 294, 438, 440
 aggressive periodontitis bacteria 438, 440
- lichen planus 384, 385–6, 387
- lichenoid lesions, oral 387
- lighting 1030
- linear gingival erythema 381–2, 412
- lingual artery 1072, 1073
- lingual nerve 48
 block 802
- linkage analysis, aggressive periodontitis inheritance 442–3
- lipopolysaccharide 156, 249, 294
A. actinomycetemcomitans 439–40
 in calculus 766
 on cementum 766
 host receptor recognition 298
 preterm birth 481–2
- lipopolysaccharide-binding protein 298
- lipoteichoic acids 294
- liver disease 689
 fetor hepaticus 1327
- local anesthesia
 individual variability 801–2
 mechanism of action 800
 surgery 800–2
 techniques 802
 types 801
- localized aggressive periodontitis (LAP) 140–1, 213
A. actinomycetemcomitans 215–17, 243
Eikenella corrodens 223
 lesion long-term stability 243–4
 long tooth syndrome 595–6
- loupes 1030–2
 advantages 1034–5
 convergence angle 1031, 1032
 disadvantages 1034–5
 field of view 1031, 1032
 illumination 1032
 interpupillary distance 1032
 selection 1032, 1033
 viewing angle 1031, 1032
 working distance/range 1031
- low birthweight 480
 periodontal disease 482, 483, 484, 485, 486
- lupus erythematosus 391–2
- lymph nodes 47
 swelling 463
- lymphatics, periodontium 47
- lymphocytes 20, 21
 adaptive defense system 299
 gingivitis 289
 host defense 248
 smoking effects 321
- lymphogranulomatosis, surgery contraindication 800
- lymphoreticular disorders, implant patient 644
- LYS-gingipain 249
- lysozymes 1101
- alpha-2 macroglobulin 295
- macrophages 19, 20
 diabetes mellitus 310
 host defense 248
 implant wound chamber 104
 migration 301
 tooth socket healing 59, 60
- MadCAM-1 homing receptor 304
- magnetic resonance imaging, functional (fMRI) 114
- Maillard reactions 749
- maintenance care visits 1313
- major histocompatibility complex (MHC) 300
- malnutrition
 gingival disease 412–13
 necrotizing periodontal disease 469
- malocclusion, incisor crown shape 1274
- mandible
 incisive canal bundle 110
 local anesthesia 802
 neuroanatomy 110–11, 112
 opening amplitude 592
 premolars 826, 827
see also molars, mandibular
- mandibular canal
 identification 1069
 implant planning 611–12, 613, 614
- mandibular overdentures 370
- marginal tissue 629–30
 recession 632, 958–61
- mast cells 19–20
- master model, impressions 1154
- matrix metalloproteinases (MMPs) 295–6
 polymorphisms 644–5
- maxilla
 alveolar process 6
 anterior teeth gingival margins 1248, 1259
 edentulous 1166, 1167–70, 1170
 local anesthesia 802
 neuroanatomy 110, 112, 113
 segmented fixed implant restorations 1166, 1167–70, 1170
 width growth 1287
see also molars, maxillary; premolars, maxillary
- maxillary anterior single-tooth replacement 1149–57, 1158, 1159, 1160, 1161
 sites with extended horizontal deficiencies 1156–7, 1158
 sites with localized horizontal deficiencies 1156
 sites with major vertical tissue loss 1157, 1159, 1160, 1161, 1162
 sites without significant tissue deficiencies 1152–5, 1156
- maxillary arch, length discrepancies 1287
- maxillary complex displacement 1287
- maxillary multiple-unit anterior fixed implant restorations 1161–5
 sites with extended horizontal deficiencies 1164–5
 sites with major vertical tissue loss 1165
 sites without significant tissue deficiencies 1163–4
- maxillary sinus
 anatomy 1100–1
 blood supply 1101
 drainage 1101
 infection 1106
 membrane perforation 1106
 respiratory epithelium 1101
 septa 1101
- maxillary sinus floor
 elevation 1099–119
 augmentation 1100
 clinical decisions 1118, 1119
 crestal approach 1099, 1110–17
 implant placement 1111–14, 1115
 implant survival 1116–17
 indications 1111
 outcome 1116–17
 post-surgical care 1115
 success 1116–17
 surgical technique 1111–14
 delayed (two-stage) 1104, 1109, 1110
 grafting materials 1107–8, 1115–16
 lateral approach 1099, 1100–10
 complications 1106
 contraindications 1102
 implant survival 1108–10
 indications 1102
 outcome 1108–10
 post-surgical care 1105–6
 pre-surgical examination 1101–2
 success 1108–10
 techniques 1102–5
- one-stage with implant
 installation 1104, 1105, 1109
- osteotome technique 1110–17
 with grafting material 1114, 1115
- short implants 1117–18
- sinus membrane perforation 1106
- sinusitis 1106
- treatment options 1099–100
 two-stage 1104, 1109, 1110
- mechanical stimulation 854
- mechanoreceptors 109
- mechano-transduction mediators 1264
- medications
 chronic periodontitis 425
 drug interactions 690
 gingival disease 410–11
 gingival enlargement 392, 410–11, 641, 800

- implant patients 591, 640–2
- mucocutaneous disorders 392
- patient examination 574
- melanocytes 11–12, 14
- Melkersson–Rosenthal syndrome 394
- membrane-associated CD14 298
- menopause
 - chronic periodontitis 425
 - periodontal effects 314–15
- menstruation
 - gingivitis 409
 - halitosis 1335
 - periodontal effects 312
- mental artery 43
- Merkel's cells 11, 12
- mesio-distal enamel reduction 1271–2, 1273, 1274
- mesio-distal gap
 - implant placement 1213
 - optimization of dimensions 1201
- metal salts, plaque control 746
- methicillin-resistant *Staphylococcus aureus* (MRSA) 744
- methotrexate 392
- methyl mercaptan 1326, 1327
- methylene blue, root fracture
 - diagnosis 863
- metronidazole 450, 451, 471, 886
 - activity 889
 - amoxicillin combination 889
 - controlled delivery 886
 - gel 891–2
 - healing after guided tissue regeneration 914
 - peri-implant lesions 878
- microarrays 249
- microbe-associated molecular patterns (MAMPs) 299
- microbiota, healthy sites 234
- Micromonas micros*
 - cardiovascular disease 158
 - peri-implant infections 639
- microorganisms
 - changing concepts 212–13
 - complex formation in biofilm 231–2
 - control 210
 - dentin permeability 505–6
 - endodontic 512–14
 - host-compatible 243
 - interactions 243
 - periodontal infections 208, 209–13
 - persistence 882–3
 - regrowth 882–3
 - screw-retained implant restoration
 - colonization 1193
 - subgingival 883
 - subgingival plaque 192–3, 194, 195, 198
 - see also bacteria/bacterial infections; fungal infection; named organisms; viral infections
- micro-satellites 329–30
- microscope, surgical 1030, 1032–4
 - advantages 1034–5
 - binocular tubes 1033, 1034
 - disadvantages 1034–5
 - eyepieces 1033–4
 - lighting unit 1034
 - magnification changer 1033
 - objective lenses 1033
- microsurgery 1029–42
 - clinical indications 1039–40
 - comparison to conventional interventions 1040, 1041, 1042
 - concepts 1030–9
 - illumination 1030, 1034–5
 - instruments 1030, 1035
 - limitations 1039–40
 - magnification 1030–5, 1038, 1039
 - needle for suturing 1036, 1037
 - practice requirements 1039
 - root coverage 1041, 1042
 - suture materials 1035–8, 1040
 - sutures 1035–8, 1040
 - teamwork 1038–9
 - techniques 1029–30
 - training 1038–9
- microsurgical triad 1030
- Miller class I–II defects 990, 991
- mineral trioxide aggregate (MTA) 859
- minimal inhibitory concentration (MIC) 885
- minimally invasive surgical technique (MIST) 1039–40
- miniplates, L-shaped 1285
- miniscrews 1285
- minocycline 886
- microspheres 880, 891
 - ointment 891
- miscarriage 161–2, 480
- MMP gene polymorphisms 644–5
- modified flap operation 787–8
- molars
 - accessory canals 508
 - banding 1248
 - bonding 1248
 - implants 1140, 1141, 1143
 - mandibular 825–6
 - furcation defect regeneration 844
 - furcation entrance 828
 - furcation plasty 831
 - root separation and resection 835, 837, 837, 839, 842
 - vertical fractures 861
 - maxillary 824, 825
 - furcation entrance 828
 - root separation and resection 834–5, 836, 837–8, 839, 842
 - periodontal abscesses 497, 499
 - single-tooth restoration 1191–2, 1193
 - uprighting and furcation involvement 1262–3
 - vertical root fracture diagnosis 863
- monocytes
 - diabetes mellitus 310
 - implant wound chamber 104
 - necrotizing gingivitis 466
 - periodontal abscesses 499
- motivational interviewing 695–702
 - advice giving 700
 - communication 698–700
 - definition 697
 - development 696–7
 - evidence for 697–8
 - implementation 698–700
 - oral hygiene 700–2
 - smoking cessation 702–3
- mouth, hematoma of floor 1072–3
- mouth rinses 737
 - alcoholic 741
 - allergic reactions 393
 - halitosis treatment 1336
 - home use studies 757
 - morning bad breath 1334
 - plaque control 741
 - standards 738
 - triclosan 745
 - see also chlorhexidine
- mucocutaneous disorders
 - drug-induced 392
 - gingival disease 384, 385–6, 387–92
- mucogingival junction 6, 7, 8
 - ectopic tooth eruption 1006, 1007, 1008
- mucogingival margin/line 5, 6
- mucogingival therapy 955–1023
 - crown-lengthening procedures 997, 999–1000, 1001, 1002–6, 1007, 1008
- deformed edentulous ridge 1008–17, 1018–19, 1020, 1021–3
- gingival augmentation 955–70
- interdental papilla
 - reconstruction 996–7
- root coverage 970–82, 983–4, 985–7, 988–9, 990–6
- mucoperiosteal flaps 786, 787, 788
 - deep dissection 1073
 - maxillary anterior single-tooth replacement 1157
 - maxillary sinus floor elevation 1102
- mucosa see oral mucosa
- mucositis
 - probing 80
 - see also peri-implant mucositis
- multiple sclerosis, surgery
 - contraindication 800
- mutanase 740, 744
- mutated dentition treatment 1138–45
- Mycobacterium chelonae* 377
- Mycoplasma pneumoniae* 390
- myocardial infarction (MI)
 - Peptostreptococcus micros* association 224
 - risk with periodontitis 158, 476–7
 - surgery contraindication 799
- nasal–maxillary complex alteration 1102
- nasopalatine canals 111, 113
 - bone augmentation 609
 - width 607
- nasopalatine foramen 111, 113
- necrotizing periodontal disease 459–72
 - acute phase treatment 470–2
 - age 470
 - alcohol consumption 470
 - alveolar mucosa 462, 463, 464
 - clinical characteristics 460–4
 - communicability 467–8
 - diagnosis 464–5
 - endotoxins 467
 - fever 463
 - gingival defect elimination 472
 - gingivitis pre-existence 469
 - histopathology 465–6
 - HIV infection 460, 462, 463, 464, 471–2
 - host response 468–9
 - inadequate sleep 469–70
 - interproximal craters 461–2
 - lesion development 460–1
 - leukemia 465, 468
 - lymph node swelling 463
 - maintenance phase treatment 472
 - malnutrition 469
 - microbiology 466–8
 - oral hygiene 463, 464, 469, 471–2
 - pathogenesis 466–8
 - plaque control 472
 - predisposing factors 468–9
 - prevalence 460
 - previous history 469
 - racial factors 470
 - sequestrum formation 462
 - smoking 470
 - stress 469
 - systemic disease 468–9
 - treatment 470–2
- necrotizing stomatitis 459, 462, 463, 464
 - diagnosis 464–5
- necrotizing ulcerative gingivitis (NUG) 209–10, 413–14, 459
 - chronic periodontitis 426
- needle, microsurgical suturing 1036, 1037
- Neisseria gonorrhoeae*, gingival disease 377
- nerve fibers, dentin exposure
 - response 520

- Neumann flap 787
 neural crest 3
 neurologic disorders, surgery
 contraindication 800
 neutrophils 20, 21
 gingival crevice 286, 288, 291
 gingivitis 286, 288, 293
 necrotizing 466, 467
 implant wound chamber 104
 peri-implant mucosa healing 76
 periodontal abscesses 499
 tooth socket healing 59, 60
 new attachment procedures 542, 551
 NF-kappa B pathway 339
 nicotine 320
 absorption 317
 nicotine replacement therapy 322
 nifedipine, gingival overgrowth 392, 410–11
 nitro-imidazoles 886
 nociceptors 109
 non-specific plaque hypothesis 211
 nutritional deficiencies
 chronic periodontitis 425
 malnutrition 412–13, 469
 nystatin 752
- obesity
 biofilm composition 235
 periodontitis 153–4
 occlusal concept, implant-specific 1203
 occlusal interference 829–30
 occlusal relationships, crown-
 lengthening 1000, 1002
 occlusion
 assessment 592
 masticatory forces 369–70
 trauma 353, 1125
 bone regeneration 1128–9
 orthodontic treatment 1246, 1250–1, 1262
 tooth mobility 1128
 octenidine, plaque control 744
 octopinol 746
 odds ratio 143
 odontoblasts 4
 odontoplasty 831, 833
 onlay graft procedures 1015–17, 1018–19, 1020, 1021–3
 combined with interpositional
 grafts 1020
 donor site/tissue 1015, 1016–17
 Onplant® 1285
 open flap curettage technique 789–92
 opsonization 301
 oral contraceptives
 gingivitis 411
 periodontal effects 312, 316
 oral epithelium 8–15
 barrier function 297
 basal layer 12
 cell layers 11
 clear cells 11–12, 13, 14
 dento-gingival region 17
 glycogen content in pregnancy 314
 junctional 8, 9, 16, 17, 18, 19
 keratinized 73
 keratin-producing cells 11
 migration 16
 progenitor cell compartment 12
 reduced 16
 stratum spinosum 13
 subsurface 9, 10, 11
 wound healing role 549–50
 see also dento-gingival epithelium
 oral health
 motivational interviewing 698
 patient responsibility 720
 oral hygiene
 access for devices 834
 adherence 695–6
 adjunctive aids 717–18
 barrier membranes 937
 behavior change 700–2, 707
 biofilms 242
 guided tissue regeneration 1261
 implant patient 645, 646
 instruction 720–2
 interdental cleaning 714–17
 motivation 706–7
 motivational interviewing 700–2
 necrotizing periodontal disease 463, 464, 469, 471–2, 472
 orthodontic treatment of adults 1243–4, 1248
 patient examination 573, 584–5
 plaque build-up prevention 414
 post-regenerative therapy 925–6
 programs 721
 psychosocial factors 738
 public awareness 707
 regenerative surgery 947
 risk assessment 1305–6
 root coverage 991
 self-performed plaque control 706–19
 side effects 718–19
 tongue cleaning 717–18
 see also chlorhexidine; toothbrushes; toothbrushing
 oral hygiene products 737–8
 allergic reactions 393
 chemical injury 396
 see also dentifrices; mouth rinses; toothpaste
 oral leukoplakia 393
 oral lichenoid lesions 387
 allergic reactions 393
 oral malodor, chlorhexidine use 753
 oral mucosa 5
 allergic reactions 392–4
 buccal soft tissue dimensions 80–1
 keratinized 630, 631
 lining 5
 margin 629–30
 receding 632, 958–61
 masticatory 5–6
 peri-implant 71–8, 629, 630
 receding margins 632
 periodontal mechanoreceptor
 activation 117
 ridge 530
 specialized 5
 tissue-matched shades 1214
 see also peri-implant mucosa
 oral sepsis 476
 oral sulcular epithelium 8, 9, 10, 17, 18
 oral tumors
 maxillary sinus 1102
 periodontal abscess differential
 diagnosis 500
 Oral-B Sonic Complete® toothbrush 713
 OralChroma™ 1330, 1332
 organ transplantation, surgery
 contraindication 799–800
 organic acids 247
 organoleptic evaluation 1328, 1331
 oro-antral fissure, necrotizing
 stomatitis 462
 orofacial granulomatosis 394
 orofacial region neuroplasticity 121
 orthodontic appliances
 bonding 1248
 chlorhexidine use 753
 implants for abutment 1282
 periodontally compromised
 patients 1244–5, 1246–7, 1248
 retention 1242, 1244, 1245, 1246–7, 1248–9, 1250–1
 steel ligatures 1245, 1246–7, 1248
 orthodontic forces, root surface
 resorption 867–8
 orthodontic loading, alveolar
 bone 363–5
 orthodontic tilting movements 354
 orthodontic trauma 353–4
 orthodontic treatment
 aggressive periodontitis 662, 665
 anchorage 1280–90, 1291
 bodily tooth movement 354
 esthetics 1244, 1246–7, 1248
 extrusion of single teeth 1255–6, 1257–8, 1259, 1263, 1265–6, 1266
 collagen formation 1264
 furcation involvement 1262–3
 gingival margins 1248, 1259
 gingival recession 961–4
 hopeless teeth as anchorage 1251, 1252
 implant anchorage 1203, 1280–90, 1291
 intrusion 1256, 1259–60
 jiggling 1246, 1250–1, 1262
 legal aspects 1249, 1252
 minor surgery 1274–5, 1276
 oral hygiene 1243–4, 1248
 periodontal disease 1243–5, 1248
 peripheral inflammatory root
 resorption 870
 recession defects 971, 973
 retention 1242, 1244, 1245, 1246–7, 1248–9, 1250–1
 risk management 1249, 1252
 splinting 1249
 tooth inflammation 963
 tooth movement in adults 1252–3, 1254, 1255–6, 1257–8, 1259–65, 1266, 1267
 traumatic occlusion 1246, 1250–1, 1262
 see also tooth movement, orthodontic
 orthokeratinization 11
 Orthosystem® 1285, 1286, 1289, 1290
 osseointegration 99–107, 363
 bone remodeling 107
 definition 99
 excessive occlusal load 366, 367
 failure 618, 619
 functional loading 365
 loss 364
 excessive loading 368–9
 peri-implant 1058–9
 osteoporosis 90–1
 process 103–5, 106, 107
 quality assessment 629
 wide marginal defects 1045–6
 wound chamber 103–4, 106, 107
 wound cleansing 104
 see also implant(s); re-osseointegration
 osseoperception
 neurophysiology 109–11, 112, 113
 peri-implant 108–11, 112, 119–22
 osseous defects *see* bone defects
 ostectomy 796–7
 osteitis, necrotizing stomatitis 462
 osteoblasts 5, 21, 39, 40, 86
 bone deposition 42
 bone multicellular unit 41, 88
 bone resorption 866
 communication with osteocytes 39
 differentiation 92
 proliferation 92
 osteocalcin, diabetes mellitus 91
 osteoclasts 41, 42, 87
 activation 296
 bone multicellular unit 88
 bone resorption 359
 indirect 354
 treatment 91
 jiggling forces 358

- osteoconduction 93, 94
- osteocytes 38–9, 86
 - communication with osteoblasts 39
 - cytoplasmic processes 40–1
- osteogenesis 93
 - malpositioned tooth movement 1253, 1256
- osteoid 39
 - formation 60
- osteoidinduction 93, 94
- osteoinductive factors 559
- osteomyelitis
 - bisphosphonate-associated 591
 - periodontal abscess differential diagnosis 500
- osteonecrosis
 - bisphosphonate-associated 591, 640–1
 - implant failure 640–1
 - of the jaw 90
- osteons 37–9
 - primary 62, 106, 107
 - secondary 62, 107
 - tooth socket healing 62
- osteopenia 89–91
 - periodontitis 154
- osteoplastic 796
- osteoporosis 89–91
 - chronic periodontitis 425
 - fractures 315
 - implant patient 643
 - periodontal effects 314–15
 - periodontitis 154
 - smoking 315, 322
 - treatment 315
- osteoprogenitor cells 86–7
- osteoprotegrin 91, 296, 297
- osteoradionecrosis, implant patient 642
- osteotome, tapered 1099, 1100
- osteotome technique of maxillary sinus floor elevation 1110–17
- overdentures 1075
 - implant angulation 1232
 - implant-supported restoration complications 1226–8
 - mandibular and occlusal force distribution patterns 370
- oxidation–reduction potential (Eh)
 - pathogen growth conditions 247
 - periodontal infections 209
- oxygen
 - bacterial growth 185
 - pathogen requirements 247
- oxygenating agents 746
- oxytalan fibers 21, 22, 30
- pain
 - control during treatment 690–1
 - non-surgical treatment 773–4
 - post-operative control 812
 - scaling and root planing 773
 - vertical root fracture 861, 862, 864
- pain syndromes
 - root dentin hypersensitivity 518, 520
 - treatment goal 655
- palatal nerve
 - block 802
 - greater 48
- palate, hard 5, 6
- palatine artery, greater 43
- palatine canal, greater 43
- palmo-plantar keratitis, aggressive periodontitis 446
- papilla 6, 7
 - classification system 996
 - defects 1271
 - dimensions 71
 - between adjacent implants 82–3, 84
 - between teeth and implants 81–2
 - height
 - classification 996
 - loss 996, 997
 - inter-implant 82–3, 84, 594–5
 - maxillary incisors 1248
 - reconstruction 996–7, 998
 - surgical techniques 997, 998
 - tissue loss 594–5, 1274
- papilla preservation flap 792–3, 916–17
 - e-PTFE combination 945
 - intrabony defects 916–17, 918
 - modified 916
 - outcomes 945
 - simplified 920–2, 923, 924, 925, 945, 948
 - minimally invasive surgery 922–3
- papilla preservation technique, modified 917–18, 919, 920, 921, 922, 945
- barrier membranes 917–18, 919, 920, 921
- biologically active regenerative materials 918, 922
- enamel matrix derivative 918, 922
- minimally invasive surgery 922–3
- papillomavirus, periodontal infection 225
- Papillon-Lefèvre syndrome (PLS) 332–3
 - aggressive periodontitis 446
 - implant patients 645
- paraformaldehyde 396
- parakeratinization 11
- parathyroid hormone (PTH) 88
 - ridge augmentation 1093
- Parkinson's disease, surgery
 - contraindication 800
- parodontitis interradicularis 584
- parodontitis profunda 584
- parodontitis superficialis 583–4
- passive threshold determination 115, 116, 117
- pathogen-associated molecular patterns (PAMPs) 339
- pathogenicity mechanisms 245–9
- pathogen-related oral spirochetes 221
- pathogens 208
 - adherence 248
 - antibiotic susceptibility 886–7
 - antibody evasion 247–8
 - bridging species 222, 232, 246
 - climax community complexity 271–3
 - coaggregation 222, 231–2, 233, 246
 - colonization 245–9, 246
 - antagonistic substances 247
 - host defense mechanisms 247–8
 - criteria for defining 213
 - elimination in aggressive periodontitis 449–52
 - genome sequences 249
 - host response 440–1
 - host-compatible 243
 - immune pathology 248–9
 - immune suppression 248
 - interbacterial relationships 246–7
 - interfamily transmission 237
 - intraoral transmission 275
 - invasion 248–9
 - mixed infections 225–6
 - multiplication 246
 - necrotizing periodontal disease 466–8
 - new putative 225
 - nutrient requirements 246
 - oxygen requirements 247
 - peri-implant infections 268–79
 - climax community complexity 271–3
 - edentulous subjects 273–5
 - implant exposure timing 271–3
 - periodontal 145–6, 147–8, 148, 184
 - polymicrobial microbiota 226
 - prevalence in periodontitis patients 331
- regulons 244
- resistance
 - to antiseptics/antibiotics 248
- source 208
- specific suppression 883
- tissue damage 248, 249
- transmission 236–8
 - intraoral 275
- types 213, 214, 215–26
- virulence mechanisms 249
- virulent 243
 - see also bacteria/bacterial infections; fungal infection; viral infections
- patient(s)
 - affirming 699
 - giving advice 700
 - health protection 688
 - history for implant therapy 590–1
 - reflection of communication 699
 - responsibility for oral health 720
 - see also implant patient
- patient examination
 - alveolar bone 583
 - chief complaint 573, 590
 - compliance 591
 - dental history 573, 590–1
 - expectations 573, 590
 - implant success 646
 - family history 573, 590
 - functional disturbance screening 585
 - furcation involvement
 - assessment 580–3
 - gingiva 574–7
 - habits 591
 - hard tissue assessment 592
 - implant therapy 590–1
 - candidate 587–97, 598
 - implant-supported restorations 623–32
 - medical history/medications 574, 591
 - motivation 591
 - occlusion assessment 592
 - oral hygiene 573, 584–5
 - periodontal disease 573–85
 - signs/symptoms 574–83
 - periodontal lesion diagnosis 583–4
 - periodontal ligament 577–83
 - radiographic 592
 - root cementum 577–83
 - smoking history 574
 - social history 573, 590
 - tooth mobility assessment 580, 582
- pattern recognition receptors (PRRs) 299
- pedicle graft procedures
 - double 1005–6, 1007
 - gingival augmentation 966
 - healing 993–5
 - roll flap procedure 1011–13
 - root coverage 972, 974–82, 983
 - combined with barrier membrane 980–1, 983
 - enamel matrix derivatives 981–2
- peer-abutment 1179
- pemphigoid 387–9
- pemphigus vulgaris 389–90
- penicillins 886
 - adverse reactions 887
- Peptostreptococcus*, root canal infection 512–13
- Peptostreptococcus micros* 223–4
 - peri-implant infection 275, 277
 - smoking association 319
- perception, periodontal tactile 108–11, 112
- neurophysiology 109–11, 112, 113
- peri-implant osseoperception 108–11, 112
- psychophysical assessment 114–15
- testing 113–15

- periapical abscess
 - diabetes mellitus 309
 - drainage 851, 852
- pericytes 87
 - bone multicellular unit 88
- peri-implant crevicular fluid (PICF)
 - analysis 1150
- peri-implant lesions 875–80
 - bone defects 877
 - cumulative interceptive supportive therapy 878–80
 - diagnosis 875
 - mechanical debridement 877
 - non-surgical debridement 876
 - regenerative therapy 880
 - resective therapy 880
 - resolution 877–8
 - surgical therapy 876–7
 - treatment strategies 875–8
- peri-implant mucosa 71–8, 529
 - barrier epithelium 73, 74
 - biologic width 72–6
 - buccal soft tissue dimensions 80–1
 - collagen fibres 76
 - connective tissue quality 76–7
 - dimensions 82
 - healing 76
 - inflammatory response 531
 - morphogenesis of attachment 76
 - probing 79–80, 81
 - thin/thick periodontal biotypes 81, 82
 - vascular system 78
- peri-implant mucositis 530, 531–2, 876, 877
 - plaque formation 530–2
- peri-implant tissues 363–72
 - load/loading
 - bone reactions to functional 365
 - cyclic 366, 368
 - excessive occlusal 365–6, 367
 - orthodontic 363–5
 - osseointegration loss 368–9
 - static 366, 368
 - masticatory occlusal forces 369–70
 - osseoperception 108–11, 112
 - tooth-implant supported
 - reconstructions 370–2
- peri-implantitis 199, 268–79, 529–37
 - bone loss 533, 534, 535
 - climax community complexity 271–3
 - clinical features 532, 533
 - disease-modifying genes 340–2
 - edentulous subjects 273–5
 - granulation tissue pathogens 277–8
 - histopathology 534–7
 - IL1* gene polymorphisms 590
 - implant exposure timing 271–3
 - implant-supported restorations 1225
 - inflammatory response 534, 535
 - management 878
 - microbiota of infection sites 277–9
 - P. gingivalis* 218
 - partially edentulous subjects 275–6
 - periodontal disease history 276–7
 - pocket formation 535–6
 - prevalence 532–4
 - probing 80
 - progression 536–7
 - re-osseointegration 1046–8, 1049, 1050
 - risk 589
 - risk factors 635
 - soft tissues around implants 629, 630
 - treatment 877
- periodontal abscess 496–502
 - classification 496–7
 - complications 501–2
 - diabetes mellitus 309
 - diagnosis 498–500
 - differential diagnosis 499–500
 - histopathology 497–8
 - infection dissemination 502
 - microbiology 498
 - non-periodontitis-related 496, 497
 - pathogenesis 497–8
 - periodontitis-related 496
 - peripheral inflammatory root resorption 869
 - post-therapy 496–7
 - prevalence 497
 - signs/symptoms 499, 500
 - sites 497, 499, 500
 - tooth loss 501
 - treatment 500–1, 502
 - vertical root fracture 861, 862
- periodontal disease
 - age 143–4
 - animal experiments 356, 357
 - assessment 135
 - biofilms 229–31
 - characteristics 576
 - definition 738
 - destructive 218
 - agents 215
 - gingival recession 959
 - examination methods 129–31
 - gender 144
 - genetic component 328, 331
 - genetic risk factors 331, 332–4
 - index systems 129–31
 - initiation 242–5
 - lesion diagnosis 583–4
 - low birthweight 482, 483, 484, 485, 486
 - maintenance care 1300
 - orthodontic treatment 1243–5, 1248
 - patient examination 573–85
 - peri-implant microbiota 276–7
 - plaque-associated 358–60, 361
 - pre-eclampsia 486
 - preterm birth 482, 483, 484
 - prevalence 133–5, 136–7, 138, 139–40, 140–1
 - prevention 1297–300
 - probing assessments 132
 - progression 134–5, 242–5, 331
 - radiographic evaluation 1312
 - pulp influence 516–18, 519
 - race/ethnicity 144, 471
 - recurrent 1299–300
 - screening 656–7
 - sibling relationship 332
 - signs/symptoms 574–83
 - smokers 317–19
 - susceptibility 735
 - systemic disease risk 475–91
 - tooth mobility 1127
 - vaccines 210
 - volatile sulfur compounds 1327
- Periodontal Disease Index 130
- periodontal dressings 811–12
- Periodontal Index 130
- periodontal innervation 112–13
 - neural feedback 119
- periodontal ligament 3, 4, 27–31
 - blood supply 43, 46
 - blood vessels 45
 - collagen fiber bundles 31–2
 - epithelial cells 30
 - fibroblasts 33
 - formation 5
 - innervation 48, 49
 - mechanoreceptors 108–9, 112–13, 116, 117, 119
 - activation 117
 - patient examination 577–83
 - principal fibers 28, 29, 30, 32, 33, 36, 42
- re-establishment in re-implanted roots 547
- tooth attachment 37
- trauma from occlusion 357, 359
- vascular plexus 77–8
- widening 357, 359
 - increased tooth mobility 1128–9
- periodontal ligament cells 30
- periodontal regeneration 547
- regenerative capacity 548–9
- periodontal pockets
 - antibiotic actions 884
 - antibiotic delivery 890
 - bacterial infection 185, 884
 - deep with peri-implant lesions 876
 - depth
 - reduction with forced tooth eruption 1004
 - residual and regenerative surgery 931
 - distal wedge procedures 794–5
 - elimination 797
 - endodontic lesion 855–6
 - epithelium 292
 - flap procedures 786–93
 - gingivectomy procedures 784–6
 - hard tissue 807–8
 - iatrogenic root perforation 858, 859
 - microbial growth environment 246
 - periodontal abscesses 499
 - probeable depth 797
 - regenerative procedures 793–4
 - residual 1306–7
 - root debridement 770
 - soft tissue 806, 807
 - spirochetes 220
 - subgingival bacterial deposit 192–3, 195, 197, 234, 238
 - subgingival calculus 197
 - surgery
 - healing 812–14
 - techniques 783–94
 - volatile sulfur compounds 1327
- periodontal probes 578, 582
- periodontal probing
 - aggressive periodontitis screening 437
 - automated systems 580, 581
 - dento-gingival interface 79
 - depth
 - critical 816–17
 - non-surgical treatment 774–5
 - periodontal disease after scaling and root planing 1298, 1299
 - smoking 318, 321
 - furcation involvement
 - assessment 582
 - peri-implant mucosa 79–80, 81
 - peri-implantitis 80
 - periodontal tissue assessment 130, 132
 - patient assessment 577–83
 - regeneration 561–2
 - periodontal receptors 108–9, 112–13
 - activations 117
 - oral stereognosis 119
 - reduction 116, 117
 - periodontal risk assessment (PRA)
 - calculation 1308–9
 - periodontal support
 - interdental 991
 - loss in relation to age 1307
 - residual 1310
 - periodontal tactile function 115–17
 - active threshold determination 115, 117
 - passive threshold determination 115, 116, 117

- periodontal tissues 349–60, 361
 breakdown and orthodontic tooth movement 1241, 1242, 1243–5, 1246–7, 1248–9, 1250–1, 1252
 fibrous reunion 544, 545
 regeneration 541–62
 assessment 542, 561–2
 concepts 550–61
 grafting procedures 551–7
 growth regulatory factors 559
 histologic studies 562
 root surface biomodification 557–8, 559
 wound healing 542–4, 545, 546–50
 periodontitis 90, 207–52, 253
 adaptive defense system 299–304
 adult 133–5, 136–7, 138, 139–40, 140–1, 332
 assessment for implants 588
 advanced 584
 age 143–4
 alveolar bone resorption 440
 alveolar process change 52
 apical 511
 attachment loss 440, 1300
 biofilms 208
 BMI 153–4
 bone destruction 296–7
 buccal migration of tooth 576
 calculus association 133, 134, 202–3
 cardiovascular disease 476–80
 risk 476–80
 treatment effects 489
 characteristics 883–4
 chronic 332, 420–6
 attachment loss 423
 characteristics 420, 421, 422
 clinical features 420
 etiology 669
 furcation involvement 575, 667, 668, 669–73
 gingivitis as risk 422
 heritability 332
 prevalence 423
 progression 423–4
 risk factors 424–6
 single implant 683, 684–5
 stress 425–6
 susceptibility 422–3
 treatment 426, 667, 668, 669–73
 chronic obstructive pulmonary disease 488–9
 classification 428
 colonization 208
 complexity 328
 course 208
 dental plaque association 212–13
 diabetes mellitus 151, 152–3, 153, 162, 245, 308
 association 92, 486–8
 control 309–10
 treatment effects 490–1
 diagnosis 583–4
 disease-modifying genes 333–40
 early onset 331–2, 428, 431–2
 endodontic lesion differential diagnosis 851, 853–6
 etiologic agents 208, 209, 212
 etiology 212
FcγRIIIa polymorphisms 338
 fixed partial denture loss 1224
 frequency distribution 133
 furcation area 584
 gender 144
 gene mutation 332–3
 gene polymorphisms 144–5, 333–40
 genetic component 328–9, 426
 genetic risk factors 331, 332–4
 genetics role 331–2
 glucose intolerance 153
 heritability
 aggressive disease 331–2
 chronic disease 332
 historical aspects 209–13
 HIV infection 154–5, 244
 host defense processes 295–304
 host factors 234, 235–6
 susceptibility 244–5
 host–parasite relationship 208–9, 294
 modification in diabetes mellitus 310
 immune defense system 299–304
 immune reactions 285
 implant patients 638–9
 inflammatory processes 295
 inflammatory reactions 285
 initiation 242–5
 factors 156
 innate immune processes 298–9
 invasion by pathogens 248–9
 juvenile 193, 196, 197, 331–2
 lesions 289–90, 291, 292, 293–4
 ligature-induced 218
 local environment 243–4
 microbial invasion 294
 microbiology 145–6, 147–8, 148, 183–4
 mixed infections 225–6
 necrotizing 459
 acute form 463–4
 chronic form 463–4
 diagnosis 464–5
 interproximal craters 461–2
 Kaposi's sarcoma 464
 recurrent 464
 obesity 153–4
 osteopenia 154
 osteoporosis 154
 pathogenesis 285–304
 pathogenicity mechanisms 245–9
 pathogens 208
 virulent 243
 patients at risk 1300–2
 periodontic/orthodontic treatment 1241, 1242, 1243, 1244, 1245, 1246–7, 1250–1
 phenotype 144–5
 population at risk 331
 pregnancy adverse outcomes 480–2, 483, 484, 485, 486
 prepubertal 140–1, 333
 prevalence 738
 progression 134, 153, 242–5
 factors 156
 proteases 295
 psychosocial factors 155
 race/ethnicity 144, 470
 recurrent 1302–3
 regenerative periodontal therapy 911
 respiratory infection risk 488–9
 risk assessment 1304
 risk factors 141–6, 147–8, 148, 149–50, 151, 152–3, 153–6, 655
 severity 135, 153
 variability 286
 sibling relationship 332
 similarities to other infections 207–8
 smoking 148, 149–50, 151, 224, 235, 245
 spirochetes 221
 stress 155
 supportive periodontal therapy 1302–3
 susceptibility 328–43
 systemic disease
 risk 156–62
 treatment impact 489–91
 tooth loss 141
 trauma from occlusion 352–3
 triclosan-containing toothpaste 745
 unique features 208–9
 virulence factors 243, 294
 viruses 225
 volatile sulfur compounds 1327
see also aggressive periodontitis
 periodontium/periodontal tissue 3
 allergic reactions 849
 alveolar bone anatomy 34–42
 anatomy 3–49
 bacterial damage 440
 bacterial invasion 210–11
 blood supply 43–6, 47
 development 3–5
 endodontic origin and infectious processes 849–51, 852, 853–8
 endodontic treatment of lesions 858
 extravascular circulation 46, 47
 function 3
 gingiva anatomy 5–27
 halitosis 1327, 1335
 healthy
 jiggling-type trauma 354–7
 reduced height 355–7
 inflammation assessment 130
 inflammatory lesions 850–1
 lymphatic system 47
 nerves 48–9
 neural feedback 119
 orthodontic single-tooth extrusion 1256, 1259
 overt lesions 849
 periodontal ligament anatomy 27–31
 potential infection 208
 preservation 797
 rate of destruction 447
 regeneration 793–4
 root cementum anatomy 31–4
 smoking cessation 151
 support loss assessment 130–1
 toxic reactions 849
 Periodontometer 1126
 periosteal retention procedure 965–6
 periosteum 40
 mechanoreceptors 121
 activation 117
 Periotest® 1126–7
 implants 629
 peroxyborate/peroxycarbonate 746
 pH
 biofilms 227
 pathogen growth conditions 247
 periodontal infections 209
 phagocytes
 defects in aggressive periodontitis 449
 endodontic lesions 514
 phagocytosis 198, 301
 pulp inflammatory response 507, 509
 subgingival plaque 194
 phantom tooth phenomenon 121
 phenols, plaque control 745
 phenytoin
 gingival enlargement 392, 410, 641, 800
 surgery contraindication 800
 phonetics with implants 628
 disturbances 595–6
 physically handicapped people, chlorhexidine use 752
 plant extracts, plaque control 745–6
 plaque, atheromatous 157
 bacterial 192, 193
 plaque, dental 183–4
 accumulation with orthodontic appliances 1245, 1248
Actinomyces-induced 185, 186, 212
 bacteria 194, 195, 198, 199, 203
 rapid/slow former 241
 smoking effects 319
 biofilms 226–31, 238–9, 240, 241–2
 mechanical debridement 772–3

- plaque, dental (*continued*)
 carbohydrate content 191
 chemical control agents 742–60
 evaluation 754–60
 chronic periodontitis
 risk 424
 role 422
 conditioning film 185
 control 203
 bacterial tests 755
 clinical trials 757–60
 instruction 719–29
 motivation 719–29
 self-performed 522, 798–9
 study methods 755–7
 uptake measurements 755
 etiology 212
 experimental studies 756
 fibrillar component 190, 191
 formation 185–7
 gingival disease 405–15
 treatment 414
 gingival margin accumulation 186–7
 gingival recession 958–9
 gingivitis 406, 407, 407–8, 422, 1298
 glycoprotein pellicle 188
 HIV infection 412
 host susceptibility 738, 739
 immune response suppression 314
 infection 856
 association 212–13
 non-specific plaque hypothesis 211
 inflammatory response 415
 inhibitory agents 734, 754
 intermicrobial matrix 189–91
 lipids 191
 mechanical debridement 772–3
 microbial complexes 231–2, 233, 234–8
 mineralization 199–200
 non-specific plaque hypothesis of infection 211
 oxygen levels 247
 patient examination 584–5
 peri-implant 196–7
 peri-implant mucosa response 530–2
 periodontitis in adults 133, 134
 reducing agents 734, 754
 removal
 adolescents 1243
 agents 740
 brushing force 718–19
 gingivitis control 710
 insufficient 735
 peri-implant 876
 self-performed 705, 706–19
 retentive factors 585
 smoking effects on bacteria 319
 structure 187–94, 195, 196–7
 subgingival 191–4, 195, 196, 198, 199
 biofilm 231
 debridement 772–3
 Eubacterium 224
 pathogens 225
 supragingival 187–91, 199
 biofilm 230
 chemical agents 742–60
 chemical control 734–5, 737–60
 control 736–7
 debridement 772–3
 mechanical control 705–29, 735, 736–7
 removal 705–6
 vehicles for delivery of chemical agents 740–3
 treatment comparisons 815, 816
 Plaque Index (PLI) 130, 290
 plaque-inhibitory agents 742–60
 evaluation 754–60
- plasma cells 20, 21
 adaptive defense system 299
 aggressive periodontitis 441
 antibody production 301, 302
 gingival 302
 gingivitis 292, 293
 necrotizing 466
 plasma immunoglobulins 301
 plasmatic circulation 969, 970
 plastic surgery *see* microsurgery;
 mucogingival therapy
 platelet-derived growth factor
 (PDGF) 87, 559, 938–9
 alveolar bone healing 89
 ridge augmentation 1093
 platelets
 aggregation 479
 tooth socket healing 57, 59
 pneumonia, bacterial 488, 491
 pocket probing depth (PPD) 575–6
 endodontic lesions 856, 857
 angular bone defects 858
 peri-implant lesions 877
 regenerative therapy 948
 risk assessment 1311
 single-tooth replacement 1150
 soft tissue around implants 630
 polyethylene glycol (PEG)
 hydrogel membranes 1094
 PTH carrier 1093
 polyglycolic acid 930, 1084
 bioabsorbable barrier membrane 1086
 polylactic acid 930, 1084
 bioabsorbable barrier membrane 1086
 polymer grafts 556
 polymerase chain reaction (PCR) 213
 biofilm bacterial detection/
 enumeration 229
 polymorphonuclear leukocytes
 (PMNs) 20, 21
 aggressive periodontitis 441, 443–4
 chronic periodontitis risk 425
 dental pulp infection 514–15
 diabetes mellitus 310
 gingival crevice 286
 gingivitis 289
 host defense 248
 processes 296, 297
 migration 301, 311
 peri-implantitis 534
 pocket epithelium 292
 pulp inflammatory response 506, 507, 509
 smoking 320
 polyphosphates 741
 polytetrafluoroethylene, expanded
 (e-PTFE) 928, 945, 948, 1084
 BMP effects 1093–4
 lateral bone augmentation for
 posterior implants 1184
 maxillary anterior single-tooth
 replacement 1157
 papilla preservation flap
 combination 945
 pedicle soft tissue graft for root
 coverage 980
 ridge augmentation 1084, 1085–6
 pontic
 central 1181, 1182
 contour refinement 1020, 1021–3
 porcelain-fused-to-metal alloys 1199
Porphyromonas, root canal
 infection 512–13
Porphyromonas gingivalis 145–6, 147–8, 150, 184
 adherence 248
 aggressive periodontitis 440, 441, 448
 alveolar bone loss 219
 antibiotics
- local delivery 893
 microbiologic tests 890
 susceptibility 886–7
 systemic 889
 antibody titers 303–4
 Arg1-protease production 294
 biofilm 231, 232
 composition 235–6, 237, 239
 content 242
 implant surfaces 268–71
 cardiovascular disease 157, 158, 479–80
 carotid endarterectomy 157
 destructive periodontal disease 215, 218
 diabetes mellitus 245
 elimination by extraction of all
 teeth 274
 endothelial cell invasion 479
 HIV infection 244
 immune response 218
 immunization studies 218–19
 infection 217–19
 mixed with *T. forsythia* 226
 invasion 248
 iron levels in environment 244
 linear gingival erythema 382
 pathogenic potential 243
 peri-implant infection 271–3, 274, 275–6, 279
 periodontal disease history 276–7
 subgingival 639
 periodontal abscesses 498
 periodontal lesions in diabetes 310
 polymicrobial microbiota 226
 pregnancy exposure 482
 prevalence in periodontal disease 331
 protease production 249
 smoking association 319
 suppression 883
 transmission 236
 virulence factors 479
 posterior dentition implants 1175–204
 clinical applications 1193–201, 1202, 1203
 distally shortened arch 1180–7
 fixed implant-supported
 prostheses 1180–7
 multiple-unit tooth-bound
 restorations 1187–90, 1191
 screw-retained restorations 1193–6
 single-tooth replacement 1191–2, 1193
 potassium salts
 desensitizing 741
 root dentin hypersensitivity 522
 pouch graft procedures 1013–14
 povidone iodine, plaque control 747
 predentrix 34
 pre-eclampsia 480
 periodontal disease 486
 pregnancy
 adverse outcomes with
 periodontitis 480–2, 483, 484, 485, 486
 complications 159–62
 gingival disease 409–10
 gingival keratinization
 reduction 313–14
 gingivitis 313, 409–10
 loss 161–2, 480
 medications 314
 periodontal effects 312–14
 periodontal treatment 314, 489–90
 periodontitis 480–2, 483, 484, 485, 486
 treatment effects 489–90
 plaque immune response
 suppression 314
 pregnancy granuloma 314
 pregnancy tumor 409–10

- pre-medication 690–1
 - premolars
 - implants 1140, 1141, 1143
 - mandibular 826, 827
 - maxillary 825
 - root anatomy variation 828
 - root separation and resection 835, 836
 - single-tooth restoration 1191, 1192, 1192, 1193
 - vertical root fracture diagnosis 863
 - presbyopia 1030
 - pressure zones 353, 354, 357, 358
 - preterm birth 159–60, 480–1
 - infection 481
 - periodontal disease 482, 483, 484
 - Prevotella*
 - aggressive periodontitis 438
 - root canal infection 512–13
 - Prevotella intermedia* 211–12, 221–2
 - biofilm
 - content 242
 - implant surfaces 268–71
 - coronary heart disease 222
 - diabetes mellitus 245, 310
 - HIV infection 244
 - linear gingival erythema 382
 - necrotizing periodontal disease 466, 467, 468
 - peri-implant infection 272–3, 274, 275–6, 279
 - periodontal disease history 276–7
 - subgingival 639
 - periodontal abscesses 498
 - plaque formation 186
 - pregnancy gingivitis 313
 - prevalence in periodontal disease 331
 - pubertal gingivitis 312
 - smoking association 319
 - virulence 222
 - Prevotella melaninogenica* 498
 - Prevotella nigrescens* 221–2
 - peri-implant infection 277–8, 279
 - prism loupes 1031
 - probing *see* periodontal probing
 - probing attachment level (PAL) 130
 - assessment 577
 - basic periodontal examination 657
 - inherent errors 577–80
 - measurement errors 580
 - peri-implant soft tissue 630
 - periodontal disease after scaling and root planing 1298, 1299
 - periodontal tissue regeneration assessment 562
 - supportive periodontal therapy 1301
 - probing pocket depth (PPD) 130
 - assessment 577, 578, 579
 - attachment loss 579
 - basic periodontal examination 656, 657
 - inherent errors 577–80
 - measurement errors 579–80
 - reduction 655
 - treatment comparisons 816
 - trauma from occlusion 353
 - progesterone 312
 - hormonal contraceptives 316
 - pregnancy 312, 313–14
 - tissue response 316
 - progestins, gingival disease 408
 - prognostic factors 142
 - pro-inflammatory mediators 479
 - prostaglandin E₂ 310
 - crevicular fluid levels in aggressive periodontitis 449
 - pregnancy 482
 - preterm birth 481
 - prostaglandins 296
 - prosthetic components of implants 626
 - protease inhibitors 295
 - proteases 249, 294
 - periodontal infections 295
 - plaque control 744
 - proteoglycans 23, 24
 - proteolytic enzymes 209
 - pseudo-halitosis 1333
 - therapy 1333–4
 - pseudomembrane 460
 - Pseudomonas aeruginosa* 225
 - antibiotic resistance 229
 - biofilm 229
 - pseudopockets 583
 - psychiatric/psychological issues, implant patient 645
 - psychosocial factors, periodontitis 155
 - puberty
 - gingivitis 312, 408–9
 - periodontal effects 312
 - see also* adolescents
 - pulp, dental
 - accessory canal communication 508, 510, 511
 - defense potential 505
 - disease
 - causes 504–5
 - processes 504–8, 509, 510–16, 849
 - progression 505–7
 - dynamic events 505–7
 - exposure to oral environment 506
 - fibrosis 518
 - infection 504–8, 509, 510–16, 517
 - inflammatory processes 506, 507, 508, 509
 - root canal system infection 510–16
 - inflammatory responses 505–6
 - intra-pulpal mineralizations 518
 - necrosis 506–7, 509
 - periodontal disease influence 516–18, 519
 - periodontal treatment effects 518, 520
 - sensibility 854
 - tissue necrosis 505
 - vitality 505
 - lost 849, 850
 - testing 851, 853–6
 - pulpal axons, terminal branch sprouting 520
 - pulpal pathosis 829
 - pyogenic granuloma, pregnancy-associated 409–10
 - pyrophosphates 741
 - quaternary ammonium compounds 744–5
 - questions, open-ended 699
 - quorum sensing, biofilms 227–8
 - race/ethnicity
 - factors in necrotizing periodontal disease 470
 - periodontal disease 144
 - radiation detectors 618, 620
 - radiation therapy, implant patient 642
 - radiographic analysis
 - alveolar bone 576, 583
 - periodontal regeneration assessment 561, 562
 - radiography
 - abutment placement 615–16
 - aggressive periodontitis 659, 666, 667
 - ALARA principle 601, 606
 - alveolar crest for implant placement 1072
 - bone loss 616, 618
 - chronic periodontitis 668, 673
 - condition of remaining teeth 602–3
 - dosage 601
 - furcation involvement 828, 829, 830
 - implant patient 592, 593, 596–7, 600–21
 - treatment monitoring 614–16, 617, 618, 619–20
 - implant planning 603–7
 - lower jaw imaging 610–12, 613, 614
 - placement 1069–70
 - upper jaw imaging 607–8, 609, 610
 - intraoral 604, 616, 617
 - radiation detectors 618, 620
 - necessary information 601–3
 - osseointegration failure 618, 619
 - osseous lesions 902
 - palatal implant insertion sites 1286
 - panoramic 604, 615
 - periodontal disease progression 1312
 - reference 616
 - root resorption 866, 867
 - surgical site 1068–9
 - threaded implants 616, 617
- RANKL 91, 296–7
 - reactive oxygen species 311, 321
- reattachment procedures 542
- receptor activator of nuclear factor-kappa beta (RANK) 296–7
- receptors for advanced glycation endproducts (RAGEs) 487
- reduced dental epithelium 16
- re-entry operations, periodontal regeneration assessment 561, 562
- reflection 699
- regenerative periodontal surgery 541, 542, 903, 913–48
 - bacterial contamination control 947
 - barrier materials 928, 930–8
 - furcation involvement 932–7
 - barrier membranes 937–8
 - biologically active materials 938–40
 - bone replacement grafts 905, 907–8, 909, 938
 - complications 928
 - coverage of regenerated tissue 915
 - crestal incision 945
 - furcation defects 840–3, 844
 - barrier membranes 904, 932–7
 - infection control regime 926
 - minimally invasive technique 922–5, 926, 927, 928, 929
 - modified papilla preservation technique 945
 - oral hygiene 925–6, 947
 - orthodontic tooth movement 1261–2
 - outcomes 945
 - papilla preservation flap 792–3, 916–17
 - intrabony defects 916–17, 918
 - modified 916
 - simplified 920–2, 923, 924, 925, 945, 948
 - papilla preservation modified technique 917–18, 919, 920, 921, 922, 945
 - post-operative morbidity 926–8
 - post-operative regime 925–6
 - suturing approach 945, 947
- regenerative periodontal therapy 793–4, 901–48
 - barrier membranes 905–7
 - benefits 903–5
 - biologically active regenerative materials 905, 908–9
 - bone grafts 544–5, 546–7
 - replacement 905, 907–8, 909
 - clinical efficacy 905–9
 - clinical strategies 944–5, 946, 947–8
 - defect factors 911–12
 - effectiveness 905–9
 - enamel matrix derivatives 908–9
 - evidence-based strategy 945
 - indications 903

- regenerative periodontal therapy
(*continued*)
long-term effects 903–5
material selection 945
patient factors 911
PDGF 938–9
periodontal infection 911
prognostic factors 909, **910**, 911–13
smoking 911
surgical approach 913–48
tooth factors 912–13
tooth survival 904–5
see also root surface, biomodification
- regulons 244
- relative risk 143
- removable partial dentures (RPD) 1177
- re-osseointegration 1046–8, 1049, 1050
definition 1046
implant surface quality 1048, 1049, 1050
- resonance frequency analysis,
implants 629
- respiratory burst 321
- respiratory tract
infections and periodontitis 488–9
upper and extraoral halitosis 1327, 1334
- restorative dentistry
defective margins 585
dental pulp diseases 505
gingival dimensions 964–5
implants 1138–45
shortened dental arch complex 1139
treatment
 concepts 1138–9
 goals 1139
- retainers 1248–9
- rete pegs 10
- retention assessment 755–6
- reticulin fibers 21, 22
- rheumatic endocarditis, surgery
 contraindication 799
- ridge mucosa 530
- risk assessment
alveolar bone loss 1307
attachment loss 1311
bleeding on probing 1306, 1310–11
calculation 1308–9
continuous multi-level 1303–12, 1313
furcation involvement 1309
iatrogenic factors 1309–10
oral hygiene 1305–6
periodontitis 1304, 1305
pocket probing depth 1311
process 142
 clinical implementation 1312
recall system compliance 1304–5
relative risk 143
site 1310–12
smoking 1308
subject 1303–4
systemic disease 1307–8
tooth 1309–10
 loss 1307
 mobility 1310
- risk factors for periodontal disease 141–6, 147–8, 148, 149–50, 151, 152–3, 153–6
 potential/putative 142, 143
 true 142
- roll flap procedure 1011–13
- roll with resistance 698
- rongeurs 805
- root
 coefficient of separation 823, 824
 degree of separation 823, 824
 development 4
 divergence 823, 824
 iatrogenic perforation 858–9
 sealing 859, 860
 intra-alveolar displacement 1126
 mechanical cleaning of surfaces 882
 morphology alterations 497
 resorption 547, 548, 550
 clinical presentation 866, 867
 external 865–72
 external inflammatory 869, 871–2
 forms 866–72
 identification 866, 867
 peripheral inflammatory 869–71
 replacement 868–9
 surface 866–8
 trigger mechanism 866
 sensitivity with non-surgical
 treatment 773–4
 stability 834
 support remaining 834
 trunk 823
 length 832
 vertical fractures 859–63, 864, 865
 clinical expressions 861–2
 diagnosis 862–3
 incidence 861
 mechanisms 860–1
 treatment 863
 see also furcated region; furcation
- root canal infection 510–16, 850–1
 bacteria 512–14
 endodontic lesions 856, 857
 periodontal tissue response 512
 treatment 856
- root canal system, accessory
 canals 507–8, 510
- root cementum 3, 29
 patient examination 577–83
 periodontal ligament 28
- root complex 823
- root cones
 divergence 832, 833
 fusion between 823–4, 833–4
 length 832–3
 shape 832–3
- root coverage 970–82, 983–4, 985–7, 988–9, 990–6
 advanced flap procedure 972, 975–80
 clinical outcome 990–2
 connective tissue graft 985–7, 988–9, 990
 conventional surgery 1041, 1042
 coronally advanced flaps 975–80, 981, 982, 985, 986, 989, **990**, 991–2
 healing 994–5
 for multiple recessions 978–9, 981
 double papilla flap 974
 epithelialized soft tissue graft 982, 984, 985, **990**
 exposed root surface treatment 973
 extent 990–2
 flap tension elimination 992
 free soft tissue graft procedure 972, 982, 984, 985–7, 988–9, 990, 991–2
 epithelialized **990**
 healing 995–6
 thickness 992
 gingival margin position 992
 guided tissue regeneration **990**, 992
 healing 995
 interdental support 991
 microsurgery 1041, 1042
 pedicle graft procedures 972, 974–82, 983
 combined with barrier
 membrane 980–1, 983
 with enamel matrix
 derivatives 981–2
 healing 993–5
 procedures 971–82, 983–4, 985–7, 988–9, 990
 rotational flap procedure 972, 974–5
- semilunar coronally repositioned flap
 procedure 976, 979–80, 982
 soft tissue healing 992–6
- root debridement
 ablative laser therapy 771, 772
 calculus removal 767–8
 full-mouth disinfection 776
 furcation involvement 773
 hand instrumentation 768–70, 771
 method selection 771–2
 non-surgical methods 768–72
 reciprocating instruments 770–1
 sonic scalers 770, 771
 subgingival biofilm influence 772–3
 ultrasonic scalers 770, 771
- root dentin hypersensitivity 518, 520–2
- root planing
 chlorhexidine use 752
 see also scaling and root planing
- root separation and resection 832–5, 836, 837–8, 839, **840**, **845**
 mandibular molars 837, 839, 842
 maxillary molars 834–5, 836, 837–8, 839, 842
 maxillary premolars 835, 836
 periodontal surgery 838, 840
 prosthetic restoration 840, 841
 treatment sequence 837–8, 839, 840
- root surface
 biomodification 557–8, 559, 808, 943
 conditioning 808
 demmineralization 557–8, 559, 973
 exposed 973
 instrumentation 808
 tetracycline biomodification 943
- root-filled teeth
 dentin dehydration 861
 fracture propensity 860
 infection 858
 moisture content 860–1
- rotational flap procedure, root
 coverage 972, 974–5
- salifluor 747
- saline
 antimicrobial activity 756
 sterile physiologic 805
- saliva, innate mechanisms 298
- sanguinarine 745
- sarcoidosis 394
- saucerization 1162
- scalers 804–5
 sonic/ultrasonic 770, 771
- scaling
 necrotizing periodontal disease 472
 periodontal abscesses 496–7
 periodontal therapy 251, 253
 Tannerella forsythia control 219–20
- scaling and root planing 253
 attachment gain 817
 chronic periodontitis 671
 full-mouth disinfection 776
 furcation involvement 830
 impaired access 797–8
 local antibiotic delivery
 comparison 891
 new attachment 550–1
 pain 773
 periodontal disease prevention 1298, 1299
 periodontal therapy 251
 systemic antibiotics 889
 Tannerella forsythia control 219–20
- scanograms 615
- scars, dental pulp diseases 505
- Schwartzman reaction 467
- scleroderma, implant patient 643
- screw-retained restorations 1193–6
 transocclusal 1193–5
 transverse 1195–6

- scurvy 412–13
 chronic periodontitis 425
 selection bias 141
 selective estrogen receptor modulators (SERMs) 91
Selenomonas 224
 necrotizing periodontal disease 466
 self-efficacy, support 698
 self-inflicted injuries 397, 398
 semilunar ganglion 48
 sensibility tests 854, 855
 sex steroid hormones
 chronic periodontitis 425
 gingival disease 408, 409
 see also estrogen; progesterone
 Sharpey's fibers 30, 32, 33, 36
 alveolar bone proper 38, 42
 mineralization 34
 shear force, biofilms 227
 shortened dental arch (SDA) 1139
 simple tandem repeats (STRs) 330
 single nucleotide polymorphisms (SNPs) 329
 sinusitis 1102
 maxillary sinus floor elevation 1106
 size discrimination 117, 118
 Sjögren's syndrome
 biofilm composition 235
 implant patient 644
 skatole 1326
 skeletal anchorage systems 1281
 sleep, inadequate 469–70
 small-for-gestational-age births 484
 smile line assessment 592
 smoking 316–22
 alveolar bone loss 318
 antibiotic therapy regimens 890
 biofilm composition 235
 bone effects 322
 cessation 151, 322, 691, 696
 motivational interviewing 697–8, 702–3
 counseling 691
 estrogen levels 315
 Eubacterium infection 224
 gingiva 318
 gingival crevice fluid effects 320–1
 gingivitis 319
 healing effects 321–2
 host response 319–22
 host susceptibility to disease 245
 IL1 gene polymorphisms 589, 591
 immune system effects 320
 implant patient 640, 645
 implant risks 589, 591
 inflammatory system effects 320
 inhalation 317
 maxillary sinus floor elevation 1102
 osteoporosis effects 315, 322
 patient examination 574
 periodontal disease 317–19
 necrotizing 470
 periodontitis 148, 149–50, 151, 224, 235, 245
 aggressive 432–3, 445, 446
 chronic 424, 669
 probing depth 318, 321
 regenerative periodontal therapy 911
 risk assessment 1308
 smoke composition/exposure 317
 surgery contraindication 800
 vascular effects 321
 socioeconomic status in
 periodontitis 144
 socket former 1099
 sodium chlorite, acidified 747
 sodium fluoride, chlorhexidine synergism 753
 sodium lauryl sulfate 741
 antimicrobial activity 756
 plaque control 746
 sodium valproate, gingival overgrowth 410
 soft tissue
 damage from interdental cleaning 714
 morphology for bone regeneration 1085
 recession 683
 see also gingiva
 soft tissue curettage 550–1
 soft tissues, peri-implant 629–30
 evaluation 636
 somatosensory system, oral 108, 109
 functional testing 117–19
 specific plaque hypothesis 184
 sphenopalatine nerve, long 48
 spirochetes 209, 211, 220–1
 biofilm 231
 decrease with periodontal infection treatment 221
 invasion 249
 necrotizing gingivitis 466, 467
 peri-implant infection 272
 periodontal abscesses 498
 splinting
 implants 1189–90, 1191
 orthodontic treatment 1249
 tooth mobility 1130, 1133, 1135–6, 1249
 split flap procedure 965–6, 968–9
 spongy bone 27, 28
 sprays 741–2
 chlorhexidine 741–2, 751
 stannous fluoride 746
 halitosis treatment 1336
Staphylococcus, peri-implant infections 639
Staphylococcus epidermidis 184
 stereognosis, oral 118
 compromising factors 118–19
 receptor activation 119
 stillbirth, periodontal treatment 161–2
 stomatitis
 denture 630
 chlorhexidine use 753
 necrotizing 459, 462, 463, 464
 diagnosis 464–5
 stratum corneum 15
 stratum germinativum 12
 stratum granulosum 14, 15
 streptococci 210
 bacterial coaggregation 232
 biofilm formation 241
 colonization 246
 dental plaque development 237
 "milleri" 224–5
Streptococcus anginosus 224, 225
Streptococcus constellatus 224
Streptococcus intermedius 224, 225
 peri-implant microbiota 275
Streptococcus mitis 237
 biofilm formation 241
Streptococcus mutans 753
Streptococcus oralis 241
Streptococcus sanguinis 241
 coaggregation 246
 growth inhibition 247
 hydrogen peroxide production 247
 plaque formation 185, 186
 virulence factors 479
 stress
 chronic periodontitis 425–6
 dental procedures 690
 halitosis 1335
 hypoglycemia 690
 necrotizing periodontal disease 469
 periodontitis 155
 stripping, mesio-distal enamel reduction 1271–2, 1273, 1274
 stroke, periodontal infection 158
 strontium salts 741
 subepithelial plexus 44, 45
 subgingival irrigation 753
 sublingual artery 43, 1072, 1073
 sublingual nerve 48
 sublingual region 1072, 1073
 submandibular lymph nodes 47
 submandibular region 1072, 1073
 submental artery 1072, 1073
 submental lymph nodes 47
 substance use/abuse, implant patient 645
 sulfide monitor 1329–30, 1331, 1332
 Summers technique 1111
 supportive periodontal therapy 501, 663, 1297–317
 clinical attachment level 1313–14
 clinical implementation 1312
 continuous multi-level risk assessment 1303–12, 1313
 in daily practice 1314–15, 1316, 1317
 examination, re-evaluation and diagnosis (ERD) 1314–15, 1316
 gingivitis 1302
 lack in disease-susceptible individuals 1300–1
 maintenance care visits 1313
 motivation, reinstruction and instrumentation (MRI) 1314, 1315, 1316
 objectives 1313–14
 periodontitis 1302–3
 polishing, fluorides, determination of recall interval (PFD) 1314, 1316, 1317
 treatment of reinfected sites (TRS) 1314, 1315, 1316, 1317
 suppuration, risk assessment 1311–12
 suprabony defects 901
 suprapariosteal blood vessels
 gingiva 44–5, 77
 peri-implant mucosa 78
 surgery
 access therapy 783–820
 aggressive periodontitis 661, 663
 attachment gain 817
 bone fill in angular bone defects 818–20
 chlorhexidine use 752
 chronic periodontitis 671–2
 comparison with non-surgical treatment 814–20
 contraindications 799–800
 distal wedge procedures 794–5
 edentulous ridge augmentation 1011–17, 1018–19, 1020, 1021–3
 guidelines 797–812
 healing 812–14
 image-guided 620, 621
 indications 797–9
 techniques 805–6
 infection control 815
 instrumentation 802–5
 local anesthesia 800–2
 minor with orthodontic treatment 1274–5, 1276
 objectives 797
 osseous 795–7
 outcomes 812–20
 patient cooperation 799
 periodontal abscesses 497
 periodontal dressings 811–12
 post-operative care 812
 post-operative pain control 812
 pre-operative chlorhexidine rinsing/irrigation 753

- surgery (*continued*)
 root separation and resection 838, 840
 root surface conditioning/
 biomodification 808
 suturing 808–11
 technique selection 805–8
 visibility in field of operation 805
 wound stability 812
see also flap procedures;
 gingivectomy; grafting
 procedures; microsurgery;
 mucogingival therapy;
 regenerative periodontal surgery;
 sutures/suturing
 surgical guide 1225, 1226
 surgical site for implants 1068–77
 anatomic landmarks with potential
 risk 1072–3
 clinical examination 1068
 healing time 1076–7
 implant placement 1071–2
 direction/inclination 1074–6
 position of implant 1073–4
 radiographic examination 1068–9
 sutures/suturing 808–11
 bacteriostat-coated 1038
 continuous 810–11
 interrupted dental 809
 intraoral tissue reactions 1037–8
 microsurgery 1035–8, 1040
 modified mattress 809–10
 needle 1036, 1037
 non-resorbable 1037, 1038
 removal 812
 resorbable 1036–7
 suspensory 810
 technique 809–11
 swabs 718
 systemic disease
 aggressive periodontitis
 association 446
 chronic periodontitis risk 424–5
 extraoral halitosis 1334
 gingival disease association 411–12
 halitosis 1327
 historical concepts 475–6
 oral infections 476
 periodontal disease 475–91
 manifestation 446
 necrotizing 468–9
 risk 156–62, 475–91
 periodontitis 156–62
 aggressive 446
 chronic 424–5
 treatment effects 489–91
 risk assessment 1307–8
 treatment considerations 690
see also diabetes mellitus; leukemia
 systemic lupus erythematosus
 (SLE) 391
 implant patient 643–4
 T cell receptors (TCRs) 300
 T cells
 adaptive defense system 299
 aggressive periodontitis 441
 migration 302
 smoking effects 321
 T helper (Th) cells 300, 301
 tactile function 115–17
 dental status 116–17, 118
 oral stereognosis 118
 testing 113–15
Tannerella forsythia 145–6, 147–8, 148,
 150, 219–20
 aggressive periodontitis 440
 biofilm 231, 232
 composition 239
 cardiovascular disease 157, 158
 carotid endarterectomy 157
 destructive periodontal disease 215
 invasion 248
 mixed infection with *P. gingivalis*
 226
 peri-implant infection 271, 272, 278
 periodontal disease history 276–7
 periodontal abscesses 498
 polymicrobial microbiota 226
 prevalence 219
 serum antibodies 220
 S-layer 219
 smoking association 319
 tea tree oil 745–6
 temporary anchorage devices
 (TAD) 1282
 temporomandibular joint (TMJ)
 receptors 119
 tension zones 353, 354, 357, 358
 tetracycline 886
 activity 889
 adverse reactions 887–8
 controlled-release 880, 886
 non-resorbable plastic
 co-polymer 892
 root surface biomodification 943
 therapeutic alliance 697
 thermal stimulation 854
 thermoreceptors 109
 thiocyanate 744
 tin salts 746
 titanium pins 1285
 TNFA gene 336
 TNFA R-alleles 336
 toll-like receptors (TLRs) 298, 299
 gene polymorphisms 338, 339
 tomography 604
 conventional 605
 incorrectly placed implants 615, 616
 lower jaw 611, 613
 vertical root fractures 861–2
see also computed tomography (CT);
 digital volume tomography (CT)
 tongue
 bacterial load 1327
 cleaning 1335
 tongue cleaners 717–18, 729
 tongue coating 1327, 1335
 index systems 1330, 1333
 tongue scraper 1334, 1335–6
 tonofilaments 13, 14
 tonsilloliths (tonsil stone) 1333–4
 tooth
 abrasion 719
 autotransplantation 1267
 bodily movement 353–4
 cleaning
 biofilms 242
 professional 925
 eruption 8, 16–17, 29
 ectopic 1005–6, 1007, 1008
 forced 596, 1002, 1003–5, 1006
 hopeless 1249, 1251, 1252
 extrusion 1256, 1266
 orthodontic extraction 1263, 1265,
 1266
 innervation 48
 lengthening 590
 periodontal infections 208, 209
 position within dental arch 1309
 pre-therapeutic single tooth
 prognosis 659, 660, 669
 risk assessment 1309–10
 single and implant decisions 679–80
 esthetic zone 683, 684–5
 strategically important
 missing 1144–5
 survival with regenerative
 periodontal therapy 904–5
 total clearance 141
 tooth bud 28, 29
 tooth extraction
 alveolar process adaptation 1059
 alveolar ridge healing 1063
 bone resorption 52
 implant placement immediately
 following 1055–6, 1057, 1058–61,
 1062, 1064
 intra-alveolar processes 54–5, 56, 57,
 58–9, 60, 61, 62
 multiple 50, 51
 socket
 bone fill 1062–3
 changes 55
 completed soft tissue
 coverage 1061–2
 healing 55, 56, 57, 58–9, 60, 61, 62
 soft tissue collapse
 prevention 1009–10
 tooth germ 3, 4
 tooth loss
 alveolar ridge atrophy 1060–1
 gingival inflammation 422
 periodontal abscesses 501
 periodontal disease 331
 prevalence 135
 periodontitis 141
 risk assessment 1307
 tooth mobility 28
 automated probing systems 580
 basic periodontal examination 657
 bridges 1132
 mobility increase 1134–6
 clinical assessment 1127–8
 horizontal forces 1128
 increased
 increased periodontal ligament
 width 1128–9
 normal periodontal ligament
 width 1129–30
 initial 1125–7
 mechanisms 1125–6
 pathologic 1127
 patient examination 580, 582
 periodontal disease 1127
 physiologic 1127, 1132
 progressive 353, 355, 357, 1125, 1128
 reduced periodontal ligament 1132
 regenerative periodontal therapy 913
 risk assessment 1310
 secondary 1125–7
 splinting 1130, 1133, 1135–6, 1249
 trauma from occlusion 352, 353, 1125,
 1128
 treatment 667, 668, 669–73, 1128–30,
 1131, 1132–6
 tooth movement
 direction 962
 gingival recession 962–3, 1267, 1269,
 1270, 1271–2, 1273, 1274
 implant esthetics 1263–5, 1266, 1267
 orthodontic
 adults 1252–3, 1254, 1255–6, 1257–
 8, 1259–65, 1266, 1267
 adults with periodontal tissue
 breakdown 1241, 1242, 1243–5,
 1246–7, 1248–9, 1250–1, 1252
 compromised bone areas 1253,
 1254–5
 forced tooth eruption 1003–5, 1006
 infrabony pockets 1252–3
 regenerative procedures 1261–2
 single teeth extrusion/
 intrusion 1255–6, 1257–8,
 1259–60
 through cortical bone 1253, 1256
 pathologic 1243, 1244, 1245, 1246–7
 periodontally compromised
 patient 1241–76
 root surface resorption 868
 tooth powders 737

- tooth size discrepancies (TSD)
 - correction 1272
- tooth socket
 - bone fill 1062–3
 - changes 55
 - completed soft tissue coverage 1061–2
- tooth socket healing 55, 56, 57, 58–9, 60, 61, 62
 - blood clot formation 55, 56, 57, 58–9
 - bone marrow 62, 64
 - bundle bone 63, 64, 65
 - connective tissue 55, 56, 57, 58, 60, 61
 - edentulous alveolar ridge
 - topography 66–7
 - fibrinolysis of blood clot 57
 - granulation tissue 55, 56, 57, 58, 60
 - hard tissue cap 62, 63
 - lamellar bone 62
 - osteoid formation 60
 - osteons 62
 - tissue formation 56, 60, 61, 62
 - wound cleansing 59, 60
 - woven bone 56, 57, 58, 60, 61, 62, 63, 64, 65
- tooth towelettes 718
- toothbrush trauma 711, 719, 720
 - gingival recession 958
- toothbrushes 706, 707–12
 - abrasion 719, 720
 - chemical 740
 - electric 712–13, 718, 724
 - efficacy 736–7
 - electrically active 713–14
 - end-tufted 717, 728
 - filaments 711
 - end-rounding 711
 - tapering 712
 - wear 712
 - foam 718
 - instruction 723
 - ionic 713–14
 - manual 723
 - replacement 711–12
 - single-tufted 717, 728
 - sonic 713
 - wear 711–12
- toothbrushing 706, 735, 736
 - Bass technique 708
 - circular 708
 - duration 710–11, 736
 - efficacy 708, 736
 - force 718–19
 - frequency 710, 736
 - gingival lesions 396, 397
 - horizontal 708
 - ineffective 720
 - instruction 720
 - methods 708–10
 - modified Bass/Stillman technique 709
 - plaque build-up prevention 414
 - roll technique 709
 - scrubbing 708
 - sulcular 708
 - vertical 708
 - vibratory technique 709
- tooth-implant supported
 - reconstructions 370–2
- toothpaste 414, 718, 737–8
 - abrasives 740–1
 - abrasivity 737, 738, 741
 - active ingredients 741
 - allergic reactions 393
 - chemical agent delivery 740–1
 - chlorhexidine 741, 751
 - detergents 396, 741
 - flavors 741
 - fluoride 741
 - home use studies 757
 - humectants 741
 - potassium-containing 522
 - standards 737–8, 741
 - sweeteners 741
 - thickeners 741
 - triclosan-containing 745
 - see also dentifrices
- toothpicks 715
- total tooth clearance 141
- toxic reactions in periodontium 849
- transeptal fibers 22–3
- transforming growth factor β (TGF- β)
 - alveolar bone healing 89
 - hereditary gingival fibromatosis 384
 - ridge augmentation 1093
- transmucosal attachment 72, 75
- transpalatal arch (TPA) 1288, 1289, 1290
- transposon transfer 228
- trauma
 - dental pulp diseases 505
 - foreign body reactions 398, 497
 - gingival lesions 396–8
 - gingival recession 958
 - hard tissue 719, 720
 - instrumentation 882
 - mechanical cleaning 882
 - non-surgical therapy 773
 - orthodontic 353–4
 - physical injury 396–7, 398
 - root resorption
 - peripheral inflammatory 870
 - surface 867
 - self-inflicted injuries 397, 398
 - thermal injury 397–8
 - toothbrush 711, 719, 720, 958
 - ulcerative gingival lesion 396, 397
 - see also jiggling-type trauma
- trauma from occlusion 349–60, 353, 361, 1125
 - alveolar bone loss 360
 - alveolar pyorrhea association 349–50
 - angular bony defects 351
 - animal experiments 353–60, 361
 - bone regeneration 1128–9
 - clinical trials 352–3
 - Clickman's concept 350–1
 - human autopsy material 350–2
 - infrabony pockets 351, 352
 - jiggling-type 354–7
 - orthodontic treatment 1246, 1250–1, 1262
 - orthodontic-type 353–4
 - peri-implant tissues 363–72
 - periodontal ligament 357, 359
 - periodontitis 352–3
 - plaque-associated periodontal disease 358–60, 361
 - primary 349
 - secondary 349
 - tooth mobility 352, 353, 1125, 1128
 - Waerhaug's concept 351–2
 - zone of co-destruction 350, 351, 359
 - zone of irritation 350, 351, 359
- treatment 253
 - aggressive periodontitis 657–67
 - allergic reactions 690
 - anxiety control 690–1
 - bleeding risk 689, 690
 - cardiovascular disease effects 489
 - cardiovascular incidents 690
 - case presentation 659–64, 665–6, 667, 670
 - cause-related 670–1
 - complications prevention 688–90
 - corrective phase 656, 661–2
 - definitions 1297
 - dentin removal 518
 - diabetes mellitus 311–12
 - drug interactions 690
 - effectiveness 251
 - evaluation of non-surgical therapy 775–6
 - furcation-involved teeth 823–46
 - gingival recession 817–18
 - goals 655
 - infectious complications 688–9
 - initial phase 656, 660–1
 - maintenance phase 656, 662–3
 - needs assessment 131
 - non-surgical 765–76
 - discomfort 773–4
 - outcome prediction 775–6
 - pain 773–4
 - probing measurements 774–5
 - re-evaluation 774–5
 - root debridement 767–74
 - root sensitivity 773–4
 - surgery comparison 814–20
 - tissue trauma 773
 - treatment evaluation 775–6
 - outcome parameters 655
 - pain control 690–1
 - planning 655, 658–91
 - chronic periodontitis 669–73
 - implants in periodontally compromised patient 676–84, 685
 - initial 658–60
 - pregnancy 314
 - outcomes 489–90
 - pre-medication 690–1
 - pre-therapeutic single tooth prognosis 659, 660, 669
 - prognosis 659, 660
 - pulp effects 518, 520
 - re-evaluation
 - after corrective phase 662
 - non-surgical therapy 774–5
 - spontaneous abortion 161–2
 - stillbirth 161–2
 - supportive 656, 663, 673
 - systemic disease 690
 - systemic phase 655–6, 660, 687–91
 - Tannerella forsythia* control 219–20
 - see also supportive periodontal therapy; surgery
- tremor, microsurgeons 1039
- Treponema*, necrotizing periodontal disease 466
- Treponema denticola* 146, 147–8, 148
 - biofilm 231, 232
 - composition 235–6, 237, 239
 - implant surfaces 268–71
 - cardiovascular disease 157, 158
 - peri-implant infection 278
 - periodontal disease history 276–7
 - peri-implant microbiota 275
 - periodontal disease 221
- Treponema pallidum* 377
- Treponema socranskii* 268–71
- beta-tricalcium phosphate (β -TCP) 556
- triclosan
 - antimicrobial activity 756
 - halitosis treatment 1336
 - plaque control 745
 - suture coating 1038
- trigeminal nerve 48
 - neurophysiology 109–11, 112, 113
 - neurosensory pathway 109
- trigeminal somatosensory evoked potentials (RSEP) 113–14
- trimethylaminuria 1334
- tropocollagen 21
- tuberculosis, dental team protection 687
- tumor necrosis factor α (TNF- α) 296, 300
 - diabetes mellitus 309, 310
 - genes 335, 336
 - pregnancy 482
 - preterm birth 481

- tunnel preparation 832
- two-point discrimination 117–18
- ulcerative lesions
 - gingival disease 413–14
 - recurrent 753
 - traumatic gingival 396, 397
- vaccines, periodontal disease 210
- vaginosis, bacterial 481
- valaciclovir 379
- variable number of tandem repeats (VNTR) 329
- varicella-zoster 379–80
- varnishes 742
 - chlorhexidine 751
- vasoconstrictors 801
- VDR gene polymorphisms 338–9, 340
- Veillonella*, plaque formation 185
- verapamil, gingival overgrowth 410–11
- vibrio corrodens 223
- Vincent's angina 209–10, 459
 - see also* necrotizing ulcerative gingivitis (NUG)
- viral infections 225
 - chlorhexidine activity 748
 - gingival disease 378–80
 - necrotizing periodontal disease 466
 - see also* HIV infection
- virulence factors 208
- aggressive periodontitis bacteria 438
 - environmental effects on expression 244
 - expression 244
 - immune pathology 248
 - killing other pathogens 247
 - periodontal infections 243, 294
 - tissue damage 249
- visual acuity 1030
- vitamin C deficiency 412–13
 - chronic periodontitis 425
- vitamin D receptor gene
 - polymorphisms 338–9, 340
- vitamin K 312
- volatile sulfur compounds 1326, 1335
 - formation 1326–7
 - measurement 1329–30, 1331, 1332
- Volkman's canals 36, 38, 46, 49, 55
- water jet, dental 717
- whitening agents 741, 870, 871
 - hydrogen peroxide 746
- Widman flap 786–7
 - healing 814
 - modified 789–92, 814, 819
- Winkel Tongue Coating Index (WTICI) 1330, 1333
- woodsticks 714, 715–16
 - use 726
- World Health Organization (WHO), periodontal treatment needs 131
- wound cleansing
 - osseointegration 104
 - tooth socket healing 59, 60
- wound healing
 - bone cell regenerative capacity 547
 - enamel matrix derivatives 940
 - epithelium role 549–50
 - gingival connective tissue cells 547–8
 - impairment 311
 - implants 100
 - onlay graft procedures 1020
 - PDGF 938–9
 - periodontal 542–4, 545, 546–50
 - periodontal ligament cells 548–50
 - root resorption 550
- woven bone
 - osseointegration 104–5, 106, 107
 - peri-implant loss 1058–9
 - resorption 62
 - tooth socket healing 56, 57, 58, 60, 61, 62, 63, 64, 65
- xenografts 552, 555–6
- xerostomia 308
 - halitosis 1335
 - implant patient 644
- zinc salts 745, 746
- Zirconia 1233
- zygomatic anchors 1285