

Index

a

- AA-poly(a-amino acid)s 332
- acetaldehyde-rich stream 8
- acetaldol 10
- acetalized carbohydrates
 - aromatic polyesters, comparison 297
 - biodegradability 297
 - co-polyesters 295
 - derived from sugars 294
 - gluco- and galacto-derived monomers 294
 - Glux moieties 295
 - Mannitol derivatives 296
 - manno-derived monomers (Manx) 294
- 5-(acetoxymethyl)furfural (AMF) 200
- acid-catalyzed dehydration 13
- acid catalyzed mechanism 434
- acid solid catalysts 437
- acrolein 222
- acrylyl-CoA to propionyl-CoA 238
- adipic acid 334, 511
 - benzene 157
 - bio-based chemicals production 154
 - biological processes 153
 - bio- vs. petro-based 170
 - chemical feedstocks 153
 - conventional and fermentation-based 158
 - oleochemicals 153
 - price volatility 153
 - Rennovia's development 153, 157
- aeration and gas systems
 - optimal oxygen uptake rate (OUR) 185
 - reverse TCA cycle 185
 - yeast systems 185
- aldol condensation
 - acid catalyzed mechanism 434
 - acid solid catalysts 437
 - base catalyzed mechanism 434
 - basic solid catalysts 436
 - catalysts 437, 438
 - cyclopentanone upgrading strategy 467, 468
 - description 433
 - enolate formation mechanism 433
 - enol formation mechanism 434
 - furfural and acetone over dolomite 435
 - of furfural and HMF with cyclopentanone 469
 - homogeneous catalysts 436
 - upgrading process 439
- aldose and ketose sugars 250
- algae biomass harvesting 650
- algal oils
 - downstream processes 651
 - hetherotrophic cultivation technology 652
 - industrial development 651
 - microalgae 648
 - photoautotrophic cultivation technology 649
 - upgrading to fuels 653
- alkaline cleavage process 537
- 5-(alkoxycarbonyl)furan-2-carboxylic acid (ACFC) 200
- alkyl-5-formylfuran-2-carboxylate (AFC) 200
- alkyl furan-2-carboxylate (AFC) 200
- alkylphenols, deoxygenation of 407
- alumina-based catalysts 5
- aluminium phosphate (AlPO₄) 230
- Amberlyst 15 catalysts 508
- Amoco Mid-Century (MC) catalyst 198
- amphiphilic conetworks applications (APCNs) 343
- Anellotech technology
 - CFP 36
 - lignocellulosic biomass 38
 - solid biomass 36
 - zeolite catalysts 36

- animal oils and fats
 - fatty acids composition 117
 - triglycerides 117
 - APR. *See* aqueous phase reforming (APR)
 - aquatic biomass
 - growing and processing 497
 - aquatic (marine) biorefinery 501
 - aqueous phase processes 108
 - aqueous phase reforming (APR)
 - advantages 94
 - alkanes production from xylitol over bifunctional metal-acid catalyst 100, 102
 - biomass fractions *see* biomass fractions, APR
 - biorefinery 107
 - catalysts 97, 98
 - closed-vessel reactors 98
 - description 79
 - diluted oxygenated hydrocarbon solutions 98, 99
 - Gibbs free energy change with temperature 95
 - glucose and glycerol 100
 - green fuels and bio-platform molecules 94
 - highly reactive compounds 100
 - parallel reactions, ethylene glycol 96
 - pressure conditions 98
 - process 406, 420
 - solid arrows pathways 100, 101
 - sugars and polyols 98
 - Archer Daniels Midland (ADM) 200
 - Arkema's plant-based factories 535
 - Blooming Prairie (USA) 538
 - Feuchy (France) 539
 - Hengshui (China) 537
 - Marseille Saint-Menet (France) 536
 - Parentis (France) 539
 - aromatics
 - *p*-xylene. *see p*-xylene
 - bio-aromatics 33, 34
 - ATR. *See* autothermal reforming (ATR)
 - Au-Cu bimetallic catalysts 195
 - Au nanoclusters 195
 - Au-Pd nanoparticles 196
 - Au-Pt bimetallic catalyst 225
 - AugeoTM family 619
 - AugeoTM family
 - chemistry and applications 619
 - autothermal reforming (ATR) 89
 - azelaic acid 331, 536
- b**
- barium pyrophosphate 233
 - base catalyzed mechanism 434
 - benzofuran, deoxygenation of 412
 - 5-benzoyloxy-trimethylene carbonate 343
 - Bergius-Rheinau and the Scholler-Tornesch process 248
 - beta zeolite 71
 - bi(2,5-hydroxymethyl)-furan 211
 - bi-functional catalysts 439
 - bi-functional catalysts for C8+production 454
 - BiMo mixed oxide catalyst 217
 - Bio Diesel international (BDI) technology 673
 - bio synthetic natural gas (BSNG) 86
 - bio-acrylic acid (Bio-AA)
 - academic and industrial researchers 218
 - acrylonitrile 217
 - BiMo mixed oxide catalyst 217
 - biochemical routes 238
 - bio-propylene 237
 - dehydration 239
 - enzymatic reactivity 239
 - glacial acrylic acid 218
 - glycerol 218, 220–224
 - 3-hydroxypropanaldehyde 239
 - lactic acid. *see* Lactic acid (LA)
 - propene-based processes 217
 - 2-propenoic acid 217
 - bio-alcohols
 - C₃-alcohols to olefins 13–15
 - C₄-alcohols to olefins 15–18
 - ethanol to butadiene 6, 7, 8, 10, 12, 13
 - ethanol to ethylene 4–46
 - BioAmber Yeast Process 184
 - bio-based chemicals, raw materials 554
 - bio-based economy 532
 - biobased 1,2-ethanediol 339
 - biobased poly(butylene succinate-co-butyleneazelaate) 331
 - bio-based process
 - reliability 558
 - bio-based products 550, 559
 - bio-butadiene route 587
 - bio-butadiene, synthesis 28
 - Biochemtex MOGHI process
 - hydrodeoxygenation 44
 - lignin transformation 44, 45
 - process integration 43, 44
 - soaking 43
 - biodiesel 653
 - production from waste sources 675
 - Bio Diesel international (BDI) technology 673
 - biodiesel mandatory 528
 - bio-economy 504

- legal and regulatory background 531
- oleochemistry in 532
- bioengineering 578
- bioethanol 366
- bioethylene 582
- biofactories 499
 - CO₂ usage 514
 - models 503
- BioFormate™ 34
- BioForming® 34
- biofuels
 - expansion and production 498
 - FSCW 672
 - lipid based feedstock conversion 653
 - projects overview 576
- bioliq® process 405
- biological processes
 - development of 530
- biomass 549, 643
 - constituent parts of 574
 - European Union power consumption 403
 - German electric power consumption 403
 - lignocellulosic 536, 576
 - production 573
 - technologies 569, 571
- biomass derivatives 361
- biomass fractions APR
 - cellulose fraction 103
 - drawbacks 103
 - gaseous and liquid products TOC percentage 104
 - H₂ selectivity 103
 - lignocellulosic fractions 103
 - pilot plants and patents. *see* pilot plants and patents
 - recondensation reactions 104
- biomass gasification, *see also* reforming
 - APR 79
 - biomass transformation 80
 - CGE 82
 - CH₄ and light hydrocarbons 80
 - CO CO₂ and H₂ and H₂O 80
 - densification and high-temperature gasification 82, 84
 - direct gasification 85, 86
 - fluid bed gasifiers 81
 - fuel production costs 93
 - full-chain BTL process 80
 - integrated electrolysis 93, 94
 - low-to-medium temperature 82
 - oxidizing agent 79
 - total energy share gas products 81, 82
 - Varnamo and Gussing plants composition of 8
 - water-gas shift 81
- biomass transformation
 - algal oils 648
 - bio-oils upgrading 657, 659
 - hydrothermal liquefaction 658
 - lipids 644
 - metabolic yields 646
 - microbial oils 644
 - microorganism 644
 - Neste Oil 648
 - phospholipids membrane-bound lipids 648
 - product distribution 655
 - pyrolysis 655, 656
 - solvent extraction 648
 - technologies for 644
 - vegetable oils and fats 644
- Bionolle® 330
- bio-oil hydrotreating process 660
- bio-oil stability 657
- bio-oils
 - from fast pyrolysis 413
 - from hydrothermal liquefaction 413
 - hydrotreatment 432
- bio-oil stability 657
- bio-oils chemical composition of 407
- bio-oils upgrading 657 659
- biorefineries 535
 - agricultural feedstocks 52
 - APR process 107, 108
 - aquatic (marine) biorefinery 501
 - bio-based chemical production 52
 - bioethanol 497
 - in Brazil 581
 - butanol production 594
 - biomasses/residues and their costs 573
 - CO₂ use and solar energy integration 512
 - competing technologies/products 575
 - concept of 500, 519, 550
 - crop breeding technology 53
 - crude oil 603
 - definition 500, 572, 603
 - development 500
 - driving forces 497
 - ethanol production 593
 - future ideas 499
 - gasification 604
 - green biorefinery 501, 502
 - guayule-based biorefinery 606, 609
 - hydrocarbon-rich chemicals 53
 - innovation 498
 - lignocellulosic biorefinery 501
 - models of 499, 502, 503

- biorefineries (*contd.*)
 - flexible production of chemicals and fuels 508
 - olefin biorefinery 505
 - oilseed biorefinery 501, 502
 - oleochemistry 53
 - raw material 603
 - raw sugar production 593
 - saccharification 604
 - schematic representation 571
 - sector requirements/geographical constraints 500
 - socio-political drivers 497
 - starch biorefinery 501
 - succinic acid production 593
 - sugar biorefinery 501
 - synthetic biology 577
 - technology options 500
 - transformation 52
 - transitional economy 498
 - types 500, 547, 549
 - value chain 577
 - World Economic Forum 571
- biorefining
 - cost analysis 676
- bio-olefins
 - catalytic cracking 18–21
 - field of 28
 - metathesis 21–24, 26
- Bio-PDOTM production 565
- bio-PE 582
- bio-poly(trimethylene terephthalate) (PTT) 341
- bio-products
 - drop in 580
 - not drop in 580
- bio-propylene production 237
- bio synthetic natural gas (BSNG) 86
- biotechnologies 504
- 2,5-bis(hydroxymethyl)furan (BHMF) 56
- Bis-(isostearic acid amidoethyl)-N-polyethoxy-N-methyl ammonium methosulfate 66
- bismaleimides (BMI) 325
- black liquor 416, 417
- Blooming Prairie (USA) 538
- Brønsted acid 136
- branched fatty acids/alcohols 530
- Branched unsaturated fatty acids (BUFA) 69
- Braskem methodology 585
- Braskem's Technology Roadmapping 584, 585
- BSNG. *See* bio synthetic natural gas (BSNG)
- BtO[®] process 405
 - product composition 405
- butadiene 507, 611
 - 1,3-Butadiene 10, 611
 - butadiene, renewable 610
 - 1,4-butanediamine 32
 - 1,4-butanediol (1,4-BDO) 55, 209
 - 1,4-butanediol (BDO) 41
 - 2,3-butanediol (2,3-BDO) 09
 - 1-butanol 2
- butanol
 - production 594
- butyric acid 674
- C**
 - C-starch 560
 - C₁₆-C₁₇ branched primary alcohols 61
 - C₂₀-chain fatty acids 59, 60
 - C₃-olefins
 - chemicals and biological routes 14
 - C₉ dicarboxylic acid 331
 - C₂-C₄ olefins 3
 - C₃-C₅ olefins 3
 - C₃-olefins and C₂ oxygenated species 14
 - direct conversion 14
 - direct cracking approach 14
 - ethylene selectivity 14
 - FCC approach 14
 - GTO 13
 - product prices 15
 - synthesis 13
 - C₄-alcohols
 - acetone/butanol/ethanol (ABE) process 16
 - BD synthesis 15
 - BDOs 17, 18
 - 1,4-BDO dehydration 17
 - (butane)diol(s) dehydration 17
 - n-butanol 15, 16
 - chemical and biotechnological processes 15
 - and diols 16
 - methyl ethyl ketone (MEK) 17
 - MgO 15
 - non-linear C₄ olefins 16
 - scandium-oxide (Sc₂O₃) 17
 - zeolite catalysts 16
 - capital demand
 - co-location model 557
 - Capital Expenditure (CAPEX) 576, 586, 603
 - caprolactam 511
 - Carbo-V[®] process 83
 - cash flow, co-location model 556
 - castor oil 535, 536
 - to amino-undecanoic acid plant 537
 - industrial use of 536

- sebacic acid from 621
- to sebacic acid plant 538
- catalysis
 - key-lock 69
 - van der Waals interactions 69
 - zeolite 69
- catalytic cracking route 406
- Catalytic fast pyrolysis (CFP) 36
- catalytic gasification
 - ceramic candles 88
 - dolomite 86
 - entrained flow gasifiers 86
 - Fe and Cu-based materials 88
 - hydrocarbon hydrocracking and phenol hydrodeoxygenation 88
 - low-temperature and “dry” high-temperature cleaning 88
 - MgO 87
 - Ni-based catalysts 87
 - pretreated olivine 87
- catalytic hydrotreatment 406
- Catalytic partial oxidation (CPO) process 89
- catalytic transfer hydrogenation 422
- cationization 637
- CatLiq[®] process 423
- cello-oligomers 256
- cellobiose 248
- cellulose 404, 431
 - acetic acid 386
 - bi/multi-functional catalysts 380
 - catalyst and polarity, reaction medium 380
 - FA. *see* formic acid (FA)
 - gluconic and glycolic acids 383, 384
 - LA. *see* levulinic acid (LA)
 - plant cell walls, component 380
 - structure 380
 - succinic acid 385
 - valuable chemical products 381
- Cellulose acetate (CA)
 - applications 632
 - cellulose to 630
 - definition 629
 - films 633
 - filter tow 632
 - history 631
 - markets and applications 631
 - plastic applications 633
 - present and future business development 633
 - textile fibers 631
 - well-documented monograph on 630
- cellulose and hemicellulose 245
- cellulose diacetate (CDA) 629, 631
- cellulose triacetate (CTA) 629
- cereal grains, wet milling 551
 - bio-based chemicals 554
 - maize 551
 - starch slurry 553
 - wheat 552
- CFB. *See* catalytic fast pyrolysis (CFP)
- CGE. *See* cold gas efficiency (CGE)
- chemical activation process 539
- circular economy 532
- citric acid 562
- clay-catalysed polymerisation 57
- Clostridium Propionicum* 238
- Clostridium tyrobutyricum* 674
- co-location model
 - COGS 555
 - corn wet mill 560
 - DCF analysis 555
 - increased cash flow 556
 - reduced capital demand 557
 - reduced manufacturing risk 557
 - starch biorefineries 555
 - starch-based chemicals 565
 - value creation 554
- Cobalt(II)-meso-tetra(4-pyridyl)-porphyrin 198
- Cold gas efficiency (CGE) 82
- Common Agricultural Policy (CAP) 543
- contamination-free monoseptic culture 650
- CoO_x nanoparticles 197
- copolymerizations 273
- copper and metal catalysts
 - C5 and C6 monosaccharides and sugar alcohols 263
- coriander seed 675
- corn wet mill
 - co-location 560
- corn wet mill ethanol 559
- Cost of goods sold (COGS) 555
- CPO. *See* catalytic partial oxidation (CPO) process
- cross metathesis vegetable oil plant
 - legislators, lessons for 547
 - preliminary economic analysis 542
 - Rapeseed Oil to Palm Kernel/Coconut oil 540
 - R&D program, lessons for 545
 - risks analysis 543
- crotonaldehyde 12
- Crude and refined palm oil 116
- crude oils/fats
 - biorefinery 603
 - extraction of 520
 - refining of 521
- Cyamopsis tetragonolobus 634

- cycloaddition. *See* Diels-Alder reaction (*contd.*)
- cycloaddition. *See* Diels-Alder reaction
- d**
- DA. *See* Diels-Alder (DA) couplings
- decarbonylation mechanism 252, 412
- decarboxylation/decarbonylation of triglycerides 418
- dehydrochlorination 617
- dehydrocyclisation 41
- densification and high-temperature gasification
- Bioliq Pilot Plant in Karlsruhe 83, 84
 - Carbo-V[®] process 83
 - feedstocks 84
 - full-scale plant 84
 - low-temperature pyrolysis 83
 - MW_{th} capacity 83
 - reaction after pyrolysis 83
 - SPG technology 84
 - torrefaction 83
 - Velocys Fischer–Tropsch technology 84
- deoxygenation
- guaiacol and substituted guaiacols 409
 - of benzofuran 412
 - of bio-oil from hydrothermal liquefaction 413
 - of free fatty acids 412
 - of furans 412
 - of furfural 412
 - of guaiacol 409
 - in hydrogen absence 417
 - of lignin derived molecules 410
 - of phenol and alkylphenols 407
 - of phenolic dimers 411
 - of phenols 408
 - of short-chain carboxylic acids 410
- deoxygenation, of liquid/liquefied biomass
- black liquor 416, 417
 - catalytic cracking 406
 - catalytic hydrotreating 406
 - triglycerides 412
- deoxygenation, sulfided catalysts
- CO and CO₂ 129
 - decarboxylation 127
 - HDO contribution 127, 132
 - metals 127
 - palmitic acid 127
 - paraffins yields and hydrogen consumption 128
 - reaction mechanism 127
 - saturated triglycerides 129
 - vegetable oils 128
- depolymerization 636
- 1,4-3,6-dianhydrohexitols
- bio-based AB monomers 93, 294
 - biodegradable co-polyesters 90, 291
 - diastereomeric compounds 90
 - fully biobased thermoplastic polyurethanes 92
 - isosorbide, isomannide, isoidide 89, 90
 - new bio-based monomers synthesis 93
 - polymerization partners 90
 - powder coating applications 91, 292
 - synthetic pathway 90
- 2,3-dichloro-1-propanol 16, 617
- di(2-ethylhexyl)furan-2,5-dicarboxylate 206
- di(2-ethylhexyl)phthalate 206
- di(2-ethylhexyl)phthalate (DEHP) 205
- 2,5-diformylfuran (DFF) 93, 99, 196, 365
- di(2-octyl)furan-2,5-dicarboxylate 206
- dialkyl-furan-2,5-dicarboxylate (DAFD) 200
- dibutyl furan-2,5-dicarboxylate 206
- dibutyltin oxide (DBTO) 343
- dicarboxylic acid upgrading strategy, polymerization 478
- dichloropropanol
- isomeric mixture of 616, 617
- 1,3-dichloro-2-propanol 16, 617
- Diels-Alder (DA) couplings 307
- Diels-Alder (DA) reaction
- aromatics production 458
 - bis(hydroxymethyl)furan with succinic acid 325
 - BMI cross-linked materials 325
 - C-C bond formation 455
 - concerted/stepwise mechanism 454
 - cross-linked polymers 324
 - cyclopentadiene 457
 - cyclopentadienone self-coupling 456
 - density functional theory 457
 - dienic character 323
 - DMF and acrolein 456
 - DMF and ethylene 456
 - endo and exo DA stereoisomers 323
 - exploitation 323
 - furan and ethylene 455
 - furan and olefin 455
 - furfuryl methacrylate (FMA) 326
 - furyl-telechelic poly(lactic acid) 325
 - hydrogels 327
 - 2-hydroxy ethylcellulose with 2-furoylchloride 327
 - inverse demand 455
 - Lewis acid catalyst 456
 - lignocellulosic biomass upgrading strategy 459
 - maleimides 323

- mendability 325
- methyl methacrylate (MMA) 326
- molecular orbital theory 455
- *p*-xylene production 456
- remendability 326
- thermoreversible characterization 323
- diethylene glycol (DEG) residue 209
- Differential Scanning Calorimetry (DSC) studies 206
- diformylfuran (DFF) 198
- diheptyl furan-2,5-dicarboxylate 207
- dihexyl furan-2,5-dicarboxylate 206
- diisononyl esters 206
- dimerization, of furfural 478
- dimethyl ester of FDCA (DMFDCA) 203
- dimethylacetamid (DMAC) 202
- dimethylstyrene (DMS) 304
- dipentyl furan-2,5-dicarboxylate 206, 207
- direct C-C coupling reaction, of furfural-HMF 480
- direct gasification
 - allothermal fluidized bed process 85
 - BSNG, methanation 86
 - double-bed dehydrogenation process 86
 - gasification, cleaning and upgrading unit 85
 - steam/oxygen CFB gasification 85
 - unconverted hydrocarbon 85
 - wet biomasses 86
- direct hydrogen transfer 355, 356
- direct selective oxidation
 - biomass valorization 379
 - E factor 380
 - cellulose. *see* cellulose
 - lignin. *see* lignin
 - multiple reactive positions 380
 - oxygen functionalities 379
 - renewable resources 379
 - starch. *see* starch
 - transformations 380
- Discounted cash flow (DCF) analysis 554, 555
- DMS. *See* dimethylstyrene (DMS)
- Downstream process 540
 - crystalline succinic acid product 186
 - crystallization process 187
 - desalting electrodialysis 186
 - large by-product streams 186
 - liquid–liquid extraction 186
 - microfiltration/centrifugation 186
 - of starch slurry 553
 - stoichiometry 186
- Dried distillers grains with solubles (DDGS) 560
- DRIFTS analyses 12
- “drop in” products 80, 580
- Dry distillers grains (DDGs) 155
- dry extraction process 651
- Dynamotive Energy Systems 658
- e**
- E factor 380
- E. coli* systems 182, 183
- ecofining process 654
- EcofiningTM
 - gasoil mode 123
 - isomerization reaction 122
- Economic drivers (ED) 505
- economic opportunity analysis 156
- Economies of scale 555
- Energy & Environmental Research Center (EERC) 20
- energy consumption 403
- engine test 142, 143
- Eni/UOP EcofiningTM 121
- enol/keto tautomerization 253
- Environmental and sustainability drivers (ESD) 505
- Epicerol[®] 617, 618
- epichlorohydrin 616
 - from glycerol 617
 - from propylene 616
- erucic acid 536
- ESCR resistance 622
- essential oil 675
- ethanol
 - acetaldehyde 12
 - 1,3-butadiene 11
 - dehydration 5
 - corn wet mill 559
 - dehydration 5
 - large-scale conventional sugarcane mill 589
 - minimum selling prices 591, 592, 594–597
 - production 593
 - production of 558
 - wheat wet mill 560
- ethoxy- and hydroxy-species 6
- 5-(ethoxymethyl)furfural (EMF) 200
- ethylene
 - MgO and CaO 6
 - steam cracking 5
- ethylene and propylene glycol
 - advantages 248
 - biodiesel production 245
 - cellobiose 248
 - cellulosic material 246
 - decarbonylation, hexitols 252

- ethylene and propylene glycol (*contd.*)
 - decarbonylation mechanism 252
 - glycol production. *see* glycol production
 - hemicellulose and lignin 245
 - lignocellulose 263, 264
 - polysaccharides 245, 247
 - retro-aldol reaction 251
 - selective formation 249
 - technical application 264–266
 - transformations of polysaccharides 247
- ethylene glycol (EG) 209, 258
- 2-ethylhexanoic acid 62
- 2-ethylhexyl ester 206
- European Food and Safety Authority (EFSA) 54
- Evonik process 514
- f**
 - FA. *See* formic acid (FA)
 - farnesene 583
 - fast/flash pyrolysis
 - bio-crude/bio-oil manufacture 405
 - fats
 - raw materials for oleochemicals 525
 - fatty acid biosynthesis 645
 - fatty acid methyl ester (FAME) 617, 653
 - biodiesel 648
 - NExBTL process 403
 - fatty acids 536, 539
 - branched 530
 - chain modification 524
 - chemicals and industrial products 55
 - clay-catalysed process 58
 - Colgate–Emery Process 55
 - distribution 541
 - downstream physical processes 56
 - to fatty amines 539
 - hydrogenation 56
 - market for oleochemical products 526
 - palm-based import streams 55
 - production of 526
 - short chain 530
 - thermal polymerisation 57
 - fatty alcohols
 - branched 530
 - short chain 530
 - fatty amines
 - fatty acids to 539
 - Faujasite type 227
 - 3,4-FDCA isomer 321
 - feedstock
 - animal oils and fats 116, 117
 - FAME 113
 - provider 557
 - triglycerides, algae 113, 117, 118
 - vegetable oil production 113, 114
 - Fermentation process
 - aeration and gas systems 185
 - commercial and semi-works processes 182, 183
 - *Corynebacterium glutamicum* systems 183
 - *E. coli* systems 183
 - media and pH control 185
 - rumen bacterias 183
 - yeast systems 184
 - fermentation technology, novelyeast-based 562
 - ferulic acid 337
 - Feuchy (France) 539
 - Figure of merit (FOM) 155
 - Fischer–Tropsch (FT) syntheses 61, 405
 - Fischer–Tropsch to olefin (FTO) reaction 505
 - Fischer–Tropsch reaction 79
 - fixed costs 555, 586
 - Fixed-bed technologies 5
 - Fluid catalytic cracking (FCC) process 18, 505, 654
 - food additives
 - from FSCW 671
 - Food crops 549
 - Food supply chain waste (FSCW)
 - biofuels 672
 - biorefining cost analysis 676
 - chemical processing and the biorefinery 675
 - combining chemical- and bio-processing 674
 - components derived from 668
 - extraction 669
 - integrated biorefinery 668
 - market, assessing 675
 - microwaves 669
 - platform chemicals and biopolymers 673
 - pre-treatment method 671
 - reusing 668
 - sustainability transition patterns 676
 - technical aspects 675
 - valorisation 669
 - formic acid (FA)
 - agriculture, bulk chemistry and pharmaceuticals 381
 - catalytic systems, one-pot selective oxidation cellulose 381
 - coupling vanadium-polyoxometalate catalysts 383
 - formic acid conversion 381, 382
 - heteropolyanion $\text{PMo}_{11}\text{VO}_{40}^{4-}$ 383

- hydrolyzed monosaccharides 383
 - Keggin-type vanadium-substituted phosphomolybdic acid catalyst 382
 - mineral acids 383
 - oxygen and $\text{H}_5\text{PV}_2\text{Mo}_{10}\text{O}$ 40, 381
 - pervanadyl species 382
 - 5-formyl-2-furancarboxylic acid (FFCA) 194, 198
 - fossil fuels
 - cost of 498
 - fossil-based polyalkylene terephthalates 338
 - fossil-derived monomers 273
 - Free fatty acids (FFAs) 672
 - FSCW. *See* food supply chain waste (FSCW)
 - Fuel Quality Directive 112
 - Fumaric acid (FA) 474
 - functional foods
 - from FSCW 671
 - furan dicarboxylates 320
 - furan-2-carboxylic acid (FCA) 200
 - 2,5-furan diacrylate 212
 - 2,5-furan dicarboxylic acid (2,5- FDCA) 331 510
 - academic studies 212
 - applications 191 213
 - aqueous phase oxidation of HMF 193, 195–198
 - biomass 212
 - carbohydrates and furfural 204, 205
 - decarboxylation 213
 - FDMC 203 04
 - furanic polyesters and co-polyesters 210–212
 - HMF in acetic acid 1981, 200–203
 - PEF and polyesters 208–210
 - petrochemicals 191
 - polymers 207
 - PTA 191
 - surfactants and plasticizers 205, 207
 - and terephthalic acid 192
 - 2,5-furan dicarboxylic acid (PEF) 37
 - 2,5-furan dimethylcarboxylate (FDMC) 213
 - Au/CeO₂ 204
 - desirable feeds 203
 - diester of 203
 - EMF 203
 - furandicarboxylics 203, 204
 - HMF 203
 - MMF 203
 - non-nm size CeO₂ support 204
 - polymerization 203
 - 2,5-furandicarboxylate 192
 - furanic compounds 432
 - furanic polymers 207
 - furanics
 - upgrade and stabilization 432
 - upgrading strategy 480, 481
 - furanics oxidation
 - in gas phase 470
 - in liquid phase 471
 - non-radical mechanism 471, 472
 - radical based mechanism 471
 - furans
 - 2,5-furandicarboxylic acid 315
 - 5-methylfurfural 317
 - academic and industrial researches 315
 - bifunctional hydroxymethyl furfural 315
 - catalytic decarbonylation 317
 - DA reaction 323, 325, 326, 328
 - dienic character 344
 - FA synthesis 316
 - FDCA 344
 - HMF 317
 - lignocellulosic material 315
 - macromolecules 344
 - monomers and polymers 315
 - peculiarities 315
 - pol(ethylene furan dicarboxylate) 344
 - polyamides 321
 - poly(dihydroferulic acid) 344
 - polyesters 317–320
 - polyfunctional monomers 344
 - polyfurans 328
 - polyurethanes 322
 - furans, deoxygenation of 412
 - furfural/HMF, aldol condensation of *See* aldol condensation
 - products 471
 - to maleic acid (MA) 473
 - to maleic anhydride (MAH) 475
 - to succinic acid 474
 - furfural oxidative coupling mechanism 479
 - furfural ring rearrangement reaction 461
 - Brønsted and Lewis acid catalysts 463
 - conversion to cyclopentanone 462
 - conversion to cyclopentanone 466
 - cyclopentanone upgrading strategy 465
 - hydrogenation to furfuryl alcohol 462
 - hydrogenation, catalysts for 464
 - 4-hydroxy-2-cyclopentenone 462
 - Ni-based catalyst 464
 - Pt and Pd-C catalyst 464
 - furfural, deoxygenation of 412
- g**
- Genomatica 612
 - Gevo technology
 - dehydrocyclisation 41

- Gevo technology (*contd.*)
 - diene 40
 - dimerisation 40
 - isobutanol 39
 - niobic acid catalyst 40
 - *p*-xylene production 41
- Gevo/Lanxess 507
- GHG emission 140
- glacial acrylic acid 218
- Global Bioenergies 507
- glucaric acid
 - academic and patent literature 160
 - to adipic acid 158
 - aerobic oxidation 159
 - electro-catalytic oxidation 159
 - heterogeneous catalysts 160
 - high-throughput screening 165
 - high-yield hydrodeoxygenation 166
 - long-term catalyst stability 161
 - nitric acid oxidation 159
 - oxidation of glucose 162
 - partial-conversion process 163
 - product isolation and purification 159
 - reaction temperatures 161
 - scalability 159
- gluconic and glycolic acids
 - Au0 nanoparticles 384
 - Cs1.2H1.8PW12O40 system 384
 - hydrolysis and oxidation catalysis 383
 - microcrystalline cellulose conversion 384
 - organic synthesis, skincare products, pharmaceutical and food industries 383
 - polyoxometalate 384
- glucose oxidation catalysts 160
- glycerol (GLY)
 - Augeo™ family 619
 - biobased raw material 341
 - chemical transformations 341
 - direct pathway acrylic acid 219, 220
 - epichlorohydrin from 617
 - glycerol and glycerol derivatives 341
 - indirect pathway acrylic acid 221–223
 - linear 1,3-linked glycerol polymers 342–344
 - starting material 218
 - synthesis 219
- glycerol dehydration/hydrogenation 371, 372
- glycerol-adipic acid hyperbranched polyesters 334
- glycol production
 - hydrogenation catalysts 253
 - metal catalysts 254
 - platinumcatalysts. *see* Platinum Catalysts
 - ruthenium catalysts. *see* ruthenium catalysts
- Glycos Biotechnologies 507
- green biorefinery 501, 502
- green chemistry 604
 - Versalis strategy for 605
- green chemistry connotations 273
- green diesel 125
- Green Jet Fuel™ 120
- green refinery project
 - advantages 145
 - biorefinery 145
 - Ecofining™ 144
- greenfield biorefinery 593
- greenfield ethanol plant 591
- guaiacols, deoxygenation of 409
- guar
 - challenges and opportunities 637
 - chemistry for functionalization 635
 - definition 634
 - physical-chemical properties 636
 - uniqueness 634
- Guayule (*Parthenium argentatum*) 607
- guayule-based biorefinery 606, 609
- Guerbet reaction 6
- h**
 - HAP-Pd(0) 197
 - H-Beta 459
 - H-transfer reaction
 - aldehydic groups 367
 - bioethanol 366
 - biomass 361
 - biomass-derived molecules 353
 - copper-based catalyst 369
 - formic acid 372
 - glycerol, allyl alcohol 371
 - GVL 361, 363
 - isopropyl alcohol 368
 - LA hydrogenation 361
 - MeF and DMF 365
 - H⁺ form of cation-exchanged resins 446
 - Halcon/Scientific Design Company (Al₂O₃–MgO/SiO₂) 5
 - hemicellulose 404, 431
 - Hengshui (China) 537
 - heterogeneous catalysts
 - AlO(OH) 359
 - biomass 362
 - C=C bond 358
 - H-transfer reaction 357
 - mechanism and path 359
 - solid catalysts 357
 - zeolites 357
 - heterogeneous catalysts, for aldol condensation 436

- hetherotrophic cultivation technology 652
- heulandite (HEU) 68
- Hevea brasiliensis 606
- hexamethylenediamine (HMD) 620
- 1,6-hexanediol 11
- HG2. *see* Hoveyda-Grubbs 2nd Generation (HG2)
- high molecular weight polyacrylamides (HPAM) 628
- HMF-acetone, aldol condensation 436
- homogeneous catalysts
 - hydrogen transfer process 354
 - and Oppenauer oxidation 354
 - transfer hydrogenation 355
- homogeneous catalysts, for aldol condensation 436
- Hoveyda-Grubbs 2nd Generation (HG2) 281
- Hoveyda-Grubbs catalyst 338
- HPPT reaction pathway 415
- HSE profile 619
- humins 432
- hydridic route 355
- hydro flex 120
- hydroconversion processes
 - EcofiningTM *see* EcofiningTM
 - FAME 119
 - fats and oil 119
 - HDS 119
 - physical properties 126
 - product characteristics and fuel specification 122
 - product yields and characteristics 125
 - renewable diesel fuel 120
- hydrocracking process 531
- hydrodeoxygenation 253
 - catalysts and conditions 164
 - C-OH bonds 164
 - C-OH reduction 164
 - C1 and C6 carboxylic acid 163
 - glucaric acid to adipic acid 164
 - hydrohalic (HX) acid 164
 - long-term catalyst stability 169
 - long-term stable operation 166
 - polyhydroxylated substrates 164
 - reaction pathways 167
 - reaction profile 165
 - tartaric acid and malic acid 167
 - vicinal diols 168
- hydrodeoxygenation (HDO) 18–21, 127, 659
 - catalysts for 406
- hydrogen transfer mechanism 360
- Hydrogenated Vegetable Oil (HVO) 654
- hydrogenation
 - raw material for 522
- hydrogenation mechanism 250
- hydroisomerization
 - bifunctional catalyst 136
 - C–C bond 138
 - hydro/dehydrogenating function 135
 - hydroconversion catalysts 135
 - isomerization reaction 135
 - isomerization reactions 137
 - PCP 138
 - zeolitic materials 136
- hydropyrolisis 654
- Hydrotalcite (HT) 195
- hydrothermal liquefaction 658
- hydrothermal process
 - biomass/liquified biomass deoxygenation 419
 - feature of 420
- hydrothermal upgrading process 422
- β -hydrox carbonyl 50
- hydroxyalkylation
 - cyclopentanone upgrading strategy 467
- hydroxyalkylation-alkylation (HAA)
 - catalysts for
 - 2-methyl furan and carbonyl compounds 445
 - 2-methyl furan upgrading strategy 448, 452
 - acidic resins 446
 - hydrophobicity 448
 - liquid inorganic acids 445
 - solid acids 445
 - solid catalysts 446
 - soluble organic acids 445, 446
 - strongly acidic zeolites 447
 - sulfonic acid-functionalized ion liquid 447
 - mechanism 445
- hydroxyapatites (HAP) 12, 233, 234
- 5-hydroxylevulinic acid (5-HLA) 335
- 5-hydroxymethyl-2-furancarboxylic acid (HMFA) 193
- 5-hydroxymethylfurfural (5-HMF) 335 356, 508, 509
 - aqueous phase oxidation 193, 195–198
 - catalytic oxidation 191
 - furanic building blocks and furfural 207
 - oxidation 198, 199, 201–203
 - oxidative esterification 203, 204
 - para-xylene (PX) 193
- 4-hydroxypentanoate (4-HPE) 363
- 3-hydroxypropanaldehyde 240
- hydroxypropylation 637

hyperbranched polyesters (HBPE) (*contd.*)
 hyperbranched polyesters (HBPE) 334
 hypochlorination 616
 HZSM-5 zeolite 221, 657

i

immobilized phosphoric acid 5
 integrated bio-refineries 528
 Internal rate of return (IRR) 588
 International Energy Agency (IEA) 498
 IPDI. *See* isophorone diisocyanate (IPDI)
 iron oxide-based catalyst systems 371
 ISAC
 – anti-static properties 66
 – C16-C18 isostearic acids 60
 – Emery Industries 58
 – hydrogenated derivative 61
 – markets and applications 64
 – metal and mineral particles 66
 – thermal and oxidative stability 62
 isobutene 13
 isodecyl furan-2,5-dicarboxylate 206
 isomerization process 123
 isomers and cracking products 138
 isononyl furan-2,5-dicarboxylate 206
 iso-paraffins 138
 isophorone diisocyanate (IPDI) 284
 isopropyl alcohol 367
 isosorbide 331
 isostearic acid
 – bio-lubricants 64, 65
 – biodegradability 63
 – BUFA 69
 – calcination 69, 72
 – clay-catalysed process 67
 – cosmetic and skin care products 65, 66
 – ferrierite selectivity 72
 – food grade vegetable oils 51
 – global production 51
 – hydro-isomerisation 69
 – liquidity at low temperature 63
 – markets and applications 58
 – mesoporous sieves 71
 – oils and fats 51
 – oligomeric fraction 71
 – oligomerisation 67
 – polymerised fatty acids 58, 59, 67
 – properties 62
 – Pt/zeolite-based hydro-isomerisation 68
 – shape selectivity effects 68
 – solubility 63
 – thermal and oxidative stability 62

– vegetable-derived fatty acids 59
 itaconic acid 331

j

jatropha oil 114

k

ketal-ester oligomers 343
 Keto-L-gulonic acid 564
 keto–enol tautomerism equilibria 133, 335
 KIOR 658
 Kyoto Protocol 531

l

LA. *See* levulinic acid (LA)
 lactic acid (LA) 249, 384, 561, 674
 – acrylic acid 226, 227
 – glycerol 224, 225
 – hydroxyapatites-based catalysts 230–236
 – phosphate-based catalysts 230–233
 – zeolites 227–229
 lanthanides-impregnated zeolites 228
 LanzaTech 507, 612
 large-scale conventional sugarcane mill 589
 latex 606
 Lebedev approach 9
 Lebedev process 507
 Lebedev reaction 6, 7
 levulinic acid 335, 336
 levulinic acid (LA) 508
 – acid catalysed process 384
 – cellobiose conversion 385
 – liquid phase direct fragmentation 384
 – ZrO₂ catalyst 385
 Lewis acid catalyst 456
 Life cycle analysis (LCA) 187, 618
 life cycle assessment (LCA)
 – adipic acid 170
 – Rennovia's bio-based adipic acid 170
 light olefins 505
 lignin 404, 431
 – aromatic compounds 387
 – aromatic ring 42
 – biochemtexMOGHI process 43
 – biomass component of 387
 – catalytic oxidative cleavage of 387
 – deoxygenation 42
 – depolymerisation 42
 – heterogeneous catalysts 392–394
 – homogenous catalysts 387, 389–392
 – phenylpropanoid interunits 387
 – and primary precursors 387, 388
 – typical model compounds 387, 389
 – valorization 387

- lignin and sugar hydrogenation
 - depolymerization 370
 - MMP 370
 - monomeric building blocks 370
- lignin derived molecules, deoxygenation of 410
- lignocellulose 246, 263, 550
- lignocellulosic biomass 404, 536, 576
 - sources of 431
- lignocellulosic biorefinery 501
- Limonene modification
 - DMS 304
 - thiol-ene reaction 302, 303
- linear 1,3-linked glycerol polymers 342–344
- 1,3-linked glycerol carbonate exploits 43
- linoleic acid 536
- lipid bodies 645
- lipid synthesis 646
- lipids
 - biomass transformation 644
 - production of microalgae 650
- Lipomyces starkeyi* 647
- lipophilicity 446
- liquefied biomass 405
 - upgrading 406
- Lobry de Bruin–Alberda van Ekenstein (LBE) 251
- long-chain carboxylic acids, deoxygenation of 419
- low-carbon footprint production 504
- low-temperature pyrolysis. *See* torrefaction
- m**
- magnesium oxide 358
- maize
 - wet milling of 551
 - wet-milling process 551
- Maleic acid (MA) 473
- Maleic anhydride (MAH) 475
 - liquid phase production 476
 - utilization through Diels-Alder coupling 476
- Manno-derived monomers (Manx) 294
- MAO. *See* methylaluminoxane (MAO) ctivator
- Marseille Saint–Menet (France) 536
- Matrica biorefinery 606
- Meerwein-Ponndorf-Verley (MPV) reaction 12, 611
 - heterogeneous catalysts. *see* heterogeneous catalysts
 - homogeneous catalysts. *see* homogeneous catalysts
 - industrial applications 372, 373
- melt-polycondensation 209
- metabolic engineering 577
- metal hydride pathway 356
- metal hydroxide species 359
- metathesis
 - CDIs technology 23
 - dimerization of ethylene 22
 - double-bond isomerization catalyst 23
 - ethylene and butenes 21
 - “greener” version 22
 - homogeneous/heterogeneous 22
 - industrial level 24
 - initial carbene formation 24
 - lower reaction temperatures 23
 - M-O_x species 24
 - mechanism 24
 - Mo oxide catalysts 23
 - Ni/MCM-41 catalyst 24
 - OCT 22
 - propylene production 25, 27
 - pseudo-Wittig reaction 24
 - Re oxide catalysts 23
 - Re₂O₇/Al₂O₃ 23
 - Sc/In₂O₃ and Y₂O₃–CeO₂ 24
 - SHOP 24
 - tungsten-based catalysts 22
- metathesized oil
 - cost of production 543
- Methanesulfonic acid (MSA) 477
- methoxyhydroquinone 337
- 2-methoxy-4-methylphenol (MMP) 370
- methylaluminoxane (MAO) ctivator 301
- 4,4'-methylenebis diphenylisocyanate (MDI) 333
- methyl esters of fatty acids (FAME) 113
- methylfuran (MeF) 365
- microalgae 513, 648
- microalgae strains 650
- microbial electrosynthesis 579
- microbial oils
 - biomass transformation 644
 - hydrocarbon production 646
 - from sugar 647
 - upgrading to fuels 653
- microorganism
 - biomass transformation 644
- microporous zirconosilicate molecular sieves 364
- microwaves 669
- mild pyrolysis. *See* torrefaction
- Mineral oil refineries 549
- minimum selling price (MSP) 586
 - butanol production 586
 - ethanol 591, 592, 594–597
 - sugar cane mill 588

- modified natural monomers (*contd.*)
- modified natural monomers 273
- molybdenum vanadate (Mo_3VO_x) 220
- monomeric structures (diacids, hydroxyacids and diols)
 - adipic acid and its polymers 334, 335
 - alicyclic/aromatic units 329
 - biobased and non-harmful aromatic monomers 330
 - biomass-derived value-added compound 329
 - classical engineering plastics 329
 - depolymerization 330
 - diols and their polymers 339, 341
 - levulinic acid and its polymers 330, 336
 - succinic acid and its polymers 330
 - lignin 330
 - poly(ester amide)s 332
 - polyesters 330–332
 - polyurethanes 333
 - vanillin, vanillic and ferulic acids and derived polymers 337, 338
- monomers and polymers. *See also* sugar derived monomers and polymers
- monomers and polymers. *See also* Terpenes
 - biomedical applications 278
 - composites/biocomposites 278
 - erucic acid 276
 - fatty acids, vegetable oil compositions 276, 277
 - fossil feedstock 275
 - iodine value 276
 - oils, usage of 275
 - PAs. *see* polyamides (PAs)
 - polyesters. *see* polyesters
 - polyurethanes. *see* polyurethanes
 - polymer synthesis 276
 - triglyceride, generic structure 277
 - USDA 275
- Monte Carlo simulation
 - production cost from 546

n

- N,N'-diisopropylcarbodiimide 319
- N,N-dimethyl formamide 212
- Na-ZMS-5 zeolite 228
- naphtha cracking 6
- natural polymers 273
- natural rubber
 - Hevea brasiliensis 606
 - non-tire market sectors 609
 - Parthenium argentatum 607
- NaY zeolites 227, 235
- Nazarov cyclization 462

- neopentanoic acid 60
 - Neste Oil 141, 648, 654
 - Net present value (NPV) 554, 588
 - NExBTL process 404
 - Ni/Mo ratio 132
 - nickel based catalysts
 - C_5 and C_6 monosaccharides and sugar alcohols 260
 - polysaccharides 261, 262
 - nitrous oxide (N_2O) 157
 - “not drop in” products 80
 - novel yeast-based fermentation technology 562
 - n-paraffin son bifunctional catalyst 137
- ## o
- oil refineries 535
 - oils
 - raw materials for oleochemicals 525
 - oilseed biorefinery 501, 502
 - oleaginous microorganisms 644, 645, 647
 - lipid accumulation and fatty acid profiles 645
 - oleaginous waste 672
 - to valuable products 673
 - olefin biorefinery 505
 - companies 507
 - economic drivers 505
 - environmental and sustainability drivers 505
 - fluid catalytic cracking process 505
 - socio-political drivers 505
 - technological and strategic drivers 505
 - olefins
 - automotive industry 3
 - BDO 4
 - bio-olefins. *see* bio-olefins
 - from bio-alcohols. *see* Bio-alcohols
 - C_2 – C_4 synthesis 3
 - light 3
 - MTO 4
 - petrochemical processes 3
 - primarily ethane 3
 - propylene 3
 - renewable sources 4
 - oleic acid 536
 - oleochemical products
 - applications 523
 - fatty acid market for 526
 - glycerine market 527
 - oleochemicals
 - raw materials for 525
 - substances 523
 - oleochemistry

- definition 528
- EU sources 526
- fossil-derived chemicals 73
- in bioeconomy 532
- interest for 519
- oilseed varieties 53
- oleochemical products 53
- overview 519
- potentials for 529
- renaissance 53
- value chain for. *see* value chain for oleochemistry
- vegetable oil sources 525
- open culture systems 649
- Operational Expenditures (OPEX) 586, 603
- Ostromisslenski reaction 7
- Ostromisslenski two-step approach 10
- 5,5'-[oxy-bis(methylene)]bis-2-furfural (OBMF) 201
- oxygenated compounds, classification of 406
- P**
- p*-toluenesulphonic acid 446
- p*-xylene
 - BioForming® 34, 35
 - bio-terephthalic acid 46
 - economic and environmental assessment 47
 - lignin. *see* lignin
 - PET 33
 - Virent technology 34
- Paal–Knorr reaction 326
- palladium and rhodium 259
- palladium catalyzed-oxidative coupling 478
- palladium-supported catalyst 372
- palm and coconut oils 114
- palm oil
 - global production 525
- para-xylene (PX) 193
- paraffins 123
- paraffins and isoparaffins 124
- Parentis (France) 539
- Parthenium argentatum 607
- particulate matter (PM) 141
- PA. *See* polyamides (PAs)
- peak oil 403
- PET. *See* polyethyleneterephthalate (PET)
- petro- and bio-based adipic acid 169
- petrochemicals
 - branched alcohols 60
 - branched-chain alcohols 61
 - Friedel–Crafts alkylations 62
 - Guerbet alcohols 61
 - vs. isostearic acid 60
 - neoacids 60
 - paraffin waxes 61
 - Versatic™ acid 60
- phenolic acids 337
- phenols, deoxygenation of 407, 408
- PHLA-diol destroys 336
- phosphomolybdic acid 473
- phosphoric acid-modified
 - niobium-tungsten-vanadium mixed oxide 239
- photoautotrophic cultivation technology 649
- Phthalic anhydride (PA) production 476
- Piancatelli rearrangement. *See* furfural ring rearrangement reaction
- picolinyl esters 72
- pilot plants and patents
 - advantages 107
 - Aqueous Phase Reforming reaction 106
 - bimetallic catalysts 106
 - UTRC 105
 - Virent APR pilot plant 105, 106
- pinenes
 - cationic polymerization, β -pinene 301
 - isobutylene tertiary carbocation 301
 - MAO activator 301
 - methyl group/electron-donating groups 300
- plasticizer 206
- plastisols 206
- platinum catalysts
 - ethylene glycol 258
 - isosorbide 258
 - polysaccharides 259
 - xylitol 258
- poly(2,5-furandiylcarbonyloxymethylene (cis-tetrahydro-2,5-furandiyl)methyl-eneoxycarbonyl) 211
- poly(2,5-furandiylcarbonyloxymethylene-2,5-furandiylmethylenoxycarbonyl) 211
- poly(2-furylene vinylene) based on 5-methylfurfural 328
- poly(alkylene succinate) backbone 332
- poly(bisphenol-A carbonate) 329
- poly(butylene
 - 2,5-furandicarboxylate-co-buthylene adipate) 319
- poly(butylene
 - 2,5-furandicarboxylate-co-buthylene succinate)[319
- poly(butylene adipate) (PBA) 211
- poly(butylene adipate-co-terephthalate 334
- poly(butylene succinate) (PBS) 330
- poly(butylene succinate-co-butylene terephthalate) (PBST) 331

- poly(decamethylene furandicarboxyamide) (PA10F) (*contd.*)
- poly(decamethylene furandicarboxyamide) (PA10F) 321
- poly(diethylene glycol succinate) 333
- poly(dihydroferulic acid) (PHFA) 337
- poly(dodecamethylene furandicarboxyamide) (PA12F) 321
- poly(ester-alkenamer)s 338
- poly(ester-urethane)s 338
- poly(ethylene
 - 2,5-furandicarboxylate-co-ethylene succinate) (PEFS) 318
- poly(ethylene 2,5-furandicarboxylate-co-lactic acid) PEF/PLA 319
- poly(ethylene terephthalate) 340
- poly(ethylene terephthalate-co-ethylene 2,5-furandicarboxylate) PET/PEF 319
- poly(glycerol sebacates) (PGS) 342
- poly(hexamethylene furandicarboxyamide) (PA6F) 321
- poly(lactic acid-co-glycerol monostearate) copolymers 343
- poly(lactic acid-co-glycolic acid) (PLGA) 344
- poly(octamethylene furandicarboxyamide) (PA8F) 321
- polyamides (PAs)
 - AB-type monomers 287, 288
 - advantage of 624
 - amine functionalized AB-type monomers 287
 - amorphous polyesteramides 322
 - burst pressure 624
 - description 287
 - dimensional stability *vs.* moisture and temperature 622
 - ESCR resistance 622
 - FDCA 321
 - fatty acid methyl ester bromides 287
 - generalities 620
 - intrinsic properties 621
 - “modern” synthetic approach 321
 - nylon precursors synthesis 287, 289
 - permeability 625
 - physical properties comparison 622
 - polycondensation of 621
 - technological properties and applications 622, 623
 - tensile strength 624
- polybutylene furandicarboxylate (PBF) 208
- polycondensation 208
- polycondensation of FA 317
- polycondensation reactions 332
- Polyester–polyurethane markets 175, 176
- polyesters
 - aliphatic acidic/ester functions 278
 - BHMf and 2,5-furandicarbonyl chloride 319
 - 2,3-butane diol 318
 - commercial furan polymers 318
 - copolymers 318
 - crosslinked and hyperbranched polymers 279
 - delocalization energy 317
 - dipolarity of heterocycle 319
 - enzyme-catalyzed polymerization reactions 279
 - FDCA *vs.* 1,4-butanediol directly influences 317, 319
 - FDCA-based 318
 - 2,5-furandicarbonyl chloride with diols 317
 - HG 2, 281
 - hydrolysable and degradable 278
 - jojoba oil 280, 281
 - melt polymerization reactions 278
 - metathesis reaction 279
 - N,N'-diisopropylcarbodiimide 319
 - PEF *vs.* PET 320
 - polycondensation reaction, epoxidized oleic acid 279, 280
 - polyfunctional isocyanate 318
 - 1,3-propane glycol (PPF) 318
 - PSAs 279
 - terephthalic acid 318
 - thermal and mechanical data, furan dicarboxylates 320
 - titanium tetrabutoxide 318
 - unsaturated fatty acids 278
 - VSHA, synthesis and polymerization 279, 280
- polyethylene furanoate (PEF) 192, 207, 510
- polyethylene terephthalate (PET) 33, 207, 510
 - gas barrier properties 207
 - oil-based 192
 - production 459
 - synthesis 191, 212
 - thermal behavior 211
- polyfurans
 - HOMO–LUMO gap 328
 - α -oligofurans 328
 - β -oligofurans 328
 - oligofurans 328
 - opto-electronic devices 328
 - planarity prerequisite 328

- poly(2-furylene vinylene) based on 5-methyl furfural 328
 - polyglycerol polyricinolate 342
 - polyglycerols (PG) 342
 - polyhydroxyalkanoates (PHAs) 207
 - polylactic acid (PLA) 207, 561
 - polymerizations 273
 - polymers
 - multi-functional molecules for 530
 - polymyrcene
 - emulsion polymerization 302
 - non-cyclic terpenes 302
 - Polyol Chemical Inc. 507
 - polypropylene furandicarboxylate (PPF) 208
 - polyunsaturated fatty acids (PUFA) 673
 - polyurethanes
 - biodiesel-derived crude glycerol 282
 - 2,5-bis(hydroxymethyl)furan BHMf 322
 - DDI structure 282, 283
 - disadvantages 285
 - flammability 285
 - fossil-based diisocyanates 282
 - 2,5-furyl diisocyanate 322
 - glycerol 286
 - *Jatropha curcas* 284
 - IPDI 284
 - lignin-oleic acid macropolyol 286
 - NCO moieties 282
 - 5,5'-(oxy-bis(methylene))bis-2-furfural OBMf with diisocyanates 322
 - palm oil monoglyceride and alkyd diols 283
 - polyisocyanates 282
 - polyols, anionic waterborne polyurethanes 284
 - soy oil-based cationic aqueous polyurethane dispersions 285
 - versatile materials 281
 - Porto Torres project 499
 - potassium-modified zeolites 229
 - pristine 273
 - 1,3-propanediol (1,3-PDO) 09
 - propanediol (PDO) 41, 564
 - propylene 507
 - epichlorohydrin from 616
 - 1,2-propylene glycol 53
 - protonated cyclopropane (PCP) 138
 - p*-xylene
 - Anellotech technology. *see* Anellotech technology
 - bio-ethanol 41
 - bio-terephthalic acid 46, 47
 - lignin. *see* lignin
 - Gevo technology. *see* Gevo technology
 - Virent technology 35, 36
 - pyrolysis 404, 655
 - reactor system 656
 - pyrolysis oils, hydrotreatment of 415, 417
- r**
- R&D programs
 - effort of 545
 - Race Way Paddle Wheel Ponds 649
 - Rapid Thermal Processing (RTP) technology 658
 - raw materials
 - correlation matrix for 544
 - development of 569
 - for oleochemical 525
 - value chain for oleochemistry 520
 - raw sugar
 - production 593
 - reactivity, of functional groups 407
 - reforming
 - BTL production process 92
 - DME production 92
 - gas upgrading
 - – ATR 89
 - – CPO process 89
 - – dual-bed gasifier 91
 - – Ni/Mg/Al catalyst, hydrotalcite 90, 91
 - – Ni/Rh-containing catalyst 91
 - – partial oxidation and ATR upgrading downstream 90
 - – problems 90
 - – SR 88
 - syngas applications 91
 - rendered animal fats 525
 - renewable biomass
 - balanced utilization of 550
 - renewable butadiene 610, 611
 - renewable chemical evaluation 585
 - Renewable Fuel Oil (RFO) 658
 - Renewable raw materials (RRM) 569
 - Braskem's Technology Roadmapping 584
 - Braskem's TRM 583
 - chemical chain work 572
 - chemical production chain 573
 - to chemical products 158
 - exploitation of 604
 - industrial chemicals 154
 - pound-to-pound conversion 154
 - sustainable technologies 154
 - Rennovia's bio-based adipic acid production 158, 159, 169
 - retro-aldol based hydrogenolysis 251

- Return on investment (ROI) (*contd.*)
- Return on investment (ROI) 586
- Rhodotorula glutinis 646
- Rhodosporidium toruloides 647
- Rhovani[®]Natural 638
- ricinoleic acid
 - methyl ester of 537
- rigid furan diol 2,5-bis(hydroxymethyl furan) (BHMF) 331
- Ring-opening metathesis polymerization (ROMP) 305
- ROMP. *See* ring-opening metathesis polymerization (ROMP)
- rosin
 - conjugated double bond system 307
 - hydrogenation and dehydrogenation reactions 307
 - linear and cross-linked materials 307
 - thermoplastic polymers 308, 309
 - thermoset polymers 308
- ruthenium catalysts
 - bimetallic catalyst 257
 - dispersion and electronic effects 254
 - lactic acid 256
 - sorbitol 255
 - xylose 255
- S**
- saccharification processes 248, 604
- SAIGA company 608
- SCW. *See* supercritical water (SCW)
- processing
- sebacic acid 538
 - from castor oil 621
- self-aldol condensation, of CPO 465
- Separation Zone 2 (SZ2) 8
- Separation Zone 3 (SZ3) 8
- sesquiterpenes 608
 - renewable resources 306
 - ROMP of 305, 306
- Shell HTU process 422
- short chain fatty acids/alcohols 530
- short-chain carboxylic acids, deoxygenation of 410
- simultaneous condensation-hydrogenation, in water-oil emulsions
 - advantages 440, 442
 - ring opening 442
 - schematic illustration 440
- single cell oil 644
- single-reactor process, for sequential aldol-condensation and hydrogenation 439
- single-step fuel production process 453
- SiO₂-SO₃ H catalyzed dehydration reaction 204
- socio-political drivers (SPD) 505
- solar (renewable) energy
 - within bio-refinery/-factory scheme 513
- Solazyme plant 583, 652
- Solena's Plasma Gasification (SPG) technology 84
- solid catalysts 436
- solid state fermentation (SSF) 671
- solid state polymerization (SSP) 209
- SOLVAY technology 618
- Solvay's strategy 615
- solvent extraction 648
- sorbitan and isosorbide 249
- sorbitol 563
- SPG. *See* Solena's Plasma Gasification (SPG) technology 84
- spinel Li₂CoMn₃O₈ 202
- splitting process 522
- SR. *See* steam reforming (SR) 88
- standalone cellulosic ethanol plant 591, 593
- starch
 - Ag₃.5(NH₄).1.5PMo10V₂O₄₀ 398
 - Brønsted acid polyoxometalates 397
 - CH₃ReO₃/H₂O₂/Br- system 396, 397
 - FeSO₄ and CuSO₄ catalysts 396
 - glycosidic bonds. 394
 - Na₄Co(H₂O)₆V₁₀O₂₈.18H₂O system 397
 - non-degrading starch oxidation 396
 - POMs with ionic liquids 397
 - selective oxidation 395
 - structures of 395
 - TEMPO radical 396
- starch biorefineries, co-location model 501, 555
- starch slurry
 - downstream processing of 553
- starch-based chemicals, co-location model
 - citric acid 562
 - ethanol 558
 - keto-L-gulonic acid 564
 - lactic acid 561
 - propanediol 564
 - sugar alcohol 563
- steam reforming (SR) 88
- steeping process 551
- straw 575
- stress cracking resistance 622
- substituted guaiacols, deoxygenation of 409
- Succinic acid *see also* Fermentation process 182
 - advancements 177
 - applications 174, 175

- biochemical pathway and host microorganism considerations 178–182
 - commercial scale acid manufacturing facilities 173, 174
 - downstream process 186, 187
 - fermentation 177
 - host organism 177
 - hydrogenation of 174
 - 30 kT BioAmber plant in Sarnia, Canada 173, 174
 - life cycle analysis 187
 - polyester–polyurethane markets 176
 - reduction 593
 - structure 173, 174
 - sugar alcohol 563
 - sugar biorefinery 501
 - sugar cane
 - Brazil 574
 - economic importance 575
 - sugar derived monomers and polymers
 - 1,4-3,6-dianhydrohexitols 289–291, 293
 - acetalized carbohydrates 294, 296, 297
 - carbohydrates 289
 - materials displaying interesting properties 289
 - polycondensation reactions 289
 - sugar production 575
 - sugarcane biorefinery 589
 - integrated conventional/cellulosic ethanol factory 591
 - large-scale conventional sugarcane mill 589
 - standalone cellulosic ethanol plant 591
 - Sugarcane-based biorefineries in Brazil 581
 - sulfonic acid-functionalized ion liquid 447
 - supercritical water (SCW) processing 423
 - surfactants 625, 627
 - Sylvan process
 - bio-oil upgrading strategy 449
 - biomass-derived diesel fuel production 452
 - efficiency 449
 - HAA. *see* hydroxyalkylation/alkylation (HAA)
 - improvements 453
 - Syndol® catalyst 5
 - synthetic biology 577–579, 583
- t**
- technological and strategic drivers (TSD) 505
 - terephthalic acid (PTA) 47
 - adipic acid 191
 - and AA based co-polyesters 211
 - biomass-derived 191
 - FDCA 192, 211
 - oil-based 212
 - production 477
 - synthesis 198
 - terephthalic acid synthesis
 - α -pinene to *p*-cymene dehydrogenation 304
 - limonene via *p*-cymene 304
 - poly(alkylene terephthalate)s 304
 - terpenes
 - adhesive and sealants, resins for 299
 - cationic polymerization 300
 - copolymers 305, 306
 - d-Limonene 299
 - isomerization reactions 299, 300
 - limonene modification 303
 - monoterpenes, chemical structure 298
 - “naval stores” 299
 - pinenes 300, 301
 - polycarbonates and polyurethanes synthesis 304, 305
 - polymers, applications of 300
 - polymyrcene 302
 - rosin. *see* rosin
 - rosin components, chemical structure 298
 - secondary metabolites 299
 - sesquiterpenes 305, 299, 306
 - terephthalic acid synthesis 304
 - terpenoids 306, 307
 - unsaturated cycloaliphatic and/or aromatic structures 297
 - terpenoids 582
 - functional groups 306
 - poly(lactide)-poly(δ -lactone)-poly(lactide) triblock copolymers 307
 - ring opening polymerization 307
 - types 307
 - tert-butylhydroperoxide (t-BuOOH) 198
 - 1,1,2,2-tetrachloroethane (TCE) 11
 - tetraethylammonium bromide (TEAB) 205
 - tetrahydrofuran-2,5-dicarboxylic acid (THFDCA) 200
 - tetrahydrofuran-2-carboxylic acid (THCA) 200
 - thermal cleavage process 537
 - thermal conversion process, products of 432
 - thermal decomposition
 - cellulose 431
 - hemicellulose 431
 - lignin 431
 - thermal downstream processes 651
 - thermo-chemical induced conversion 404

- thermo-mechanical pre-processing methods (*contd.*)
 - thermo-mechanical pre-processing methods 671
 - thermochemical conversion process 432
 - objective of 432
 - thermochemical technologies 570
 - Thermochemical/gasification process 576
 - thermoplastic co-polyester elastomers (TPEEs) 212
 - thermoplastic polymers 308, 309
 - thermoset polymers 308
 - thiol-ene reaction
 - polyester synthesis 302, 303
 - terpene-based thiols preparation 302, 303
 - thiol-ene click chemistry 302, 303
 - unsaturated carbon-carbon double bonds 302
 - TiO₂-supported Pd nanoparticles 197
 - torrefaction 404
 - total costs 555
 - transesterification process 537
 - transitional economy 498
 - triglyceride molecule 115
 - triglycerides 122, 418
 - epichlorohydrin 616
 - triglycerides conversion 128
 - triglycerides conversion scheme 128, 131
 - triglycerides hydroconversion
 - deoxygenation, sulfided catalysts. *see* deoxygenation, sulfided catalysts
 - hydroisomerization. *see* hydroisomerization
 - triphenylphosphine (TPP) 72
 - triterpenes 608
 - tropical oils
 - *vs.* metathesized oil 543
 - tungsten-based heteropolyacids 5
- u**
- undecylenic acid 537
 - United States Department of Agriculture (USDA) 275
 - United Technologies Research Center (UTRC) 105
 - UOP 661
 - schematic illustration 439
 - simultaneous condensation-hydrogenation, in water-oil emulsions 440
 - single-reactor process 439
 - steps 439
 - upgrading process, of furfural and HMF 512
 - urea 512
 - USDA. *See* United States Department of Agriculture (USDA)
 - UTRC. *See* United Technologies Research Center (UTRC)
- v**
- γ -valerolactone (GVL) 63
 - value chain
 - biorefinery 577
 - value chain for oleochemistry 520
 - applications for products from 523
 - processing 522
 - raw materials 520
 - van Krevelen diagram 404
 - van Krevelen plot 414
 - vanadium oxide (V₂O₅) 220
 - Vanilla planifolia 638
 - vanillin 638
 - variable costs 555, 586
 - Vegan™ 120
 - vegetable oil
 - biofuels market 112
 - cross metathesis plant 547
 - crude and refined palm oil 116
 - economic and agronomic factors 54
 - energy costs 111
 - environmental price 54
 - environmental rules 111
 - fatty acid chains 114, 115
 - feedstock. *see* feedstock
 - green refinery project 144, 145
 - hydroconversion 116
 - hydroconversion processes. *see* hydroconversion processes
 - industrial applications 55
 - ISCC 54
 - isostearic acid 55
 - life cycle assessment and emission 138, 141
 - oil price 111
 - oleochemical companies 54
 - RSPO 54
 - triglycerides hydroconversion. *see* triglycerides hydroconversion
 - zero/negative value 55
 - vegetal oil 675
 - Verdezyne 511
 - Versalis 507
 - Versalis strategy
 - for green chemistry 605
 - Vinylsulfide-containing hydroxy acid (VSHA) 279, 280
 - Virent APR pilot plant
 - cost breakdown 105
 - description 105
 - schematic 105

- virent's process 34
- viscoelastic surfactants (VES)
 - chemistry and synthesis route 627, 628
 - micellar structure and rheology 625
 - novel applications for 629
 - in oil and gas recovery 627
 - worm like micelle network 627
- VSHA. *See* vinylsulfide-containing hydroxy acid (VSHA)
- W**
- waste orange peel (WOP) 670
- water gas shift and methanation reactions 129
- water-oil emulsions 440
- wet milling of cereal grains 551
 - bio-based chemicals 554
 - maize 551
 - starch slurry 553
 - wheat 552
- wet-milling process
 - maize 551
 - wheat 552
- wheat
 - wet milling of 552
 - wet-milling process 552
- wheat solubles 560
- Wheat wet mill, for premium grain alcohol 560
- winterization 521
- wood composition 431
- WUR's Biobased Products laboratory 674
- X**
- xylitol 255
- xylose 258
- Y**
- Yarrowia lipolytica 646
- yeast cell harvesting stage 647
- Yeast systems 184
- Z**
- zeolites 6
 - catalysis 55
 - ferrierite and mordenite 72
 - hydro-isomerisation 68
 - in alkaline medium 69
 - multiple-branched fatty acids 71
 - OA alkyl isomerisation 70
 - petrochemical industry 73
 - shape-selective properties 68
 - skeletal isomerisation 62
 - uni-dimensional channels 61
- zeolites nano-cristallites 232
- Ziegler–Natta polymerization 607
- zinc dimethacrylate (ZDA) 341
- ZSM-5 657

