

## Index

### **a**

- acetalation 204, 208, 210, 216
- acetalization
  - furanose ketals, deprotection of 348
  - furanoside ketals 346
  - galactofuranose ketals 345–346
  - glucofuranoside ketals 342–344
  - mannofuranose ketals, preparation of 344–345
- acetate 39
- acetate migration 300
- acetimidates 452
- acetone 155
- acetyl (Ac) 458
- acetylation 151
- active pharmaceutical ingredient (API) 474
- acyclic groups 290
- acyl group migration
  - directed evolution of 234–235
  - mechanism and migration kinetics 228–230
  - protecting group
    - manipulations 235–237
  - silyl group-migration sequence 239
  - with sonication 239
  - traditional synthetic applications 230–234
- agelagalastatin synthesis 360
- aglycons 150
- aldehyde 58
- aliphatic acetals
  - isopropylidene acetals 310, 312
  - methylene acetals 307
  - phenylsulfonylethylidene (PSE) acetal 308–309
- alkyl ethers 115
- alkyl  $\alpha$ -D-galactofuranosides 341
- alkyne and azide groups 79
- allyl group 150
- allyloxycarbonyl group (Alloc) 458
- allyloxycarbonyl protecting group 181
- amide cleavage 289–290
- amide formation 286
- 2-amino-2,6-dideoxy-glycosides 171
- 4-amino-4-deoxy 364
- 4-amino-4-deoxy-, 4-deoxy-4-thio-, 4-deoxy-4-seleno-furanose derivatives 364
- 2-amino-2-deoxy-glycosides
  - carbamate-based protecting groups 179–185
- cellulose 170
- chitin 170
- glycals to 2-azido
  - intermediates 188–189
- glycals to 2-sulfonamido
  - intermediates 190–191
- glycosaminoglycans (GAGs) 170
- imido-based protecting groups 175–179
- imine-or enamine-based protecting groups 185–187

- 2-amino-2-deoxy-glycosides (*Contd.*)  
*N*-acyl-based protecting groups 171  
*N*-acetyl-neuraminic acid (Neu5Ac) 171  
*O*-GlcNAc-transferase (OGT) 171  
 2,3-oxazolidinone protecting group 183  
 1,6-anhydro acetolysis 487  
 1,4-anhydrogalactopyranose derivatives 363  
 $\beta$ -anomer 483  
 anomeric centre  
   cyclic acetals, ketals and orthoesters 155–157  
   glycosylation 146  
   glycosyl esters 151–155  
   hemiacetal or hemiketal 145  
   *O*-alkyl and *O*-aryl glycosides 146  
   *N,O*-dimethyloxyamine-*N*-glycosides 164  

-methoxyphenyl glycoside 164  
   Schmidt's trichloroacetimidate 146  
   *S*-glycosyl and *N*-glycosyl derivatives 158–162  
   silyl ethers 157–158  
   thexyldimethylsilyl glycoside 165  
   thioglycosides 145  
 anomeric deacetylation 487  
 anomeric deprotection 150  
 antithrombin binding sequences 475  
 9-anthryl methylene acetal 320  
 arabinogalactan 465  
 arabinoxylans 20  
 aromatic acetals  
   9-anthryl methylene acetal 320  
   benzylidene acetals 314–315  
   halobenzylidene acetals 316–317  
   nitrobenzylidene acetals 317–319  

-methoxybenzylidene acetal 315–316  
   polyaromatic methylene acetals 319–320  
 artificial enzyme 386–387  
 automated glycan assembly  
   approved building blocks 461  
   chances, challenges and commercialization 467, 469  
   free hydroxyl groups 459  
   mammalian, microbial and plant oligosaccharides 464  
   non-participating protecting groups  
     azides 455–456  
     benzyl ethers 453, 455  
   olefin metathesis 451  
   orthogonal protection groups 460  
   participating protecting groups 453  
   solid support and oligosaccharides 451  
   temporary protecting groups  
     acetyl (Ac) 458  
     allyloxycarbonyl group (Alloc) 458  
     fluorenylmethoxycarbonyl group (Fmoc) 457  
     levulinoyl esters (Lev) 457–458  
     monitoring reaction progress 459  
     (2-Naphthyl)methyl (Nap) 458  
     tert-butyldimethylsilyl ethers (TBS) 458  
     [(Triisopropylsilyl)oxy]methyl ether (Tom) 459  
 azides 91, 455–456  
 azido-nitration 189

**b**  
 benzoate derivatives 39  
 benzoates 52  
 benzoyl 227, 229, 234–235  
 benzylation 117  
 benzyl ethers 205, 453–455  
 benzylidenation 483  
 benzylidene acetals 314–315, 405  
 benzylidene mannose system 14  
 benzyloxycarbonyl protecting group 180–181  
 benzyl trichloroacetimidate 74  
 benzyl-type protecting groups  
   (2-naphthyl)methyl (Nap) group 72  
   benzyl and *p*-methoxybenzyl (PMB) ethers 72

- benzyl ethers 72, 74–82
  - Hartwig-Buchwald
    - conditions 72
  - p*-methoxybenzyl (PMB)
    - group 82
  - Birch reduction 5, 21
  - Boons approach 454
  - butane-1,2-diacetals 312
  - 4,6-benzylidene 415
- C**
- C-2 chloroacylation 263
  - camphorsulfonic acid (CSA) 383
  - carbamate-based protecting groups
    - 2,2,2-trichloroethoxycarbonyl
      - protecting group (Troc) 179
    - benzyloxycarbonyl protecting
      - group 180
  - carbamate FTags 433–434
  - carbohydrate ring
    - anomeric hydroxyl group 1
    - automated synthesis 14
    - axial secondary alcohols 2
    - benzyl ethers 5
    - benzylidene acetals and silylidene
      - ketals 3
    - Birch reduction 5
    - borinic acid catalysis 3
    - D-glucosamine 3
    - hemiacetal functionality 1
    - hydroxyl functionalities 1
    - Lewis acidic conditions 3
    - Lewis acidic glycosylation
      - conditions 5
    - reactivity and stereochemistry 7
    - stannylidene ketals 3
    - trimethylsilyl (TMS) ethers 4
  - carboxylic acid 29, 39, 53, 57–58
  - C-2 chloroacylation 263
  - ceric ammonium nitrate (CAN) 150
  - chemo-enzymatic approaches 59
  - chemoenzymatic methods 474
  - chitin 170
  - chloroacetyl 151
  - chondroitin sulfate (CS)
    - and HS synthesis 415
    - 2-or 3-sulfation 412
  - 4-or 6-sulfation
    - 4,6-diol 403–405
    - 6-benzylidene acetal 405
    - temporary protecting
      - groups 410–411
  - cleistetrosides 261
  - cleistriosides 261
  - copper(II) triflate 205, 210
  - copper triflate 216
  - cyclic acetals 146, 155, 216
    - 1,2-acetals 312–313
  - aliphatic acetals
    - isopropylidene acetals 310–312
    - methylene acetals 307
    - phenylsulfonylethylidene (PSE)
      - acetal 308
  - aromatic acetals
    - 9-anthryl methylene acetal 320
    - benzylidene acetals 314–315
    - halobenzylidene acetals 316–317
    - nitrobenzylidene acetals
      - 317–319
    - p*-methoxybenzylidene
      - acetal 315–316
    - polyaromatic methylene
      - acetals 319–320
  - cyclic carbonate 328–329
  - cyclodextrins (CDs)
    - DIBALH-promoted primary rim
      - desilylation 387–388
    - DIBALH-promoted regioselective
      - demethylation 387
    - DIBALH scalpel 384
    - experimental procedures 388
    - hydroxyl sets 381
    - per-*O*-protection 373
    - primary vs. secondary hydroxyl
      - protection 374
    - single hydroxyl protection
      - strategies 379
    - structure-reactivity 372–373
  - β-cyclodextrin derivatives 151
- d**
- D-arabinofuranose 352
  - debenzylation 52
  - delevulinoylations 488

- de novo* asymmetric synthesis, of oligosaccharides
    - asymmetric hetero-Diels-Alder reaction 245
    - atom economic concerns 243
    - atom-less protecting groups 244
    - experimentals 273
    - glucosyl-donor 243
    - hexoses 246
    - O'Doherty approach 246
    - structure activity relationship (SAR) studies 245
  - 2-deoxy-2-azido derivatives 187–188
  - 3-deoxy-D-glycero-D-galacto-2-nonulosonic acid (KDN) 363
  - 4-deoxy-4-thio-aldose derivatives 364
  - D-galactopyranoses 465
  - D-galactose 345
  - diacetals 313
  - diacetone L-sorbose 347
  - 1,3-dibromo-5,5-dimethylhydantoin (DBDH) 340
  - dichlorophthaloyl protecting group (DCP) 176
  - diethylaminosulfur trifluoride (DAST) 53
  - Differential Scanning Calorimetry (DSC) 482
  - difluorous tagged strategies
    - donor-and acceptor-bound 432
    - glycosylation 433
  - diisoamylborane (DSB) 359
  - 1,2:3,5-diisopropylidenexylofuranose 346
  - 4,4-dimethyl-2,6-dioxocyclohexylideneethyl (Dde) protecting groups 186
  - 4,4-dimethyl-2,6-dioxocyclohexylidenemethyl (Ddm) 186
  - dimethylformamide (DMF) 426
  - dimethylmaleoyl (DMM) group 178
  - (1,3-dimethyl-2,4,6-trioxypyrimidine-5-ylidene)methyl protecting group (DTPM) 187
  - 3,3'-di-O-benzyl-4,6;4',6'-di-O-benzylidene- $\alpha,\alpha$ -D-trehalose 221
  - diphenylmaleoyl (DPM) group 178
  - direct acylation
    - benzoylation 349
    - boric acid 351
    - D-fructose 350
    - furanose forms 350
    - pentaacetate D-talofuranose 349
    - pentoses and hexoses 349
  - direct silylation 351–352
  - disaccharide mezzettiasides 267
  - Dispiroketal 312
  - di-*t*-butylsilylene group 324–326
  - dithiasuccinyl protecting group 177
  - dodecasaccharide glycosyl donor 485
- e**
- environmental aspects, health and safety (EHS) 475
  - ester-linked ITags 437–438
  - esters 49
    - glycosylation reactions 87
    - simple ester protecting groups 87
    - triggered ester protecting groups 91–93
  - Zemplén conditions 87
- f**
- Fischer, Emil 337
  - Fischer glycosylation 146
    - acetolysis of furanoside 340
    - aryl glycosides/thioglycosides 340
    - bilipidic furanosides 339
    - 1,3-dibromo-5,5-dimethylhydantoin (DBDH) 340
    - heterogeneous conditions 339
    - monosaccharides\polyols 339
    - reactants, catalyst and condition 339
    - 1-thiofuranosides synthesis 340
  - 9-fluorenylmethoxycarbonyl (Fmoc)-Nap 20, 183

fluorous supported (FTag)-based strategies  
 anomeric position 427  
 automated oligosaccharide synthesis 424  
 catalytic hydrogenolysis 429  
 dimethylformamide (DMF) 426  
 disaccharides 431  
 ester\amide linkages 425  
 fluorinated solid phase extraction (FSPE) 424  
<sup>19</sup>F-spectrum 426  
 glycosylation reactions 427, 431  
 Lewis acid (LA) catalysis 425  
 LewisX trisaccharide 428  
 liquid-liquid extraction 424  
*N*-iodo succinimide (NIS) 429  
 oligosaccharides 428  
 oligosaccharide synthesis 430  
 pentenyl-based FTag 428  
 trifluoroacetic acid (TFA) 428  
 trifluoromethanesulfonic acid (TfOH) 429  
 trimethylsilyl trifluoromethane-sulfonate (TMSOTf) 429  
 ZnBr, AcBr and hemiacetal 427  
 furanolactones 341  
 furanoside ketals 346  
 furanosides  
   chemical approaches  
     1,4-anhydrogalactopyranose derivatives 363  
     sulfate groups, role of 364  
 furanosyl synthesis  
   1,2-*cis*-furanosides  
     agelagalastatin synthesis 360  
     epoxides 360–362  
     intramolecular aglycon delivery (IAD) 359–360  
 galactono-1,4-lactone 359

## g

galactofuranose ketals 345  
 galactofuranoside 354  
 galactopyranosides 126  
 galactose 233

2,6-,6-and 4,6-positions of hexopyranoside tetraols 3, 134  
 benzyl ethers 119  
 esters 119, 129  
 substituted benzyl ethers 129  
 silyl ethers 119–120, 129  
 glucofuranoside ketals 342–344  
 glucose  
   2,3,4-triols and 6-tetraols, glucopyranoside monoprotection at O-2 of 2–4, 115–117  
   2,6-, 6-and 4,6-positions of hexopyranoside tetraols 3, 131  
 glucopyranoside 3-diols, monoprotection at O-2 2, 111–114  
 alkyl ethers 115  
 esters and carbonates 115  
 silyl ether 110, 115  
 regioselective  
   protections at 3-position  
   4,6-*O*-benzylidene-*D*-glycopyranosides 122  
   esters 122, 126–128  
   silyl ethers 122, 123  
 glycopyranosides 210–211  
 glycosaminoglycans (GAGs) 170  
   *O*-and *N*-sulfonation 397  
 sulfations  
   4,6-diol precursor 397–399  
   temporary protection 399, 401, 402  
 glycosidic linkages 23  
 glycosylamines 453  
 α-glycosylamines 455  
 glycosyl donors 162  
 glycosyl esters 151

## h

halobenzylidene acetals 316–317  
 hamper purification 58  
 hemiacetal hydroxyl 69  
 heparin synthetic analogs  
   antithrombotic activities 475  
   development and production 474–475

heparin synthetic analogs (*Contd.*)  
 disaccharide synthesis 482–484  
 dodecasaccharide glycosyl  
 donor 485  
 experimental analysis 487  
 glycosylation and conjugation,  
 biotin 485–487  
 idrabiota-parinix and  
 hexadecasaccharide  
 $\text{GlcN}^{\text{V}}\text{--GlcUA}^{\text{IV}}\text{--Glc}^{\text{III}}\text{--IdoUA}^{\text{II}}\text{--}$   
 $\text{Glc}^{\text{I}}$  precursors 478–482  
 $\text{GlcN}^{\text{V}}$  unit precursor 482  
 retrosynthetic analysis 476–478  
 spacer elongation 485  
 tetrasaccharid synthesis 484–485  
 heptasaccharide 259  
 hexadecasaccharide 476–477, 486  
 hexamannuronate 15  
 hexopyranosides 121, 135  
 HPN/HS polysaccharide 475  
 hyaluronic acid (HA) oligomers 18  
 hydrazinium acetate 151  
 hydrogenolysis 72, 79, 82, 93, 489  
 hydroxyl differentiation 377–379

**i**

idrabiota-parinix 476–477, 486  
 imido-based protecting groups  
 dichlorophthaloyl protecting group  
 (DCP) 176–177  
 dimethylmaleoyl (DMM)  
 group 178  
 dimethylmaleoyl protecting  
 group 179  
 diphenylmaleoyl (DPM)  
 group 178–179  
 dithiasuccinyl group (Dts) 177  
 intramolecular C–C bond  
 formation 178  
 phthaloyl protecting group  
 (Phth) 175–176  
 tetrachlorophthaloyl protecting group  
 (TCP) 177  
 thiodiglycolyl group (DTG) 178  
 iodine 202, 217, 219, 347  
 iodine-mediated catalysis 151  
 ionic liquids (ILs) supports 436

ionic liquid tag (ITag)  
 chemo-enzymatic oligosaccharide  
 synthesis 445–447  
 dichloromethane and  
 acetonitrile 436  
 ester linkages and ether  
 linkages 437  
 ester-linked ITags 437–440  
 ether-linked ITags 441–445  
 formation 436  
 oligosaccharide synthesis and product  
 purification 437  
 iron(III) chloride  
 hexahydrate 211–214  
 isopropylidene acetals 310–312

**k**

ketals 155

**l**

lactone analogs 354  
 lactonization 287  
 L-arabinofuranoses 465  
 levulinoyl esters (Lev) 457–458  
 Levulinyl groups 151  
 Lewis acid 204  
 Lewis-Y oligosaccharide 465  
 L-gulonolactone 341  
 1,4-linked oligosaccharides 257  
 lipoarabinomannan  
 polysaccharides 465  
 lithium aluminium hydride 157  
 L-sugar glycosyl-donors 254

**m**

maltose peracetylation  
 conditions 483  
 mannofuranose ketals 344–345  
 mannopeptimycins 259  
 mannose  
 2,6-, 6- and 4,6-positions of  
 hexopyranoside tetraols 3, 133  
 benzyl and substituted benzyl  
 ethers 117  
 esters 117, 119  
 mannopyranoside 2,3,4-triols and  
 2,3,4,6-tetraols 2–4, 128

- mannopyranoside 3-diols,  
monoprotection at O-3 of  
2, 125
- silyl ethers 119
- $\beta$ -mannosidic linkages 455, 463
- mannosyl donors 12
- $\beta$ -mannosylation 455
- $\beta$ -mannuronic acid alginates 455
- 2-methoxypropene 346
- 2-methylthioethyl chloride 285
- methyl 4-tri-*O*-benzyl- $\alpha$ -D-  
glucopyranoside 2–3, 329
- methyl 6-*O*-benzylidene-D-taloside 4,  
130
- methylene acetals 307
- methyl ester formation 283–284
- methyl (methyl 5-acetamido-3,5-  
dideoxy-D-glycero- $\beta$ -D-galacto-  
non-2-ulopyranosid)onate 301
- mezzettiaside tetrasaccharide 272
- mezzettiaside trisaccharides 271
- Mitsunobu reaction 151
- m*-nitrobenzylidene acetal 318
- molecular sieves 214–215
- mono-(O-6)-silyl ether  $\beta$  CD  
derivative 379
- Myers reductive rearrangement 261
- n**
- N*-(2-mercaptoethyl)aminomethyl-  
polystyrene 183
- N*-acetyl-galactosamine 170
- N*-acetyl-glucosamine 170
- N*-acetyl glycosylamines 453
- N*-acetyl mannosaminuronic acid 23
- N*-acetyl-neuraminic acid  
(Neu5Ac) 171
- N*-acyl-based protecting groups
  - acetyl protecting group 171, 173
  - trichloroacetamido protecting group  
(TCA) 173–174
  - trifluoroacetic anhydride  
(TFAA) 174–175
- N*-arylidene protecting  
groups 185–186
- 2-naphthylmethylene acetal  
(NAP) 319
- 2-naphthylmethyl (NAP)  
aglycone 405
- N*-iodosuccinimide 162
- nitrobenzylidene acetals 317–319
- nitroptalimidobutyric acid ester  
(NPB) 459
- N*-methyl-2-pyrrolidone (NMP) 482
- N,N*-dimethylformamide (DMF) 155
- N,N*-dimethylpropylurea (DMPU) 340
- N,O*-dialkoxyamine-*N*-glycosides 162
- N,O*-dimethylhydroxylamine 162
- N,O*-dimethyloxyamine-*N*-  
glycoside 164
- n*-pentenyl glycosides 150
- o**
- O*-alkyl and *O*-aryl  
glycosides 146–150
- 1-*O*-alkylation approach 341
- 2-*O*-benzoyl-4,6-*O*-benzylidene- $\alpha$ -D-  
alloside 121
- 3-*O*-benzylation 136
- 6-*O*-benzylation 419
- 4,6-*O*-benzylidene 121
- 1,2-*O*-benzylidene acetal 155, 157
- 4,6-*O*-benzylidene-D-  
glycopyranosides 122
- 4,6-*O*-benzylidene-L-idose 121
- 4,6-*O*-benzylidene- $\alpha$ -D-  
allopuranoside 120
- 2-*O*-debenzylation 136
- O*-cyanobenzyl ether 14
- 3,5-*O*-di-*tert*-butylsilylene (DTBS) 358
- O'Doherty approach,  
carbohydrates
- de novo* synthesis of  
pyranoses, Achmatowicz  
approach 246, 249
- deoxy-pyranones 250
- furan alcohols and pyranones 247
- Myers 3-allylic reduction 1, 249
- pyran-2-ones 252
- Upjohn dihydroxylation 246
- Wharton rearrangement, of  
sugars 251
- natural oligosaccharides 259, 261,  
265, 267

- palladium catalyzed
      - glycosylation 253–254
    - unnatural oligosaccharides 253, 257, 259
  - O-GlcNAc-transferase (OGT) 171
  - oligomannuronic acid sequences 15
  - oligosaccharides 190–191
  - one-pot multi-step procedures
    - acid-catalyzed reductive
      - etherification processes 216
    - copper triflate on unprotected sugars 216
    - experimental procedures 220
    - hydroxyl groups 202
    - silylated substrates
      - copper triflate catalysis 204–207
      - glycopyranosides 210
      - iron(III) chloride hexahydrate 211
      - triflic acid, on molecular sieves 214–215
      - trimethylsilyltriflate 207
  - orthoesters 155, 157, 320
    - $\alpha$ -ethoxybenzylidene ortho esters 322–323
    - $\alpha$ -methoxy 322–323
    - methoxy, 1-ethoxyethylidene 322
    - methoxy-, ethoxymethylene orthoesters 321
    - methylidene ortho ester 323–324
  - O-sulfonations 489
  - 6-*O*-*t*-butyldimethylsilyl-D-mannoside 4-triol 2–3, 119
  - O-sulfonation 487
- p**
- peracetylated galactose 463
  - peracetyl methyl ester 284
  - peracetyl monodeprotection 134
  - perbenzyl methyl
    - glucopyranoside 136
  - perbenzyl monosaccharides 134
  - phenacyl esters 285
  - phenylsulfonyl ethylidene (PSE)
    - acetal 308–310
  - phenylthioglycoside 483
  - phosphate FTags 435–436
  - phosphates 452
  - phosphotungstic acid 347
  - picolinyl ethers 14
  - pivaloyl 229, 231
  - plant arabinogalactan
    - oligosaccharide 468
  - p*-methoxybenzylidene acetal 155, 315–316
  - p*-methoxybenzyl (PMB) 415
  - p*-methoxyphenyl glycosides 162
  - p*-methoxyphenyl group 150
  - p*-nitrobenzylidene acetal 318
  - p*-nitrobenzyloxycarbonyl (PNZ) 181
  - polyaromatic methylene
    - acetals 319–320
  - potassium iodide 155
  - potassium *tert*-butoxide 150
- q**
- quantitative capping 459
- r**
- reductive etherification 211, 216
  - reductive opening 210
  - regioselective 6-*O*-desilylation 45, 47–48
  - regioselective 6-*O*-sulfonylation 37
  - regioselective 6-*O*-acylation
    - chemical methods 39
    - chemo-enzymatic methods 39, 41–45
  - regioselective 6-*O*-deacylation
    - chemical methods 48–49
    - chemo-enzymatic reactions 49–52
  - regioselective
    - 6-*O*-debenzylation 52–53
  - regioselective debenzylation
    - reaction 385
  - regioselective hydroxyl
    - protection 373–374
  - regioselective transformations, primary position
    - aldehyde, oxidation to 58–59
    - carboxylic acid, oxidation to 53
    - halogenation 53

regioselectivity  
 anomeric configuration 70–71  
 orthogonality regioselectivity  
 orthogonality 70  
 protecting group migration 71  
 relative reactivity values (RRVs) 7

## S

selective acylation and deacylation  
 chemical methods 353–354  
 chemo-enzymatic  
 methods 354–357  
 selector 234, 238  
 self-assembling 383, 386  
*S*-glycosyl and *N*-glycosyl  
 derivatives 158  
 sialic acids  
 alcohol, selective protection  
 acetate migration 300  
 acetylative desilylation of  
 per-*O*-trimethylsilyl ether 300  
 acylation 294  
 alkylation 294–295  
 selective acetal formation and  
 manipulation 295–299  
 silylation 295–296  
 silylene acetal formation and  
 manipulation 299  
 amide formation 286  
 amine function  
 acyclic groups 290–292  
 amide cleavage 289–290  
*O*7,*N*5-Oxazinone 294  
 oxazolidinone and  
*N*-acetyloxazolidinone 292–294  
 by chemoenzymatic synthesis 301  
 functionalized ester  
 formation 285–286  
 lactam formation 288  
 lactonization 287  
 methyl ester formation 283–284  
 spirocyclic hydantoin 288  
 thioesterification 286  
 total and hemi-synthesis 301  
 silylation 158  
 silylene acetals

1,1,3,3-tetraisopropylidisiloxane-1,3-  
 diyl (TIPDS) group 326–327  
 1,1,4,4-tetraphenyl-1,4-disilabuta-1,  
 4-diyl group (SIBA) 326  
 di-*t*-butylsilylene group 324–326  
 silyl ether FTags 434–435  
 silyl ethers 82–83, 110, 119,  
 157, 458  
 glucal/galactal moieties 32  
 pyridine 32  
 TBDMS silyl ethers, removal of 36  
 silyl groups  
 anomeric position 358  
 di-*tert*-butylsilane  
 bis-(trifluoromethane-  
 sulfonate) 358  
 DTBS 358  
 silyl protecting groups  
 carbohydrate conformation and  
 stereoelectronic interactions 82  
 deprotection conditions 83  
*t*-butyldiphenylsilyl (TBDPS)  
 group 82  
 solid-phase oligosaccharide synthesis  
 (SPOS) 451  
 sonication 232, 239  
*S*-thiazolinyl (STaz) glycosides 162  
 structure activity relation (SAR) 259  
 sulfuric acid 483

## t

tandem catalysis 210  
 “tandem” process 205  
*t*-butoxycarbonyl protecting group  
 (Boc) 181–182  
*t*-butyldimethylsilyl 32, 36  
*t*-butyldiphenylsilyl 33  
*t*-butyldimethylsilylchloride  
 (TBDMSCl) 351  
*t*-butyldimethylsilyl groups 79  
*tert*-butyldimethylsilyl ethers  
 (TBS) 458–459  
 tetrabutylammonium fluoride  
 (TBAF) 183  
*tert*-butylchlorodiphenylsilane  
 (TBDPS) 399

- tert*-butyldimethylsilyl 158  
 tetrachlorophthalimide 176  
 tetrachlorophthaloyl protecting group (TCP) 177  
 1,3,4,6-tetra-*O*-acetyl-glucopyranose 134  
 1,3,4,6-tetra-*O*-acetyl-2-phthalimido-2-deoxy- $\beta$ -D-glucopyranose 191  
 1,1,4,4-tetraphenyl-1,4-disilabuta-1,4-diyl group (SIBA) 326–327  
 tetrasaccharides 265, 481  
 thexyldimethylsilyl glycoside 165  
 thexyldimethylsilyl (TDS) 158, 374  
 thioesterification 286  
 thioethers 463  
 thiofuranosides 340  
 thioglycoside 145, 158, 202, 204, 452, 461, 488  
 tosylates 59  
 transesterifications 488  
 trehalose 221  
 trialkylaluminum reagents 134  
 trichloroacetamides (TCA) 173–174, 405, 487, 488  
 trichloroacetyl (TCA) groups 453  
 2,2,2-trichloroethoxycarbonyl protecting group (Troc) 179–180  
 2,2,2-trichloroethyl glycosides 150  
 triethylamine 457  
 triethylsilyl (TES) 32  
 triflate 216  
 trifluoroacetic acid (TFA) 428  
 trifluoromethanesulfonic acid 221  
 triisopropylsilyl (TIPS) 32, 158  
 triisopropylsilyl triflate (TIPSOTf) 158  
 trimethylsilyl (TMS) 32  
 2-(trimethylsilyl)ethyl glycosides 162  
 2-(trimethylsilyl)ethyl group 150  
 trimethylsilyltriflate 204  
     glucopyranosides 207  
     mannopyranosides 207–210  
 triphenylmethyl 29  
 triphenylmethyl chloride 30  
 trisaccharide mezzettiasides 267  
 trisaccharides 265  
 trityl chloride 32  
 trityl ethers  
     conditions for removal 33  
     non-conventional synthetic procedures 30  
     regioselective 6-*O*-tritylation 31  
     regioselectivity 30
- u**
- uronate saponification 489
- w**
- Williamson conditions 72
- x**
- $\alpha$ -xylosides 454
- y**
- $\gamma$ -azide 93
- z**
- Zemplén conditions 146  
 Zemplén reaction 478  
 Zemplén saponification 483