

Introduction to Computer Graphics and 3D

This book is intended to introduce you to the workings of 3D animation (called computer graphics, or CG) with one of the most popular programs on the market, Maya from Autodesk. It will introduce you to a lot of the features and capabilities with the intent of energizing you to further study.

Having said that, let's face a basic fact: The best way to succeed at almost anything is to practice. Prepare to go through the exercises in this book, but also try to think of exercises and projects that can take you further in your learning process. A book, class, or video can take you only so far; the rest is up to you. Imagination and exploration will serve you well.

This is not to say you can't be a casual visitor to working in CG—far from it. Playing around and seeing what you can create in this medium is just flat-out fun. Don't lose sight of that. If you feel the enjoyment slipping away, step away from the screen for a while. Understanding your own learning pace is important.

Throughout this book, you'll learn how to work with Maya tools and techniques at a pace you set for yourself. This chapter will prepare you for the hands-on study that follows by introducing the most important CG concepts and the roles they will play in your Maya work. When you are learning how to work with Maya, the most important concept is learning how you work as an artist. If you have a basic understanding of the methodology and terms of computer art and CG, you can skim or even skip this chapter and jump right into working with Maya.

Topics in this chapter include:

- **Art?**
- **Computer Graphics**
- **The Stages of Production**
- **The CG Production Workflow**
- **Core Concepts**
- **Basic Film Concepts**

Art?

Art, in many instances, requires transcendence of its medium; it speaks of its own accord. Art goes beyond the mechanics of how you create it (whether by brush or mouse) and takes on its own life. Learning to look beyond what you're working *with* and seeing what you're working *for* is the key to creating art with CG. Try not to view this experience as learning a software package, but as learning a way of working to an end. As you begin learning 3D with Maya, you acquire a new language—a new form of communication. Keep in mind that the techniques you acquire are only a means to the end.

Relax and enjoy yourself.

Computer tools are based on logic and numbers. Your exploration of Maya, however, need not be limited to such a logical path. Your exploration is about learning what *you* can do and not what the *software* can do. Don't make this a lesson in how to make a software program work; make it about how you work with the software.

When hiring professional 3D artists, CG studios keenly look for a strong artistic sense, whether in a traditional portfolio or a CG reel. Therefore, it is paramount to fortify the artist within yourself and practice traditional art such as life drawing, photography, painting, or sculpture as you learn CG, beginning with the core principles introduced in this first chapter. Keep in mind that the computer you'll be using for 3D work is nothing more than a tool. You run it; it does not run you.

3D is a part of the daily visual lexicon. With the availability of inexpensive and fast computers, everyone can create their own CG projects. Artists everywhere are adding the language of CG to their skill set. So before you start learning a particular CG tool—Maya in this case—make sure you have a grasp of the fundamental issues underlying CG. It's important.

Computer Graphics

CG and CGI are the abbreviations for computer graphics and computer graphics imagery, respectively, and are often used interchangeably. CG literally refers to any picture or series of pictures that is generated by an artist on a computer. However, the industry convention is to use the terms *CG* and *CGI* to refer to 3D graphics and not to images created using 2D image or paint programs such as Photoshop.

Most 2D graphics software is bitmap based, while all 3D software is vector based. Bitmap-based software creates an image as a mosaic of pixels, filled in one at a time. Vector-based software creates an image as a series of mathematical instructions from one calculated, or graphed, point to another. This much more powerful method for creating graphics is behind all the impressive CG images you've seen in movies, video-games, and so on. It is also the method for the images you'll soon create with Maya.

You'll learn more about vectors and bitmaps in the section "Computer Graphics Concepts" later in this chapter.

If you're familiar with 2D graphics software, such as Adobe Illustrator or Adobe Flash, you already know something about vectors. Maya and other 3D graphics tools add the calculations of depth. Instead of drawing objects on a flat plane, they are defined in three-dimensional space. This makes the artist's job fairly cerebral and very different than it is for 2D art; in 3D art, there is more of a dialogue between the left and right sides of the brain. When working with 3D graphics tools, you get a better sense of manipulating and working with objects, as opposed to dealing with the lines, shapes, and colors used to create 2D images.

A Preview of the 3D Process

The process of creating in 3D requires that you either model or arrange pre-built objects in a scene, give them color and light, and render them through a virtual camera to make an image. In essence, you create a scene that tells the computer what objects are in the scene; where the objects are located; what the colors and textures of the objects are; what lighting is available; and which camera to use in the scene. It's a lot like directing a live-action production, but without any actor tantrums.

A large community on the Web can provide you with free and for-pay models that you can use in your scenes. By giving you access to models for little or no cost, sites such as www.turbosquid.com, www.archive3d.net, and www.3dcafe.com can cut out a lot of the time you might spend creating a CG scene. This gives you the chance to skip at least some of the modeling process, if that isn't your thing.

Instead of a canvas on which to paint or copy and paste images, you have a 3D space—an open area in which you define your objects, set their colors and textures, and position lights as if you were setting up for a live photo shoot. CG is remarkably analogous to the art and practice of photography and filmmaking.

Photographers lay out a scene by placing the subjects to form the frame of the photo. They light the area for a specific mood, account for the film qualities in use, adjust the lens aperture, and fine-tune for the colors of the scene. They choose the camera, film, and lens based on their desired result. They snap a picture, develop the negative, and print it to photographic paper. Through this process, a photo is born.

Once you build your scene in 3D using models, lights, and a camera, the computer *renders* the scene, converting it to a 2D image. Through setup and rendering, CGI is born and, with a little luck, a CG artist is also born.

Rendering is the process of calculating lights and shadows, the placement of textures and colors on models, the movement of animated objects, and so on to produce a sequence

of 2D pictures that effectively “shoot” your virtual scene. Instead of an envelope of 4×6 glossy prints, you get a sequence of 2D computer images (or a QuickTime or AVI [Audio Video Interleave] movie file) that sit on your hard drive waiting to be seen, and invariably commented on, by your know-it-all friends.

In a nutshell, that is the CG process. You will need to practice planning and patience, because CG follows conventions that are very different from those for painting programs and image editors. The CG workflow is based on building, arrangements, and relationships. But it is an easy workflow to pick up and master in time. It can be learned by anyone with the desire and the patience to give it a try.

CG is already a big part of your everyday computing environment. Just take a look at all the options you have for creating digital imagery, CG and otherwise. The more familiar you are with CG, whether with Autodesk Maya or another package, the greater your role will be in the computing and artistic future. The day will soon arrive when we can customize our own environments for our immersive 3D desktops where we navigate through 3D space to access our files and programs.

Animation

Animation is change over time. In other words, animation is the simulation of an object changing over a period of time; whether it is that object’s position or size, or even its color or shape. So in addition to working in three dimensions of space, Maya animators work with a fourth dimension: time.

All animation, from paper flipbooks to film to Maya, is based on the principle that when we see a series of rapidly changing images, we perceive the changing of the image to be in continuous motion. If you have a chance to pause and step through an animated film, frame by frame, on your DVD player or DVR, you will see how animation comes together, literally step by step.

To create CG animation yourself, you have to create scene files with objects that exhibit some sort of change, whether through movement, color shift, growth, or other behavior. But just as with flipbooks and film animation, the change you are animating occurs between static images, called *frames*, a term carried over from film. You define the object’s animation using a *timeline* measured in these single frames.

You’ll learn more in the section “Basic Animation Concepts” later in this chapter. For now, let’s move on to the stages of CG production.

The Stages of Production

The CG animation industry inherited a workflow or pipeline from the film industry that consists of three broad stages: preproduction, production, and postproduction. In film, *preproduction* is the process in which the script and storyboards are written, costumes and sets are designed and built, actors are cast and rehearsed, the crew is hired, and the

equipment is rented and set up. In the *production* phase, scenes are taped or filmed in the most efficient order. *Postproduction* (often simply called *post*) describes everything that happens afterward: The scenes are edited into a story; a musical score, sound effects, and additional dialogue are added; and special visual effects may also be added. (In a film that has special effects or animation, the actual CG creation is usually completed in postproduction. However, it may start in the preproduction phases of the film or project itself.)

Although the work performed at each stage is radically different, this is a useful framework for understanding the process of creating CG as well.

Preproduction

Preproduction for a CG animation means gathering reference materials, motion tests, layout drawings, model sketches, and such together to make the actual CG production as straightforward as possible.

Because the CG artist is responsible for defining his or her 3D scenes from the ground up, it's essential to have a succinct plan of attack for a well-organized production. The more time spent planning and organizing for CG, the better. Whether you are working on a small job or a complex film, entering into production without a good plan of attack will not only cause trouble, but it will stunt the growth of your project.

In the real world, preproduction is part of every CG animation project. For the tutorial projects in this book, the sketches and other files supplied on the accompanying CD are your preproduction. Even for these tutorials, however, you should try to gather as much information as you can about the objects you'll create, going beyond what is presented. Having different perspectives on a subject is the key to understanding it. Disappointing movies often are the product of terribly flawed preproduction stages; likewise, a poorly thought-out CG production will invariably end in headaches and wasted time.

The Script

To tell a story, CG or not, you should put it in words. A story doesn't need to contain dialogue for it to benefit from a script. Even abstract animations benefit from a detailed explanation of timings and colors laid out in a treatment (because there is likely no dialogue). The script or treatment serves as the initial blueprint for the animation, a place where you lay out the all-important *intent*.

The Storyboard

A storyboard is a further definition of the script. Even a rudimentary storyboard with stick figures on notebook paper is useful to a production. You break the script into scenes, and then you break those scenes into shots. Next you sketch out each shot in a panel of a storyboard. The panels are laid out in order according to the script to give a

visual and linear explanation of the story. Storyboards are useful for planning camera angles (framing a shot), position of characters, lighting, mood, and so on.

The Conceptual Art

Conceptuals are the design elements that you might need for the CG production. Typically, characters are drawn into character sheets in three different neutral poses: from the front, from the side, and from an angle called a 3/4 view. You can also create color art for the various sets, props, and characters to better visualize the colors, textures, and lighting that will be needed. Props and sets are identified from the script and boards and then sketched out into model sheets. The better you visualize the conceptual art, the easier it will be to model, texture, and light everything in CG.

Production

Production begins when you start creating models from the boards, model sheets, and concept art. You model the characters, sets, and props, and then you assign textures (colors, patterns). The animators take the models and animate everything according to the boards and script. The sequences are rendered in low quality for dailies and checked for accuracy and content.

The CG production phase can involve a variety of steps. The specific steps are defined by the needs of the production. Most of the CG techniques you'll learn in this book are part of the production phase.

We'll peer into 3D workflow in the next section, but to make a long story short, 3D scenes are created, lit, and animated in the production phase.

Post Production

Once all the scenes have been set up with props and characters and everything is animated, post production can begin. Post production for a CG project is similar to post production for a film. This is where all of a CG film's elements are brought together and assembled into final form.

Rendering

All CG scenes need to be rendered into their final image or movie files. Rendering is the process by which the computer calculates how everything in the scene should look and then displays it. As you'll learn throughout this book, the decisions you make in creating the objects in a scene can make a big difference in how the rest of the process goes.

Rendering makes great processing demands on your computer, usually requiring the full attention of your PC. This can take a good amount of time. You can render one scene while another scene is in production, but asking a computer that is rendering to multitask is not advisable unless you're using a dual-processor machine with plenty of memory.

When everything is rendered properly, the final images are sorted and the assembly of the CG project begins. Rendering is discussed more fully in Chapter 11, “Maya Rendering.”

We’ll take a quick look at three more post production activities: compositing, editing, and adding sound. These are advanced topics, and complete coverage is beyond the scope of *Introducing Maya 2009*. However, a multitude of books are available on these topics for further study.

Compositing

Quite often, CG is rendered in different layers and segments, which need to be put back together. In a particular scene, for example, multiple characters interact. Each character is rendered separately from the others and from the backgrounds. They are then put together in *compositing*, or the process of bringing together scene elements that were created separately to form the final scene. Maya makes this process easier with Render Layers, which you will experience in Chapter 11.

Compositing programs such as Shake and After Effects not only allow you to compose CG elements together, they also give you some additional control over color, timing, and a host of other additions and alterations you can make to the scene. Compositing can greatly affect the look of a CG project. Professionals consider it an integral part of CG creation.

Many new animators try to generate their final images in a single rendering of their scene, but you don’t need to do that. Realizing the component nature of CG is important; you can use components to your advantage by rendering items separately and compositing them together in the finishing stage. This gives you a lot of control in finishing the images to your satisfaction without always having to go back, change the scene, and re-rendering it.

Editing

The rendered and composited CG footage is collected and edited together to conform to the script and boards. Some scenes are cut or are moved around to heighten the story. This is essentially the same process as film editing, with one big difference: the amount of footage used.

To make sure they have adequate coverage for all their scenes and to leave extra room for creativity in editing, live-action filmmakers shoot quite a bit more footage than is needed for a film. The editor and the director sift through all the scenes and arrange them to assemble the film in a way that works best with what they have shot and with the performances they prefer. A typical film uses a fraction of all film or video that is shot.

Because creating CG is typically more time-consuming and expensive than shooting live action, scenes and shots are often tightly arranged in preproduction boards so

not much effort is wasted. The entire production is edited with great care beforehand, and the scenes are built and animated to match the story, almost down to the frame. Consequently, the physical editing process consists mostly of assembling the scenes into the sequence of the story. This is also why a good preproduction process is important. When you plan out what you want to get, you're much more likely to get it.

Sound

Sound design is critical to CG because viewers associate visuals with audio. A basic soundtrack can add a significant punch to a simple animation by helping to provide realism, mood, narrative, and so on, adding a greater impact to the CG.

Sound effects, such as footsteps, are added to match the action on the screen. This type of sound is also known in film as *Foley sound*. Music is scored and added to match the film. Quite often, the dialogue or musical score inspires a character's actions or body language. Again, this is much the same procedure as in film, with one exception. In the event that a CG project requires dialogue, the dialogue must be recorded and edited *before* CG production can begin. Dialogue is a part of the preproduction phase as well as a component of postproduction. This is because animators need to hear the dialogue being spoken so they can coordinate the lip movements of the characters speaking, a process known as *lip-sync*.

How It All Works Together

The process behind making a *South Park* episode is a perfect pipeline example. Although the show appears to be animated using paper cutouts, as was the original Christmas short, the actual production work is now done using Maya. In preproduction on a typical episode, the writers hammer out the script, and the voice talent records all the voices before the art department creates the visuals for the show. The script is storyboarded, and copies are distributed to all the animators and layout artists.

At the beginning of the production phase, each scene is set up with the proper backgrounds and characters in Maya and then handed off for lip-synch, which is the first step in the animation of the scene. The voices are digitized into computer files for lip-synch animators who animate the mouths of the characters. The lip-synched animation is then passed to character animators who use the storyboards and the soundtrack to animate the characters in the Maya scene.

The animation is then rendered to start the post, edited together following the boards, and then sent back to the sound department for any sound effects needed to round out the scene. The episode is assembled and then sent off on tape for broadcast.

The CG Production Workflow

Because of the nature of CG and how scenes must be built, a specific workflow works best. Modeling almost always begins the process, which then can lead into texturing, and then to animation (or animation and then texturing). Lighting should follow, with rendering pulling up the rear as it must. (Of course, the process isn't completely linear; you'll often go back and forth adjusting models, lights, and textures throughout the process.) Chapters 4 through 12 follow this overall sequence, presenting the major Maya operations in the same order you'll use in real-world CG projects.

Modeling

Modeling, the topic of Chapters 4 through 6, is usually the first step in creating CG. It is the topic that garners a lot of coverage in publications and captures the interest of most budding CG artists. You most often start a CG scene by creating the objects you need to occupy your space. It can end up taking the majority of the time in your process. This is why downloading or purchasing models from the Internet can often cut down the amount of time you spend on your project. This, of course, assumes you're not a fan of modeling and prefer to spend your time animating or texturing and lighting.

There are many modeling techniques, and each could be the subject of its own series of books. The choice of which technique to use usually depends on the modeler's taste and preferred workflow. The choices are among Polygon modeling (Chapter 4, "Beginning Polygon Modeling"), NURBS modeling (Chapter 5, "Modeling with NURBS, Subdivisions, and Deformers"), and a third method that combines elements of the first two—subdivision surface modeling (Chapter 6, "Building the Red Wagon"). Affirming your entire story via a storyboard helps a great deal when you are figuring out how to proceed with the modeling. Knowing how an object is used in a scene gives you its criteria for modeling. You never want to spend more time on a model than is needed. Creating a highly detailed model for a far-away shot will waste your time and expand rendering times. If you need to see a park bench in a wide shot from far away, the model doesn't need abundant detail or complicated surfacing. You can usually create any required details for it by just adding textures. However, if that park bench is featured prominently in a close-up, it needs as much detail as possible because viewers will see more of the bench. You'll learn more about this aspect of modeling in Chapter 4.

The more you use models in scenes, the better you will develop your eye for exactly how much detail to provide. When you are starting out, however, it's a good idea to lavish as much attention on detail as you can; this can teach you perhaps 70 percent of what you can learn of modeling, which in turn will benefit your overall speed and technique. As you gain more experience, you'll be able to discern exactly how much detail to add to a scene and not to go overboard.

Character Modeling

Character modeling usually involves organic forms such as animals, humans, aliens, and such. Practically anything that is animated and portrays a character in a scene can be referred to as a *character model*. You need to create these with animation techniques in mind, as well as accuracy of form.

Some *organic* characters (for example critters and people, as opposed to robots with mechanical parts and hard edges) are built with patches of surfaces stitched together or as a single object that is stretched and pulled into shape. Character models need to look seamless because most character animation requires the model to deform in some way—to bend and warp at certain areas such as the joints.

A character modeler needs to keep the future of the character in mind to allow for particular character animation methods that will be used. Always try to build your characters with the proper amount of detail appropriate to the scene. Quite frequently, you will create several models for a character to account for different uses of that character and to keep the scene efficient and workable. You would create one character with fine facial detail for the close-up speaking scenes and another with hardly any details for walk cycles in distant shots. Listen to your mother: don't get in over your head; do as much as you know you can finish properly.

Architectural and Environment Modeling

Architectural and environmental modeling includes architectural previsualization for the design of buildings as well as the generation of backgrounds for sets and environments. Typically, it involves modeling buildings or interiors as well as mountains or anything that is required for the scenery, such as benches, chairs, lampposts, and so on.

You should not create incredibly detailed environments, especially ones that use a lot of *geometry* (that is, the objects in your scene), if they are not closely featured in a shot. The greater the amount of geometry, the slower your computer will run and the longer rendering will take. If you reach a critical mass of too much geometry in your scene, it might not even render. You can create a good deal of an environment by using clever textures and *matte paintings* on simple geometry. Matte paintings, which are detailed maps on bare surfaces, are used frequently for game environments. The rule of thumb for all kinds of CG is “use whatever works.”

Because your computer stores everything in the scene as vector math, the term *geometry* refers to all the surfaces and models in a scene.

Props Modeling

Props modeling covers almost everything else needed in the scene. In theater and film terms, a *prop* is an object used by a character in the action; anything relegated to the scenery or background is a *scenic*. For example, a prop can be a purse a character is carrying, a leash on an animated dog, or a car a character is driving. If the car or purse were just sitting in the background, it would be considered a scenic.

Texturing

Once the models are complete, it's a good idea to begin *texturing* and *shading*, the process of applying colors and textures to an object to make it renderable. When you create an object in Maya, for example, a simple gray default shader is automatically assigned to it that will let you see the object when you light and render the scene.

Because the textures may look different after animating and lighting the scene, it's wise to leave the final adjustments for later. Just as a painter will pencil in a sketch before adding details, you don't need to make all the shading adjustments right away; you can return to any part of your scene in Maya and adjust it to fine-tune the picture.

You'll learn more about texturing and shading in Chapter 7, "Maya Shading and Texturing."

Animation

You can really make or break your scene with animation. We all have an innate sense of how things are supposed to move on a visceral level, if not an academic one. We understand how physics applies to objects and how people and animals move around. Because of this, viewers tend to be critical of CG's motion if it's not lifelike. Put bluntly, you know when something doesn't look right, and so will the people watching your animation.

To animate something properly, you might need to do quite a lot of setup beyond just modeling. Depending on the kind of animating you'll be doing, you might need to set up the models for however you've decided to animate them. For example, for character animation you will need to create and attach an armature, or skeleton, to manipulate the character and to make it move, like a puppet, in order to do your bidding.

Taking the models you've spent hours detailing and reworking and giving them life is thrilling and can make any detailed modeling and setup routine well worth the effort.

Chapter 8, "Introduction to Animation," and Chapter 9, "More Animation!" cover animation techniques in Maya.

Lighting

CG is fundamentally all about light. Manipulating how light is created and reflected is what you're doing with CG. Without light, we would not see anything, so it makes sense

that simulating light is the most influential step in CG. Lighting can drastically alter the look of your scene; it greatly affects the believability of your models and textures and creates and heightens mood.

During the lighting step, you set up virtual lights in your scene to illuminate your objects and action. Although you can set up some initial lights during the texturing of the scene, the serious lighting should be the last thing you do, aside from changes and tweaks.

The type and number of lights you use in a scene greatly affect not just the look of your scene, but also the amount of time the scene takes to render. Lighting becomes a careful dance between pragmatics and results. It is perhaps the subtlest part of CG to master.

Once you gain more experience with lighting, you'll notice that it affects every part of your CG creation. Before long, you'll start modeling differently—that is, modeling with the final lighting of the scene in mind. Texturing will change when you keep lighting techniques in mind. Even your animation and staging will change a bit to take better advantage of efficient, powerful lighting.

As you'll learn in Chapter 10, “Maya Lighting,” virtual lights in Maya are similar to lights used in the real world, from a single point of light such as a bulb to directed beams such as spotlights.

Rendering

At this stage, your computer takes your scene and makes all the computations it needs to create raster images for your movie. Rendering time depends on how much geometry is used in the scene, as well as on the number of lights, the size of your textures, and the quality and size of your output: the more efficient your scene, the shorter the rendering times.

A lot of students ask how long they should expect their renders to take or how long is too long for a frame to render. It's a subjective question with no real answer. Your frames will take as long as they have to for them to look the way you want. Of course, if you have tight time or budgetary constraints, you need simple scenes to keep the render resources and times to a minimum. In production, you're always short on time, so having the most efficient pipeline possible will be your savior. If you do not work efficiently, your producer or supervisor eventually will tire of hearing, “But I'm still rendering.”

That being said, it's important to understand *how* a scene is put together before you learn to put a scene together *efficiently*. While you're learning, use as many lights and as much geometry as you think you need for your scenes. The more experience you gain, the more efficient your eye will become.

Core Concepts

3D animation draws from many disciplines. While learning Maya, you'll work with concepts derived not only from computer graphics, but also from design, film and cinematography, and traditional animation. Here's a summary of the most important of those concepts as they apply to Maya.

Computer Graphics Concepts

Knowing a bit about the general terminology and methodology of computer graphics will help you understand how Maya works. Let's begin with the crucial distinction between raster (bitmapped) and vector graphics and how this distinction affects you as a Maya user.

Raster Images

Raster images (synonymous with bitmapped images) make up the world of computer images today. These images are displayed through the arrangements of colored pixels onscreen or dots on a print to display an image. Everything you create in Maya will eventually be seen as a raster image, even though you create it using vectors.

Raster image programs, such as Photoshop, let you adjust existing settings such as color, size, and position for all or part of an image. They let you paint onto a scanned picture or a virtual canvas to adjust or create the pixels yourself. These programs essentially affect pixels directly, giving you the tools to change pixels to form images. For instance, you can use a scanned photo of your house in Photoshop to paint the side of it red to see what it might look like before you run down to the local paint store.

Recall from the beginning of this chapter that a raster or bitmap image is a mosaic of pixels, each pixel corresponding to a mosaic tile. The *resolution*, or fineness of detail, of an image is defined by the number of pixels per inch (or other unit of measure) in the horizontal and vertical directions. Because they are based on a grid of a fixed size, raster images do not scale up well. The closer you get to a raster image, or the larger a raster image is scaled, the bigger the pixels become, making the image look blocky, or *pixelated*. To make large raster images, you need to begin with a higher resolution. The higher the resolution, the larger the file size will be. Figure 1.1 shows what happens when you blow up a raster image.

In light of this limitation, you might wonder why raster images are used. The answer lies in *how* these images are generated. Most common raster displays are television or computer screens. In fact, the term *raster* originally referred to the display area of a television or computer monitor. To form an image, the electronics in these devices essentially paint it as a grid of red, green, and blue pixels on a glowing screen. Every image generated by a computer, therefore, must either begin as a raster image or be rasterized as part of rendering for display.



Figure 1.1

A raster image at its original size (left) and blown up several times (right)

Vector Images

Vector images are created in a completely different way. Vector images are formed using mathematical algorithms and geometric functions. Instead of defining the color of each and every pixel in a grid of a raster image, a vector image uses coordinates and geometric formulas to plot points that define *areas*, *volumes*, and *shapes*.

Popular vector-based image applications include Adobe Illustrator and Flash, as well as practically all computer-aided design (CAD) programs such as AutoCAD and SolidWorks. These programs let you define shapes and volumes and add color and texture to them through their toolsets. They store the results in files containing coordinates and equations of points in space and the color values that have been assigned to them. This vector information is then converted into raster images (called *rasterization*) through rendering so you can view the final image or animation.

When scaled, vector graphics do not suffer from the same limitations as raster images. As you can see in Figure 1.2, vectors can be scaled with no loss of quality; they will never pixelate.

Motion in vector programs is stored not by a long sequence of image files, but through changes in positions of the geometry and in the math that defines the shapes and volumes. When a Flash cartoon is played on a website, for example, the information downloaded and fed to your computer is in vector form. It contains the position, size, and shape of all the characters and backgrounds of the animation. Your computer then renders this information, on the fly in real time, into a raster display that you can enjoy on your screen.

In Maya, however, you work with vectors that are displayed as wireframes. When you finish your scene, Maya renders the image, converting the vector information into a sequence of raster images.



Figure 1.2
A vector image at
its original size (left)
and blown up quite
a bit (right)

When a vector file is edited, its geometric information is altered through the tools of the vector program. This allows for easy manipulation and handling of changes and is perfect for environments in which collaboration and efficiency in making changes are a necessity. The vector file is rendered into a new sequence of raster images by the computer only when editing is complete.

Image Output

When you're done with your animation, you'll want as many people as possible to see it. To make that happen, you have to render it into a file sequence or a movie file. The file can be saved in any number of ways, depending on how you intend it to be viewed.

COLOR DEPTH

An image file stores the color of each pixel as three values representing red, green, and blue. Image type depends on how much storage is allotted to each pixel (the *color depth*). These are the color depths common to image files in CG production:

Grayscale The image is black and white with varying degrees of gray in between, typically 256 shades of gray. Grayscale images are good for rendering out black-and-white subjects; no extraneous color information is stored in the image file.

16-Bit Color Display or High Color – 5-Bit Image File Each color channel (red, green, blue) gets 5 bits of space to store its value, resulting in an image that can display a maximum of 32,768 colors. Each color channel has a limited range of shades but still produces a nice color image. You might notice the gradation in the different shades of each color that can result in *color banding* in the image. These images are rarely, if ever, used in normal production outside of web-based projects.

8-Bit Image File Referred to as 24-bit color display or True Color in desktop settings for Windows, each color channel is given 8 bits for a range of 256 shades of each red, green, and blue channel for a total of 16 million colors in the image. This color depth gives the best color quality for an image, and it is widely used in most animation applications. It is said that the human eye cannot see quite as many shades of color as there are in a True Color image. Most of your renders from Maya will probably be as 8-bit image files, because most monitors are only capable of 8-bit color reproduction in playback.

16-Bit Image File Used in television and film work using such file types as TIFF16, a 16-bit image file holds 16 bits of information for each color channel, resulting in an impressive number of color levels and ranges. Each file can exceed several megabytes even at low resolutions. These files are primarily used in professional productions.

32-Bit Image File This is where the big boys play. Used primarily for filmwork but increasingly in general use, 32-bit image files, such as the OpenEXR format, give you an incredible amount of range in each of the color channels. This lets you adjust a wide range of tones and hues in your rendered output for the fullest detail. They are pretty much standard for film work because outputting CG to film can require high levels of color and brightness range in the image.

High Dynamic Range Imagery (HDRI) HDRI images are 32-bit float images that are created by combining several digital photos into one image file. For example, photos are taken of a subject with different levels of light exposure using different f-stops during photography. This way you have a series of images that range from dark (with minimal exposure) to normal (with proper exposure) to blown out brightness (with overexposure). These different exposures are then compiled into a single HDR file format (.hdr) that represents a wider range of light and dark than a typical photo. These files are traditionally used as lighting setups, especially for scenes in which CG is integrated with a live action background using Image Based Lighting or IBL, a concept we will touch on later in this book.

COLOR CHANNELS

As mentioned, each image file holds the color information in channels. All color images have red, green, and blue color channels that, when viewed together, give a color image. Each channel is a measurement of how much red, green, or blue there is in areas of the image. A fourth channel, called the *alpha* channel, is used as a transparency channel. This channel, also known as the *matte* channel, defines which portions of the image are transparent or opaque. Not all image files have alpha channels. You can read more about alpha channels in Chapter 7.

FILE FORMATS

In addition to image types, several image file formats are available today. The most common is probably JPEG (Joint Photographic Experts Group), which is widely used on the Internet.

The main difference between file formats is how the image is stored. Some formats compress the file to reduce its size. However, as the degree of compression increases, the color quality of the image decreases.

The popular formats to render into from Maya are TIFF (Tagged Image File Format), Maya IFF (Maya Image File Format), and Targa. These file formats maintain a good 8-bit image file, are either uncompressed or barely compressed (lossless compression), and are frequently used for broadcast or film work. These formats also have an alpha channel, giving you better control when you later composite images together. To see an animation rendered in a file sequence of TIFFs, for example, you must play them back using a frame player such as Fcheck (which is included with Maya) or Iridas FrameCycler, or compile them into a movie file using a program such as Adobe After Effects.

Ultimately, your final image format depends on the next step in your project. For example, if you plan to composite your CG, you'll need to output a format that can be imported by your compositing or editing program. TIFF files are perhaps the best format to use as they are widely compatible, store uncompressed color, and have an alpha channel. You might also consider outputting to 16-bit or even 32-bit float images to give you the greatest range of color when you fine tune the image sequences. For the vast majority of your work as a beginner, you'll be working in 8 bit.

MOVIE FILES

Animations can also be output to movie files such as AVI or QuickTime. These usually large files are self-contained and hold all the images necessary for the animation that they play back as frames. Like image files, movie files can be compressed to keep their sizes to a minimum, but they suffer from quality loss as well.

Maya can render directly to an uncompressed AVI movie format, saving you the *seeming* hassle of having to render out a large sequence of files as TIFFs. Although rendering directly to an AVI movie file might seem like a good idea, it usually isn't. It is best to render a sequence of files that can easily be compiled into a movie file later using a program such as Adobe After Effects, Premiere, or QuickTime Pro. The reason is simple: nothing is perfect, especially rendering on your computer. Your render may crash or your machine may freeze. In such an event, you need to start your AVI render from the beginning, whereas with TIFFs you can pick up right after the last rendered frame. With a sequence, you also have the option of reordering the frames or easily adjusting a few individual frames' properties, such as hue or saturation, without affecting the entire movie file. Rendering frames is just the better way to go.

Color

Color is how we perceive the differences in the wavelengths of light. The wide range of colors that we see (the visible spectrum) result when any of three *primary colors* of light—red, green, and blue—are “mixed” together. You can mix color in two ways: subtractive and

additive. These color definitions are most often displayed in *color wheels*, which equally space the primary colors around a ring and place the resultant colors when primaries are mixed in between the appropriate primaries.

Knowing more about color will help you understand how your CG's color scheme will work and help you to design your shots with greater authority. (See the reading list at the end of this chapter for some books that expound on color theory and color's impact on composition.)

SUBTRACTIVE AND ADDITIVE COLOR

Subtractive color mixing is used when the image will be seen with an external light source. It's based on the way reflected light creates color. Light rays bounce off colored surfaces and are tinted by the different pigments on the surface. These pigments absorb and reflect only certain frequencies of the light hitting them, in essence *subtracting* certain colors from the light before it gets to your eyes. Pile up enough different colors of paint and you get black; all the colors are absorbed by the pigment and only black is reflected.

When subtractive color mixing is used in painting, the traditional color wheel's primary colors are red, yellow, and blue for paints. These three pigments can be mixed together to form any other color pigment, and they form the basis for the color wheel most people are exposed to in art education in primary school. In the world of print production, however, a CMYK (Cyan, Magenta, Yellow, and black) color wheel is used. Cyan, yellow, and magenta ink colors are the primary colors used to mix all the other ink colors for print work.

Projected light, however, is mixed as *additive color*. Each light's frequency adds upon another's to form color. The additive primary colors are *red*, *green*, and *blue*. These three colors, when mixed in certain ratios, form the entire range of color. When all are equally mixed together, they form a white light.

A computer monitor uses only additive color, mixing each color with amounts of red, green, and blue (RGB). Output for print is converted to a CMYK color model.

Warm colors are those in the magenta to red to yellow range, and *cool colors* are those in the green to cyan to blue range of the additive color wheel. Warm colors seem to advance from the frame, and cool colors seem to recede into the frame.

HOW A COMPUTER DEFINES COLOR

Computers represent all information, including color, as sets of numeric values made up of binary numbers—0s and 1s (bits). In an 8-bit color file, each pixel is represented by three 8-bit values corresponding to the red, green, and blue “channels” of the image. An 8-bit binary number ranges from 0 to 255, so for each primary color you have 256 possible levels. With three channels you have $256 \times 256 \times 256$ (16.7 million) possible combinations of each primary color mixed to form the final color.

Color value can also be set on the hue, saturation, and value (HSV) channels. Again, each channel holds a value from 0 to 255 (in an 8-bit image file) that defines the final color. The hue value defines the actual tint (from red to green to violet) of the color. The saturation defines *how much* of that tint is present in the color. The higher the saturation value, the deeper the color will be. Finally, value defines the brightness of the color, from black to white. The higher the value, the brighter the color will be.

HSV and RGB give you different methods to control color, allowing you to use the method you prefer. All the colors available in Maya, from textures to lights, are defined as either RGB or HSV values for the best flexibility. You can switch from HSV to RGB definition in Maya at any time.

CMYK COLOR

A CMYK color wheel is used for print work, and this is referred to as the four-color process. Color inkjet printers produce color printouts by mixing the appropriate levels of these inks onto the paper.

All output from a computer, which is RGB based, to a printer goes through a CMYK conversion as it's printed. For professional print work, specially calibrated monitors are used to enhance previewing the CMYK color of an RGB image before it is printed. Fortunately, only the print professionals need to worry about this conversion process because most of it is handled by our graphics software to a fairly accurate degree.

VIEWING COLOR

The broadcast standard for North America is called NTSC. One joke in the industry is that the acronym means Never The Same Color, referring to the fact that the color you see on one TV screen will be different from what you see on another one. The same holds true for computer monitors, especially flat panel displays. All displays are calibrated differently, and what you see on one screen may not be exactly what you see on another screen. If it's important to have consistent color on different screens, say on your home and school computers, you can use traditional color bars downloaded from the Internet or your own custom-made color chart to adjust the settings of the monitors you work with so they match more closely. If color is absolutely critical when working in a group, it's important for everyone to view color output on a single screen.

Resolution, Aspect Ratio, Frame Rate

Resolution denotes the size of an image by the number of horizontal and vertical pixels, usually expressed as # × # (for example, 640 × 480). The higher the resolution, the finer the image detail will be.

You will adjust your final render size to suit the final medium for which you are creating the animation. Table 1.1 lists some standard resolutions.

Table 1.1	NAME	SIZE	NOTES
Typical Video Resolutions	VGA (Video Graphics Array)	640 x 480	Formerly the standard computing resolution and still a popular television resolution for tape output.
	NTSC D1 (National Television System Committee)	720 x 486	The standard resolution for broadcast television in North America.
	NTSC DV	720 x 480	Close to the NTSC D1 resolution, this is the typical resolution of digital video cameras.
	PAL (Phase Alternation Line)	720 x 586	The standard broadcast resolution for most European countries.
	HDTV (High Definition TV)	1920 x 1080	The emerging television standard, sometimes also referred to as 1080i.
	1K Academy (1K refers to 1000 pixels across)	1024 x 768	Typically the lowest allowable resolution for film production at Academy ratio. Since film is an optical format (whereas TV is a raster format), there is no set defined resolution for film. Suffice it to say, the higher the better.
	2K Academy (2K refers to 2000 pixels across)	2048 x 1556	Most studios output CG for film at this resolution, which gives the best size-to-performance ratio.
	4K Academy (4K is 4000 pixels across)	4094 x 3072	A high resolution for film, used for highly detailed shots.

Any discussion of resolution must include the matter of *aspect ratio*. Aspect ratio is the ratio of the screen’s *width* to its *height*. Aspect ratio standards are shown in Table 1.2.

Table 1.2	NAME	SIZE	NOTES
Aspect Ratio Standards	Academy Standard	1.33:1 or 4:3	The most common aspect ratio. The width is 1.33 times the length of the height. This is the NTSC (National Television Standards Committee) television aspect ratio as well as the aspect ratio of 16mm films and some 35mm films, especially classics such as <i>Gone with the Wind</i> .
	Widescreen TV	1.78:1 or 16:9	With HD and widescreen TVs gaining popularity, the 16:9 standard is commonplace now. This aspect is used in HD programming and is also the aspect ratio of many widescreen computer monitors and laptops. This aspect is very close to how most films are displayed (1.85:1, as shown next)
	Widescreen Film (aka Academy Flat)	1.85:1	The most-often used 35mm film aspect today. When it’s displayed on a television, horizontal black bars appear above and below the picture so that the edges are not cropped off (an effect called letterboxing).
	Anamorphic Ratio	2.35:1	Using a lens called an anamorphic lens, the image captured to 35mm film is squeezed. When played back with a projector with an anamorphic lens, the image is projected with a width at 2.35 times its height. On a standard TV, the letterboxing would be more severe to avoid cropping the sides.

The number of frames played back per second determines the *frame rate* of the animation. This is denoted as *fps*, or frames per second. The following are the three standard frame rates for media:

- NTSC: 30fps
- PAL: 25fps
- Film: 24fps

Knowing your output medium is important when beginning an animation project. Although not crucial, it can affect how you design your framing, create your movements, render your project, and so on. You can change the frame rate and render resolution at any time in Maya, but it's always better to know as best you can what the final resolution and fps will be before you begin.

Playing back a 24fps animation at 30fps will yield a slower-moving animation and will either necessitate the repetition of some frames to fill in the gaps or end the animation early. Conversely, playing a 30fps animation at 24fps will create a faster-moving animation that will either skip some frames or end later than it should.

3D Coordinate Space and Axes

Three-dimensional space is the virtual area in which you create your models and execute your animation. It is based on the Cartesian coordinate system, a geometric map of sorts developed by the brainy René Descartes. Knowing where you are at all times is essential with a 3D program. You can do so if you understand the toolset you're working with and the 3D space in which you're working.

Space is defined in three axes—*X*, *Y*, and *Z*—representing width, height, and depth. The three axes form a numeric grid in which a particular point is defined by its *coordinates* set forth as (#,#,#) corresponding to (*X*,*Y*,*Z*) respectively.


At the zero point of these axes is the *origin*. This is at (0,0,0) and is the intersection of all three axes. The 3D space defined by these three axes is called the *World axis*, in which the *XYZ*-axes are *fixed references*. The axis in *World Space* is always fixed and is represented in Maya by the *XYZ Axis* icon in the lower-left corner of the *Perspective* windows.

Because objects can be oriented in all sorts of directions within the *World axis*, it's necessary for each object to have its own width, height, and depth axis independent of the *World axis*. This is called the *Local axis*. The *Local axis* is the *XYZ*-coordinate space that is attached to every object in Maya. When that object rotates or moves, its *Local axis* rotates and moves with it. This is necessary to make animating an object easier as it moves and orients about in the *World axis*.

You'll get a hands-on introduction to Maya's Cartesian coordinate space in the tutorial in Chapter 2, "Jumping in Headfirst, with Both Feet," where you'll re-create the solar system with the sun placed at the origin, the planets orbiting the *World axis* and rotating on their own *Local axes*, and moons orbiting the planets and also rotating (see Figure 1.3).

Figure 1.3

The sun at the origin, Earth and other planets orbiting the World axis while rotating on their own axes, and the moon orbiting Earth



Basic Design Concepts

Composition is all about how you lay out your scene and design your colors. Creating a dynamic frame that not only catches the eye but also informs and intrigues is itself an art form.

Some background in basic design is definitely helpful, and you'll want to look at some design books as you further your education in 3D. Understanding the fundamentals of layout and design makes for better-looking scenes and easier setup. The concepts presented here will get you started. Design theory may not seem specifically pertinent to CG right now, but recognizing that there is a logical system behind every pretty picture will help you progress, both as an artist and as an animator.

Form, Space, and Composition

Space is your canvas or frame. Because your canvas ultimately will be a rendered image, your composition needs to fit within your rendered image frame. Whether that frame falls into a tiny web window or a huge IMAX screen, the basics of design always apply: how you arrange your forms and divide your space says a lot.

In the design lexicon, *form* means anything that you can see; it has some sort of shape, color, or texture that distinguishes it from its frame. Any object you model or animate becomes a form in your frame when you render the scene. How these objects lie in the frame defines your composition. The space behind and between what is rendered out is the ground, or background plane. Objects become *positive space*, and the background becomes *negative space*.

To viewers, positive space tends to proceed forward from the frame, while negative space recedes. Playing with the position of positive and negative space greatly affects the dynamics of your frame. Add to that the element of motion, and you have a terrific chance to play with your canvas.

Design a static frame in which the objects are all centered and evenly spaced, and your viewer will wonder why he or she is looking at your composition. Arrange the composition so that your subjects occupy more interesting areas of the frame in which they play with negative space, and the eye is drawn all over the frame, creating a dynamic composition. This principle applies to still images as well as to animation.

In the tutorial in Chapter 10, you'll use light and shadow to turn a still life of fruit into a dynamic and interestingly-composed frame.

Balance and Symmetry

Balance in a frame suggests an even amount of positive space from one side of the frame to the other. A frame that is heavier on one side can create a more dynamic composition.

Symmetrical objects in a frame are mirrored from one side to another and create a certain static balance in the frame. An asymmetrical composition, therefore, denotes movement in the composition.

A popular technique used by painters, photographers, and cinematographers is called *framing in thirds*. With this technique, the frame is divided into a grid of thirds vertically and horizontally. Interesting parts of the frame, or focal points of the subjects, are placed at strategic locations in the grid. Placing your subject in the lower third makes it seem small or insignificant, static, or even boring. Placing it in the upper third makes the image more dynamic, magnifying its perceived scale or importance, and even tells a better story. Figure 1.4 illustrates the difference between a static, symmetric frame and a frame based on thirds.

Figure 1.4
A purely symmetrical frame looks static; the running boy is still. Framing in thirds helps create or heighten a sense of motion, giving space for the boy to run.




Contrast

Contrast in design describes how much your foreground subject “pops” from the background. As you can see in Figure 1.5, when you create an area in your frame that contains little variation in color and light, the image will seem flat and uneventful. Using dark shadows and light highlights increases the perceived depth in the image and helps pop out the subject from the background. Animating contrast can help increase or decrease the depth of your frame.

As you’ll see in Chapter 10, light plays an important role in creating dynamic contrasts within your frame.

Figure 1.5

With low contrast, the subject seems to disappear into the background. If you add shadows and highlights, the subject will “pop out.”



Color

Your use of color also plays a big part in creating impact in your frame. As stated above, warm colors tend to advance toward you, and cooler colors seem to recede into the frame. Placing a warm color on a subject on a cool background creates a nice color contrast to help the dynamics of your frame.

Colors opposite each other on the color wheel are *complementary* colors and usually clash when put together. Using complementary colors can create a wide variation of contrast in your scene.

Narrative

A *narrative film*, for example, is a film that tells a story of a hero, called a *protagonist*, and his or her struggle against an *antagonist*. Even in the most abstract concept, there can be a perceived journey; a change that somehow occurs, even if it’s a change in the viewer as they view the imagery.

Convincing art creates a sense of change or arc for the audience. This adds an important dimension to your work. When the viewer feels you have something to say, your work becomes that much more touching.

Basic Film Concepts

In addition to the design concepts used in framing a shot, you'll want to understand some fundamental filmmaking concepts.

There's nothing more important than having a solid, manageable, and achievable plan for your conceptual goal. Almost everybody in production lays this plan out in advance of the principle photography. You can't run out into the street with someone else's expensive camera and not know what you're going to shoot. CG takes time. Put together a good plan, and you'll be set for a good production.

Planning a Production

Understanding the paradigm conventional filmmakers use for their productions will give you a good structure for planning, creating, and managing your own shorts. Most narrative films are broken into acts, which comprise sequences made up of scenes, which in turn are made up of shots. CG productions concerning even the simplest topics should follow this pattern. By using a similar layout in the scripting and storyboarding of your own short, you will find that the entire production process becomes easier and the effect of your film is stronger.

Narrative films are typically divided into three *acts*. The first act establishes the main characters and the conflict or struggle that will define the story. The second act covers most of the action of the story as the hero attempts to overcome this conflict. The third act concludes the film by resolving the action in the story and tying up all the loose ends.

Acts can be deconstructed further into *sequences*, which are groups of sequential scenes that unite around a particular dramatic or narrative point.

A *scene* is a part of a film that takes place in a specific place or time with specific characters to present that part of the story. Films are broken into scenes for organizational purposes by their locations (that is, by where or when they take place).

Don't confuse the filmmaking concept of a scene with the word "scene" in CG terminology. The latter refers to the elements in the 3D file that make up the CG.

Scenes are then broken into *shots*, which correspond to a particular camera angle or *framing*. Shots break up the monotony of a scene by giving different views of the scene and its characters. Shots are separated by *cuts* between each shot.

Shots are defined by angle of view, which is the point of view (POV) of the camera. Shots change as soon as the camera's view is changed.

Lighting

Although CG lighting techniques may seem completely different from lighting in real life, the desired results are quite often the same. The more you understand how real lights affect your subjects in photography, the better you will be at CG lighting.

Without lights, you can't capture anything on film. How you light your scene affects the contrast of the frame as well as the color balance and overall design impact. If the lights in your scene are too flat or too even, they will weaken your composition and abate your scene's impact.

For a good way to understand the essentials of lighting, you should take a look at the *three-point system*. This method places a *key* light in front of the scene, which is the primary illumination and casts the shadows into the scene. The key light is typically placed behind the camera and off to one side to create a highlight on one side of the object for contrast's sake. The rest of the scene is given a *fill* light. The fill acts to illuminate the rest of the scene but is typically not as bright as the key light. The fill also softens harsh shadows from the key light. To pop the subject out from the background, a *back* light is used to illuminate the silhouette of the subject. This is also known as a *rim* light, because it creates a slight halo or rim around the subject in the scene. It's much fainter than the key or fill lights.

You'll learn more about Maya lighting techniques in Chapter 10.

Basic Animation Concepts


As mentioned at the beginning of this chapter, animation is the representation of change over time. This concept is the basis for an amazing art that has been practiced in one way or another for some time. Although this section cannot cover all of them, here are a few key terms you will come across numerous times on your journey into CG animation.

Frames, Keyframes, In-Betweens


Each drawing of an animation, or in the case of CG, a single rendered image, is called a *frame*. The term *frame* also refers to a unit of time in animation whose exact chronological length depends on how fast the animation will eventually play back (frame rate). For example, at film rate (24fps), a single frame will last 1/24 of a second. At NTSC video rate (30fps), that same frame will last 1/30 of a second.

Keyframes are frames in which the animator creates a pose for a character (or whatever is being animated). In CG terms, a keyframe is a frame in which a pose, a position, or some other such value has been saved in time. Animation is created when an object travels or changes from one keyframe to another. You will see firsthand how creating poses for animation works in Chapter 9 when you create the poses for a simple walking human figure.


In CG, a keyframe can be set on almost any aspect of an object—its color, position, size, and so on. Maya then interpolates the *in-between* frames between the keyframes set by the animator. In reality, you can set several keyframes on any one frame in CG animation. Figure 1.6 illustrates a keyframe sequence in Maya.




Keyframe at frame 1




Frame 5




Frame 10




Frame 15



Frame 20



Frame 25



Keyframe at frame 30

Figure 1.6

Keyframing. In the first frame of this sequence, a keyframe is set on the position, rotation, and scale of the cone. On frame 30, the same properties are again keyframed. Maya calculates all the movement in between.

Weight

Weight is an implied, if not critical, concept in design and animation. The weight of your subject in the frame is a function of how it is colored, its contrast, shape, and location in the frame, and the negative space around it, to name but a few ways of looking at it. In animation, weight takes on a more important role. How you show an object's weight in motion greatly affects its believability. As you'll see in the axe tutorial in Chapter 8, creating proper motion to reflect the object's weight goes a long way toward creating believable animation.

Weight in animation is a perception of mass. An object's movement, how it reacts in motion, and how it reacts to other objects together convey the feeling of weight. Otherwise, the animation will look bogus, or as they say, "cartoonish."

Weight can be created with a variety of techniques developed by traditional animators over the years. Each technique distorts the shape of the character in some way to make it look as if it is moving. Although it may seem strange to distort an object's dimensions, doing so makes the character's motion more realistic. Chapter 8 will touch more on creating weight in animation. Here's a quick preview.

SQUASH AND STRETCH

This technique makes a character respond to gravity, movement, and inertia by literally squashing down and stretching up when it moves. For example, a cartoon character will squeeze down when it is about to jump up, stretch out a bit while it is flying in the air, and squash back down when it lands to make the character look as if it is reacting to gravity.

EASE-IN AND EASE-OUT

Objects never really stop suddenly. Everything comes to rest in its own time, slowing before coming to a complete stop in most cases. This is referred to as *ease-out*.

Just as objects don't stop suddenly, they don't immediately start moving either. Most things need to speed up a bit before reaching full speed. This is referred to as *ease-in*. The Bouncing Ball tutorial in Chapter 8 illustrates ease-in and ease-out.

FOLLOW-THROUGH AND ANTICIPATION

Sometimes you just have to exaggerate the weight of an object in animation, especially in cartoons. You can exaggerate a character's weight, for instance, by using well-designed follow through and anticipation.

You should create a little bit of movement in your character or object *before* it moves. *Anticipation* is a technique in which a character or object winds up before it moves, like a spring that coils inward a bit before it bounces.

Likewise, objects ending an action typically have a *follow-through*. Think about the movement of gymnasts. When they land, they need to bend a bit at the knees and waist to

stabilize their landing. Likewise, a cape on a jumping character will continue to move a bit even after the character lands and stops moving.

The Axe tutorial in Chapter 8 will give you a chance to implement these two concepts.

Physics

In Chapter 12, “Maya Dynamics and Effects,” you’ll see that one of Maya’s most powerful features is its ability to simulate the dynamics of moving objects. To use that capability effectively, you need a general awareness of the properties of physics—how objects behave in the physical world.

Newton’s Laws of Motion

There are three basic laws of motion that you need to know. Sir Isaac Newton set forth these three basic laws, summarized here. Everyone in animation needs to understand the first two laws because they play a large part in how animations should look. Coming to terms with the third is an art.

- An object in motion will remain in motion, and an object at rest will remain at rest unless an external force acts upon the object. This is called *inertia*, and understanding it is critical to good animation. You’ll find more on this in Chapters 8 and 9.
- The more massive an object is, the more force is needed to accelerate or decelerate its motion. This law deals with an object’s *momentum*.
- Every action has an equal and opposite reaction. When you press on a brick wall, for example, the wall exerts an equal amount of force on your hand. That way your hand doesn’t smash through the wall.

Momentum

It’s important to understand what momentum is all about. When an object is in motion, it has momentum. The amount of momentum is calculated by multiplying the mass of the object by its velocity. The heavier something is, or the faster it is moving, the more momentum it has, and the bigger the bruise it will leave if it hits you. Duck!

That’s why a tiny pebble on the highway can cause such a great impact on your windshield, for example. Its sheer speed greatly increases its momentum. Likewise, a slow-moving garbage truck can bash your car, relying on its sheer mass for its tremendous momentum.

When one moving object meets another object—moving or not—momentum is transferred between them. So when something hits an object, that object is moved if there is sufficient momentum transferred to it. For more on this notion, see the Axe-Throwing exercise in Chapter 8.

SUGGESTED READING

The more you know about all the arts that make up CG, the more confident you'll feel among your peers. To get started, check out the following excellent resources.

ART AND DESIGN

These books provide valuable insights into the mechanics and art of design. The more you understand design theory, the stronger your art will be.

Bowers, John. *Introduction to Two-Dimensional Design: Understanding Form and Function*. New York: John Wiley & Sons, 1999.

Itten, Johannes. *Design and Form: The Basic Course at the Bauhaus and Later*. New York: John Wiley & Sons, 1975.

Ocvirk, Otto G., et al. *Art Fundamentals: Theory and Practice*. New York: McGraw-Hill, 2006.

Wong, Wucius. *Principles of Form and Design*. New York: John Wiley & Sons, 1993.

CG

CG has an interesting history, and it is evolving at breakneck speeds. Acquiring a solid knowledge of this history and evolution is as important as keeping up with current trends.

Kerlow, Isaac Victor. *The Art of 3D: Computer Animation and Effects*. New York: John Wiley & Sons, 2003.

Kundert-Gibbs, John, Derakhshani, Dariush, et al. *Mastering Maya 8.5*. San Francisco: Sybex, 2007.

Kuperberg, Marcia. *Guide to Computer Animation*. Burlington, MA: Focal Press, 2002.

Masson, Terrence. *CG 101: A Computer Graphics Industry Reference*. Williamstown, MA: Digital Fauxtography, 2007.

PERIODICALS

Computer Graphics World (free subscription for those who qualify)
www.cgw.com

Cinefex
www.cinefex.com

HDRI3D
www.hdri3d.com

3D World
www.3Dworldmag.com

WEBSITES

www.learning-maya.com
www.animationartist.com
www.awn.com
www.highend3d.com
www.3Dcafe.com

(continues)

SUGGESTED READING *(continued)***FILM**

Block, Bruce. *The Visual Story: Seeing the Structure of Film, TV, and New Media*. Burlington, MA: Focal Press, 2001.

MUST-READ

Myers, Dale K. *Computer Animation: Expert Advice on Breaking into the Business*. Milford, MI: Oak Cliff Press, 1999.

Summary

In this chapter, you learned the basic process of working in CG, called a *workflow* or *pipeline*, and how it relates to the process of working on a typical live film production. In addition, you were introduced to the core concepts of CG creation and the fundamentals of digital images. Some important ideas in design as well as traditional animation concepts were also covered.

Now that you have a foundation in CG and 3D terminology and core concepts, you are ready to tackle the software itself. Maya is a capable, intricate program. The more you understand how *you* work artistically, the better use you will make of this exceptional tool.

There is a lot to think about before putting objects into a scene and rendering them. With practice and some design tinkering, though, all this will become intuitive. As you move forward in your animation education, stay diligent, be patient, and never pass up a chance to learn something new. Above all else, have fun with it.

